

RECEIVED By Alameda County Environmental Health 1:32 pm, Aug 18, 2015

Transmittal

Date:	August 13, 2015	Reference No.:	240781
То:	Jerry Wickham		
	Alameda County Environmental Health		
	1131 Harbor Bay Parkway, Suite 250		
	Alameda, California 94502-6577		
Subject:	2703 Martin Luther King Jr. Way, Oakland, Californ	nia	

No. of Copies	Description/Title		Drawing No./ Document Ref.	Issue
1	Groundwater Monitoring Report - Second Quarter 2015			
Issued for	 ☐ Your information ☐ Your approval/comments ☐ Returned to you 	□ Construc □ For re-su		uotation
Sent by:	□ Overnight courier □ Same day courier □ Maile	d under separate	cover 🗆 Mail er	nclosed
	Other: GeoTracker and Alameda County FTP			

Remarks:

If you have any questions regarding the contents of this document, please call the GHD project manager Peter Schaefer at (510) 420-3319 or the Shell program manager Perry Pineda at (425) 413-1164.

Copy to:

Perry Pineda, Shell Oil Products US

(electronic copy)

Rodney & Janet Kwan (property owners)

Monique Oatis (off-site property owner)

Completed by: Peter Schaefer [Please Print] Signed: Jeth Schap

Filing: Correspondence File

GHD Services Inc. 5900 Hollis Street Suite A Emeryville California 94608 USA T 510 420 0700 F 510 420 9170 W www.ghd.com



Mr. Jerry Wickham Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 Shell Oil Products US Soil and Groundwater Focus Delivery Group 20945 S. Wilmington Avenue Carson, CA 90810 Tel (425) 413 1164 Fax (425) 413 0988 Email perry.pineda@shell.com Internet http://www.shell.com

Re: 2703 Martin Luther King Jr. Way, Oakland, California PlaNet Site ID USF04645 PlaNet Project ID 27482 ACEH Case No. RO0000145

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (425) 413-1164 with any questions or concerns.

Sincerely, Shell Oil Products US

13 Par

Perry Pineda Senior Environmental Program Manager



Groundwater Monitoring Report - Second Quarter 2015

Former Shell Service Station 2703 Martin Luther King Jr. Way Oakland, California

PlaNet Site ID	USF04645
PlaNet Project ID	27482
Agency No.	RO0000145

Shell Oil Products US

August 13, 2015 5900 Hollis Street Suite A Emeryville California 94608 USA 240781 | 15.03 | Report No 35

Table of Contents

1.	Introd	luction	. 1
	1.1	Site Information	. 1
2.	Site A	ctivities, Findings, and Discussion	. 1
	2.1	Current Quarter's Activities	. 1
	2.2	Current Quarter's Findings	2
	2.3	Proposed Activities	2

Figure Index

Figure 1	Vicinity Map
Figure 2	Groundwater Contour and Chemical Concentration Map

Table Index

Table 1 Groundwater Data

Appendices

Appendix A	Blaine Tech Services – Field Notes
Appendix B	TestAmerica Laboratories, Inc. – Analytical Report

1. Introduction

GHD Services Inc. (GHD) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell)

1.1 Site Information

Site Address	2703 Martin Luther King Jr. Way, Oakland
Site Use	Auto repair shop
Shell Program Manager	Perry Pineda
GHD Project Manager	Peter Schaefer
Lead Agency and Contact	ACEH, Jerry Wickham
Agency Case No.	RO0000145
Shell PlaNet Site ID	USF04645
Shell PlaNet Project ID	27482

Date of most recent agency correspondence was July 21, 2015.

2. Site Activities, Findings, and Discussion

2.1 Current Quarter's Activities

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

GHD prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B.

In March 2015, Conestoga-Rovers & Associates (CRA) installed off-site groundwater monitoring well (MW-13) and soil vapor probes (VP 12 and VP-13) at 670 27th Street and installed on-site soil vapor probe (VP-14); and in April 2015, CRA sampled the new vapor probes and existing vapor probe VP-3 at 5 feet below grade (fbg). Due to water in existing probes VP-2 at 3 and 5 fbg and VP-3 at 3 fbg, we were unable to collect samples. CRA submitted a *Subsurface Investigation Report* on June 5, 2015.

Alameda County Environmental Health's (ACEH's) July 21, 2015 letter requested additional soil vapor sampling and recommendations for implementing CRA's May 28, 2008 *Remedial Action Plan* (RAP).

2.2 Current Quarter's Findings

Groundwater Flow Direction	Variable
Hydraulic Gradient	Variable
Depth to Water	7.45 to 10.12 feet below top of well casing

2.3 **Proposed Activities**

Blaine will gauge and sample wells according to the established monitoring program for this site. This site is monitored semiannually during the second and fourth quarters, and GHD will issue groundwater monitoring reports semiannually following the sampling events.

As discussed in a telephone conversation with ACEH on August 12, 2015, GHD will submit a soil vapor sampling report by October 13, 2015 and a conceptual site model, human health risk assessment, and recommendations for implementing CRA's May 28, 2008 RAP by December 16, 2015.

All of Which is Respectfully Submitted,

GHD


Peter Schar

Peter Schaefer, CEG, CHG


Anhey K (


Aubrey K. Cool, PG





CAD Fle: I:\Shellt6-chars\2407-\240781-Oakland 2703 Martin Luther King\240781-FIGURES\240478-35-FIGURES\240781-15.03(035)GN-EM001.DWG







FORMER SHELL SERVICE STATION 2703 MARTIN LUTHER KING JR. WAY OAKLAND, CALIFORNIA **GROUNDWATER CONTOUR AND** CHEMICAL CONCENTRATION MAP - MAY 22, 2015

CAD File: 1:\Shell\6-chars\2407=\240781-Oakland 2703 Martin Luther King\240781-FIGURES\240478-35-FIGURES\240781-15.03(035)GN-EM002.DWG

Aug 10, 2015

FIGURE 2

Well ID	Date	TPHg (µg/L)	В (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-1	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	8.76	14.77	
MW-1 (D)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53			
MW-1	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	9.88	13.65	
MW-1	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	6.82	16.71	
MW-1	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	7.89	15.64	
MW-1	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	8.71	14.82	
MW-1	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	9.26	14.27	
MW-1	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	7.94	15.59	
MW-1	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	7.21	16.32	
MW-1	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	7.78	15.75	
MW-1	10/01/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	8.39	15.14	
MW-1	01/18/1999	<50.0	<0.500	0.785	<0.500	<0.500	2.36						23.53	8.28	15.25	
MW-1	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.53	8.41	15.12	
MW-1	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.53	8.17	15.36	
MW-1	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00						23.53	9.37	14.16	
MW-1	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.53	7.52	16.01	
MW-1	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.53	7.66	15.87	
MW-1	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.53	7.81	15.72	
MW-1	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.53	8.33	15.20	
MW-1	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.53	8.33	15.20	
MW-1	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.53	7.83	15.70	
MW-1	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.53	8.60	14.93	
MW-1	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.53	9.01	14.52	0.2
MW-1	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.53	7.68	15.85	2.1
MW-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.53	7.38	16.15	1.1
MW-1	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.53	7.75	15.78	2.2
MW-1	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					29.53	8.10	21.43	1.6
MW-1	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50		<5.0					29.53	7.82	21.71	0.6
MW-1	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0		<5.0					29.53	7.76	21.77	1.7
MW-1	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0		<0.50					29.53	7.87	21.66	1.5
MW-1	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0		<0.50					29.53	8.67	20.86	0.8
MW-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0		<0.50					29.53	8.28	21.25	
MW-1	01/22/2004												29.53	8.50	21.03	1.1
MW-1	04/01/2004												29.53	7.98	21.55	
MW-1	07/13/2004												29.53	8.30	21.23	
MW-1	10/26/2004												29.53	8.27	21.26	
MW-1	01/13/2005												29.53	6.92	22.61	

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-1	04/28/2005												29.53	7.18	22.35	
MW-1	08/01/2005												29.53	7.43	22.10	
MW-1	10/05/2005												29.53	7.55	21.98	
MW-1	01/11/2006												29.54	5.35	24.19	
MW-1	05/26/2006	<50.0	<0.500	<0.500	<0.500	<0.500		<0.500	<10.0	<0.500	<0.500	<0.500	29.54	6.81	22.73	0.78
MW-1	08/30/2006												29.54	7.77	21.77	
MW-1	11/08/2006												29.54	8.39	21.15	
MW-1	02/22/2007												29.54	7.11	22.43	
MW-1	05/29/2007												29.54	7.20	22.34	
MW-1	08/27/2007												29.54	7.86	21.68	
MW-1	11/08/2007												29.54	7.89	21.65	
MW-1	02/20/2008												29.54	7.38	22.16	
MW-1	05/01/2008												29.54	7.58	21.96	
MW-1	08/12/2008												29.54	8.85	20.69	
MW-1	11/26/2008												29.54	8.90	20.64	
MW-1	02/03/2009												29.54	8.51	21.03	
MW-1	06/02/2009												29.54	8.45	21.09	
MW-1	11/10/2009												29.54	8.89	20.65	
MW-1	05/10/2010												29.54	7.22	22.32	
MW-1	09/09/2010												29.54	7.88	21.66	
MW-1	12/03/2010												29.54	7.98	21.56	
MW-1	03/02/2011												29.54	7.52	22.02	
MW-1	05/31/2011												29.54	7.28	22.26	
MW-1	12/13/2011												29.54	7.64	21.90	
MW-1	06/13/2012												29.54	7.56	21.98	
MW-1	11/19/2012												29.54	8.48	21.06	
MW-1	05/30/2013												29.54	7.32	22.22	
MW-1	11/18/2013												29.54	9.11	20.43	
MW-1	06/06/2014												29.54	8.40	21.14	
MW-1	12/01/2014												29.54	9.37	20.17	
MW-1	05/22/2015												29.54	7.45	22.09	
MW-2	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	8.35	14.12	
MW-2	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	9.32	13.15	
MW-2 (D)	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47			
MW-2	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	6.80	15.67	
MW-2 (D)	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47			

Well ID	Date	TPHg (µg/L)	B (µg/L)	Τ (μg/L)	Ε (μg/L)	Х (µg/L)	МТВЕ 8020 (µg/L)	MTBE 8260 (μg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-2	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	7.81	14.66	
MW-2	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	8.27	14.20	
MW-2	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	9.12	13.35	
MW-2	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	6.3						22.47	7.41	15.06	
MW-2	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	6.59	15.88	
MW-2	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	7.49	14.98	
MW-2	10/01/1998	<50	<0.50	<0.50	<0.50	0.59	<2.5						22.47	8.58	13.89	
MW-2	01/18/1999	<50.0	<0.500	0.971	<0.500	<0.500	2.47						22.47	8.68	13.79	
MW-2	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5						22.47	8.62	13.85	
MW-2	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						22.47	7.43	15.04	
MW-2	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00						22.47	9.00	13.47	
MW-2	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						22.47	8.15	14.32	
MW-2	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						22.47	7.04	15.43	
MW-2	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						22.47	7.13	15.34	
MW-2	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						22.47	8.78	13.69	
MW-2	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						22.47	8.33	14.14	
MW-2	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.47	7.24	15.23	
MW-2	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.47	8.55	13.92	
MW-2	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.47	9.42	13.05	
MW-2	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.47	7.23	15.24	
MW-2	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.47	6.90	15.57	
MW-2	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.47	7.97	14.50	
MW-2	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					28.47	8.62	19.85	
MW-2	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50		<5.0					28.47	7.08	21.39	
MW-2	04/17/2003	<50	<0.50	<0.50	0.98	2.5		<5.0					28.47	6.94	21.53	
MW-2	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0		<0.50					28.47	8.10	20.37	
MW-2	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0		<0.50					28.47	9.09	19.38	
MW-2	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0		<0.50					28.47	7.28	21.19	
MW-2	01/22/2004												28.47	8.99	19.48	2.8
MW-2	04/01/2004												28.47	6.88	21.59	
MW-2	07/13/2004												28.47	8.28	20.19	
MW-2	10/26/2004												28.47	8.43	20.04	
MW-2	01/13/2005												28.47	6.52	21.95	
MW-2	04/28/2005												28.47	6.38	22.09	
MW-2	08/01/2005												28.47	7.73	20.74	
MW-2	10/05/2005												28.47	8.47	20.00	
MW-2	01/11/2006												28.48	6.30	22.18	

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	Е (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-2	05/26/2006	59.9	<0.500	<0.500	<0.500	<0.500		<0.500	<10.0	<0.500	<0.500	<0.500	28.48	6.84	21.64	3.02
MW-2	08/30/2006												28.48	8.11	20.37	
MW-2	11/08/2006												28.48	8.61	19.87	
MW-2	02/22/2007												28.48	6.92	21.56	
MW-2	05/29/2007												28.48	7.32	21.16	
MW-2	08/27/2007												28.48	8.38	20.10	
MW-2	11/08/2007												28.48	8.58	19.90	
MW-2	02/20/2008												28.48	6.48	22.00	
MW-2	05/01/2008												28.48	19.00	9.48	
MW-2	08/12/2008												28.48	8.53	19.95	
MW-2	11/26/2008												28.48	8.88	19.60	
MW-2	02/03/2009												28.48	8.20	20.28	
MW-2	06/02/2009												28.48	7.50	20.98	
MW-2	11/10/2009												28.48	8.69	19.79	
MW-2	05/10/2010												28.48	7.09	21.39	
MW-2	09/09/2010												28.48	8.70	19.78	
MW-2	12/03/2010												28.48	8.22	20.26	
MW-2	03/02/2011												28.48	6.40	22.08	
MW-2	05/31/2011												28.48	7.46	21.02	
MW-2	12/13/2011												28.48	8.28	20.20	
MW-2	06/13/2012												28.48	7.51	20.97	
MW-2	11/19/2012												28.48	8.85	19.63	
MW-2	05/30/2013												28.48	7.82	20.66	
MW-2	11/18/2013												28.48	9.55	18.93	
MW-2	06/06/2014												28.48	7.99	20.49	
MW-2	12/01/2014												28.48	9.52	18.96	
MW-2	05/22/2015												28.48	8.30	20.18	
MW-3	04/25/2001												22.30	7.16	15.14	
MW-3	05/03/2001	<100	<0.50	<0.50	<0.50	<0.50		<5.0					22.30	7.28	15.02	
MW-3	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.30	8.45	13.85	
MW-3	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.30	9.44	12.86	
MW-3	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.30	5.88	16.42	
MW-3	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.30	6.68	15.62	
MW-3	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					22.30	7.63	14.67	
MW-3	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					28.30	8.56	19.74	
MW-3	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50		<5.0					28.30	6.95	21.35	

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (μg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-3	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0		<5.0					28.30	6.77	21.53	
MW-3	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0		<0.50					28.30	7.92	20.38	
MW-3	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0		<0.50					28.30	9.12	19.18	
MW-3	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0		<0.50					28.30	7.21	21.09	
MW-3	01/22/2004												28.30	9.00	19.30	0.6
MW-3	04/01/2004												28.30	6.65	21.65	
MW-3	07/13/2004												28.30	8.24	20.06	
MW-3	10/26/2004												28.30	8.50	19.80	
MW-3	01/13/2005												28.30	6.32	21.98	
MW-3	04/28/2005												28.30	6.05	22.25	
MW-3	08/01/2005												28.30	7.65	20.65	
MW-3	10/05/2005												28.30	8.31	19.99	
MW-3	01/11/2006												28.30	6.10	22.20	
MW-3	05/26/2006	<50.0	<0.500	<0.500	<0.500	<0.500		<0.500	<10.0	2.87	<0.500	<0.500	28.30	6.72	21.58	1.46
MW-3	08/30/2006												28.30	8.12	20.18	
MW-3	11/08/2006												28.30	8.71	19.59	
MW-3	02/22/2007												28.30	6.78	21.52	
MW-3	05/29/2007												28.30	7.20	21.10	
MW-3	08/27/2007												28.30	8.18	20.12	
MW-3	11/08/2007												28.30	8.41	19.89	
MW-3	02/20/2008												28.30	6.31	21.99	
MW-3	05/01/2008												28.30	7.52	20.78	
MW-3	08/12/2008												28.30	8.32	19.98	
MW-3	11/26/2008												28.30	8.71	19.59	
MW-3	02/03/2009												28.30	8.08	20.22	
MW-3	06/02/2009												28.30	7.28	21.02	
MW-3	11/10/2009												28.30	8.72	19.58	
MW-3	05/10/2010												28.30	6.71	21.59	
MW-3	09/09/2010												28.30	8.59	19.71	
MW-3	12/03/2010												28.30	8.26	20.04	
MW-3	03/02/2011												28.30	6.12	22.18	
MW-3	05/31/2011												28.30	7.32	20.98	
MW-3	12/13/2011												28.30	8.19	20.11	
MW-3	06/13/2012												28.30	7.40	20.90	
MW-3	11/19/2012												28.30	8.71	19.59	
MW-3	05/30/2013												28.30	7.52	20.78	
MW-3	11/18/2013												28.30	9.33	18.97	

Well ID	Date	TPHg (µg/L)	B (µg/L)	Τ (μg/L)	E (µg/L)	X (µg/L)	МТВЕ 8020 (µg/L)	MTBE 8260 (μg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-3	06/06/2014												28.30	7.68	20.62	
MW-3	12/01/2014												28.30	9.41	18.89	
MW-3	05/22/2015												28.30	8.07	20.23	
MW-4	04/25/2001												22.51	7.05	15.46	
MW-4	05/03/2001	8,000	3,500	24	37	350		<200					22.51	6.66	15.85	
MW-4	07/09/2001	16,000	4,100	32	890	790		<200					22.51	8.28	14.23	
MW-4	10/18/2001	12,000	3,300	<20	430	220		<200					22.51	9.40	13.11	
MW-4	01/24/2002	5,500	1,200	<5.0	280	240		<50					22.51	5.73	16.78	
MW-4	04/04/2002	2,000	350	1.4	13	7.8		<10					22.51	5.62	16.89	
MW-4	07/18/2002	3,400	440	1.3	200	98		<5.0					22.51	6.94	15.57	
MW-4	10/21/2002	16,000	3,100	11	1,200	970		<5.0					28.51	8.04	20.47	
MW-4	01/21/2003	3,600	720	3.9	110	58		<25					28.51	6.10	22.41	
MW-4	04/17/2003	3,700	810	<5.0	140	17		<50					28.51	5.97	22.54	
MW-4	07/22/2003	3,700	450	<2.5	110	7.9		<2.5					28.51	6.37	22.14	
MW-4	10/20/2003	11,000 b	2,500	<20	550	95		<20					28.51	8.99	19.52	
MW-4	01/13/2004	6,600	1,500	<10	41	37		<10					28.51	6.67	21.84	
MW-4	01/22/2004												28.51	8.80	19.71	0.3
MW-4	04/01/2004	9,500	2,100	12	170	30							28.51	6.28	22.23	0.1
MW-4	07/13/2004	12,000	3,600	39	160	58		<25	<250	<100	<100	<100	28.51	8.20	20.31	0.1
MW-4	10/26/2004	11,000	2,800	<25	100	<50							28.51	8.00	20.51	0.6
MW-4	01/13/2005	12,000	2,200	14	110	43							28.51	6.03	22.48	0.1
MW-4	04/28/2005	8,600	2,300	27	200	49							28.51	5.93	22.58	3.71
MW-4	08/01/2005	11,000	3,900	57	180	47		<10	<100	<40	<40	<40	28.51	6.20	22.31	
MW-4	10/05/2005	9,400	3,300	45	88	33							28.51	8.22	20.29	2.76
MW-4	01/11/2006	3,900 a	1,700 a	14	95	78		<0.50	32	7.4	<0.50	<0.50	28.51	4.25	24.26	0.6
MW-4	05/26/2006	6,730	455	1.90	56.7	44.8		<0.500	<10.0	4.36	<0.500	<0.500	28.51	5.90	22.61	0.54
MW-4	08/30/2006	29,600	2,740	30.0	448	237		<0.500	<10.0	<0.500	<0.500	<0.500	28.51	7.98	20.53	0.44/0.46
MW-4	11/08/2006	6,300	1,500	13	130	67							28.51	8.52	19.99	0.05/0.22
MW-4	02/22/2007	11,000	2,200	18	620	310							28.51	5.63	22.88	2.96/2.98
MW-4	05/29/2007	14,000 b, f	3,200	27	640	249.0							28.51	6.60	21.91	0.19/0.11
MW-4	08/27/2007	12,000 f	1,900	19 g	250	80.9 g		<25	<250	<50	<50	<50	28.51	8.50	20.01	0.85/1.71
MW-4	11/08/2007	6,400 f	1,400	11 g	70	37.9 g							28.51	8.21	20.30	1.09/2.63
MW-4	02/20/2008	12,000 f	2,700	<20	690	396							28.51	4.86	23.65	0.46/0.12
MW-4	05/01/2008	8,500	2,000	<20	260	62							28.51	7.00	21.51	0.2/0.2
MW-4	08/12/2008	8,400	1,800	22	<20	24		<20	<200	<40	<40	<40	28.51	8.31	20.20	0.21/0.68
MW-4	11/26/2008	6,900	1,800	<20	120	<20							28.51	8.94	19.57	0.88/2.18

Well ID	Date	TPHg (µg/L)	Β (μg/L)	Т (µg/L)	Ε (μg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-4	02/03/2009	8,800	1,800	<20	160	96							28.51	7.64	20.87	0.15/0.26
MW-4	06/02/2009	15,000	3,000	58	340	55							28.51	6.82	21.69	0.26/0.65
MW-4	11/10/2009	13,000	2,200	37	180	91		<20	<200	<40	<40	<40	28.51	8.38	20.13	0.61/0.57
MW-4	05/10/2010	12,000	3,100	37	570	140							28.51	5.42	23.09	0.26/2.84
MW-4	09/09/2010												28.51	8.31	20.20	
MW-4	12/03/2010	6,400	1,600	21	96	68		<20	<200	<40	<40	<40	28.51	7.75	20.76	0.52/0.45
MW-4	03/02/2011												28.51	4.25	24.26	
MW-4	05/31/2011	11,000	3,200	61	520	68							28.51	6.34	22.17	1.46/2.63
MW-4	12/13/2011	4,000	1,120	31.1	83.0	30.3		<0.500	<10.0	4.64	<0.500	<0.500	28.51	7.90	20.61	0.59/0.19
MW-4	06/13/2012	12,000	3,500	47	270	<50							28.51	6.90	21.61	1.03/0.96
MW-4	11/19/2012	8,300	1,800	88	120	310		<25	<500	<25	<25	<25	28.51	8.34	20.17	0.88/1.02
MW-4	05/30/2013	11,000	3,400	68	220	40							28.51	7.38	21.13	0.10/0.07
MW-4	11/18/2013	10,000	2,400	33	43	<40		<20	<400	<20	<20	<20	28.51	9.13	19.38	0.27/0.24
MW-4	06/06/2014	8,900	1,800	<25	110	55							28.51	7.28	21.23	0.46/0.50
MW-4	12/01/2014	8,500 i	1,400	17	33	91		<10	<200	<10	<10	<10	28.51	8.80	19.71	0.48/1.17
MW-4	05/22/2015	7,100	1,500	48	54	<40							28.51	7.50	21.01	1.01/0.73
MW-5	04/25/2001												23.54	7.36	16.18	
MW-5	05/03/2001	160,000	12,000	20,000	3,600	23,000		<500					23.54	7.77	15.77	
MW-5	07/09/2001	130,000	11,000	19,000	4,500	22,000		<500					23.54	9.32	14.22	
MW-5	10/18/2001	120,000	12,000	23,000	4,200	21,000		<500					23.54	9.39	14.15	0.5
MW-5	01/24/2002	34,000	3,300	3,300	960	6,000		<100					23.54	7.05	16.49	4.0
MW-5	04/04/2002	32,000	2,100	2,800	730	6,400		<200					23.54	6.89	16.65	1.0
MW-5	07/18/2002	75,000	7,500	4,700	2,700	15,000		<500					23.54	8.48	15.06	1.2
MW-5	10/21/2002	140,000	13,000	18,000	4,000	26,000		<500					29.54	9.21	20.33	1.1
MW-5	01/21/2003	47,000	6,400	3,500	370	8,300		<500					29.54	7.23	22.31	0.8
MW-5	04/17/2003	93,000	9,700	16,000	3,200	20,000		<500					29.54	6.61	22.93	0.8
MW-5	07/22/2003	110,000	9,500	15,000	560	23,000		<50					29.54	8.68	20.86	1.2
MW-5	10/20/2003	88,000	6,600	12,000	1,900	16,000		<50					29.54	9.71	19.83	0.1
MW-5	01/13/2004	4,600	460	140	<10	930		<10					29.54	7.30	22.24	
MW-5	01/22/2004												29.54	9.51	20.03	0.3
MW-5	04/01/2004	70,000	7,900	11,000	2,100	17,000							29.54	6.80	22.74	0.1
MW-5	07/13/2004	66,000	5,900	10,000	1,900	16,000		<50	<500	<200	<200	<200	29.54	9.28	20.26	0.1
MW-5	10/26/2004	6,600	670	110	7.4	2,000							29.54	8.75	20.79	0.8
MW-5	01/13/2005	9,500	1,300	950	360	1,900							29.54	5.87	23.67	6.3
MW-5	04/28/2005	17,000	2,400	1,200	320	3,400							29.54	6.32	23.22	3.54
MW-5	08/01/2005	70,000	6,600	11,000	3,400	17,000		<50	<500	<200	<200	<200	29.54	8.27	21.27	

Well ID	Date	TPHg (µg/L)	В (µg/L)	Т (µg/L)	E (µg/L)	Х (µg/L)	МТВЕ 8020 (µg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-5	10/05/2005	93,000	8,600	15,000	4,500	23,000							29.54	9.12	20.42	1.43
MW-5	01/11/2006	12,000	1,900	550	2,400	3,800		<25	<250	<25	<25	<25	29.61	5.52	24.09	0.6
MW-5	05/26/2006	112,000	6,600	11,100	3,870	19,900 e		<0.500	<10.0	5.37	<0.500	<0.500	29.61	7.02	22.59	0.45
MW-5	08/30/2006	281,000	8,050	15,400	4,770	26,800		<0.500	<10.0	<0.500	<0.500	60.6	29.61	8.93	20.68	0.55/0.51
MW-5	11/08/2006	83,000	7,000	7,400	3,200	16,000							29.61	9.40	20.21	0.08/0.05
MW-5	02/22/2007	35,000	9,500	13,000	5,300	23,000							29.61	6.87	22.74	1.17/3.17
MW-5	05/29/2007	94,000 f	6,400	9,900	4,300	22,000							29.61	7.85	21.76	0.08/0.19
MW-5	08/27/2007	110,000 f	6,900	11,000	4,300	22,000		<100	<1000	<200	<200	<200	29.61	9.13	20.48	0.08/0.22
MW-5	11/08/2007	61,000 f	7,500	5,300	4,700	20,400							29.61	9.27	20.34	2.15/0.65
MW-5	02/20/2008	92,000 f	14,000	14,000	5,900	30,800							29.61	6.02	23.59	0.17/0.18
MW-5	05/01/2008	130,000	8,200	12,000	4,600	24,900							29.61	8.20	21.41	0.2/0.1
MW-5	08/12/2008	150,000	7,600	12,000	8,900	24,800		<100	<1,000	<200	<200	<200	29.61	9.42	20.19	0.14/0.51
MW-5	11/26/2008	110,000	7,900	12,000	4,500	27,500							29.61	9.86	19.75	1.26/0.95
MW-5	02/03/2009	130,000	8,500	10,000	4,400	24,000							29.61	8.67	20.94	0.30/0.23
MW-5	06/02/2009	150,000	7,000	10,000	4,600	25,000							29.61	8.02	21.59	0.28/0.28
MW-5	11/10/2009	150,000	6,900	10,000	4,600	26,000		<100	<1000	<200	<200	<200	29.61	9.41	20.20	0.48/0.49
MW-5	05/10/2010	80,000	5,700	7,100	4,000	22,000							29.61	6.72	22.89	0.22/0.29
MW-5	09/09/2010												29.61	9.51	20.10	
MW-5	12/03/2010	73,000	5,400	8,500	4,100	21,000		<100	<1,000	<200	<200	<200	29.61	8.70	20.91	0.39/0.38
MW-5	03/02/2011												29.61	5.04	24.57	
MW-5	05/31/2011	72,000	5,800	7,000	4,400	23,000							29.61	7.52	22.09	0.92/1.21
MW-5	12/13/2011	130,000	9,070	10,900	7,200	38,000		<0.500	<10.0	<0.500	<0.500	<0.500	29.61	8.85	20.76	0.66/0.47
MW-5	06/13/2012	110,000	5,400	7,400	5,700	29,000							29.61	7.97	21.64	1.10/1.15
MW-5	11/19/2012	98,000	6,100	7,600	5,500	30,000		<50	<1,000	<50	<50	<50	29.61	9.30	20.31	1.45/1.27
MW-5	05/30/2013	96,000	6,000	7,200	5,700	30,000							29.61	8.43	21.18	0.07/0.10
MW-5	11/18/2013	74,000	5,000	5,300	4,400	24,000		<50	<1,000	<50	<50	<50	29.61	10.36	19.25	0.34/0.30
MW-5	06/06/2014	95,000 h	6,200	5,800	5,900	31,000							29.61	8.46	21.15	0.61/0.69
MW-5	12/01/2014	85,000	4,900	4,400	4,700	22,000		<50	<1,000	<50	<50	<50	29.61	9.84	19.77	0.47/0.29
MW-5	05/22/2015	99,000	5,300	4,100	5,000	27,000							29.61	8.64	20.97	0.33/0.29
MW-6	01/09/2006												28.60	4.18	24.42	
MW-6	01/11/2006	150,000	9,300	1,600	5,100	24,000		<2.5 a	51 a	17 a	<2.5 a	<2.5 a	28.60	4.50	24.10	3.6
MW-6	05/26/2006	67,300	6,930	870	2,440	7,590 e		<5.00	<100	10.1	<5.00	<5.00	28.60	6.10	22.50	0.49
MW-6	08/30/2006	7,060	6,090	1,180	2,040	7,200		<0.500	<10.0	<0.500	<0.500	<0.500	28.60	8.05	20.55	0.39/0.56
MW-6	11/08/2006	8,200	1,900	200	350	890							28.60	8.53	20.07	0.12/0.95
MW-6	02/22/2007	49,000	7,300	2,300	3,600	9,500							28.60	5.94	22.66	1.54/2.03
MW-6	05/29/2007	30,000 b, f	4,100	1,000	1,600	4,900							28.60	6.87	21.73	0.11/0.51

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	E (µg/L)	Х (µg/L)	МТВЕ 8020 (µg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-6	08/27/2007	36,000 f	2,000	440	1,000	3,400		<25	<250	15 g	<50	<50	28.60	8.22	20.38	0.08/0.15
MW-6	11/08/2007	7,000 f	850	130	270	880							28.60	8.32	20.28	0.94/2.48
MW-6	02/20/2008	28,000 f	6,900	1,300	1,900	7,000							28.60	5.03	23.57	0.14/0.09
MW-6	05/01/2008	24,000	4,400	940	1,000	3,500							28.60	7.15	21.45	0.05/0.04
MW-6	08/12/2008	30,000	1,900	380	1,300	3,600		<50	<500	<100	<100	<100	28.60	8.49	20.11	0.49/0.99
MW-6	11/26/2008	15,000	2,400	320	590	2,120							28.60	8.93	19.67	0.79/2.30
MW-6	02/03/2009	25,000	3,000	330	790	3,000							28.60	7.69	20.91	0.24/0.09
MW-6	06/02/2009	Well inaccess	ible										28.60			
MW-6	11/10/2009	19,000	2,500	490	620	2,200		<25	<250	<50	<50	<50	28.60	8.47	20.13	2.82/1.98
MW-6	05/10/2010	15,000	4,100	700	790	2,300							28.60	5.64	22.96	0.21/0.35
MW-6	09/09/2010												28.60	8.54	20.06	
MW-6	12/03/2010	5,700	1,800	240	250	870		<25	<250	<50	<50	<50	28.60	7.88	20.72	0.38/0.53
MW-6	03/02/2011												28.60	4.08	24.52	
MW-6	05/31/2011	33,000	6,200	1,900	1,700	5,800							28.60	6.25	22.35	0.80/2.21
MW-6	12/13/2011	12,000	2,700	556	548	1,880		<0.500	<10.0	9.68	<0.500	<0.500	28.60	8.01	20.59	0.81/0.99
MW-6	06/13/2012	30,000	6,200	1,400	1,700	6,300							28.60	7.14	21.46	1.00/1.41
MW-6	11/19/2012	3,000	450	67	76	600		<2.5	<50	<2.5	<2.5	<2.5	28.60	8.34	20.26	2.04/2.90
MW-6	05/30/2013	<10,000	350	<100	<100	<200							28.60	7.59	21.01	0.38/2.76
MW-6	11/18/2013	3,500	460	15	150	130		<5.0	<100	<5.0	<5.0	<5.0	28.60	9.42	19.18	0.22/0.19
MW-6	06/06/2014	2,000	400	53	97	350							28.60	7.44	21.16	0.61/0.58
MW-6	12/01/2014	520 i	110	5.8	7.2	46		<1.0	<20	2.3	<1.0	<1.0	28.60	8.54	20.06	0.62/0.71
MW-6	05/22/2015	1,600	360	39	60	240							28.60	7.63	20.97	2.38/3.10
MW-7	01/09/2006												29.71	5.50	24.21	
MW-7	01/11/2006	79,000	9,800	1,800	1,900	20,000		<5.0 a	64 a	28 a	<5.0 a	<5.0 a	29.71	5.70	24.01	1.0
MW-7	05/26/2006	98,200	9,620	1,150	3,490	13,400 e		<5.00	885	30.8	<5.00	<5.00	29.71	7.24	22.47	0.30
MW-7	08/30/2006	146,000	8,740	980	3,440	15,400		<0.500	<10.0	22.7	<0.500	<0.500	29.71	9.03	20.68	0.51/0.46
MW-7	11/08/2006	61,000	6,600	880	2,800	12,000							29.71	9.49	20.22	0.02/0.13
MW-7	02/22/2007	50,000	3,400	910	2,200	13,000							29.71	7.00	22.71	0.96/2.57
MW-7	05/29/2007	26,000 b, f	2,700	320	850	3,590							29.71	8.01	21.70	0.09/0.15
MW-7	08/27/2007	37,000 f	3,300	240	1,300	4,060		<25	<250	20 g	<50	<50	29.71	9.30	20.41	1.23/1.64
MW-7	11/08/2007	26,000 f	3,000	120	1,000	2,810							29.71	9.39	20.32	0.80/1.39
MW-7	02/20/2008	20,000 f	1,400	210	600	4,800							29.71	3.33	26.38	3.72/0.58
MW-7	05/01/2008	16,000	1,700	66	85	1,380							29.71	8.28	21.43	0.2/0.1
MW-7	08/12/2008	27,000	1,700	73	1,100	2,490		<20	<200	<40	<40	<40	29.71	9.61	20.10	1.49/1.93
MW-7	11/26/2008	25,000	2,300	61	62	1,400							29.71	9.94	19.77	0.85/1.10
MW-7	02/03/2009	54,000	2,900	170	520	5,800							29.71	8.80	20.91	0.17/0.62

Well ID	Date	TPHg (µg/L)	Β (μg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	МТВЕ 8020 (µg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-7	06/02/2009	14,000	1,100	43	23	810							29.71	8.16	21.55	0.21/0.18
MW-7	11/10/2009	17,000	900	42	63	1,400		<10	<100	<20	<20	<20	29.71	9.56	20.15	0.54/0.33
MW-7	05/10/2010	6,900	650	24	24	610							29.71	6.86	22.85	0.37/0.19
MW-7	09/09/2010												29.71	9.70	20.01	
MW-7	12/03/2010	8,100	550	16	20	520		<5.0	<50	<10	<10	<10	29.71	8.95	20.76	0.41/0.37
MW-7	03/02/2011												29.71	4.67	25.04	
MW-7	05/31/2011	6,200	530	16	8.5	320							29.71	7.54	22.17	0.63/0.87
MW-7	12/13/2011	8,800	689	8.85	9.68	200		<0.500	<10.0	1.99	<0.500	<0.500	29.71	8.93	20.78	0.38/0.35
MW-7	06/13/2012	2,300	330	<5.0	<5.0	86							29.71	8.26	21.45	1.35/1.08
MW-7	11/19/2012	5,800	860	14	7.8	300		<5.0	<100	<5.0	<5.0	<5.0	29.71	9.51	20.20	0.96/1.10
MW-7	05/30/2013	3,200	420	11	<5.0	140							29.71	8.55	21.16	0.35/0.24
MW-7	11/18/2013	3,700	620	5.4	7.8	130		<5.0	<100	<5.0	<5.0	<5.0	29.71	10.41	19.30	0.19/0.17
MW-7	06/06/2014	2,000	140	<2.0	<2.0	16							29.71	8.52	21.19	0.41/0.44
MW-7	12/01/2014	2,900	490	7.1	<5.0	140		<5.0	<100	<5.0	<5.0	<5.0	29.71	10.12	19.59	0.41/0.78
MW-7	05/22/2015	2,100	210	3.0	<2.5	48							29.71	8.65	21.06	1.09/1.24
MW-8	01/09/2006												29.54	5.56	23.98	
MW-8	01/11/2006	32,000	2,400	180	66	5,500		<0.50 a	35 a	15 a	<0.50 a	<0.50 a	29.54	5.53	24.01	0.8
MW-8	05/26/2006	24,800	423	73.0	166	2,820 e		<0.500	<10.0	2.18	<0.500	<0.500	29.54	7.02	22.52	0.35
MW-8	08/30/2006	72,100	1,770	114	324	3,140		<0.500	<10.0	23.3	<0.500	<0.500	29.54	8.81	20.73	0.51/0.50
MW-8	11/08/2006	24,000	2,000	90	190	3,400							29.54	9.25	20.29	0.11/0.40
MW-8	02/22/2007	26,000	2,100	110	180	4,400							29.54	7.08	22.46	1.37/1.71
MW-8	05/29/2007	31,000 f	2,600	99	250	3,140							29.54	7.81	21.73	0.05/0.49
MW-8	08/27/2007	41,000 f	3,400	110	260	3,880		<20	<200	32 g	<40	<40	29.54	9.04	20.50	0.07/0.27
MW-8	11/08/2007	42,000 f	4,900	140	440	4,000							29.54	9.14	20.40	3.20/0.10
MW-8	02/20/2008	19,000 f	760	38	52	1,930							29.54	9.00	20.54	1.72/0.13
MW-8	05/01/2008	18,000	1,000	35	42	1,520							29.54	8.10	21.44	1.10/0.19
MW-8	08/12/2008	33,000	1,600	69	1,100	2,730		<10	<100	<20	<20	<20	29.54	9.41	20.13	0.15/0.29
MW-8	11/26/2008	27,000	2,600	77	100	2,930							29.54	9.68	19.86	2.60/0.66
MW-8	02/03/2009	32,000	2,400	70	81	2,700							29.54	8.57	20.97	0.10/0.23
MW-8	06/02/2009	22,000	1,100	39	56	1,600							29.54	8.00	21.54	0.22/0.38
MW-8	11/10/2009	22,000	1,600	46	52	1,600		<25	<250	<50	<50	<50	29.54	9.32	20.22	0.45/0.29
MW-8	05/10/2010	9,800	340	15	21	700							29.54	6.74	22.80	0.28/0.54
MW-8	09/09/2010												29.54	9.52	20.02	
MW-8	12/03/2010	13,000	720	26	29	870		<5.0	<50	<10	<10	<10	29.54	8.67	20.87	0.90/0.27
MW-8	03/02/2011												29.54	4.97	24.57	
MW-8	05/31/2011	10,000	260	7.6	9.6	390							29.54	7.51	22.03	0.78/0.81

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (μg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-8	12/13/2011	14,000	703	15.4	25.2	467		<0.500	<10.0	4.95	<0.500	<0.500	29.54	8.73	20.81	0.69/0.32
MW-8	06/13/2012	8,200	290	7.9	14	430							29.54	8.01	21.53	1.48/0.94
MW-8	11/19/2012	7,000	180	7.0	13	510		<2.5	<50	<2.5	<2.5	<2.5	29.54	9.28	20.26	0.79/0.70
MW-8	05/30/2013	7,900	190	5.7	8.7	270							29.54	8.37	21.17	0.17/0.07
MW-8	11/18/2013	11,000	240	8.2	11	630		<2.0	<40	<2.0	<2.0	<2.0	29.54	10.40	19.14	0.26/0.22
MW-8	06/06/2014	7,000	120	2.5	4.6	170							29.54	8.55	20.99	0.36/0.39
MW-8	12/01/2014	6,600	92	3.2	2.9	180		<2.5	<50	<2.5	<2.5	<2.5	29.54	9.69	19.85	0.36/0.42
MW-8	05/22/2015	6,800	80	2.6	4.3	140							29.54	8.59	20.95	0.69/0.50
MW-9	08/27/2010												28.52	10.33	18.19	
MW-9	09/09/2010	13,000	32	13	880	610							28.52	10.60	17.92	0.51/0.73
MW-9	12/03/2010	6,400	33	9.5	540	280							28.52	10.42	18.10	0.22/0.33
MW-9	03/02/2011	11,000	74	11	840	170							28.52	6.45	22.07	0.53/0.48
MW-9	05/31/2011	12,000	49	6.7	570	100							28.52	8.80	19.72	0.19/0.27
MW-9	12/13/2011	13,000	35.8	5.60	470	97.2							28.52	10.24	18.28	0.54/0.51
MW-9	06/13/2012	9,700	49	6.1	420	59							28.52	9.27	19.25	0.68/0.72
MW-9	11/19/2012	9,300	26	<5.0	340	68							28.52	10.55	17.97	1.35/0.76
MW-9	05/30/2013	7,200	19	3.4	160	36							28.52	9.32	19.20	0.41/0.59
MW-9	11/18/2013	760	<5.0	<5.0	19	<10							28.52	10.93	17.59	0.37/0.31
MW-9	06/06/2014	7,600	23	<5.0	190	31							28.52	9.60	18.92	0.16/0.20
MW-9	12/01/2014	7,700	17	<5.0	110	17							28.52	10.96	17.56	0.15/0.19
MW-9	05/22/2015 V	Nell inacces	ssible										28.52			
MW-10	08/27/2010												28.70	10.21	18.49	
MW-10	09/09/2010	2,600	1.9	1.3	40	170							28.70	10.70	18.00	1.43/1.67
MW-10	12/03/2010	1,600	2.0	<1.0	25	18							28.70	10.06	18.64	0.17/0.30
MW-10	03/02/2011	1,600	2.6	0.55	41	13							28.70	6.85	21.85	0.41/0.40
MW-10	05/31/2011	2,400	2.0	0.51	60	45							28.70	7.23	21.47	0.22/0.43
MW-10	12/13/2011	2,700	2.43	<0.500	20.2	2.70							28.70	9.50	19.20	0.69/0.62
MW-10	06/13/2012	2,200	2.5	0.53	48	46							28.70	10.41	18.29	0.81/0.92
MW-10	11/19/2012	980	1.6	<0.50	8.8	1.1							28.70	10.12	18.58	1.20/0.66
MW-10	05/30/2013	1,300	2.0	<0.50	34	5.1							28.70	9.02	19.68	1.38/0.44
MW-10	11/18/2013	5,400	9.8	<5.0	150	19							28.70	10.42	18.28	0.50/0.52
MW-10	06/06/2014	1,000	1.7	<0.50	21	2.3							28.70	8.93	19.77	0.18/0.25
MW-10	12/01/2014	890	1.3	<0.50	8.8	<1.0							28.70	11.15	17.55	0.19/0.35
MW-10	05/22/2015 V	Nell inacces	ssible										28.70			

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-11	08/27/2010												27.46	9.98	17.48	
MW-11	09/09/2010	<50	<0.50	<1.0	<1.0	<1.0							27.46	10.32	17.14	1.64/1.69
MW-11	12/03/2010	<50	<0.50	<1.0	<1.0	<1.0							27.46	9.84	17.62	0.29/0.47
MW-11	03/02/2011	<50	<0.50	<0.50	<0.50	<1.0							27.46	6.13	21.33	1.08/0.88
MW-11	05/31/2011	<50	<0.50	<0.50	<0.50	<1.0							27.46	8.42	19.04	0.17/0.30
MW-11	12/13/2011	<50	<0.500	<0.500	<0.500	<0.500							27.46	9.93	17.53	0.36/0.52
MW-11	06/13/2012	<50	<0.50	<0.50	<0.50	<1.0							27.46	9.98	17.48	0.54/0.91
MW-11	11/19/2012	<50	<0.50	<0.50	<0.50	<1.0							27.46	10.16	17.30	0.60/0.88
MW-11	05/30/2013	<50	<0.50	<0.50	<0.50	<1.0							27.46	8.74	18.72	0.74/0.59
MW-11	11/18/2013	<50	<0.50	<0.50	<0.50	<1.0							27.46	10.32	17.14	0.90/0.45
MW-11	06/06/2014	<50	<0.50	<0.50	<0.50	<1.0							27.46	9.25	18.21	0.47/0.27
MW-11	12/01/2014	<50	<0.50	<0.50	<0.50	<1.0							27.46	10.63	16.83	0.45/0.30
MW-11	05/22/2015	Nell inacce	ssible										27.46			
MW-12	05/19/2006												31.16	8.42	22.74	
MW-12	05/26/2006	<50.0	<0.500	<0.500	<0.500	<0.500		<0.500	<10.0	<0.500	<0.500	<0.500	31.16	8.44	22.72	3.88
MW-12	08/30/2006	746	<0.500	<0.500	<0.500	<0.500							31.16	9.54	21.62	1.75/1.81
MW-12	11/08/2006	<50	<0.50	<0.50	<0.50	<1.0							31.16	8.67	22.49	2.26/3.60
MW-12	02/22/2007	<50	<0.50	<1.0	<0.50	<1.0							31.16	7.72	23.44	1.60/2.91
MW-12	05/29/2007	<50 f	0.49 g	<1.0	0.14 g	0.48 g							31.16	9.00	22.16	0.60/0.61
MW-12	08/27/2007	<50 f	<0.50	<1.0	<1.0	<1.0							31.16	9.90	21.26	0.47/0.24
MW-12	11/08/2007	<50 f	<0.50	<1.0	<1.0	<1.0							31.16	9.90	21.26	3.8/3.1
MW-12	02/20/2008	<50 f	5.4	1.7	3.4	12.4							31.16	7.40	23.76	3.43/1.91
MW-12	05/01/2008	<50	<0.50	<1.0	<1.0	<1.0							31.16	9.20	21.96	0.09/0.13
MW-12	08/12/2008	<50	<0.50	<1.0	<1.0	<1.0							31.16	10.40	20.76	3.6/3.2
MW-12	11/26/2008	<50	<0.50	<1.0	<1.0	<1.0							31.16	10.59	20.57	1.80/1.32
MW-12	02/03/2009	<50	<0.50	<1.0	<1.0	<1.0							31.16	9.39	21.77	1.72/1.75
MW-12	06/02/2009	<50	<0.50	<1.0	<1.0	<1.0							31.16	9.20	21.96	0.77/1.41
MW-12	11/10/2009	<50	<0.50	<1.0	<1.0	<1.0							31.16	10.12	21.04	2.70/1.52
MW-12	05/10/2010	<50	<0.50	<1.0	<1.0	<1.0							31.16	8.41	22.75	2.65/1.42
MW-12	09/09/2010 l	Jnable to loo	cate										31.16			
MW-12	12/03/2010	<50	<0.50	<1.0	<1.0	<1.0							31.16	9.32	21.84	0.74/1.29
MW-12	03/02/2011 l	Jnable to loo	cate										31.16			
MW-12	05/31/2011	<50	<0.50	<0.50	<0.50	<1.0							31.16	8.80	22.36	0.59/0.91
MW-12	12/13/2011	<50	<0.500	<0.500	<0.500	<0.500							31.16	9.64	21.52	0.75/2.07
MW-12	06/13/2012	<50	<0.50	<0.50	<0.50	<1.0							31.16	9.31	21.85	0.61/1.79
MW-12	11/19/2012 \	Nell inacces	sible										31.16			

Well ID	Date	TPHg (µg/L)	В (µg/L)	Т (µg/L)	E (µg/L)	Х (µg/L)	МТВЕ 8020 (µg/L)	MTBE 8260 (μg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-12	05/30/2013	<50	<0.50	<0.50	<0.50	<1.0							31.16	9.40	21.76	0.68/0.72
MW-12	11/18/2013	<50	<0.50	<0.50	<0.50	<1.0							31.16	11.83	19.33	0.29/0.66
MW-12	06/06/2014	Well inacces	sible										31.16			
MW-12	12/01/2014	Well inacces	sible										31.16			
MW-12	05/22/2015	Well inacce	ssible										31.16			
MW-13	04/16/2015												29.70	9.31	20.39	
MW-13	05/22/2015	4,100	430	5.9	16	<10							29.70	10.12	19.58	0.86/0.59
MW-14	05/19/2006												28.09	6.95	21.14	
MW-14	05/26/2006	103,000	5,280	76.7	3,930	4,800 e		<5.00	895	49.7	<5.00	<5.00	28.09	7.05	21.04	3.60
MW-14	08/30/2006	10,200	1,260	12.5	1,310	1,330		<0.500	<10.0	<0.500	<0.500	<0.500	28.09	9.19	18.90	3.33/3.49
MW-14	11/08/2006	29,000	4,400 a	34	2,000	1,600							28.09	9.80	18.29	1.16/1.40
MW-14	02/22/2007	31,000	2,600	42	2,200	1,600							28.09	6.70	21.39	0.59/1.11
MW-14	05/29/2007	35,000 f	1,100	14	1,800	767							28.09	7.89	20.20	0.08/0.08
MW-14	08/27/2007	Well inacces	sfble													
MW-14	08/29/2007	45,000 f	1,000	11	870	367.8 g		<10	<100	20	<20	<20	28.09	9.25	18.84	0.09/0.16
MW-14	11/08/2007	32,000 f	1,600	22	1,500	889							28.09	9.21	18.88	0.04/0.35
MW-14	02/20/2008	23,000 f	1,800	32	1,600	1,021							28.09	6.34	21.75	0.09/0.08
MW-14	05/01/2008	16,000	830	15	870	452							28.09	7.95	20.14	0.12/0.09
MW-14	08/12/2008	34,000	1,400	26	550	1,151		<10	<100	<20	<20	<20	28.09	14.10	13.99	0.03/0.38
MW-14	11/26/2008	Well inacces	sible										28.09			
MW-14	02/03/2009	39,000	1,800	27	1,700	1,400							28.09	8.66	19.43	0.16/0.19
MW-14	06/02/2009	34,000	1,100	<25	1,200	710							28.09	8.21	19.88	0.16/0.26
MW-14	11/10/2009	39,000	2,300	35	2,100	1,200		<25	<250	<50	<50	<50	28.09	9.69	18.40	0.45/1.56
MW-14	05/10/2010	5,900	150	2.1	170	54							28.09	6.64	21.45	0.49/1.38
MW-14	09/09/2010												28.09			
MW-14	12/03/2010	84,000	1,800	39	1,900	1,100		<5.0	<50	27	<10	<10	28.09	9.10	18.99	0.50/0.67
MW-14	03/02/2011												28.09	5.60	22.49	
MW-14	05/31/2011	21,000	460	10	930	460							28.09	8.85	19.24	0.47/0.77
MW-14	12/13/2011	30,000	1,370	23.8	1,590	871		<0.500	<10.0	17.8	<0.500	<0.500	28.09	9.35	18.74	0.67/0.65
MW-14	06/13/2012	26,000	1,100	13	1,400	630							28.09	8.34	19.75	0.54/0.75
MW-14	11/19/2012	27,000	1,700	30	2,800	1,200		<5.0	<100	23	<5.0	<5.0	28.09	9.78	18.31	2.84/3.10
MW-14	05/30/2013	34,000	1,300	23	2,100	920							28.09	8.78	19.31	0.97/1.02
MW-14	11/18/2013	33,000	1,200	23	2,700	950		<10	<200	16	<10	<10	28.09	10.41	17.68	0.21/0.33
MW-14	06/06/2014	68,000	900	<50	2,800	680							28.09	8.77	19.32	0.20/0.27
MW-14	12/01/2014	36,000	1,600	24	2,700	700		<20	<400	<20	<20	<20	28.09	9.50	18.59	0.18/0.25

Well ID	Date	TPHg (µg/L)	B (µg/L)	Τ (μg/L)	Ε (μg/L)	Х (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
MW-14	05/22/2015	5,200	320	<10	490	120							28.09	9.08	19.01	1.04/0.96
V-1	08/02/1996												23.26			
V-1	08/05/1996												23.26	8.58	14.68	
V-1	10/17/1996												23.26	10.02	13.24	
V-1	01/16/1997	9,500	1,200	250	280	880	<50						23.26	5.55	17.71	
V-1	04/07/1997	2,200	42	<5.0	130	15	<25						23.26	7.40	15.86	
V-1	07/02/1997	2,600	340	5.8	49	12	74	<4.0					23.26	8.94	14.32	
V-1	10/24/1997	57,000	5,200	2,300	3,600	16,000	1,900	<200					23.26	9.43	13.83	
V-1	01/09/1998	23,000	2,400	1,700	1,300	2,300	310						23.26	6.81	16.45	
V-1 (D)	01/09/1998	24,000	2,500	1,800	1,400	2,400	450						23.26			
V-1	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.26	4.58	18.68	
V-1 (D)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.26			
V-1	07/14/1998	160	1.9	<0.50	4.2	<0.50	6.1						23.26	7.51	15.75	
V-1	10/01/1998	440	18	<0.50	11	0.80	7.9						23.26	8.49	14.77	
V-1	01/18/1999	697	55.7	0.839	28.2	<0.500	9.35						23.26	8.59	14.67	
V-1	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5						23.26	8.69	14.57	
V-1	08/23/1999	457	33.4	3.59	16.3	<0.500	13.9						23.26	8.99	14.27	
V-1	10/06/1999	714	53.7	0.740	8.69	<0.500	9.83						23.26	9.55	13.71	
V-1	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.26	7.19	16.07	
V-1	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50						23.26	7.67	15.59	
V-1	07/19/2000	255	21.7	<0.500	10.2	<0.500	7.33	<1.00 a					23.26	7.53	15.73	
V-1	10/24/2000	200	4.05	0.566	<0.500	<0.500	7.82						23.26	7.38	15.88	
V-1	01/04/2001	128	1.77	<0.500	<0.500	<0.500	6.40	<10.0					23.26	8.41	14.85	
V-1	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.26	7.20	16.06	
V-1	07/09/2001	110	4.4	<0.50	0.88	1.7		<5.0					23.26	9.22	14.04	
V-1	10/18/2001	1,500	180	12	43	46		<5.0					23.26	10.08	13.18	0.8
V-1	01/24/2002	210	7.1	15	4.6	32		<5.0					23.26	6.44	16.82	3.5
V-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50		<5.0					23.26	6.18	17.08	1.0
V-1	07/18/2002	100	1.6	1.2	1.2	6.1		<5.0					23.26	8.08	15.18	1.7
V-1	10/21/2002	210	1.4	<0.50	1.0	1.3		<5.0					29.26	8.94	20.32	1.2
V-1	01/21/2003	61	5.2	<0.50	<0.50	<0.50		<5.0					29.26	6.62	22.64	0.6
V-1	04/17/2003	<50	<0.50	<0.50	<0.50	1.2		<5.0					29.26	6.00	23.26	1.3
V-1	07/22/2003 \	Nell inacces	sible										29.26			
V-1	10/20/2003	540	11	1.6	6.0	8.9		<0.50					29.26	9.53	19.73	0.1
V-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0		<0.50					29.26	6.62	22.64	
V-1	01/22/2004												29.26	9.08	20.18	0.1

Well ID	Date	TPHg (µg/L)	В (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
V-1	04/01/2004	<50	<0.50	<0.50	<0.50	<1.0							29.26	6.24	23.02	0.1
V-1	07/13/2004	120	1.8	<0.50	<0.50	<1.0		<0.50	<5.0	<2.0	<2.0	<2.0	29.26	8.78	20.48	0.1
V-1	10/26/2004	<50	<0.50	<0.50	<0.50	<1.0							29.26	8.09	21.17	0.6
V-1	01/13/2005	<50	<0.50	<0.50	<0.50	<1.0							29.26	4.30	24.96	0.1
V-1	04/28/2005	<50	<0.50	<0.50	<0.50	<1.0							29.26	5.27	23.99	3.34
V-1	08/01/2005	54	<0.50	<0.50	<0.50	<1.0		<0.50	<5.0	<2.0	<2.0	<2.0	29.26	7.77	21.49	
V-1	10/05/2005	120 c	<0.50	<0.50	<0.50	<1.0							29.26	8.72	20.54	1.67
V-1	01/11/2006	<50	<0.50	<0.50	<0.50	<0.50		<0.50	<5.0	<0.50	<0.50	<0.50	29.24	4.78	24.46	0.3
V-1	05/26/2006	<50.0	<0.500	<0.500	<0.500	1.02 e		<0.500	<10.0	<0.500	<0.500	<0.500	29.24	6.61	22.63	1.94
V-1	08/30/2006	5,660	6.81	1.39	27.3	21.0		<0.500	<10.0	<0.500	<0.500	<0.500	29.24	8.46	20.78	0.33/0.33
V-1	11/08/2006	1,300	3.7	1.5	5.1	6.9							29.24	8.95	20.29	0.05/0.11
V-1	02/22/2007	<50	<0.50	<1.0	<0.50	<1.0							29.24	6.17	23.07	0.76/0.99
V-1	05/29/2007	650 f	0.64	<1.0	1.2	0.95 g							29.24	7.21	22.03	0.69/0.74
V-1	08/27/2007	510 b, f	0.24	<1.0	<1.0	<1.0		<1.0	<10	<2.0	<2.0	<2.0	29.24	8.78	20.46	0.12/0.57
V-1 d	11/08/2007	2,000 f	19	2.9	23	18.5							29.24	8.41	20.83	0.61/1.54
V-1	02/20/2008	54 f	<0.50	<1.0	<1.0	<1.0							29.24	5.11	24.13	0.13/0.22
V-1	05/01/2008	280	0.57	<1.0	<1.0	<1.0							29.24	7.60	21.64	0.08/0.08
V-1	08/12/2008	390	0.80	<1.0	<1.0	1.1		<1.0	<10	<2.0	<2.0	<2.0	29.24	9.00	20.24	0.81/1.51
V-1	11/26/2008	3,300	46	8.3	62	44.2							29.24	9.50	19.74	0.76/1.28
V-1	02/03/2009	450	0.98	<1.0	1.7	<1.0							29.24	8.18	21.06	0.13/0.39
V-1	06/02/2009	230	<0.50	<1.0	1.3	<1.0							29.24	7.45	21.79	0.25/0.31
V-1	11/10/2009	900	3.1	<1.0	6.5	2.0		<1.0	<10	<2.0	<2.0	<2.0	29.24	8.91	20.33	0.84/0.56
V-1	05/10/2010	81	<0.50	<1.0	<1.0	<1.0							29.24	5.94	23.30	0.17/0.43
V-1	09/09/2010												29.24	8.95	20.29	
V-1	12/03/2010	560	1.1	<1.0	3.2	<1.0		<1.0	<10	<2.0	<2.0	<2.0	29.24	8.25	20.99	0.47/0.95
V-1	03/02/2011												29.24	4.18	25.06	
V-1	05/31/2011	160	<0.50	<0.50	0.57	<1.0							29.24	6.82	22.42	0.69/1.26
V-1	12/13/2011	1,300	1.09	<0.500	5.63	0.980		<0.500	<10.0	<0.500	<0.500	<0.500	29.24	8.37	20.87	0.94/0.81
V-1	06/13/2012	410	0.63	<0.50	3.9	<1.0							29.24	7.52	21.72	1.65/1.73
V-1	11/19/2012	57	<0.50	<0.50	<0.50	<1.0		<0.50	<10	<0.50	<0.50	<0.50	29.24	8.35	20.89	1.48/1.37
V-1	05/30/2013	710	1.8	<0.50	9.3	<1.0							29.24	7.93	21.31	0.44/0.85
V-1	11/18/2013	610	1.7	<0.50	1.5	<1.0		<0.50	<10	<0.50	<0.50	<0.50	29.24	9.33	19.91	0.14/0.13
V-1	06/06/2014	410	1.7	<0.50	5.1	<1.0							29.24	7.85	21.39	0.11/0.65
V-1	12/01/2014	50	<0.50	<0.50	<0.50	<1.0		<0.50	<10	<0.50	<0.50	<0.50	29.24	8.45	20.79	0.10/0.60
V-1	05/22/2015	500	1.1	<0.50	2.3	<1.0							29.24	8.10	21.14	0.15/0.61
V-2	08/02/1996												22.80			

Well ID	Date	TPHg (µg/L)	B (µg/L)	Т (µg/L)	E (µg/L)	X (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
V-2	08/05/1996												22.80	7.94	14.86	
V-2	10/17/1996												22.80	9.30	13.50	
V-2	01/08/1997	69,000	4,800	2,800	2,700	13,000	750						22.80	5.82	16.98	
V-2	04/07/1997	90,000	4,400	1,900	3,300	14,000	<500						22.80	7.10	15.70	
V-2 (D)	04/07/1997	77,000	4,400	2,000	3,200	14,000	<250						22.80			
V-2	07/02/1997	82,000	5,500	2,700	3,500	16,000	530	<100					22.80	8.35	14.45	
V-2 (D)	07/02/1997	85,000	5,600	2,800	3,600	17,000	520	<100					22.80			
V-2	10/24/1997	7,300	1,100	97	230	180	91	<12					22.80	10.03	12.77	
V-2 (D)	10/24/1997	12,000	1,700	340	650	630	120	<20					22.80			
V-2	01/09/1998	40,000	4,100	1,500	2,500	9,000	280						22.80	6.94	15.86	
V-2	04/02/1998	62,000	6,800	2,400	3,400	14,000	<250						22.80	5.35	17.45	
V-2	07/14/1998	43,000	4,700	1,100	2,500	6,600	<250						22.80	6.48	16.32	
V-2 (D)	07/14/1998	48,000	5,100	1,300	2,600	8,100	<250						22.80			
V-2	10/01/1998	53,000	5,200	1,800	3,200	10,000	83						22.80	8.41	14.39	
V-2 (D)	10/01/1998	55,000	5,300	1,900	3,300	11,000	65						22.80			
V-2	01/18/1999	47,100	5,800	1,960	3,450	10,200	<100						22.80	8.29	14.51	
V-2	04/29/1999	65,000	6,100	2,800	3,200	12,000	540						22.80	8.19	14.61	
V-2	08/23/1999	59,600	6,240	2,190	3,900	14,700	390						22.80	8.44	14.36	
V-2	10/06/1999	63,800	4,820	1,860	2,840	11,100	<1000						22.80	8.96	13.84	
V-2	01/27/2000	59,600	10,200	2,840	3,450	12,100	<500						22.80	7.57	15.23	
V-2	04/18/2000	45,000	6,050	2,700	3,340	12,200	<250						22.80	8.14	14.66	
V-2	07/19/2000	31,800	4,440	1,270	2,390	6,820	<500						22.80	8.21	14.59	
V-2	10/24/2000	40,100	4,810	1,730	2,960	8,650	734	<10.0					22.80	8.53	14.27	
V-2	01/04/2001	37,500	4,510	1,390	2,710	6,880	375						22.80	8.03	14.77	
V-2	05/03/2001	51,000	4,000	1,900	2,800	8,200		<200					22.80	6.63	16.17	
V-2	07/09/2001	9,600	710	190	180	1,400		<25					22.80	8.75	14.05	
V-2	10/18/2001	20,000	2,000	540	560	6,000		<50					22.80	9.60	13.20	0.4
V-2	01/24/2002	36,000	2,900	870	1,700	5,900		<100					22.80	5.93	16.87	4.0
V-2	04/04/2002	49,000	3,900	1,500	2,900	9,300		<200					22.80	5.78	17.02	0.9
V-2	07/18/2002	50,000	3,600	1,300	2,800	9,300		<200					22.80	7.58	15.22	1.3
V-2	10/21/2002	86,000	6,000	1,900	4,200	20,000		<250					28.80	8.40	20.40	1.3
V-2	01/21/2003	13,000	630	200	300	2,400		<25					28.80	6.52	22.28	1.2
V-2	04/17/2003	26,000	2,000	570	750	6,000		<100					28.80	5.93	22.87	1.1
V-2	07/22/2003	6,800	130	34	150	440		<2.5					28.80	7.96	20.84	1.4
V-2	10/20/2003	14,000	660	160	260	2,400		<10					28.80	9.21	19.59	0.7
V-2	01/13/2004	20,000	1,400	410	700	4,200		<13					28.80	6.90	21.90	
V-2	01/22/2004												28.80	8.50	20.30	0.1

Groundwater Data Former Shell Service Station 2703 Martin Luther King Jr. Way, Oakland, California

Well ID	Date	TPHg (µg/L)	В (µg/L)	Τ (μg/L)	E (µg/L)	Х (µg/L)	MTBE 8020 (μg/L)	МТВЕ 8260 (µg/L)	TBA (μg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO (mg/L)
V-2	04/01/2004	28,000	2,000	520	650	8,700							28.80	6.84	21.96	0.2
V-2	07/13/2004	21,000	1,900	460	1,000	4,300							28.80	8.28	20.52	0.1
V-2	10/26/2004	43,000	2,700	880	2,300	12,000							28.80	8.43	20.37	0.8
V-2	01/13/2005	23,000	1,400	330	1,800	5,800							28.80	6.67	22.13	0.6
V-2	04/28/2005	16,000	970	230	620	3,800							28.80	5.69	23.11	4.55
V-2	08/01/2005	14,000	610	190	450	3,600							28.80	5.25	23.55	
V-2	10/05/2005	37,000	2,200	680	2,300	8,500							28.80	8.24	20.56	0.75
V-2	01/11/2006	45,000 a	1,900 a	720 a	3,000 a	13,000 a		<25 a	<250 a	<25 a	<25 a	<25 a	28.81	6.60	22.21	0.4
V-2	05/26/2006	66,600	1,300	400	2,950	9,700 e		<0.500	<10.0	<0.500	<0.500	<0.500	28.81	6.28	22.53	0.28
V-2	08/30/2006	7,290	2,390	750	4,680	17,000							28.81	8.03	20.78	0.37/0.31
V-2	11/08/2006	68,000	1,700	580	3,900	13,000							28.81	8.60	20.21	0.05/0.14
V-2	02/22/2007	57,000	1,300	600	4,000	15,000							28.81	5.88	22.93	1.23/2.50
V-2		48,000 b, f	2,000	650	3,300	10,000							28.81	6.82	21.99	0.07/0.12
V-2	08/27/2007	55,000 f	1,600	520	2,900	8,000							28.81	8.22	20.59	0.22/0.48
V-2 d	11/08/2007	74,000 f	1,300	500	3,000	9,600							28.81	8.82	19.99	0.87/1.46
V-2	02/20/2008	52,000 f	1,200	560	3,200	12,400							28.81	5.13	23.68	0.16/0.05
V-2	05/01/2008	53,000	960	350	3,000	9,600							28.81	7.25	21.56	0.06/0.05
V-2	08/12/2008	55,000	950	230	2,700	6,030							28.81	8.50	20.31	0.53/1.47
V-2	11/26/2008	71,000	1,400	430	3,900	10,400							28.81	9.08	19.73	0.66/1.62
V-2	02/03/2009	81,000	1,100	340	3,700	11,000							28.81	7.78	21.03	0.48/0.15
V-2	06/02/2009	78,000	920	350	3,500	9,200							28.81	6.90	21.91	0.19/0.26
V-2	11/10/2009	66,000	890	310	3,400	7,900							28.81	8.62	20.19	0.44/0.98
V-2	05/10/2010	28,000	490	160	2,200	4,800							28.81	5.63	23.18	0.18/0.28
V-2	09/09/2010												28.81	8.49	20.32	
V-2	12/03/2010	31,000	640	210	2,600	4,300							28.81	7.90	20.91	0.86/1.16
V-2	03/02/2011												28.81	3.95	24.86	
V-2	05/31/2011	36,000	510	180	3,600	6,700							28.81	6.55	22.26	0.47/0.92
V-2	12/13/2011	51,000	652	129	3,760	5,040							28.81	7.96	20.85	0.60/1.51
V-2	06/13/2012	44,000	540	150	4,300	5,000							28.81	7.08	21.73	0.91/1.36
V-2	11/19/2012	43,000	530	170	4,100	5,700							28.81	8.73	20.08	0.99/0.82
V-2	05/30/2013	35,000	480	130	3,900	4,000							28.81	7.49	21.32	0.44/1.21
V-2	11/18/2013	45,000	460	140	4,500	4,400							28.81	9.33	19.48	0.19/1.33
V-2	06/06/2014	65,000	420	130	5,400	4,800							28.81	7.40	21.41	0.89/1.13
V-2	12/01/2014	42,000	470	140	3,900	3,600							28.81	9.42	19.39	0.62/0.74
V-2	05/22/2015	31,000	310	89	4,400	2,300							28.81	7.68	21.13	0.15/0.97

Notes:

Groundwater Data Former Shell Service Station 2703 Martin Luther King Jr. Way, Oakland, California

							MTBE	MTBE						Depth to	GW	
Well ID	Date	TPHg	в	т	E	х	8020	8260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	DO
		(µg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)										

TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8015 unless otherwise noted.

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary-butyl ether analyzed as noted

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

TOC = Top of casing elevation, in feet relative to mean sea level

GW = Groundwater

DO = Dissolved oxygen concentrations in mg/L (Pre-purge/Post-purge)

µg/L = Micrograms per liter

ft = Feet

MSL = Mean sea level

<x = Not detected at reporting limit x

--- = Not analyzed or available

mg/L = Milligrams per liter

(D) = Duplicate sample

a = Sample analyzed outside of EPA recommended holding time.

b = Hydrocarbon does not match pattern of laboratory's standard.

c = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

d = Samples were switched in the field for wells V-1 and V-2 due to field error. Data corrected for this table.

e = Analyte was detected in the associated Method Blank.

f = Analyzed by EPA Method 8015B (M).

g = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

h = Concentration reported is due to the presence of discrete peaks of xylenes.

i = Concentration reported is due to the presence of discrete peak of benzene.

Site wells surveyed June 14, 2001 by Virgil Chavez Land Surveying

Site wells surveyed August 13, 2002 by Virgil Chavez Land Surveying

Wells MW-1 through MW-8, V-1, and V-2 surveyed on February 14, 2006 by Virgil Chavez Land Surveying

Wells MW-12 and MW-14 surveyed on April 19, 2006 by Virgil Chavez Land Surveying

Wells MW-9, MW-10, and MW-11 surveyed on August 18, 2010 by Virgil Chavez Land Surveying

Appendix A Blaine Tech Services – Field Notes

WELL GAUGING DATA Project # 150416 - 51 Date 24 - 16-15 Client Shelf Site 2703 MLT Sr. Way Galland CA Thickness Volume of Survey Well of Depth to Immiscibles Point: Size Immiscible Immiscible Sheen / Removed Depth to water Depth to well TOB or fod Well ID Time (in.) Odor Liquid (ft.) Liquid (ft.) (ml)(ft.) bottom (ft.) Notes 9.31 MW-13 300 2 14.97 TOC

BLAINE TECH SERVICES, INC. SAN JOSE

SAN JOSE SACRAMENTO LOS ANGELES SAN DIEGO SEATTLE

And 150416-6 Project #: Client: Date Developed: 4-16-15 Developer: AD Well I.D. MW-13 Well Diameter: (circle one) 3 4 6 Total Well Depth: Depth to Water: 13.91 19.90 After Before 9.31 After Before Ag gra Reason not developed: If Free Product, thickness: fix Additional Notations: Sudded 15 mins Well Stine & Volume Conversion Factor (VCF): Well dia. VCF $\{12 \times (d^2/4) \times \pi\}/231$ 0.16 2" where 3" 0.37 12 = in / foot 4" -----0.65 d = diameter (in.) 6" 1.47 10" $\pi = 3.1416$ 4.08 231 = in 3/gal 12" 6.87 4017 Х)Ò (Specified Volumes gallons 1 Case Volume -----**Purging Device: D** Bailer C Electric Submersible Suction Pump Positive Air Displacement Type of Installed Pump Suderinte Other equipment used New Tibric Cond. TURBIDITY VOLUME $(mS or/\mu S)$ (NTUs) **REMOVED:** NOTATIONS: TIME TEMP (F) pН 276 2506 1326 69.9 71000 1.7 SIL 7.24 2424 66.9 XOBN 3.4 AOUL 1337 Propis 7.19 67.0 5.1 1334 2333 NOOU Hard Rolfm 7329 2000 69 1336 66.9 7.04 Baun 28-2318 6-98 >(001) 1339 66.9 8.5 Gilt Will λh 7.0(2319 66.9 1343 16.2 Hard Botton XODO 66.9 23,18 7.03 1345 XOON 11.9 BLOWN 2320 13:48 67.0 7.00 7000 Brown 12 0 KOO1, 1351 2319 ND SIL 2.00 24 15.3 6.99 2317 12.0 1354 674 Trolly. Hard Botton 12.0 Gallons Actually Evacuated: Did Well Dewater? If yes, note above.

WELL DEVELOPMENT DATA SHEET

Σ
N FOR
ŭ
Z.
Ĕ
ECTIO
۵.
SN
ш
SIT
ä
AND
2
Z
ರ
d S
õ
N CON
õ
AT
Ö
M
5
J
믭
N
Å
F
MENTAL
ž
0
ENVIR
N S

Page 🔪 of 🖊

 \mathcal{O}

MCIDENT # 97001 3347

DATE.

NUL IV, 2303 E CITY & STATE ADDRESS

		1997 No. 19				Obser	vations (Observations Upon Arrival	(al						Nofe Renairs Maria	Photos of	f Repair Date
Well ID	Manwa	Manway Cover, Type, Condition & Size	Type, C	ondition	& Size	Welt L Pai Proj	Well Labeled / Painted Properly*	Well Cap (Gripper) Condition	Cap per) ition	Well Lo	Well Lock Condition	lition	Well Pad / Surface Condition	ad / ce tion	e Recommended	Well	
NW 13	Standpipe	Flush	٩	۵.	Size (Inch)	\bowtie	z	9	œ	υ	E	NL NL	0	a.		X N	
	Standpipe	Flush	9	a.	Size (inch)	~	z	U	œ	U	α	ž	υ	۵.) <u>×</u> ≻	
	Standpipe	Flush	o	۵.	Size (inch)	~	z	υ	œ	U	ß	N	ю	a.		Y N	
	Standpipe	Flush	o	a.	Size (inch)	~	z	U	۵ź	ڻ ن	œ	NL NL	σ	a.		м 	
	Standpipe	Flush	U	<u>م</u>	Size (inch)	7	z	U	œ	U	æ	NL	U	٩		X X	
	Standpipe	Flush	IJ	a.	Size (inch)	7	z	o	æ	υ	<u>م</u>	NL	5	a.		× ≻	
	Standpipe	Flush	U	a.	Size (inch)	~	z	თ	£.	G	œ	L R	υ	٥		N X	
	Standpipe	Flush	U	a.	Size (inch)	7	z	o	£	ى ە	œ	z	<u>ں</u>	a.		× ≻	
	Standpipe	Flush	o	<u>a</u> .	Size (Inch)	~	z	c	œ	U	œ	ž	0	a.		Z >	
	Standpipe	Flush	U	۵.	Size (inch)	>	z	ა	œ	o	œ	ม่า	<u>ب</u> م	۵.		z ≻	
	Standpipe	Flush	U	<u>م</u>	Size (inch)	~	Z	o	εc	U	×	N.	υ	۵.		۸ ۲	
					101/	AL # CAP	TOTAL # CAPS REPLACED =	CED =	0			= TOTAL # OF LOCKS REPLACED	# OF LO	CKS RE	PLACED		
Condition of Abando	Condition of Soil Boring Patches of Abandoned Monitoring Wells	atches or ing Wells:	٥	٩.	(Ann)	d #	OOR, Bor	If POOR, Borings/Well IDs or Location Description:	Ds or Loc	ation Des	cription:					Z X	
Remediation Compo (Check boxes that	Remediation Compound Type (Check boxes that apply)	Type IV)	Condi	Condition of Enclosure	nciosure	Condit	Condition of Area Inside Enclosure	a Inside	Comp	Compound Security	urity	Emergen	Emergency Contact Info Visible	at Info	Cleaning / Repairs Recommended and Conducted	Photos of Condition	Repair Date and PM Initials
NA																	
Building w/ Fence Comp.	ing ince Comp.		Ć	۵.	NIA	ს	<u>م</u>	N/A	U	۵.	NIA	~	z	N/A		א ד	
Fenced Compound	mpound)														
	- 28									Confirm Drums	Drums	-				Photos of	
Number of Drums On-site		Does the Label Reveal the Source of the Contents	leat the stants	200	Labeled Correctly and Writing Legible	ly and de	E	Drum Condition	uo	Related to Environmental	d to nental	Busines	urums Locateu to Mill Business Interferance		Detailed Explanation of Any Issues Resolved	Drum Condition	and PM Initials
0	>	z	NIA	~	z	NIA	U	đ	NIA	Y	z	7	z	NIA		и 	
G = Good (Acceptable) P = Poor (needs attention)	eptable) s attention)	R = Replaced Ni. = No Lock	R = Replaced Ni. = No Lock Required	suired											All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).	l were in ise noted	food condition, above).
Note: All repairs other than locks and orippers require Shell PM approval prior to repair.	other than locks	s and gripp	<u>ers require</u>	Shell PM	<u>approval pris</u>	or to repair.									e Anna		

= Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations.
 Varsion 2.4, March 2008

t Company Print of type Name of Field Personnel & Consultant

WELL GAUGING DATA

Project # 150522-NDI Date 5/22/15 Client Shell

Site 2703 Martin Luther King Jr. Way - Oakland, CA

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)			Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or	Notes
MW-1	1015	Z					7.45	14.44		
MW-2	1005	Z					\$.36	18-57		
MWJ-3	1009	4					8.07	19.93		
MW-4	1603	4					7.50	19.98		
MW-5	1010	4					8.64	19.93		
MW-6	0955	4					7.67	19.48		no sheen detected
mw-7	0950	4					8.65	19.64		
mw-8	0957	Ч					8.59	19.60	J	
MW-91		1)nabl	e to	acc	ess				
MW-10		1								
MW-11							and the second se			
MW-12								and the second		
1NW-13	1025	Zun					10.12	19.91	toc	
MW-14	1022						9.08	14.1Z		
V-1	0945	2					8.10	13.04		
V-2	0950	2					7.68	13.26		

BTS #: 14	50522-	NDI		Site: C	27093	3397	
Sampler:	JD			Date:	5/22	/15	
Well I.D.:	MW-4			Well D	iameter	: 2 3 (4)	68
Total Well I	Depth (TD): (9	.98	Depth 1	to Wate	r (DTW): 7.5	0
Depth to Fre	ee Product	• •	~~~	Thickn	ess of F	ree Product (fee	et):
Referenced	to:	[PVC/	Grade	D.O. M	leter (if	req'd):	YSI HACH
DTW with 8	80% Rech	arge [(H	leight of Water	Columr	1 x 0.20))+DTW]: 위.	99
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme	nt Extrac Other	Waterra Peristaltic tion Pump		Sampling Method: Other:	Bailer Disposable Bailer Extraction Port Dedicated Tubing
·	<u></u>		· · · · · · · · · · · · · · · · · · ·		Well Diamete	er Multiplier Well I 0.04 4"	Diameter Multiplier 0.65
8.2 (Gals.) X	3	= <u>24.6</u>	Gals.	2" 3"	0.16 6"	1.47
1 Case Volume	Speci	fied Volum	es Calculated Vo	lume	5*	0.37 Other	radius ² * 0.163
Time	Temp (°F)	pH	Cond. (mS or μ S)		oidity TUs)	Gals. Removed	Observations
1054	60.6	7.79	1153		4	8-2	odor
1055	we	۱d	ewatered	6)	9.0	
							st z
1220	60.9	7.76	1142	20	ን	GRAB	
Did well de	water? (Yes	No	Gallon	s actuall	y evacuated:	9.0
Sampling D	ate: 5/22	2/15	Sampling Time	e: 12	.25	Depth to Wate	r: 8,99
Sample I.D.	: MW-4	11 ⁻¹ 11		Labora	tory:	Test America	Other
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other: See	001
EB I.D. (if a	pplicable)	:	@ Time	Duplica	ate I.D.	(if applicable):	
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:	······
D.O. (if req'	d): Pi	e-purge:	1.01	^{mg} /L	F	Post-purge:	0.73 ^{mg} / _L
O.R.P. (if re	eq'd): Pi	e-purge:		mV	P	ost-purge:	mV

P								
BTS #: 15()522-N	JDI		Site:	9709	33 97		
Sampler:	ND			Date:	5/22	/15		
Well I.D.:	MW-5			Well D	liameter	: 2 3 4	6 8	
Total Well I	Depth (TD): 19.	93	Depth	to Wate	r (DTW): 8.6	4	
Depth to Fre	ee Product	e t	and the second se	Thickn	ess of F	ree Product (fee	et):	
Referenced	to:	(PVC)	Grade	D.O. M	leter (if	req'd): /	YST HACH	
DTW with 8	30% Recha	urge [(H	leight of Water	Colum	n x 0.20))+DTW]: 10	.89	
Purge Method:	Bailer Disposable Ba Positive Air I Electric Subm	Displaceme	nt Extrac Other	Waterra Peristaltic tion Pump		Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing	
7.4 (0 1 Case Volume	Gals.) X Specil	3 fied Volum	$= \frac{22.2}{\text{Calculated Vo}}$		Well Diameto 1" 2" 3"	er Multiplier Well I 0.04 4" 0.16 6" 0.37 Other	Diameter <u>Multiplier</u> 0.65 1.47 r radius ² * 0.163	
Time	Temp (°F)	pН	Cond. (mS or (1	oidity ΓUs)	Gals. Removed	Observations	
1123	59.5	674	1358	9	7	7.4		
1124	we	11 C	lewatere	d	\bigcirc	8.0		
		1-2	10		. I			
1255	61.1	6.75	1351	101 GRAB				
Did well dev	water?	Yes	No	Gallons actually evacuated: 8.0				
Sampling D	ate: 5/2	22/15	Sampling Time	e: 13.	00	Depth to Wate	r: 10,57	
Sample I.D.	: MW-5			Labora	tory:	Test America	Other	
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other: SOR C		
EB I.D. (if a	pplicable)	• *	@ Time	Duplic	ate I.D.	(if applicable):	·····	
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:		
D.O. (if req'	d): Pr	e-purge:	0.33	^{mg} /L	P	ost-purge:	0.29 ^{mg} /L	
O.R.P. (if re	q'd): Pr	e-purge:		mV	Р	ost-purge:	mV	
							· · · · · · · · · · · · · · · · · · ·	

BTS #: 150	0522-1	١٦D		Site: 9709	13397	
Sampler:	ND			Date: 5/2	2/15	
Well I.D.:	mw-6	<u></u>		Well Diamete	er: 2 3 (4)	68
Total Well I	Depth (TD): 19.U	ł8	Depth to Wat	ter (DTW): 7.6	3
Depth to Fre	ee Product	ب میرور ۱۵۵۹ چ			Free Product (fee	
Referenced	to:	PVC	Grade	D.O. Meter (i		YSI HACH
DTW with 8	30% Rech	arge [(H	leight of Water	Column x 0.2	0) + DTW]:	0.00
Purge Method:	Bailer Disposable Ba Positive Air I Electric Subr	Displaceme		Well Diam	Sampling Method: Other: heter Multiplier Well 1 0.04 4 ⁿ 0.16 6 ⁿ	Disposable Bailer Extraction Port Dedicated Tubing
<u>l· </u>	Gals.) X Specif			_Gals.	0.37 Othe	^
Time	Temp (⁰F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1033	60.3	6.62	1142	16	7.7	odor
1034	we	II d	ewatered		10.0	
1045	61.0	7.07	1103	20	GRAR	
Did well dev	water?	Yes	No	Gallons actua	ally evacuated:	(0)
Sampling D	ate: 5/2	2/15	Sampling Time	e: 1950	Depth to Wate	r: 9.71
Sample I.D.	: MW-	6		Laboratory:	Test America	Other
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5)	Other: See	COC
EB I.D. (if a	pplicable)	•	@ Time	Duplicate I.D). (if applicable):	
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5)	Other:	
D.O. (if req'	d): Pr	e-purge:	2,38	^{mg} / _L ≁	Post-purge:	3.10 ^{mg} / _L
O.R.P. (if re	q'd): Pr	e-purge:		mV	Post-purge:	mV

BTS #: 15	0522-1	JDI		Site: 🗢	17093	397	
Sampler:	ND			Date:	5/22	/15	·
Well I.D.:	MW-7			Well D	iameter	: 2 3 (4)	68
Total Well	Depth (TD): 19.6	54	Depth	to Wate	r (DTW): 8.6	5
Depth to Fr	ee Product	•		Thickn	ess of F	ree Product (fee	et):
Referenced	to:	(PVC)	Grade	D.O. M	leter (if	req'd):	YSI) HACH
DTW with	80% Rech	arge [(H	leight of Water	Columr	n x 0.20)) + DTW]: (O	.84
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme		Waterra Peristaltic tion Pump		Sampling Method: Other:	Baile Disposable Bailer Extraction Port Dedicated Tubing
7.2 ((1 Case Volume		3 fied Volum		_Gals. lume	Well Diamete 1" 2" 3"	er <u>Multiplier Well I</u> 0.04 4" 0.16 6" 0.37 Othe	Diameter <u>Multiplier</u> 0.65 1.47 r radius ² * 0.163
Time	Temp (⁰F)	pH	Cond. (mS or(µS))	1	oidity TUs)	Gals. Removed	Observations
1047	59.2	7.49	1866	6	5	7.2	ador
1048	We		dewatered	f (c	<u>)</u>	9.0	
1205	60.1	7.53	1921	6	(GRAB	
Did well de	water? (Yes	No	Gallon	s actuall	y evacuated:	9.0
Sampling D	ate: 5/22	2715	Sampling Time	e: 12	01.	Depth to Wate	r: 10.12
Sample I.D.	: MW-7			Labora	tory:	Test America	Other
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ites (5)	Other) See a	
EB I.D. (if a	applicable)	•	@ Time	Duplic	ate I.D.	(if applicable):	
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	• •	Other:	
D.O. (if req	d): Pr	e-purge:	71.09	^{mg} /L	Р	ost-purge:	1.24 ^{mg} /L
O.R.P. (if re	eq'd): Pr	e-purge:	-	mV	Р	ost-purge:	mV

Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558

. . .

BTS #: (5	<u>10522 - M</u>	ND1		Site: 970)93	397	
Sampler: N	JD			Date: 5	122	/15	
Well I.D.:	MW-8			Well Diam		1	6 8
Total Well I	Depth (TD	1): 19.	60	Depth to W	Vateı	r (DTW): 8.5	59
Depth to Fre	ee Product		المحمود من معالم المحمود المحمو	Thickness	ofF	ree Product (fee	≥t):
Referenced	to:	(PVC)	Grade	D.O. Meter	r (if	req'd):	YSI HACH
DTW with 8	80% Rech	arge [(H	leight of Water			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	.79
Purge Method:	Bailer Disposable Ba Positive Air I Electric Subp	Displacemer			Diamete	Sampling Method: Other: er Multiplier Well I	Disposable Bailer Extraction Port Dedicated Tubing
7.2 (C 1 Case Volume	Gals.) X Specif	3 fied Volum	$\frac{21.6}{\text{Calculated Vo}}$	Gals.	97 12	0.04 4" 0.16 6" 0.37 Other	0.65 1.47
Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	•	Gals. Removed	Observations
1109	58.6	7.03	980	51		7.2	odor
1110 .	well	deu	Natered	\bigcirc		10.5	
1230	60.4	7.08	983	69		GRAB	· · ·
Did well dev	water? (Yes	No	Gallons ac	tuall	y evacuated:	10.5
Sampling D	ate: 5/2	2/15	Sampling Time	e: 1235	F	Depth to Water	r: 10.00
Sample I.D.	: MW-S	5		Laboratory	7:	Test America (Other
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates ((5)	Other: See	COC
EB I.D. (if a	upplicable)	: 	@ Time	Duplicate]	[.D. ((if applicable):	
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates ((5)	Other:	
D.O. (if req'	d): Pr	e-purge:	0.69	mg/L	P	ost-purge:	0.50 ^{mg} / _L
O.R.P. (if re	q'd): Pr	e-purge:		mV	P	ost-purge:	mV

BTS #:	150522 -	NDI		Site:	9700	13397				
Sampler:	NP			Date:	51	22/15				
Well I.D.:	MW-9			Well D	ameter:	2 3	4	6 8		
Total Well	Depth (TD):		Depth	to Water	·(DTW):		-		
Depth to Fr	ee Product	· · ·		Thickness of Free Product (feet):						
Referenced	to:	PVC	Grade	D.O. M	leter (if	req'd):		YSI HACH		
DTW with	80% Recha	arge [(H	leight of Water	Colum	n x 0.20)	+ DTW]:				
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme		Waterra Peristaltic tion Pump		Sampling N	Aethod: Other:	Bailer Disposable Bailer Extraction Port Dedicated Tubing		
					Well Diamete 1"	r Multiplier 0.04	Well D 4"	Diameter Multiplier 0.65		
	Gals.) X	~ 1 T Z 3		_Gals.	2" 3"	0.16 0.37	6" Other	1.47 radius ² * 0.163		
1 Case Volume	Speci	fied Volum		lume j						
Time	Temp (°F)	pH	Cond. (mS or µS)	Ł	oidity TUs)	Gals. Rem	noved	Observations		
	- 1	ell w	NABLE TO BE	ALLE	SSED					
	~	501-1000	- CLOSED	FOR r	DLIDAY					
	-		NO SA	MPLE	TAKE	N				
Did well de	water?	Yes	No	Gallon	s actuall	y evacuate	ed:			
Sampling D	ate:	and the second se	Sampling Time	e:		Depth to	Water	•		
Sample I.D.	:		-	Labora	tory:	Test Americ	ca C	Other		
Analyzed fo	я: трн-G _.	BTEX	MTBE TPH-D	Oxygen	atęs (5)	Other:		. / *		
EB I.D. (if a	pplicable)	:	@ Time	Duplic	ate I.D. ((if applica	ble):			
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Óxygen	ates (5)	Other:				
D.O. (if req	d): Pr	e-purge:		^{mg} /L	Р	ost-purge:	<	mg/L		
O.R.P. (if re	eq'd): Pr	e-purge:		mV	Р	ost-purge:		mV		

e. 1

.

					~~ ~ ~ ~ ~ ~ ~					
BTS #:	150522-	NDI		Site:	9709	13397				
Sampler:	NP			Date:	51-	22/15	-			
Well I.D.:	MW-1	0		Well D	iameter:	2 3 4	6 8			
Total Well 1	Depth (TD):		Depth t	o Water	· (DTW):				
Depth to Fr	ee Product	*		Thickness of Free Product (feet):						
Referenced	to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH						
DTW with 8	80% Recha	arge [(H	eight of Water	Column	ı x 0.20)	+ DTW]:				
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme		Waterra Peristaltic tion Pump		Sampling Method: Other:	Bailer Disposable-Bailer Extraction Port Dedicated Tubing			
[· · · · · · · · · · · · · · · · · · ·				Well Diamete 1"	0.04 4"	Diameter Multiplier 0.65			
1 Case Volume	Gals.) X	fied Volum	es Calculated Vo	_Gals.	2" 3"	0.16 6" 0.37 Other	1.47 radius ² * 0.163			
	T		Cond.		·					
Time	Temp (°F)	pН	(mS or µS)	1	oidity TUs)	Gals. Removed	Observations			
	- 13	en w	NABLE TO BE	AUFS	SED					
		SCHOOL	- CLOSED	FOR H	040AY					
			NO SA	MPLE	TAKE	\sim				
Did well de	water?	Yes	No	Gallon	s actuall	y evacuated:				
Sampling D	ate:		Sampling Tim	e:		Depth to Water	r:			
Sample I.D.	:			Labora	tory:	Test America	Other			
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:				
EB I.D. (if a	applicable):	@ Time	Duplic	ate I.D.	(if applicable):				
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Óxygena	• •	Other:				
D.O. (if req	'd): Pi	re-purge:		^{mg} /L	Р	ost-purge:	^{mg} /L			
O.R.P. (if re	eq'd): P	re-purge:		mV	Р	'ost-purge:	mV			

BTS #:	150522-	NDI		Site:	9700	13397					
Sampler:	ND			Date:	51-	22/15					
Well I.D.:	MW - 1	(Well D	iameter:	2 3	4	68			
Total Well	Depth (TD):		Depth t	o Water	· (DTW):					
Depth to Fr	ee Product	•		Thickness of Free Product (feet):							
Referenced	to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH							
DTW with	80% Recha	arge [(H	eight of Water	Column	ı x 0.20)	+ DTW]:					
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme		Waterra Peristaltic tion Pump	Well Diamete		hod: her: Well Dia	Bailer Disposable-Bailer Extraction Port Dedicated Tubing			
[]	I" 2"	0.04	4" 6"	0.65 1.47			
1 Case Volume	Gals.) X Speci	fied Volum	es Calculated Vo	_Gals. lume	2" 3"		o Other	radius ² * 0.163			
Time	Temp (°F)	pН	Cond. (mS or µS)	1	oidity TUs)	Gals. Remov	red	Observations			
	- 11	en w	NABLE TO BE	ALLES	SSED						
·		SCHOOL	- CLOSED	For H	OLIDAY						
								an a			
			NO SA	MPLE	TAKE	\sim					
Did well de	water?	Yes	No	Gallon	s actuall	y evacuated	:				
Sampling D	ate:		Sampling Time	e:		Depth to W	ater:				
Sample I.D.	:			Labora	tory:	Test America	Ot	her			
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:					
EB I.D. (if a	applicable)):	@ Time	Duplic	ate I.D.	(if applicabl	e):				
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Óxygena	ates (5)	Other:					
D.O. (if req	'd): Pi	re-purge:	1.1	^{mg} /L	P	ost-purge: 🗸	Γ	^{mg} / _L			
O.R.P. (if re	eq'd): P	re-purge:		mV	Р	ost-purge:		mV			

BTS #:	150522	-NOI		Site:	970	93397					
Sampler:	ND			Date:	5/2	ezlis					
Well I.D.:	MW - 1	2		Well D	iameter	: 2 3 4	68				
Total Well	Depth (TD):		Depth	to Water	r (DTW):					
Depth to Fr	ee Product	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Thickn	Thickness of Free Product (feet):						
Referenced	to:	PVC	Grade	D.O. N	leter (if	req'd):	YSI HACH				
DTW with	80% Rech	arge [(H	leight of Wa		r Column x 0.20) + DTW]:						
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme	nt E Other	Waterra Peristaltic xtraction Pump	Well Diamete	Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing				
	~ 1 \ ~ 2				1" 2"	0.04 4" 0.16 6"	0.65 1.47				
1 Case Volume	Gals.) X Speci	fied Volum	= $ -$	Gals. d Volume	- 3"	0.37 Othe					
Time	Temp (°F)	pH	Cond. (mS or μS	. 1	oidity TUs)	Gals. Removed	Observations				
	- w	BLL W	ABLE TO 1	26 A-CCB	5580 N	WE TO LARGE					
· ·			GT (DEE		RING	WELL	· · · · · · · · · · · · · · · · · · ·				
		·····	X								
			NU SA	MPLE T.	AILEN						
Did well de	water?	Yes	No	Gallon	s actuall	y evacuated:	м ^и				
Sampling D	ate:		Sampling T	ìime:		Depth to Wate	r:				
Sample I.D.	: /		~1	Labora	tory:	Test America	Other				
Analyzed fo	r: TPH-G	BTEX	МТВЕ ТРН-	D Oxygena	ates (5)	Other:					
EB I.D. (if a	applicable)		@ Time	Duplic	ate I.D.	(if applicable):					
Analyzed fo	r: TPH-G	BTEX	МТВЕ ТРН-	ø Oxygen	ates (5)	Other:					
D.O. (if req	d): Pı	e-purge:		^{mg} /L	Р	ost-purge:	^{mg} /L				
O.R.P. (if re	eq'd): Pr	e-purge:		mV	Р	ost-purge:	mV				

Site: 97093	397	
Site: 97093 Date: 5/22/	1.5	
Well Diameter	2 3 4	6 8
Depth to Water	(DTW): /0.12	2
Thickness of F	ree Product (feet	t):
D.O. Meter (if	req'd):	YSI) HACH
r Column x 0.20)) + DTW]: 12	.08
:	Sampling Method: Other:	Bailer ^A Disposable Bailer Extraction Port Dedicated Tubing <u></u>
1*	0.04 4"	0.65 1.47
Gals.	0.16 0 0.37 Other	
Turbidity (NTUs)	Gals. Removed	Observations
71000	1.6	
>1000	ろ、こ	
71000	4.8	DTW 1297
Gallons actual	ly evacuated: 4	4.8
me: 1/15	Depth to Water	r: //./8
Laboratory:	Test America	Other
Oxygenates (5)	Other: See Co	<u> </u>
Duplicate I.D.	(if applicable):	- · ·
Oxygenates (5)	Other:	1
o ^{mg} /L	Post-purge:	0.59 ^{mg} /
mV	Post-purge:	mV
	Well Diameter:Depth to WaterThickness of FD.O. Meter (ifr Column x 0.20)WaterraPeristatticaction PumpGals.7000 1^{10} 71000 <	Well Diameter:234Depth to Water (DTW): $/b.12$ Thickness of Free Product (feeD.O. Meter (if req'd):(r Column x 0.20) + DTW]:12WaterraSampling Method:PeristalticSampling Method:PeristalticOther:Gals. 0.06 $/0.04$ 4^{*} 2^{*} 0.16 6^{*} 3^{*} 0.37 Other 7000 1.6 7000 1.6 7000 1.6 7000 1.6 7000 1.6 7000 4.8 Gallons actually evacuated: 4 me: 115 Depth to WateLaboratory:Test AmericaOxygenates (5)Other: 9 905 -purge:

BTS #: [ª	50522-1	৩০০ (Site: 97	70933	397					
Sampler:	BW			Date: 5	5/22/	115					
Well I.D.:	mw-14			Well Dian	meter:	2 3	4	6 8 <u>l''</u>			
Total Well I	Depth (TD): /4,	12	Depth to V	Water	(DTW):	9.09	Ś.			
Depth to Fre	ee Product	•	yanna.	Thickness	s of Fi	ree Produc	t (fee	et): ~			
Referenced	to:	(PVC)	Grade	D.O. Meter (if req'd): (YSI) HACH							
DTW with 8	30% Recha		eight of Water	r Column x 0.20) + DTW]: 10.09							
Purge Method: 🛪	Bailer Disposable Ba	ailer		Waterra Peristaltic		Sampling M		Bailer Disposable Bailer			
	Positive Air E Electric Subm	-		tion Pump				Extraction Port			
	Electric Subm	ersible	Other The	g w/ebeck va	i landi		Other:	Dedicated Tubing			
×		,		Well	1 Diameter	r Multiplier		Diameter Multiplier			
A 7		Ź	Δ /	- II .	1" 2"	0.04 0.16	4* 6"	0.65			
<u>0,2</u> (C 1 Case Volume		 fied Volum	$\frac{1}{1} = \frac{0.6}{\text{Calculated Vo}}$	_Gals.	2 3"	0.37	Other	•			
	<u> </u>			······································							
Time	Temp (°F)	pH	Cond. (mS or (LS))	Turbidi (NTUs	-	Gals. Rem	oved	Observations			
1032	64.3	7.13	1361	71000	0	0.2		ODOR/SHEEN			
1034	64.0	7.09	1493	>1000)	0.4					
1036	63.8	7.07	1482	71000	S	0.6					
			, , , , , , , , , , , , , , , , , , ,								
Did well dev	water?	Yes (No	Gallons ad	ctuall	y evacuate	ed: C).6			
Sampling D	ate: 5/22/	15	Sampling Time	e: 1040	C	Depth to `	Water	r: 9.74			
Sample I.D.	: MW-	-14	·	Laborator	ry:	Test Americ	a (Other			
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygenates	s (5)	Other: Se	22 (CoC			
EB I.D. (if a	pplicable)	•	@ Time	Duplicate	e I.D. ((if applical	ble):				
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygenates	s (5)	Other:					
D.O. (if req'	d): Pr	e-purge:	1.04	mg/L	P	ost-purge:		0.96 ^{mg} /			
O.R.P. (if re	q'd): Pr	e-purge:		mV	P	ost-purge:		m∿			

	· ·		SHEL	L WELL MO	NITOR	ING DA	TA SHEET	·····
B	STS #:	150522	- NDI		Site:	97093	,377	
S	ampler:	BW			Date:	5/2:	2/15	
V	Vell I.D.:	V-1			Well D	ameter:	2 3 4	68
T	otal Well I	Depth (TD): [3.0	Ц	Depth t	o Water	(DTW): 8.1	0
L	Pepth to Fre	e Product	• <u>ح</u>	Norther Sector	Thickne	ess of Fr	ree Product (fee	et):
R	leferenced	to:	PVC	Grade	D.O. M	eter (if i		YSI HACH
L	OTW with 8	30% Recha	arge [(H	eight of Water	Column	x 0.20)	+ DTW]:	1.09
Pı	Λα	Bailer Disposable B Positive Air I Electric Subm Gals.) X	Displacemer		Waterra Peristaltic tion Pump Gals.	Well Diameter 1" 2"	Sampling Method: Other: r <u>Multiplier Well I</u> 0.04 4" 0.16 6"	X Bailer Disposable Bailer Extraction Port Dedicated Tubing Diameter Multiplier 0.65 1.47
1	Case Volume	T washington	fied Volum		- !!	3*	0.37 Other	radius ² * 0.163
	Time	Temp (°F)	pН	Cond. (mS on (µS))	i	idity Us)	Gals. Removed	Observations
	1130	67.3	6.81	1191	12	l	0.8	
	134	67-1	6.63	1196	186	>	1.6	
	1138	67.0	6.46	1204	017	00	2.4	Pau 11.03
I	Did well dev	water?	Yes (No	Gallons	actuall	y evacuated:	2.4
S	ampling D	ate: 5/	22/15	Sampling Time	e: 115	6	Depth to Wate	r: <i>8,40</i>
S	ample I.D.	: V-		• • 	Labora	tory:	Test America	Other
A	analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	tes (5)	Other: See	COC.
E	EB I.D. (if a	upplicable)):	@ Time	Duplica	ate I.D.	(if applicable):	
Α	analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ites (5)	Other:	
	D.O. (if req'	d): P	re-purge:	1 6.15	^{mg} /L	Р	ost-purge:	0,61 ^{mg} / _L
C).R.P. (if re	eq'd): P	re-purge:		mV	Р	ost-purge:	mV

1994) 1

· · ·		SHEL		MIORING	DAIA SHEEI					
BTS #:	15052	2-N0	έ θ	Site: 970	93397					
Sampler:	BL	در		Date: 5/	nz/15					
Well I.D.:	U-2			Well Diamet	ter: 2 3 4	68				
Total Well	Depth (TD): 13.2	- 40	Depth to Wa	iter (DTW): 7.0	0F				
Depth to Fr	ee Product	•		Thickness of Free Product (feet):						
Referenced	to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH						
DTW with	80% Recha	arge [(H	eight of Water	: Column x 0.20) + DTW]: 8.80						
Purge Method:X	Bailer Disposable Ba Positive Air D Electric Subm	Displacemen			Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing				
		······		Well Dia 1*	meter Multiplier Well I 0.04 4"	Diameter Multiplier 0.65				
0.9 (Gals.) X	3	= 2.7	_Gals. 2"	0.16 6"	1.47				
1 Case Volume		fied Volum	es Calculated Vo	lume 3"	0.37 Othe	r radius ² * 0.163				
Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations				
1200	66.5	6.63	1049	99	0.9	ODOR/SHEEN				
1203	66.5	6.44	1052	71000	1.8					
1207	66.5	6.43	1058	71000	Z.7	DTW 12,74'				
		×								
Did well de	water?	Yes (NJ)	Gallons actu	ally evacuated:	2.7				
Sampling D	ate: 5/22	:[15	Sampling Time	e: 1220	Depth to Wate	r: 8,27				
Sample I.D.	.: U-	2	ý. 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 - 1911 -	Laboratory:	TestAmerica	Other				
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5) Other: Se	e cac				
EB I.D. (if a	applicable)):	@ Time	Duplicate I.I	D. (if applicable):					
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5) Other:					
D.O. (if req	'd): Pr	re-purge:	0.15 ···	^{mg} /L	Post-purge:	0.97				
O.R.P. (if re	eq'd): Pr	re-purge:		mV	Post-purge:	mV				

XX7777 T XXXXXXXXXXXXXXXXXXXXXX ישיהדהדהדבות גוציא איש

ENVIRONMENTAL WELL, REMEDIATION COMPOUND, AND SITE INSPECTION FORM

INCIDENT # 97093397

ADDRESS 2703 Martin Luther King Jr. Way CITY& STATE Oakland, CA

Page 1 of 2

51 DATE:

15

						Observations Upon Arrival									Note Repairs Made	Phot	Photos of Repair Dat	
Well ID	Manwa	y Cover,	Type, C	ondition	& Size	Pair	ibeled / nted erly*	(Grij	Cap oper) lition	Well L	ock Cor	ndition	Sur	Pad / face lition	Detailed Explanation of Maintenance Recommended and Performed	W Conc	2006 C 12 C	and PM Initials
MW-1	Standpipe	Flush	G	P	Size (inch)	Ø	N	6	R	٢	R	NL	٢	Я	2/2 Tabs stripped	Y		
MW-2	Standpipe	Flush	\bigcirc	Р	Size (inch)	Ģ	N	٩	R	٢	R	NL	6	Р		Y		
MW-3	Standpipe	Fitush	$ \mathcal{Q} $	P	Size (inch)	$\overline{\mathbb{S}}$	N	\bigcirc	R	\bigcirc	R	NL	\bigcirc	Р		Y	$\overline{\mathbb{N}}$	
MW-4	Standpipe	Flush	G	P	Size (inch)	\mathfrak{O}	N	٢	R	Ô	R	NL	٩	Р	-1/2 botts	Y	Ð	
MW-5	Standpipe	Flush	6	Ρ	Size (inch)	$\textcircled{\begin{tabular}{ c c c c } \hline \hline & \hline \end{array}}$	N	$\textcircled{\textbf{G}}$	R	<u>ی</u>	R	NL	٢	P		Y	N	
mw-G	Standpipe	Flush	G	ρ	Size (inch)	G	N	(G)	R	٩	R	NL	୍ତ	Р		Y	\mathbb{N}	
MW-7	Standpipe	Flush	(G)	р	Size (inch)	\odot	N	6	R	<u>(</u>	R	NL	ত	P		Y	\mathbb{N}	
MW-8	Standpipe	Flush	G	р	Size (Inch)	(\mathcal{D})	N	G	R	١	R	NL	٩	Р		Y	N	
MW-9	Standpipe	Flus	G	ρ	Size (inch)	Y	N	G	R	G	R	NL.	G	Р	Unable to access	Y	\bigcirc	
MW-10	Standpipe	Flugh	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P	Unable to accesss	Y	\bigcirc	
MW-11	Standpipe	Flugh	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	Р	Unable to access	Y	\bigcirc	
					ΤΟΤΑ	L # CAP	S REPLA	CED =	N		Ø	= ΤΟΤΑΙ	. # OF LC	OCKS RI	EPLACED			
Condition of S Abando	Soll Boring P ned Monitori		G	p	(NIA)	lf Pi	OOR, Bor	ings/Well	LOS or Lo	cation De:	cription:					Y	\bigcirc	
Remediation (Check bo	Compound		Condi	tion of En	iclosure	And the set is a set of a	on of Are Enclosure		Com	oound Sec	urity	Emerge	ency Cont Visible	act Info	Cleaning / Repairs Recommended and Conducted	Photo Cond		Repair Date and PM Initials
NA Buildir Building w/ Fer		X	G	р	(N/A	G	P	(N/A)	G	P	NIA	Y	N	(NIA)		Y	(\mathfrak{n})	
Fenced Con Traile											\lor			~				
Number of Drums On-site	Does the Source o	Label Rev of the Con			ed Correct					Detailed Explanation of Any Issues Resolved	Phote Dr. Cond	m	Date Drums Removed from Site and PM initials					
Ø	Y	N	NIA	Y	N	NA	G	Р	(N/A)	Y		Y	N	NA)	Y		

G = Good (Acceptable) R = Replaced

P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations. Version 2.4, March 2005

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

Drachenberg + Nick

Print or type Name of Field Personnél & Consultant Company

ENVIRONMENTAL WELL, REMEDIATION COMPOUND, AND SITE INSPECTION FORM

INCIDENT # 97093397 DATE: 5/22/15

Page _____ of _____

ADDRESS 2703 MLK Jr. Way CITY&STATE OAKLAND CA

		Observations Upon Arrival									Note Repairs Made	Phot	os of	Repair Date				
Well ID	Manwa	y Cover,	Type, C	ondition	& Size	Pai	abeled / nted perly*	(Grij	Cap oper) lition	Weil L	.ock Coi	ndition	Sur	Pad / face dition	Detailed Explanation of Maintenance Recommended and Performed		ell lition	and PM Initials
MW-12	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL.	G	Р	Unable to access	Y	≤	
MW-13	Standpipe	Flush	G	\bigcirc	Size (inch)	\odot	N	6	R	©	R	NL	9	P		Y	$\widehat{\mathbb{O}}$	*****
MW-14	Standpipe	Flush	G	<u></u>	Size (inch)	9	N	\bigcirc	R	6	R	NL	G	Р		Y	(\mathbb{R})	
V-1	Standpipe	Flush	G	Ô	Size (Inch)	\odot	N	\bigcirc	R	G	R	NL.	6	P	2/2 Tabs Stipped	Y	Ò	
V-2	Standpipe	Hush	Ø	\bigcirc	Size (inch)	\bigcirc	N	6	R	\bigcirc	R	NL	6	P	2/2 Talks Stipped	Y	\bigcirc	
	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL	G	Р		Y	N	
	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL.	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	Р		Y	N	
	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL	G	Р		Y	N	
					ΤΟΤΑ	L # CAP	S REPLA	ACED =	jæ l		ø	= TOTA	L # OF L(OCKS R	EPLACED			
Condition of S Abando	Soll Boring P ned Monitori		G	Р		lf P	OOR, Bor	ings/Well	IDs or Lo	cation Des	scription:					Y		
Remediation (Check bo	Compound xes that app		Cond	ition of En	iclosure		on of Are Enclosure		Com	pound Sec	urity	Emerge	ency Cont Visible	act info	Cleaning / Repairs Recommended and Conducted	Phote Cond		Repair Date and PM Initials
NA Buildin	ıg	\rightarrow			1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 -			~						-			N	
Building w/ Fen Fenced Corr Traile	pound		G	Þ	NIA)	G	P	(N/A)	G	Р	N/A	Y	N	(N/A)		Y	N	
Number of Drums On-site	Does the I Source o	abel Rev of the Con			ed Correcti riting Legib		Dri	um Condit	ion	Confirm Relate Environ	ed to		Located ess Interfe		Detailed Explanation of Any Issues Resolved	Phote Dri Cond	an -	Date Drums Removed from Site and PM initials
Ø	Y	N	AIA	Y	N	N/A)	G	Р	N/A)	Y		Y	N	NIA		Y	W	


G = Good (Acceptable) R = Replaced

P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

* = Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations. Version 2.4, March 2008

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).



Appendix B TestAmerica Laboratories, Inc. – Analytical Report



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine 17461 Derian Ave Suite 100 Irvine, CA 92614-5817 Tel: (949)261-1022

TestAmerica Job ID: 440-111112-1

Client Project/Site: 2703 MLK Jr. Way, Oakland, CA

For:

Conestoga-Rovers & Associates, Inc. 5900 Hollis Street Suite A Emeryville, California 94608

Attn: Peter Schaefer

eather (lark


Authorized for release by: 6/9/2015 4:21:07 PM

Heather Clark, Project Manager I (949)261-1022 heather.clark@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Visit us at: www.testamericainc.com

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Method Summary	10
Lab Chronicle	11
QC Sample Results	13
QC Association Summary	18
Definitions/Glossary	20
	21
Chain of Custody	22
Receipt Checklists	23

Sample Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA TestAmerica Job ID: 440-111112-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-111112-1	MW-4	Ground Water	05/22/15 12:25	05/23/15 11:0
440-111112-2	MW-5	Ground Water	05/22/15 13:00	05/23/15 11:0
440-111112-3	MW-6	Ground Water	05/22/15 11:50	05/23/15 11:0
440-111112-4	MW-7	Ground Water	05/22/15 12:10	05/23/15 11:0
440-111112-5	MW-8	Ground Water	05/22/15 12:35	05/23/15 11:0
440-111112-6	MW-13	Ground Water	05/22/15 11:15	05/23/15 11:0
440-111112-7	MW-14	Ground Water	05/22/15 10:40	05/23/15 11:0
440-111112-8	V-1	Ground Water	05/22/15 11:50	05/23/15 11:0
40-111112-9	V-2	Ground Water	05/22/15 12:20	05/23/15 11:0

1 2 3 4 5 6 7 8 9 10

Job ID: 440-111112-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative 440-111112-1

Comments

No additional comments.

Receipt

The samples were received on 5/23/2015 11:05 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.0° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Sample ID: 440-111112-1 r

Date Collected: 05/22/15 12:25 Date Received: 05/23/15 11:05

Client Sample ID: MW-4

Jampi	C 1D. 4	40-111	112-
	Matrix:	Ground	Wate

5

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	7100		2000		ug/L			05/29/15 05:09	40
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	100		76 - 132					05/29/15 05:09	40
4-Bromofluorobenzene (Surr)	101		80 - 120					05/29/15 05:09	40
Toluene-d8 (Surr)	108		80 - 128					05/29/15 05:09	40
Method: 8260B - Volatile O Analyte		unds (GC/ Qualifier	MS) RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
				MD	11	_	Duran and	Anabarad	
Method: 8260B - Volatile O Analyte Benzene				MDL	Unit ug/L	D	Prepared	Analyzed 05/29/15 05:09	Dil Fac
Analyte	Result		RL	MDL		<u>D</u>	Prepared		
Analyte Benzene	Result 1500		RL 20	MDL	ug/L	D	Prepared	05/29/15 05:09	40
Analyte Benzene Ethylbenzene	Result 1500 54		RL 20 20	MDL	ug/L ug/L	D	Prepared	05/29/15 05:09 05/29/15 05:09	40 40 40
Analyte Benzene Ethylbenzene Toluene	Result 1500 54 48	Qualifier	RL 20 20 20	MDL	ug/L ug/L ug/L	D	Prepared	05/29/15 05:09 05/29/15 05:09 05/29/15 05:09	40
Analyte Benzene Ethylbenzene Toluene Xylenes, Total	Result 1500 54 48 ND	Qualifier	RL 20 20 20 40	MDL	ug/L ug/L ug/L	<u>D</u>	•	05/29/15 05:09 05/29/15 05:09 05/29/15 05:09 05/29/15 05:09 05/29/15 05:09	40 40 40 40
Analyte Benzene Ethylbenzene Toluene Xylenes, Total Surrogate	Result 1500 54 48 ND %Recovery	Qualifier	RL 20 20 20 40 Limits	MDL	ug/L ug/L ug/L	<u> </u>	•	05/29/15 05:09 05/29/15 05:09 05/29/15 05:09 05/29/15 05:09 05/29/15 05:09 <i>Analyzed</i>	40 40 40 40 Dil Fac

Client Sample ID: MW-5

Date Collected: 05/22/15 13:00

Lab Sample ID: 440-111112-2

Matrix: Ground Water

Date Received: 05/23/15 11:05	

Method: 8260B/CA_LUFTMS	- Volatile Or	ganic Com	pounds by G	SC/MS					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	99000		25000		ug/L			05/29/15 05:37	500
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	105		76 - 132			-		05/29/15 05:37	500
4-Bromofluorobenzene (Surr)	99		80 - 120					05/29/15 05:37	500
	99		00 - 120					00/29/10 00.07	000

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	5300		250		ug/L			05/29/15 05:37	500
Ethylbenzene	5000		250		ug/L			05/29/15 05:37	500
Toluene	4100		250		ug/L			05/29/15 05:37	500
Xylenes, Total	27000		500		ug/L			05/29/15 05:37	500
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		80 - 120			-		05/29/15 05:37	500
Dibromofluoromethane (Surr)	105		76 - 132					05/29/15 05:37	500
Toluene-d8 (Surr)	107		80 - 128					05/29/15 05:37	500

Page 5 of 23

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-111112-3 **Matrix: Ground Water**

Lab Sample ID: 440-111112-4

Matrix: Ground Water

05/29/15 03:43

5

5

5

5

Date Collected: 05/22/15 11:50 Date Received: 05/23/15 11:05

Client Sample ID: MW-6

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	1600		500		ug/L			05/29/15 04:40	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	99		76 - 132					05/29/15 04:40	10
4-Bromofluorobenzene (Surr)	100		80 - 120					05/29/15 04:40	10
Toluene-d8 (Surr)	106		80 - 128					05/29/15 04:40	10
Method: 8260B - Volatile O Analyte		unds (GC/I Qualifier	MS) RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Method: 8260B - Volatile O Analyte				MDL	Unit	D	Prepared	Analyzed	Dil Fac
			RL 5.0	MDL	Unit ug/L	D	Prepared	05/29/15 04:40	10
Analyte	Result		RL 5.0 5.0	MDL		<u>D</u>	Prepared		Dil Fac 10
Analyte Benzene	Result 360		RL 5.0	MDL	ug/L	<u>D</u>	Prepared	05/29/15 04:40	10 10
Analyte Benzene Ethylbenzene	Result 360 60		RL 5.0 5.0	MDL	ug/L ug/L	D	Prepared	05/29/15 04:40 05/29/15 04:40	10 10 10
Analyte Benzene Ethylbenzene Toluene	Result 360 60 39	Qualifier	RL 5.0 5.0 5.0	MDL	ug/L ug/L ug/L	<u>D</u>	Prepared	05/29/15 04:40 05/29/15 04:40 05/29/15 04:40	10 10 10 10
Analyte Benzene Ethylbenzene Toluene Xylenes, Total	Result 360 60 39 240	Qualifier	RL 5.0 5.0 5.0 10	MDL	ug/L ug/L ug/L	<u> </u>	•	05/29/15 04:40 05/29/15 04:40 05/29/15 04:40 05/29/15 04:40	10 10 10 10 10 Dil Fac
Analyte Benzene Ethylbenzene Toluene Xylenes, Total Surrogate	Result 360 60 39 240 %Recovery	Qualifier	RL 5.0 5.0 5.0 10 Limits	MDL	ug/L ug/L ug/L	<u> </u>	•	05/29/15 04:40 05/29/15 04:40 05/29/15 04:40 05/29/15 04:40 05/29/15 04:40 Analyzed	10

Client Sample ID: MW-7

Date Collected: 05/22/15 12:10 Date Received: 05/23/15 11:05

Toluene-d8 (Surr)

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS Analyte **Result Qualifier** RL MDL Unit D Prepared Analyzed Dil Fac **Volatile Fuel Hydrocarbons** 2100 250 ug/L 05/29/15 03:43 (C4-C12) Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac Dibromofluoromethane (Surr) 100 76 - 132 05/29/15 03:43 103 4-Bromofluorobenzene (Surr) 80 - 120 05/29/15 03:43

80 - 128

106

Method: 8260B - Volatile O	rganic Compounds (GC	C/MS)					
Analyte	Result Qualifier	RL	MDL Un	it D	Prepared	Analyzed	Dil Fac
Benzene	210	2.5	ug/	/L		05/29/15 03:43	5
Ethylbenzene	ND	2.5	ug/	/L		05/29/15 03:43	5
Toluene	3.0	2.5	ug/	/L		05/29/15 03:43	5
Xylenes, Total	48	5.0	ug/	/L		05/29/15 03:43	5
Surrogate	%Recovery Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103	80 - 120				05/29/15 03:43	5
Dibromofluoromethane (Surr)	100	76 - 132				05/29/15 03:43	5
Toluene-d8 (Surr)	106	80 - 128				05/29/15 03:43	5

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-111112-5 Matrix: Ground Water

Date Collected: 05/22/15 12:35 Date Received: 05/23/15 11:05

Client Sample ID: MW-8

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	6800		250		ug/L			05/29/15 04:11	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	98		76 - 132					05/29/15 04:11	5
4-Bromofluorobenzene (Surr)	103		80 - 120					05/29/15 04:11	5
Toluene-d8 (Surr)	105		80 - 128					05/29/15 04:11	5
Method: 8260B - Volatile O Analyte	-	unds (GC/I Qualifier	MS) RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Method: 8260B - Volatile O	rganic Compo	unds (GC/I	MS)						
Analyte	Result	•	RL	MDL		D	Prepared	Analyzed	Dil Fac
Analyte Benzene	Result 80	•		MDL	ug/L	D	Prepared		
Analyte	Result	•	RL 2.5	MDL		<u>D</u>	Prepared	05/29/15 04:11	5 5
Analyte Benzene Ethylbenzene	Result 80 4.3	•	RL 2.5 2.5	MDL	ug/L ug/L	D	Prepared	05/29/15 04:11 05/29/15 04:11	5 5
Analyte Benzene Ethylbenzene Toluene	Result 80 4.3 2.6	Qualifier	RL 2.5 2.5 2.5	MDL	ug/L ug/L ug/L	D	Prepared	05/29/15 04:11 05/29/15 04:11 05/29/15 04:11	5 5 5 5
Analyte Benzene Ethylbenzene Toluene Xylenes, Total	Result 80 4.3 2.6 140	Qualifier	RL 2.5 2.5 2.5 5.0	MDL	ug/L ug/L ug/L	D	•	05/29/15 04:11 05/29/15 04:11 05/29/15 04:11 05/29/15 04:11	5 5 5 5
Analyte Benzene Ethylbenzene Toluene Xylenes, Total Surrogate	Result 80 4.3 2.6 140 %Recovery	Qualifier	RL 2.5 2.5 5.0 Limits	MDL	ug/L ug/L ug/L	<u> </u>	•	05/29/15 04:11 05/29/15 04:11 05/29/15 04:11 05/29/15 04:11 05/29/15 04:11 Analyzed	5 5 5 5 Dil Fac

Client Sample ID: MW-13

Lab Sample ID: 440-111112-6

Matrix: Ground Water

Date Collected: 05/22/15 11:15 Date Received: 05/23/15 11:05

Method: 8260B/CA_LUFTMS Analyte Volatile Fuel Hydrocarbons (C4-C12)		ganic Com Qualifier	Pounds by C RL 500	C/MS MDL	Unit ug/L	<u>D</u>	Prepared	Analyzed 05/29/15 15:56	Dil Fac
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	94		76 - 132					05/29/15 15:56	10
4-Bromofluorobenzene (Surr)	99		80 - 120					05/29/15 15:56	10
Toluene-d8 (Surr)	100		80 - 128					05/29/15 15:56	10

Method: 8260B - Volatile O	rganic Compoι	unds (GC/	MS)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	430		5.0		ug/L			05/29/15 15:56	10
Ethylbenzene	16		5.0		ug/L			05/29/15 15:56	10
Toluene	5.9		5.0		ug/L			05/29/15 15:56	10
Xylenes, Total	ND		10		ug/L			05/29/15 15:56	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		80 - 120					05/29/15 15:56	10
Dibromofluoromethane (Surr)	94		76 - 132					05/29/15 15:56	10
Toluene-d8 (Surr)	100		80 - 128					05/29/15 15:56	10

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-111112-7 **Matrix: Ground Water**

Lab Sample ID: 440-111112-8

Matrix: Ground Water

05/29/15 16:52

1

1

1

1

Date Collected: 05/22/15 10:40 Date Received: 05/23/15 11:05

Client Sample ID: MW-14

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	5200		1000		ug/L			05/29/15 16:24	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	94		76 - 132					05/29/15 16:24	20
4-Bromofluorobenzene (Surr)	98		80 - 120					05/29/15 16:24	20
Toluene-d8 (Surr)	101		80 - 128					05/29/15 16:24	20
Method: 8260B - Volatile O				мы	Unit	п	Prepared	Analyzed	Dil Fac
				MDI	11	D	Drenered	Analyzad	
Method: 8260B - Volatile O Analyte Benzene		unds (GC/ Qualifier	MS) 	MDL	Unit ug/L	D	Prepared	Analyzed 05/29/15 16:24	
Analyte	Result			MDL		<u>D</u>	Prepared		Dil Fac 20 20
Analyte Benzene	Result 320		RL 10	MDL	ug/L	<u>D</u>	Prepared	05/29/15 16:24	20 20
Analyte Benzene Ethylbenzene	Result 320 490		RL 10 10	MDL	ug/L ug/L	D	Prepared	05/29/15 16:24 05/29/15 16:24	20 20 20
Analyte Benzene Ethylbenzene Toluene	Result 320 490 ND	Qualifier	RL 10 10 10	MDL	ug/L ug/L ug/L	<u> </u>	Prepared	05/29/15 16:24 05/29/15 16:24 05/29/15 16:24	20 20 20 20
Analyte Benzene Ethylbenzene Toluene Xylenes, Total	Result 320 490 ND 120	Qualifier	RL 10 10 10 20	MDL	ug/L ug/L ug/L	<u> </u>		05/29/15 16:24 05/29/15 16:24 05/29/15 16:24 05/29/15 16:24	20 20 20 20 20 Dil Fac
Analyte Benzene Ethylbenzene Toluene Xylenes, Total Surrogate	Result 320 490 ND 120 %Recovery	Qualifier	RL 10 10 20 <i>Limits</i>	MDL	ug/L ug/L ug/L	<u> </u>		05/29/15 16:24 05/29/15 16:24 05/29/15 16:24 05/29/15 16:24 05/29/15 16:24 Analyzed	20

Client Sample ID: V-1

Toluene-d8 (Surr)

Date Collected: 05/22/15 11:50 Date Received: 05/23/15 11:05

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS Analyte **Result Qualifier** RL MDL Unit D Prepared Analyzed Dil Fac **Volatile Fuel Hydrocarbons** 500 50 ug/L 05/29/15 16:52 (C4-C12) Dil Fac Surrogate %Recovery Qualifier Limits Prepared Analyzed Dibromofluoromethane (Surr) 76 - 132 05/29/15 16:52 91 4-Bromofluorobenzene (Surr) 98 80 - 120 05/29/15 16:52

80 - 128

101

Method: 8260B - Volatile O	rganic Compounds	(GC/MS)						
Analyte	Result Qualif	fier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.1	0.50		ug/L			05/29/15 16:52	1
Ethylbenzene	2.3	0.50		ug/L			05/29/15 16:52	1
Toluene	ND	0.50		ug/L			05/29/15 16:52	1
Xylenes, Total	ND	1.0		ug/L			05/29/15 16:52	1
Surrogate	%Recovery Qualit	fier Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98	80 - 120					05/29/15 16:52	1
Dibromofluoromethane (Surr)	91	76 - 132					05/29/15 16:52	1
Toluene-d8 (Surr)	101	80 - 128					05/29/15 16:52	1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-111112-9

5

Date Collected: 05/22/15 12:20 Date Received: 05/23/15 11:05

Client Sample ID: V-2

Lab Samp	ne ID: 440-111112-9
	Matrix: Ground Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	31000		5000		ug/L			05/29/15 17:19	100
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	94		76 - 132			-		05/29/15 17:19	100
4-Bromofluorobenzene (Surr)	100		80 - 120					05/29/15 17:19	100
Toluene-d8 (Surr)	101		80 - 128					05/29/15 17:19	100
Method: 8260B - Volatile O Analyte		unds (GC/ Qualifier	<mark>MS)</mark> RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
			RL 50 50	MDL	Unit ug/L ug/L	<u>D</u>	Prepared	Analyzed 05/29/15 17:19 05/29/15 17:19	Dil Fac 100 100
Analyte Benzene	Result 310		RL 50	MDL	ug/L	<u> </u>	Prepared	05/29/15 17:19	100
Analyte Benzene Ethylbenzene Toluene	Result 310 4400		RL 50 50	MDL	ug/L ug/L	D	Prepared	05/29/15 17:19 05/29/15 17:19	100 100
Analyte Benzene Ethylbenzene Toluene Xylenes, Total	Result 310 4400 89	Qualifier	RL 50 50 50	MDL	ug/L ug/L ug/L	<u> </u>	Prepared	05/29/15 17:19 05/29/15 17:19 05/29/15 17:19	100 100 100
Analyte Benzene Ethylbenzene Toluene Xylenes, Total Surrogate	Result 310 4400 89 2300	Qualifier	RL 50 50 50 100	MDL	ug/L ug/L ug/L	<u> </u>	•	05/29/15 17:19 05/29/15 17:19 05/29/15 17:19 05/29/15 17:19 05/29/15 17:19	100 100 100 100
Analyte Benzene Ethylbenzene	Result 310 4400 89 2300 %Recovery	Qualifier	RL 50 50 50 100 <i>Limits</i>	MDL	ug/L ug/L ug/L	<u> </u>	•	05/29/15 17:19 05/29/15 17:19 05/29/15 17:19 05/29/15 17:19 05/29/15 17:19 Analyzed	100 100 100 100 Dil Fac

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method Description

8260B/CA_LUFTM Volatile Organic Compounds by GC/MS

Volatile Organic Compounds (GC/MS)

Method

Protocol References:

Laboratory References:

8260B

S

Protocol

SW846

SW846

: 440-111112-1	
. 440-11112-1	2
Laboratory	3
Laboratory TAL IRV	
TAL IRV	4
	5
	6
	7
	8
	9

ocol References:
W846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
pratory References:
AL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

Initial

Amount

10 mL

10 mL

Final

Amount

10 mL

10 mL

Batch

Number

257943

257944

Dil

40

40

Factor

Run

Batch

Туре

Analysis

Analysis

Batch

Method

8260B

S

8260B/CA_LUFTN

Lab Sample ID: 440-111112-1 **Matrix: Ground Water** Lab TAL IRV

TAL IRV

7

Lab Sample ID: 440-111112-2 Matrix: Ground Water

Analyst

Prepared

or Analyzed

05/29/15 05:09 WK

05/29/15 05:09 WK

Date Collected: 05/22/15 13:00 Date Received: 05/23/15 11:05

Client Sample ID: MW-5

Client Sample ID: MW-4

Date Collected: 05/22/15 12:25

Date Received: 05/23/15 11:05

Prep Type

Total/NA

Total/NA

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		500	10 mL	10 mL	257943	05/29/15 05:37	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTN S		500	10 mL	10 mL	257944	05/29/15 05:37	WK	TAL IRV

Client Sample ID: MW-6 Date Collected: 05/22/15 11:50 Date Received: 05/23/15 11:05

Ргер Туре	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	257943	05/29/15 04:40	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFT№ S		10	10 mL	10 mL	257944	05/29/15 04:40	WK	TAL IRV

Client Sample ID: MW-7 Date Collected: 05/22/15 12:10 Date Received: 05/23/15 11:05

Prep Type Total/NA	Batch Type Analysis	Batch Method 8260B	Run	Dil Factor	Initial Amount 10 mL	Final Amount 10 mL	Batch Number 257943	Prepared or Analyzed 05/29/15 03:43	Analyst WK	Lab TAL IRV
Total/NA	Analysis	8260B/CA_LUFT№ S		5	10 mL	10 mL	257944	05/29/15 03:43	WK	TAL IRV

Client Sample ID: MW-8 Date Collected: 05/22/15 12:35 Date Received: 05/23/15 11:05

Prep Type Total/NA	Batch Type Analysis	Batch Method 8260B	Run	Dil Factor	Initial Amount 10 mL	Final Amount 10 mL	Batch Number 257943	Prepared or Analyzed 05/29/15 04:11	Analyst WK	Lab TAL IRV
Total/NA	Analysis	8260B/CA_LUFTN		5	10 mL	10 mL	257943 257944	05/29/15 04:11		TAL IRV

Matrix: Ground Water

Lab Sample ID: 440-111112-3

Lab Sample ID: 440-111112-4 **Matrix: Ground Water**

Lab Sample ID: 440-111112-5 **Matrix: Ground Water**

2 3 4 5 6 7 8 9 10

Lab Sample ID: 440-111112-6 Matrix: Ground Water

Lab Sample ID: 440-111112-7

Lab Sample ID: 440-111112-8

Matrix: Ground Water

Matrix: Ground Water

Date Collected: 05/22/15 11:15 Date Received: 05/23/15 11:05

Client Sample ID: MW-13

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	258057	05/29/15 15:56	RM	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTN S		10	10 mL	10 mL	258058	05/29/15 15:56	RM	TAL IRV

Client Sample ID: MW-14 Date Collected: 05/22/15 10:40 Date Received: 05/23/15 11:05

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	10 mL	10 mL	258057	05/29/15 16:24	RM	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTN S		20	10 mL	10 mL	258058	05/29/15 16:24	RM	TAL IRV

Client Sample ID: V-1 Date Collected: 05/22/15 11:50 Date Received: 05/23/15 11:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	258057	05/29/15 16:52	RM	TAL IRV
Total/NA	Analysis	8260B/CA_LUFT№ S		1	10 mL	10 mL	258058	05/29/15 16:52	RM	TAL IRV

Client Sample ID: V-2 Date Collected: 05/22/15 12:20 Date Received: 05/23/15 11:05

Lab Sample ID: 440-111112-9 Matrix: Ground Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		100	10 mL	10 mL	258057	05/29/15 17:19	RM	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTN S		100	10 mL	10 mL	258058	05/29/15 17:19	RM	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-257943/4 **Client Sample ID: Method Blank Matrix: Water** Prep Type: Total/NA Analysis Batch: 257943 MB MB Analyte **Result Qualifier** RL MDL Unit D Prepared Analyzed Dil Fac Benzene ND 0.50 ug/L 05/28/15 19:39 1 Ethylbenzene ND 0.50 ug/L 05/28/15 19:39 1 ND Toluene 0.50 ug/L 05/28/15 19:39 1 Xylenes, Total ND 1.0 ug/L 05/28/15 19:39 1 MB MB Surrogate Qualifier Limits Prepared Dil Fac %Recovery Analyzed 4-Bromofluorobenzene (Surr) 97 80 - 120 05/28/15 19:39 1 Dibromofluoromethane (Surr) 95 76 - 132 05/28/15 19:39 1 80 - 128 Toluene-d8 (Surr) 106 05/28/15 19:39 1

Lab Sample ID: LCS 440-257943/5 Matrix: Water Analysis Batch: 257943

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	25.0	23.9		ug/L		96	68 - 130	
Ethylbenzene	25.0	25.4		ug/L		102	70 - 130	
m,p-Xylene	25.0	27.0		ug/L		108	70 - 130	
o-Xylene	25.0	25.9		ug/L		104	70 - 130	
Toluene	25.0	25.5		ug/L		102	70 - 130	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	101		80 - 120
Dibromofluoromethane (Surr)	93		76 - 132
Toluene-d8 (Surr)	104		80 - 128

93

104

Lab Sample ID: 440-110612-A-11 MS Matrix: Water Analysis Batch: 257943

Dibromofluoromethane (Surr)

Toluene-d8 (Surr)

Analysis Datch. 207940	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	ND		25.0	23.5		ug/L		94	66 - 130	
Ethylbenzene	ND		25.0	25.4		ug/L		102	70 - 130	
m,p-Xylene	ND		25.0	26.7		ug/L		107	70 - 133	
o-Xylene	ND		25.0	25.8		ug/L		103	70 - 133	
Toluene	ND		25.0	25.5		ug/L		102	70 - 130	
	MS	MS								
Surrogate	%Recovery	Qualifier	Limits							
4-Bromofluorobenzene (Surr)	101		80 - 120							

76 - 132

80 - 128

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Client Sample ID: Matrix Spike Prep Type: Total/NA

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-110612-A-11 MSD **Client Sample ID: Matrix Spike Duplicate Matrix: Water** Prep Type: Total/NA Analysis Batch: 257943 Sample Sample Spike MSD MSD %Rec. RPD Analyte **Result Qualifier** Added Result Qualifier Unit D %Rec Limits RPD Limit Benzene ND 25.0 24.2 ug/L 97 66 - 130 3 20 Ethylbenzene ND 25.0 25.3 101 70 - 130 20 ug/L 1 ND 26.6 m,p-Xylene 25.0 ug/L 106 70 - 133 0 25 o-Xylene ND 25.0 25.8 103 70 - 133 0 20 ug/L Toluene ND 25.0 25.3 ug/L 101 70 - 130 1 20 MSD MSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 100 80 - 120 Dibromofluoromethane (Surr) 94 76 - 132 Toluene-d8 (Surr) 104 80 - 128 Lab Sample ID: MB 440-258057/4 **Client Sample ID: Method Blank Matrix: Water** Prep Type: Total/NA Analysis Batch: 258057 MB MB

Analyte	Result Q	Qualifier RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	0.50	ug/L			05/29/15 08:04	1
Ethylbenzene	ND	0.50	ug/L			05/29/15 08:04	1
Toluene	ND	0.50	ug/L			05/29/15 08:04	1
Xylenes, Total	ND	1.0	ug/L			05/29/15 08:04	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		80 - 120		05/29/15 08:04	1
Dibromofluoromethane (Surr)	98		76 - 132		05/29/15 08:04	1
Toluene-d8 (Surr)	100		80 - 128		05/29/15 08:04	1

Lab Sample ID: LCS 440-258057/5 Matrix: Water

Analysis Batch: 258057

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	25.0	23.5		ug/L		94	68 - 130	
Ethylbenzene	25.0	24.1		ug/L		96	70 - 130	
m,p-Xylene	25.0	25.2		ug/L		101	70 - 130	
o-Xylene	25.0	24.4		ug/L		98	70 - 130	
Toluene	25.0	24.5		ug/L		98	70 - 130	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	95		76 - 132
Toluene-d8 (Surr)	100		80 - 128
_			

TestAmerica Irvine

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

0-111112-Duplication: Total/N

8

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

101

Lab Sample ID: 440-111113-A-1 MS Matrix: Water Analysis Batch: 258057

Analysis Batch: 258057										
	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	3800		2500	6020		ug/L		88	66 - 130	
Ethylbenzene	3400		2500	5550		ug/L		86	70 - 130	
m,p-Xylene	9000		2500	10800		ug/L		71	70 ₋ 133	
o-Xylene	3000		2500	5250		ug/L		92	70 - 133	
Toluene	5000		2500	6970		ug/L		78	70 - 130	
	MS	MS								
Surrogate	%Recovery	Qualifier	Limits							
4-Bromofluorobenzene (Surr)	98		80 - 120							
Dibromofluoromethane (Surr)	95		76 - 132							

80 - 128

Lab Sample ID: 440-111113-A-1 MSD **Matrix: Water** Analysis Batch: 258057

Toluene-d8 (Surr)

_	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	3800		2500	6110		ug/L		91	66 - 130	2	20	
Ethylbenzene	3400		2500	5660		ug/L		90	70 - 130	2	20	
m,p-Xylene	9000		2500	11000		ug/L		79	70 - 133	2	25	
o-Xylene	3000		2500	5310		ug/L		94	70 - 133	1	20	
Toluene	5000		2500	7030		ug/L		80	70 - 130	1	20	
	MSD	MSD										
Surrogate	%Recovery	Qualifier	Limits									
4-Bromofluorobenzene (Surr)	100		80 - 120									
Dibromofluoromethane (Surr)	94		76 - 132									
Toluene-d8 (Surr)	99		80 - 128									

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-25794 Matrix: Water Analysis Batch: 257944	4/4					(Client Sam	ple ID: Method Prep Type: To	
	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			05/28/15 19:39	1
	MB	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	95		76 - 132			-		05/28/15 19:39	1
4-Bromofluorobenzene (Surr)	97		80 - 120					05/28/15 19:39	1
Toluene-d8 (Surr)	106		80 - 128					05/28/15 19:39	1

QC Sample Results

3 4 5

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 440-2 Matrix: Water	257944/6					Clie	ent Sample II	D: Lab Contro Prep Type:	
Analysis Batch: 257944									
			Spike	-	LCS			%Rec.	
Analyte			Added		Qualifier	Unit	D %Rec	Limits	
Volatile Fuel Hydrocarbons (C4-C12)			500	462		ug/L	92	55 - 130	
	LCS	LCS							
Surrogate	%Recovery	Qualifier	Limits						
Dibromofluoromethane (Surr)	92		76 - 132						
4-Bromofluorobenzene (Surr)	101		80 - 120						
Toluene-d8 (Surr)	107		80 - 128						
Lab Sample ID: 440-11061 Matrix: Water	12-A-11 MS						Client S	ample ID: Mati Prep Type: `	
Analysis Batch: 257944									
•	Sample	Sample	Spike	MS	MS			%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D %Rec	Limits	
Volatile Fuel Hydrocarbons (C4-C12)	260		1730	2120		ug/L		50 - 145	
	MS	MS							
Surrogate	%Recovery	Qualifier	Limits						
Dibromofluoromethane (Surr)	93		76 - 132						
4-Bromofluorobenzene (Surr)	101		80 - 120						
Toluene-d8 (Surr)	104		80 - 128						
Lab Sample ID: 440-11061 Matrix: Water	12-A-11 WISD	1				Client	Sample ID:	Matrix Spike D Prep Type:	
	Sample	Sample	Spike	MSD	MSD			%Rec.	RPI
Analysis Batch: 257944 Analyte	Result	Sample Qualifier	Added	Result	Qualifier	Unit	D %Rec	Limits R	RPC PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons			•	-	Qualifier	Unit ug/L	<u>D</u> <u>%Rec</u> 110		PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons	Result	Qualifier	Added	Result	Qualifier			Limits R	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate	Result 260	Qualifier MSD	Added	Result	Qualifier			Limits R	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate	Result 260 MSD	Qualifier MSD	Added 1730	Result	Qualifier			Limits R	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr)	Result 260 MSD %Recovery	Qualifier MSD	Added 1730	Result	Qualifier			Limits R	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr)	Result 260 MSD %Recovery 94	Qualifier MSD	Added 1730 Limits 76 - 132	Result	Qualifier			Limits R	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr)	Result 260 MSD %Recovery 94 100 104	Qualifier MSD	Added 1730 Limits 76 - 132 80 - 120	Result	Qualifier			Limits R	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-23	Result 260 MSD %Recovery 94 100 104	Qualifier MSD	Added 1730 Limits 76 - 132 80 - 120	Result	Qualifier			Limits R 50 - 145	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-23 Matrix: Water	Result 260 MSD %Recovery 94 100 104	Qualifier MSD Qualifier	Added 1730 Limits 76 - 132 80 - 120	Result	Qualifier			Limits R 50 - 145	PD Limi
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-2: Matrix: Water Analysis Batch: 258058	Result 260 <i>MSD</i> %Recovery 94 100 104 58058/4	Qualifier MSD Qualifier MB MB	Added 1730 Limits 76 - 132 80 - 120 80 - 128	Result 2150	Qualifier	ug/L	Client Sa	Limits 50-145	PD Limi 2 2 2 0d Blanl Total/NA
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-2: Matrix: Water Analysis Batch: 258058 Analyte	Result 260 MSD %Recovery 94 100 104 58058/4 Re	Qualifier MSD Qualifier MB MB sult Qualifie	Added 1730 Limits 76 - 132 80 - 120 80 - 128	Result 2150	Qualifier	ug/L		Limits R 50-145	PD Limi 2 2 Dd Blanl Total/NA Dil Fa
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-2: Matrix: Water Analysis Batch: 258058 Analyte	Result 260 MSD %Recovery 94 100 104 58058/4 Re	Qualifier MSD Qualifier MB MB sult Qualifier ND Qualifier	Added 1730 Limits 76 - 132 80 - 120 80 - 128	Result 2150	Qualifier	ug/L	Client Sa	Limits 50-145	PD Limi 2 2 Dd Blanl Total/NA Dil Fa
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-2: Matrix: Water Analysis Batch: 258058 Analyte Volatile Fuel Hydrocarbons (C4-C	Result 260 MSD %Recovery 94 100 104 58058/4 58058/4 Re	Qualifier MSD Qualifier MB MB sult ND MB MB	Added 1730 Limits 76 - 132 80 - 120 80 - 128	Result 2150 50	Qualifier	ug/L	Client Sau	Limits R 50 - 145	PD 2 Dd Blank Total/NA 4 Dil Fac
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-2: Matrix: Water Analysis Batch: 258058 Analyte Volatile Fuel Hydrocarbons (C4-C Surrogate	Result 260 MSD %Recovery 94 100 104 58058/4 58058/4 Re	Qualifier MSD Qualifier MB MB sult ND MB MB very Qualifie	Added 1730 Limits 76 - 132 80 - 120 80 - 128 or Limits r Limits r Limits Limits Limits r Limits Limits r Limits r Limits Limi	Result 2150	Qualifier	ug/L	Client Sa	Limits R 50 - 145 mple ID: Metho Prep Type: Analyzed 05/29/15 08:0 Analyzed	PD 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-23 Matrix: Water Analysis Batch: 258058 Analyte Volatile Fuel Hydrocarbons (C4-C Surrogate Dibromofluoromethane (Surr)	Result 260 MSD %Recovery 94 100 104 58058/4 58058/4 Re	Qualifier MSD Qualifier MB MB sult ND MB MB very Qualifie 98	Added 1730 Limits 76 - 132 80 - 120 80 - 128 or er Limit 76 - 132 76 - 132 80 - 120 80 - 128	Result 2150 50 its 132	Qualifier	ug/L	Client Sau	Limits R 50 - 145 mple ID: Methor Prep Type: Analyzed 05/29/15 08:0 Analyzed 05/29/15 08:0	PD Limi 2 2 0 Blank Total/NA 4 Dil Fac 4 Dil Fac
Analysis Batch: 257944 Analyte Volatile Fuel Hydrocarbons (C4-C12) Surrogate Dibromofluoromethane (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr) Lab Sample ID: MB 440-2: Matrix: Water Analysis Batch: 258058 Analyte Volatile Fuel Hydrocarbons (C4-C Surrogate	Result 260 MSD %Recovery 94 100 104 58058/4 58058/4 Re	Qualifier MSD Qualifier MB MB sult ND MB MB very Qualifie	Added 1730 Limits 76 - 132 80 - 120 80 - 128 or Limits r Limits r Limits Limits Limits r Limits Limits r Limits r Limits Limi	Result 2150 50 50 132 120	Qualifier	ug/L	Client Sau	Limits R 50 - 145 mple ID: Metho Prep Type: Analyzed 05/29/15 08:0 Analyzed	PD Limi 2 20 Dd Blank Total/NA 4 Dil Fac 4 Dil Fac

QC Sample Results

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

			-	-							
Lab Sample ID: LCS 440-2	258058/6					Clie	nt Sa	mple ID	: Lab Cor		
Matrix: Water									Prep Ty	pe: Tot	al/NA
Analysis Batch: 258058											
			Spike	LCS	LCS				%Rec.		
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits		
Volatile Fuel Hydrocarbons (C4-C12)			500	370		ug/L		74	55 - 130		
	LCS	LCS									
Surrogate	%Recovery		Limits								
Dibromofluoromethane (Surr)	94	·	76 - 132								
4-Bromofluorobenzene (Surr)	100		80 - 120								
Toluene-d8 (Surr)	101		80 - 128								
Lab Sample ID: 440-1111	13-A-1 MS						CI	lient Sa	mple ID: I	Matrix :	Spike
Matrix: Water									Prep Ty	pe: Tot	al/NA
Analysis Batch: 258058											
	Sample	Sample	Spike	MS	MS				%Rec.		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Volatile Fuel Hydrocarbons	59000		173000	221000		ug/L		94	50 - 145		
(C4-C12)											
	MS	MS									
Surrogate	%Recovery	Qualifier	Limits								
Dibromofluoromethane (Surr)	95		76 - 132								
4-Bromofluorobenzene (Surr)	98		80 - 120								
Toluene-d8 (Surr)	101		80 - 128								
Lab Sample ID: 440-1111	13-A-1 MSD					Client	Samp	le ID: N	latrix Spil	ke Dup	licate
Matrix: Water									Prep Ty	pe: Tot	al/NA
Analysis Batch: 258058											
	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte		Qualifier	Added		Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Volatile Fuel Hydrocarbons			173000	235000		ug/L		102	50 - 145	6	20
-	59000										
-		MSD									
-	MSD		Limits								
(C4-C12)			Limits 76 - 132								
(C4-C12) Surrogate	MSD %Recovery										

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

10 11 12

00/110	V/0 A
GUIMS	

Analy	vsis	Batch:	257943

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-110612-A-11 MS	Matrix Spike	Total/NA	Water	8260B	
440-110612-A-11 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
440-111112-1	MW-4	Total/NA	Ground Water	8260B	
440-111112-2	MW-5	Total/NA	Ground Water	8260B	
440-111112-3	MW-6	Total/NA	Ground Water	8260B	
440-111112-4	MW-7	Total/NA	Ground Water	8260B	
440-111112-5	MW-8	Total/NA	Ground Water	8260B	
LCS 440-257943/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-257943/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 257944

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-110612-A-11 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT	
440-110612-A-11 MSD	Matrix Spike Duplicate	Total/NA	Water	MS 8260B/CA_LUFT	
440-111112-1	MW-4	Total/NA	Ground Water	MS 8260B/CA_LUFT	
440-111112-2	MW-5	Total/NA	Ground Water	MS 8260B/CA_LUFT	
440-111112-3	MW-6	Total/NA	Ground Water	MS 8260B/CA_LUFT	
440-111112-4	MW-7	Total/NA	Ground Water	MS 8260B/CA_LUFT MS	
440-111112-5	MW-8	Total/NA	Ground Water	8260B/CA_LUFT MS	
LCS 440-257944/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT MS	
MB 440-257944/4	Method Blank	Total/NA	Water	8260B/CA_LUFT MS	

Analysis Batch: 258057

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-111112-6	MW-13	Total/NA	Ground Water	8260B	
440-111112-7	MW-14	Total/NA	Ground Water	8260B	
440-111112-8	V-1	Total/NA	Ground Water	8260B	
440-111112-9	V-2	Total/NA	Ground Water	8260B	
440-111113-A-1 MS	Matrix Spike	Total/NA	Water	8260B	
440-111113-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
LCS 440-258057/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-258057/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 258058

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-111112-6	MW-13	Total/NA	Ground Water	8260B/CA_LUFT	
440-111112-7	MW-14	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-111112-8	V-1	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-111112-9	V-2	Total/NA	Ground Water	8260B/CA_LUFT MS	
440-111113-A-1 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT MS	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

9

GC/MS VOA (Continued)

Analysis Batch: 258058 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method Prep Bate
440-111113-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT
				MS
LCS 440-258058/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT
				MS
MB 440-258058/4	Method Blank	Total/NA	Water	8260B/CA_LUFT
				MS

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Glossary

	toga-Rovers & Associates, Inc. TestAmerica Job ID: 440-111112-1 2703 MLK Jr. Way, Oakland, CA	
Glossary		
Abbreviation	These commonly used abbreviations may or may not be present in this report.	
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	5
CFL	Contains Free Liquid	3
CNF	Contains no Free Liquid	
DER	Duplicate error ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision level concentration	
MDA	Minimum detectable activity	ð
EDL	Estimated Detection Limit	
MDC	Minimum detectable concentration	9
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	10
NC	Not Calculated	
ND	Not detected at the reporting limit (or MDL or EDL if shown)	
PQL	Practical Quantitation Limit	
QC	Quality Control	
RER	Relative error ratio	
RL	Reporting Limit or Requested Limit (Radiochemistry)	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dioxin)	
TEQ	Toxicity Equivalent Quotient (Dioxin)	

Certification Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-111112-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-15
Arizona	State Program	9	AZ0671	10-13-15
California	LA Cty Sanitation Districts	9	10256	01-31-16 *
California	State Program	9	2706	06-30-16
Guam	State Program	9	Cert. No. 12.002r	01-23-16
Hawaii	State Program	9	N/A	01-29-16
Nevada	State Program	9	CA015312007A	07-31-15
New Mexico	State Program	6	N/A	01-29-15 *
Northern Mariana Islands	State Program	9	MP0002	01-29-15 *
Oregon	NELAP	10	4005	01-29-16
USDA	Federal		P330-09-00080	06-06-15

* Certification renewal pending - certification considered valid.

LAB (LOCATION)

Shell Oil Products Chain Of Custody Record

N

ω

	Science ()			Please Check Appropriate Box: Print Bill To Contact Name: INCIDENT # (ENV SERVICES)																												
□ \$PL	Houston ()		ENV. SER				OTIVA RETA				AIL	1.16	10,011					Schae	inininini Ior	•••••••												
	co ()	4			1		ONSULTANT								240							9	<u> </u>			<u> </u>	9 1	<u> </u>	DATE	52	2/13	·
⊡res	T AMERIC	A (IRVINE)] 1					UBES					<u></u>	F	°O #	<u> </u>		<u> </u>		<u></u>		S/	\P #				RAGE	<u>ا</u> ا	of	l
₽)			ELINE						·····													1	1 2		4	4 9	9	a conta			
	COMPANY:	S											ESS: Stre			14.			•		State			OBAL ID NO						-				
ADDRES		Services							BTSS					EDF DE	U3 IV	BLE TO IN	h LL Name, Co	ompany.	r KII Office Loc	ng J	r. Wa	PHONE	akia	nd C	5A [5-M		600101	1876			-		ONSULTANT PR	OJECT NO .:
		Avenue, San Jos Hardcopy or PDF Report to):	se, CA													ml, CF		-					420-3				IEDF@CRAWorld.com I-US-LabDataManagement@X						0781- 9 5-11.0	12
	ebbie													SAME	PLERNA		as	5	Dr	ac	her	be	19	``					1	AB US	E ONL	Ŷ		
	10) 885	4455 x 103		0) 637-58	802	E-MAIL:		bgebb	oie@blaine	etech.co	m			8	sria	an	υ	se	ēk.	s	ner			,										
	AROUND	TIME (CALENDAR D DAY)	AYS): S DBD	DAYS	D DAYS		4 HOURS		C	RESULTS N	NEEDED O	on weekend)										F	REQUI	ESTE) AN/	ALYSI	s						
	RWQCB F	REPORT FORMAT	□UST	AGENCY:																	(BZ50UE)											EMPERATU	RE ON REC	EIPT.
		NSTRUCTIONS						,		CONTRAC								Ľ	<u>u</u>		20													
		oad the "CRA EQ ddupload.crawork					Shell-US	-		e reimbur Iot neede		RATE APPLIE	S					DIDE TAME																·^
LabDa	ataMana	gement@CRAwo	rld.com ema	ail folder.	2) Please i	ndicate that	you have					EQUESTED						u	Ű													-		
		EDD by including final PDF report t												6	Ω.																			
folder					-									(8260B)	3015			260E																
li ahn	ataMana	port to Shell.Lab agement@CRAw	orid com a	nd nsch			d.com,Sh	ell-US-						e (8	ole (<u>í</u>	Ø [8]	Ľ	<u>ה</u>														
Email	nvoice t	o Shell.Lab.Billing(@craworld.cor	m				Matrix (Codes - WG	i (around	iwater) \	WS (surfac	e water)	eabl	Ictal		(8260B)			3260				a							10-14-10-14-14-14-14-14-14-14-14-14-14-14-14-14-			
<u>م</u>									rinking wat					, Purge	Extractable (8015M)			MTBE + TBA (8260B)	<pre>2</pre>	ist (6	nod B09	2	60B)	0151						1	í.			
Ð			SAMPL	E ID				×		PRESER	VATIVE				ő	3260	+ MTBE	μ	3260		M (82	260E	1 (82	ol (B									-	
N _{AB}			DAT	TE	SAMPLER	WELL ID	TIME	MATRIX					NO. OF CONT.	TPH-GRO	TPH-DRO,	BTEX (8260B)	× I	BTEX + MTBE + TBA (8260B)		VOCs Full list (8260B)	Single Compound 1.2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015B							4		er PID Read	
USE : DONLY		TROLEGT NO MEET	(MMDE	DYY)	INITIALS	VVLLE ID	TIME		HCL HNO	3 H2SO4	NONE	OTHER		ΤÞ	1 L		BTEX	BT	<u>الم</u>	9	sin 51		臣	Ř								or Lab	oratory No	tes
S	WG	PROJECT NUMBER	0522	15 .	DN _	MW-4	1225	NG	X				3	X		X																		
	WG	1			ND	MW-5	1300	WG	X				3	X		ΧT																		
	WG				ND	MW-G	1150	WG	V				3	Ŕ	t t	X			-							-				ŀ		-		
	-	·					· · · · · · · · · · · · · · · · · · ·		\square					\mathbb{C}		<u> </u>	_					+				+					ALC: NO REAL			
	WG				ND -	MW-7	1210	WG	X				3	X		X _				_														
	W] .	_ 00 _	MW-8	1235	WG	X				3	Х		X																		
	WG _				BW	MW-13	1115	WG	X				3	Х		χL																		. ;
	WG				BW	MW-14	1040	WG	X				3	Ń		X																		
		· · · ·		-		ļ							3	$\overrightarrow{\nabla}$	$\left \right $	X		_		-						-				+				
	W6 _				BW	V-1	1150	WG	X					$\left \begin{array}{c} \\ \\ \\ \end{array} \right $		<u> </u>					·	· · · ·	-			-			-	_	1			
	WG				BW	1.2	1220	MC					3	X		X				_						_								
				-		_																												
Relinqu	shed by: (Si	gnatore)	$\langle - \rangle$	~				Received b	y: (Signature)		1	or	,	11		\mathbf{O}									D	ate: K	In	2	he	Lin	ne:	125	r	
		he	1	4						;	ئلہ	on	n	V~	ببر	X	L	~	-								12		115			135	<u>כ</u>	
Relinqu	shearbur (Si	gnature)						Received b	y: (Signature)	1		_														ate: 1		1		Tin				
	H	Fuc 5/22/15 1630 No TAI 05/23/15 11:05																																
Relinqu	shed by (Si	gnature)	/	1				Received b	y: (Signature)					r i											D	ate:				Tim	ne:			
6/9/2015					11 1111 0101 0101 0101		It ri tik																											
														,	. 11	. 0	e	10	_	~		~ `	~~			1	0	<u></u>			and the second se		<u>.</u>	
З Е													Ģ	7.6	5/I	•0.	-	112	~]	3	6	>3	24	15	-53	5 1	182	۲			0	62		
				440-	111112 C	hain of Cι	ustody																								2			
							-																								1			

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Login Number: 111112 List Number: 1 Creator: Blocker, Kristina M

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Job Number: 440-111112-1

List Source: TestAmerica Irvine