



RECEIVED

3:08 pm, Feb 28, 2008

Alameda County
Environmental Health

Denis L. Brown

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Shell Oil Products US

HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California
SAP Code 129449
Incident No. 97093397
ACHCSA Case No. RO#0145

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

Denis L. Brown
Project Manager



**CONESTOGA-ROVERS
& ASSOCIATES**

19449 Riverside Drive, Suite 230, Sonoma, California 95476
Telephone: 707-935-4850 Facsimile: 707-935-6649
www.CRAworld.com

January 15, 2008

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Soil Vapor Monitoring Report – Fourth Quarter 2007**
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California
SAP Code 129449
Incident No. 97093397
ACHCSA Case No: RO#0145

Dear Mr. Wickham:


Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,

Conestoga-Rovers & Associates

Ana Friel, PG
Project Manager



cc: Denis Brown, Shell
Rodney & Janet Kwan, property owners
Scott Merillat, 664 27th Street, Oakland, 94612
Monique Oatis, 670 27th Street, Oakland, CA 94612
Jack Chang, 559 9th Avenue, San Francisco, California 94118-3716

Equal
Employment
Opportunity Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
January 15, 2008

SOIL VAPOR MONITORING REPORT – FOURTH QUARTER 2007

Site Address	<u>2703 Martin Luther King, Jr Way, Oakland</u>
Site Use	<u>Former Shell Service Station</u>
Shell Project Manager	<u>Denis Brown</u>
Consultant and Contact Person	<u>CRA, Ana Friel</u>
Lead Agency and Contact	<u>ACHCSA, Jerry Wickham</u>
Agency Case No.	<u>0145</u>
Shell SAP Code	129449
Shell Incident No.	97093397
Date of Most Recent Agency Correspondence	<u>December 5, 2007</u>

Current Quarter's Activities

1. CRA sampled offsite soil vapor probes VP-7 and VP-8 on October 30, 2007. Each probe contains two screen intervals at 2.5 to 2.75 feet below grade (fbg) and 4.5 to 4.75 fbg, identified on chain-of-custody and laboratory reports as being at 3 and 5 fbg, respectively.
2. CRA prepared a vicinity map (Figure 1) and a site plan (Figure 2), and tabulated the analytical data. The laboratory analytical report is included in Attachment A.

Current Quarter's Findings

1. Benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations were lower during the fourth quarter event than during the June 2007 sampling event. BTEX concentrations in soil vapor are below the November 2007 San Francisco Bay Regional Water Quality Control Board (RWQCB) Environmental Screening Levels (ESLs) for a residential scenario.
2. The detection limits for total petroleum hydrocarbons as gasoline (TPHg) in the soil vapor samples collected exceeds the November 2007 updated ESL for a residential scenario. The residential ESL for TPHg was updated to 10,000 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) from 26,000 $\mu\text{g}/\text{m}^3$.



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
January 15, 2008

Proposed Activities for Next Quarter

1. CRA will sample offsite soil vapor probes VP-7 and VP-8 during the first month of the quarter, with a subsequent report to be submitted 30 days following the end of the quarter.
2. The analytical laboratory is evaluating methodology for achieving reporting limits below the new ESL.


Figures: 1 - Vicinity Map
 2 - Site Plan

Table: 1 - Soil Vapor Analytical Data

Attachments: A - Analytical Report

Conestoga-Rovers & Associates (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

I:\Sonoma.Shell\Oakland 2703 Martin Luther King Jr Way\QMRs-Vapor\4Q07\Text CRA 2703 MLK Oakland 4Q07 vapor.doc




Former Shell Service Station
 2703 Martin Luther King Jr. Way
 Oakland, California



**CONESTOGA-ROVERS
 & ASSOCIATES**

Vicinity Map

I:\SONOMA-SHELLOAKLAND 2703 MARTIN LUTHER KING JR WAY\GRAPHICS MISC\SITE PLAN.DWG



EXPLANATION	
PH-1	○ Post hole
MW-12	● Monitoring well location (2/06)
MW-6	● Monitoring well location (1/06)
MW-3	● Monitoring well location (11/00)
MW-1	● Monitoring well location (7/96)
V-1	● Soil vapor well location (7/96)
VP-1	⊕ Vapor probe location (1/06)
B-23	● Soil boring location (1/06)
GP-1	⊙ Soil boring location (8/05)
B-20	● Soil boring location (4/02)
B-17	■ Soil boring location (11/00)
B-10	▲ Soil boring location (7/96)
TP3-W	■ UST excavation samples (3/96)
B-1	● Soil boring location (5/95)
*	Not surveyed
TP1-N	■ UST excavation samples (10/94)

Basemap from Virgil Chavez Land Surveying and Alameda County Assessors Parcel Map

MARTIN LUTHER KING JR. WAY

27TH STREET




FIGURE 2

Site Plan and Historical Sample Locations



Former Shell Service Station
 2703 Martin Luther King Jr Way
 Oakland, California

Table 1. Soil Vapor Analytical Data, Former Shell Service Station, 2703 Martin Luther King Jr. Way, Oakland, California

Sample ID	Sample Depth (fbg)	Date Sampled	TPHg ($\mu\text{g}/\text{m}^3$)	B ($\mu\text{g}/\text{m}^3$)	T ($\mu\text{g}/\text{m}^3$)	E ($\mu\text{g}/\text{m}^3$)	X ($\mu\text{g}/\text{m}^3$)	Isobutane ($\mu\text{g}/\text{m}^3$)	Butane ($\mu\text{g}/\text{m}^3$)	Propane ($\mu\text{g}/\text{m}^3$)
VP-1-3	3	30-May-07	5,500,000	<510	690	<690	<2,090	--	--	--
VP-1-5				Unable to sample; water in probe						
VP-2-3				Unable to sample; water in probe						
VP-2-5				Unable to sample; water in probe						
VP-3-3				Unable to sample; water in probe						
VP-3-5	5	30-May-07	31,000,000	760	<75	<86	<256	--	--	--
VP-4-3	3	30-May-07	800,000	<79	240	<110	<320	--	--	--
VP-4-5	5	30-May-07	680,000	<66	170	<90	<270	--	--	--
VP-5-3				Unable to sample; water in probe						
VP-5-5				Unable to sample; water in probe						
VP-6-3	3	30-May-07	3,500,000	110	320	<55	160	--	--	--
VP-6-5	5	30-May-07	1,900,000	<100	410	<140	<420	--	--	--
Ambient (at site)		30-May-07	<19,000	16	16	<3.1	<9.2	--	--	--
VP-7-3	3	12-Jun-07	<21,000	23	7,000	110	241	--	--	--
VP-7-3	3	30-Oct-07	<19,000	<2.7	9.6	<3.6	<17.6	657.3	16.6	ND
VP-7-5	5	12-Jun-07	<21,000	23	2,100	110	230	--	--	--
VP-7-5	5	30-Oct-07	<18,000	<2.5	15	<3.4	<16.4	402.4	ND	ND
VP-8-3	3	12-Jun-07	<23,000	20	9,300	120	267	--	--	--
VP-8-3	3	30-Oct-07	<24,000	<3.4	34	<4.6	<22.6	395.1	7.8	ND
VP-8-3-DUP	3	30-Oct-07	<18,000	<2.6	6.5	<3.5	<17.5	366.6	ND	ND
VP-8-5	5	12-Jun-07	<22,000	33	11,000	120	278	--	--	--
VP-8-5	5	30-Oct-07	<19,000	<2.6	8.5	<3.6	<17.6	468.3	5.9	ND
Environmental Screening Levels		Commercial	29,000	280	180,000	580,000	58,000	--	--	--
SFBRWQCB, November 2007		Residential	10,000	84	63,000	210,000	21,000	--	--	--

Table 1. Soil Vapor Analytical Data, Former Shell Service Station, 2703 Martin Luther King Jr. Way, Oakland, California

Abbreviations and Notes:

Results in **bold** exceed Environmental Screening Level

fbg = Feet below grade

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter

<x = Not detected at reporting limit x


ND = Not detected

TPHg = Total petroleum hydrocarbons as gasoline by Modified EPA Method TO-3 GC/FID

BTEX = Benzene, toluene, ethylbenzene, and xylenes by Modified EPA Method TO-15

Isobutane, butane, and propane by TPA Method TO-15

Attachment A
Analytical Report



November 05, 2007

Ana Friel
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **Calscience Work Order No.: 07-10-2154**
Client Reference: **2703 Martin Luther King Jr. Way, Oakland, CA**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/31/2007 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Danielle Gonsman", with a long horizontal flourish extending to the right.


Calscience Environmental
Laboratories, Inc.
Danielle Gonsman
Project Manager






EPA TO-15 Tentatively Identified Compound (TIC)

<u>Client Sample Number</u>	<u>Compound</u>	<u>CAS Number</u>	<u>Retention Time</u>	<u>Estimated Conc. (ug/m3)</u>
VP-8-3	Isobutane	75-28-5	5.51	395.1
VP-8-5	Isobutane	75-28-5	5.5	468.3
VP-8-3 DUP	Isobutane	75-28-5	5.51	366.6
VP-7-3	Isobutane	75-28-5	5.5	657.3
VP-7-5	Isobutane	75-28-5	5.51	402.4
VP-8-3	Butane	106-97-8	5.82	7.8
VP-8-5	Butane	106-97-8	5.82	5.9
VP-8-3 DUP	Butane	106-97-8	NA	ND
VP-7-3	Butane	106-97-8	5.82	16.6
VP-7-5	Butane	106-97-8	NA	ND
VP-8-3	Propane	74-98-6	NA	ND
VP-8-5	Propane	74-98-6	NA	ND
VP-8-3 DUP	Propane	74-98-6	NA	ND
VP-7-3	Propane	74-98-6	NA	ND
VP-7-5	Propane	74-98-6	NA	ND





Analytical Report



Conestoga-Rovers & Associates
 19449 Riverside Drive, Suite 230
 Sonoma, CA 95476-6955

Date Received: 10/31/07
 Work Order No: 07-10-2154
 Preparation: N/A
 Method: EPA TO-3 (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
VP-8-3	07-10-2154-1	10/30/07	Air	GC 13	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	24000	2.1		ug/m3

VP-8-5	07-10-2154-2	10/30/07	Air	GC 13	N/A	10/31/07	071031L01
--------	--------------	----------	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	19000	1.64		ug/m3

VP-8-3 DUP	07-10-2154-3	10/30/07	Air	GC 13	N/A	10/31/07	071031L01
------------	--------------	----------	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	18000	1.6		ug/m3

VP-7-3	07-10-2154-4	10/30/07	Air	GC 13	N/A	10/31/07	071031L02
--------	--------------	----------	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	19000	1.66		ug/m3


VP-7-5	07-10-2154-5	10/30/07	Air	GC 13	N/A	10/31/07	071031L02
--------	--------------	----------	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	18000	1.55		ug/m3

Method Blank	098-01-005-1,063	N/A	Air	GC 13	N/A	10/31/07	071031L01
--------------	------------------	-----	-----	-------	-----	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11000	1		ug/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 10/31/07
Work Order No: 07-10-2154
Preparation: N/A
Method: EPA TO-3 (M)


Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	098-01-005-1,064	N/A	Air	GC 13	N/A	10/31/07	071031L02

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	11000	1		ug/m3

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
 19449 Riverside Drive, Suite 230
 Sonoma, CA 95476-6955

Date Received: 10/31/07
 Work Order No: 07-10-2154
 Preparation: N/A
 Method: EPA TO-15
 Units: ug/m3

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
VP-8-3	07-10-2154-1	10/30/07	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	3.4	2.1		o-Xylene	ND	4.6	2.1	
Ethylbenzene	ND	4.6	2.1		p/m-Xylene	ND	18	2.1	
Methyl-t-Butyl Ether (MTBE)	ND	15	2.1		Toluene	34	4.0	2.1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	102	57-129			1,2-Dichloroethane-d4	103	47-137		
Toluene-d8	107	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
VP-8-5	07-10-2154-2	10/30/07	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.6	1.64		o-Xylene	ND	3.6	1.64	
Ethylbenzene	ND	3.6	1.64		p/m-Xylene	ND	14	1.64	
Methyl-t-Butyl Ether (MTBE)	ND	12	1.64		Toluene	8.5	3.1	1.64	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	104	78-156							


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
VP-8-3 DUP	07-10-2154-3	10/30/07	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.6	1.6		o-Xylene	ND	3.5	1.6	
Ethylbenzene	ND	3.5	1.6		p/m-Xylene	ND	14	1.6	
Methyl-t-Butyl Ether (MTBE)	ND	12	1.6		Toluene	6.5	3.0	1.6	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	103	47-137		
Toluene-d8	107	78-156							

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
VP-7-3	07-10-2154-4	10/30/07	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.7	1.66		o-Xylene	ND	3.6	1.66	
Ethylbenzene	ND	3.6	1.66		p/m-Xylene	ND	14	1.66	
Methyl-t-Butyl Ether (MTBE)	ND	12	1.66		Toluene	9.6	3.1	1.66	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	106	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	106	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Conestoga-Rovers & Associates
 19449 Riverside Drive, Suite 230
 Sonoma, CA 95476-6955

Date Received: 10/31/07
 Work Order No: 07-10-2154
 Preparation: N/A
 Method: EPA TO-15
 Units: ug/m3

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 2 of 2


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
VP-7-5	07-10-2154-5	10/30/07	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	2.5	1.55		o-Xylene	ND	3.4	1.55	
Ethylbenzene	ND	3.4	1.55		p/m-Xylene	ND	13	1.55	
Methyl-t-Butyl Ether (MTBE)	ND	11	1.55		Toluene	15	2.9	1.55	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	105	57-129			1,2-Dichloroethane-d4	102	47-137		
Toluene-d8	103	78-156							

Method Blank	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
	095-01-021-5,375	N/A	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	1.6	1		o-Xylene	ND	2.2	1	
Ethylbenzene	ND	2.2	1		p/m-Xylene	ND	8.7	1	
Methyl-t-Butyl Ether (MTBE)	ND	7.2	1		Toluene	ND	1.9	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,4-Bromofluorobenzene	103	57-129			1,2-Dichloroethane-d4	99	47-137		
Toluene-d8	108	78-156							

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Duplicate



Conestoga-Rovers & Associates
 19449 Riverside Drive, Suite 230
 Sonoma, CA 95476-6955


Date Received: 10/31/07
 Work Order No: 07-10-2154
 Preparation: N/A
 Method: EPA TO-3 (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
07-10-2066-1	Air	GC 13	N/A	10/31/07	071031D01

Parameter	Sample Conc.	DUP Conc.	RPD	RPD CL	Qualifiers
TPH as Gasoline	540000	550000	1	0-20	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Duplicate



Conestoga-Rovers & Associates
 19449 Riverside Drive, Suite 230
 Sonoma, CA 95476-6955


Date Received: 10/31/07
 Work Order No: 07-10-2154
 Preparation: N/A
 Method: EPA TO-3 (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared:	Date Analyzed:	Duplicate Batch Number
VP-7-5	Air	GC 13	N/A	10/31/07	071031D02

Parameter	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
TPH as Gasoline	ND	ND	NA	0-20	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: N/A
Work Order No: 07-10-2154
Preparation: N/A
Method: EPA TO-15

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
095-01-021-5,375	Air	GC/MS NN	N/A	10/31/07	071031L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	100	60-156	1	0-40	
Carbon Tetrachloride	102	101	64-154	1	0-32	
1,2-Dibromoethane	100	98	54-144	2	0-36	
1,2-Dichlorobenzene	99	95	34-160	3	0-47	
1,2-Dichloroethane	103	100	69-153	3	0-30	
1,2-Dichloropropane	102	100	67-157	2	0-35	
1,4-Dichlorobenzene	104	102	36-156	2	0-47	
c-1,3-Dichloropropene	97	96	61-157	2	0-35	
Ethylbenzene	102	99	52-154	3	0-38	
o-Xylene	100	96	52-148	4	0-38	
p/m-Xylene	100	96	42-156	4	0-41	
Tetrachloroethene	101	99	56-152	2	0-40	
Toluene	101	98	56-146	3	0-43	
Trichloroethene	101	100	63-159	1	0-34	
1,1,2-Trichloroethane	104	101	65-149	2	0-37	
Vinyl Chloride	113	113	45-177	0	0-36	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-10-2154

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.



SHELL Chain Of Custody Record

LAB:

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other _____

NAME OF PERSON TO BILL: Denis Brown

- ENVIRONMENTAL SERVICES
- NETWORK DEV./FE
- COMPLIANCE

- BILL CONSULTANT
- RMT/CRMT

 CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY)

9 7 0 9 3 3 9 7

DATE: 10/30/07

PAGE: 1 of 1

PO #

SAP or CRMT #

SAMPLING COMPANY:

LOG CODE:

Conestoga-Rovers & Associates (CRA)

CRAW

ADDRESS:

19449 Riverside Drive, Suite 230, Sonoma, CA 95476

PROJECT CONTACT (Hardcopy or PDF Report to):

Ana Friel

TELEPHONE:

707-268-3812

FAX:

707-268-8180

E-MAIL:

afriel@craworld.com

SITE ADDRESS: Street and City

2703 Martin Luther King Jr. Way, Oakland, CA

State

GLOBAL ID NO.:

T0600101876

EDF DELIVERABLE TO (Name, Company, Office Location):

Felicia Ballard, CRA, Sonoma

PHONE NO.:

707-935-4850

E-MAIL:

sonomaedf@craworld.com

CONSULTANT PROJECT NO.:

240781-011

SAMPLER NAME(S) (Print):

Lauren Goldfinch

LAB USE ONLY

07-10-2154

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):

 STD 5 DAY 3 DAY 2 DAY 24 HOURS

 RESULTS NEEDED
ON WEEKEND

 LA - RWQCB REPORT FORMAT UST AGENCY:

REQUESTED ANALYSIS

FIELD NOTES:

 Container/Preservative
or PID Readings
or Laboratory Notes
Please report results in $\mu\text{g}/\text{m}^3$

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPHg (TO-3)	BTEX (TO-15)	MTBE (TO-15)	Isobutane, butane, propane 15, GC/MS	(TO-15)	(TO-15)	(TO-15)	(TO-15)	(TO-15)	(TO-15)	(TO-15)	(TO-15)	(TO-15)	(TO-15)	
		DATE	TIME																	
1	VP-8-3	10/30/07	9:37	Air	1	X	X	X	X											
2	VP-8-5		9:52			X	X	X	X											
3	VP-8-3 dup		10:09			X	X	X	X											
4	VP-7-3		10:56			X	X	X	X											
5	VP-7-5		11:08			X	X	X	X											

TEMPERATURE ON RECEIPT °

 SUMMA ID LC023
 SUMMA ID LC154
 SUMMA ID LC 229
 SUMMA ID LC 299
 SUMMA ID LC 074

Relinquished by: (Signature)

[Signature]

Received by: (Signature)

Secure location

Date:

10/30/07

Time:

1205

Relinquished by: (Signature)

[Signature]

Received by: (Signature)

[Signature]

Date:

10/30/07

Time:

1452

Relinquished by: (Signature)

[Signature] (to 650)

Received by: (Signature)

[Signature]

CEL


Date:

10/31/07

Time:

1000

2006-01-10 10:00:00



WORK ORDER #: 07 - 10 - 2154

Cooler 0 of 0

SAMPLE RECEIPT FORM

CLIENT: CRA

DATE: 10/31/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
C Temperature blank.

LABORATORY (Other than Calscience Courier):

- C Temperature blank.
C IR thermometer.
Ambient temperature.

Initial: KM

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: Initial: KM

SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: KM

COMMENTS:

Multiple horizontal lines for handwritten comments.