

## Detterman, Mark, Env. Health

---

**From:** Detterman, Mark, Env. Health  
**Sent:** Monday, January 13, 2014 5:04 PM  
**To:** 'BTrommer@waterboards.ca.gov'; 'sramdass@waterboards.ca.gov'  
**Cc:** Roe, Dilan, Env. Health  
**Subject:** FW: RO151 - City Blue Print Work Plan Addendum Status?

Gentlemen,  
You should have been copied with this email.

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*

---

**From:** Detterman, Mark, Env. Health  
**Sent:** Monday, January 13, 2014 5:02 PM  
**To:** 'ybayram@awrcorp.net'  
**Cc:** Roe, Dilan, Env. Health  
**Subject:** RO151 - City Blue Print Work Plan Addendum Status?

Yola,  
I wanted to send an email for a couple of purposes; first to introduce myself as the new case worker at ACEH, and second to inquire into the status of the work plan addendum. Dilan and I were discussing the site today and have noted that the addendum is now overdue (December 23<sup>rd</sup> due date). I have also taken a look at the standard SOPs for the vapor sampling, and note that they do not follow the 2012 DTSC guidelines to ensure the samples are representative (shroud, tracer, etc). You should be aware that ACEH requires vapor sampling follow DTSC guidelines for that very purpose. Let me know about the status of the sampling and of the addendum.  
Thanks,

*Mark Detterman*  
*Senior Hazardous Materials Specialist, PG, CEG*  
*Alameda County Environmental Health*  
*1131 Harbor Bay Parkway*  
*Alameda, CA 94502*  
*Direct: 510.567.6876*  
*Fax: 510.337.9335*  
*Email: [mark.detterman@acgov.org](mailto:mark.detterman@acgov.org)*

*PDF copies of case files can be downloaded at:*

*<http://www.acgov.org/aceh/lop/ust.htm>*