



TRANSMITTAL LETTER

FROM: J. Michael Asport

DATE: July 22, 1992

TO: Mr. Scott O. Seery
Alameda County Department of
Environmental Health
Hazardous Materials Division
80 Swan Way, Room 200
Oakland, CA 94621-1426

VIA: X First Class Mail
_____ Fax _____ pages
_____ UPS (Surface)
_____ Federal Express
_____ Courier

SUBJECT: Shell Service Station
WIC #204-6852-0703
1285 Bancroft Avenue
San Leandro, California 94577

JOB: 81-423-201

AS: _____ We discussed on the telephone on _____
_____ You requested _____
_____ We believe you may be interested
 X _____ Is required

WE ARE SENDING: X Enclosed
_____ Under Separate Cover Via _____

Quarterly status report for the subject site


FOR: _____ Your information
 X _____ Your use
_____ Your review & comments
_____ Return to you

PLEASE: X Keep this material
_____ Return within 2 weeks
_____ Acknowledge receipt



92 JUL 24 10:14:19

MESSAGE: Please call me if you have any questions.

cc: Dan Kirk, Shell Oil Company, P.O. Box 5278, Concord, California 94520-9998
Lester Feldman, California Regional Water Quality Control Board, San Francisco Bay,
2101 Webster Street, Suite 500, Oakland, California 94612



EXPLANATION

- 
MW-2 (BH-B) Monitoring well installed for this investigation; boring ID in parenthesis
- 
MW-1 (BH-A) Pre-existing monitoring well; boring ID in parenthesis




Figure 2. Monitoring Well Locations - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California

ANAMETRIX INC

Environmental & Analytical Chemistry
 1961 Concourse Drive, Suite E, San Jose, CA 95131
 (408) 432-8192 • Fax (408) 432-8198

**REPORT**

MR. DAVID LARSEN
 EMCON ASSOCIATES
 1938 JUNCTION AVE.
 SAN JOSE, CA 95131

Workorder # : 9206093
 Date Received : 06/05/92
 Project ID : G67-35.01
 Purchase Order: MOH-B813

The following samples were received at Anamatrix, Inc. for analysis :

ANAMETRIX ID	CLIENT SAMPLE ID
9206093- 1	MW-1
9206093- 2	MW-2
9206093- 3	MW-3
9206093- 4	TB

This report consists of 12 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

Sarah Schoen, Ph.D.
 Laboratory Director

6-18-92

Date

EMCON ASSOCIATES

JUN 22 1992

RECEIVED

ANAMETRIX REPORT DESCRIPTION GC

Organic Analysis Data Sheets (OADS)

OADS forms contain tabulated results for target compounds. The OADS are grouped by method and, within each method, organized sequentially in order of increasing Anamatrix ID number.

Surrogate Recovery Summary (SRS)

SRS forms contain quality assurance data. An SRS form will be printed for each method, if the method requires surrogate compounds. They will list surrogate percent recoveries for all samples and any method blanks. Any surrogate recovery outside the established limits will be flagged with an "*", and the total number of surrogates outside the limits will be listed in the column labelled "Total Out".

Matrix Spike Recovery Form (MSR)

MSR forms contain quality assurance data. They summarize percent recovery and relative percent difference information for matrix spikes and matrix spike duplicates. This information is a statement of both accuracy and precision. Any percent recovery or relative percent difference outside established limits will be flagged with an "*", and the total number outside the limits will be listed at the bottom of the page. Not all reports will contain an MSR form.

Qualifiers

Anamatrix uses several data qualifiers (Q) in its report forms. These qualifiers give additional information on the compounds reported. They should help a data reviewer to verify the integrity of the analytical results. The following is a list of qualifiers and their meanings:

- U - Indicates that the compound was analyzed for, but was not detected at or above the specified reporting limit.
- B - Indicates that the compound was detected in the associated method blank.
- J - Indicates that the compound was detected at an amount below the specified reporting limit. Consequently, the amount should be considered an approximate value. Tentatively identified compounds will always have a "J" qualifier because they are not included in the instrument calibration.
- E - Indicates that the amount reported exceeded the linear range of the instrument calibration.
- D - Indicates that the compound was detected in an analysis performed at a secondary dilution.

Absence of a qualifier indicates that the compound was detected at a concentration at or above the specified reporting limit.

REPORTING CONVENTIONS

- ◆ Due to a size limitation in our data processing step, only the first eight (8) characters of your project ID and sample ID will be printed on the report forms. However, the report cover letter and report summary pages display up to twenty (20) characters of your project and sample IDs.
- ◆ Amounts reported are gross values, i.e., not corrected for method blank contamination.

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. DAVID LARSEN
EMCON ASSOCIATES
1938 JUNCTION AVE.
SAN JOSE, CA 95131

Workorder # : 9206093
Date Received : 06/05/92
Project ID : G67-35.01
Purchase Order: MOH-B813
Department : GC
Sub-Department: VOA

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9206093- 1	MW-1	WATER	06/03/92	601
9206093- 2	MW-2	WATER	06/03/92	601
9206093- 3	MW-3	WATER	06/03/92	601

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. DAVID LARSEN
EMCON ASSOCIATES
1938 JUNCTION AVE.
SAN JOSE, CA 95131

Workorder # : 9206093
Date Received : 06/05/92
Project ID : G67-35.01
Purchase Order: MOH-B813
Department : GC
Sub-Department: VOA

QA/QC SUMMARY :

- No QA/QC problems encountered for this workorder.

Corinne Khan 6/18/92
Department Supervisor Date

Kamel G. Kamel 6/18/92
Chemist Date

DESCRIPTIONS FOR SPECIFIC COMPOUNDS ANALYZED
EPA METHOD 601/8010

<u>CAS #</u>	<u>COMPOUND NAME</u>	<u>ABBREVIATED NAME</u>
74-87-3	Chloromethane	Chloromethane
74-83-9	Bromomethane	Bromoethane
75-71-8	Dichlorodifluoromethane	Freon 12
75-01-4	Vinyl Chloride	Vinyl Chloride
75-00-3	Chloroethane	Chloroethane
75-09-2	Methylene Chloride	Methylene Chlor
75-69-4	Trichlorofluoromethane	Freon 11
75-35-4	1,1-Dichloroethene	1,1-DCE
75-34-3	1,1-Dichloroethane	1,1-DCA
156-59-2	Cis-1,2-Dichloroethene	Cis-1,2-DCE
156-60-5	Trans-1,2-Dichloroethene	Trans-1,2-DCE
67-66-3	Chloroform	Chloroform
76-13-1	Trichlorotrifluoroethane	Freon 113
107-06-2	1,2-Dichloroethane	1,2-DCA
71-55-6	1,1,1-Trichloroethane	1,1,1-TCA
56-23-5	Carbon Tetrachloride	Carbon Tet
75-27-4	Bromodichloromethane	BromodichloroMe
78-87-5	1,2-Dichloropropane	1,2-DCPA
10061-02-6	Trans-1,3-Dichloropropene	Trans-1,3-DCPE
79-01-6	Trichloroethene	TCE
124-48-1	Dibromochloromethane	DibromochloroMe
79-00-5	1,1,2-Trichloroethane	1,1,2-TCA
10061-01-5	Cis-1,3-Dichloropropene	Cis-1,3-DCPE
110-75-8	2-Chloroethylvinylether	Chloroethylvinl
75-25-2	Bromoform	Bromoform
127-18-4	Tetrachloroethene	PCE
79-34-5	1,1,2,2-Tetrachloroethane	PCA
108-90-7	Chlorobenzene	Chlorobenzene
95-50-1	1,2-Dichlorobenzene	1,2-DCB
541-73-1	1,3-Dichlorobenzene	1,3-DCB
106-46-7	1,4-Dichlorobenzene	1,4-DCB
352-33-0	p-Chlorofluorobenzene	Chlorofluoroben

mh/3426 - 10MH

ORGANIC ANALYSIS DATA SHEET - EPA METHOD 601/8010
ANAMETRIX, INC. (408) 432-8192

Sample I.D. : MW-1
Matrix : WATER
Date sampled : 06/03/92
Date analyzed: 06/16/92
Dilution : NONE

Anamatrix I.D. : 9206093-01
Analyst : *KK*
Supervisor : *KK*
Date released : 06/18/92
Instrument ID : HP14

CAS #	Compound Name	Reporting Limit (mg/L)	Amount Found (mg/L)
74-87-3	* Chloromethane	0.001	ND
74-83-9	* Bromomethane	0.0005	ND
75-71-8	* Dichlorodifluoromethane	0.001	ND
75-01-4	* Vinyl Chloride	0.0005	ND
75-00-3	* Chloroethane	0.0005	ND
75-09-2	* Methylene Chloride	0.0005	ND
75-69-4	* Trichlorofluoromethane	0.0005	ND
75-35-4	* 1,1-Dichloroethene	0.0005	ND
75-34-3	* 1,1-Dichloroethane	0.0005	ND
156-59-2	# Cis-1,2-Dichloroethene	0.0005	ND
156-60-5	* Trans-1,2-Dichloroethene	0.0005	ND
67-66-3	* Chloroform	0.0005	0.0067
76-13-1	# Trichlorotrifluoroethane	0.0005	ND
107-06-2	* 1,2-Dichloroethane	0.0005	ND
71-55-6	* 1,1,1-Trichloroethane	0.0005	ND
56-23-5	* Carbon Tetrachloride	0.0005	ND
75-27-4	* Bromodichloromethane	0.0005	ND
78-87-5	* 1,2-Dichloropropane	0.0005	ND
10061-02-6	* Trans-1,3-Dichloropropene	0.0005	ND
79-01-6	* Trichloroethene	0.0005	0.017
124-48-1	* Dibromochloromethane	0.0005	ND
79-00-5	* 1,1,2-Trichloroethane	0.0005	ND
10061-01-5	* cis-1,3-Dichloropropene	0.0005	ND
110-75-8	* 2-Chloroethylvinylether	0.001	ND
75-25-2	* Bromoform	0.0005	ND
127-18-4	* Tetrachloroethene	0.0005	ND
79-34-5	* 1,1,2,2-Tetrachloroethane	0.0005	ND
108-90-7	* Chlorobenzene	0.0005	ND
95-50-1	* 1,2-Dichlorobenzene	0.001	ND
541-73-1	* 1,3-Dichlorobenzene	0.001	ND
106-46-7	* 1,4-Dichlorobenzene	0.001	ND
	% Surrogate Recovery	51-136%	91%

ND : Not detected at or above the practical quantitation limit for the method.

* A 601/8010 approved compound (Federal Register, 10/26/84).
A compound added by Anamatrix, Inc.

ORGANIC ANALYSIS DATA SHEET - EPA METHOD 601/8010
ANAMETRIX, INC. (408) 432-8192

Sample I.D. : MW-2
Matrix : WATER
Date sampled : 06/03/92
Date analyzed: 06/16/92
Dilution : NONE

Anamatrix I.D. : 9206093-02
Analyst :
Supervisor : *CP KK*
Date released : 06/18/92
Instrument ID : HP14

CAS #	Compound Name	Reporting Limit (mg/L)	Amount Found (mg/L)
74-87-3	* Chloromethane	0.001	ND
74-83-9	* Bromomethane	0.0005	ND
75-71-8	* Dichlorodifluoromethane	0.001	ND
75-01-4	* Vinyl Chloride	0.0005	ND
75-00-3	* Chloroethane	0.0005	ND
75-09-2	* Methylene Chloride	0.0005	ND
75-69-4	* Trichlorofluoromethane	0.0005	ND
75-35-4	* 1,1-Dichloroethene	0.0005	ND
75-34-3	* 1,1-Dichloroethane	0.0005	ND
156-59-2	# Cis-1,2-Dichloroethene	0.0005	0.00076
156-60-5	* Trans-1,2-Dichloroethene	0.0005	0.0063
67-66-3	* Chloroform	0.0005	ND
76-13-1	# Trichlorotrifluoroethane	0.0005	ND
107-06-2	* 1,2-Dichloroethane	0.0005	ND
71-55-6	* 1,1,1-Trichloroethane	0.0005	ND
56-23-5	* Carbon Tetrachloride	0.0005	ND
75-27-4	* Bromodichloromethane	0.0005	ND
78-87-5	* 1,2-Dichloropropane	0.0005	ND
10061-02-6	* Trans-1,3-Dichloropropene	0.0005	ND
79-01-6	* Trichloroethene	0.0005	0.0074
124-48-1	* Dibromochloromethane	0.0005	ND
79-00-5	* 1,1,2-Trichloroethane	0.0005	ND
10061-01-5	* cis-1,3-Dichloropropene	0.0005	ND
110-75-8	* 2-Chloroethylvinylether	0.001	ND
75-25-2	* Bromoform	0.0005	ND
127-18-4	* Tetrachloroethene	0.0005	ND
79-34-5	* 1,1,2,2-Tetrachloroethane	0.0005	ND
108-90-7	* Chlorobenzene	0.0005	ND
95-50-1	* 1,2-Dichlorobenzene	0.001	ND
541-73-1	* 1,3-Dichlorobenzene	0.001	ND
106-46-7	* 1,4-Dichlorobenzene	0.001	ND
	% Surrogate Recovery	51-136%	91%

ND : Not detected at or above the practical quantitation limit for the method.

* A 601/8010 approved compound (Federal Register, 10/26/84).

A compound added by Anamatrix, Inc.

ORGANIC ANALYSIS DATA SHEET - EPA METHOD 601/8010
ANAMETRIX, INC. (408) 432-8192

Sample I.D. : MW-3
Matrix : WATER
Date sampled : 06/03/92
Date analyzed: 06/16/92
Dilution : NONE

Anamatrix I.D. : 9206093-03
Analyst : KK
Supervisor : CP
Date released : 06/18/92
Instrument ID : HP14

CAS #	Compound Name	Reporting Limit (mg/L)	Amount Found (mg/L)
74-87-3	* Chloromethane	0.001	ND
74-83-9	* Bromomethane	0.0005	ND
75-71-8	* Dichlorodifluoromethane	0.001	ND
75-01-4	* Vinyl Chloride	0.0005	ND
75-00-3	* Chloroethane	0.0005	ND
75-09-2	* Methylene Chloride	0.0005	ND
75-69-4	* Trichlorofluoromethane	0.0005	ND
75-35-4	* 1,1-Dichloroethene	0.0005	ND
75-34-3	* 1,1-Dichloroethane	0.0005	ND
156-59-2	# Cis-1,2-Dichloroethene	0.0005	ND
156-60-5	* Trans-1,2-Dichloroethene	0.0005	ND
67-66-3	* Chloroform	0.0005	0.0015
76-13-1	# Trichlorotrifluoroethane	0.0005	ND
107-06-2	* 1,2-Dichloroethane	0.0005	ND
71-55-6	* 1,1,1-Trichloroethane	0.0005	ND
56-23-5	* Carbon Tetrachloride	0.0005	ND
75-27-4	* Bromodichloromethane	0.0005	ND
78-87-5	* 1,2-Dichloropropane	0.0005	ND
10061-02-6	* Trans-1,3-Dichloropropene	0.0005	ND
79-01-6	* Trichloroethene	0.0005	0.0030
124-48-1	* Dibromochloromethane	0.0005	ND
79-00-5	* 1,1,2-Trichloroethane	0.0005	ND
10061-01-5	* cis-1,3-Dichloropropene	0.0005	ND
110-75-8	* 2-Chloroethylvinylether	0.001	ND
75-25-2	* Bromoform	0.0005	ND
127-18-4	* Tetrachloroethene	0.0005	ND
79-34-5	* 1,1,2,2-Tetrachloroethane	0.0005	ND
108-90-7	* Chlorobenzene	0.0005	ND
95-50-1	* 1,2-Dichlorobenzene	0.001	ND
541-73-1	* 1,3-Dichlorobenzene	0.001	ND
106-46-7	* 1,4-Dichlorobenzene	0.001	ND
% Surrogate Recovery		51-136%	95%

ND : Not detected at or above the practical quantitation limit for the method.
* A 601/8010 approved compound (Federal Register, 10/26/84).
A compound added by Anamatrix, Inc.

ORGANIC ANALYSIS DATA SHEET - EPA METHOD 601/8010
ANAMETRIX, INC. (408) 432-8192

Sample I.D. : VBLANK
Matrix : WATER
Date sampled : N/A
Date analyzed: 06/16/92
Dilution : NONE

Anamatrix I.D. : 14B0616H01
Analyst : KK
Supervisor : CP
Date released : 06/18/92
Instrument ID : HP14

CAS #	Compound Name	Reporting Limit (mg/L)	Amount Found (mg/L)
74-87-3	* Chloromethane	0.001	ND
74-83-9	* Bromomethane	0.0005	ND
75-71-8	* Dichlorodifluoromethane	0.001	ND
75-01-4	* Vinyl Chloride	0.0005	ND
75-00-3	* Chloroethane	0.0005	ND
75-09-2	* Methylene Chloride	0.0005	ND
75-69-4	* Trichlorofluoromethane	0.0005	ND
75-35-4	* 1,1-Dichloroethene	0.0005	ND
75-34-3	* 1,1-Dichloroethane	0.0005	ND
156-59-2	# Cis-1,2-Dichloroethene	0.0005	ND
156-60-5	* Trans-1,2-Dichloroethene	0.0005	ND
67-66-3	* Chloroform	0.0005	ND
76-13-1	# Trichlorotrifluoroethane	0.0005	ND
107-06-2	* 1,2-Dichloroethane	0.0005	ND
71-55-6	* 1,1,1-Trichloroethane	0.0005	ND
56-23-5	* Carbon Tetrachloride	0.0005	ND
75-27-4	* Bromodichloromethane	0.0005	ND
78-87-5	* 1,2-Dichloropropane	0.0005	ND
10061-02-6	* Trans-1,3-Dichloropropene	0.0005	ND
79-01-6	* Trichloroethene	0.0005	ND
124-48-1	* Dibromochloromethane	0.0005	ND
79-00-5	* 1,1,2-Trichloroethane	0.0005	ND
10061-01-5	* cis-1,3-Dichloropropene	0.0005	ND
110-75-8	* 2-Chloroethylvinylether	0.001	ND
75-25-2	* Bromoform	0.0005	ND
127-18-4	* Tetrachloroethene	0.0005	ND
79-34-5	* 1,1,2,2-Tetrachloroethane	0.0005	ND
108-90-7	* Chlorobenzene	0.0005	ND
95-50-1	* 1,2-Dichlorobenzene	0.001	ND
541-73-1	* 1,3-Dichlorobenzene	0.001	ND
106-46-7	* 1,4-Dichlorobenzene	0.001	ND
	% Surrogate Recovery	51-136%	86%

ND : Not detected at or above the practical quantitation limit for the method.
* A 601/8010 approved compound (Federal Register, 10/26/84).
A compound added by Anamatrix, Inc.

HALOGENATED VOLATILE RECOVERY REPORT
 EPA METHOD 601/8010
 ANAMETRIX, INC. (408)432-8192

Sample I.D. : METHOD SPIKE	Anamatrix I.D. : SPK061692
Matrix : WATER	Analyst : KL
Date sampled : N/A	Supervisor : CP
Date analyzed : 06/16/92	Date released : 06/18/92
	Instrument I.D. : HP14

COMPOUND	SPIKE AMT. (ug/L)	MS (ug/L)	REC MS	MSD (ug/L)	REC MSD	RPD	%REC LIMITS
FREON 113	10	11.5	115%	11.9	119%	-4%	50 - 150
1,1-DICHLOROETHENE	10	9.1	91%	10.3	103%	-13%	41 - 110
trans-1,2-DICHLOROETHENE	10	9.7	97%	10.4	103%	-6%	47 - 126
1,1-DICHLOROETHANE	10	8.5	85%	7.3	73%	15%	67 - 124
cis-1,2-DICHLOROETHENE	10	10.8	108%	11.1	111%	-3%	50 - 150
1,1,1-TRICHLOROETHANE	10	10.7	107%	11.2	112%	-4%	50 - 125
TRICHLOROETHENE	10	10.8	108%	11.0	110%	-1%	51 - 131
TETRACHLOROETHENE	10	10.3	103%	10.8	108%	-5%	70 - 136
CHLOROBENZENE	10	11.3	113%	11.1	111%	2%	72 - 128
1,3-DICHLOROBENZENE	10	9.0	90%	9.2	92%	-2%	67 - 120
1,4-DICHLOROBENZENE	10	9.3	93%	9.4	94%	-1%	61 - 109
1,2-DICHLOROBENZENE	10	9.7	97%	9.9	99%	-2%	70 - 119

* Limits based on data generated by Anamatrix, Inc., July 1990.

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. DAVID LARSEN
EMCON ASSOCIATES
1938 JUNCTION AVE.
SAN JOSE, CA 95131

Workorder # : 9206093
Date Received : 06/05/92
Project ID : G67-35.01
Purchase Order: MOH-B813
Department : GC
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9206093- 1	MW-1	WATER	06/03/92	TPHg/BTEX
9206093- 2	MW-2	WATER	06/03/92	TPHg/BTEX
9206093- 3	MW-3	WATER	06/03/92	TPHg/BTEX
9206093- 4	TB	WATER	06/03/92	TPHg/BTEX

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. DAVID LARSEN
EMCON ASSOCIATES
1938 JUNCTION AVE.
SAN JOSE, CA 95131

Workorder # : 9206093
Date Received : 06/05/92
Project ID : G67-35.01
Purchase Order: MOH-B813
Department : GC
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Cheryl Bacon 6/16/92
Department Supervisor Date

Lucia Star 6/16/92
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS
(GASOLINE WITH BTEX)
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9206093
Matrix : WATER
Date Sampled : 06/03/92

Project Number : G67-35.01
Date Released : 06/16/92

Reporting Limit	Sample I.D.# MW-1	Sample I.D.# MW-2	Sample I.D.# MW-3	Sample I.D.# TB	Sample I.D.# BU1201E2
(mg/L)	-01	-02	-03	-04	BLANK
Benzene	0.0005	0.0008	0.033	ND	ND
Toluene	0.0005	ND	0.016	ND	ND
Ethylbenzene	0.0005	0.0009	0.15	ND	ND
Total Xylenes	0.0005	ND	0.24	ND	ND
TPH as Gasoline	0.050	ND	1.4	ND	ND
% Surrogate Recovery	96%	94%	102%	83%	91%
Instrument I.D.	HP12	HP12	HP12	HP12	HP12
Date Analyzed	06/13/92	06/13/92	06/13/92	06/13/92	06/12/92
RLMF	1	5	1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 53-147%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Lucia Shor 6/16/92
Analyst Date

Cheryl Bauman 6/16/92
Supervisor Date

ANAMETRIX, INC.
1961 Concourse Drive, #E, San Jose, CA. 95131
(408) 432-8192
LOG IN FORM and WORKORDER SUMMARY REPORT

06/16/92 13:57:40

ANAMETRIX

workorder: # 9206093
report to: EMCON ASSOCIATES
1938 JUNCTION AVE.
SAN JOSE, CA 95131

p.o #: MOH-B813
project #: G67-35.01

phone # : (408)453-2269
fax phone: (408)453-0452
attention: MR. DAVID LARSEN

date received: 06/05/92
date due : 06/19/92
disposal : D

DIS.	CODE	WORKORDER	SAMPLE ID	MATRIX	METHOD	FRIG ID#	VOL AVL	CONTAINER	DATE SAMPLED
	D	9206093- 1	MW-1	WATER	601	16	3.	VOA	06/03/92
	D	9206093- 2	MW-2	WATER	601	16	3.	VOA	06/03/92
	D	9206093- 3	MW-3	WATER	601	16	3.	VOA	06/03/92
	D	9206093- 1	MW-1	WATER	TPHg/BTEX	2	3.	VOA	06/03/92
	D	9206093- 2	MW-2	WATER	TPHg/BTEX	2	3.	VOA	06/03/92
	D	9206093- 3	MW-3	WATER	TPHg/BTEX	2	3.	VOA	06/03/92
	D	9206093- 4	TB	WATER	TPHg/BTEX	2	3.	VOA	06/03/92

COMMENTS : WATCH HOLD TIMES. JD

1

Custodian's Signature _____

Date/Time into Refrigerator _____

Site Address: 1285 Bancroft Avenue
San Leandro CA

Analysis Required ¹² ^{14:45} ₁₅

LAB: Analytix

WICN: 204-6852-0703

Shell Engineer: Kurt Miller
Phone No. (510) 685-3853
Fax #: 685-3853

Consultant Name & Address: EMCON Assoc.
1938 Junction Ave.
San Jose, CA 95131

Consultant Contact: David Larsen
Phone No. (408) 453-2269
Fax #: 453-2269

Comments: 3-VOLs (HCL) for g, BTEX
3-VOLs (NP) for g, 601
2-Liter Glass (GR) for Diesel

Sampled By: J Butera
Printed Name: J Butera (BURENA)

CHECK ONE (1) BOX ONLY		CT/DT	TURN AROUND T
Quarterly Monitoring	<input checked="" type="checkbox"/>	5461	24 hours <input type="checkbox"/>
Site Investigation	<input type="checkbox"/>	5441	48 hours <input type="checkbox"/>
Soil for disposal	<input type="checkbox"/>	5442	15 days <input checked="" type="checkbox"/> (Not
Water for disposal	<input type="checkbox"/>	5443	Other <input type="checkbox"/>
Air Sample- Sys O&M	<input type="checkbox"/>	5452	
Water Sample - Sys O&M	<input type="checkbox"/>	5453	
Other	<input type="checkbox"/>		

NOTE: Notify Lab soon as possible of 24/48 hrs. TAT.

Sample ID	Date	Soil	Water	Air	No. of conts.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	EPA 601	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITIO COMMENT
MW-1	8-3-92		X		86	X	X	X			X	40 ml	HCL	No	Diesel	Samples
MW-2	↓		↓		86	X	X	X			X	↓	↓	↓	Cancelled	coal.
MW-3	↓		↓		86	X	X	X			X	↓	↓	↓	per client	
TB	↓		↓		3	X	X					↓	↓	↓	10/5/92 g.p.	

Relinquished By (signature): J Butera
Printed name: J BUTERA
Date: 6-5-91

Received (signature): [Signature]
Printed name: REUNY S. CARRIZOSA
Date: 6-5-91

Relinquished By (signature): [Signature]
Printed name: REUNY S. CARRIZOSA
Date: 6-5-91

Received (signature): [Signature]
Printed name: D GOWAN
Date: 6-5-91

Relinquished By (signature): [Signature]
Printed name: [Blank]
Date: [Blank]

Received (signature): [Blank]
Printed name: [Blank]
Date: [Blank]

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS