



113983
Weiss Associates

5500 Shellmound Street, Emeryville, CA 94608-2411

Environmental and Geologic Services

Fax: 510-547-5043 Phone: 510-450-6000
FEB 12 1996

February 12, 1996

Scott O. Seery
Alameda County Department
of Environmental Health
1131 Harbor Bay Parkway
Alameda, California 94502-6577

Re: **Fourth Quarter 1995**
Shell Service Station
WIC #204-6852-0703
1285 Bancroft Avenue
San Leandro, California 94577
WA Job #81-0423-205

Dear Mr. Seery:

This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Division 3, Chapter 16, Article 5, Section 2652.d.

Fourth Quarter 1995 Activities:


- Weiss Associates (WA) conducted soil sampling in October during the dispenser upgrade on the site.
- Shell Oil Products Company filed an Unauthorized Release Form on November 20, 1995 documenting a release from the underground tanks.
- Blaine Tech Services, Inc. (BTS) of San Jose, California measured ground water depths and collected ground water samples from the site wells (Figures 1 and 2). BTS' report describing these activities and the analytic report for the ground water samples are included as Attachment A.
- WA calculated ground water elevations and compiled the analytic data (Tables 1 and 2, respectively), contoured ground water elevations and plotted benzene concentrations in ground water (Figure 2).

Anticipated First Quarter 1996 Activities:


- WA will submit a report presenting the results of the first quarter 1996 ground water sampling and ground water depth measurements. The report will include tabulated chemical analytic results, contoured ground water elevations and plotted benzene concentrations in ground water.

Please call if you have any questions or comments.

Sincerely,
Weiss Associates



Grady S. Glasser
Technical Assistant



James W. Carmody, C.H.G.
Senior Project Hydrogeologist

Attachments: A - Ground Water Monitoring Report and Analytic Report

cc: R. Jeff Granberry, Shell Oil Products Company, P.O. Box 4023, Concord, California 94524

GSG/JWC:all
J:\SHELL\0423\QM\95Q4\95Q4E.DOC

TOM ■ FOJUT (WEISS ASSOCIATES)
450-6120





Figure 1. Site Location Map - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California



EXPLANATION	
⊙ MW-1	Monitoring well
27.66	Ground water elevation, ft above mean sea level (msl)
[230]	Benzene concentration in parts per billion (ppb)
- 27.66	Ground water elevation contour, ft above msl, approximately located, dashed where inferred
→	Inferred ground water flow direction




Figure 2. Monitoring Well Locations, Ground Water Elevation Contours and Benzene Concentrations in Ground Water - December 14, 1995 - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California

Table 1. Ground Water Elevations, Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)	
MW-1	03/13/90	66.29	42.65	23.64	
	06/12/90		43.14	23.15	
	09/13/90		44.71	21.58	
	12/18/90		45.23	21.06	
	03/07/91		43.32	22.97	
	06/07/91		42.18	24.11	
	09/17/91		44.85	21.44	
	03/01/92		41.56	24.73	
	06/03/92		40.74	25.55	
	09/01/92		43.05	23.24	
	12/07/92		44.19	22.10	
	03/01/93		34.96	31.33	
	06/22/93		36.75	29.54	
	09/09/93		39.36	26.93	
	12/13/93		40.74	25.55	
	03/03/94		38.40	27.89	
	07/27/94		66.90 ^a	40.49	26.41
	08/09/94			40.84	26.06
	10/05/94 ^b			41.98	24.92
	11/11/94			41.34	25.56
	12/29/94			42.06	24.84
	01/04/95			39.90	27.00
	04/14/95			31.02	35.88
	07/12/95			34.61	32.29
	12/14/95			39.24	27.66
MW-2	03/01/92	66.91		41.57	25.34
	06/03/92		40.56	26.35	
	09/01/92		42.94	23.97	
	12/07/92		44.13	22.78	
	03/01/93		34.82	32.09	
	06/22/93		36.64	30.27	
	09/09/93		39.24	27.67	
	12/13/93		40.64	26.27	
	03/03/94		38.98	27.93	
	07/27/94		66.91 ^a	40.40	26.51
	08/09/94			40.71	26.20
	10/05/94 ^b			41.89	25.02
	11/11/94			41.22	25.69
	12/29/94			41.99	24.92
	01/04/95			39.81	27.10

Table 1. Ground Water Elevations, Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
	04/14/95		30.83	36.08
	07/12/95		34.50	32.41
	12/14/95		39.22	27.69
MW-3	03/01/92	66.31	42.00	24.31
	06/03/92		44.30	22.01
	09/01/92		43.62	22.69
	12/07/92		44.77	21.54
	03/01/93		35.50	30.81
	06/22/93		37.30	29.01
	09/09/93		39.90	26.41
	12/13/93		41.30	25.01
	03/03/94		38.32	27.99
	07/27/94	67.52 ^a	41.07	26.45
	08/09/94		41.37	26.15
	10/05/94 ^b		42.55	24.97
	11/11/94		41.86	25.66
	12/29/94		42.59	24.93
	01/04/95		40.54	26.98
	04/14/95		31.50	36.02
	07/12/95		35.14	32.38
	12/14/95		39.86	27.66
MW-4	07/27/94	68.08 ^a	41.78	26.30
	08/09/94		42.09	25.99
	10/05/94 ^b		43.25	24.83
	11/11/94		42.54	25.54
	12/29/94		43.34	24.74
	01/04/95		41.57	26.51
	04/14/95		32.24	35.84
	07/12/95		35.88	32.20
	12/14/95		40.54	27.54

Notes:

a = Top-of-Casing Elevation resurveyed March 29, 1994

b = Measurements this date represent 3rd month of 3rd Quarter 1994.

Table 2A. Analytical Results for Ground Water - Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California

Well ID	Date Sampled	Depth to Water (ft)	parts per billion (µg/L)					
			TPH-G	TPH-D	B	E	T	X
MW-1	09/17/91	44.85	50 ^a	160 ^b	<0.5	<0.5	<0.5	<0.5
	03/01/92	41.56	<50	<50	<0.5	<0.5	<0.5	<0.5
	06/03/92	40.74	<50	---	0.8	0.9	<0.5	<0.5
	09/01/92	43.05	<50	---	<0.5	5.3	5.8	7.2
	12/07/92	44.19	68	---	<0.5	<0.5	0.8	1.2
	03/01/93	34.96	<50	---	<0.5	<0.5	<0.5	<0.5
	03/01/93 ^{dup}	34.96	<50	---	<0.5	<0.5	<0.5	<0.5
	06/22/93	36.75	<50	---	<0.5	<0.5	<0.5	<0.5
	09/09/93	39.36	200 ^c	---	16	2.0	5.2	<0.5
	12/13/93	40.74	89 ^d	---	3.4	<0.5	<0.5	<0.5
	03/03/94	38.40	65 ^d	---	2.6	<0.5	<0.5	<0.5
	07/27/94	40.49	180	---	30	2.6	1.8	5.0
	07/27/94 ^{dup}	40.49	240	---	25	2.2	2.2	4.0
	10/05/94	41.98	<50	---	<0.3	<0.3	<0.3	<0.6
	01/04/95	39.90	<50	---	2.4	<0.5	<0.5	<0.5
	01/04/95 ^{dup}	39.90	<50	---	2.5	<0.5	<0.5	<0.5
	04/14/95	35.88	<50	---	<0.5	<0.5	0.5	<0.5
	04/14/95 ^{dup}	35.88	<50	---	<0.5	<0.5	<0.5	<0.5
	07/12/95	34.61	<50	---	1.2	<0.5	0.8	<0.5
	12/14/95	39.24	380	---	230	1.1	9.0	49
MW-2	03/01/92	41.57	910	<50	11	50	5.2	140
	06/03/92	40.56	1,400	---	33	150	16	240
	09/01/92	42.94	230	---	5.2	15	4.1	19
	09/01/92 ^{dup}	42.94	320	---	5.6	18	5	220
	12/07/92	44.13	240	---	1.5	9.5	1.3	9.9
	12/07/92 ^{dup}	44.13	<50	---	1.7	13	1	12
	03/01/93	34.82	230	---	260	27	310	66
	06/22/93	36.64	220	---	18	3.6	3.4	5.2

Table 2A. Analytical Results for Ground Water - Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	parts per billion ($\mu\text{g/L}$)			
					B	E	T	X
	06/22/93 ^{dup}	36.64	320	---	29	4.2	4.8	6.1
	09/09/93	39.24	260	---	18	16	4.6	12
	09/09/93 ^{dup}	39.24	210	---	16	14	3.9	9.1
	12/13/93	40.64	1,300 ^c	---	82	73	34	15
	12/13/93 ^{dup}	40.64	1,400 ^e	---	110	72	45	19
	03/03/94	38.98	9,600	---	1,200	390	600	710
	03/03/94 ^{dup}	38.98	10,000	---	930	330	500	590
	07/27/94	40.40	190	---	<0.5	<0.5	1.0	<0.5
	08/09/94	40.71	1,500	---	53.5	46.2	12.4	44.0
	10/05/94	41.89	<485	---	<0.3	<0.3	<0.3	<0.6
	01/04/95	39.81	1,300	---	150	23	35	51
	04/14/95	30.83	5,000	---	1,000	400	340	810
	07/12/95	34.50	4,500	---	440	170	170	290
	07/12/95 ^{dup}	34.50	4,300	---	430	160	160	280
	12/14/95	39.22	37,000	---	1,800	1,000	7,600	6,700
	12/14/95 ^{dup}	39.22	34,000	---	1,800	1,000	6,600	6,500
MW-3	03/01/92	42.00	<50	<50	<0.5	<0.5	<0.5	<0.5
	06/03/92	44.30	<50	---	<0.5	<0.5	<0.5	<0.5
	09/01/92	43.62	<50	---	<0.5	1.1	<0.5	3.2
	12/07/92	44.77	52	---	<0.5	<0.5	<0.5	0.5
	03/01/93	35.50	<50	---	<0.5	<0.5	<0.5	<0.5
	06/22/93	37.30	<50	---	<0.5	<0.5	<0.5	<0.5
	09/09/93	39.90	50 ^c	---	5.0	<0.5	<0.5	<0.5
	12/13/93	41.30	120 ^d	---	7.5	1.6	<0.5	6.3
	03/03/94	38.32	<50	---	0.81	<0.5	<0.5	<0.5
	07/27/94	41.07	<50	---	3.5	<0.5	<0.5	<0.5
	10/05/94 ^c	42.55	<57	---	<0.3	<0.3	<0.3	<0.6
	01/04/95	40.54	<50	---	6.0	<0.5	<0.5	<0.5

Table 2A. Analytical Results for Ground Water - Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	B	E	T	X
			←————— parts per billion (µg/L) —————→					
	04/14/95	31.50	<50	---	<0.5	<0.5	<0.5	<0.5
	07/12/95	35.14	90	---	16	<0.5	<0.5	<0.5
	12/14/95	39.86	4,600	---	460	34	390	1,000
MW-4	07/27/94	41.78	120	---	3.4	0.6	3.9	4.9
	10/05/94 ^c	43.25	<50	---	<0.3	<0.3	<0.3	<0.6
	10/05/94 ^{dup}	43.25	<50	---	<0.3	<0.3	<0.3	<0.6
	01/04/95	41.57	<50	---	1.4	<0.5	<0.5	<0.5
	04/14/95	32.24	<50	---	<0.5	<0.5	<0.5	<0.5
	07/12/95	35.88	<50	---	<0.5	<0.5	<0.5	<0.5
	12/14/95	40.54	70	---	0.6	<0.5	<0.5	<0.5
Bailer	09/01/92		<50	---	<0.5	<0.5	<0.5	1
Blank	12/07/92		<50	---	<0.5	<0.5	<0.5	<0.5
	01/04/95		<50	---	<0.5	<0.5	<0.5	<0.5
	07/12/95		<50	---	0.6	<0.5	0.7	<0.5
	12/14/95		<50	---	<0.5	<0.5	<0.5	<0.5
Trip	09/17/91		<50	---	<0.5	<0.5	<0.5	<0.5
Blank	03/01/92		<50	---	<0.5	<0.5	<0.5	<0.5
	06/03/92		<50	---	<0.5	<0.5	<0.5	<0.5
	09/01/92		<50	---	<0.5	<0.5	<0.5	<0.5
	12/07/92		<50	---	<0.5	<0.5	<0.5	<0.5
	03/01/93		<50	---	<0.5	<0.5	<0.5	<0.5
	06/22/93		<50	---	<0.5	<0.5	<0.5	<0.5
	09/09/93		<50	---	<0.5	<0.5	<0.5	<0.5
	12/13/93		<50	---	<0.5	<0.5	<0.5	<0.5
	03/03/94		<50	---	<0.5	<0.5	<0.5	<0.5
	07/27/94		<50	---	<0.5	<0.5	<0.5	<0.5
	08/09/94		<500	---	<0.3	<0.3	<0.3	<0.6

Table 2A. Analytical Results for Ground Water - Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	B	E	T	X
			← parts per billion (µg/L) →					
	10/05/94		<50	---	<0.3	<0.3	<0.3	<0.6
	01/04/95		<50	---	<0.5	<0.5	<0.5	<0.5
	04/14/95		<50	---	<0.5	<0.5	<0.5	<0.5
	07/12/95		<50	---	<0.5	<0.5	<0.5	<0.5
	12/14/95		<50	---	<0.5	<0.5	<0.5	<0.5
DTSC MCLs			NE	NE	1	680	100 ^g	1,750

Abbreviations:

- TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015
- TPH-D = Total petroleum hydrocarbons as diesel by Modified EPA Method 8015
- B = Benzene by EPA Method 8020
- E = Ethylbenzene by EPA Method 8020
- T = Toluene by EPA Method 8020
- X = Xylenes by EPA Method 8020
- dup = Duplicate sample
- NE = Not established
- DTSC MCLs = California Department of Toxic Substances Control maximum contaminant levels for drinking water
- = Not analyzed
- < n = Not detected at detection limits of n ppm

Notes:

- a = Result due to a non-gasoline hydrocarbon compound
- b = Result due to a non-diesel hydrocarbon compound
- c = The concentrations reported as gasoline are primarily due to the presence of a combination of gasoline and a discrete peak not indicative of gasoline.
- d = The concentrations reported as gasoline are primarily due to the presence of a discrete peak not indicative of gasoline
- e = Data not required, extra sample collected by sampling consultant.
- f = Results this date represent 3rd month of 3rd Quarter 1994
- g = DTSC recommended action level; MCL not established



Table 2B. Analytic Reports for Ground Water - Non-Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California

Well ID	Date Sampled	Depth to Water	parts per billion (mg/L)					
			TCE	TOG	PCE	Chloroform	cis-1,2-DCE	trans-1,2-DCE
MW-1	03/08/90	42.65	---	<10,000	35	6.3	---	---
	06/12/90	43.14	---	<10,000	1.9	63	---	---
	09/13/90	44.71	---	<10,000	26	9	---	---
	12/18/90	45.23	---	<10,000	<0.4	5.3	---	---
	03/07/91	43.32	---	---	23	3.7	---	---
	06/07/91	42.18	---	---	21	6.6	---	---
	09/17/91	44.85	---	---	23	7.4	---	---
	03/01/92	41.56	<0.4	---	21	6.3	---	<0.4
	06/03/92	40.74	17	---	<0.5	6.7	<0.5	<0.5
	09/01/92	43.05	12	---	<0.5	5.8	<0.5	<0.5
	12/07/92	44.19	<0.5	---	17	9	<0.5	<0.5
	03/01/93	34.96	<0.5	---	22	13	<0.5	<0.5
	03/01/93 ^{dup}	34.96	<0.5	---	22	13	<0.5	<0.5
	06/23/93	36.75	<0.5	---	18	8	<0.5	<0.5
	09/09/93	39.36	<0.5	---	17	6.5	<0.5	<0.5
	12/13/93	40.74	---	---	---	---	---	---
04/14/95	31.02	---	---	---	---	---	---	
MW-2	03/01/92	41.57	<0.4	---	11	8.9	---	<0.4
	06/03/92	40.56	7.4	---	<0.5	<0.5	0.76	6.3
	09/01/92	42.94	8.4	---	<0.5	9.1	<0.5	<0.5
	09/01/92 ^{dup}	42.94	8.4	---	<0.5	8.1	<0.5	<0.5
	12/07/92	44.13	<0.5	---	10	10	<0.5	<0.5
	12/07/92 ^{dup}	44.13	<0.5	---	10	9	<0.5	<0.5
	03/01/93	34.82	<0.5	---	<0.5	<0.5	<0.5	<0.5
	06/22/93	36.64	<0.5	---	13	7.9	<0.5	<0.5
	06/22/93 ^{dup}	36.64	<0.5	---	12	6.9	<0.5	<0.5
09/09/93	39.24	<0.5	---	11	5.9	1.9	<0.5	



Table 2B. Analytic Reports for Ground Water - Non-Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California (continued)

Well ID	Date Sampled	Depth to Water	TCE	TOG	PCE	Chloroform	cis-1,2-DCE	trans-1,2-DCE
			← parts per billion (mg/L) →					
	09/09/93	39.24	<0.5	---	12	7.3	1.1	<0.5
	12/13/93	40.64	---	---	---	---	---	---
	07/27/94	40.40	<0.4	---	<0.4	7.5	---	<0.4
	08/09/94	40.71	<0.1	---	10.1	5.8	<0.1	<0.3
	10/05/94 ^a	41.89	<5	---	9	5	<5	<5
	01/04/95	39.81	<0.4	---	12	3.8	---	<0.4
	04/14/95	30.83	<0.4	---	8.4	2.3	<0.4	---
MW-3	03/01/92	42.00	<0.4	---	8.8	2.4	---	<0.4
	06/03/92	44.30	3	---	<0.5	1.5	<0.5	<0.5
	09/01/92	43.62	8.8	---	<0.5	2.3	<0.5	<0.5
	12/07/92	44.77	<0.5	---	10	3	<0.5	<0.5
	03/01/93	35.50	<0.5	---	9.2	9.4	<0.5	<0.5
	06/22/93	37.30	<0.5	---	7.8	9.6	<0.5	<0.5
	09/09/93	39.90	<0.5	---	7.9	7.3	<0.5	<0.5
	12/13/93	41.30	---	---	---	---	---	---
Bailer	09/01/92		<0.5	---	<0.5	<0.5	<0.5	<0.5
Blank	12/07/92		<0.5	---	<0.5	<0.5	<0.5	<0.5
Trip	09/01/92		<0.5	---	<0.5	<0.5	<0.5	<0.5
Blank	12/07/92 ^b		<0.5	---	<0.5	<0.5	<0.5	<0.5
	03/01/93		<0.5	---	<0.5	<0.5	<0.5	<0.5
	06/22/93 ^c		<0.5	---	<0.5	<0.5	<0.5	<0.5
DTSC MCLs			5	NE	5	NE	6	10

Table 2B. Analytic Reports for Ground Water - Non-Fuel Compounds - Shell Service Station WIC #204-6852-0703, 1285 Bancroft Avenue, San Leandro, California (continued)

Abbreviations:


TCE = Trichloroethene by EPA Method 601
TOG = Total non-polar oil and grease by American Public Health Association
Standard Methods 503A&E
PCE = Tetrachloroethene by EPA Method 601
cis-1,2-DCE = cis-1,2-Dichloroethene by EPA Method 601
trans-1,2-DCE = trans-1,2-Dichloroethene by EPA Method 601
--- = Not analyzed
dup = Duplicate sample
DTSC MCLs = Department of Toxic Substances Control Maximum Contaminant
Levels for drinking water
NE = DTSC MCL not established

Notes:

a = Results this date represent 3rd month of 3rd quarter 1994
b = Sample contained 0.014 mg/L of 1,3-Dichlorobenzene
c = Although 1.4 ppb methylene chloride was detected in one of the ground water samples from well MW-2, the laboratory indicated that this was within normal laboratory background concentrations.

ATTACHMENT A

GROUND WATER MONITORING REPORT AND ANALYTIC REPORT



BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE
SAN JOSE, CA 95133
(408) 995-5535
FAX (408) 293-8773

October 4, 1995

Shell Oil Company
P.O. Box 4023
Concord, CA 94524

Attn: R. Jeff Granberry

Shell WIC #204-6852-0703
1285 Bancroft Avenue
San Leandro, California

4th Quarter 1995

Quarterly Groundwater Monitoring Report 951214-D-1

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. Copies of our Sampling Report along with the laboratory's Certified Analytical Report are forwarded to the consultant overseeing work at this site. Submission of the assembled documents to interested regulatory agencies will be made by the designated consultant.

Groundwater monitoring at this site was performed in accordance with Standard Operating Procedures provided to the interested regulatory agencies. If you have any questions about the work performed at this site please call me at (408) 995-5535 ext. 201.

Yours truly,

Francis Thie

attachments: Table of Well Gauging Data
Chain of Custody
Field Data Sheets
Certified Analytical Report

cc: Weiss Associates
5500 Shellmound Street
Emeryville, CA 94608-2411
Attn: Grady Glasser

(Any professional evaluations or recommendations will be made by the consultant under separate cover.)

TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheet)	DEPTH TO FIRST IMMISCIBLE LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLE LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	12/14/95	TOC	-	NONE	-	-	39.24	59.20
MW-2*	12/14/95	TOC	-	NONE	-	-	39.22	59.44
MW-3	12/14/95	TOC	-	NONE	-	-	39.86	57.55
MW-4	12/14/95	TOC	-	NONE	-	-	40.54	54.68

* Sample DUP was a duplicate sample taken from well MW-2.



SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD

Serial No: 951214-D1

Date: 12-14-95

Page 1 of 1

4518

Silo Address: 1285 Bancroft Avenue, San Leandro

WIC#: 204-6852-0703

Shell Engineer: Dan Kirk
Phone No.: (510) 675-6168
Fax #: 675-6160

Consultant Name & Address:
Blaine Tech Services, Inc.
985 Timothy Drive San Jose, CA 95133

Consultant Contact: Jim Keller
Phone No.: (408) 995-5535
Fax #: 293-8773

Comments:

Sampled by: MIKE D

Printed Name: MIKE DILLOUGHIERY

Analysis Required

LAB: NET PACIFIC

CHECK ONE (1) BOX ONLY	C1/D1	TURN AROUND TIME
Quality Monitoring <input checked="" type="checkbox"/>	6441	24 hours <input type="checkbox"/>
Site Investigation <input type="checkbox"/>	6441	48 hours <input type="checkbox"/>
Soil Classify/Disposal <input type="checkbox"/>	6442	16 days <input checked="" type="checkbox"/> (Normal)
Water Classify/Disposal <input type="checkbox"/>	6443	Other <input type="checkbox"/>
Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	6442	
Water Rem. or Sys. O & M <input type="checkbox"/>	6443	
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible of 24/48 hr. TAT.

Sample ID	Date	Sludge	Soil	Water	Air	No. of Concls.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
MW-1	12-14			W		3						X						
MW-2	12-14					3						X						
MW-3	12-14					3						X						
MW-4	12-14					3						X						
EB	12-14					3						X						
DUP	12-14					3						X						
TB	12-14					2						X						

CUSTODY SEALED
Date: 12/15/95 Time: 1440 Initials: PS
SEAL INTACT?
Yes No Initials: PS

Relinquished by (signature): <u>[Signature]</u>	Printed Name: <u>MIKE DILLOUGHIERY</u>	Date: <u>12/14/95</u>	Time: <u>1100</u>	Received (signature): <u>[Signature]</u>	Printed Name: <u>P. Smart</u>	Date: <u>12/15/95</u>	Time: <u>1100</u>
Relinquished by (signature): <u>[Signature]</u>	Printed Name: <u>P. Smart</u>	Date: <u>12/15/95</u>	Time: <u>1440</u>	Received (signature): <u>[Signature]</u>	Printed Name:	Date:	Time:
Relinquished by (signature):	Printed Name:	Date:	Time:	Received (signature): <u>[Signature]</u>	Printed Name: <u>THIL PROSSER</u>	Date: <u>12/16/95</u>	Time: <u>0400</u>

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS

VA NES



NATIONAL
ENVIRONMENTAL
TESTING, INC.

Santa Rosa Division
3636 North Laughlin Road
Suite 110
Santa Rosa, CA 95403-8226
Tel: (707) 526-7200
Fax: (707) 541-2333

Jim Keller
Blaine Tech Services
985 Timothy Dr.
San Jose, CA 95133

Date: 12/28/1995
NET Client Acct. No: 1821
NET Job No: 95.04781
Received: 12/16/1995

Client Reference Information

Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

Sample analysis in support of the project referenced above has been completed and results are presented on the following pages. Results apply only to the samples analyzed. All positive results have been confirmed as required. Reproduction of this report is permitted only in its entirety. Please refer to the enclosed "Key to Abbreviations" for definition of terms. Should you have questions regarding procedures or results, please feel free to call me at (707) 541-2305.

Submitted by:

A handwritten signature in cursive script that reads "Ginger Brinlee". The signature is written over a horizontal line.

Ginger Brinlee
Project Coordinator

Enclosure (s)





Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 2

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: MW-1

Date Taken: 12/14/1995

Time Taken:

NET Sample No: 257452

Parameter	Results	Flags	Reporting			Date Extracted	Date Analyzed	Run Batch No.
			Limit	Units	Method			
METHOD 5030/8015-M (Shell)								
DILUTION FACTOR*	1					12/21/1995	3426	
Purgeable TPH	380		50	ug/L	5030/M8015	12/21/1995	3426	
Carbon Range: C6 to C12	--					12/21/1995	3426	
METHOD 8020 (GC, Liquid)	--					12/21/1995	3426	
Benzene	230	FC	5	ug/L	8020	12/27/1995	3431	
Toluene	9.0		0.5	ug/L	8020	12/21/1995	3426	
Ethylbenzene	1.1		0.5	ug/L	8020	12/21/1995	3426	
Xylenes (Total)	49		0.5	ug/L	8020	12/21/1995	3426	
SURROGATE RESULTS	--					12/21/1995	3426	
Bromofluorobenzene (SURR)	104			% Rec.	8020	12/21/1995	3426	

FC : Compound quantitated at a 10X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 3

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: MW-2
Date Taken: 12/14/1995
Time Taken:
NET Sample No: 257453

Parameter	Results	Flags	Reporting		Method	Date	Date	Run Batch No.
			Limit	Units		Extracted	Analyzed	
METHOD 5030/8015-M (Shell)								
DILUTION FACTOR*	100						12/21/1995	3426
Purgeable TPH	37,000		5,000	ug/L	5030/M8015		12/21/1995	3426
Carbon Range: C6 to C12	--						12/21/1995	3426
METHOD 8020 (GC, Liquid)	--						12/21/1995	3426
Benzene	1,800		50	ug/L	8020		12/21/1995	3426
Toluene	7,600	FI	500	ug/L	8020		12/27/1995	3431
Ethylbenzene	1,000		50	ug/L	8020		12/21/1995	3426
Xylenes (Total)	6,700		50	ug/L	8020		12/21/1995	3426
SURROGATE RESULTS	--						12/21/1995	3426
Bromofluorobenzene (SURR)	101			% Rec.	8020		12/21/1995	3426

FI : Compound quantitated at a 1000X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 4

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: MW-3
Date Taken: 12/14/1995
Time Taken:
NET Sample No: 257454

Parameter	Results	Flags	Reporting		Units	Method	Date	Date	Run Batch No.
			Limit				Extracted	Analyzed	
METHOD 5030/8015-M (Shell)									
DILUTION FACTOR*	10						12/21/1995		3426
Purgeable TPH	4,600		500		ug/L	5030/M8015	12/21/1995		3426
Carbon Range: C6 to C12	--						12/21/1995		3426
METHOD 8020 (GC, Liquid)	--						12/21/1995		3426
Benzene	460		5		ug/L	8020	12/21/1995		3426
Toluene	390		5		ug/L	8020	12/21/1995		3426
Ethylbenzene	34		5		ug/L	8020	12/21/1995		3426
Xylenes (Total)	1,000		5		ug/L	8020	12/21/1995		3426
SURROGATE RESULTS	--						12/21/1995		3426
Bromofluorobenzene (SURR)	102				% Rec.	8020	12/21/1995		3426

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 5

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: MW-4
Date Taken: 12/14/1995
Time Taken:
NET Sample No: 257455

Parameter	Results	Flags	Reporting		Units	Method	Date	Date	Run
			Limit				Extracted	Analyzed	Batch
METHOD 5030/8015-M (Shell)									
DILUTION FACTOR*	1						12/21/1995		3426
Purgeable TPH	70		50		ug/L	5030/M8015	12/21/1995		3426
Carbon Range: C6 to C12	--						12/21/1995		3426
METHOD 8020 (GC, Liquid)	--						12/21/1995		3426
Benzene	0.06		0.5		ug/L	8020	12/21/1995		3426
Toluene	ND		0.5		ug/L	8020	12/21/1995		3426
Ethylbenzene	ND		0.5		ug/L	8020	12/21/1995		3426
Xylenes (Total)	ND		0.5		ug/L	8020	12/21/1995		3426
SURROGATE RESULTS	--						12/21/1995		3426
Bromofluorobenzene (SURR)	103				% Rec.	8020	12/21/1995		3426

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 6

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: EB

Date Taken: 12/14/1995

Time Taken:

NET Sample No: 257456

Parameter	Results	Flags	Reporting		Method	Date	Date	Run
			Limit	Units		Extracted	Analyzed	Batch
METHOD 5030/8015-M (Shell)								
DILUTION FACTOR*	1						12/21/1995	3426
Purgeable TPH	ND		50	ug/L	5030/M8015		12/21/1995	3426
Carbon Range: C6 to C12	--						12/21/1995	3426
METHOD 8020 (GC, Liquid)	--						12/21/1995	3426
Benzene	ND		0.5	ug/L	8020		12/21/1995	3426
Toluene	ND		0.5	ug/L	8020		12/21/1995	3426
Ethylbenzene	ND		0.5	ug/L	8020		12/21/1995	3426
Xylenes (Total)	ND		0.5	ug/L	8020		12/21/1995	3426
SURROGATE RESULTS	--						12/21/1995	3426
Bromofluorobenzene (SURRE)	103			% Rec.	8020		12/21/1995	3426

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 7

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: DUP
Date Taken: 12/14/1995
Time Taken:
NET Sample No: 257457

Parameter	Results	Flags	Reporting		Method	Date	Date	Run
			Limit	Units		Extracted	Analyzed	Batch
METHOD 5030/8015-M (Shell)								
DILUTION FACTOR*	100						12/21/1995	3426
Purgeable TPH	34,000		5,000	ug/L	5030/M8015		12/21/1995	3426
Carbon Range: C6 to C12	--						12/21/1995	3426
METHOD 8020 (GC, Liquid)	--						12/21/1995	3426
Benzene	1,800		50	ug/L	8020		12/21/1995	3426
Toluene	6,600	FI	500	ug/L	8020		12/27/1995	3431
Ethylbenzene	1,000		50	ug/L	8020		12/21/1995	3426
Xylenes (Total)	6,500		50	ug/L	8020		12/21/1995	3426
SURROGATE RESULTS	--						12/21/1995	3426
Bromofluorobenzene (SURR)	105			% Rec.	8020		12/21/1995	3426

FI : Compound quantitated at a 1000X dilution factor.

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 8

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

SAMPLE DESCRIPTION: TB

Date Taken: 12/14/1995

Time Taken:

NET Sample No: 257458

Parameter	Results	Flags	Reporting		Method	Date	Date	Run
			Limit	Units		Extracted	Analyzed	Batch
METHOD 5030/8015-M (Shell)								
DILUTION FACTOR*	1						12/21/1995	3426
Purgeable TPH	ND		50	ug/L	5030/M8015		12/21/1995	3426
Carbon Range: C6 to C12	--						12/21/1995	3426
METHOD 8020 (GC, Liquid)	--						12/21/1995	3426
Benzene	ND		0.5	ug/L	8020		12/21/1995	3426
Toluene	ND		0.5	ug/L	8020		12/21/1995	3426
Ethylbenzene	ND		0.5	ug/L	8020		12/21/1995	3426
Xylenes (Total)	ND		0.5	ug/L	8020		12/21/1995	3426
SURROGATE RESULTS	--						12/21/1995	3426
Bromofluorobenzene (SURRE)	99			% Rec.	8020		12/21/1995	3426

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 9

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

CONTINUING CALIBRATION VERIFICATION STANDARD REPORT

Parameter	CCV	CCV	CCV	Units	Date Analyzed	Analyst Initials	Run Batch Number
	Standard % Recovery	Standard Amount Found	Standard Amount Expected				
METHOD 5030/8015-M (Shell)							
Purgeable TPH	86.0	0.43	0.50	mg/L	12/21/1995	dld	3426
Benzene	102.2	5.11	5.00	ug/L	12/21/1995	dld	3426
Toluene	96.8	4.84	5.00	ug/L	12/21/1995	dld	3426
Ethylbenzene	98.4	4.92	5.00	ug/L	12/21/1995	dld	3426
Xylenes (Total)	100.0	15.0	15.0	ug/L	12/21/1995	dld	3426
Bromofluorobenzene (SURR)	98.0	98	100	% Rec.	12/21/1995	dld	3426
METHOD 5030/8015-M (Shell)							
Purgeable TPH	110.0	0.55	0.50	mg/L	12/26/1995	dld	3431
Benzene	98.4	4.92	5.00	ug/L	12/26/1995	dld	3431
Toluene	95.4	4.77	5.00	ug/L	12/26/1995	dld	3431
Ethylbenzene	96.8	4.84	5.00	ug/L	12/26/1995	dld	3431
Xylenes (Total)	98.7	14.8	15.0	ug/L	12/26/1995	dld	3431
Bromofluorobenzene (SURR)	98.0	98	100	% Rec.	12/26/1995	dld	3431

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 10

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

METHOD BLANK REPORT

Parameter	Method	Reporting	Units	Date	Analyst	Run
	Blank					
	Found					Number
METHOD 5030/8015-M (Shell)						
Purgeable TPH	ND	0.05	mg/L	12/21/1995	dld	3426
Benzene	ND	0.5	ug/L	12/21/1995	dld	3426
Toluene	ND	0.5	ug/L	12/21/1995	dld	3426
Ethylbenzene	ND	0.5	ug/L	12/21/1995	dld	3426
Xylenes (Total)	ND	0.5	ug/L	12/21/1995	dld	3426
Bromofluorobenzene (SURR)	99		% Rec.	12/21/1995	dld	3426
METHOD 5030/8015-M (Shell)						
Purgeable TPH	ND	0.05	mg/L	12/26/1995	dld	3431
Benzene	ND	0.5	ug/L	12/26/1995	dld	3431
Toluene	ND	0.5	ug/L	12/26/1995	dld	3431
Ethylbenzene	ND	0.5	ug/L	12/26/1995	dld	3431
Xylenes (Total)	ND	0.5	ug/L	12/26/1995	dld	3431
Bromofluorobenzene (SURR)	94		% Rec.	12/26/1995	dld	3431

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



Client Name: Blaine Tech Services
Client Acct: 1821
NET Job No: 95.04781

Date: 12/28/1995
ELAP Cert: 1386
Page: 11

Ref: Shell 1285 Bancroft Avenue, San Leandro, CA./951214-D1

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

Parameter	Matrix Spike				Sample Conc.	Matrix Spike			Date Analyzed	Run Batch	Sample Spiked
	Spike % Rec.	Dup % Rec.	RPD	Spike Amount		Spike Conc.	Dup. Conc.	Units			
METHOD 5030/8015-M (Shell)											257456
Purgeable TPH	84.0	84.0	0.0	0.50	ND	0.42	0.42	mg/L	12/21/1995	3426	257456
Benzene	98.2	95.9	2.4	8.14	ND	7.99	7.81	ug/L	12/21/1995	3426	257456
Toluene	101.5	100.7	0.8	27.5	ND	27.9	27.7	ug/L	12/21/1995	3426	257456
METHOD 5030/8015-M (Shell)											257441
Purgeable TPH	104.0	88.0	16.6	0.50	0.10	0.62	0.54	mg/L	12/26/1995	3431	257441
Benzene	114.3	113.4	0.8	7.63	ND	8.72	8.65	ug/L	12/26/1995	3431	257441
Toluene	99.2	98.4	0.8	25.6	ND	25.4	25.2	ug/L	12/26/1995	3431	257441

NOTE: Results apply only to the samples analyzed. Reproduction of this report is permitted only in its entirety.



KEY TO ABBREVIATIONS and METHOD REFERENCES

- < : Less than; When appearing in results column indicates analyte not detected at the value following. This datum supercedes the listed Reporting Limit.
- * : Reporting Limits are a function of the dilution factor for any given sample. To obtain the actual reporting limits for this sample, multiply the stated Reporting Limits by the dilution factor (but do not multiply reported values).
- ICVS : Initial Calibration Verification Standard (External Standard).
- mean : Average; sum of measurements divided by number of measurements.
- mg/Kg (ppm) : Concentration in units of milligrams of analyte per kilogram of sample, wet-weight basis (parts per million).
- mg/L : Concentration in units of milligrams of analyte per liter of sample.
- mL/L/hr : Milliliters per liter per hour.
- MPN/100 mL : Most probable number of bacteria per one hundred milliliters of sample.
- N/A : Not applicable.
- NA : Not analyzed.
- ND : Not detected; the analyte concentration is less than applicable listed reporting limit.
- NTU : Nephelometric turbidity units.
- RPD : Relative percent difference, $100 \text{ [Value 1 - Value 2]}/\text{mean value}$.
- SNA : Standard not available.
- ug/Kg (ppb) : Concentration in units of micrograms of analyte per kilogram of sample, wet-weight basis (parts per billion).
- ug/L : Concentration in units of micrograms of analyte per liter of sample.
- umhos/cm : Micromhos per centimeter.

Method References

Methods 100 through 493: see "Methods for Chemical Analysis of Water & Wastes", U.S. EPA, 600/4-79-020, rev. 1983.

Methods 601 through 625: see "Guidelines Establishing Test Procedures for the Analysis of Pollutants" U.S. EPA, 40 CFR, Part 136, rev. 1988.

Methods 1000 through 9999: see "Test Methods for Evaluating Solid Waste", U.S. EPA SW-846, 3rd edition, 1986.

SM: see "Standard Methods for the Examination of Water & Wastewater, 17th Edition, APHA, 1989.

COOLER RECEIPT FORM

Project: 951214-D1 Log No: 9618
Received on: 12/16/95 and checked on 12/16/95 by [Signature]
(signature)

- custody papers present?.....YES NO
 - custody papers properly filled out?.....YES NO
 - the custody papers signed?.....YES NO
 - sufficient ice used?.....~~YES~~ NO *TEMP. 1°C.*
 - all bottles arrive in good condition (unbroken)?.....YES NO
 - bottle labels match COC?.....YES NO
 - proper bottles used for analysis indicated?.....YES NO
 - correct preservatives used?.....YES NO
 - vials checked for headspace bubbles?.....YES NO
- Note which voas (if any) had bubbles:*

File descriptor:	Number of vials:
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

VOAs with headspace bubbles have been set aside so they will not be used for analysis.....YES NO

Here are all other jobs received in the same cooler:

Job #	NET log #
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(coolerrec)