


20-156



September 5, 2003

eva chu  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Subject: **Shell-branded Service Station**  
1285 Bancroft Avenue  
San Leandro, California



Dear Ms. chu:

Attached for your review and comment is a copy of the *Third Quarter 2003 Monitoring Report* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (559) 645-9306 with any questions or concerns.

Sincerely,

**Shell Oil Products US**

*Karen Petryna*

Karen Petryna  
Sr. Environmental Engineer

RECEIVED  
MAY 19 1964  
U.S. AIR FORCE  
OFFICE OF THE  
SECRETARY  
WASHINGTON, D.C.

September 5, 2003

eva chu  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway, Suite 250  
Alameda, California 94502-6577

Re: **Third Quarter 2003 Monitoring Report**  
Shell-branded Service Station  
1285 Bancroft Avenue  
San Leandro, California  
Incident #98996067  
Cambria Project #245-0504-002



Dear Ms. chu:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

## **REMEDIATION SUMMARY**

Dual-phase vapor extraction (DVE) is the process of applying high vacuum through an airtight well seal to simultaneously extract soil vapors from the vadose zone and to enhance groundwater extraction from the saturated zone. In November 2000, Cambria initiated monthly mobile DVE on wells MW-5 and MW-6 to facilitate hydrocarbon and oxygenate removal from groundwater and the vadose zones. To date, approximately 12.1 pounds of liquid-phase total petroleum hydrocarbons as gasoline (TPHg), 0.59 pounds of liquid-phase methyl tertiary butyl ether (MTBE), 39.9 pounds of vapor-phase TPHg and 0.58 pounds of vapor-phase MTBE have been removed from the subsurface.

**Cambria  
Environmental  
Technology, Inc.**

5900 Hollis Street  
Suite A  
Emeryville, CA 94608  
Tel (510) 420-0700  
Fax (510) 420-9170

**THIRD QUARTER 2003 ACTIVITIES**

**Groundwater Monitoring:** Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged and sampled all wells, calculated groundwater elevations, measured dissolved oxygen (DO) concentrations in all wells, and compiled the analytical data. Cambria prepared a vicinity map which includes previously submitted well survey information (Figure 1) and a groundwater elevation contour map (Figure 2). Blaine's report, presenting the laboratory report and supporting field documents, is included as Attachment A.



**Additional Groundwater Sample Analysis:** As requested in the February 6, 2003 Alameda County Health Care Services (ACHCSA) letter, samples collected in the third quarter of 2003 were additionally analyzed for tert-amyl methyl ether, ethyl tert-butyl ether, di-isopropyl ether, tert-butyl alcohol, ethanol, ethylene dibromide and ethylene dichloride. Since none of the additional analytes were detected above the laboratory reporting limits (Table 1), they will not be added to the regular quarterly monitoring scope at this time. Due to elevated hydrocarbon concentrations in wells MW-5 and MW-6, the reporting limits for oxygenates in MW-5 and MW-6 were high. Therefore, groundwater samples from MW-5 and MW-6 will be analyzed for the additional analytes in the third quarter of 2004.

**DVE:** During the third quarter of 2003, PSC Industrial Services of Benicia, California performed monthly mobile DVE using wells MW-5 and MW-6. Cambria tabulated the groundwater and vapor-extraction mass removal data (Tables 2 and 3) and prepared graphs depicting groundwater monitoring and extraction data for the target wells (Figures 3 and 4).

**Subsurface Investigation:** From August 4 through August 7, 2003 Cambria supervised the installation of a total of three on-site and four off-site soil borings as described in Cambria's June 2, 2003 *Subsurface Investigation Work Plan Amendment 2*. Cambria will use the soil and groundwater results of the investigation to determine locations, depths and screen intervals for new monitoring wells, if necessary. Cambria will submit an investigation report no later than October 6, 2003.

**ANTICIPATED FOURTH QUARTER 2003 ACTIVITIES**

**Groundwater Monitoring:** Blaine will gauge and sample all wells, measure DO concentrations in all wells, and tabulate the data. Cambria will prepare a monitoring report.

**Mobile DVE:** Mobile DVE will be performed monthly in the fourth quarter using wells MW-5 and MW-6.

**Subsurface Investigation Report:** Cambria will submit a report of the August 2003 subsurface investigation described above. The report will include a summary of the field activities, analytical results and recommendations for further investigation.


**Site Conceptual Model:** As requested in the February 6, 2003 ACHCSA letter, Cambria will submit a site conceptual model for the site, including results of the August 2003 investigation.


**CLOSING**




We appreciate the opportunity to work with you on this project. Please call Melody Munz at (510) 420-3324 if you have any questions or comments.

Sincerely,  
**Cambria Environmental Technology, Inc**

  
Melody Munz  
Project Engineer

  
Matthew W. Derby, P.E.  
Senior Project Engineer




- Figures:
- 1 - Vicinity/Area Well Survey Map
  - 2 - Groundwater Elevation Contour Map
  - 3 - VacOps/DVE Effect on MTBE Concentration – MW-5
  - 4 - VacOps/DVE Effect on MTBE Concentration – MW-6

- Tables:
- 1 - Groundwater Analytical Data – Oxygenate Compounds
  - 2 - Groundwater Extraction - Mass Removal Data
  - 3 - Vapor Extraction - Mass Removal Data

Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Karen Petryna, Shell Oil Products US, P.O. Box 7869, Burbank, CA 91510-7869  
Mike Bakaldin, City of San Leandro, 835 East 14th Street, San Leandro, CA 94577



G:\SANLEANDRO\1285BANCROFT\FIGURES\VIC-WELL-SURVEY.A1

**Shell-branded Service Station**  
 1285 Bancroft Avenue  
 San Leandro, California  
 Incident #98996067



C A M B R I A



**Vicinity / Area Well  
 Survey Map**  
 (1/2-Mile Radius)

**EXPLANATION**

- SB-1 Proposed soil boring location
- MW-1 Monitoring well location
- Irrigation well location
- B-1 Soil vapor survey location (6/00)
- NS Not surveyed
- \* Data anomalous, not used for contouring
- Groundwater flow direction
- XX.XX Groundwater elevation contour, in feet above mean sea level (msl), approximately located; dashed where inferred
- Creek flow direction

Well	ELEV	Benzene	MTBE

Well designation  
Groundwater elevation, in feet above msl  
Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8260.



G:\SANLEANDRO\1285BANCROFT\FIGURES\3QM03-MP.A1

City of San Leandro  
Memorial Park

CALLAN AVENUE

BANCROFT AVENUE

ESTUDILLO AVENUE






FIGURE 2

VacOps/DVE effect on MTBE concentration  
1285 Bancroft, San Leandro - MW-5

Date	DTW-ft
7/22/99	33.29
12/8/99	37.80
1/7/00	38.40
4/5/00	30.72
7/12/00	34.42
10/19/00	36.89
01/15/01	37.10
4/30/01	34.75
7/24/01	37.30
10/31/01	39.05
01/03/02	35.15
04/05/02	34.18
07/11/02	36.28
10/28/02	38.44
1/7/03	34.17
4/14/03	35.52
7/1/03	35.37




(GWE) Cumulative MTBE mass removed
  (SVE) Cumulative MTBE mass removed
  MTBE Concentration
  Log. (MTBE Concentration)



VacOps/DVE effect on MTBE concentration  
1285 Bancroft, San Leandro - MW-6

Date	DTW-ft
6/4/99	32.13
7/22/99	32.09
12/8/99	36.62
1/7/00	37.03
4/5/00	29.37
7/12/00	33.04
10/19/00	35.62
1/15/01	35.91
4/30/01	33.70
7/2/01	35.98
10/31/01	37.55
01/03/02	33.34
04/05/02	34.18
07/11/02	35.02
10/28/02	37.78
1/10/03	32.75
4/14/03	34.95
7/1/03	34.77



(GWE) Cumulative MTBE mass removed
  (SVE) Cumulative MTBE mass removed
  MTBE Concentration
  Log. (MTBE Concentration)

# CAMBRIA

**Table 1. Groundwater Analytical Data - Oxygenate Compounds - Shell-branded Service Station Incident #98996067 -  
1285 Bancroft Avenue, San Leandro, California**

Sample ID	Date Sampled	1,2-DCA	EDB	MTBE by	MTBE by	Ethanol	TBA	DIPE	ETBE	TAME
				EPA 8020	EPA 8260					
(Concentrations in ppb)										
MW-1	07/28/98	<2.50	<2.50	193	190	<500	<100	<2.0	<2.0	<2.0
	07/01/03	<0.50	<0.50	---	4.1	<50	<5.0	<2.0	<2.0	<2.0
MW-2	01/22/99	<100	<100	772	620	<500	<100	<2.0	<2.0	<2.0
	07/01/03	<2.5	<2.5	---	3.3	<250	<25	<10	<10	<10
MW-3	01/22/99	<100	<100	1,850	1,500	<500	<100	<2.0	<2.0	<2.0
	07/01/03	<2.5	<2.5	---	250	<250	<25	<10	<10	<10
MW-4	01/22/99	<0.500	<0.500	7.10	13	<500	<100	<2.0	<2.0	<2.0
	07/01/03	<0.50	<0.50	---	84	<50*	<5.0	<2.0	<2.0	<2.0
MW-5	10/31/01	---	---	---	110	<500	<50	<2.0	<2.0	<2.0
	07/01/03	<130	<130	---	2,900	<13,000*	<1,300	<500	<500	<500
MW-6	10/24/01	---	---	---	4,800	<500	1,100	<10	<10	<10
	07/01/03	<10	<10	---	1,900	<1,000*	340	<40	<40	<40
MW-7	07/01/03	<0.50	<0.50	---	0.77	<50	<5.0	<2.0	<2.0	<2.0
MW-8	07/01/03	<2.5	<2.5	---	430	<250	<25	<10	<10	<10
IW-1	07/01/03	<0.50	<0.50	---	0.64	<50	<5.0	<2.0	<2.0	<2.0

**Table 1. Groundwater Analytical Data - Oxygenate Compounds - Shell-branded Service Station Incident #98996067 -  
1285 Bancroft Avenue, San Leandro, California**

Sample ID	Date Sampled	1,2-DCA	EDB	MTBE by EPA 8020	MTBE by EPA 8260	Ethanol	TBA	DIPE	ETBE	TAME
		(Concentrations in ppb)								

**Abbreviations and Notes:**

- 1,2-DCA = 1,2-dichloroethane by EPA Method 8010
- EDB = Ethylene dibromide by EPA Method 8010
- MTBE = Methyl tert-butyl ether by EPA Method 8020 or 8260
- Ethanol and t-Butanol by EPA Method 8260
- DIPE = Di-isopropyl ether by EPA Method 8260
- ETBE = Ethyl tert-butyl ether by EPA Method 8260
- TAME = Tert-amyl methyl ether by EPA Method 8260
- ppb = Parts per billion
- ppm = Parts per million
- <n = Below detection limit of n ppb
- = Not analyzed
- \* = Extracted/analyzed out of hold time

**Table 2: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
09/02/98	MW-1	130	130	07/15/98	<50	0.00003	0.00003	2.5	0.00000	0.00000	12	0.00001	0.00001
07/30/99	MW-1	0	130	07/22/99	<50	0.00000	0.00003	<0.500	0.00000	0.00000	2.17	0.00000	0.00001
08/05/99	MW-1	0	130	07/22/99	<50	0.00000	0.00003	<0.500	0.00000	0.00000	2.17	0.00000	0.00001
08/11/99	MW-1	0	130	07/22/99	<50	0.00000	0.00003	<0.500	0.00000	0.00000	2.17	0.00000	0.00001
08/12/99	MW-1	0	130	07/22/99	<50	0.00000	0.00003	<0.500	0.00000	0.00000	2.17	0.00000	0.00001
08/13/99	MW-1	400	530	07/22/99	<50	0.00008	0.00011	<0.500	0.00000	0.00000	2.17	0.00001	0.00002
08/19/99	MW-1	278	808	07/22/99	<50	0.00006	0.00017	<0.500	0.00000	0.00000	2.17	0.00001	0.00003
08/30/99	MW-1	240	1048	07/22/99	<50	0.00005	0.00022	<0.500	0.00000	0.00000	2.17	0.00000	0.00003
09/09/99	MW-1	247	1295	07/22/99	<50	0.00005	0.00027	<0.500	0.00000	0.00001	2.17	0.00000	0.00003
09/02/98	MW-3	240	240	07/18/98	31,000	0.06208	0.06208	1,100	0.00220	0.00220	3,700	0.00741	0.00741
07/30/99	MW-3	0	130	07/22/99	1,970	0.00000	0.06208	51.2	0.00000	0.00220	109	0.00000	0.00741
08/05/99	MW-3	0	130	07/22/99	1,970	0.00000	0.06208	51.2	0.00000	0.00220	109	0.00000	0.00741
08/11/99	MW-3	0	530	07/22/99	1,970	0.00000	0.06208	51.2	0.00000	0.00220	109	0.00000	0.00741
08/12/99	MW-3	100	908	07/22/99	1,970	0.00164	0.06373	51.2	0.00004	0.00225	109	0.00009	0.00750
08/13/99	MW-3	450	1,358	07/22/99	1,970	0.00740	0.07112	51.2	0.00019	0.00244	109	0.00041	0.00791
08/19/99	MW-3	269	1,627	07/22/99	1,970	0.00442	0.07555	51.2	0.00011	0.00255	109	0.00024	0.00815
08/30/99	MW-3	204	1,831	07/22/99	1,970	0.00335	0.07890	51.2	0.00009	0.00264	109	0.00019	0.00834
09/09/99	MW-3	232	2,063	07/22/99	1,970	0.00381	0.08271	51.2	0.00010	0.00274	109	0.00021	0.00855
09/02/98	MW-5	147	147	NA	NA	0.00000	0.00000	NA	0.00000	0.00000	NA	0.00000	0.00000
07/30/99	MW-5	0	147	07/22/99	97,200	0.00000	0.00000	4,580	0.00000	0.00000	4,330	0.00000	0.00000
08/05/99	MW-5	0	147	07/22/99	97,200	0.00000	0.00000	4,580	0.00000	0.00000	4,330	0.00000	0.00000
08/11/99	MW-5	0	147	07/22/99	97,200	0.00000	0.00000	4,580	0.00000	0.00000	4,330	0.00000	0.00000
08/12/99	MW-5	0	147	07/22/99	97,200	0.00000	0.00000	4,580	0.00000	0.00000	4,330	0.00000	0.00000
08/13/99	MW-5	100	247	07/22/99	97,200	0.08111	0.08111	4,580	0.00382	0.00382	4,330	0.00361	0.00361
08/19/99	MW-5	247	494	07/22/99	97,200	0.20033	0.28144	4,580	0.00944	0.01326	4,330	0.00892	0.01254
08/30/99	MW-5	0	494	07/22/99	97,200	0.00000	0.28144	4,580	0.00000	0.01326	4,330	0.00000	0.01254
09/09/99	MW-5	65	559	07/22/99	97,200	0.05272	0.33416	4,580	0.00248	0.01575	4,330	0.00235	0.01489

**Table 2: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
11/28/00	MW-5	324	883	10/19/00	72,400	0.19574	0.52990	3,010	0.00814	0.02388	2,840	0.00768	0.02256
01/23/01	MW-5	375	1,258	01/15/01	78,300	0.24501	0.77491	2,220	0.00695	0.03083	1,370	0.00429	0.02685
02/16/01	MW-5	950	2,208	01/15/01	78,300	0.62069	1.39561	2,220	0.01760	0.04843	1,370	0.01086	0.03771
03/22/01	MW-5	500	2,708	01/15/01	78,300	0.32668	1.72229	2,220	0.00926	0.05769	1,370	0.00572	0.04343
04/23/01	MW-5	600	3,308	01/15/01	78,300	0.39202	2.11431	2,220	0.01111	0.06881	1,370	0.00686	0.05029
07/16/01	MW-5	165	3,473	04/30/01	83,000	0.11428	2.22858	1,400	0.00193	0.07073	3,400	0.00468	0.05497
08/23/01	MW-5	650	4,123	07/24/01	160,000	0.86781	3.09639	2,400	0.01302	0.08375	1,400	0.00759	0.06256
09/10/01	MW-5	450	4,573	07/24/01	160,000	0.60079	3.69719	2,400	0.00901	0.09276	1,400	0.00526	0.06782
10/30/01	MW-5	250	4,823	07/24/01	160,000	0.33377	4.03096	2,400	0.00501	0.09777	1,400	0.00292	0.07074
11/26/01	MW-5	260	5,083	10/31/01	14,000	0.03037	4.06134	150	0.00033	0.09809	110	0.00024	0.07098
12/17/01	MW-5	300	5,383	10/31/01	14,000	0.03505	4.09638	150	0.00038	0.09847	110	0.00028	0.07125
01/29/02	MW-5	725	6,108	01/03/02	62,000	0.37508	4.47146	660	0.00399	0.10246	860	0.00520	0.07645
07/24/02	MW-5	250	6,358	07/11/02	140,000	0.29205	4.76351	1,900	0.00396	0.10643	1,700	0.00355	0.08000
08/30/02	MW-5	95	6,453	07/11/02	140,000	0.11098	4.87449	1,900	0.00151	0.10793	1,700	0.00135	0.08135
09/26/02	MW-5	250	6,703	07/11/02	140,000	0.29205	5.16655	1,900	0.00396	0.11190	1,700	0.00355	0.08490
10/24/02	MW-5	150	6,853	07/11/02	140,000	0.17523	5.34178	1,900	0.00238	0.11427	1,700	0.00213	0.08702
11/19/02	MW-5	150	7,003	10/28/02	30,000	0.03755	5.37933	340	0.00043	0.11470	<200	0.00013	0.08715
12/26/02	MW-5	525	7,528	10/28/02	30,000	0.13142	5.51075	340	0.00149	0.11619	<200	0.00044	0.08759
01/15/03	MW-5	300	7,828	01/07/03	72,000	0.18024	5.69099	720	0.00180	0.11799	1,100	0.00275	0.09034
02/24/03	MW-5	300	8,128	01/07/03	72,000	0.18024	5.87123	720	0.00180	0.11979	1,100	0.00275	0.09309
03/24/03	MW-5	350	8,478	01/07/03	72,000	0.21028	6.08150	720	0.00210	0.12190	1,100	0.00321	0.09631
04/21/03	MW-5	850	9,328	04/14/03	110,000	0.78020	6.86170	900	0.00638	0.12828	1,400	0.00993	0.10624
05/21/03	MW-5	310	9,638	04/14/03	110,000	0.28454	7.14624	900	0.00233	0.13061	1,400	0.00362	0.10986
06/26/03	MW-5	300	9,938	04/14/03	110,000	0.27536	7.42161	900	0.00225	0.13286	1,400	0.00350	0.11336
07/24/03	MW-5	750	10,688	04/14/03	110,000	0.68841	8.11002	900	0.00563	0.13849	1,400	0.00876	0.12212
11/28/00	MW-6	365	365	10/19/00	39,600	0.12061	0.12061	4,050	0.01234	0.01234	14,200	0.04325	0.04325
01/23/01	MW-6	482	847	01/15/01	64,800	0.26062	0.26062	2,090	0.00841	0.00841	<1,250	0.00251	0.04576
02/16/01	MW-6	650	1,497	01/15/01	64,800	0.35146	0.35146	2,090	0.01134	0.01134	<1,250	0.00339	0.04915

**Table 2: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE		
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)
03/22/01	MW-6	980	2,477	01/15/01	64,800	0.52990	0.52990	2,090	0.01709	0.01709	<1,250	0.00511	0.05426
04/23/01	MW-6	900	3,377	01/15/01	64,800	0.48664	0.48664	2,090	0.01570	0.01570	<1,250	0.00469	0.05896
07/16/01	MW-6	700	4,077	04/30/01	27,000	0.15771	0.15771	2,300	0.01343	0.01343	6,800	0.03972	0.09868
08/23/01	MW-6	400	4,477	07/20/01	29,000	0.09679	0.09679	2,100	0.00701	0.00701	7,100	0.02370	0.12237
09/10/01	MW-6	600	5,077	07/20/01	29,000	0.14519	0.14519	2,100	0.01051	0.01051	7,100	0.03555	0.15792
10/30/01	MW-6	250	5,327	10/24/01	38,000	0.07927	0.07927	1,400	0.00292	0.00292	4,800	0.01001	0.16793
11/26/01	MW-6	150	5,477	10/24/01	38,000	0.04756	0.04756	1,400	0.00175	0.00175	4,800	0.00601	0.17394
12/17/01	MW-6	300	5,777	10/24/01	38,000	0.09513	0.09513	1,400	0.00350	0.00350	4,800	0.01202	0.18596
01/29/02	MW-6	100	5,877	01/03/02	10,000	0.00834	0.00834	810	0.00068	0.00068	4,100	0.00342	0.18938
02/19/02	MW-6	500	6,377	01/03/02	10,000	0.04172	0.04172	810	0.00338	0.00338	4,100	0.01711	0.20649
03/19/02	MW-6	200	6,577	01/03/02	10,000	0.01669	0.01669	810	0.00135	0.00135	4,100	0.00684	0.21333
04/24/02	MW-6	350	6,927	04/05/02	19,000	0.05549	0.05549	1,100	0.00321	0.00321	4,300	0.01256	0.22589
05/29/02	MW-6	300	7,227	04/05/02	19,000	0.04756	0.04756	1,100	0.00275	0.00275	4,300	0.01076	0.23665
06/26/02	MW-6	700	7,927	04/05/02	19,000	0.11098	0.11098	1,100	0.00643	0.00643	4,300	0.02512	0.26177
07/24/02	MW-6	250	8,177	07/11/02	26,000	0.05424	0.05424	1,100	0.00229	0.00229	5,400	0.01126	0.27303
08/30/02	MW-6	95	8,272	07/11/02	26,000	0.02061	0.02061	1,100	0.00087	0.00087	5,400	0.00428	0.27731
09/26/02	MW-6	250	8,522	07/11/02	26,000	0.05424	0.05424	1,100	0.00229	0.00229	5,400	0.01126	0.28858
10/24/02	MW-6	200	8,722	07/11/02	26,000	0.04339	0.04339	1,100	0.00184	0.00184	5,400	0.00901	0.29759
11/19/02	MW-6	200	8,922	10/28/02	11,000	0.01836	0.01836	230	0.00038	0.00038	2,500	0.00417	0.30176
12/26/02	MW-6	525	9,447	10/28/02	11,000	0.04819	0.04819	230	0.00101	0.00101	2,500	0.01095	0.31271
01/15/03	MW-6	830	10,277	01/10/03	17,000	0.11774	0.11774	840	0.00582	0.00582	3,400	0.02355	0.33626
02/24/03	MW-6	700	10,977	01/10/03	17,000	0.09930	0.09930	840	0.00491	0.00491	3,400	0.01986	0.35612
03/24/03	MW-6	650	11,627	01/10/03	17,000	0.09221	0.09221	840	0.00456	0.00456	3,400	0.01844	0.37456
04/21/03	MW-6	550	12,177	04/14/03	31,000	0.14227	0.14227	810	0.00372	0.00372	3,800	0.01744	0.39200
05/21/03	MW-6	612	12,789	04/14/03	31,000	0.15831	0.15831	810	0.00414	0.00414	3,800	0.01941	0.41141
06/26/03	MW-6	450	13,239	04/14/03	31,000	0.11640	0.11640	810	0.00304	0.00304	3,800	0.01427	0.42568
07/24/03	MW-6	1,200	14,439	04/14/03	31,000	0.31041	0.31041	810	0.00811	0.00811	3,800	0.03805	0.46373

**Table 2: Groundwater Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date Purged	Well ID	Volume Pumped (gal)	Cumulative Volume Pumped (gal)	Date Sampled	TPPH			Benzene			MTBE				
					TPPH Concentration (ppb)	TPPH Removed (pounds)	TPPH Removed To Date (pounds)	Benzene Concentration (ppb)	Benzene Removed (pounds)	Benzene Removed To Date (pounds)	MTBE Concentration (ppb)	MTBE Removed (pounds)	MTBE Removed To Date (pounds)		
<b>Total Gallons Extracted:</b>			<b>27,917</b>	<b>Total Pounds Removed:</b>			<b>12.12034</b>	<b>Total Pounds Removed:</b>			<b>0.30601</b>	<b>Total Pounds Removed:</b>			<b>0.59443</b>
				<b>Total Gallons Removed:</b>			<b>1.98694</b>				<b>0.04192</b>				<b>0.09588</b>

**Abbreviations & Notes:**

TPPH = Total purgeable hydrocarbons as gasoline

MtBE = Methyl tert-butyl ether

ppb = Parts per billion

gal = Gallon

Mass removed based on the formula: volume extracted (gal) x Concentration (µg/L) x (g/10<sup>6</sup>µg) x (pound/453.6g) x (3.785 L/gal)

Volume removal data based on the formula: density (in gms/cc) x 9.339 (ccxlbs/gmsxgals)

TPPH, benzene and MTBE analyzed by EPA Method 8260

If concentration is less than the laboratory detection limit, one half of the detection limit concentration is used in the mass removal calculation.

Groundwater extracted by vacuum trucks provided by ECI. Water disposed of at a Martinez Refinery.

**Table 3: Vapor Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date	Well ID	Interval Hours of Operation (hours)	System Flow Rate (CFM)	Hydrocarbon Concentrations			TPHg		Benzene		MTBE	
				TPHg	Benzene	MTBE	TPHg Removal Rate (#/hour)	Cumulative TPHg Removed (#)	Benzene Removal Rate (#/hour)	Cumulative Benzene Removed (#)	MTBE Removal Rate (#/hour)	Cumulative MTBE Removed (#)
				(Concentrations in ppmv)								
11/28/00	MW-5	4.00	6.8	2,060	57.4	38.0	0.187	0.749	0.005	0.019	0.004	0.014
12/19/00	MW-5	2.00	3.8	<2.84	<0.0314	<0.111	0.000	0.749	0.000	0.019	0.000	0.014
01/23/01	MW-5	4.00	9.5	6,060	11.3	118	0.770	3.828	0.001	0.024	0.015	0.075
02/16/01	MW-5	4.00	5.0	141	5.0	3.8	0.009	3.865	0.000	0.025	0.000	0.077
03/22/01	MW-5	4.00	20.7	292	9.1	18.1	0.081	4.189	0.002	0.035	0.005	0.097
04/23/01	MW-5	4.00	4.1	330	4.4	28.0	0.018	4.261	0.000	0.035	0.002	0.103
07/16/01	MW-5	4.00	10.8	2,400	3.4	14	0.346	5.647	0.000	0.037	0.002	0.112
08/23/01	MW-5	4.00	6.9	4,100	8.3	19	0.378	7.160	0.001	0.040	0.002	0.119
09/10/01	MW-5	4.00	7.2	3,000	5.7	9.4	0.289	8.315	0.000	0.042	0.001	0.122
10/30/01	MW-5	4.00	10.8	4,300	7.5	13	0.621	10.798	0.001	0.046	0.002	0.130
11/26/01	MW-5	3.67	9.4	6,800	11	22	0.854	13.934	0.001	0.050	0.003	0.141
12/17/01	MW-5	4.00	7.6	8,300	15	45	0.843	17.307	0.001	0.056	0.005	0.159
01/29/02	MW-5	3.00	5.0	710	6.2	41	0.047	17.450	0.000	0.057	0.003	0.168
02/19/02	MW-5	3.00	6.8	450	2.9	17	0.041	17.572	0.000	0.058	0.002	0.172
07/24/02	MW-5	3.00	8.2	3,200	5.4	11	0.351	18.625	0.001	0.059	0.001	0.176
08/30/02	MW-5	3.00	5.0	17	0.14	1.0	0.001	18.628	0.000	0.059	0.000	0.176
09/26/02	MW-5	3.00	17.7	NA	NA	NA	0.000	18.628	0.000	0.059	0.000	0.176
10/24/02	MW-5	3.00	9.9	13,000	9.1	26	1.720	23.789	0.001	0.063	0.004	0.187
11/19/02	MW-5	3.00	9.3	17,000	21	280	2.113	30.130	0.002	0.070	0.036	0.294
12/26/02	MW-5	3.00	5.4	1,300	3.3	15	0.094	30.411	0.000	0.070	0.001	0.297
01/15/03	MW-5	3.00	9.2	760	5.8	27	0.093	30.692	0.001	0.072	0.003	0.307
02/24/03	MW-5	4.00	7.5	1,100	4.9	27	0.110	31.133	0.000	0.074	0.003	0.318
03/24/03	MW-5	3.00	2.6	586.05	2.92	18.27	0.020	31.194	0.000	0.074	0.001	0.320
04/21/03	MW-5	2.50	3.7	145.13	8.61	21.82	0.007	31.212	0.000	0.075	0.001	0.323
05/21/03*	MW-5	3.00	3.5	NA	NA	NA	0.007	31.232	0.000	0.077	0.001	0.326
06/26/03	MW-5	3.00	7.7	3,906.98	6.15	49.09	0.402	32.439	0.001	0.078	0.005	0.342



**Table 3: Vapor Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date	Well ID	Interval Hours of Operation (hours)	System Flow Rate (CFM)	Hydrocarbon Concentrations			TPHg		Benzene		MTBE	
				TPHg	Benzene	MTBE	TPHg Removal Rate (#/hour)	Cumulative TPHg Removed (#)	Benzene Removal Rate (#/hour)	Cumulative Benzene Removed (#)	MTBE Removal Rate (#/hour)	Cumulative MTBE Removed (#)
				(Concentrations in ppmv)								
07/24/03**	MW-5	2.75	11.2	NA	NA	NA	0.585	34.047	0.001	0.081	0.008	0.362
11/28/00	MW-6	2.00	5.6	278	7.13	18.0	0.021	0.042	0.000	0.001	0.001	0.003
12/19/00	MW-6	4.00	5.1	2.84	0.0314	0.111	0.000	0.042	0.000	0.001	0.000	0.003
01/23/01	MW-6	4.00	7.1	581	13.1	19.0	0.055	0.263	0.001	0.005	0.002	0.010
02/16/01	MW-6	4.00	3.1	3.1	<0.031	<0.28	0.000	0.263	0.000	0.005	0.000	0.010
03/22/01	MW-6	4.00	13.8	647	47	17.8	0.120	0.742	0.008	0.037	0.003	0.024
04/23/01	MW-6	4.00	15.4	130	14	47	0.027	0.849	0.003	0.047	0.010	0.063
07/16/01	MW-6	4.00	12.3	310	8.1	16	0.051	1.053	0.001	0.052	0.003	0.074
08/23/01	MW-6	4.00	9.0	650	8.8	16	0.078	1.366	0.001	0.056	0.002	0.082
09/10/01	MW-6	4.00	8.3	320	3.8	9.8	0.036	1.508	0.000	0.058	0.001	0.086
10/30/01	MW-6	4.00	13.0	520	5.1	6.4	0.090	1.869	0.001	0.061	0.001	0.091
11/26/01	MW-6	4.00	4.1	690	4.8	5.5	0.038	2.020	0.000	0.062	0.000	0.092
12/17/01	MW-6	4.00	12.6	590	4.1	7.2	0.099	2.418	0.001	0.064	0.001	0.097
01/29/02	MW-6	3.00	5.4	51	0.082	0.88	0.004	2.429	0.000	0.064	0.000	0.097
02/19/02	MW-6	3.00	5.9	130	5.1	11	0.010	2.460	0.000	0.065	0.001	0.100
03/19/02	MW-6	6.00	6.3	5.6	<0.050	0.14	0.000	2.463	0.000	0.065	0.000	0.100
04/24/02	MW-6	6.00	7.3	76	3.9	9.3	0.007	2.507	0.000	0.068	0.001	0.106
05/29/02	MW-6	10.50	6.1	67	2.9	7.0	0.005	2.564	0.000	0.070	0.001	0.112
06/26/02	MW-6	7.00	9.8	190	4.4	10	0.025	2.739	0.001	0.073	0.001	0.121
07/24/02	MW-6	3.00	9.2	11	0.10	<0.10	0.001	2.743	0.000	0.073	0.000	0.121
08/30/02	MW-6	3.00	10.1	280	3.1	5.5	0.038	2.856	0.000	0.075	0.001	0.123
09/26/02	MW-6	3.00	17.7	NA	NA	NA	0.000	2.856	0.000	0.075	0.000	0.123
10/24/02	MW-6	5.00	12.9	1,000	3.3	4.7	0.172	3.718	0.001	0.077	0.001	0.128
11/19/02	MW-6	3.00	8.8	3,300	6.6	98	0.388	4.883	0.001	0.079	0.012	0.163
12/26/02	MW-6	3.00	6.8	160	5.0	10	0.015	4.927	0.000	0.081	0.001	0.166

**Table 3: Vapor Extraction - Mass Removal Data - Shell-branded Service Station, Incident #98996067, 1285 Bancroft Avenue, San Leandro, California**

Date	Well ID	Interval Hours of Operation (hours)	System Flow Rate (CFM)	Hydrocarbon Concentrations			TPHg		Benzene		MTBE	
				TPHg	Benzene	MTBE	TPHg Removal Rate (#/hour)	Cumulative TPHg Removed (#)	Benzene Removal Rate (#/hour)	Cumulative Benzene Removed (#)	MTBE Removal Rate (#/hour)	Cumulative MTBE Removed (#)
01/15/03	MW-6	3.25	9.3	170	10	19	0.021	4.995	0.001	0.084	0.002	0.174
02/24/03	MW-6	3.50	15.8	210	8.1	20	0.044	5.151	0.002	0.090	0.004	0.189
03/24/03	MW-6	3.00	6.6	NA	NA	NA	0.000	5.151	0.000	0.090	0.000	0.189
04/21/03	MW-6	3.00	4.0	1,535	7	41	0.082	5.397	0.000	0.091	0.002	0.195
05/21/03*	MW-6	3.00	3.5	NA	NA	NA	0.072	5.612	0.000	0.092	0.002	0.201
06/26/03	MW-6	3.00	8.4	256.74	5.23	21.55	0.029	5.699	0.001	0.093	0.002	0.209
07/24/03**	MW-6	2.50	13.8	NA	NA	NA	0.047	5.817	0.001	0.095	0.004	0.219
<b>Total Pounds Removed:</b>							<b>TPHg =</b>	<b>39.865</b>	<b>Benzene =</b>	<b>0.176</b>	<b>MTBE =</b>	<b>0.581</b>

**Abbreviations and Notes:**

CFM = Cubic feet per minute

TPHg = Total petroleum hydrocarbons as gasoline (C6-C12) by modified EPA Method 8015 in 1 liter tedlar bag samples

ppmv = Parts per million by volume

# = Pounds

TPHG, Benzene, and MTBE analyzed by EPA Method 8260 in 1 liter tedlar bag samples

TPHg / Benzene / MTBE removal rate = Rate based on Bay Area Air Quality Management District's Manual of Procedures for Soil Vapor Extraction dated July 17, 1991.

$$\text{(Rate = Concentration (ppmv) x system flow rate (cfm) x (11b-mole/386ft}^3\text{) x molecular weight (86 lb/lb-mole for TPHg, 78 lb/lb-mole for benzene, 88 lb/lb-mole for MTBE) x 60 min/hour x 1/1,000,000)}$$

Cumulative TPHg / Benzene / MTBE removal = Previous removal rate multiplied by the hour-interval of operation plus the previous total

If concentration is less than the laboratory detection limit, one half of the detection limit concentration is used in the mass removal calculation.

\* = Calculated mass removal is estimated from 04/21/03 lab data.

\*\* = Calculated mass removal is estimated from 06/26/03 lab data.

**ATTACHMENT A**  
**Blaine Groundwater Monitoring Report**  
**and Field Notes**

**BLAINE**  
TECH SERVICES, INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

August 7, 2003

Karen Petryna  
Shell Oil Products US  
P.O. Box 7869  
Burbank, CA 91510-7869

Third Quarter 2003 Groundwater Monitoring at  
Shell-branded Service Station  
1285 Bancroft Avenue  
San Leandro, CA

Monitoring performed on July 1, 2003

---

Groundwater Monitoring Report 030701-MT-1

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Anni Kreml  
Cambria Environmental Technology, Inc.  
5900 Hollis Street, Suite A  
Oakland, CA 94608

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	03/13/1990	NA	NA	NA	NA	NA	NA	NA	NA	66.29	42.65	23.64	NA
MW-1	06/12/1990	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.14	23.15	NA
MW-1	09/13/1990	NA	NA	NA	NA	NA	NA	NA	NA	66.29	44.71	21.58	NA
MW-1	12/18/1990	NA	NA	NA	NA	NA	NA	NA	NA	66.29	45.23	21.06	NA
MW-1	03/07/1991	NA	NA	NA	NA	NA	NA	NA	NA	66.29	43.32	22.97	NA
MW-1	06/07/1991	NA	NA	NA	NA	NA	NA	NA	NA	66.29	42.18	24.11	NA
MW-1	09/17/1991	50a	160a	<0.5	<0.5	<0.5	<0.5	NA	NA	66.29	44.85	21.44	NA
MW-1	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	66.29	41.56	24.73	NA
MW-1	06/03/1992	<50	NA	0.8	<0.5	0.9	<0.5	NA	NA	66.29	40.74	25.55	NA
MW-1	09/01/1992	<50	NA	<0.5	5.8	5.3	7.2	NA	NA	66.29	43.05	23.24	NA
MW-1	12/07/1992	68	NA	<0.5	0.8	<0.5	1.2	NA	NA	66.29	44.19	22.10	NA
MW-1	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.29	34.96	31.33	NA
MW-1 (D)	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.29	34.96	31.33	NA
MW-1	06/22/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.29	36.75	29.54	NA
MW-1	09/09/1993	200a	NA	16	5.2	2	<0.5	NA	NA	66.29	39.36	26.93	NA
MW-1	12/13/1993	89a	NA	3.4	<0.5	<0.5	<0.5	NA	NA	66.29	40.74	25.55	NA
MW-1	03/03/1994	65a	NA	2.6	<0.5	<0.5	<0.5	NA	NA	66.29	38.40	27.89	NA
MW-1	07/27/1994	180	NA	30	1.8	2.6	5	NA	NA	66.90	40.49	26.41	NA
MW-1 (D)	07/27/1994	240	NA	25	2.2	2.2	4	NA	NA	66.90	40.49	26.41	NA
MW-1	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	66.90	40.84	26.06	NA
MW-1	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	66.90	41.98	24.92	NA
MW-1	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	66.90	41.34	25.56	NA
MW-1	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	66.90	42.06	24.84	NA
MW-1	01/04/1995	<50	NA	2.4	<0.5	<0.5	<0.5	NA	NA	66.90	39.90	27.00	NA
MW-1 (D)	01/04/1995	<50	NA	2.5	<0.5	<0.5	<0.5	NA	NA	66.90	39.90	27.00	NA
MW-1	04/14/1995	<50	NA	<0.5	0.5	<0.5	<0.5	NA	NA	66.90	31.02	35.88	NA
MW-1 (D)	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.90	31.02	35.88	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	07/12/1995	<50	NA	1.2	0.8	<0.5	<0.5	NA	NA	66.90	34.61	32.29	NA
MW-1	12/14/1995	380	NA	230	9	1.1	49	NA	NA	66.90	39.24	27.66	NA
MW-1	01/10/1996	60	NA	3.5	<0.5	<0.5	0.5	NA	NA	66.90	38.34	28.56	NA
MW-1	04/25/1996	<50	NA	3.3	2.4	1.2	5.4	NA	NA	66.90	31.95	34.95	NA
MW-1	07/09/1996	810	NA	29	7.3	<5.0	11	1,800	NA	66.90	34.45	32.45	NA
MW-1	10/02/1996	<125	NA	3.1	<1.2	<1.2	<1.2	960	NA	66.90	37.72	29.18	NA
MW-1	01/09/1997	<250	NA	<2.5	<2.5	<2.5	<2.5	510	NA	66.90	32.25	34.65	NA
MW-1	04/09/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	130	NA	66.90	32.90	34.00	NA
MW-1	07/02/1997	<250	NA	60	7.6	4.2	18	1,300	NA	66.90	36.65	30.25	NA
MW-1	10/24/1997	<500	NA	140	<5.0	12	40	2,600	NA	66.90	39.75	27.15	4.5
MW-1	01/08/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	170	NA	66.90	36.31	30.59	4.0
MW-1	04/14/1998 b	72	NA	0.82	4.9	1.8	13	2.7	NA	66.90	26.37	40.53	2.2
MW-1	07/15/1998	<50	NA	2.5	1.5	<0.50	<0.50	12	NA	66.90	31.23	35.67	2.4
MW-1	10/13/1998	<50	NA	3.2	0.69	<0.50	1.1	29	NA	66.90	35.69	31.21	1.3
MW-1	01/22/1999	567	NA	79.7	120	21.4	99.9	193	190	66.90	35.32	31.58	1.2
MW-1	04/16/1999	<50	NA	0.69	1.1	1.2	<0.50	8.2	NA	66.90	31.76	35.14	1.0
MW-1	07/22/1999	<50	NA	<0.500	<0.500	<0.500	<0.500	<5.00	2.17	66.90	23.21	43.69	2.1/2.0
MW-1	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	66.90	33.27	33.63	2.2/2.1
MW-1	01/07/2000	<50.0	NA	0.631	0.577	<0.500	1.25	14.1	NA	66.90	38.17	28.73	d
MW-1	04/05/2000	153	NA	12.4	21.2	6.65	28.3	50.1	NA	66.90	30.45	36.45	2.0/2.3
MW-1	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	66.90	34.29	32.61	4.4/3.8
MW-1	10/19/2000	129	NA	7.76	19.6	7.84	33.3	31.3	NA	66.90	36.87	30.03	3.9/4.7
MW-1	01/15/2001	201	NA	7.58	29.9	9.64	42.9	24.9	NA	66.90	36.99	29.91	2.7/3.0
MW-1	04/30/2001	<50	NA	<0.50	<0.50	<0.50	0.54	NA	<5.0	66.90	34.62	32.28	3.1/2.4
MW-1	07/20/2001	180	NA	8.0	16	9.5	39	NA	140	66.90	37.25	29.65	3.9/3.8
MW-1	10/24/2001	94	NA	7.0	0.90	3.4	8.4	NA	34	66.90	38.82	28.08	3.6/3.9
MW-1	01/03/2002	<50	NA	<0.50	0.78	<0.50	1.5	NA	<5.0	66.90	34.97	31.93	3.1/3.3
MW-1	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	66.90	34.04	32.86	1.6/1.8

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	07/11/2002	61	NA	2.2	2.6	3.9	14	NA	28	66.90	36.15	30.75	0.6/3.8
MW-1	10/28/2002	270	NA	7.9	3.6	17	51	NA	72	66.33	38.35	27.98	1.0/1.2
MW-1	01/07/2003	<50	NA	<0.50	<0.50	<0.50	0.53	NA	<5.0	66.33	34.13	32.20	3.8/3.9
MW-1	04/14/2003	<50	NA	0.51	0.52	1.0	2.9	NA	21	66.33	35.40	30.93	3.4/3.5
MW-1	07/01/2003	<50	NA	<0.50	<0.50	1.1	2.5	NA	4.1	66.33	35.19	31.14	0.4/0.7
MW-2	03/01/1992	910	<50	11	5.2	50	140	NA	NA	66.91	41.57	25.34	NA
MW-2	06/03/1992	1,400	NA	33	16	150	240	NA	NA	66.91	40.56	26.35	NA
MW-2	09/01/1992	230	NA	5.2	4.1	15	19	NA	NA	66.91	42.94	23.97	NA
MW-2 (D)	09/01/1992	320	NA	5.6	5	18	220	NA	NA	66.91	42.94	23.97	NA
MW-2	12/07/1992	240	NA	1.5	1.3	9.5	9.9	NA	NA	66.91	44.13	22.78	NA
MW-2 (D)	12/07/1992	<50	NA	1.7	1	13	12	NA	NA	66.91	44.13	22.78	NA
MW-2	03/01/1993	230	NA	260	310	27	66	NA	NA	66.91	34.82	32.09	NA
MW-2	06/22/1993	220	NA	18	3.4	3.6	5.2	NA	NA	66.91	36.64	30.27	NA
MW-2 (D)	06/22/1993	320	NA	29	4.8	4.2	6.1	NA	NA	66.91	36.64	30.27	NA
MW-2	09/09/1993	260	NA	18	4.6	16	12	NA	NA	66.91	39.24	27.67	NA
MW-2 (D)	09/09/1993	210	NA	16	3.9	14	9.1	NA	NA	66.91	39.24	27.67	NA
MW-2	12/13/1993	1,300a	NA	82	34	73	15	NA	NA	66.91	40.64	26.27	NA
MW-2 (D)	12/13/1993	1,400a	NA	110	45	72	19	NA	NA	66.91	40.64	26.27	NA
MW-2	03/03/1994	9,600	NA	1,200	600	390	710	NA	NA	66.91	38.98	27.93	NA
MW-2 (D)	03/03/1994	10,000	NA	930	500	330	590	NA	NA	66.91	38.98	27.93	NA
MW-2	07/27/1994	190	NA	<0.5	1	<0.5	<0.5	NA	NA	66.91	40.40	26.51	NA
MW-2	08/09/1994	1,500	NA	53.5	12.4	46.2	44	NA	NA	66.91	40.71	26.20	NA
MW-2	10/05/1994	<485	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	66.91	41.89	25.02	NA
MW-2	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.22	25.69	NA
MW-2	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	66.91	41.99	24.92	NA
MW-2	01/04/1995	1,300	NA	150	35	23	51	NA	NA	66.91	39.81	27.10	NA



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	04/14/1995	5,000	NA	1,000	340	400	810	NA	NA	66.91	30.83	36.08	NA
MW-2	07/12/1995	4,500	NA	440	170	170	290	NA	NA	66.91	34.50	32.41	NA
MW-2 (D)	07/12/1995	4,300	NA	430	160	160	280	NA	NA	66.91	34.50	32.41	NA
MW-2	12/14/1995	37,000	NA	1,800	7,600	1,000	6,700	NA	NA	66.91	39.22	27.69	NA
MW-2 (D)	12/14/1995	34,000	NA	1,800	6,600	1,000	6,500	NA	NA	66.91	39.22	27.69	NA
MW-2	01/10/1996	69,000	NA	1,000	3,200	510	3,300	NA	NA	66.91	38.22	28.69	NA
MW-2 (D)	01/10/1996	78,000	NA	1,100	3,500	560	3,600	NA	NA	66.91	38.22	28.69	NA
MW-2	04/25/1996	11,000	NA	820	880	210	1,400	NA	NA	66.91	31.78	35.13	NA
MW-2 (D)	04/25/1996	9,300	NA	690	710	160	1,200	NA	NA	66.91	31.78	35.13	NA
MW-2	07/09/1996	100,000	NA	15,000	24,000	1,700	9,900	70,000	NA	66.91	34.35	32.56	NA
MW-2 (D)	07/09/1996	86,000	NA	12,000	19,000	1,400	7,500	32,000	NA	66.91	34.35	32.56	NA
MW-2	10/02/1996	82,000	NA	20,000	32,000	1,800	9,100	40,000	NA	66.91	37.56	29.35	NA
MW-2 (D)	10/02/1996	89,000	NA	19,000	31,000	1,700	8,900	42,000	NA	66.91	37.56	29.35	NA
MW-2	01/09/1997	17,000	NA	710	2,300	350	2,200	4,000	NA	66.91	32.07	34.84	NA
MW-2 (D)	01/09/1997	12,000	NA	490	1,300	260	1,800	2,800	NA	66.91	32.07	34.84	NA
MW-2	04/09/1997	20,000	NA	970	3,500	330	2,000	3,200	NA	66.91	32.78	34.13	NA
MW-2	07/02/1997	28,000	NA	1,700	8,700	550	3,000	5,500	NA	66.91	36.56	30.35	NA
MW-2 (D)	07/02/1997	32,000	NA	2,000	11,000	680	3,800	6,400	NA	66.91	36.56	30.35	NA
MW-2	10/24/1997	14,000	NA	460	1,000	300	2,000	3,000	NA	66.91	39.74	27.17	3.2
MW-2 (D)	10/24/1997	14,000	NA	420	980	270	2,000	2,800	NA	66.91	39.74	27.17	3.2
MW-2	01/08/1998	180	NA	2.8	1.6	<0.50	<0.50	7.6	NA	66.91	36.13	30.78	3.6
MW-2	04/14/1998 b	12,000	NA	92	1,500	260	1,900	110	NA	66.91	26.15	40.76	4.6
MW-2	07/15/1998	36,000	NA	250	5,600	830	6,000	6,800	NA	66.91	31.14	35.77	4.8
MW-2 (D)	07/15/1998	35,000	NA	230	5,600	860	600	570	NA	66.91	31.14	35.77	4.8
MW-2	10/13/1998	100	NA	7	12	3.7	10	5.8	NA	66.91	36.14	30.77	0.8
MW-2	01/22/1999	21,000	NA	701	3,330	960	5,420	772	620	66.91	35.97	30.94	1.0
MW-2	04/16/1999	14,000	NA	200	1,600	560	3,300	330	NA	66.91	31.52	35.39	1.0

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-2	07/22/1999	1,410	NA	28.3	91.2	50.4	256	35.3	15.2	66.91	26.14	40.77	2.1/2.5
MW-2	12/08/1999	<50.0	NA	1.45	1.34	1.15	5.31	5.08	NA	66.91	37.72	29.19	2.1/2.5
MW-2	01/07/2000	743	NA	18.6	47.0	3.06	166	30.3	NA	66.91	38.14	28.77	1.4/1.8
MW-2	04/05/2000	2,320	NA	60.9	101	115	606	62.5	NA	66.91	30.46	36.45	1.7/1.9
MW-2	07/12/2000	12,100	NA	325	555	793	3,610	260	NA	66.91	34.13	32.78	4.1/4.6
MW-2	10/19/2000	4,840	NA	188	267	318	1,370	84.4	NA	66.91	36.50	30.41	4.8/2.6
MW-2	01/15/2001	654	NA	52.3	9.10	37.8	93.6	10.9	NA	66.91	36.73	30.18	4.2/3.5
MW-2	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	66.91	35.25	31.66	2.4/2.0
MW-2	07/20/2001	5,400	NA	320	110	340	1,100	NA	33	66.91	37.00	29.91	3.4/2.4
MW-2	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	66.91	38.63	28.28	NA
MW-2	10/31/2001	1,400	NA	81	16	76	180	NA	29	66.91	38.71	28.20	3.8/2.9
MW-2	01/03/2002	1,800	NA	88	62	130	520	NA	17	66.91	34.71	32.20	3.0/2.1
MW-2	04/05/2002	9,400	NA	190	120	410	1,800	NA	<50	66.91	33.86	33.05	1.3/1.8
MW-2	07/11/2002	6,700	NA	220	73	360	1,100	NA	<20	66.91	35.99	30.92	3.4/2.1
MW-2	10/28/2002	4,600	NA	190	25	210	370	NA	21	66.33	38.05	28.28	0.7/0.9
MW-2	01/07/2003	1,700	NA	9.3	14	83	380	NA	<5.0	66.33	34.22	32.11	3.9/3.6
MW-2	04/14/2003	5,900	NA	86	53	360	1,500	NA	<50	66.33	35.28	31.05	3.0/2.9
<b>MW-2</b>	<b>07/01/2003</b>	<b>2,200</b>	<b>NA</b>	<b>34</b>	<b>24</b>	<b>130</b>	<b>510</b>	<b>NA</b>	<b>3.3</b>	<b>66.33</b>	<b>35.13</b>	<b>31.20</b>	<b>0.9/1.1</b>

MW-3	03/01/1992	<50	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	66.31	42.00	24.31	NA
MW-3	06/03/1992	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.31	44.30	22.01	NA
MW-3	09/01/1992	<50	NA	<0.5	<0.5	1.1	3.2	NA	NA	66.31	43.62	22.69	NA
MW-3	12/07/1992	52	NA	<0.5	<0.5	<0.5	0.5	NA	NA	66.31	44.77	21.54	NA
MW-3	03/01/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.31	35.50	30.81	NA
MW-3	06/22/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	66.31	37.30	29.01	NA
MW-3	09/09/1993	50a	NA	5	<0.5	<0.5	<0.5	NA	NA	66.31	39.90	26.41	NA
MW-3	12/13/1993	120a	NA	7.5	<0.5	1.6	6.3	NA	NA	66.31	41.30	25.01	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-3	03/03/1994	<50	NA	0.81	<0.5	<0.5	<0.5	NA	NA	66.31	38.32	27.99	NA
MW-3	07/27/1994	<50	NA	3.5	<0.5	<0.5	<0.5	NA	NA	67.52	41.07	26.45	NA
MW-3	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.37	26.15	NA
MW-3	10/05/1994	<57	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	67.52	42.55	24.97	NA
MW-3	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	67.52	41.86	25.66	NA
MW-3	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	67.52	42.59	24.93	NA
MW-3	01/04/1995	<50	NA	6	<0.5	<0.5	<0.5	NA	NA	67.52	40.54	26.98	NA
MW-3	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	67.52	31.50	36.02	NA
MW-3	07/12/1995	90	NA	16	<0.5	<0.5	<0.5	NA	NA	67.52	35.14	32.38	NA
MW-3	12/14/1995	4,600	NA	460	390	34	1,000	NA	NA	67.52	39.86	27.66	NA
MW-3	01/10/1996	11,000	NA	470	460	68	670	NA	NA	67.52	39.98	27.54	NA
MW-3	04/25/1996	5,500	NA	830	910	<50	460	NA	NA	67.52	32.38	35.14	NA
MW-3	07/09/1996	72,000	NA	7,600	14,000	970	5,900	59,000	NA	67.52	34.93	32.59	NA
MW-3	10/02/1996	77,000	NA	15,000	24,000	2,000	9,600	94,000	71,000	67.52	38.20	29.32	NA
MW-3	01/09/1997	130	NA	15	16	2	9.7	80	NA	67.52	32.81	34.71	NA
MW-3	04/09/1997	24,000	NA	2,900	5,300	420	2,200	4,100	NA	67.52	33.42	34.10	NA
MW-3 (D)	04/09/1997	24,000	NA	3,000	5,600	450	2,300	4,700	NA	67.52	33.42	34.10	NA
MW-3	07/02/1997	68,000	NA	7,400	18,000	1,600	8,700	16,000	NA	67.52	37.22	30.30	NA
MW-3	10/24/1997	93,000	NA	1,800	8,500	2,300	14,000	3,100	NA	67.52	40.75	26.77	1.8
MW-3	01/08/1998	16,000	NA	140	870	22	5,000	120	NA	67.52	36.90	30.62	2.1
MW-3 (D)	01/08/1998	24,000	NA	100	840	26	5,600	<100	NA	67.52	36.90	30.62	2.1
MW-3	04/14/1998 b	100,000	NA	270	5,000	2,100	17,000	890	NA	67.52	26.92	40.60	1.8
MW-3 (D)	04/14/1998 b	49,000	NA	230	3,200	1,200	8,900	790	NA	67.52	26.92	40.60	1.8
MW-3	07/15/1998	31,000	NA	1,100	3,300	300	2,800	3,700	NA	67.52	31.74	35.78	2
MW-3	10/13/1998	51,000	NA	3,100	12,000	7,630	6,800	6,200	NA	67.52	35.61	31.91	2.1
MW-3 (D)	10/13/1998	88,000	NA	5,800	21,000	1,400	12,000	9200	NA	67.52	35.61	31.91	2.1
MW-3	01/22/1999	25,100	NA	855	4,400	786	5,260	1,850	1,500	67.52	35.29	32.23	0.8

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-3	04/16/1999	7,800	NA	150	550	160	1,100	370	NA	67.52	32.29	35.23	1.0
MW-3	07/22/1999	1,970	NA	51.2	160	43.1	286	179	109	67.52	26.67	40.85	3.1/3.0
MW-3	12/08/1999	12,500	NA	171	537	141	1,260	717	NA	67.52	38.34	29.18	3.1/2.9
MW-3	01/07/2000	6,020	NA	<10.0	929	177	1,170	217	NA	67.52	38.87	28.65	3.2/2.6
MW-3	04/05/2000	3,890	NA	120	351	67.8	576	231	NA	67.52	31.08	36.44	3.4/3.8
MW-3	07/12/2000	23,300	NA	592	4,690	672	4,620	1,340	NA	67.52	34.80	32.72	0.4/3.7
MW-3	10/19/2000	6,280	NA	124	1,280	229	1,510	311	NA	67.52	37.34	30.18	2.1/2.9
MW-3	01/15/2001	4,800	NA	7.04	70.0	70.9	380	54.7	NA	67.52	37.65	29.87	2.7/2.5
MW-3	04/30/2001	<50	NA	<0.50	<0.50	<0.50	1.8	NA	<5.0	67.52	35.25	32.27	1.8/1.6
MW-3	07/20/2001	2,900	NA	11	100	120	520	NA	48	67.52	37.71	29.81	1.2/3.4
MW-3	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	67.52	39.35	28.17	0.5
MW-3	10/31/2001	1,700	NA	4.5	43	43	230	NA	17	67.52	39.30	28.22	0.8/3.0
MW-3	01/03/2002	12,000	NA	26	410	490	2,800	NA	99	67.52	35.51	32.01	1.4/1.2
MW-3	04/05/2002	22,000	NA	76	930	710	4,500	NA	390	67.52	34.56	32.96	1.7/1.9
MW-3	07/11/2002	13,000	NA	23	340	320	1,800	NA	120	67.52	36.65	30.87	1.0/2.2
MW-3	10/28/2002	1,500	NA	<0.50	2.6	13	83	NA	45	66.93	38.85	28.08	1.2/1.1
MW-3	01/07/2003	5,500	NA	8.3	150	130	1,000	NA	130	66.93	34.64	32.29	3.2/3.1
MW-3	04/14/2003	14,000	NA	23	250	470	3,200	NA	330	66.93	35.90	31.03	1.6/2.1
MW-3	07/01/2003	12,000	NA	19	100	440	2,700	NA	250	66.93	35.70	31.23	0.9/1.0

MW-4	07/27/1994	120	NA	3.4	3.9	0.6	4.9	NA	NA	68.08	41.78	26.30	NA
MW-4	08/09/1994	NA	NA	NA	NA	NA	NA	NA	NA	68.08	42.09	25.99	NA
MW-4	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	68.08	43.25	24.83	NA
MW-4 (D)	10/05/1994	<50	NA	<0.3	<0.3	<0.3	<0.6	NA	NA	68.08	43.25	24.83	NA
MW-4	11/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	68.08	42.54	25.54	NA
MW-4	12/29/1994	NA	NA	NA	NA	NA	NA	NA	NA	68.08	43.34	24.74	NA
MW-4	01/04/1995	<50	NA	1.4	<0.5	<0.5	<0.5	NA	NA	68.08	41.57	26.51	NA

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	04/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	68.08	32.24	35.84	NA
MW-4	07/12/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	68.08	35.88	32.20	NA
MW-4	12/14/1995	70	NA	0.6	<0.5	<0.5	<0.5	NA	NA	68.08	40.54	27.54	NA
MW-4	01/10/1996	280	NA	3.7	1	<0.5	0.8	NA	NA	68.08	39.59	28.49	NA
MW-4	04/25/1996	<500	NA	63	<5.0	<5.0	<5.0	NA	NA	68.08	33.22	34.86	NA
MW-4	07/09/1996	<2,000	NA	160	<20	<20	<20	5,300	NA	68.08	35.70	32.38	NA
MW-4	10/02/1996	<5,000	NA	480	<50	<50	<50	19,000	NA	68.08	38.95	29.13	NA
MW-4	01/09/1997	<2,000	NA	43	<20	<20	<20	7,000	NA	68.08	33.04	35.04	NA
MW-4	04/09/1997	<2,500	NA	120	<25	<25	<25	8,100	NA	68.08	34.15	33.93	NA
MW-4	07/02/1997	<2,000	NA	81	<20	<20	<20	6,600	NA	68.08	37.92	30.16	NA
MW-4	10/24/1997	<500	NA	90	<5.0	11	6.3	3,200	NA	68.08	41.00	27.08	2.1
MW-4	01/08/1998	<50	NA	3.9	<0.50	<0.50	<0.50	1,800	NA	68.08	37.54	30.54	2.2
MW-4	04/14/1998 b	920	NA	<0.50	<0.50	<0.50	<0.50	27	NA	68.08	27.75	40.33	1.2
MW-4	07/15/1998	2,100	NA	160	76	120	190	2,600	NA	68.08	32.47	35.61	1.8
MW-4	10/13/1998	<50	NA	<0.50	<0.50	<0.50	<0.50	17	NA	68.08	36.75	31.33	1.1
MW-4	01/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	7	13	68.08	36.41	31.67	1.6
MW-4	04/16/1999	1,800	NA	92	35	110	200	1,800	2,750	68.08	33.00	35.08	1.2
MW-4	07/22/1999	Well Inaccessible		NA	NA	NA	NA	NA	NA	68.08	27.59	40.49	NA
MW-4	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	22.6	NA	68.08	39.04	29.04	2.5/2.6
MW-4	01/07/2000	871	NA	39.4	69.0	71.6	99.6	1,030	NA	68.08	39.35	28.73	1.2/1.2
MW-4	04/05/2000	475	NA	26.9	5.24	19.8	41.5	681	NA	68.08	31.28	36.80	1.6/1.8
MW-4	07/12/2000	1,040	NA	35.7	6.95	125	104	1,040	NA	68.08	35.52	32.56	0.5/4.9
MW-4	10/19/2000	944	NA	23.9	6.57	122	109	372	NA	68.08	38.08	30.00	2.3/1.4
MW-4	01/15/2001	1,170	NA	21.6	1.51	123	52.8	592	NA	68.08	38.31	29.77	1.7/1.9
MW-4	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	26	68.08	35.80	32.28	1.3/1.0
MW-4	07/20/2001	2,000	NA	16	5.8	230	270	NA	520	68.08	38.46	29.62	1.6/1.8
MW-4	10/24/2001	1,000	NA	6.9	<1.0	96	44	NA	270	68.08	40.02	28.06	0.7/0.9

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-4	01/03/2002	390	NA	3.0	<0.50	19	5.9	NA	230	68.08	35.71	32.37	1.2/1.9
MW-4	04/05/2002	150	NA	0.57	<0.50	3.8	<0.50	NA	250	68.08	35.25	32.83	1.6/1.6
MW-4	07/11/2002	530	NA	2.6	<0.50	46	4.6	NA	280	68.08	37.39	30.69	0.8/1.9
MW-4	10/28/2002	110	NA	<0.50	<0.50	1.8	<0.50	NA	180	67.52	39.55	27.97	1.1/0.9
MW-4	01/07/2003	210	NA	0.72	<0.50	12	1.5	NA	140	67.52	35.24	32.28	2.1/2.2
MW-4	04/14/2003	220	NA	0.77	<0.50	9.8	1.2	NA	160	67.52	36.62	30.90	1.9/1.5
MW-4	07/01/2003	61	NA	<0.50	<0.50	<0.50	<1.0	NA	84	67.52	36.49	31.03	0.6/0.7

MW-5*	06/04/1999	159,000	NA	7,190	39,300	2,450	16,700	<5,000	NA	66.50	33.48	33.02	1.7
MW-5	06/04/1999	80,400	NA	4,400	26,000	1,480	11,000	3,660	NA	66.50	33.48	33.02	1.9
MW-5	07/22/1999	97,200	NA	4,580	25,600	1,580	10,100	<5,000	4,330	66.50	33.29	33.21	1.7/1.8
MW-5	12/08/1999	72,000	NA	3,360	16,600	1,560	8,320	3,460	NA	66.50	37.80	28.70	1.7/1.9
MW-5	01/07/2000	104,000	NA	5,370	30,400	2,500	13,900	3,330	NA	66.50	38.40	28.10	1.6/1.2
MW-5	04/05/2000	99,700	NA	5,710	37,000	2,410	14,200	10,800	NA	66.50	30.72	35.78	1.7/1.5
MW-5	07/12/2000	106,000	NA	3,840	38,200	2,980	18,100	3,280	NA	66.50	34.42	32.08	0.2/1.8
MW-5	10/19/2000	72,400	NA	3,010	32,200	2,440	15,400	2,840	NA	66.50	36.89	29.61	1.0/2.7
MW-5	01/15/2001	78,300	NA	2,220	21,400	1,960	12,200	3,420	1,370	66.50	37.10	29.40	1.2/1.0
MW-5	04/30/2001	83,000	NA	1,400	23,000	2,300	14,000	NA	3,400	66.50	34.75	31.75	0.6/0.8
MW-5	07/20/2001 f	NA	NA	NA	NA	NA	NA	NA	NA	66.50	37.40	29.10	0.5
MW-5	07/24/2001	160,000	NA	2,400	37,000	3,800	24,000	NA	1,400	66.50	37.30	29.20	0.7/0.8
MW-5	10/24/2001 g	NA	NA	NA	NA	NA	NA	NA	NA	66.50	39.00	27.50	NA
MW-5	10/31/2001	14,000	NA	150	2,700	450	2,300	NA	110	66.50	39.05	27.45	0.4/0.8
MW-5	01/03/2002	62,000	NA	660	12,000	1,700	11,000	NA	860	66.50	35.15	31.35	0.4/0.3
MW-5	04/05/2002	81,000	NA	1,500	19,000	2,400	13,000	NA	2,400	66.50	34.18	32.32	1.7/1.4
MW-5	07/11/2002	140,000	NA	1,900	26,000	3,400	20,000	NA	1,700	66.50	36.28	30.22	0.5/0.6
MW-5	10/28/2002	30,000	NA	340	4,900	830	5,200	NA	<200	66.50	38.44	28.06	0.6/0.9
MW-5	01/07/2003	72,000	NA	720	13,000	1,900	10,000	NA	1,100	66.50	34.17	32.33	1.4/1.1

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	04/14/2003	110,000	NA	900	19,000	3,000	20,000	NA	1,400	66.50	35.52	30.98	0.8/0.6
MW-5	07/01/2003	94,000	NA	970	22,000	3,300	20,000	NA	2,900	66.50	35.37	31.13	1.1/1.0
MW-6*	06/04/1999	36,000	NA	4,240	1,680	1,100	4,160	11,300	17,500	64.98	32.13	32.85	1.3
MW-6	06/04/1999	56,900	NA	6,830	6,050	1,970	9,060	17,000	24,300	64.98	32.13	32.85	1.3
MW-6	07/22/1999	42,800	NA	4,660	740	1,210	4,980	15,600	20,100	64.98	32.09	32.89	2.9/2.1
MW-6	12/08/1999	9,520	NA	1,760	58.0	142	384	9,320	7,310c	64.98	36.62	28.36	2.9/2.2
MW-6	01/07/2000	20,000	NA	3,650	367	949	1,700	13,600	13,100	64.98	37.03	27.95	1.2/1.4
MW-6	04/05/2000	20,500e	NA	4,190e	1,250e	1,200e	2,750e	18,600e	12,700c	64.98	29.37	35.61	1.2/1.2
MW-6	07/12/2000	27,300	NA	4,000	3,170	1,470	4,570	12,900	10,800c	64.98	33.04	31.94	0.8/0.4
MW-6	10/19/2000	39,600	NA	4,050	6,250	1,920	7,800	14,200	14,600c	64.98	35.62	29.36	1.4/1.7
MW-6	01/15/2001	64,800	NA	2,090	20,400	1,860	11,100	<1,250	NA	64.98	35.91	29.07	1.2/1.5
MW-6	04/30/2001	27,000	NA	2,300	3,200	1,100	4,600	NA	6,800	64.98	33.70	31.28	1.6/1.2
MW-6	07/20/2001	29,000	NA	2,100	1,900	1,100	5,600	NA	7,100	64.98	35.98	29.00	1.0/0.7
MW-6	10/24/2001	38,000	NA	1,400	690	1,400	5,700	NA	4,800	64.98	37.55	27.43	1.0/0.6
MW-6	01/03/2002	10,000	NA	810	120	260	1,100	NA	4,100	64.98	33.34	31.64	0.8/0.6
MW-6	04/05/2002	19,000	NA	1,100	1,100	510	3,000	NA	4,300	64.98	34.60	30.38	1.1/1.5
MW-6	07/11/2002	26,000	NA	1,100	550	1,200	4,400	NA	5,400	64.98	35.02	29.96	0.1/0.7
MW-6	10/28/2002	11,000	NA	230	56	140	540	NA	2,500	65.10	37.78	27.32	0.7/1.1
MW-6	01/07/2003	Unable to sample		NA	NA	NA	NA	NA	NA	65.10	32.95	32.15	NA
MW-6	01/10/2003	17,000	NA	840	1,200	1,100	2,700	NA	3,400	65.10	32.75	32.35	0.4/0.3
MW-6	04/14/2003	31,000	NA	810	420	1,300	4,000	NA	3,800	65.10	34.95	30.15	3.6/1.0
MW-6	07/01/2003	1,400	NA	88	44	<10	160	NA	1,900	65.10	34.77	30.33	1.2/1.5
MW-7*	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	65.83	33.03	32.80	1.4
MW-7	06/04/1999	<50.0	NA	0.663	<0.500	0.677	<0.500	11.7	NA	65.83	33.03	32.80	1.4
MW-7	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	65.83	33.09	32.74	2.7/2.4

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	----------------------------	--------------------------	------------------------

MW-7	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	65.83	37.68	28.15	2.7/2.4
MW-7	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	65.83	37.87	27.96	2.8/2.6
MW-7	04/05/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	65.83	30.30	35.53	2.8/3.1
MW-7	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	65.83	33.92	31.91	0.9/0.7
MW-7	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	65.83	36.51	29.32	1.5/1.8
MW-7	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	65.83	36.73	29.10	4.7/4.3
MW-7	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.83	34.25	31.58	4.2/2.2
MW-7	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.83	36.88	28.95	1.8/1.7
MW-7	10/24/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.83	38.45	27.38	1.4/1.5
MW-7	01/03/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.83	34.52	31.31	1.2/1.8
MW-7	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.83	34.51	31.32	1.7/1.4
MW-7	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.83	35.77	30.06	4.5/2.5
MW-7	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.84	37.70	28.14	0.4/0.8
MW-7	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	65.84	33.76	32.08	2.24/1.9
MW-7	04/14/2003	80	NA	2.2	1.1	3.0	9.0	NA	21	65.84	34.99	30.85	2.7/1.9
<b>MW-7</b>	<b>07/01/2003</b>	<b>&lt;50</b>	<b>NA</b>	<b>&lt;0.50</b>	<b>0.75</b>	<b>&lt;0.50</b>	<b>1.1</b>	<b>NA</b>	<b>0.77</b>	<b>65.84</b>	<b>34.79</b>	<b>31.05</b>	<b>0.7/0.9</b>

MW-8*	06/04/1999	<50	NA	<0.500	<0.500	<0.500	<0.500	452	NA	65.07	32.19	32.88	2.1
MW-8	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	186	NA	65.07	32.19	32.88	1.8
MW-8	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	286	443	65.07	32.14	32.93	2.9/2.7
MW-8	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	65.07	36.75	28.32	2.9/2.7
MW-8	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	255	NA	65.07	37.15	27.92	1.8/2.0
MW-8	04/05/2000	<50.0e	NA	<0.500e	<0.500e	<0.500e	<0.500e	247e	NA	65.07	29.45	35.62	2.1/2.5
MW-8	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	123	NA	65.07	33.13	31.94	0.5/0.5
MW-8	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	123	NA	65.07	35.72	29.35	1.2/1.8
MW-8	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	173	NA	65.07	36.00	29.07	0.5/1.0
MW-8	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	120	65.07	33.48	31.59	1.4/1.0



**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	---------------------------	--------------------------	------------------------

MW-8	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	210	65.07	36.12	28.95	1.0/1.2
MW-8	10/24/2001	<100	NA	<1.0	<1.0	<1.0	<1.0	NA	360	65.07	37.73	27.34	1.4/0.5
MW-8	01/03/2002	290	NA	<0.50	<0.50	<0.50	<0.50	NA	18	65.07	35.37	29.70	1.2/1.1
MW-8	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	100	65.07	35.40	29.67	1.2/1.3
MW-8	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	230	65.07	35.05	30.02	0.3/0.4
MW-8	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	210	65.08	37.25	27.83	1.1/1.2
MW-8	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	97	65.08	33.01	32.07	1.4/1.7
MW-8	04/14/2003	<50	NA	<0.50	<0.50	<0.50	1.1	NA	130	65.08	34.29	30.79	2.5/0.9
MW-8	07/01/2003	<250	NA	<2.5	<2.5	<2.5	<5.0	NA	430	65.08	34.04	31.04	0.6/0.8

Irrigation Well	06/04/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA
Irrigation Well	07/22/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	<2.00	NA	NA	NA	NA
Irrigation Well	12/08/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA
Irrigation Well	01/07/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA
Irrigation Well	04/05/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	27.85	NA	NA
Irrigation Well	07/12/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA
Irrigation Well	10/19/2000	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	1.7/1.8
Irrigation Well	01/15/2001	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	34.35	NA	1.0/1.2
Irrigation Well	04/30/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	31.74	NA	1.4/3.8
Irrigation Well	07/20/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	34.38	NA	3.0/4.0
Irrigation Well	10/24/2001	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	36.28	NA	5.8/7.0
Irrigation Well	01/03/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	31.96	NA	3.1/3.1
Irrigation Well	04/05/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	32.00	NA	2.8/2.9
Irrigation Well	07/11/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	33.22	NA	4.6/4.6
Irrigation Well	10/28/2002	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	35.55	NA	1.7/1.9
Irrigation Well	01/07/2003	<50	NA	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	31.20 h	NA	1.4/1.0
Irrigation Well	04/14/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	32.35	NA	3.9/4.3

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
Irrigation Well	07/01/2003	<50	NA	<0.50	<0.50	<0.50	<1.0	NA	0.64	NA	33.03	NA	3.7/4.9

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to April 30, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to April 30, 2001, analyzed by EPA Method 8020.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

n/n = Pre-purge/post-purge DO reading.

NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**1285 Bancroft Avenue**  
**San Leandro, CA**

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	--------------	---------------------------	--------------------------	------------------------

Notes:

a = Chromatogram pattern indicated an unidentified hydrocarbon.

b = Equipment blank contained 80 ug/L TPH-G, 1.2 ug/L benzene, 17 ug/L toluene, 3.2 ug/L ethylbenzene, 16 ug/L xylenes, and 15 ug/L MTBE

c = Sample was analyzed outside the EPA recommended holding time.

d = DO Reading not taken.

e = Result was generated out of hold time.

f = Stinger broke off in well; removed on subsequent return trip.

g = Unable to complete sample due to equipment failure.

h = Depth to water at five minutes purge time.

\* Pre-purge samples

TOC elevation of wells MW-1, MW-2, and MW-3 resurveyed March 29, 1994

Site surveyed on June 21, 1999 by Virgil Chavez land surveying, Vallejo, CA.

Site surveyed on March 14, 2002 by Virgil Chavez land surveying, Vallejo, CA.

**Blaine Tech Services, Inc.**

August 06, 2003

1680 Rogers Avenue  
San Jose, CA 95112-1105

Attn.: Leon Gearhart

Project#: 030701-MT1

Project: 98996067

Site: 1285 Bancroft Avenue, San Leandro

Dear Mr. Gearhart,

Attached is our report for your samples received on 07/02/2003 16:25


This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 08/16/2003 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions, please call me at (925) 484-1919.

You can also contact me via email. My email address is: [tgranicher@stl-inc.com](mailto:tgranicher@stl-inc.com)

Sincerely,



Tod Granicher  
Project Manager

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

**Samples Reported**

Sample Name	Date Sampled	Matrix	Lab #
MW-1	07/01/2003 11:10	Water	1
MW-2	07/01/2003 12:25	Water	2
MW-3	07/01/2003 12:45	Water	3
MW-4	07/01/2003 11:48	Water	4
MW-5	07/01/2003 13:35	Water	5
MW-6	07/01/2003 13:15	Water	6
MW-7	07/01/2003 11:30	Water	7
MW-8	07/01/2003 10:05	Water	8
IW-1	07/01/2003 09:35	Water	9

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: MW-1	Lab ID: 2003-07-0097-1
Sampled: 07/01/2003 11:10	Extracted: 7/17/2003 19:53
Matrix: Water	QC Batch#: 2003/07/17-10.65
Analysis Flag: HT ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	07/17/2003 19:53	
Benzene	ND	0.50	ug/L	1.00	07/17/2003 19:53	
Toluene	ND	0.50	ug/L	1.00	07/17/2003 19:53	
Ethylbenzene	1.1	0.50	ug/L	1.00	07/17/2003 19:53	
Total xylenes	2.5	1.0	ug/L	1.00	07/17/2003 19:53	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	1.00	07/17/2003 19:53	
Methyl tert-butyl ether (MTBE)	4.1	0.50	ug/L	1.00	07/17/2003 19:53	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	07/17/2003 19:53	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	07/17/2003 19:53	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	07/17/2003 19:53	
1,2-DCA	ND	0.50	ug/L	1.00	07/17/2003 19:53	
EDB	ND	0.50	ug/L	1.00	07/17/2003 19:53	
Ethanol	ND	50	ug/L	1.00	07/17/2003 19:53	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	94.6	76-130	%	1.00	07/17/2003 19:53	
Toluene-d8	100.6	78-115	%	1.00	07/17/2003 19:53	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: MW-2	Lab ID: 2003-07-0097 - 2
Sampled: 07/01/2003 12:25	Extracted: 7/17/2003 20:15
Matrix: Water	QC Batch#: 2003/07/17-1G.65
Analysis Flag: HT,o ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	2200	250	ug/L	5.00	07/17/2003 20:15	
Benzene	34	2.5	ug/L	5.00	07/17/2003 20:15	
Toluene	24	2.5	ug/L	5.00	07/17/2003 20:15	
Ethylbenzene	130	2.5	ug/L	5.00	07/17/2003 20:15	
Total xylenes	510	5.0	ug/L	5.00	07/17/2003 20:15	
tert-Butyl alcohol (TBA)	ND	25	ug/L	5.00	07/17/2003 20:15	
Methyl tert-butyl ether (MTBE)	3.3	2.5	ug/L	5.00	07/17/2003 20:15	
Di-isopropyl Ether (DIPE)	ND	10	ug/L	5.00	07/17/2003 20:15	
Ethyl tert-butyl ether (ETBE)	ND	10	ug/L	5.00	07/17/2003 20:15	
tert-Amyl methyl ether (TAME)	ND	10	ug/L	5.00	07/17/2003 20:15	
1,2-DCA	ND	2.5	ug/L	5.00	07/17/2003 20:15	
EDB	ND	2.5	ug/L	5.00	07/17/2003 20:15	
Ethanol	ND	250	ug/L	5.00	07/17/2003 20:15	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	102.0	76-130	%	5.00	07/17/2003 20:15	
Toluene-d8	103.6	78-115	%	5.00	07/17/2003 20:15	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: MW-3	Lab ID: 2003-07-0097 - 3
Sampled: 07/01/2003 12:45	Extracted: 7/17/2003 20:38
Matrix: Water	QC Batch#: 2003/07/17-1G.65
Analysis Flag: HT,o ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	12000	250	ug/L	5.00	07/17/2003 20:38	
Benzene	19	2.5	ug/L	5.00	07/17/2003 20:38	
Toluene	100	2.5	ug/L	5.00	07/17/2003 20:38	
Ethylbenzene	440	2.5	ug/L	5.00	07/17/2003 20:38	
Total xylenes	2700	5.0	ug/L	5.00	07/17/2003 20:38	
tert-Butyl alcohol (TBA)	ND	25	ug/L	5.00	07/17/2003 20:38	
Methyl tert-butyl ether (MTBE)	250	2.5	ug/L	5.00	07/17/2003 20:38	
Di-isopropyl Ether (DIPE)	ND	10	ug/L	5.00	07/17/2003 20:38	
Ethyl tert-butyl ether (ETBE)	ND	10	ug/L	5.00	07/17/2003 20:38	
tert-Amyl methyl ether (TAME)	ND	10	ug/L	5.00	07/17/2003 20:38	
1,2-DCA	ND	2.5	ug/L	5.00	07/17/2003 20:38	
EDB	ND	2.5	ug/L	5.00	07/17/2003 20:38	
Ethanol	ND	250	ug/L	5.00	07/17/2003 20:38	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	108.7	76-130	%	5.00	07/17/2003 20:38	
Toluene-d8	102.7	78-115	%	5.00	07/17/2003 20:38	



**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: MW-4	Lab ID: 2003-07-0097 - 4
Sampled: 07/01/2003 11:48	Extracted: 7/15/2003 15:45 7/15/2003 15:45 7/17/2003 21:00
Matrix: Water	QC Batch#: 2003/07/15-1D.64 2003/07/17-1H.65 2003/07/17-1H.65

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	61	50	ug/L	1.00	07/15/2003 15:45	
Benzene	ND	0.50	ug/L	1.00	07/15/2003 15:45	
Toluene	ND	0.50	ug/L	1.00	07/15/2003 15:45	
Ethylbenzene	ND	0.50	ug/L	1.00	07/15/2003 15:45	
Total xylenes	ND	1.0	ug/L	1.00	07/15/2003 15:45	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	1.00	07/15/2003 15:45	
Methyl tert-butyl ether (MTBE)	84	0.50	ug/L	1.00	07/15/2003 15:45	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	07/15/2003 15:45	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	07/15/2003 15:45	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	07/15/2003 15:45	
1,2-DCA	ND	0.50	ug/L	1.00	07/15/2003 15:45	
EDB	ND	0.50	ug/L	1.00	07/15/2003 15:45	
Ethanol	ND	50	ug/L	1.00	07/17/2003 21:00	H
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	104.0	76-130	%	1.00	07/15/2003 15:45	
1,2-Dichloroethane-d4	99.9	76-130	%	1.00	07/17/2003 21:00	
Toluene-d8	104.2	78-115	%	1.00	07/15/2003 15:45	
Toluene-d8	103.1	78-115	%	1.00	07/17/2003 21:00	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s):	5030B	Test(s):	8260FAB
Sample ID:	MW-5	Lab ID:	2003-07-0097 - 5
Sampled:	07/01/2003 13:35	Extracted:	7/11/2003 11:15 7/11/2003 11:15 7/17/2003 21:22
Matrix:	Water	QC Batch#:	2003/07/11-1Z.64 2003/07/17-1Z.65 2003/07/17-1Z.65

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	94000	13000	ug/L	250.00	07/11/2003 11:15	
Benzene	970	130	ug/L	250.00	07/11/2003 11:15	
Toluene	22000	130	ug/L	250.00	07/11/2003 11:15	
Ethylbenzene	3300	130	ug/L	250.00	07/11/2003 11:15	
Total xylenes	20000	250	ug/L	250.00	07/11/2003 11:15	
tert-Butyl alcohol (TBA)	ND	1300	ug/L	250.00	07/11/2003 11:15	
Methyl tert-butyl ether (MTBE)	2900	130	ug/L	250.00	07/11/2003 11:15	
Di-isopropyl Ether (DIPE)	ND	500	ug/L	250.00	07/11/2003 11:15	
Ethyl tert-butyl ether (ETBE)	ND	500	ug/L	250.00	07/11/2003 11:15	
tert-Amyl methyl ether (TAME)	ND	500	ug/L	250.00	07/11/2003 11:15	
1,2-DCA	ND	130	ug/L	250.00	07/11/2003 11:15	
EDB	ND	130	ug/L	250.00	07/11/2003 11:15	
Ethanol	ND	13000	ug/L	250.00	07/17/2003 21:22	H
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	103.4	76-130	%	1.00	07/17/2003 21:22	
1,2-Dichloroethane-d4	109.2	76-130	%	1.00	07/11/2003 11:15	
Toluene-d8	107.4	78-115	%	1.00	07/17/2003 21:22	
Toluene-d8	102.5	78-115	%	1.00	07/11/2003 11:15	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: MW-6	Lab ID: 2003-07-0097 - 6
Sampled: 07/01/2003 13:15	Extracted: 7/11/2003 12:43 7/11/2003 12:43 7/17/2003 21:45
Matrix: Water	QC Batch#: 2003/07/11-1B.64 2003/07/17-1H.65 2003/07/17-1H.65
Analysis Flag: o ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	1400	1000	ug/L	20.00	07/11/2003 12:43	
Benzene	88	10	ug/L	20.00	07/11/2003 12:43	
Toluene	44	10	ug/L	20.00	07/11/2003 12:43	
Ethylbenzene	ND	10	ug/L	20.00	07/11/2003 12:43	
Total xylenes	160	20	ug/L	20.00	07/11/2003 12:43	
tert-Butyl alcohol (TBA)	340	100	ug/L	20.00	07/11/2003 12:43	
Methyl tert-butyl ether (MTBE)	1900	10	ug/L	20.00	07/11/2003 12:43	
Di-isopropyl Ether (DIPE)	ND	40	ug/L	20.00	07/11/2003 12:43	
Ethyl tert-butyl ether (ETBE)	ND	40	ug/L	20.00	07/11/2003 12:43	
tert-Amyl methyl ether (TAME)	ND	40	ug/L	20.00	07/11/2003 12:43	
1,2-DCA	ND	10	ug/L	20.00	07/11/2003 12:43	
EDB	ND	10	ug/L	20.00	07/11/2003 12:43	
Ethanol	ND	1000	ug/L	20.00	07/17/2003 21:45	H
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	98.4	76-130	%	1.00	07/17/2003 21:45	
1,2-Dichloroethane-d4	109.2	76-130	%	1.00	07/11/2003 12:43	
Toluene-d8	103.3	78-115	%	1.00	07/17/2003 21:45	
Toluene-d8	97.4	78-115	%	1.00	07/11/2003 12:43	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s):	5030B	Test(s):	8260FAB
Sample ID:	MW-7	Lab ID:	2003-07-0097 - 7
Sampled:	07/01/2003 11:30	Extracted:	7/12/2003 17:15
Matrix:	Water	QC Batch#:	2003/07/12-01.62

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	07/12/2003 17:15	
Benzene	ND	0.50	ug/L	1.00	07/12/2003 17:15	
Toluene	0.75	0.50	ug/L	1.00	07/12/2003 17:15	
Ethylbenzene	ND	0.50	ug/L	1.00	07/12/2003 17:15	
Total xylenes	1.1	1.0	ug/L	1.00	07/12/2003 17:15	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	1.00	07/12/2003 17:15	
Methyl tert-butyl ether (MTBE)	0.77	0.50	ug/L	1.00	07/12/2003 17:15	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	07/12/2003 17:15	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	07/12/2003 17:15	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	07/12/2003 17:15	
1,2-DCA	ND	0.50	ug/L	1.00	07/12/2003 17:15	
EDB	ND	0.50	ug/L	1.00	07/12/2003 17:15	
Ethanol	ND	50	ug/L	1.00	07/12/2003 17:15	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	103.0	76-130	%	1.00	07/12/2003 17:15	
Toluene-d8	102.0	78-115	%	1.00	07/12/2003 17:15	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: MW-8	Lab ID: 2003-07-0097 - 8
Sampled: 07/01/2003 10:05	Extracted: 7/12/2003 16:31
Matrix: Water	QC Batch#: 2003/07/12-01.62
Analysis Flag: o ( See Legend and Note Section )	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	250	ug/L	5.00	07/12/2003 16:31	
Benzene	ND	2.5	ug/L	5.00	07/12/2003 16:31	
Toluene	ND	2.5	ug/L	5.00	07/12/2003 16:31	
Ethylbenzene	ND	2.5	ug/L	5.00	07/12/2003 16:31	
Total xylenes	ND	5.0	ug/L	5.00	07/12/2003 16:31	
tert-Butyl alcohol (TBA)	ND	25	ug/L	5.00	07/12/2003 16:31	
Methyl tert-butyl ether (MTBE)	430	2.5	ug/L	5.00	07/12/2003 16:31	
Di-isopropyl Ether (DIPE)	ND	10	ug/L	5.00	07/12/2003 16:31	
Ethyl tert-butyl ether (ETBE)	ND	10	ug/L	5.00	07/12/2003 16:31	
tert-Amyl methyl ether (TAME)	ND	10	ug/L	5.00	07/12/2003 16:31	
1,2-DCA	ND	2.5	ug/L	5.00	07/12/2003 16:31	
EDB	ND	2.5	ug/L	5.00	07/12/2003 16:31	
Ethanol	ND	250	ug/L	5.00	07/12/2003 16:31	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	116.8	76-130	%	5.00	07/12/2003 16:31	
Toluene-d8	101.4	78-115	%	5.00	07/12/2003 16:31	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Prep(s): 5030B	Test(s): 8260FAB
Sample ID: IW-1	Lab ID: 2003-07-0097 - 9
Sampled: 07/01/2003 09:35	Extracted: 7/12/2003 16:53
Matrix: Water	QC Batch#: 2003/07/12-01.62

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	ND	50	ug/L	1.00	07/12/2003 16:53	
Benzene	ND	0.50	ug/L	1.00	07/12/2003 16:53	
Toluene	ND	0.50	ug/L	1.00	07/12/2003 16:53	
Ethylbenzene	ND	0.50	ug/L	1.00	07/12/2003 16:53	
Total xylenes	ND	1.0	ug/L	1.00	07/12/2003 16:53	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	1.00	07/12/2003 16:53	
Methyl tert-butyl ether (MTBE)	0.64	0.50	ug/L	1.00	07/12/2003 16:53	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	07/12/2003 16:53	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	07/12/2003 16:53	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	07/12/2003 16:53	
1,2-DCA	ND	0.50	ug/L	1.00	07/12/2003 16:53	
EDB	ND	0.50	ug/L	1.00	07/12/2003 16:53	
Ethanol	ND	50	ug/L	1.00	07/12/2003 16:53	
<b>Surrogates(s)</b>						
1,2-Dichloroethane-d4	110.4	76-130	%	1.00	07/12/2003 16:53	
Toluene-d8	100.8	78-115	%	1.00	07/12/2003 16:53	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report					
Prep(s): 5030B Method Blank MB: 2003/07/11-1B.64-030			Water		Test(s): 8260FAB QC Batch # 2003/07/11-1B.64 Date Extracted: 07/11/2003 10:30
Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/11/2003 10:30	
Gasoline	ND	50	ug/L	07/11/2003 10:30	
Benzene	ND	0.5	ug/L	07/11/2003 10:30	
Toluene	ND	0.5	ug/L	07/11/2003 10:30	
Ethylbenzene	ND	0.5	ug/L	07/11/2003 10:30	
Total xylenes	ND	1.0	ug/L	07/11/2003 10:30	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/11/2003 10:30	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/11/2003 10:30	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/11/2003 10:30	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/11/2003 10:30	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/11/2003 10:30	
1,2-DCA	ND	0.5	ug/L	07/11/2003 10:30	
EDB	ND	0.5	ug/L	07/11/2003 10:30	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	100.8	76-130	%	07/11/2003 10:30	
Toluene-d8	99.2	78-115	%	07/11/2003 10:30	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report		
Prep(s): 5030B		Test(s): 8260FAB
Method Blank	Water	QC Batch # 2003/07/11-1Z.64
MB: 2003/07/11-1Z.64-030		Date Extracted: 07/11/2003 10:30

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/11/2003 10:30	
Benzene	ND	0.5	ug/L	07/11/2003 10:30	
Toluene	ND	0.5	ug/L	07/11/2003 10:30	
Ethylbenzene	ND	0.5	ug/L	07/11/2003 10:30	
Total xylenes	ND	1.0	ug/L	07/11/2003 10:30	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/11/2003 10:30	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/11/2003 10:30	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/11/2003 10:30	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/11/2003 10:30	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/11/2003 10:30	
1,2-DCA	ND	0.5	ug/L	07/11/2003 10:30	
EDB	ND	0.5	ug/L	07/11/2003 10:30	
Ethanol	ND	50	ug/L	07/11/2003 10:30	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	100.8	76-130	%	07/11/2003 10:30	
Toluene-d8	99.2	78-115	%	07/11/2003 10:30	



**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report		
Prep(s): 5030B		Test(s): 8260FAB
Method Blank	Water	QC Batch # 2003/07/12-01.62
MB: 2003/07/12-01.62-005		Date Extracted: 07/12/2003 11:05

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/12/2003 11:05	
Benzene	ND	0.5	ug/L	07/12/2003 11:05	
Toluene	ND	0.5	ug/L	07/12/2003 11:05	
Ethylbenzene	ND	0.5	ug/L	07/12/2003 11:05	
Total xylenes	ND	1.0	ug/L	07/12/2003 11:05	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/12/2003 11:05	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/12/2003 11:05	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/12/2003 11:05	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/12/2003 11:05	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/12/2003 11:05	
1,2-DCA	ND	0.5	ug/L	07/12/2003 11:05	
EDB	ND	0.5	ug/L	07/12/2003 11:05	
Ethanol	ND	50	ug/L	07/12/2003 11:05	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	82.3	76-130	%	07/12/2003 11:05	
Toluene-d8	98.8	78-115	%	07/12/2003 11:05	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report		
Prep(s): 5030B Method Blank MB: 2003/07/15-1D.64-054	Water	Test(s): 8260FAB QC Batch # 2003/07/15-1D.64 Date Extracted: 07/15/2003 13:54

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/15/2003 13:54	
Gasoline	ND	50	ug/L	07/15/2003 13:54	
Benzene	ND	0.5	ug/L	07/15/2003 13:54	
Toluene	ND	0.5	ug/L	07/15/2003 13:54	
Ethylbenzene	ND	0.5	ug/L	07/15/2003 13:54	
Total xylenes	ND	1.0	ug/L	07/15/2003 13:54	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/15/2003 13:54	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/15/2003 13:54	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/15/2003 13:54	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/15/2003 13:54	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/15/2003 13:54	
1,2-DCA	ND	0.5	ug/L	07/15/2003 13:54	
EDB	ND	0.5	ug/L	07/15/2003 13:54	
Ethanol	ND	50	ug/L	07/15/2003 13:54	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	109.2	76-130	%	07/15/2003 13:54	
Toluene-d8	100.8	78-115	%	07/15/2003 13:54	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report					
Prep(s): 5030B		Water		Test(s): 8260FAB	
Method Blank				QC Batch # 2003/07/17-1G.65	
MB: 2003/07/17-1G.65-042				Date Extracted: 07/17/2003 10:42	
Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/17/2003 10:42	
Benzene	ND	0.5	ug/L	07/17/2003 10:42	
Toluene	ND	0.5	ug/L	07/17/2003 10:42	
Ethylbenzene	ND	0.5	ug/L	07/17/2003 10:42	
Total xylenes	ND	1.0	ug/L	07/17/2003 10:42	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/17/2003 10:42	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/17/2003 10:42	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/17/2003 10:42	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/17/2003 10:42	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/17/2003 10:42	
1,2-DCA	ND	0.5	ug/L	07/17/2003 10:42	
EDB	ND	0.5	ug/L	07/17/2003 10:42	
Ethanol	ND	50	ug/L	07/17/2003 10:42	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	88.4	76-130	%	07/17/2003 10:42	
Toluene-d8	102.6	78-115	%	07/17/2003 10:42	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report			
Prep(s): 5030B			Test(s): 8260FAB
Method Blank		Water	QC Batch # 2003/07/17-1H.65
MB: 2003/07/17-1H.65-042			Date Extracted: 07/17/2003 10:42

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/17/2003 10:42	
Benzene	ND	0.5	ug/L	07/17/2003 10:42	
Toluene	ND	0.5	ug/L	07/17/2003 10:42	
Ethylbenzene	ND	0.5	ug/L	07/17/2003 10:42	
Total xylenes	ND	1.0	ug/L	07/17/2003 10:42	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/17/2003 10:42	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/17/2003 10:42	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/17/2003 10:42	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/17/2003 10:42	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/17/2003 10:42	
1,2-DCA	ND	0.5	ug/L	07/17/2003 10:42	
EDB	ND	0.5	ug/L	07/17/2003 10:42	
Ethanol	ND	50	ug/L	07/17/2003 10:42	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	88.4	76-130	%	07/17/2003 10:42	
Toluene-d8	102.6	78-115	%	07/17/2003 10:42	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report		
Prep(s): 5030B		Test(s): 8260FAB
Method Blank	Water	QC Batch # 2003/07/17-1Z.65
MB: 2003/07/17-1Z.65-042		Date Extracted: 07/17/2003 10:42

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	07/17/2003 10:42	
Benzene	ND	0.5	ug/L	07/17/2003 10:42	
Toluene	ND	0.5	ug/L	07/17/2003 10:42	
Ethylbenzene	ND	0.5	ug/L	07/17/2003 10:42	
Total xylenes	ND	1.0	ug/L	07/17/2003 10:42	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	07/17/2003 10:42	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/17/2003 10:42	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	07/17/2003 10:42	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	07/17/2003 10:42	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	07/17/2003 10:42	
1,2-DCA	ND	0.5	ug/L	07/17/2003 10:42	
EDB	ND	0.5	ug/L	07/17/2003 10:42	
Ethanol	ND	50	ug/L	07/17/2003 10:42	
<b>Surrogates(s)</b>					
1,2-Dichloroethane-d4	88.4	76-130	%	07/17/2003 10:42	
Toluene-d8	102.6	78-115	%	07/17/2003 10:42	

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report									
Prep(s): 5030B					Test(s): 8260FAB				
Laboratory Control Spike			Water			QC Batch # 2003/07/11-1B.64			
LCS	2003/07/11-1B.64-046		Extracted: 07/11/2003			Analyzed: 07/11/2003 09:46			
LCSD	2003/07/11-1B.64-008		Extracted: 07/11/2003			Analyzed: 07/11/2003 10:08			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %			Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS	LCSD
Benzene	22.1	22.5	25	88.4	90.0	1.8	69-129	20			
Toluene	23.0	24.0	25	92.0	96.0	4.3	70-130	20			
Methyl tert-butyl ether (MTBE)	26.2	25.7	25	104.8	102.8	1.9	65-165	20			
<b>Surrogates(s)</b>											
1,2-Dichloroethane-d4	509	504	500	101.8	100.8		76-130				
Toluene-d8	493	494	500	98.6	98.8		78-115				

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report										
Prep(s): 5030B						Test(s): 8260FAB				
Laboratory Control Spike			Water			QC Batch # 2003/07/11-1Z.64				
LCS	2003/07/11-1Z.64-046		Extracted: 07/11/2003			Analyzed: 07/11/2003 09:46				
LCSD	2003/07/11-1Z.64-008		Extracted: 07/11/2003			Analyzed: 07/11/2003 10:08				
Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Benzene	22.1	22.5	25	88.4	90.0	1.8	69-129	20		
Toluene	23.0	24.0	25	92.0	96.0	4.3	70-130	20		
Methyl tert-butyl ether (MTBE)	26.2	25.7	25	104.8	102.8	1.9	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	509	504	500	101.8	100.8		76-130			
Toluene-d8	493	494	500	98.6	98.8		78-115			

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report									
Prep(s): 5030B					Test(s): 8260FAB				
Laboratory Control Spike			Water			QC Batch # 2003/07/12-01.62			
LCS	2003/07/12-01.62-052		Extracted: 07/12/2003			Analyzed: 07/12/2003 09:52			
LCSD	2003/07/12-01.62-014		Extracted: 07/12/2003			Analyzed: 07/12/2003 10:14			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	28.4	27.2	25.0	113.6	108.8	4.3	69-129	20		
Toluene	27.8	26.8	25.0	111.2	107.2	3.7	70-130	20		
Methyl tert-butyl ether (MTBE)	26.6	25.4	25.0	106.4	101.6	4.6	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	431	424	500	86.2	84.8		76-130			
Toluene-d8	514	494	500	102.8	98.8		78-115			



**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report					
Prep(s): 5030B			Test(s): 8260FAB		
Laboratory Control Spike		Water		QC Batch # 2003/07/15-1D.64	
LCS	2003/07/15-1D.64-009	Extracted: 07/15/2003		Analyzed: 07/15/2003 13:09	
LCSD	2003/07/15-1D.64-031	Extracted: 07/15/2003		Analyzed: 07/15/2003 13:31	

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Benzene	21.5	21.3	25	86.0	85.2	0.9	69-129	20		
Toluene	21.9	22.0	25	87.6	88.0	0.5	70-130	20		
Methyl tert-butyl ether (MTBE)	25.0	25.5	25	100.0	102.0	2.0	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	552	560	500	110.4	112.0		76-130			
Toluene-d8	509	511	500	101.8	102.2		78-115			

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report										
Prep(s): 5030B						Test(s): 8260FAB				
Laboratory Control Spike				Water			QC Batch # 2003/07/17-1G.65			
LCS	2003/07/17-1G.65-057			Extracted: 07/17/2003			Analyzed: 07/17/2003 09:57			
LCSD	2003/07/17-1G.65-020			Extracted: 07/17/2003			Analyzed: 07/17/2003 10:20			
Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	21.0	20.0	25	84.0	80.0	4.9	69-129	20		
Toluene	21.3	20.8	25	85.2	83.2	2.4	70-130	20		
Methyl tert-butyl ether (MTBE)	16.7	16.5	25	66.8	66.0	1.2	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	461	466	500	92.2	93.2		76-130			
Toluene-d8	514	505	500	102.8	101.0		78-115			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

08/06/2003 09:59

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report					
Prep(s): 5030B			Test(s): 8260FAB		
Laboratory Control Spike		Water		QC Batch # 2003/07/17-1H.65	
LCS	2003/07/17-1H.65-057	Extracted: 07/17/2003		Analyzed: 07/17/2003 09:57	
LCSD	2003/07/17-1H.65-020	Extracted: 07/17/2003		Analyzed: 07/17/2003 10:20	

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	21.0	20.0	25	84.0	80.0	4.9	69-129	20		
Toluene	21.3	20.8	25	85.2	83.2	2.4	70-130	20		
Methyl tert-butyl ether (MTBE)	16.7	16.5	25	66.8	66.0	1.2	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	461	466	500	92.2	93.2		76-130			
Toluene-d8	514	505	500	102.8	101.0		78-115			

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue  
San Jose, CA 95112-1105  
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1  
98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

Batch QC Report									
Prep(s): 5030B					Test(s): 8260FAB				
Laboratory Control Spike			Water			QC Batch # 2003/07/17-1Z.65			
LCS	2003/07/17-1Z.65-057		Extracted: 07/17/2003			Analyzed: 07/17/2003 09:57			
LCSD	2003/07/17-1Z.65-020		Extracted: 07/17/2003			Analyzed: 07/17/2003 10:20			

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD %	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		Rec.	RPD	LCS	LCSD
Benzene	21.0	20.0	25	84.0	80.0	4.9	69-129	20		
Toluene	21.3	20.8	25	85.2	83.2	2.4	70-130	20		
Methyl tert-butyl ether (MTBE)	16.7	16.5	25	66.8	66.0	1.2	65-165	20		
<b>Surrogates(s)</b>										
1,2-Dichloroethane-d4	461	466	500	92.2	93.2		76-130			
Toluene-d8	514	505	500	102.8	101.0		78-115			

Severn Trent Laboratories, Inc.

STL San Francisco \* 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 \* www.stl-inc.com \* CA DHS ELAP# 2496

08/06/2003 09:59

**Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)**

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 030701-MT1

98996067

Received: 07/02/2003 16:25

Site: 1285 Bancroft Avenue, San Leandro

**Legend and Notes**

**Analysis Flag**

HT

Extracted out of holding time

o

Reporting limits were raised due to high level of analyte present in the sample.

**Result Flag**

H

Extracted/Analyzed out of holding time

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be invoiced:

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT HOUSTON

Karen Petryna

2003-07-0097

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 6 0 6 7

SAP or CRMT NUMBER (TS/CRMT)

DATE: 07-01-03

PAGE: 1 of 1

CLIENT COMPANY:  
Bain Tech Services  
ADDRESS:  
80 Rogers Avenue, San Jose, CA 95112  
PROJECT CONTACT (if necessary or PDF Report file)  
ION Gearhart  
PHONE:  
18-573-0555  
FAX:  
408-573-7771  
EMAIL:  
lgearhart@bainstech.com

LOG CODE:  
BTSS  
SITE ADDRESS (Street and City):  
1285 Bancroft Avenue, San Leandro  
EOP DELIVERABLE TO (Responsible Party or Designer):  
Anni Kream  
CONTACT NAME (S) (Title):  
Michael Toll

PHONE NO.:  
510-420-3335  
E-MAIL:  
ShellOaklandEOP@cambrla-env.com  
CONSULTANT PROJECT NO.:  
BTS 030701-MTI

LAB USE ONLY

TURNAROUND TIME (BUSINESS DAYS):  
 10 DAYS  5 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS

LA - RWQCB REPORT FORMAT  LIST AGENCY

COMS MTBE CONFIRMATION: HIGHEST \_\_\_\_\_ HIGHEST per BORING \_\_\_\_\_ ALL \_\_\_\_\_

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EOP IS NOT NEEDED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable		BTEX	MTBE (002 RB - 5ppb RL)	MTBE (0200B - 0.5ppb RL)	Oxygenates (B) by (0200B)	Ethanol (0200B)	Methanol	1,2-DCA (0200B)	EDB (0200B)	TPH - Diesel/Extractable (0015m)
		DATE	TIME													
	MW-1	7-01-03	1110	W	3	X	X		X	X	X	X	X	X	X	
	MW-2		1225		3	X	X		X	X	X	X	X	X	X	
	MW-3		1245		3	X	X		X	X	X	X	X	X	X	
	MW-4		1148		3	X	X		X	X	X	X	X	X	X	
	MW-5		1335		3	X	X		X	X	X	X	X	X	X	
	MW-6		1315		3	X	X		X	X	X	X	X	X	X	
	MW-7		1130		3	X	X		X	X	X	X	X	X	X	
	MW-8		1005		3	X	X		X	X	X	X	X	X	X	
	IW-1		0935		3	X	X		X	X	X	X	X	X	X	

FIELD NOTES:  
Container/Preservative or PID Readings or Laboratory Notes

4.6 °C

TEMPERATURE ON RECEIPT °C

Received by (Signature): *[Signature]*  
 Date: 7/2/03  
 Time: 1700

Received by (Signature): *[Signature]*  
 Date: 7/2/03  
 Time: 1625

Received by (Signature): *[Signature]*  
 Date: 7/2/03  
 Time: 1740

WELL GAUGING DATA

Project # 030701-MTI  
~~030701-MTI~~

Date 7-1-03

Client 989960167

Site 1285 BANCROFT AVE., SAN LEANDRO, CA

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>
MW-1	4					35.19	59.19	↓
MW-2	4					35.13	59.04	
MW-3	4					35.70	57.65	
MW-4	4					36.49	54.73	
MW-5	4					* 35.37	49.95	
MW-6	2					* 34.77	49.94	
MW-7	2					34.79	50.10	
MW-8	2					34.04	50.09	
IW-1	8					33.03	—	↓
* = Gauged w/ stringer in well								

**SHELL WELL MONITORING DATA SHEET**

BTS #: <u>030701-MT1</u>	Site: <u>98996067</u>
Sampler: <u>M.TB11</u>	Date: <u>07-01-03</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>59.19</u>	Depth to Water (DTW): <u>35.19</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>39.99</u>	

Purge Method: Bailer    Waterra    Sampling Method: Bailer  
 Disposable Bailer    Peristaltic    Disposable Bailer  
 Middleburg    Extraction Pump    Extraction Port  
Electric Submersible    Other \_\_\_\_\_    Dedicated Tubing  
 Other: \_\_\_\_\_

<u>15.0</u> (Gals.) X <u>3</u> = <u>46.8</u> Gals.	Well Diameter	Multiplier	Well Diameter	Multiplier
1 Case Volume                          Specified Volumes                          Calculated Volume	1"	0.04	4"	0.65
	2"	0.16	6"	1.47
	3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1059</u>	<u>66.3</u>	<u>6.9</u>	<u>561</u>	<u>24</u>	<u>15.0</u>	
<u>1102</u>	<u>66.0</u>	<u>6.8</u>	<u>558</u>	<u>12</u>	<u>31.2</u>	
<u>1105</u>	<u>66.1</u>	<u>6.8</u>	<u>558</u>	<u>7</u>	<u>46.8</u>	

Did well dewater?    Yes    No    Gallons actually evacuated: 46.8

Sampling Date: 07-01-03    Sampling Time: 1110    Depth to Water: 36.00

Sample I.D.: MW-1    Laboratory:    STL    Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: Oxy (5) by 8260, ETHANOL, 1,2-DCA & EDB

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for:    TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):    Pre-purge    0.4    mg/L    Post-purge    0.7    mg/L

O.R.P. (if req'd):    Pre-purge: \_\_\_\_\_    mV    Post-purge: \_\_\_\_\_    mV



## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MTI	Site: 98996067
Sampler: M.Toll	Date: 07-01-03
Well I.D.: MW-2	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 59.04	Depth to Water (DTW): 35.13
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 39.92	

Purge Method: Bailer      Water      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Middleburg      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

15.5 (Gals.) X	3	= 46.5 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1217	66.7	6.7	562	27	15.5	
1220	66.6	6.4	560	11	31	
1223	66.6	6.4	560	7	46.5	

Did well dewater?    Yes    No      Gallons actually evacuated: 46.5

Sampling Date: 07-01-03    Sampling Time: 1225    Depth to Water: 38.02

Sample I.D.: MW-2      Laboratory: STL    Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE    TPH-D    Other: Oxy(S) by 8260, ETHANOL, 1,2-DCA & EDB

EB I.D. (if applicable): @ \_\_\_\_\_      Duplicate I.D. (if applicable):

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other:

D.O. (if req'd): Pre-purge    0.9    mg/L      Post-purge    1.1    mg/L

O.R.P. (if req'd):    Pre-purge:      mV      Post-purge:      mV

### SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MT1	Site: 98996067
Sampler: M.T.B.II	Date: 07-01-03
Well I.D.: MW-3	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): 57.65	Depth to Water (DTW): 35.70
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 40.09	

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Middleburg      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

Other: \_\_\_\_\_

$14.3 \text{ (Gals.)} \times 3 = 42.9 \text{ Gals.}$ I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1233	68.2	6.7	548	4	14.3	odor
1236	67.3	6.3	553	2	28.6	"
1239	67.2	6.3	554	1	42.9	"

Did well dewater?    Yes    No      Gallons actually evacuated: 42.9

Sampling Date: 07-01-03    Sampling Time: 1245    Depth to Water: 39.36

Sample I.D.: MW-3      Laboratory: STL    Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: Oxy (S) by 8260, ETHANOL, 1,2-DCA & EDB

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other:

D.O. (if req'd): <u>Pre-purge</u> 0.9    mg/L	Post-purge:    1.0    mg/L
O.R.P. (if req'd): Pre-purge:    mV	Post-purge:    mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MTI	Site: 98996067
Sampler: M.TBI	Date: 07-01-03
Well I.D.: MW-A	Well Diameter: 2 3 ④ 6 8
Total Well Depth (TD): 54.73	Depth to Water (DTW): 36.49
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 40.14	

Purge Method: Bailer Disposable Bailer Middleburg Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
---	--	---

11.9	(Gals.) X	3	=	35.7	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius <sup>2</sup> * 0.163

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1138	66.6	6.7	591	11	11.9	
1141	66.4	6.6	587	7	23.8	
1143	66.4	6.6	590	4	35.7	

Did well dewater? Yes  No  Gallons actually evacuated: 35.7

Sampling Date: 07-01-03 Sampling Time: 1148 Depth to Water: 39.12

Sample I.D.: MW-A Laboratory: STL Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Oxy (S) by 8260, ETHANOL, 1,2-DCA, EDB

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: 0.6 mg/L	Post-purge: 0.7 mg/L
O.R.P. (if req'd): Pre-purge: mV	Post-purge: mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MT1	Site: 98996067
Sampler: M, B/I	Date: 07-01-03
Well I.D.: MW-5	Well Diameter: 2 3 (4) 6 8 _____
Total Well Depth (TD): 49.95	Depth to Water (DTW): 35.37
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 38.29	

Purge Method: Bailer      Waterra      Sampling Method: Bailer  
 Disposable Bailer      Peristaltic      Disposable Bailer  
 Middleburg      Extraction Pump      Extraction Port  
Electric Submersible      Other \_\_\_\_\_      Dedicated Tubing

Other: \_\_\_\_\_

$\frac{9.5 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{28.5}{\text{Calculated Volume}} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
1323	69.0	6.6	744	21	9.5	odor
1325	68.5	6.5	710	17	19	"
1327	MESSY READINGS				28.5	"
Removed & Replaced stringer						

Did well dewater? Yes  No  Gallons actually evacuated: 28.5

Sampling Date: 07-01-03      Sampling Time: 1335      Depth to Water: 37.36

Sample I.D.: MW-5      Laboratory: STL      Other: \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: Oxy(S) by 8260, ETHANOL, 1,2-DCM, EDB

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge 1.1 mg/L      Post-purge 1.0 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV      Post-purge: \_\_\_\_\_ mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MT1	Site: 98996067
Sampler: M. TOLL	Date: 07-01-03
Well I.D.: MW-6	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 49.94	Depth to Water (DTW): 34.77
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 37.80	

Purge Method: (Bailer) Disposable Bailer Middleburg Electric Submersible  
 Waterra Peristaltic Extraction Pump Other \_\_\_\_\_  
 Sampling Method: (Bailer) Disposable Bailer Extraction Port Dedicated Tubing  
 Other: \_\_\_\_\_

$\frac{2.4 \text{ (Gals.)} \times 3}{1 \text{ Case Volume Specified Volumes}} = 7.2 \text{ Gals. Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
1300	66.9	6.9	657	120	2.4	
1305	67.0	6.7	660	126	4.8	
1310	67.1	6.7	666	170	7.2	
Removed & Replaced Stinger						

Did well dewater? Yes  No  Gallons actually evacuated: 7.2

Sampling Date: 07-01-03    Sampling Time: 1315    Depth to Water: 36.00

Sample I.D.: MW-6    Laboratory: STL    Other: \_\_\_\_\_

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D    Other: Oxy (S) by 8260, ETHANOL, 1,2-DCA & EDB

EB I.D. (if applicable): @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D    Other: \_\_\_\_\_

D.O. (if req'd): (Pre-purge)	1.2 mg/L	(Post-purge):	1.5 mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MT1	Site: 98996067
Sampler: M.TBII	Date: 07-01-03
Well I.D.: MW-7	Well Diameter: <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 6 <input type="radio"/> 8 <input type="checkbox"/> _____
Total Well Depth (TD): 50.10	Depth to Water (DTW): 34.79
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="radio"/> PVC    Grade	D.O. Meter (if req'd): <input checked="" type="radio"/> YSI    HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 37.83	

Purge Method: <input checked="" type="radio"/> Bailer Disposable Bailer Middleburg Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: <input checked="" type="radio"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____
--	--	--

$\frac{2.4 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = 7.2 \text{ Gals.}$ I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <input checked="" type="radio"/> US)	Turbidity (NTUs)	Gals. Removed	Observations
1118	65.5	6.5	609	>1000	2.4	
1122	65.0	6.4	610	>1000	4.8	
1125	65.0	6.4	612	>1000	7.2	

Did well dewater?    Yes     No    Gallons actually evacuated: 7.2

Sampling Date: 07-01-03    Sampling Time: 1130    Depth to Water: 35.70

Sample I.D.: MW-7    Laboratory: STL    Other: \_\_\_\_\_

Analyzed for:  TPH-G     BTEX     MTBE    TPH-D    Other: Oxy(S) by 8260, ETHANOL, 1,2-DCA, EDB

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd):  Pre-purge: 0.7 mg/L     Post-purge: 0.9 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV    Post-purge: \_\_\_\_\_ mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MT1	Site: 98996067
Sampler: M.TB/1	Date: 07-01-03
Well I.D.: MW-8	Well Diameter: <input checked="" type="radio"/> 2   3   4   6   8   _____
Total Well Depth (TD): 50.09	Depth to Water (DTW): 34.04
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="radio"/> PVC   Grade	D.O. Meter (if req'd): <input checked="" type="radio"/> YSI   HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 37.25	

Purge Method: <input checked="" type="radio"/> Bailer <input type="radio"/> Disposable Bailer <input type="radio"/> Middleburg <input type="radio"/> Electric Submersible	Water: <input type="radio"/> Peristaltic <input type="radio"/> Extraction Pump <input type="radio"/> Other _____	Sampling Method: <input checked="" type="radio"/> Bailer <input type="radio"/> Disposable Bailer <input type="radio"/> Extraction Port <input type="radio"/> Dedicated Tubing Other: _____
--	--	--

$2.5 \text{ (Gals.)} \times 3 = 7.5 \text{ Gals.}$ 1 Case Volume                      Specified Volumes                      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
0948	64.9	6.9	550	>1000	2.5	
0952	64.8	7.1	553	>1000	5	
0957	64.7	7.1	557	>1000	7.5	

Did well dewater?    Yes     No                      Gallons actually evacuated: 7.5

Sampling Date: 07-01-03    Sampling Time: 10:1005    Depth to Water: 36.00

Sample I.D.: MW-8                      Laboratory: STL    Other \_\_\_\_\_

Analyzed for:  TPH-G     BTEX     MTBE    TPH-D    Other: Oxy (S) by 8260, ETHANOL, 1,2-DCA & EDB

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time    Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd): <input checked="" type="radio"/> Pre-purge: 0.6    mg/L	Post-purge: 0.8    mg/L
O.R.P. (if req'd): Pre-purge: _____    mV	Post-purge: _____    mV

## SHELL WELL MONITORING DATA SHEET

BTS #: 030701-MT1	Site: 98996067
Sampler: M.T.H	Date: 07-01-03
Well I.D.: <del>M.T.H</del> IW-1	Well Diameter: 2 3 4 6 <u>8</u>
Total Well Depth (TD): -	Depth to Water (DTW): 33.03
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer Disposable Bailer Middleburg Electric Submersible	Waterra Peristaltic Extraction Pump Other _____	Sampling Method: <u>Bailer</u> Disposable Bailer Extraction Port Dedicated Tubing Other: _____
---	--	--

_____ (Gals.) X <u>3 Run 15min</u> Gals. I Case Volume      Specified Volumes      Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u> )	Turbidity (NTUs)	Gals. Removed	Observations
0920					5 min.	PTW = 33.20
0925					10 min.	PTW = 33.27
0930					15 min.	DTW = 33.35
0935	68.9	7.7	1326	21	—	

Did well dewater? Yes  No  Gallons actually evacuated: —

Sampling Date: 07-01-03      Sampling Time: 0935      Depth to Water:

Sample I.D.: ~~M.T.H~~ IW-1      Laboratory: STL      Other \_\_\_\_\_

Analyzed for: TPH-G BTEX MTBE TPH-D      Other: Oxy (S) by 8260, ETHANOL, 1,2-DCA & EDB

EB I.D. (if applicable): \_\_\_\_\_ @ \_\_\_\_\_ Time      Duplicate I.D. (if applicable): \_\_\_\_\_

Analyzed for: TPH-G    BTEX    MTBE    TPH-D    Other: \_\_\_\_\_

D.O. (if req'd): Pre-purge IN cup 3.7 mg/L      Post-purge: IN cup 4.9 mg/L

O.R.P. (if req'd): Pre-purge: \_\_\_\_\_ mV      Post-purge: \_\_\_\_\_ mV