



ENVIRONMENTAL
PROTECTION

99 JAN 12 PM 3:30

December 30, 1998
Project 20805-131.013

Mr. Jeffrey Enebly
6267 Sunnymere Avenue
Oakland, California 94605

Re: Quarterly Groundwater Monitoring Results, Third Quarter 1998, for 6267 Sunnymere Avenue, Oakland, California

Dear Mr. Enebly:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached copies of laboratory analytical results for the groundwater sample collected from well MW-8 during the third quarter of 1998. This well is located at 6267 Sunnymere Avenue, Oakland, California. The groundwater sample was collected during quarterly sampling of the ARCO Products Company (ARCO) Service Station No. 6002, located at ~~6267 Sunnymere Avenue~~, Oakland California.

Please call if you have any questions.

Sincerely,

Pinnacle


Glen VanderVeen
Project Manager

Handwritten notes:
All ~~PPH~~ TPIA BWA NY
BT MBE 4 PPH

Attachments: Figure 1 - Generalized Site Plan
Appendix A - Copy of Certified Analytical Report and Chain-of-Custody Documentation, Well MW-8, Third Quarter 1998

cc: Thomas Peacock, ACHCSA
Paul Supple, ARCO Products Company
File





EA-SANJOSE-CAD/DRAWINGS: (A:\02002\SITELOC.dwg Xrefs: <NONE>
 Scale: 1 = 1.00 DimScale: 1 = 1.00 Date: 3/12/97 Time: 5:19 PM Operator: KAJ



Base map from USGS 7.5' Quad. Map:
 Oakland East, California. Photorevised 1980.



DATE NOV. 1997
 DWN KAJ
 APP _____
 REV _____
 PROJECT NO.
 805-131.012

FIGURE 1
 ARCO PRODUCTS COMPANY
 SERVICE STATION 6002, 6235 SEMINARY AVE.
 OAKLAND, CALIFORNIA
**QUARTERLY GROUNDWATER MONITORING
 SITE LOCATION**



August 11, 1998

Service Request No.: S9801982

Mr. Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-131.012/TO#22312.00 (RAT 8)/6002 OAKLAND


Dear Mr. Vanderveen:


The following pages contain analytical results for sample(s) received by the laboratory on July 29, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,


Steven L. Green
Project Chemist


Greg Anderson
Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLc	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-131.012/TO#22312.00 (RAT 8)/6002 OAKLAND
Sample Matrix: Water

Service Request: S9801982
Date Collected: 7/28/98
Date Received: 7/29/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(10)
Lab Code: S9801982-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA LUFT	50	1	NA	8/1/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Methyl tert-Butyl Ether	EPA 5030	8020	3	1	NA	8/1/98	4	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-131.012/TO#22312.00 (RAT 8)/6002 OAKLAND
Sample Matrix: Water

Service Request: S9801982
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980801-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/1/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/1/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/1/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-131.012/TO#22312.00 (RAT 8)/6002 OAKLAND
Sample Matrix: Water

Service Request: S9801982
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-8(10)	S9801982-001		99	98
MW-7(11)	S9801982-002		99	97
BATCH QC	S9801981-001MS		95	107
BATCH QC	S9801981-001DMS		95	103
Method Blank	S980801-WB1		97	103

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: 20805-131.012/TO#22312.00 (RAT 8)/6002 OAKLAND
 Sample Matrix: Water

Service Request: S9801982
 Date Collected: NA
 Date Received: NA
 Date Extracted: NA
 Date Analyzed: 8/1/98

Matrix Spike/Duplicate Matrix Spike Summary
 TPH as Gasoline

Sample Name: BATCH QC Units: ug/L (ppb)
 Lab Code: S9801981-001MS, S9801981-001DMS Basis: NA
 Test Notes:

Analyte	Prep Method	Analysis Method	Spike Level		Sample Result	Spike Result				Percent Recovery		Relative Percent Difference	Result Notes	
			MRL	MS		DMS	MS	DMS	MS	DMS	CAS			Acceptance
											Limits			
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	250	260	100	104	75-135	4		

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-131.012/TO#22312.00 (RAT 8)6002 OAKLAND

Service Request: S9801982
Date Analyzed: 8/1/98

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV Units: ug/L (ppb)
 Lab Code: ICV1 Basis: NA
 Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS		Result Notes
					Percent Recovery Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	260	90-110	104	
Benzene	EPA 5030	8020	25	25	85-115	100	
Toluene	EPA 5030	8020	25	25	85-115	100	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	77	85-115	103	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	23	85-115	92	

ARCO Products Company

Division of Atlantic/Richfield Company

59801982 Task Order No. 27312.00

Chain of Custody

ARCO Facility no. 6002 City (Facility) Oakland Project manager (Consultant) Glen Vanderveen
 ARCO engineer Paul Supple Telephone no. (ARCO) _____ Telephone no. (Consultant) (408) 453-7300 Fax no. (Consultant) (408) 437-9526
 Consultant name EMCON Address (Consultant) 144-A Mathew Way Walnut Creek, CA

Laboratory Name CAS
 Contract Number _____

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX EPA 802	BTEX/TPH/PAHs EPA Method 8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 505E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCUP Method VOA 6010/7000	CAN Metals EPA 8010/7000 TLCC STCC	Lead Org/MSD Lead EPA 7420/7421D	
			Soil	Water	Other	Ice	Acid														
<u>MW-5(1)</u>	<u>2</u>	<u>(1)</u>	<u>X</u>			<u>X</u>	<u>HCL</u>	<u>7/28/98</u>	<u>1315</u>		<u>X</u>										
<u>MW-7(1)</u>	<u>2</u>	<u>(2)</u>	<u>X</u>			<u>X</u>	<u>HCL</u>	<u>↓</u>	<u>1255</u>		<u>X</u>										

Method of shipment
Sampler will deliver

Special Detection Limit/reporting
Lowest Possible

Special QA/QC
As Normal

Remarks
RAT 8
2-40ml HCL
VOAs
#70905-131.013
 Lab Number
59801982

Turnaround Time:
 Priority Rush 1 Business Day
 Rush 2 Business Days
 Expedited 5 Business Days
 Standard 10 Business Days
R11/03 DE:8/11

Condition of sample: _____ Temperature received: _____
 Relinquished by sampler [Signature] Date 7/29/98 Time 1:30 Received by [Signature] Date 7/29/98 Time 11:30
 Relinquished by _____ Date _____ Time _____ Received by _____ Date _____ Time _____
 Relinquished by _____ Date _____ Time _____ Received by laboratory _____ Date _____ Time _____