



2201 Broadway, Suite 101
Oakland, CA 94612-3023
Tel. 510.740.5800
Fax. 510.663.3315

*stid
3942*

*Asst. Manager to
12/9/99
AK*

November 23, 1999
Project 791666

Mr. Chuck Carmel
ARCO Products Company
2620 Lunada Lane
Alamo, California 94507

Re: Quarterly Groundwater Monitoring Report, Third Quarter 1999, for Former ARCO Service Station No. 6002, Located at 6235 Seminary Avenue, Oakland, California

Dear Mr. Carmel:

Pinnacle Environmental Solutions, a member of The IT Group (Pinnacle), is submitting the attached report which presents the results of the third quarter 1999 groundwater monitoring program at former ARCO Products Company (ARCO) Service Station No. 6002, located at 6235 Seminary Avenue, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.


Please call if you have questions.

Sincerely,

Pinnacle

for Glen VanderVeen
Project Manager

Dan Easter, R.G. 5
Project Geologist



Attachment: Quarterly Groundwater Monitoring Report, Third Quarter 1999

cc: Mr. Amir Gholami, ACHCSA

99 NOV 29 PM 4: 55
ENVIRONMENTAL PROTECTION

Date: November 24, 1999**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Station No.: 6002 Address: 6235 Seminary Avenue, Oakland, California
 Pinnacle Project No.: 791666
 ARCO Environmental Engineer/Phone No.: Chuck Carmel /(925) 946-1085
 Pinnacle Project Manager/Phone No.: Glen VanderVeen /(510) 740-5807
 Primary Agency/Regulatory ID No.: ACHCSA /Amir Gholami

WORK PERFORMED THIS QUARTER (THIRD - 1999):

1. Prepared and submitted quarterly groundwater monitoring report for second quarter 1999.
2. Performed quarterly groundwater monitoring and sampling for third quarter 1999.

WORK PROPOSED FOR NEXT QUARTER (FOURTH - 1999):

1. Prepare and submit quarterly groundwater monitoring report for third quarter 1999.
2. Perform quarterly groundwater monitoring and sampling for fourth quarter 1999.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring
 Frequency of Sampling: Annual (1st Quarter): MW-3, MW-6
Quarterly: MW-4, MW-5, MW-7, MW-8, VW-1, VW-4
 Frequency of Monitoring: Quarterly (groundwater)
 Is Floating Product (FP) Present On-site: Yes No
 Bulk Soil Removed to Date : approximately 370 cubic yards of TPH impacted soil
 Bulk Soil Removed This Quarter : None
 Water Wells or Surface Waters,
 within 2000 ft., impacted by site: None
 Current Remediation Techniques: Natural Attenuation
 Average Depth to Groundwater: 10.6 feet
 Groundwater Flow Direction and Gradient
 (Average): 0.07 ft/ft toward West-Southwest

DISCUSSION:

- ACHCSA sent a letter to ARCO (September 16, 1999) requesting information pertaining to decommissioned well MW-1. Specifically, ACHCSA wanted to know the logic supporting decommissioning of the well and who approved the work. On September 22, 1999, Pinnacle gave a verbal response to ACHCSA. The well was decommissioned in 1996 because it was in the work area for an underground storage tank replacement project. The work was discussed in detail in the April 25, 1996, report prepared by EMCON and submitted to ACHCSA.
- Please note that the ARCO contact for this site has been changed to:
 Chuck Carmel
 2620 Lunada Lane
 Alamo, CA 94507

ATTACHMENTS:

- Table 1 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets



510
3942

2201 Broadway, Suite 101
Oakland, CA 94612-3023
Tel. 510.740.5800
Fax. 510.663.3315

November 24, 1999
Project 791666

Mr. Jeffrey Enebly
6267 Sunnymere Avenue
Oakland, California 94605

Re: Quarterly Groundwater Monitoring Results, Third Quarter 1999, for 6267
Sunnymere Avenue, Oakland, California

Dear Mr. Enebly:

On August 25, 1999, Pinnacle Environmental Solutions, a member of The IT Group (Pinnacle), attempted to collect groundwater samples from well MW-8, located at 6267 Sunnymere Avenue, Oakland, California. The well was scheduled for sampling during quarterly sampling of former ARCO Products Company (ARCO) Service Station No. 6002, located at 6235 Seminary Avenue, Oakland California. However, because no one was at the property at the time of the sampling, the sampling technician could not access the well, and consequently, the well was not sampled. Pinnacle will attempt to sample the well during the fourth quarter 1999 sampling event.

Please call if you have any questions.

Sincerely,

Pinnacle

Glen VanderVeen
Project Manager

Attachments: Figure 1 - Generalized Site Plan

cc: Amir Gholami, ACHCSA
Chuck Carmel, ARCO Products Company
File



September 8, 1999

Service Request No.: S9902605

Mr. Glen Vanderveen
IT/EMCON
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT#8/6002 OAKLAND

Dear Mr. Vanderveen:

Enclosed are the results of the sample(s) submitted to our laboratory on August 25, 1999. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample(s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 8, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 1496, expiration: January 31, 2001).


If you have any questions, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales
Project Chemist


Greg Jordan
Laboratory Director



PROJECT NUMBER 791666

DRAWN BY K Black 10-20-99

ARCO SERVICE STATION 6002



EXPLANATION

● Groundwater monitoring well



PROPERTY OF JEFFREY ENEBLY
FORMER ARCO
SERVICE STATION 6002

FIGURE 1
SITE PLAN

6267 SUNNYMERE AVENUE
OAKLAND, CALIFORNIA

COLUMBIA ANALYTICAL SERVICES, Inc.**Acronyms**

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: 8/25/99
Date Received: 8/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(12)
Lab Code: S9902605-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	119	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	5.7	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	11	

Approved By: _____

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990903-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	ND	

Approved By: _____



Date: _____



COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-7(12)	S9902605-001		106	79
Lab Control Sample	S990904-LCS		105	102
Lab Control Sample	S990904-DLCS		99	102
Lab Control Sample	S990904-LCS		91	113
Lab Control Sample	S990904-DLCS		87	113
Method Blank	S990903-WB1		93	100

CAS Acceptance Limits: 69-116 72-139

Approved By: _____

CHT

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 9/4/99

Matrix Spike/Duplicate Matrix Spike Summary
 BTE

Sample Name: Lab Control Sample
Lab Code: S990904-LCS, S990904-DLCS
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	Spike Level			Sample Result	Spike Result		Percent Recovery			
			MRL	MS	DMS		MS	DMS	MS	DMS	CAS Acceptance Limits	Relative Percent Difference
Benzene	EPA 5030	8020	0.5	25	25	ND	27	26	108	104	75-135	4
Toluene	EPA 5030	8020	0.5	25	25	ND	24	24	96	96	73-136	<1
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	26	26	104	104	69-142	<1

Approved By: _____

MT

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 9/4/99

Matrix Spike/Duplicate Matrix Spike Summary
TPH as Gasoline

Sample Name: Lab Control Sample
Lab Code: S990904-LCS,
Test Notes:

S990904-DLCS

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	Percent Recovery										Result Notes
			Spike Level			Sample Result	CAS				Relative Percent Difference		
			MRL	MS	DMS		MS	DMS	MS	DMS		Acceptance Limits	
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	253	241	101	96	75-135	5	

Approved By: _____



Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND

Service Request: S9902605
Date Analyzed: 9/4/99

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV Units: ug/L (ppb)
 Lab Code: ICV1 Basis: NA
 Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery		Result Notes
					Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	253	85-115	101	
Benzene	EPA 5030	8020	25	27	85-115	108	
Toluene	EPA 5030	8020	25	24	85-115	96	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	76	85-115	101	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	27	85-115	108	

Approved By: _____

PT

Date: _____

09/08/99

ICV/032196

ARCO Products Company

Division of Atlantic/Richfield Company

S9902605

Task Order No.

24118.00

Chain of Custody

ARCO Facility no. 6002 City (Facility) Oakland

Project manager (Consultant) Glen VanderVeen

Laboratory Name CAS

ARCO engineer Paul Supple

Telephone no. (ARCO)

Telephone no. (Consultant) (408) 453-7300

Fax no. (Consultant) (408) 437-9526

Contract Number

Consultant name EMCON

Address (Consultant) 2201 Broadway #101 Oakland, CA 94612

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incl. N155 EPA Method 8210/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	Semi Metals <input type="checkbox"/> VOAC <input type="checkbox"/> VOAC <input type="checkbox"/>	CAM Metals EPA 6010/7000 TLLCO <input type="checkbox"/> STLLCO <input type="checkbox"/>	Lead Org/DHSO Lead EPA 7420/7421D <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid														
MW-8 (7)	2	2	X	X	X	HCL				X											
MW-7 (2')	2		X			HCL	8/25/99	1155		X											

Method of shipment
Sampler will deliver

Special Detection
Limit/reporting
Lowest Possible

Special QA/QC
As Normal

Remarks
RAT 8
2-40ml HCL
UCAS
#791666

Lab Number

Turnaround Time:
Priority Rush 1 Business Day
Rush 2 Business Days
Expedited 5 Business Days
Standard 10 Business Days

Condition of sample:

Temperature received: Due: 9/9/99 R11/D3

Relinquished by sampler *[Signature]*

Date 8/25/99 Time 1455

Received by Joseph Machado CAS 8/25/99 1450

Relinquished by

Date Time

Received by

Relinquished by

Date Time

Received by laboratory

Date Time

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	FP Thickness (feet)	Date Sampled	TPH Gasolin ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE 8020 ($\mu\text{g/L}$)	MTBE 8260 ($\mu\text{g/L}$)	Dissolve Oxygen (mg/L)	Purged/Not Purged (P/NP)	
MW-1	03-15-95	247.06	7.37	239.69	ND	03-15-95	13,000	1,200	44	770	1,100	--	--			
MW-1	05-30-95	247.06	8.48	238.58	ND	05-30-95	19,000	1,600	30	890	1,400	--	--			
MW-1	09-01-95	247.06	9.47	237.59	ND	09-01-95	14,000	1,300	28	480	780	24,000	--			
MW-1	11-13-95	247.06	8.78	238.29*	0.01	11-13-95	11,000	570	17	260	410	--	25,000[1]			
MW-1	02-23-96	247.06	Well was decommissioned on 2-12-96													
MW-2	03-15-95	249.30	8.25	241.05	ND	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-2	05-30-95	249.30	9.93	239.37	ND	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-2	09-01-95	249.30	10.69	238.61	ND	09-01-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-2	11-13-95	249.30	10.32	238.98	ND	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-2	02-23-96	249.30	Well was decommissioned on 2-12-96													
MW-3	03-15-95	248.35	6.76	241.59	ND	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-3	05-30-95	248.35	7.81	240.54	ND	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-3	09-01-95	248.35	8.65	239.70	ND	09-01-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	11-13-95	248.35	8.25	240.10	ND	11-13-95	120	45	0.7	<0.5	6.2	--	--			
MW-3	02-23-96	248.35	6.64	241.71	ND	03-01-96	<50	<0.5	<0.5	0.6	1.9	<3	--			
MW-3	05-10-96	248.35	7.95	240.40	ND	05-10-96	Not sampled: well sampled annually, during the first quarter									
MW-3	08-09-96	248.35	8.06	240.29	ND	08-09-96	Not sampled: well sampled annually, during the first quarter									
MW-3	11-08-96	248.35	Not surveyed: inaccessible				11-11-96	Not sampled: inaccessible								
MW-3	03-21-97	248.35	8.21	240.14	ND	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	05-27-97	248.35	8.25	240.10	ND	05-27-97	Not sampled: well sampled annually, during the first quarter									
MW-3	08-05-97	248.35	8.29	240.06	ND	08-05-97	Not sampled: well sampled annually, during the first quarter									
MW-3	10-29-97	248.35	8.58	239.77	ND	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	02-25-98	248.35	7.69	240.66	ND	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	05-12-98	248.35	8.20	240.15	ND	05-12-98	Not sampled: well sampled annually, during the first quarter									
MW-3	07-28-98	248.35	8.55	239.80	ND	07-28-98	Not sampled: well sampled annually, during the first quarter									

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	FP Thickness (feet)	Date Sampled	TPH Gasolin (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	Dissolve Oxygen (mg/L)	Purged/Not Purged (P/NP)	
MW-3	10-27-98	248.35	8.30	240.05	ND	10-27-98	Not sampled: well sampled annually, during the first quarter									
MW-3	02-08-99	248.35	7.90	240.45	ND	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-3	06-01-99	248.35	8.40	239.95	ND	06-01-99	Not sampled: well sampled annually, during the first quarter									
MW-3	08-25-99	248.35	8.49	239.86	ND	08-25-99	Not sampled: well sampled annually, during the first quarter								1.67	
MW-4	03-15-95	242.91	9.37	233.54	ND	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-4	05-30-95	242.91	11.47	231.44	ND	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-4	09-01-95	242.91	12.28	230.63	ND	09-01-95	78	<0.5	0.7	<0.5	<0.5	<3	--			
MW-4	11-13-95	242.91	11.75	231.16	ND	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-4	02-23-96	242.91	8.51	234.40	ND	03-01-96	59	1.2	7.4	1.6	9.3	3	--			
MW-4	05-10-96	242.91	11.35	231.56	ND	05-10-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	08-09-96	242.91	9.70	233.21	ND	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	11-08-96	242.91	11.79	231.12	ND	11-08-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	03-21-97	242.91	10.94	231.97	ND	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	81	--			
MW-4	05-27-97	242.91	11.51	231.40	ND	05-27-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	08-05-97	242.91	11.90	231.01	ND	08-05-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	10-29-97	242.91	12.00	230.91	ND	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	02-25-98	242.91	8.34	234.57	ND	02-25-98	<50	<0.5	0.9	<0.5	0.9	4	--			
MW-4	05-12-98	242.91	10.93	231.98	ND	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	07-28-98	242.91	12.08	230.83	ND	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	10-27-98	242.91	11.40	231.51	ND	10-27-98	<5,000	<50	<50	160	64	6,400	--			
MW-4	02-08-99	242.91	8.40	234.51	ND	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-4	06-01-99	242.91	11.93	230.98	ND	06-01-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	4.0	NP	
MW-4	08-25-99	242.91	12.21	230.70	ND	08-25-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.29	NP	
MW-5	03-15-95	244.82	11.99	232.83	ND	03-15-95	21,000	870	22	1,600	1,900	--	--			
MW-5	05-30-95	244.82	12.97	231.85	ND	05-30-95	17,000	2,100	250	1,000	520	--	--			

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	FP Thickness (feet)	Date Sampled	TPH			Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	Dissolve Oxygen (mg/L)	Purged/ Not Purged (P/NP)
							Gasolin (µg/L)	Benzene (µg/L)	Toluene (µg/L)						
MW-5	09-01-95	244.82	14.03	230.79	ND	09-01-95	19,000	1,500	25	1,600	880	8,300	--		
MW-5	11-13-95	244.82	13.65	231.17	ND	11-13-95	21,000	1,300	22	1,400	630	--	--		
MW-5	02-23-96	244.82	11.93	232.89	ND	03-01-96	27,000	1,300	<50	1,600	1,500	730	--		
MW-5	05-10-96	244.82	13.05	231.77	ND	05-10-96	17,000	460	21	760	480	1,000	--		
MW-5	08-09-96	244.82	13.22	231.60	ND	08-09-96	16,000	420	14	870	390	1,500	--		
MW-5	11-08-96	244.82	Not surveyed: inaccessible			11-11-96	Not sampled: inaccessible								
MW-5	03-21-97	244.82	13.24	231.58	ND	03-21-97	18,000	110	<50	730	1,500	1,800	--		
MW-5	05-27-97	244.82	13.10	231.72	ND	05-27-97	21,000	86	<20	810	610	1,700	--		
MW-5	08-05-97	244.82	13.14	231.68	ND	08-05-97	340	2.2	<0.5	15	8.8	39	--		
MW-5	10-29-97	244.82	13.03	231.79	ND	10-29-97	19,000	130	<20	1,400	620	1,700	--		
MW-5	02-25-98	244.82	11.33	233.49	ND	02-25-98	8,500	19	13	190	100	170	--		
MW-5	05-12-98	244.82	12.81	232.01	ND	05-12-98	10,000	34	<10	390	220	610	--		
MW-5	07-28-98	244.82	13.12	231.70	ND	07-28-98	15,000	68	<10	690	620	1,000	--		
MW-5	10-27-98	244.82	12.90	231.92	ND	10-27-98	15,000	60	<10	770	400	890	--		
MW-5	02-08-99	244.82	11.08	233.74	ND	02-08-99	8,200	23	<10	290	120	<60	--		
MW-5	06-01-99	244.82	12.95	231.87	ND	06-01-99	11,000	33	3.3	340	180	580	--	1.0 NP	
MW-5	08-25-99	244.82	12.99	231.83	ND	08-25-99	9,200	26	14	420	270	1,100	--	0.37 NP	
MW-6	06-29-95	NR	6.63	NR	ND	06-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-6	09-01-95	NR	Not surveyed:			09-01-95	Not sampled:								
MW-6	11-13-95	NR	7.70	NR	ND	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	02-23-96	NR	9.82	NR	ND	03-01-96	<50	<0.5	0.8	<0.5	0.6	<3	--		
MW-6	05-10-96	NR	15.25	NR	ND	05-10-96	Not sampled: well sampled annually, during the first quarter								
MW-6	08-09-96	252.20	11.11	241.09	ND	08-09-96	Not sampled: well sampled annually, during the first quarter								
MW-6	11-08-96	252.20	9.31	242.89	ND	11-11-96	Not sampled: well sampled annually, during the first quarter								
MW-6	03-21-97	252.20	9.40	242.80	ND	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	05-27-97	252.20	7.08	245.12	ND	05-27-97	Not sampled: well sampled annually, during the first quarter								

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	FP Thickness (feet)	Date Sampled	TPH Gasolin ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE 8020 ($\mu\text{g/L}$)	MTBE 8260 ($\mu\text{g/L}$)	Dissolve Oxygen (mg/L)	Purged/Not Purged (P/NP)	
MW-6	08-05-97	252.20	7.12	245.08	ND	08-05-97	Not sampled: well sampled annually, during the first quarter									
MW-6	10-29-97	252.20	7.42	244.78	ND	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	02-25-98	252.20	10.35	241.85	ND	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	05-12-98	252.20	15.83	236.37	ND	05-12-98	Not sampled: well sampled annually, during the first quarter									
MW-6	07-28-98	252.20	11.84	240.36	ND	07-28-98	Not sampled: well sampled annually, during the first quarter									
MW-6	10-27-98	252.20	9.73	242.47	ND	10-27-98	Not sampled: well sampled annually, during the first quarter									
MW-6	02-08-99	252.20	8.10	244.10	ND	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	06-01-99	252.20	17.84	234.36	ND	06-01-99	Not sampled: well sampled annually, during the first quarter									
MW-6	08-25-99	252.20	11.00	241.20	ND	08-25-99	Not sampled: well sampled annually, during the first quarter									0.77
MW-7	08-09-96	235.95	Not surveyed: well was dry			08-09-96	Not sampled: well was dry									
MW-7	11-08-96	235.95	Not surveyed: well was dry			11-11-96	Not sampled: well was dry									
MW-7	01-27-97	235.95	NR	NR	ND	01-27-97	2,900	29	<5	<5	580	220	--			
MW-7	03-21-97	235.95	7.13	228.82	ND	03-21-97	590	3.5	<0.5	<0.5	1.3	90	--			
MW-7	05-27-97	235.95	9.02	226.93	ND	05-27-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-7	08-05-97	235.95	12.33	223.62	ND	08-05-97	110	0.5	<0.5	<0.5	0.8	81	--			
MW-7	10-29-97	235.95	NR	NR	ND	10-29-97	Not sampled: well is dry									
MW-7	02-25-98	235.95	8.04	227.91	ND	02-25-98	<50	<0.5	0.6	<0.5	0.7	<3	--			
MW-7	05-12-98	235.95	8.88	227.07	ND	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-7	07-28-98	235.95	10.50	225.45	ND	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-7	10-27-98	235.95	8.75	227.20	ND	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-7	02-08-99	235.95	9.35	226.60	ND	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-7	06-01-99	235.95	9.85	226.10	ND	06-01-99	250	<0.5	0.6	<0.5	1.6	18	--	1.0	NP	
MW-7	08-25-99	235.95	11.31	224.64	ND	08-25-99	119	<0.5	5.7	<0.5	<0.5	11	--	0.41	NP	
MW-8	08-09-96	240.37	9.41	230.96	ND	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	11-08-96	240.37	9.19	231.18	ND	11-11-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--			

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	FP Thickness (feet)	Date Sampled	TPH Gasolin (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8020 (µg/L)	MTBE 8260 (µg/L)	Dissolve Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
MW-8	03-21-97	240.37	8.55	231.82	ND	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	05-27-97	240.37	11.06	229.31	ND	05-27-97	91	0.6	<0.5	<0.5	0.6	66	--			
MW-8	08-05-97	240.37	9.32	231.05	ND	08-05-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	10-29-97	240.37	9.35	231.02	ND	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	02-25-98	240.37	7.08	233.29	ND	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	05-12-98	240.37	8.61	231.76	ND	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	07-28-98	240.37	9.63	230.74	ND	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	4	--			
MW-8	10-27-98	240.37	9.30	231.07	ND	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	02-08-99	240.37	5.56	234.81	ND	02-17-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	06-01-99	240.37	Not surveyed: inaccessible				06-01-99	Not sampled: well inaccessible								
MW-8	08-25-99	240.37	Not surveyed: inaccessible				08-25-99	Not sampled: well inaccessible								
AS-1	06-29-95	NR	9.20	NR	ND	06-30-95	<50	1.6	<0.5	0.9	0.9	--	--			
VW-1	02-23-96	NR	5.29	NR	ND	03-01-96	21,000	490	57	520	1,500	240	--			
VW-1	05-10-96	NR	6.80	NR	ND	05-10-96	3,700	61	<5	100	50	200	--			
VW-1	08-09-96	NR	7.03	NR	ND	08-09-96	970	2.7	<2.5	2.7	3.7	180	--			
VW-1	11-08-96	NR	Not surveyed: inaccessible				11-11-96	Not sampled: inaccessible								
VW-1	03-21-97	NR	7.51	NR	ND	03-21-97	640	<4	<1	1	3	194	--			
VW-1	05-27-97	NR	7.51	NR	ND	05-27-97	Not sampled: well sampled semi-annually, during the first and third quarters									
VW-1	08-05-97	NR	7.51	NR	ND	08-05-97	630	<1	<1	3	2	120	--			
VW-1	10-29-97	NR	7.53	NR	ND	10-29-97	600	<0.5	<0.5	<0.5	1.6	84	--			
VW-1	02-25-98	NR	6.77	NR	ND	02-25-98	230	<4	<0.7	1.2	0.5	27	--			
VW-1	05-12-98	NR	7.43	NR	ND	05-12-98	340	<0.5	0.5	2.3	0.8	29	--			
VW-1	07-28-98	NR	7.00	NR	ND	07-28-98	240	<0.5	<0.5	<0.5	1.1	54	--			
VW-1	10-27-98	NR	7.52	NR	ND	10-27-98	230	<0.5	<0.5	<0.5	<0.5	65	--			
VW-1	02-08-99	NR	7.05	NR	ND	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	36[2]			

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	Groundwater	FP	Date Sampled	TPH			Ethyl-	Total	MTBE	MTBE	Dissolve	Purged/
		Elevation (ft-MSL)	Water (feet)	Elevation (ft-MSL)	Thickness (feet)		Gasolin (µg/L)	Benzene (µg/L)	Toluene (µg/L)	benzene (µg/L)	Xylenes (µg/L)	8020 (µg/L)	8260 (µg/L)	Oxygen (mg/L)	Not Purged (P/NP)
VW-1	06-01-99	NR	7.55	NR	ND	06-01-99	180	<0.5	<0.5	<0.5	<0.5	23	--	1.0	NP
VW-1	08-25-99	NR	7.66	NR	ND	08-25-99	130	<0.5	5.6	<0.5	<0.5	40	--	0.39	NP
VW-2	02-23-96	NR	6.92	NR	ND	03-01-96	Not sampled: not part of sampling program								
VW-4	05-10-96	NR	8.58	NR	ND	05-10-96	13,000	2,500	41	420	660	43,000	--		
VW-4	08-09-96	NR	11.70	NR	ND	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	6,200	--		
VW-4	11-08-96	NR	9.38	NR	ND	11-08-96	7,800	510	7	180	370	21,000	--		
VW-4	03-21-97	NR	9.11	NR	ND	03-21-97	10,000	290	10	270	230	8,900	--		
VW-4	05-27-97	NR	9.34	NR	ND	05-27-97	Not sampled: well sampled semi-annually, during the first and third quarters								
VW-4	08-05-97	NR	9.47	NR	ND	08-05-97	<10,000	180	<100	<100	110	12,000	--		
VW-4	10-29-97	NR	9.35	NR	ND	10-29-97	9,800	200	69	260	360	4,900	--		
VW-4	02-25-98	NR	7.08	NR	ND	02-25-98	<50	2.5	<0.5	<0.5	0.7	<3	--		
VW-4	05-12-98	NR	9.17	NR	ND	05-12-98	3,200	<20	22	29	52	2,100	--		
VW-4	07-28-98	NR	9.55	NR	ND	07-28-98	<10,000	<100	<100	<100	<100	5,100	--		
VW-4	10-27-98	NR	9.92	NR	ND	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
VW-4	02-08-99	NR	7.50	NR	ND	02-08-99	<2,500	<25	<25	28	<25	2,400	3,100[2]		
VW-4	06-01-99	NR	9.87	NR	ND	06-01-99	2,100	2.5	1.1	2.5	15	3,300	--	2.0	NP
VW-4	08-25-99	NR	9.78	NR	ND	08-25-99	1,300	4.4	4.9	1.7	2.9	4,600	--	0.36	NP

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (ft-MSL)	FP Thickness (feet)	Date Sampled	TPH Gasolin ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE 8020 ($\mu\text{g/L}$)	MTBE 8260 ($\mu\text{g/L}$)	Dissolve Oxygen (mg/L)	Purged/Not Purged (P/NP)
<p>TPH: Total petroleum hydrocarbons by modified EPA method 8015 BTEX: Benzene, toluene, ethylbenzene, xylenes by EPA method 8020 MTBE: Methyl tert-butyl ether TOC: Top of Casing ft-MSL: elevation in feet, relative to mean sea level $\mu\text{g/L}$: micrograms per liter mg/L: milligrams per liter ND: none detected NR: not reported; data not available or not measurable - -: not analyzed or not applicable <: less than laboratory detection limit stated to the right [1]: analyzed by EPA method 8240 [2]: also analyzed for fuel oxygenates * [corrected elevation (Z')] = Z + (h * 0.73) where: Z: measured elevation, h: floating product thickness, 0.73: density ratio of oil to water **: For previous historical groundwater elevation data please refer to <i>Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 6002, Oakland, California, (EMCON, February 23, 1996)</i></p>															

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03-15-95	West-Southwest	0.08
05-30-95	West-Southwest	0.08
09-01-95	West-Southwest	0.09
11-13-95	West-Southwest	0.08
02-23-96	West-Southwest	0.08
05-10-96	West-Southwest	0.08
08-09-96	Southwest	0.08
11-08-96	Southwest	0.055
03-21-97	West-Southwest	0.051
05-27-97	West-Southwest	0.069
08-05-97	West	0.076
10-29-97	West-Southwest	0.036
02-25-98	West-Southwest	0.052
05-12-98	West	0.07
07-28-98	West	0.07
10-27-98	West-Southwest	0.06
02-08-99	West-Southwest	0.07
06-01-99	West-Northwest	0.07
08-25-99	West-Southwest	0.07



DRAWN BY: PROJECT NUMBER
 K. Black 11-16-99 791666



OVERDALE AVENUE


SEMINARY AVENUE

SUNNYMERE AVENUE



EXPLANATION

- Groundwater monitoring well
- ⊗ Decommissioned monitoring well
- Vapor extraction well
- ⊕ Air sparge well
- (119/<0.5/11) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 8/25/99
- < Not detected at or above indicated laboratory detection limit
- NS Not sampled




Base map modified from GSI, 1994.

	ARCO PRODUCTS COMPANY SERVICE STATION 6002
	FIGURE 1 GROUNDWATER ANALYTICAL SUMMARY THIRD QUARTER 1999 6235 SEMINARY AVENUE OAKLAND, CALIFORNIA

OVERDALE AVENUE


SEMINARY AVENUE

SUNNYMERE AVENUE



EXPLANATION

- ⊙ Groundwater monitoring well
- ⊘ Decommissioned monitoring well
- Vapor extraction well
- ⊙ Air sparge well
- (239.86) Groundwater elevation (Ft.-MSL) measured 8/25/99
- ? --- Groundwater elevation contour (Ft.-MSL)
- ← Approximate direction of groundwater flow showing gradient
- NM Not measured



Base map modified from GSI, 1994.

	ARCO PRODUCTS COMPANY SERVICE STATION 6002
	FIGURE 2 GROUNDWATER ELEVATION CONTOURS THIRD QUARTER 1999 6235 SEMINARY AVENUE OAKLAND, CALIFORNIA

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to IT's San Jose or Sacramento office location for temporary storage. IT arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an IT employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from IT to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from IT to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to IT with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND
WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT
FLOATING PRODUCT THICKNESS.
DO NOT SAMPLE WELL FOR
DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY
USING THE FOLLOWING EQUATION:

$$P = \pi r^2 h \times 7.48 \times 3$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS
OF DRYNESS BEFORE REMOVING
CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO
THE CALCULATED PURGE VOLUME WHILE
MONITORING GROUNDWATER
STABILIZATION INDICATOR PARAMETERS
(pH, CONDUCTIVITY, TEMPERATURE) AT
INTERVALS OF ONE CASING VOLUME.

NO

YES

FINAL TWO SETS OF GROUNDWATER
STABILIZATION INDICATOR PARAMETER
MEASUREMENTS MEET THE FOLLOWING
CRITERIA:

pH = ± 0.1 pH units

COND. = $\pm 10\%$

TEMP. = ± 1.0 °F

WELL RECHARGES TO A LEVEL
SUFFICIENT FOR SAMPLE
COLLECTION WITHIN 24 HOURS
OF EVACUATION TO DRYNESS.

YES

NO

YES

NO

WELL PURGING
CRITERIA MET;
PROCEED TO
WELL SAMPLING.

CONTINUE PURGING; EVACUATE
ADDITIONAL CASING VOLUME
OF WATER, MONITORING
INDICATOR PARAMETERS FOR
STABILITY.

FIELD TEST FIRST
RECHARGE WATER FOR
INDICATOR PARAMETERS,
THEN PROCEED TO WELL
SAMPLING.

RECORD WELL
AS DRY FOR
PURPOSES OF
SAMPLING.

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1

WATER SAMPLE FIELD DATA SHEET

PROJECT NO: _____

SAMPLE ID: _____

PURGED BY: _____

CLIENT NAME: _____

SAMPLED BY: _____

LOCATION: _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): _____ VOLUME IN CASING (gal.): _____

DEPTH OF WELL (feet): _____ CALCULATED PURGE (gal.): _____

DEPTH OF WATER (feet): _____ ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____

END PURGE: _____

DATE SAMPLED: _____

SAMPLING TIME: _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____ _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): _____

PURGING EQUIPMENT

SAMPLING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump _____ Bailer (PVC)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard™ _____ Dedicated
 Other: _____

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard™ _____ Dedicated
 Other: _____

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____

E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____

Temperature °F _____

SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____

**IT - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM**

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Project
Authorization: _____
EMCON Project No.: _____
OWT Project No.: _____
Task Code: _____
Originals To: _____
cc: _____


Well Lock Number (s)

CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____
Name Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Istructions:



SAMPLING AND ANALYSIS REQUEST FORM

**FIGURE
A-3**



September 8, 1999

Service Request No.: S9902604

Mr. Glen Vanderveen
IT/EMCON
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT#8/6002 OAKLAND

Dear Mr. Vanderveen:

Enclosed are the results of the sample(s) submitted to our laboratory on August 25, 1999. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample(s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 13, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 1496, expiration: January 31, 2001).


If you have any questions, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales
Project Chemist

Greg Jordan
Laboratory Director



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: 8/25/99
Date Received: 8/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-4(23)
Lab Code: S9902604-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	ND	

Approved By: MS Date: 09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: 8/25/99
Date Received: 8/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: VW-1(13)
Lab Code: S9902604-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	130	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	5.6	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	40	

Approved By: _____

AW

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: 8/25/99
Date Received: 8/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(23)
Lab Code: S9902604-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	5	NA	9/4/99	9200	
Benzene	EPA 5030	8020	0.5	5	NA	9/4/99	26	
Toluene	EPA 5030	8020	0.5	5	NA	9/4/99	14	
Ethylbenzene	EPA 5030	8020	0.5	5	NA	9/4/99	420	
Xylenes, Total	EPA 5030	8020	0.5	5	NA	9/4/99	270	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	5	NA	9/4/99	1100	

Approved By: _____

MT

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: 8/25/99
Date Received: 8/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: VW-4(14)
Lab Code: S9902604-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	1300	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	4.4	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	4.9	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	1.7	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	2.9	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	50	NA	9/3/99	4600	

Approved By: _____

[Signature]

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990904-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	ND	

Approved By: _____



Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CALUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-4(23)	S9902604-001		109	83
VW-1(13)	S9902604-002		110	89
MW-5(23)	S9902604-003		108	106
VW-4(14)	S9902604-004		85	158 S1
Lab Control Sample	S990904-LCS		105	102
Lab Control Sample	S990904-DLCS		99	102
Lab Control Sample	S990904-LCS		91	113
Lab Control Sample	S990904-DLCS		87	113
Method Blank	S990904-WB1		100	93

CAS Acceptance Limits: 69-116 72-139

S1 Surrogate recovery out of control limits due to matrix interference.

Approved By: _____

PT

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: TO#24118.00/RAT#8/6002 OAKLAND
 Sample Matrix: Water

Service Request: S9902604
 Date Collected: NA
 Date Received: NA
 Date Extracted: NA
 Date Analyzed: 9/4/99

Laboratory Control /Duplicate Laboratory Control Sample Summary
 BTE

Sample Name: Lab Control Sample
 Lab Code: S990904-LCS, S990904-DLCS
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Percent Recovery

Analyte	Prep Method	Analysis Method	Spike Level			Sample Result	Spike Result				CAS Acceptance		Relative Percent Difference
			MRL	MS	DMS		MS	DMS	MS	DMS	Limits		
Benzene	EPA 5030	8020	0.5	25	25	ND	27	26	108	104	75-135	4	
Toluene	EPA 5030	8020	0.5	25	25	ND	24	24	96	96	73-136	<1	
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	26	26	104	104	69-142	<1	

Approved By: _____

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902604
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 9/4/99

Laboratory Control / Duplicate Laboratory Control Sample Summary
TPH as Gasoline

Sample Name: Lab Control Sample Units: ug/L (ppb)
Lab Code: S990904-I.C.S., S990904-DLCS Basis: NA
Test Notes:

Analyte	Prep Method	Analysis Method	Spike Level			Sample Result	Spike Result				Percent Recovery		Result Notes
			MRL	MS	DMS		MS	DMS	MS	DMS	CAS Acceptance Limits	Relative Percent Difference	
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	253	241	101	96	75-135	5	

Approved By: _____



Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND

Service Request: S9902604
Date Analyzed: 9/4/99

Initial Calibration Verification (ICV) Summary
BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: ug/L (ppb)
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS		Result Notes
					Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	252	85-115	101	
Benzene	EPA 5030	8020	25	27	85-115	108	
Toluene	EPA 5030	8020	25	24	85-115	96	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	76	85-115	101	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	27	85-115	108	

Approved By: _____

BT

Date: _____

09/08/99

ARCO Products Company

Division of Atlantic/Richfield Company

S9902604

Task Order No.

24118.00

Chain of Custody

ARCO Facility no. 6002	City (Facility) Oakland	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7300	Contract Number
Consultant name EMCON	Address (Consultant) 2201 Broadway #101 Oakland, CA 94612		

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX EPA 802	BTEX/TPH incrd. MIBK EPA 1631/1631/1631	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 410.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 509E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCUP Metals <input type="checkbox"/> VOAC <input type="checkbox"/> VOAD <input type="checkbox"/>	Semi Metals <input type="checkbox"/> VOAC <input type="checkbox"/> VOAD <input type="checkbox"/>	CAN Metals EPA 6010/7000 TLLC <input type="checkbox"/> STLCC <input type="checkbox"/>	Lead Org/DHS <input type="checkbox"/>	Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid																
MW-4 (23)		Z	①	X		X	HCL	8/2/99	1123		X												
VW-1 (13)		Z	②	X		X	HCL		1210		X												
MW-5 (23)		Z	③	X		X	HCL		1227		X												
VW-4 (4)		Z	④	X		X	HCL		142		X												

Method of shipment
Sampler will deliver


Special Detection Limit/reporting
Lowest Possible

Special QA/QC
As Normal

Remarks
**RAT 8
Z-40ml HCL
VOAS
#791666**

Condition of sample:	Temperature received: Done: 9/9/99 R11/D3
Relinquished by sampler [Signature]	Date 8/2/99 Time 11:45
Relinquished by	Date
Relinquished by	Date

Lab Number
Turnaround Time:
Priority Rush 1 Business Day <input type="checkbox"/>
Rush 2 Business Days <input type="checkbox"/>
Expedited 5 Business Days <input type="checkbox"/>
Standard 10 Business Days <input checked="" type="checkbox"/>



September 8, 1999

Service Request No.: S9902605

Mr. Glen Vanderveen
IT/EMCON
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT#8/6002 OAKLAND

Dear Mr. Vanderveen:

Enclosed are the results of the sample(s) submitted to our laboratory on August 25, 1999. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample(s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 8, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 1496, expiration: January 31, 2001).


If you have any questions, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales
Project Chemist

Greg Jordan
Laboratory Director



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLIC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: 8/25/99
Date Received: 8/25/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(12)
Lab Code: S9902605-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	119	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	5.7	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	11	

Approved By: _____



Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990903-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	9/4/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	9/4/99	ND	
Methyl tert-Butyl Ether	EPA 5030	8020	3	1	NA	9/4/99	ND	

Approved By: _____

MT

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/6002 OAKLAND
Sample Matrix: Water

Service Request: S9902605
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-7(12)	S9902605-001		106	79
Lab Control Sample	S990904-LCS		105	102
Lab Control Sample	S990904-DLCS		99	102
Lab Control Sample	S990904-LCS		91	113
Lab Control Sample	S990904-DLCS		87	113
Method Blank	S990903-WB1		93	100

CAS Acceptance Limits: 69-116 72-139

Approved By: _____



Date: _____



COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: TO#24118.00/RAT#8/6002 OAKLAND
 Sample Matrix: Water

Service Request: S9902605
 Date Collected: NA
 Date Received: NA
 Date Extracted: NA
 Date Analyzed: 9/4/99

Matrix Spike/Duplicate Matrix Spike Summary
 BTE

Sample Name: Lab Control Sample Units: ug/L (ppb)
 Lab Code: S990904-LCS, S990904-DLCS Basis: NA
 Test Notes:

Analyte	Prep Method	Analysis Method	Spike Level		Sample Result	Spike Result		Percent Recovery		CAS Acceptance Limits	Relative Percent Difference	
			MRL	MS		DMS	MS	DMS	MS			DMS
Benzene	EPA 5030	8020	0.5	25	25	ND	27	26	108	104	75-135	4
Toluene	EPA 5030	8020	0.5	25	25	ND	24	24	96	96	73-136	<1
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	26	26	104	104	69-142	<1

Approved By: _____

MT

Date: _____

09/08/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: TO#24118.00/RAT#8/6002 OAKLAND
 Sample Matrix: Water

Service Request: S9902605
 Date Collected: NA
 Date Received: NA
 Date Extracted: NA
 Date Analyzed: 9/4/99

Matrix Spike/Duplicate Matrix Spike Summary
 TPH as Gasoline

Sample Name: Lab Control Sample Units: ug/L (ppb)
 Lab Code: S990904-LCS, S990904-DLCS Basis: NA
 Test Notes:

Analyte	Prep Method	Analysis Method	Spike Level		Sample Result	Percent Recovery				CAS Acceptance Limits	Relative Percent Difference	Result Notes
			MRL	MS DMS		MS	DMS	MS	DMS			
Gasoline	EPA 5030	CA/LUFT	50	250 250	ND	253	241	101	96	75-135	5	

Approved By: *[Signature]* Date: 09/08/99

DMS/020597p

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: TO#24118.00/RAT#8/6002 OAKLAND

Service Request: S9902605
 Date Analyzed: 9/4/99

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
 Lab Code: ICV1
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery		Result Notes
					Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	253	85-115	101	
Benzene	EPA 5030	8020	25	27	85-115	108	
Toluene	EPA 5030	8020	25	24	85-115	96	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	76	85-115	101	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	27	85-115	108	

Approved By: _____

MT

Date: _____

09/08/99

ICV/032196

ARCO Products Company

Division of Atlantic/Richfield Company

S9902605

Task Order No. 24118.00

Chain of Custody

ARCO Facility no. 6002		City (Facility) Oakland		Project manager (Consultant) Glen VanderVeen			Laboratory Name CAS																			
ARCO engineer Paul Supple		Telephone no. (ARCO)		Telephone no. (Consultant) (408)453-7300			Fax no. (Consultant) (408)437-9526																			
Contract Number				Consultant name EMCON						Address (Consultant) 2201 Broadway #101 Oakland, CA 94612																
Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH incl. MTES EPA M6048/02/0015	TPH Modified 8015	Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease	413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH	EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	Semi Metals <input type="checkbox"/> VOAC <input type="checkbox"/> VOAO	CAM Metals EPA 6010/7000	TLC <input type="checkbox"/> STLCC	Lead Org/DHSD	Lead EPA 7420/7421	Method of shipment
			Soil	Water	Other	Ice	Acid																			
MMW-8(1)	2		X			X					X															Sampler will deliver
MMW-7(2)	2		X			X	8/25/99	1155			X															Lowest possible
																										Special QA/QC As Normal
																										Remarks RAT & 2-40ml HCL VCAs # 791666
																										Lab Number
																										Turnaround Time: Priority Rush 1 Business Day <input type="checkbox"/>
																										Rush 2 Business Days <input type="checkbox"/>
																										Expedited 5 Business Days <input type="checkbox"/>
Condition of sample:									Temperature received: Due: 9/9/99 RU/D3									Standard 10 Business Days <input checked="" type="checkbox"/>								
Relinquished by sampler [Signature]									Received by Joseph Machado CAS 8/25/99 1450																	
Relinquished by									Received by																	
Relinquished by									Received by laboratory																	

**FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY**

PROJECT # : 792266

STATION ADDRESS : 6235 Seminary Avenue, Oakland

DATE : 8/25/99

ARCO STATION # : 6002

FIELD TECHNICIAN : D. Wolff

DAY : Wednesday

DTW Order	WELL ID	Well Box Seal Condition	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-3	ok	15/16"	NO	none	LWC	8.49	8.49	ND	—	24.6	1.67 mg/l 19.2°C
2	MW-6	ok	6"	NO	none	LWC	11.00	11.00	ND	—	32.1	0.77 mg/l 20.0°C
3	MW-8	IW	9/16"	NO	DOLPHIN	LWC			IW			
4	MW-4	ok	15/16"	YES	ARCO	LWC	12.21	12.21	ND	—	24.2	1.29 mg/l 20.0°C
5	MW-7	ok	9/16"	NO	3616	LWC	11.31	11.31	ND	—	13.1	0.41 mg/l 18.5°C
6	VW-1	ok	15/16"	NO	none	LWC	7.66	7.66	ND	—	14.1	0.35 mg/l 20.1°C
7	MW-5	ok	15/16"	NO	ARCO	LWC	12.99	12.99	ND	—	24.6	0.37 mg/l 20.0°C
8	VW-4	ok	15/16"	YES	3616	LWC	9.78	9.78	ND	—	15.0	0.36 mg/l 20.1°C

SURVEY POINTS ARE TOP OF WELL CASINGS

* Replanned
RECEIVED
 SEP 07 1999
 BY: _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: Dwight
 SAMPLED BY: [Signature]

SAMPLE ID: MW-4 (23)
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 8.0
 DEPTH OF WELL (feet): 24.2 CALCULATED PURGE (gal.): 24.0
 DEPTH OF WATER (feet): 12.1 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: 8/25/99 SAMPLING TIME: 1133

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1133</u>	<u>—</u>	<u>6.34</u>	<u>3430</u>	<u>69.2</u>	<u>Gray</u>	<u>moderate</u>

OTHER: Dissolved Oxygen= ODOR: None N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard[®] Dedicated
 Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard[®] Dedicated
 Other: Disposable Teflon Bailer

WELL INTEGRITY: Good LOCK: OK

REMARKS: DT w is below top of screen
Taking Good Sample

pH, E.C., Temp. Meter Calibration: Date: 8/25/99 Time: 1333 Meter Serial No.: 232
 E.C. 903 1409 1413 pH 7 6.91 7.00 pH 10 9.17 10.00 pH 4 3.91
 Temperature °F 85.0

SIGNATURE: [Signature] REVIEWED BY: _____ PAGE _____ OF _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236

SAMPLE ID: MW-5 (23')

PURGED BY: D Wolfson

CLIENT NAME: ARCO #6002

SAMPLED BY: f

LOCATION: Oakland, CA

TYPE: Groundwater X Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 X 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 75
 DEPTH OF WELL (feet): 276 CALCULATED PURGE (gal.): 225
 DEPTH OF WATER (feet): 1289 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: 8/25/89 SAMPLING TIME: 1227

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1227</u>	<u>—</u>	<u>7.78</u>	<u>6180</u>	<u>667</u>	<u>600</u>	<u>modest</u>

OTHER: Dissolved Oxygen= ODOR: Strong N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well WizardO	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well WizardO	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: Good LOCK: OK

REMARKS: _____
SEE MW-4

pH, E.C., Temp. Meter Calibration: Date: _____ Time: SEE MW-4 Meter Serial No: _____
 E.C. 1000 _____ pH 7 _____ pH 4 _____

Temperature °F: _____
 SIGNATURE: [Signature] REVIEWED BY: _____ PAGE _____ OF _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: Duglas
 SAMPLED BY: [Signature]

SAMPLE ID: MW-7 (1/2')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): .5
 DEPTH OF WELL (feet): 137 CALCULATED PURGE (gal.): 1.5
 DEPTH OF WATER (feet): 11-31 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: 8/25/99 SAMPLING TIME: 11:55

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>11:55</u>	<u>—</u>	<u>8.08</u>	<u>5310</u>	<u>6.71</u>	<u>DK 607</u>	<u>15/11</u>

OTHER: Dissolved Oxygen= ODOR: N.L.D N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard[®] Dedicated
 Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard[®] Dedicated
 Other: Disposable Teflon Bailer

WELL INTEGRITY: BAD QUALITY SALES SERVICE & L.P LOCK: Dog/ptk

REMARKS: Broken
SSS MW-4

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____
 E.C. 1000 _____ / pH _____ / _____ / pH 4 _____ /
 Temperature °F _____
 SIGNATURE: [Signature] REVIEWED BY: _____ PAGE _____ OF _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236

SAMPLE ID: MW-8 *W*

PURGED BY: *D. Wolfson*

CLIENT NAME: ARCO #6002

SAMPLED BY: _____

LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): _____
 DEPTH OF WELL (feet): _____ CALCULATED PURGE (gal.): _____
 DEPTH OF WATER (feet): ↓ ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: _____ SAMPLING TIME: _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)

OTHER: Dissolved Oxygen= ODOR: _____ N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: _____ LOCK: _____

REMARKS: unable to locate well, possible underneath
to parked vehicles. owner not home.
Tracs, paint cans under vehicles other debris
along side with truck. will take pictures
address is 6267 Sunnyvale

pH, E.C., Temp. Meter Calibration: Date: _____ Time: See Meter Serial #: MW4
 E.C. 1000 _____ / pH 7 _____ / pH 10 _____ / pH _____ /

Temperature °F: _____
 SIGNATURE: *D. Wolfson* REVIEWED BY: _____ PAGE _____ OF _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: D. Wright
 SAMPLED BY: [Signature]

SAMPLE ID: VW-1 (15')
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 4.5
 DEPTH OF WELL (feet): 14.1 CALCULATED PURGE (gal.): 13.5
 DEPTH OF WATER (feet): 7.66 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: 8/27/99 SAMPLING TIME: 12:10

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>12:10</u>	<u>—</u>	<u>7.50</u>	<u>695.0</u>	<u>69.5</u>	<u>600</u>	<u>moderate</u>

OTHER: Dissolved Oxygen= ODOR: _____ N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard Dedicated
 Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard Dedicated
 Other: Disposable Teflon Bailer

WELL INTEGRITY: Good - Lid broken - new cap LOCK: ok

REMARKS: _____
 _____ SEE MW-4 _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____
 E.C. 1000 / pH 7 / SEE MW-4 / pH 4 /

Temperature °F _____
 SIGNATURE: [Signature] REVIEWED BY: _____ PAGE _____ OF _____

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



EMCON

PROJECT NO: 792236
 PURGED BY: D. W. G. / J
 SAMPLED BY: J

SAMPLE ID: VW-4 (14)
 CLIENT NAME: ARCO #6002
 LOCATION: Oakland, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): N/A VOLUME IN CASING (gal.): 2.5
 DEPTH OF WELL (feet): 15.0 CALCULATED PURGE (gal.): 10.5
 DEPTH OF WATER (feet): 9.78 ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: 8/25/99 SAMPLING TIME: 1242

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1242</u>	<u>---</u>	<u>7.96</u>	<u>486.0</u>	<u>68.9</u>	<u>Clear</u>	<u>low</u>

OTHER: Dissolved Oxygen= ODOR: M.L.O N/A N/A
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): N/A

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>Disposable Teflon Bailer</u>	

WELL INTEGRITY: 6000 LOCK: OK

REMARKS: SEE M.W. /

pH, E.C., Temp. Meter Calibration: Date: _____ Time: SEE M.W. / Meter Serial No.: _____
 E.C. 1000 / pH 7 / pH 10 / pH 4 /
 Temperature °F _____
 SIGNATURE: [Signature] REVIEWED BY: _____ PAGE _____ OF _____

1921 Ringwood Avenue
San Jose, California

1999

ARCO 6002
792236

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons			
						First	Second	Third	Fourth
MW-3	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	NA	NO				
	Third	08/25/99	0.00	NA	NO				
	Fourth								
MW-4	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	GRAB	NO				
	Third	08/25/99	0.00	GRAB	NO				
	Fourth								
MW-5	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	GRAB	NO				
	Third	08/25/99	0.00	GRAB	NO				
	Fourth								
MW-6	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	NA	NO				
	Third	08/25/99	0.00	NA	NO				
	Fourth								
MW-7	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	GRAB	NO				
	Third	08/25/99	0.00	GRAB	NO				
	Fourth								
MW-8	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	IW	IW				
	Third	08/25/99	0.00	IW	IW				
	Fourth								
VW-1	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	GRAB	NO				
	Third	08/25/99	0.00	GRAB	NO				
	Fourth								
VW-4	First	02/08/99	0.00	GRAB	NO				
	Second	06/01/99	0.00	GRAB	NO				
	Third	08/25/99	0.00	GRAB	NO				
	Fourth								
									Steam water (gal) _____

