

CAMBRIA

March 28, 2002

Mr. Amir Gholami,
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, 2nd Floor
Alameda, California 94502

✓ 3942

APR 02 2002

Re: **First Quarter 2002 Monitoring Report**
Former ARCO Service Station No. 6002
6235 Seminary Avenue
Oakland, California
Cambria Project #439-1810

✓ 615102
AL



Dear Mr. Gholami:

On behalf of ARCO, Cambria Environmental Technology, Inc. (Cambria) is submitting the attached report which presents the results of the first quarter 2002 groundwater monitoring program at former ARCO Service Station No. 6002, located at 6235 Seminary Avenue, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

Please call if you have questions.

Sincerely,

Cambria Environmental Technology, Inc.

Ron Scheele

Ron Scheele, RG
Senior Project Manager

Attachment: Quarterly Groundwater Monitoring Report, First Quarter 2002

cc: Mr. Paul Supple, ARCO, PO Box 6549 Moraga, CA 94570

Oakland, CA
San Ramon, CA
Sonoma, CA

**Cambria
Environmental
Technology, Inc.**

1144 65th Street
Suite B
Oakland, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170

C A M B R I A

Quarterly Groundwater Monitoring Report

First Quarter 2002

Former Arco Service Station 6002
6235 Seminary Avenue
Oakland, California
Cambria Project #439-1810

APR 02 2002




Prepared For:

Mr. Paul Supple
ARCO


March 28, 2002

Prepared By:

Cambria Environmental Technology, Inc.
6262 Hollis Street
Emeryville, California 94608



Written by:



Sara Dwight
Staff Environmental Scientist



Ron Scheele, RG
Senior Project Manager

ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.: 6002 Address: 6235 Seminary Avenue, Oakland, California
 ARCO Environmental Engineer Paul Supple
 Consulting Co./Contact Person: Cambria Environmental Technology, Inc./Ron Scheele, RG
 Consultant Project No.: 439-1810
 Primary Agency/Regulatory ID No.: ACHCSA

WORK PERFORMED THIS QUARTER (FIRST - 2002):

1. Submitted quarterly groundwater monitoring report for fourth quarter 2001.
2. Performed first quarter groundwater monitoring and sampling on January 14, 2002.

WORK PROPOSED FOR NEXT QUARTER (FIRST - 2002):

1. Prepare and submit quarterly groundwater monitoring report for fourth quarter 2001.
2. Perform quarterly groundwater monitoring and sampling for first quarter 2002.

QUARTERLY MONITORING:

Current Phase of Project:	<u>Quarterly Groundwater Monitoring</u>
Frequency of Sampling:	<u>Annual (2nd Quarter): MW-3, MW-6</u> <u>Quarterly: MW-4, MW-5, MW-7, MW-8, VW-1, VW-4</u>
Frequency of Monitoring:	<u>Quarterly (groundwater)</u>
Is Floating Product (FP) Present On-site:	<u>No</u>
Bulk Soil Removed to Date :	<u>Approximately 370 cubic yards of TPH impacted soil</u>
Bulk Soil Removed This Quarter :	<u>None</u>
Water Wells or Surface Waters, within 2000 ft., impacted by site:	<u>None</u>
Current Remediation Techniques:	<u>Natural Attenuation</u>
Average Depth to Groundwater:	<u>7.02 ft</u>
Groundwater Flow Direction and Gradient (Average):	<u>0.072 ft/ft toward West-Southwest</u>

DISCUSSION:

Based on field measurements collected on January 14, 2002, groundwater beneath the site flows towards the west-southwest at a gradient of 0.072 ft/ft. This is consistent with the historic groundwater flow direction and gradient.

Hydrocarbon concentrations detected this quarter are consistent with the previous sampling event. The maximum TPHg concentration was detected in well MW-5 at 9,500 micrograms per liter (µg/L). The maximum MTBE concentration was detected in well VW-4 at 2,700 µg/L. Benzene was not detected in the analyzed samples.

C A M B R I A

Date: March 28, 2002

Quarter: 1st Quarter, 2002


ATTACHMENTS:

- Figure 1 - Groundwater Elevation Contour and Analytical Summary Map
- Table 1 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets



OVERDALE AVENUE

SUNNYMERE AVENUE



EXPLANATION

- MW-2 ● Monitoring Well Location
- MW-1 ∅ Decommissioned monitoring well
- VW-1 ● Vapor extraction well
- AS-1 ● Air sparge well

Well ID	Well Designation
ELEV	Groundwater Elevation
TPHg	Concentration of total petroleum hydrocarbons as gasoline, benzene, and MTBE in groundwater in micrograms per liter (µg/l). Samples collected on 01/14/02
Benzene	
MTBE	

- NA Not Available, well casing not surveyed
- 240.00 Groundwater elevation contour
- ← 0.072 □ Approximate groundwater flow direction and gradient




FIGURE 1

Basemap from IT Corporation

C A M B R I A

ARCO Service Station 6002
6235 Seminary Avenue
Oakland, California

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE 8021B* ($\mu\text{g/L}$)	MTBE 8260 ($\mu\text{g/L}$)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)			
MW-1	03-15-95	247.06	7.37	0.00	239.69	03-15-95	13,000	1,200	44	770	1,100	--	--					
MW-1	05-30-95	247.06	8.48	0.00	238.58	05-30-95	19,000	1,600	30	890	1,400	--	--					
MW-1	09-01-95	247.06	9.47	0.00	237.59	09-01-95	14,000	1,300	28	480	780	24,000	--					
MW-1	11-13-95	247.06	8.78	0.01	238.29[1]	11-13-95	11,000	570	17	260	410	--	25,000[2]					
MW-1	02-23-96	247.06	Well was decommissioned on 2-12-96															
MW-2	03-15-95	249.30	8.25	0.00	241.05	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--					
MW-2	05-30-95	249.30	9.93	0.00	239.37	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--					
MW-2	09-01-95	249.30	10.69	0.00	238.61	09-01-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--					
MW-2	11-13-95	249.30	10.32	0.00	238.98	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--					
MW-2	02-23-96	249.30	Well was decommissioned on 2-12-96															
MW-3	03-15-95	248.35	6.76	0.00	241.59	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--					
MW-3	05-30-95	248.35	7.81	0.00	240.54	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--					
MW-3	09-01-95	248.35	8.65	0.00	239.70	09-01-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--					
MW-3	11-13-95	248.35	8.25	0.00	240.10	11-13-95	120	45	0.7	<0.5	6.2	--	--					
MW-3	02-23-96	248.35	6.64	0.00	241.71	03-01-96	<50	<0.5	<0.5	0.6	1.9	<3	--					
MW-3	05-10-96	248.35	7.95	0.00	240.40	05-10-96	Not sampled: well sampled annually, during the first quarter											
MW-3	08-09-96	248.35	8.06	0.00	240.29	08-09-96	Not sampled: well sampled annually, during the first quarter											
MW-3	11-08-96	248.35	NR	NR	NR	11-11-96	Not sampled: inaccessible											
MW-3	03-21-97	248.35	8.21	0.00	240.14	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--					
MW-3	05-27-97	248.35	8.25	0.00	240.10	05-27-97	Not sampled: well sampled annually, during the first quarter											
MW-3	08-05-97	248.35	8.29	0.00	240.06	08-05-97	Not sampled: well sampled annually, during the first quarter											
MW-3	10-29-97	248.35	8.58	0.00	239.77	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--					
MW-3	02-25-98	248.35	7.69	0.00	240.66	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--					
MW-3	05-12-98	248.35	8.20	0.00	240.15	05-12-98	Not sampled: well sampled annually, during the first quarter											
MW-3	07-28-98	248.35	8.55	0.00	239.80	07-28-98	Not sampled: well sampled annually, during the first quarter											
MW-3	10-27-98	248.35	8.30	0.00	240.05	10-27-98	Not sampled: well sampled annually, during the first quarter											
MW-3	02-08-99	248.35	7.90	0.00	240.45	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--					
MW-3	06-01-99	248.35	8.40	0.00	239.95	06-01-99	Not sampled: well sampled annually, during the first quarter											
MW-3	08-25-99	248.35	8.49	0.00	239.86	08-25-99	Not sampled: well sampled annually, during the first quarter											
MW-3	10-29-99	248.35	8.52	0.00	239.83	10-29-99	Not sampled: well sampled annually, during the first quarter											
MW-3	02-16-00	248.35	8.03	0.00	240.32	02-16-00	<50	<0.5	0.8	<0.5	<1	<3	--	8.51	NP			
MW-3	06-23-00	248.35	7.55	0.00	240.80	06-23-00	Not sampled: well sampled annually, during the first quarter											

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater		TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)	Date Sampled									
MW-3	08-17-00	248.35	8.65	0.00	239.70	08-17-00	Not sampled: well sampled annually, during the first quarter							1.10	
MW-3	11-10-00	248.35	7.19	0.00	241.16	11-10-00	Not sampled: well sampled annually, during the first quarter								
MW-3	02-12-01	248.35	8.60	0.00	239.75	02-12-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50		0.81	NP
MW-3	04-13-01	248.35	6.13	0.00	242.22	04-13-01	Not sampled: well sampled annually, during the first quarter								
MW-3	07-18-01	248.35	6.47	0.00	241.88	07-18-01	Not sampled: well sampled annually, during the first quarter								
MW-3	10-01-01	248.35	6.99	0.00	241.36	10-01-01	Not sampled: well sampled annually, during the first quarter								
MW-3	01-14-02	248.35	5.47	0.00	242.88	01-14-02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--		NP
MW-4	03-15-95	242.91	9.37	0.00	233.54	03-15-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-4	05-30-95	242.91	11.47	0.00	231.44	05-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-4	09-01-95	242.91	12.28	0.00	230.63	09-01-95	78	<0.5	0.7	<0.5	<0.5	<3	--		
MW-4	11-13-95	242.91	11.75	0.00	231.16	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-4	02-23-96	242.91	8.51	0.00	234.40	03-01-96	59	1.2	7.4	1.6	9.3	3	--		
MW-4	05-10-96	242.91	11.35	0.00	231.56	05-10-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	08-09-96	242.91	9.70	0.00	233.21	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	11-08-96	242.91	11.79	0.00	231.12	11-08-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	03-21-97	242.91	10.94	0.00	231.97	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	81	--		
MW-4	05-27-97	242.91	11.51	0.00	231.40	05-27-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	08-05-97	242.91	11.90	0.00	231.01	08-05-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	10-29-97	242.91	12.00	0.00	230.91	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	02-25-98	242.91	8.34	0.00	234.57	02-25-98	<50	<0.5	0.9	<0.5	0.9	4	--		
MW-4	05-12-98	242.91	10.93	0.00	231.98	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	07-28-98	242.91	12.08	0.00	230.83	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	10-27-98	242.91	11.40	0.00	231.51	10-27-98	<5,000	<50	<50	160	64	6,400	--		
MW-4	02-08-99	242.91	8.40	0.00	234.51	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-4	06-01-99	242.91	11.93	0.00	230.98	06-01-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	4.0	NP
MW-4	08-25-99	242.91	12.21	0.00	230.70	08-25-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	1.29	NP
MW-4	10-29-99	242.91	12.37	0.00	230.54	10-29-99	<50	<0.5	<0.5	<0.5	<1	<3	--	1.50	NP
MW-4	02-16-00	242.91	7.45	0.00	235.46	02-16-00	<50	<0.5	<0.5	<0.5	<1	<3	--	2.38	NP
MW-4	06-23-00	242.91	12.31	0.00	230.60	06-23-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	2.80	NP
DUP	08-17-00	--	--	--	--	08-17-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--		
MW-4	08-17-00	242.91	11.92	0.00	230.99	08-17-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	2.38	NP
MW-4	11-10-00	242.91	10.80	0.00	232.11	11-10-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	1.55	NP
MW-4	02-12-01	242.91	11.65	0.00	231.26	02-12-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	1.12	NP

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater	Date Sampled	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)	
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)											
MW-4	04-13-01	242.91	8.17	0.00	234.74	04-13-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--		NP	
DUP	04-13-01	--	--	--	--	04-13-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--			
MW-4	07-18-01	242.91	8.51	0.00	234.40	07-18-01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--		NP	
MW-4	10-01-01	242.91	8.71	0.00	234.20	10-01-01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--		NP	
MW-4	01-14-02	242.91	7.13	0.00	235.78	01-14-02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--		NP	
DUP	01-14-02	--	--	--	--	01-14-02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--			
MW-5	03-15-95	244.82	11.99	0.00	232.83	03-15-95	21,000	870	22	1,600	1,900	--	--			
MW-5	05-30-95	244.82	12.97	0.00	231.85	05-30-95	17,000	2,100	250	1,000	520	--	--			
MW-5	09-01-95	244.82	14.03	0.00	230.79	09-01-95	19,000	1,500	25	1,600	880	8,300	--			
MW-5	11-13-95	244.82	13.65	0.00	231.17	11-13-95	21,000	1,300	22	1,400	630	--	--			
MW-5	02-23-96	244.82	11.93	0.00	232.89	03-01-96	27,000	1,300	<50	1,600	1,500	730	--			
MW-5	05-10-96	244.82	13.05	0.00	231.77	05-10-96	17,000	460	21	760	480	1,000	--			
MW-5	08-09-96	244.82	13.22	0.00	231.60	08-09-96	16,000	420	14	870	390	1,500	--			
MW-5	11-08-96	244.82	NR	NR	NR	11-11-96	Not sampled: well inaccessible									
MW-5	03-21-97	244.82	13.24	0.00	231.58	03-21-97	18,000	110	<50	730	1,500	1,800	--			
MW-5	05-27-97	244.82	13.10	0.00	231.72	05-27-97	21,000	86	<20	810	610	1,700	--			
MW-5	08-05-97	244.82	13.14	0.00	231.68	08-05-97	340	2.2	<0.5	15	8.8	39	--			
MW-5	10-29-97	244.82	13.03	0.00	231.79	10-29-97	19,000	130	<20	1,400	620	1,700	--			
MW-5	02-25-98	244.82	11.33	0.00	233.49	02-25-98	8,500	19	13	190	100	170	--			
MW-5	05-12-98	244.82	12.81	0.00	232.01	05-12-98	10,000	34	<10	390	220	610	--			
MW-5	07-28-98	244.82	13.12	0.00	231.70	07-28-98	15,000	68	<10	690	620	1,000	--			
MW-5	10-27-98	244.82	12.90	0.00	231.92	10-27-98	15,000	60	<10	770	400	890	--			
MW-5	02-08-99	244.82	11.08	0.00	233.74	02-08-99	8,200	23	<10	290	120	<60	--			
MW-5	06-01-99	244.82	12.95	0.00	231.87	06-01-99	11,000	33	3.3	340	180	580	--	1.0	NP	
MW-5	08-25-99	244.82	12.99	0.00	231.83	08-25-99	9,200	26	14	420	270	1,100	--	0.37	NP	
MW-5	10-29-99	244.82	13.10	0.00	231.72	10-29-99	11,000	19	9.8	260	150	590	--	1.27	NP	
MW-5	02-16-00	244.82	8.21	0.00	236.61	02-16-00	12,000	8.1	10	340	160	130	--	1.42	NP	
MW-5	06-23-00	244.82	12.90	0.00	231.92	06-23-00	9,680	38.0	<20.0	212	114	930	--	1.40	NP	
MW-5	08-17-00	244.82	13.00	0.00	231.82	08-17-00	10,500	15.0	7.98	223	118	430	--	0.68	NP	
MW-5	11-10-00	244.82	12.50	0.00	232.32	11-10-00	7,030	19.7	<10.0	190	43.6	445	--	1.27	NP	
MW-5	02-12-01	244.82	12.81	0.00	232.01	02-12-01	8,840	33.9	<10.0	186	56.4	352	--	0.40	NP	
MW-5	04-13-01	244.82	11.31	0.00	233.51	04-13-01	9,020	54.2	43.3	137	96.0	297	--		NP	
MW-5	07-18-01	244.82	11.59	0.00	233.23	07-18-01	13,000	19	10	110	49	230	--		NP	

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)	
MW-5	10-01-01	244.82	11.84	0.00	232.98	10-01-01	8,500	6.9	<1.0	87	27	220	--		NP	
MW-5	01-14-02	244.82	10.75	0.00	234.07	01-14-02	9,500	<20	<20	140	22	<200	--		NP	
MW-6	06-29-95	NR	6.63	0.00	NR	06-30-95	<50	<0.5	<0.5	<0.5	<0.5	--	--			
MW-6	09-01-95	NR	NR	NR	NR	09-01-95	Not sampled									
MW-6	11-13-95	NR	7.70	0.00	NR	11-13-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	02-23-96	NR	9.82	0.00	NR	03-01-96	<50	<0.5	0.8	<0.5	0.6	<3	--			
MW-6	05-10-96	NR	15.25	0.00	NR	05-10-96	Not sampled: well sampled annually, during the first quarter									
MW-6	08-09-96	252.20	11.11	0.00	241.09	08-09-96	Not sampled: well sampled annually, during the first quarter									
MW-6	11-08-96	252.20	9.31	0.00	242.89	11-11-96	Not sampled: well sampled annually, during the first quarter									
MW-6	03-21-97	252.20	9.40	0.00	242.80	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	05-27-97	252.20	7.08	0.00	245.12	05-27-97	Not sampled: well sampled annually, during the first quarter									
MW-6	08-05-97	252.20	7.12	0.00	245.08	08-05-97	Not sampled: well sampled annually, during the first quarter									
MW-6	10-29-97	252.20	7.42	0.00	244.78	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	02-25-98	252.20	10.35	0.00	241.85	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	05-12-98	252.20	15.83	0.00	236.37	05-12-98	Not sampled: well sampled annually, during the first quarter									
MW-6	07-28-98	252.20	11.84	0.00	240.36	07-28-98	Not sampled: well sampled annually, during the first quarter									
MW-6	10-27-98	252.20	9.73	0.00	242.47	10-27-98	Not sampled: well sampled annually, during the first quarter									
MW-6	02-08-99	252.20	8.10	0.00	244.10	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-6	06-01-99	252.20	17.84	0.00	234.36	06-01-99	Not sampled: well sampled annually, during the first quarter									
MW-6	08-25-99	252.20	11.00	0.00	241.20	08-25-99	Not sampled: well sampled annually, during the first quarter									0.77
MW-6	10-29-99	252.20	9.03	0.00	243.17	10-29-99	Not sampled: well sampled annually, during the first quarter									3.42
MW-6	02-16-00	252.20	7.71	0.00	244.49	02-16-00	<50	<0.5	<0.5	<0.5	<1	<3	--	2.42	P	
MW-6	06-23-00	252.20	6.69	0.00	245.51	06-23-00	Not sampled: well sampled annually, during the first quarter									2.30
MW-6	08-17-00	252.20	6.95	0.00	245.25	08-17-00	Not sampled: well sampled annually, during the first quarter									2.51
MW-6	11-10-00	252.20	11.79	0.00	240.41	11-10-00	Not sampled: well sampled annually, during the first quarter									
MW-6	02-12-01	252.20	7.35	0.00	244.85	02-12-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	1.66	P	
DUP	02-12-01	--	--	--	--	02-12-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--			
MW-6	04-13-01	252.20	10.52	0.00	241.68	04-13-01	Not sampled: well sampled annually, during the first quarter									
MW-6	07-18-01	252.20	11.03	0.00	241.17	07-18-01	Not sampled: well sampled annually, during the first quarter									
MW-6	10-01-01	252.20	11.31	0.00	240.89	10-01-01	Not sampled: well sampled annually, during the first quarter									
MW-6	01-14-02	252.20	9.87	0.00	242.33	01-14-02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	P	
MW-7	08-09-96	235.95	NR	NR	NR	08-09-96	Not sampled: well was dry									

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater		Ethyl-benzene	Total Xylenes	MTBE 8021B*	MTBE 8260	Dissolved Oxygen	Purged/Not Purged (P/NP)			
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)	Date Sampled							TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)
MW-7	11-08-96	235.95	NR	NR	NR	11-11-96	Not sampled: well was dry								
MW-7	01-27-97	235.95	NR	NR	NR	01-27-97	2,900	29	<5	<5	580	220	--		
MW-7	03-21-97	235.95	7.13	0.00	228.82	03-21-97	590	3.5	<0.5	<0.5	1.3	90	--		
MW-7	05-27-97	235.95	9.02	0.00	226.93	05-27-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	08-05-97	235.95	12.33	0.00	223.62	08-05-97	110	0.5	<0.5	<0.5	0.8	81	--		
MW-7	10-29-97	235.95	NR	NR	NR	10-29-97	Not sampled: well was dry								
MW-7	02-25-98	235.95	8.04	0.00	227.91	02-25-98	<50	<0.5	0.6	<0.5	0.7	<3	--		
MW-7	05-12-98	235.95	8.88	0.00	227.07	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	07-28-98	235.95	10.50	0.00	225.45	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	10-27-98	235.95	8.75	0.00	227.20	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	02-08-99	235.95	9.35	0.00	226.60	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	06-01-99	235.95	9.85	0.00	226.10	06-01-99	250	<0.5	0.6	<0.5	1.6	18	--	1.0	NP
MW-7	08-25-99	235.95	11.31	0.00	224.64	08-25-99	119	<0.5	5.7	<0.5	<0.5	11	--	0.41	NP
MW-7	10-29-99	235.95	9.08	0.00	226.87	10-29-99	<50	<0.5	<0.5	<0.5	<1	<3	--	1.29	NP
MW-7	02-25-00	235.95	8.02	0.00	227.93	02-25-00	<50	<0.5	<0.5	<0.5	<1	38	--	2.10	NP
MW-7	06-23-00	235.95	10.68	0.00	225.27	06-23-00	<50.0	<0.500	<0.500	<0.500	<0.500	14.4	--	1.60	NP
MW-7	08-17-00	235.95	11.85	0.00	224.10	08-17-00	70.0	<0.500	0.678	<0.500	1.07	14.2	--	1.59	NP
MW-7	11-10-00	235.95	9.62	0.00	226.33	11-10-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	1.09	NP
MW-7	02-12-01	235.95	12.10	0.00	223.85	02-12-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	0.84	NP
MW-7	04-13-01	235.95	7.95	0.00	228.00	04-13-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--		P
MW-7	07-18-01	235.95	8.20	0.00	227.75	07-18-01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--		P
MW-7	10-01-01	235.95	8.59	0.00	227.36	10-01-01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--		NP
MW-7	01-14-02	235.95	6.93	0.00	229.02	01-14-02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--		P
MW-8	08-09-96	240.37	9.41	0.00	230.96	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	11-08-96	240.37	9.19	0.00	231.18	11-11-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	03-21-97	240.37	8.55	0.00	231.82	03-21-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	05-27-97	240.37	11.06	0.00	229.31	05-27-97	91	0.6	<0.5	<0.5	0.6	66	--		
MW-8	08-05-97	240.37	9.32	0.00	231.05	08-05-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	10-29-97	240.37	9.35	0.00	231.02	10-29-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	02-25-98	240.37	7.08	0.00	233.29	02-25-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	05-12-98	240.37	8.61	0.00	231.76	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-8	07-28-98	240.37	9.63	0.00	230.74	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	4	--		
MW-8	10-27-98	240.37	9.30	0.00	231.07	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater		TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)	Date Sampled										
MW-8	02-08-99	240.37	5.56	0.00	234.81	02-17-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
MW-8	06-01-99	240.37	NR	NR	NR	06-01-99	Not sampled: well inaccessible									
MW-8	08-25-99	240.37	NR	NR	NR	08-25-99	Not sampled: well inaccessible									
MW-8	10-29-99	240.37	NR	NR	NR	10-29-99	Not sampled: well inaccessible									
MW-8	02-16-00	240.37	NR	NR	NR	02-16-00	Not sampled: well inaccessible									
MW-8	06-23-00	240.37	9.45	0.00	230.92	06-23-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50		1.90	NP	
MW-8	08-17-00	240.37	6.40	0.00	233.97	08-17-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50		2.56	NP	
MW-8	11-10-00	240.37	6.25	0.00	234.12	11-10-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	1.93	NP	
DUP	11-10-00	--	--	--	--	11-10-00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--			
MW-8	02-12-01	240.37	8.11	0.00	232.26	02-12-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	1.65	NP	
MW-8	04-13-01	240.37	5.19	0.00	235.18	04-13-01	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--		P	
MW-8	07-18-01	240.37	5.55	0.00	234.82	07-18-01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--		NP	
MW-8	10-01-01	240.37	6.41	0.00	233.96	10-01-01	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--		NP	
MW-8	01-14-02	240.37	5.07	0.00	235.30	01-14-02	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--		P	
AS-1	06-29-95	NR	9.20	0.00	NR	06-30-95	<50	1.6	<0.5	0.9	0.9	--	--			
VW-1	02-23-96	NR	5.29	0.00	NR	03-01-96	21,000	490	57	520	1,500	240	--			
VW-1	05-10-96	NR	6.80	0.00	NR	05-10-96	3,700	61	<5	100	50	200	--			
VW-1	08-09-96	NR	7.03	0.00	NR	08-09-96	970	2.7	<2.5	2.7	3.7	180	--			
VW-1	11-08-96	NR	NR	NR	NR	11-11-96	Not sampled: well inaccessible									
VW-1	03-21-97	NR	7.51	0.00	NR	03-21-97	640	<4	<1	1	3	194	--			
VW-1	05-27-97	NR	7.51	0.00	NR	05-27-97	Not sampled: well sampled semi-annually, during the first and third quarters									
VW-1	08-05-97	NR	7.51	0.00	NR	08-05-97	630	<1	<1	3	2	120	--			
VW-1	10-29-97	NR	7.53	0.00	NR	10-29-97	600	<0.5	<0.5	<0.5	1.6	84	--			
VW-1	02-25-98	NR	6.77	0.00	NR	02-25-98	230	<4	<0.7	1.2	0.5	27	--			
VW-1	05-12-98	NR	7.43	0.00	NR	05-12-98	340	<0.5	0.5	2.3	0.8	29	--			
VW-1	07-28-98	NR	7.00	0.00	NR	07-28-98	240	<0.5	<0.5	<0.5	1.1	54	--			
VW-1	10-27-98	NR	7.52	0.00	NR	10-27-98	230	<0.5	<0.5	<0.5	<0.5	65	--			
VW-1	02-08-99	NR	7.05	0.00	NR	02-08-99	<50	<0.5	<0.5	<0.5	<0.5	<3	36[3]			
VW-1	06-01-99	NR	7.55	0.00	NR	06-01-99	180	<0.5	<0.5	<0.5	<0.5	23	--	1.0	NP	
VW-1	08-25-99	NR	7.66	0.00	NR	08-25-99	130	<0.5	5.6	<0.5	<0.5	40	--	0.39	NP	
VW-1	10-29-99	NR	7.59	0.00	NR	10-29-99	200	1.0	<0.5	0.6	1.6	36	--	0.89	NP	
VW-1	02-16-00	NR	7.03	0.00	NR	02-16-00	210	<0.5	0.9	2.2	1.9	11	--	1.41	NP	

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Well Number	Date Gauged	TOC	Depth to	FP	Groundwater		TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8021B* (µg/L)	MTBE 8260 (µg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)	
		Elevation (ft-MSL)	Water (feet)	Thickness (feet)	Elevation (ft-MSL)	Date Sampled										
VW-1	06-23-00	NR	7.71	0.00	NR	06-23-00	175	1.04	<0.500	<0.500	<0.500	14.4	--	1.90	NP	
VW-1	08-17-00	NR	7.75	0.00	NR	08-17-00	180	<0.500	<0.500	0.622	0.760	23.7	--	0.63	NP	
VW-1	11-10-00	NR	6.83	0.00	NR	11-10-00	157	0.955	<0.500	0.973	<0.500	32.5	--	1.03	NP	
VW-1	02-12-01	NR	7.85	0.00	NR	02-12-01	273	0.627	<0.500	<0.500	0.507	9.19	--	0.47	NP	
VW-1	04-13-01	NR	5.11	0.00	NR	04-13-01	213	<0.500	<0.500	<0.500	<0.500	6.38	--		P	
VW-1	07-18-01	NR	5.39	0.00	NR	07-18-01	270	<0.50	<0.50	<0.50	<0.50	20	--		P	
VW-1	10-01-01	NR	6.50	0.00	NR	10-01-01	200	<0.50	<0.50	<0.50	0.81	14	--		NP	
VW-1	01-14-02	NR	5.04	0.00	NR	01-14-02	110	<0.50	<0.50	<0.50	<0.50	6.4	--		P	
VW-2	02-23-96	NR	6.92	0.00	NR	03-01-96	Not sampled: well not part of sampling program									
VW-4	05-10-96	NR	8.58	0.00	NR	05-10-96	13,000	2,500	41	420	660	43,000	--			
VW-4	08-09-96	NR	11.70	0.00	NR	08-09-96	<50	<0.5	<0.5	<0.5	<0.5	6,200	--			
VW-4	11-08-96	NR	9.38	0.00	NR	11-08-96	7,800	510	7	180	370	21,000	--			
VW-4	03-21-97	NR	9.11	0.00	NR	03-21-97	10,000	290	10	270	230	8,900	--			
VW-4	05-27-97	NR	9.34	0.00	NR	05-27-97	Not sampled: well sampled semi-annually, during the first and third quarters									
VW-4	08-05-97	NR	9.47	0.00	NR	08-05-97	<10,000	180	<100	<100	110	12,000	--			
VW-4	10-29-97	NR	9.35	0.00	NR	10-29-97	9,800	200	69	260	360	4,900	--			
VW-4	02-25-98	NR	7.08	0.00	NR	02-25-98	<50	2.5	<0.5	<0.5	0.7	<3	--			
VW-4	05-12-98	NR	9.17	0.00	NR	05-12-98	3,200	<20	22	29	52	2,100	--			
VW-4	07-28-98	NR	9.55	0.00	NR	07-28-98	<10,000	<100	<100	<100	<100	5,100	--			
VW-4	10-27-98	NR	9.92	0.00	NR	10-27-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--			
VW-4	02-08-99	NR	7.50	0.00	NR	02-08-99	<2,500	<25	<25	28	<25	2,400	3,100[3]			
VW-4	06-01-99	NR	9.87	0.00	NR	06-01-99	2,100	2.5	1.1	2.5	15	3,300	--	2.0	NP	
VW-4	08-25-99	NR	9.78	0.00	NR	08-25-99	1,300	4.4	4.9	1.7	2.9	4,600	--	0.36	NP	
VW-4	10-29-99	NR	9.93	0.00	NR	10-29-99	1,400	<0.5	1.8	1.6	3.0	4,200	--	1.18	NP	
VW-4	02-16-00	NR	7.45	0.00	NR	02-16-00	1,800	<0.5	2.9	15	10	3,400	--	1.01	NP	
DUP 1	06-23-00	--	--	--	--	06-23-00	1,260	<2.00	<2.00	<2.00	2.73	2,720	--			
VW-4	06-23-00	NR	9.74	0.00	NR	06-23-00	1,360	<2.00	2.26	<2.00	2.25	4,900	--	1.50	NP	
VW-4	08-17-00	NR	9.95	0.00	NR	08-17-00	2,230	<10.0	<10.0	<10.0	<10.0	5,310	--	1.13	NP	
VW-4	11-10-00	NR	9.22	0.00	NR	11-10-00	1,390	18.5	<5.00	<5.00	<5.00	8,840	--	1.25	NP	
VW-4	02-12-01	NR	8.99	0.00	NR	02-12-01	1,400	9.42	<2.00	17.8	16.1	3,570	--	0.91	NP	
VW-4	04-13-01	NR	7.80	0.00	NR	04-13-01	556	3.82	<1.25	<1.25	<1.25	2,450	--		NP	
VW-4	07-18-01	NR	7.73	0.00	NR	07-18-01	2,100	9.2	<2.0	<2.0	<2.0	3,700	--		NP	

**Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present****

**ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California**

Well Number	Date Gauged	TOC Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	Date Sampled	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethyl-benzene ($\mu\text{g/L}$)	Total Xylenes ($\mu\text{g/L}$)	MTBE 8021B* ($\mu\text{g/L}$)	MTBE 8260 ($\mu\text{g/L}$)	Dissolved Oxygen (mg/L)	Purged/Not Purged (P/NP)
DUP 1	07-18-01	--	--	--	--	07-18-01	2,000	8.7	2.2	<2.0	<2.0	3,400	--		
VW-4	10-01-01	NR	6.69	0.00	NR	10-01-01	2,000	<10	<10	<10	13	5,900	--		NP
DUP	10-01-01	--	--	--	--	10-01-01	1,800	<10	<10	<10	<10	5,800	--		
VW-4	01-14-02	NR	5.93	0.00	NR	01-14-02	580	<2.0	<2.0	<2.0	<2.0	2,700	--		P

TPHg: Total petroleum hydrocarbons as gasoline by modified EPA method 8015

BTEX: Benzene, toluene, ethylbenzene, xylenes by EPA method 8021B. (EPA method 8020 prior to 10/29/99).

MTBE: Methyl tertiary butyl ether

*: EPA method 8020 prior to 10/29/99

TOC: Top of Casing

ft-MSL: elevation in feet, relative to mean sea level

$\mu\text{g/L}$: micrograms per liter

mg/L: milligrams per liter

NR: not reported; data not available or not measurable

--: not analyzed or not applicable

<: less than laboratory detection limit stated to the right

[1]: [corrected elevation (Z')] = Z + (h * 0.73) where: Z: measured elevation, h: floating product thickness, 0.73: density ratio of oil to water

[2]: analyzed by EPA method 8240

[3]: also analyzed for fuel oxygenates

**: For previous historical groundwater elevation data please refer to Fourth Quarter 1995 Groundwater Monitoring Program Results, ARCO Service Station 6002, Oakland, California,

(EMCON, February 23, 1996)

DUP: duplicate

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station 6002
6235 Seminary Avenue, Oakland, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03-15-95	West-Southwest	0.08
05-30-95	West-Southwest	0.08
09-01-95	West-Southwest	0.09
11-13-95	West-Southwest	0.08
02-23-96	West-Southwest	0.08
05-10-96	West-Southwest	0.08
08-09-96	Southwest	0.08
11-08-96	Southwest	0.055
03-21-97	West-Southwest	0.051
05-27-97	West-Southwest	0.069
08-05-97	West	0.076
10-29-97	West-Southwest	0.036
02-25-98	West-Southwest	0.052
05-12-98	West	0.07
07-28-98	West	0.07
10-27-98	West-Southwest	0.06
02-08-99	West-Southwest	0.07
06-01-99	West-Northwest	0.07
08-25-99	West-Southwest	0.07
10-29-99	West	0.07
02-16-00	Southwest	0.05
06-23-00	West	0.042
08-17-00	West	0.087
11-10-00	West-Southwest	0.080
02-12-01	West-Southwest	0.074
04-13-01	West	0.085
07-18-01	West	0.075
10-01-01	West-Southwest	0.083
01-14-02	West-Southwest	0.072

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with tap water. During field sampling, equipment surfaces that were placed in the well or came into

contact with groundwater during field sampling were washed with detergent and double rinsed with tap water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated after each use. A bottom-filling, clear disposable bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged, otherwise non-purge groundwater samples were collected. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or disposable bailer was used to purge standing water in the casing and gravel pack from the monitoring well. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level

sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 240-gallon truck-mounted tank to Integrated Waste Management's Milpitas storage facility for disposal.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A disposable bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the disposable bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs or ice until received by the laboratory. At the time of

sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory. Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator.

Samples were transferred from Cambria to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from Cambria to laboratories performing the selected analyses routinely occurred within two to three days of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to Cambria with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)

APPENDIX B

**CERTIFIED ANALYTICAL REPORTS
AND CHAIN-OF-CUSTODY DOCUMENTATION**



**Sequoia
Analytical**

1551 Industrial Road
San Carlos, CA 94070
(650) 232-9600
FAX (650) 232-9612
www.sequoialabs.com

1 February, 2002

Ron Scheele
Cambria Environmental [1]
6262 Hollis St.
Emeryville, CA 94608

RE: ARCO
Sequoia Report: L201082

Enclosed are the results of analyses for samples received by the laboratory on 01/17/02 10:45. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Latonya Pelt
Project Manager

CA ELAP Certificate #2360

Cambria Environmental [1]
6262 Hollis St.
Emeryville CA, 94608

Project: ARCO
Project Number: ARCO#6002, Oakland
Project Manager: Ron Scheele


Reported:
02/01/02 07:08

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-3	L201082-01	Water	01/14/02 09:45	01/17/02 10:45
MW-4	L201082-02	Water	01/14/02 09:55	01/17/02 10:45
MW-5	L201082-03	Water	01/14/02 10:05	01/17/02 10:45
MW-6	L201082-04	Water	01/14/02 11:55	01/17/02 10:45
MW-7	L201082-05	Water	01/14/02 10:40	01/17/02 10:45
MW-8	L201082-06	Water	01/14/02 11:10	01/17/02 10:45
VW-1	L201082-07	Water	01/14/02 12:35	01/17/02 10:45
VW-4	L201082-08	Water	01/14/02 13:10	01/17/02 10:45
DUP	L201082-09	Water	01/14/02 00:00	01/17/02 10:45

There were no trip blank, no temperature blank nor any custody seals that were received with this project.

Sequoia Analytical - San Carlos



Latonya Pelt, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Cambria Environmental [1]
 6262 Hollis St.
 Emeryville CA, 94608

Project: ARCO
 Project Number: ARCO#6002, Oakland
 Project Manager: Ron Scheele

Reported:
 02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B

Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-3 (L201082-01) Water Sampled: 01/14/02 09:45 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2010079	01/23/02	01/23/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		86.3 %	70-130	"	"	"	"	"	
MW-4 (L201082-02) Water Sampled: 01/14/02 09:55 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2010079	01/23/02	01/23/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		81.0 %	70-130	"	"	"	"	"	
MW-5 (L201082-03) Water Sampled: 01/14/02 10:05 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	9500	2000	ug/l	40	2010086	01/25/02	01/26/02	EPA 8021B	P-02
Benzene	ND	20	"	"	"	"	"	"	
Toluene	ND	20	"	"	"	"	"	"	
Ethylbenzene	140	20	"	"	"	"	"	"	
Xylenes (total)	22	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	200	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		95.5 %	70-130	"	"	"	"	"	




Cambria Environmental [1]
6262 Hollis St.
Emeryville CA, 94608

Project: ARCO
Project Number: ARCO#6002, Oakland
Project Manager: Ron Scheele

Reported:
02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-6 (L201082-04) Water Sampled: 01/14/02 11:55 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2010081	01/24/02	01/24/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		86.1 %	70-130		"	"	"	"	
MW-7 (L201082-05) Water Sampled: 01/14/02 10:40 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2010081	01/24/02	01/24/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		78.8 %	70-130		"	"	"	"	
MW-8 (L201082-06) Water Sampled: 01/14/02 11:10 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2010081	01/24/02	01/24/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		80.3 %	70-130		"	"	"	"	



1551 Industrial Road
 San Carlos CA 94070
 (650) 232-9600
 FAX (650) 232-9612
 www.sequoialabs.com

Cambria Environmental [1]
 6262 Hollis St.
 Emeryville CA, 94608

Project: ARCO
 Project Number: ARCO#6002, Oakland
 Project Manager: Ron Scheele

Reported:
 02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
VW-1 (L201082-07) Water Sampled: 01/14/02 12:35 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	110	50	ug/l	1	2010090	01/27/02	01/27/02	EPA 8021B	P-03
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	6.4	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		102 %	70-130		"	"	"	"	
VW-4 (L201082-08) Water Sampled: 01/14/02 13:10 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	580	200	ug/l	4	2010086	01/24/02	01/26/02	EPA 8021B	P-03
Benzene	ND	2.0	"	"	"	"	"	"	
Toluene	ND	2.0	"	"	"	"	"	"	
Ethylbenzene	ND	2.0	"	"	"	"	"	"	
Xylenes (total)	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2700	100	"	20	"	"	01/24/02	"	M-04
<i>Surrogate: a,a,a-Trifluorotoluene</i>		97.4 %	70-130		"	"	01/26/02	"	
DUP (L201082-09) Water Sampled: 01/14/02 00:00 Received: 01/17/02 10:45									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2010081	01/24/02	01/24/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		90.1 %	70-130		"	"	"	"	



Cambria Environmental [1]
 6262 Hollis St.
 Emeryville CA, 94608

Project: ARCO
 Project Number: ARCO#6002, Oakland
 Project Manager: Ron Scheele

Reported:
 02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC Limits	RPD	RPD Limit	Notes
Batch 2010079 - EPA 5030B (P/T)									
Blank (2010079-BLK1)					Prepared & Analyzed: 01/23/02				
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l						
Benzene	ND	0.50	"						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						
Xylenes (total)	ND	0.50	"						
Methyl tert-butyl ether	ND	5.0	"						
Surrogate: a,a,a-Trifluorotoluene	8.56		"	10.0		85.6	70-130		
LCS (2010079-BS1)					Prepared & Analyzed: 01/23/02				
Benzene	9.03	0.50	ug/l	10.0		90.3	70-130		
Toluene	8.83	0.50	"	10.0		88.3	70-130		
Ethylbenzene	8.85	0.50	"	10.0		88.5	70-130		
Xylenes (total)	26.6	0.50	"	30.0		88.7	70-130		
Surrogate: a,a,a-Trifluorotoluene	9.13		"	10.0		91.3	70-130		
LCS (2010079-BS2)					Prepared & Analyzed: 01/23/02				
Purgeable Hydrocarbons as Gasoline	218	50	ug/l	250		87.2	70-130		
Surrogate: a,a,a-Trifluorotoluene	9.42		"	10.0		94.2	70-130		
Matrix Spike (2010079-MS1)					Source: L201080-04 Prepared & Analyzed: 01/23/02				
Purgeable Hydrocarbons as Gasoline	274	50	ug/l	250	ND	110	60-140		
Surrogate: a,a,a-Trifluorotoluene	9.68		"	10.0		96.8	70-130		
Matrix Spike Dup (2010079-MSD1)					Source: L201080-04 Prepared & Analyzed: 01/23/02				
Purgeable Hydrocarbons as Gasoline	262	50	ug/l	250	ND	105	60-140	4.48	25
Surrogate: a,a,a-Trifluorotoluene	9.66		"	10.0		96.6	70-130		

Cambria Environmental [1]
 6262 Hollis St.
 Emeryville CA, 94608

 Project: ARCO
 Project Number: ARCO#6002, Oakland
 Project Manager: Ron Scheele

Reported:
 02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 2010081 - EPA 5030B (P/T)									
Blank (2010081-BLK1)					Prepared & Analyzed: 01/24/02				
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l						
Benzene	ND	0.50	"						
Toluene	ND	0.50	"						
Ethylbenzene	ND	0.50	"						
Xylenes (total)	ND	0.50	"						
Methyl tert-butyl ether	ND	5.0	"						
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.59		"	10.0		95.9	70-130		
LCS (2010081-BS1)					Prepared & Analyzed: 01/24/02				
Benzene	11.8	0.50	ug/l	10.0		118	70-130		
Toluene	11.5	0.50	"	10.0		115	70-130		
Ethylbenzene	11.5	0.50	"	10.0		115	70-130		
Xylenes (total)	34.5	0.50	"	30.0		115	70-130		
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.20		"	10.0		92.0	70-130		
LCS (2010081-BS2)					Prepared & Analyzed: 01/24/02				
Purgeable Hydrocarbons as Gasoline	248	50	ug/l	250		99.2	70-130		
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.68		"	10.0		96.8	70-130		
Matrix Spike (2010081-MS1)					Source: L201084-08 Prepared & Analyzed: 01/24/02				
Benzene	9.67	0.50	ug/l	10.0	ND	96.7	60-140		
Toluene	9.96	0.50	"	10.0	ND	99.6	60-140		
Ethylbenzene	9.73	0.50	"	10.0	ND	97.3	60-140		
Xylenes (total)	29.4	0.50	"	30.0	ND	98.0	60-140		
<i>Surrogate: a,a,a-Trifluorotoluene</i>	8.66		"	10.0		86.6	70-130		
Matrix Spike Dup (2010081-MSD1)					Source: L201084-08 Prepared & Analyzed: 01/24/02				
Benzene	10.2	0.50	ug/l	10.0	ND	102	60-140	5.33	25
Toluene	9.97	0.50	"	10.0	ND	99.7	60-140	0.100	25
Ethylbenzene	9.91	0.50	"	10.0	ND	99.1	60-140	1.83	25
Xylenes (total)	29.7	0.50	"	30.0	ND	99.0	60-140	1.02	25
<i>Surrogate: a,a,a-Trifluorotoluene</i>	8.89		"	10.0		88.9	70-130		

Cambria Environmental [1]
 6262 Hollis St.
 Emeryville CA, 94608

 Project: ARCO
 Project Number: ARCO#6002, Oakland
 Project Manager: Ron Scheele

Reported:
 02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	RPD Limits	RPD RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	--------------	---------------	------------	--------------	-------

Batch 2010086 - EPA 5030B (P/T)
Blank (2010086-BLK1)

Prepared & Analyzed: 01/25/02

Purgeable Hydrocarbons as Gasoline	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	5.0	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>8.61</i>		<i>"</i>	<i>10.0</i>		<i>86.1</i>	<i>70-130</i>			

LCS (2010086-BS1)

Prepared & Analyzed: 01/25/02

Benzene	10.1	0.50	ug/l	10.0		101	70-130			
Toluene	10.1	0.50	"	10.0		101	70-130			
Ethylbenzene	9.87	0.50	"	10.0		98.7	70-130			
Xylenes (total)	29.8	0.50	"	30.0		99.3	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>9.23</i>		<i>"</i>	<i>10.0</i>		<i>92.3</i>	<i>70-130</i>			

LCS (2010086-BS2)

Prepared & Analyzed: 01/25/02

Purgeable Hydrocarbons as Gasoline	284	50	ug/l	250		114	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>9.42</i>		<i>"</i>	<i>10.0</i>		<i>94.2</i>	<i>70-130</i>			

Batch 2010090 - EPA 5030B (P/T)
Blank (2010090-BLK1)

Prepared & Analyzed: 01/27/02

Purgeable Hydrocarbons as Gasoline	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	5.0	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>10.6</i>		<i>"</i>	<i>10.0</i>		<i>106</i>	<i>70-130</i>			

Cambria Environmental [1]
6262 Hollis St.
Emeryville CA, 94608

Project: ARCO
Project Number: ARCO#6002, Oakland
Project Manager: Ron Scheele

Reported:
02/01/02 07:08

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2010090 - EPA 5030B (P/T)										
LCS (2010090-BS1)				Prepared & Analyzed: 01/27/02						
Benzene	9.89	0.50	ug/l	10.0		98.9	70-130			
Toluene	9.01	0.50	"	10.0		90.1	70-130			
Ethylbenzene	8.76	0.50	"	10.0		87.6	70-130			
Xylenes (total)	26.1	0.50	"	30.0		87.0	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>9.51</i>		<i>"</i>	<i>10.0</i>		<i>95.1</i>	<i>70-130</i>			
LCS (2010090-BS2)				Prepared & Analyzed: 01/27/02						
Purgeable Hydrocarbons as Gasoline	222	50	ug/l	250		88.8	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>9.87</i>		<i>"</i>	<i>10.0</i>		<i>98.7</i>	<i>70-130</i>			



Cambria Environmental [11]
6262 Hollis St.
Emeryville CA, 94608

Project: ARCO
Project Number: ARCO#6002, Oakland
Project Manager: Ron Scheele

Reported:
02/01/02 07:08

Notes and Definitions

- M-04 MTBE was reported from second analysis.
- P-02 Chromatogram Pattern: Weathered Gasoline C6-C12
- P-03 Chromatogram Pattern: Unidentified Hydrocarbons C6-C12
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

ARCO Facility no. 6002 City (Facility) Oakland Project manager (Consultant) Ron Scheele Laboratory name Sequoia
 ARCO engineer Chuck Carmel Telephone no. (ARCO) _____ Telephone no. (Consultant) 510-450-1983 Fax no. (Consultant) 510-450-8295 Contract number _____
 Consultant name Cambria Env. Tech Address (Consultant) 6262 Hollis St. Emeryville Ca

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	STEX EPA 802/803	STEX/PH EPA Microbio 801/802	TPH Modified B015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/MS/MS02	EPA 801/801-0	EPA 802/402-0	EPA 805/802-0	TCUP Semi Methanol VOC/VOC	CAMPUS EPA 816/818 VOC <input type="checkbox"/> STC <input type="checkbox"/>	Lead <input type="checkbox"/> Cad <input type="checkbox"/> Hg <input type="checkbox"/> PCB <input type="checkbox"/>	Method of shipment		
			Soil	Water	Other	Ice	Acid																
MW-3	01	4		X		X	X	1-14-02	9:45		X											Special detection Limit reporting <u>Lowest possible</u>	
MW-4	02	4		X		X	X	1-14-02	9:55		X												
MW-5	03	4		X		X	X	1-14-02	10:05		X												
MW-6	04	4		X		X	X	1-14-02	11:55		X												Special OAVOC
MW-7	05	4		X		X	X	1-14-02	10:40		X												
MW-8	06	4		X		X	X	1-14-02	11:10		X												
VW-1	07	4		X		X	X	1-14-02	12:35		X												Remarks <u>Report results in EOF format</u>
VW-4	08	4		X		X	X	1-14-02	13:10		X												
DUP	09	4		Λ		Λ	Λ	1-14-02															

Condition of sample: _____ Temperature received: _____
 Relinquished by [Signature] Date 1/14/02 Time 10:45 Received by [Signature]
 Relinquished by _____ Date _____ Time _____ Received by _____ Date _____ Time _____
 Relinquished by _____ Date _____ Time _____ Received by _____ Date _____ Time _____

Lab number L201092
 Turnaround time _____
 Priority Rush 1 Business Day
 Rush 2 Business Days
 Expedited 5 Business Days
 Standard 10 Business Days

APPENDIX C
FIELD DATA SHEETS

WELL DEPTH MEASUREMENTS

Well ID	Time	Product Depth	Water Depth	Product Thickness	Well Depth	Comments
MW-3	9:20		5.47			no purge 4"
MW-4	9:15		7.13			no purge 4"
MW-5	9:35		10.75			no purge 4"
MW-6	9:10		9.87		30.00	purge 2"
MW-7	9:00		6.93		13.30	purge 2"
MW-8	9:05		5.07		13.90	purge 2"
VW-1	9:25		5.04		14.00	purge 4"
VW-4	9:30		5.93		15.00	purge 4"

Project Name: Asco 6002

Project Number: 439-1810
~~1609~~

Measured By: J. Hill

Date: 1-14-02

CAMBRIA

WELL SAMPLING FORM

Project Name: Arco6002	Cambria Mgr: RS	Well ID: MW- 3
Project Number: 438-1609	Date: 1-14-02	Well Yield: ----
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method:	Well Diameter: 2" pvc
	Disposable bailer	Technician(s): SG
Initial Depth to Water: 5.47	Total Well Depth:	Water Column Height:
Volume/ft:	1 Casing Volume:	3 Casing Volumes:
Purging Device:	Did Well Dewater?:	Total Gallons Purged:
Start Purge Time:	Stop Purge Time:	Total Time:

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
	1				
	2				
	3				
no purge					

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW- 3	1-14-02	9:45	400a	HCl	TPH₃ BTEX MTBE	8021B
MW-						

CAMBRIA

WELL SAMPLING FORM

Project Name: Asc06002	Cambria Mgr: RS	Well ID: MW-4
Project Number: 438-1609	Date: 1-14-02	Well Yield: ---
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method: Disposable bailer	Well Diameter: 2" pvc
Initial Depth to Water: 7.13 WATS	Total Well Depth:	Technician(s): SG
Volume/ft:	1 Casing Volume:	Water Column Height:
Purging Device:	Did Well Dewater?:	3 Casing Volumes:
Start Purge Time:	Stop Purge Time:	Total Gallons Purged:
		Total Time:

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
	1				
	2				
	3				
NO PURGE					

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-4	1-14-02	9:55	4V00A	HCl	TPH₅ BTEX MTBE	8021B
DUP						

CAMBRIA

WELL SAMPLING FORM

Project Name: Asco6002	Cambria Mgr: RS	Well ID: MW- 6
Project Number: 438-1609	Date: 1-14-02	Well Yield: ---
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method: Disposable bailer	Well Diameter: 2" pvc
Initial Depth to Water: 9.87	Total Well Depth: 30.00	Technician(s): SG
Volume/ft: 0.16	Casing Volume: 3.22	Water Column Height: 20.13
Purging Device: disposable bailer	Did Well Dewater?: no	3 Casing Volumes: 9.66
Start Purge Time: 11:20	Stop Purge Time: 11:49	Total Gallons Purged: 10
		Total Time: 29 mins

1 Casing Volume = Water column height x Volume/ ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
11:30	3	15.7	7.25	1279	
11:40	6	15.4	7.29	1513	
11:50	10	15.7	7.30	1720	

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-6	1-14-02	11:55	4VOA	HCl	TPH ₅ BTEX MTBE	8021B
MW-						

CAMBRIA

WELL SAMPLING FORM

Project Name: Asc06002	Cambria Mgr: RS	Well ID: MW- 7
Project Number: 438-1609	Date: 14-02	Well Yield: ---
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method:	Well Diameter: 2" pvc
	Disposable bailer	Technician(s): SG
Initial Depth to Water: 6.93	Total Well Depth: 13.30	Water Column Height: 6.37
Volume/ft: 0.16	1 Casing Volume: 1.01	3 Casing Volumes: 3.03
Purging Device: disposable bailer	Did Well Dewater?: no	Total Gallons Purged: 3
Start Purge Time: 10:20	Stop Purge Time: 10:34	Total Time: 14mins

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.63
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
10:25	1	15.3	7.05	1327	
10:30	2	16.1	7.15	1580	
10:35	3	15.9	7.12	1574	

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW- 7	1-14-02	10:40	4V00A	HCl	TPH ₅ BTEX MTBE	8021B
MW-						

CAMBRIA

WELL SAMPLING FORM

Project Name: Aico6002	Cambria Mgr: RS	Well ID: MW-8
Project Number: 438-1609	Date: 1-14-02	Well Yield: ---
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method:	Well Diameter: 2" pvc
	Disposable bailer	Technician(s): SG
Initial Depth to Water: 5.07	Total Well Depth: 13.90	Water Column Height: 8.83
Volume/ft: 0.16	1 Casing Volume: 1.41	3 Casing Volumes: 4.25
Purging Device: disposable bailer	Did Well Dewater?: no	Total Gallons Purged: 4.5
Start Purge Time: 10:50	Stop Purge Time: 11:04	Total Time: 14 mins

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
10:55	1.5	15.9	7.10	1113	
11:00	3	15.9	7.24	1975	
11:05	4.5	15.7	7.20	2015	

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-8	1-14-02	11:10	4V00	HCl	TPH₃ BTEX MTBE	8021B
MW-						

CAMBRIA

WELL SAMPLING FORM

Project Name: Asco6002	Cambria Mgr: RS	Well ID: MW-VW-1
Project Number: 438-1609	Date: 1-14-02	Well Yield: ----
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method: Disposable bailer	Well Diameter: 4" pvc
Initial Depth to Water: 5.04	Total Well Depth: 14.00	Technician(s): SG
Volume/ft: 0.65	1 Casing Volume: 5.82	Water Column Height: 8.96
Purging Device: 4" pvc bailer	Did Well Dewater?: no	3 Casing Volumes: 17.47
Start Purge Time: 12:05	Stop Purge Time: 12:29	Total Gallons Purged: 18
		Total Time: 24mins

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
12:10	6	15.9	7.31	1215	
12:15	12	16.3	7.25	1070	
12:30	18	16.4	7.18	924	

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
MW-1 VW-1	1-14-02	12:35	4VOA	HCl	TPH ₃ BTEX MTBE	8021B
MW-						

CAMBRIA

WELL SAMPLING FORM

Project Name: Asc06002	Cambria Mgr: RS	Well ID: VW-4
Project Number: 438-1609	Date: 1-14-02	Well Yield: ---
Site Address: 6235 Seminary Ave Oakland, Ca	Sampling Method:	Well Diameter: 4" pvc
	Disposable bailer	Technician(s): SG
Initial Depth to Water: 5.93	Total Well Depth: 15.00	Water Column Height: 9.07
Volume/ft: 0.65	1 Casing Volume: 5.89	3 Casing Volumes: 17.68
Purging Device: 4" pvc bailer	Did Well Dewater?: no	Total Gallons Purged: 18
Start Purge Time: 12:45	Stop Purge Time: 13:04	Total Time: 19mins

1 Casing Volume = Water column height x Volume/ft.

Well Diam.	Volume/ft (gallons)
2"	0.16
4"	0.65
6"	1.47

Time	Casing Volume	Temp. C	pH	Cond. uS	Comments
12:55	6	16.4	7.03	1508	
13:00	12	16.3	7.19	1870	
13:05	18	16.4	7.12	1889	

Sample ID	Date	Time	Container Type	Preservative	Analytes	Analytic Method
VW-4	1-14-02	13:10	4V0a	HCl	TPH₅ BTEX MTBE	8021B