Denis L. Brown

Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Shell-branded Service Station
2120 Montana Street
Oakland, California
SAP Code 135675
Incident No. 98995740
ACHCSA Case No. 0173

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

Denis L. Brown
Project Manager

CONESTOGA-ROVERS
& ASSOCIATES

19449 Riverside Drive, Suite 230, Sonoma, California 95476
Telephone: 707-935-4850 Facsimile: 707-935-6649
www.CRAworld.com

August 10, 2007

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report – Second Quarter 2007**
Shell-branded Service Station
2120 Montana Street
Oakland, California
SAP Code 135675
Incident No. 98995740
ACHCSA Case No. 0173

Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,
Conestoga-Rovers & Associates



Ana Friel, PG
Project Manager

Enclosure: Groundwater Monitoring Report – Second Quarter 2007

cc: Mr. Denis Brown, Shell

GROUNDWATER MONITORING AND REMEDIATION REPORT
SECOND QUARTER 2007

Site Address	2120 Montana St., Oakland
Site Use	Shell-branded Service Station
Shell Project Manager	Denis Brown
Consultant and Contact Person	CRA, Ana Friel
Lead Agency and Contact	ACHCSA, Jerry Wickham
Agency Case No.	0173
Shell SAP Code	135675
Shell Incident No.	98995740
Date of Most Recent Agency Correspondence	May 25, 2007

Current Quarter's Activities

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). The Blaine report, presenting the analytical data, is included in Attachment A.
3. As previously recommended and approved by ACHCSA in their May 25, 2007 correspondence, CRA removed the oil and water separator tank and replaced it with a 500 galon poly transfer tank between June 28 to June 29, 2007.

Current Quarter's Findings

Groundwater Flow Direction	Radially toward extraction well, EW-1
Hydraulic Gradient	0.16
Depth to Water	11.22 to 21.00 feet below top of well casing

As of June 29, 2007 the operational period system performance data is as follows:

System Up-Time	57%
Cumulative Volume Extracted	892,107 gallons of groundwater
Cumulative Mass Removed	21.9 pounds of TPHg, 0.828 pounds of benzene, and 4.88 pounds of MTBE.

Proposed Activities for Next Quarter

1. Blaine will gauge and sample wells during the third month of the quarter, according to the established monitoring program for this site.
2. Shell continues thier access negotiations with the neighboring property owner in order to perform outstanding proposed off site vapor investigation. In the interim; however, re-sampling of the onsite existing soil vapor probe pairs war performed on July 20, 2007. A report documenting the sampling activities and results will be submitted to ACHCSA.

DISCUSSION

As mentioned above, he GWE system was modified and is operating as expected; however, influent concentrations have diminished over time, suggesting that continued active groundwater remediation is no longer effective. CRA prepared graphs 1 – 3 in Attachment C to demonstrate the system mass removal over time for TPHg, benzene, and MTBE, respectively. These graphs demonstrate that mass removal rates have reached asymptotic. Further, graphs 4 through 7 show groundwater concetnrations and elevations over time for wells EW-1, EW-2, TBW-N, and MW-2 (offsite well), respectively. These graphs show a significant decrease in all constituents over time, particularly in the source area well, TBW-N. Based on this evaluation, it appears that this system is operating with diminishing returns, and CRA recommends that the system be shut down and site wells be monitored for re-bound. To assist with monitoring rebound, CRA recommends that onsite wells TBW-N, MW-1, and MW-4 be monitored on a monthly basis, with reporting maintained on the existing quarterly schedule.

We will implement these recommendations upon concurrance from the ACHCSA.

Figures: 1 - Vicinity Map
2 - Groundwater Contour and Chemical Concentration Map

Tables: 1 - Groundwater Extraction - System Analytical Data
2 - Groundwater Extraction - Operation and Mass Removal Data

Attachment: A - Blaine Tech Services, Inc. - Groundwater Monitoring Report
B - System Analytical Laboratory Reports
C – Data Graphs

I:\Sonoma.Shell\Oakland 2120 Montana\Qm\2007\2Q07\Text 2120 Montana Oakland 2Q07.doc

05/08/07



I:\SON-S1\SHARED\SONOMA.SHELL\OAKLAND 2120 MONTANA\FIGURES\VICINITY.AI

FIGURE 1

0 1/6 1/3 1/2 1

SCALE : 1" = 1/6 MILE

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

Vicinity Map

0 10 30ft

GROUNDWATER GRADIENT DIRECTION (1Q01 THROUGH 4Q06)

PARKING LOT

SAUSAL CREEK (730 FT. SW)

LOCATION OF SENSITIVE RECEPTOR RELATIVE TO SITE

COMMERCIAL PROPERTY

SIDEWALK

SAN

SLOAN STREET

AIR/WATER STORAGE

PLANTER

BUILDING

REMEDIATION COMPOUND

SHELL STATION 2120 MONTANA ST.

CANOPY

KIOSK

DISPENSERS

SB-3

SB-2

SEWER CONNECTION

DRIVEWAY

FRUITVALE AVENUE

2102 MONTANA

2106 MONTANA

2110 MONTANA

HOUSE

MONTANA STREET

INTERSTATE 580 ON-RAMP

TBW-N (148.70) (<0.50) *(7.7)*

TBW-W

TBW-E

TBW-S

MW-1 (139.26) (18) *(68)*

EW-1 (137.63) (14) *(46)*

EW-2 (144.69) (3.8) *(10)*

MW-2 (NA) (NA) *(NA)*

MW-3 (149.03) (<0.50) *(2.4)*

MW-4 (141.07) (NA) *(NA)*

MW-5 (144.75) (1.5) *(<1.0)*

SV-I SV-H SV-G SV-F

146 148 140 142 144

0.160

LEGEND

- MONITORING WELL LOCATION
- EXTRACTION WELL LOCATION
- MONITORING WELL USED FOR GROUNDWATER EXTRACTION
- TANK BACKFILL WELL LOCATION
- SOIL BORING LOCATION (10/99)
- PROPOSED SOIL VAPOR PROBE LOCATION
- E — ELECTRICAL LINE
- SAN — SANITARY SEWER LINE
- W — WATER LINE
- T — TELECOMMUNICATIONS LINE
- (137.39) GROUNDWATER ELEVATION (ft MSL)
- (<0.50) BENZENE CONCENTRATION
- *(140)* MTBE CONCENTRATION ANALYZED BY EPA METHOD 8260
- 148 GROUNDWATER ELEVATION CONTOUR REFERENCED TO MEAN SEA LEVEL (ft MSL)
- 0.006 GROUNDWATER FLOW DIRECTION AND GRADIENT
- REMEDIATION PIPING
- DISCHARGE LINE
- EFF GROUNDWATER EXTRACTION SYSTEM SAMPLING LOCATION

figure 2

GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP
JUNE 14, 2007
SHELL BRANDED SERVICE STATION
2120 Montana Street, Oakland, California

240733-002(PRES001)GN-WA001 AUG 09/2007

Table 1. Groundwater Extraction - System Analytical Data, Shell-branded Service Station, 2120 Montana Street, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc (ppb)
04/02/2003	51,000	1,300	7,100	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
04/08/2003	45,000	1,200	8,600	1,600	5.3	3.2	220	<0.50	<0.50	<50	<0.50	<0.50
04/22/2003	<50	<25	1,700	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
05/01/2003	45,000	1,600	8,300	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
05/21/2003	12,000	370	1,500	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/03/2003	10,000	470	1,900	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/17/2003	1,200	42	29	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
04/21/2004	10,000	540	950	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/08/2004	970	26	290	<50	<0.50	<0.50	<50	<0.50	<0.50	94	<0.50	<0.50
06/30/2004	NS	NS	NS	NS	NS	NS	NS	NS	NS	<50	<0.50	<0.50
07/07/2004	1,700	71	500	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
08/03/2004	1,000	52	390	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
09/14/2004	4,100	230	1,100	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
10/12/2004	140	3.9	140	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
11/12/2004	2,600	180	680	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
12/02/2004	690	41	340	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
01/03/2005	<500	17	1,500	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
02/14/2005	<100	<1.0	120	<50	<0.50	<0.50	<50	<0.50	<0.50	150 a	<0.50	<0.50
03/02/2005	4,900	190	1,000	<50	<0.50	<0.50	<50 b	<0.50	<0.50	<50 b	<0.50	<0.50
04/11/2005	440	6.7	320	<50 b	<0.50	<0.50	<50	<0.50	<0.50	<50 b	<0.50	<0.50
05/09/2005	120	<0.50	79	<50 b	<0.50	<0.50	<50 b	<0.50	<0.50	<50 b	<0.50	<0.50
06/09/2005	<500	<0.50	<0.50	<500	<5.0	<5.0	<50	<0.50	<0.50	<50	<0.50	<0.50
07/15/2005	480	18	220	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
08/04/2005	290	18	130	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
09/30/2005	<50	<0.50	52	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
10/14/2005	160	1.9	150	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
11/11/2005	240	4.8	140	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50

Table 1. Groundwater Extraction - System Analytical Data, Shell-branded Service Station, 2120 Montana Street, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc (ppb)
12/05/2005	770	12	1,100	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
01/05/2006	5,700	140	740	<50	<0.50	0.66	<50	<0.50	<0.50	<50	<0.50	<0.50
02/17/2006	4,300	43	330	77	<0.50	0.85	54	<0.50	<0.50	<50	<0.50	<0.50
03/03/2006	1,900	29	320	<50	<0.50	1.4	50	<0.50	<0.50	<50	<0.50	<0.50
04/13/2006	3,900	180	450	61	<0.50	5.8	76	<0.50	<0.50	51 c	<0.50	<0.50
05/11/2006	1,700	55	140	<50	<0.50	5.3	<50	<0.50	<0.50	<50	<0.50	<0.50
06/08/2006	6,500	450	420	76	<0.50	6.5	98	<0.50	<0.50	86 c	<0.50	<0.50
07/07/2006	270	5.6	82	58	<0.50	8.9	100 c	<0.50	<0.50	75 c	<0.50	<0.50
08/02/2006	140	7.9	31	76	<0.50	8.9	130 c	<0.50	<0.50	110 c	<0.50	<0.50
09/05/2006	160	0.53	10	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
10/02/2006	<50	2.58	12.6	<50	<0.50	4.1	<50	<0.50	<0.50	<50	<0.50	<0.50
11/13/2006	360	11	37	<50	<0.50	7.0	<50	<0.50	7.9	<50	<0.50	10
12/11/2006	<50	0.59	20	<50	<0.50	3.7	<50	<0.50	<0.50	52	<0.50	<0.50
01/08/2007	<50	<0.50	69	<50	<0.50	3.8	<50	<0.50	<0.50	<50	<0.50	<0.50
02/06/2007	100	<0.50	64	<50	<0.50	3.2	73	<0.50	<0.50	91	<0.50	<0.50
03/09/2007	76	<0.50	48	<50	<0.50	4.8	<50	<0.50	<0.50	72	<0.50	<0.50
04/02/2007	**<50**	**<0.50**	**36**	**<50**	**<0.50**	**5.2**	**<50**	**<0.50**	**<1.00**	**<50**	**<0.50**	**<1.00**
05/14/2007	**97**	**4.7**	**14**	**<50**	**<0.50**	**7.3**	**<50**	**<0.50**	**<1.00**	**<50**	**<0.50**	**<1.00**
06/11/2007	**84**	**<0.50**	**6.1**	**78**	**<0.50**	**9.6**	**230**	**<0.50**	**<1.00**	**150**	**<0.50**	**<1.00**

Abbreviations & Notes:

TPHg = Total purgeable hydrocarbons as gasoline
MTBE = Methyl tertiary butyl ether
Conc. = Concentration
ppb = parts per billion, equivalent to µg/L
µg/L = Micrograms per liter
TPHg, benzene, and MTBE analyzed by EPA Method 8260B As of 4/3/07 TPHg is analyzed by EPA Method 8015.
a = TPHg contains a discreet peak of ethylhexanol, which are not believed to be gasoline related
b = Siloxane peaks were found is sample which are not believed to be gasoline related
c = Concentration reported presented individual or discrete peaks not matching a typical fuel pattern but quantitated as Gasoline.
As of February 1, 2006, gasoline range organics reported as TPHg include MTBE, tertiary-butyl alcohol, and di-isopropyl ether concentrations. TPHg concentrations reported prior to February 1, 2006 may not include one or more of these constituents.

Table 2: Groundwater Extraction - Operation and Mass Removal Data
Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg Conc. (ppb)	TPHg Period Removal (pounds)	TPHg Cumulative Removal (pounds)	Benzene Conc. (ppb)	Benzene Period Removal (pounds)	Benzene Cumulative Removal (pounds)	MTBE Conc. (ppb)	MTBE Period Removal (pounds)	MTBE Cumulative Removal (pounds)
						TPHg			Benzene			MTBE		
04/02/2003	0.0	393	0	0	0		0.000	0.000		0.000	0.000		0.000	0.000
04/02/2003	5.3	1,006	613	1.93	613	51,000	0.261	0.261	1,300	0.007	0.007	7,100	0.036	0.036
04/08/2003	11.4	2,010	1,004	2.74	1,617	45,000	0.377	0.638	1,200	0.010	0.017	8,600	0.072	0.108
04/22/2003	303.0	15,640	13,630	0.78	15,247	<50	0.003	0.641	<25	0.001	0.018	1,700	0.193	0.302
05/01/2003	399.0	17,840	2,200	0.38	17,447	45,000	0.826	1.47	1,600	0.029	0.047	8,300	0.152	0.454
05/20/2003	784.0	43,320	25,480	1.10	42,927		9.568	11.0		0.340	0.388		1.765	2.22
05/21/2003	808.5	44,639	1,319	0.90	44,246	12,000	0.132	11.2	370	0.004	0.392	1,500	0.017	2.24
06/03/2003	1116.9	59,813	15,174	0.82	59,420	10,000	1.266	12.4	470	0.060	0.451	1,900	0.241	2.48
06/17/2003	1455.5	64,741	4,928	0.24	64,348	1,200	0.049	12.5	42	0.002	0.453	29	0.001	2.48
07/01/2003	1697.4	68,668	3,927	0.27	68,275		0.039	12.5		0.001	0.454		0.001	2.48
07/18/2003	1867.0	69,099	431	0.04	68,706		0.004	12.5		0.000	0.455		0.000	2.48
	System Shutdown due to presence of SPH													
04/21/2004	1984.4	1,516.3	0	0.00	68,706	10,000	0.000	12.5	540	0.000	0.455	950	0.000	2.48
05/25/2004	1984.4	1,516.3	0	0.00	68,706		0.000	12.5		0.000	0.455		0.000	2.48
06/08/2004	2,107.5	4,798.2	3,282	0.44	71,988	970	0.027	12.6	26	0.001	0.455	290	0.008	2.49
06/22/2004	2280.6	10,108	5,310	0.51	77,298		0.043	12.6		0.001	0.456		0.013	2.50
06/30/2004	2475.2	18,527.5	8,420	0.72	85,717		0.068	12.7		0.002	0.458		0.020	2.52
07/07/2004	2494.5	19,377	850	0.73	86,567	1,700	0.012	12.7	71	0.001	0.459	500	0.004	2.52
07/22/2004	2861.5	34,214	14,837	0.67	101,404		0.210	12.9		0.009	0.468		0.062	2.58
08/03/2004	3142.1	59,767	25,553	1.52	126,957	1,000	0.213	13.1	52	0.011	0.479	390	0.083	2.67
08/17/2004	3501.3	81,350	21,583	1.00	148,540		0.180	13.3		0.009	0.488		0.070	2.74
08/31/2004	3813.2	81,571	221	0.01	148,761		0.002	13.3		0.000	0.488		0.001	2.74
09/14/2004	4153.4	101,123	19,552	0.96	168,313	4,100	0.669	13.9	230	0.038	0.526	1,100	0.179	2.92
09/29/2004	4513.1	120,885	19,762	0.92	188,075		0.676	14.6		0.038	0.564		0.181	3.10
10/12/2004	4824.1	134,612	13,727	0.74	201,802	140	0.016	14.6	3.9	0.000	0.564	140	0.016	3.12
10/22/2004	4990.6	145,220	10,608	1.06	212,410		0.012	14.7		0.000	0.564		0.012	3.13
11/02/2004	5021.0	147,500	2,280	1.25	214,690		0.003	14.7		0.000	0.564		0.003	3.13
11/12/2004	5263.0	163,212	15,712	1.08	230,402	2,600	0.341	15.0	180	0.024	0.588	680	0.089	3.22
11/22/2004	5498.2	164,899	1,687	0.12	232,089		0.037	15.0		0.003	0.590		0.010	3.23
12/02/2004	5734.9	172,940	8,041	0.57	240,130	690	0.046	15.1	41	0.003	0.593	340	0.023	3.25
12/13/2004	6001.6	178,400	5,460	0.34	245,590		0.031	15.1		0.002	0.595		0.015	3.27
12/27/2004	6338.4	180,207	1,807	0.09	247,397		0.010	15.1		0.001	0.596		0.005	3.27
01/03/2005	6501.9	182,474	2,267	0.23	249,664	<500	0.005	15.1	17	0.000	0.596	1,500	0.028	3.30
01/21/2005	6941.6	197,770	15,296	0.58	264,960		0.032	15.2		0.002	0.598		0.191	3.49

Table 2: Groundwater Extraction - Operation and Mass Removal Data
Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)
01/31/2005	7172.4	209,951	12,181	0.88	277,141		0.025	15.2		0.002	0.600		0.152	3.65
02/14/2005	7512.9	210,719	768	0.04	277,909	<100	0.000	15.2	<1.0	0.000	0.600	120	0.001	3.65
03/02/2005	7897.9	231,103	20,384	0.88	298,293	4,900	0.833	16.0	190	0.032	0.632	1,000	0.170	3.82
03/17/2005	7901.2	231,419	316	1.60	298,609		0.013	16.0		0.001	0.633		0.003	3.82
03/29/2005	8042.9	241,058	9,639	1.13	308,248		0.394	16.4		0.015	0.648		0.080	3.90
04/11/2005	8168.4	249,172	8,114	1.08	316,362	440	0.030	16.5	6.7	0.000	0.649	320	0.022	3.92
04/25/2005	8503.2	269,805	20,633	1.03	336,995		0.076	16.5		0.001	0.650		0.055	3.98
05/09/2005	8841.9	283,739	13,934	0.69	350,929	120	0.014	16.5	<0.50	0.000	0.650	79	0.009	3.99
05/27/2005	9271.3	290,449	6,710	0.26	357,639		0.007	16.6		0.000	0.650		0.004	3.99
06/09/2005	9581.5	290,688	239	0.01	357,878	<500	0.000	16.6	<0.50	0.000	0.650	<0.50	0.000	3.99
06/20/2005	9682.4	291,021	333	0.06	358,211		0.001	16.6		0.000	0.650		0.000	3.99
07/15/2005	10283.3	306,225	15,204	0.42	373,415	480	0.061	16.6	18	0.002	0.652	220	0.028	4.02
07/29/2005	10621.9	313,437	7,212	0.35	380,627		0.029	16.6		0.001	0.653		0.013	4.03
08/04/2005	10762.1	315,854	2,417	0.29	383,044	290	0.006	16.6	18	0.000	0.653	130	0.003	4.03
08/23/2005	11213.3	319,640	3,786	0.14	386,830		0.009	16.7		0.001	0.654		0.004	4.04
09/02/2005	11452.0	319,642	2	0.00	386,832		0.000	16.7		0.000	0.654		0.000	4.04
09/20/2005	11452.0	319,642	0	0.00	386,832		0.000	16.7		0.000	0.654		0.000	4.04
09/30/2005	11693.8	320,701	1,059	0.07	387,891	<50	0.000	16.7	<0.50	0.000	0.654	52	0.000	4.04
10/14/2005	11810.0	324,654	3,953	0.57	391,844	160	0.005	16.7	1.9	0.000	0.654	150	0.005	4.04
10/28/2005	*12146.0*	338,868	14,214	0.71	406,058		0.019	16.7		0.000	0.654		0.018	4.06
11/11/2005	*12482.0*	345,193	6,325	0.31	412,383	240	0.013	16.7	4.8	0.000	0.655	140	0.007	4.07
11/23/2005	*12482.0*	345,259	66	0.00	412,449		0.000	16.7		0.000	0.655		0.000	4.07
12/05/2005	0.5	348,540	3,281	0.19	415,730	770	0.021	16.7	12	0.000	0.655	1,100	0.030	4.10
12/19/2005	26.1	350,253	1,713	1.12	417,443		0.011	16.7		0.000	0.655		0.016	4.11
12/30/2005	286.3	364,949	14,696	0.94	432,139		0.094	16.8		0.001	0.657		0.135	4.25
01/05/2006	427.8	372,368	7,419	0.87	439,558	5,700	0.353	17.2	140	0.009	0.665	740	0.046	4.29
01/20/2006	791.4	390,500	18,132	0.83	457,690		0.862	18.0		0.021	0.686		0.112	4.41
01/30/2006	912.5	398,790	8,290	1.14	465,980		0.394	18.4		0.010	0.696		0.051	4.46
02/17/2006	956.6	401,816	3,026	1.14	469,006	4,300	0.109	18.5	43	0.001	0.697	330	0.008	4.47
03/03/2006	1049.2	408,675	6,859	1.23	475,865	1,900	0.109	18.6	29	0.002	0.699	320	0.018	4.48
03/17/2006	1384.9	433,900	25,225	1.25	501,090		0.400	19.0		0.006	0.705		0.067	4.55

Table 2: Groundwater Extraction - Operation and Mass Removal Data
Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)
03/31/2006	1721.2	458,770	24,870	1.23	525,960		0.394	19.4		0.006	0.711		0.066	4.62
04/13/2006	2030.3	481,365	22,595	1.22	548,555	3,900	0.735	20.2	180	0.034	0.745	450	0.085	4.70
04/27/2006	2063.1	483,653	2,288	1.16	550,843		0.074	20.3		0.003	0.748		0.009	4.71
05/11/2006	2397.6	506,301	22,648	1.13	573,491	1,700	0.321	20.6	55	0.010	0.759	140	0.026	4.74
05/22/2006	2661.1	519,010	12,709	0.80	586,200		0.180	20.8		0.006	0.765		0.015	4.75
06/08/2006	2664.4	519,447	437	2.21	586,637	6,500	0.024	20.8	450	0.002	0.766	420	0.002	4.75
06/22/2006	2666.4	519,670	223	0.00	586,860		0.012	20.8		0.001	0.767		0.001	4.76
06/23/2006	2689.2	522,566	2,896	2.12	589,756		0.157	20.9		0.011	0.778		0.010	4.77
06/26/2006	2763.5	533,562	10,996	2.47	600,752		0.596	21.5		0.041	0.819		0.039	4.80
07/07/2006	3025.9	564,498	30,936	1.96	631,688	270	0.070	21.6	5.6	0.001	0.821	82	0.021	4.83
07/18/2006	3289.3	586,303	21,805	1.38	653,493		0.049	21.7		0.001	0.822		0.015	4.84
08/02/2006	3647.0	613,860	27,557	1.28	681,050	140	0.032	21.7	7.9	0.002	0.823	31	0.007	4.85
08/09/2006	3745.5	620,674	6,814	1.15	687,864		0.008	21.7		0.000	0.824		0.002	4.85
08/11/2006	3772.3	622,160	1,486	0.92	689,350		0.002	21.7		0.000	0.824		0.000	4.85
08/16/2006	3890.2	628,629	6,469	0.91	695,819		0.008	21.7		0.000	0.824		0.002	4.85
09/05/2006	3963.9	636,466	7,837	1.77	703,656	160	0.010	21.7	0.53	0.000	0.824	10	0.001	4.85
09/19/2006	4042.2	643,630	7,164	1.52	710,820		0.010	21.7		0.000	0.824		0.001	4.85
10/2/2006	4048.6	644,290	660	1.72	711,480	<50	0.000	21.7	2.58	0.000	0.825	12.6	0.000	4.85
10/16/2006	4113.2	649,940	5,650	1.46	717,130		0.001	21.7		0.000	0.825		0.001	4.85
10/30/2006	4448.5	650,247	307	0.02	717,437		0.000	21.7		0.000	0.825		0.000	4.85
11/13/2006	4785.0	656,368	6,121	0.30	723,558	360	0.018	21.8	11	0.001	0.825	37	0.002	4.85
11/27/2006	4830.1	660,792	4,424	1.63	727,982		0.013	21.8		0.000	0.826		0.001	4.86
12/11/2006	4955.3	673,911	13,119	1.75	741,101	<50	0.003	21.8	0.59	0.000	0.826	20	0.002	4.86
12/27/2006	4970.5	675,617	1,706	1.87	742,807		0.000	21.8		0.000	0.826		0.000	4.86
1/8/2007	5259.1	676,894	1,277	0.07	744,084	<50	0.000	21.8	<0.50	0.000	0.826	69	0.001	4.86
1/22/2007	5332.5	679,910	3,016	0.68	747,100		0.001	21.8		0.000	0.826		0.001	4.86
2/6/2007	5694.6	680,468	558	0.03	747,658	100	0.000	21.8	<0.50	0.000	0.826	64	0.000	4.86
2/20/2007	6024.9	680,875	407	0.02	748,065		0.000	21.8		0.000	0.826		0.000	4.86
3/9/2007	6167.2	700,260	19,385	2.27	767,450	76	0.012	21.8	<0.50	0.000	0.826	48	0.008	4.87
3/19/2007	6409.2	700,753	493	0.03	767,943		0.000	21.8		0.000	0.826		0.000	4.87
4/2/2007	**6633.9**	**702,280**	**1,527**	**0.11**	**769,470**	**<50**	**0.000**	**21.8**	**<0.50**	**0.000**	**0.826**	**36**	**0.000**	**4.87**
4/16/2007	**6637.1**	**702,548**	**268**	**1.40**	**769,738**		**0.000**	**21.8**		**0.000**	**0.826**		**0.000**	**4.87**
4/24/2007	**6704.2**	**705,110**	**2,562**	**0.64**	**772,300**		**0.000**	**21.8**		**0.000**	**0.826**		**0.001**	**4.87**
4/30/2007	**6844.8**	**724,017**	**18,907**	**2.24**	**791,207**		**0.004**	**21.8**		**0.000**	**0.826**		**0.006**	**4.88**
5/14/2007	**7161.8**	**764,080**	**40,063**	**2.11**	**831,270**	**97**	**0.032**	**21.8**	**4.7**	**0.002**	**0.827**	**14**	**0.005**	**4.88**
5/30/2007	**7296.7**	**781,317**	**17,237**	**2.13**	**848,507**		**0.014**	**21.8**		**0.001**	**0.828**		**0.002**	**4.88**

Table 2: Groundwater Extraction - Operation and Mass Removal Data
Shell-branded Service Station, Incident #98995740, 2120 Montana Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter hours	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg Conc. (ppb)	TPHg Period Removal (pounds)	TPHg Cumulative Removal (pounds)	Benzene Conc. (ppb)	Benzene Period Removal (pounds)	Benzene Cumulative Removal (pounds)	MTBE Conc. (ppb)	MTBE Period Removal (pounds)	MTBE Cumulative Removal (pounds)
6/11/2007	**7526.2**	**813,855**	**32,538**	**2.36**	**881,045**	**84**	**0.023**	**21.9**	**<0.50**	**0.000**	**0.828**	**6.1**	**0.002**	**4.88**
6/20/2007	**7741.3**	**824,120**	**10,265**	**0.80**	**891,310**		**0.007**	**21.9**		**0.000**	**0.828**		**0.001**	**4.88**
6/29/2007	**7745.0**	**824,917**	**797**	**3.59**	**892,107**		**0.001**	**21.9**		**0.000**	**0.828**		**0.000**	**4.88**
			Total Extracted Volume =		**892,107**	**Total Pounds Removed:**		**21.9**	**Total Pounds Removed:**		**0.828**	**Total Pounds Removed:**		**4.88**
			Average Operational Flow Rate =		**0.74**	**Total Gallons Removed:**		**3.59**	**Total Gallons Removed:**		**0.113**	**Total Gallons Removed:**		**0.791**

Abbreviations & Notes:

TPHg = Total purgeable hydrocarbons as gasoline
MTBE = Methyl tertiary butyl ether
Conc. = Concentration
ppb = Parts per billion, equivalent to µg/L
mg/L = Micrograms per liter
L = Liter
gal = Gallon
gpm = Gallons per minute
g = Gram
Mass removed based on the formula: volume extracted (gal) x Concentration (µg/L) x (g/10^{6}µg) x (pound/453.6g) x (3.785 L/gal)
When constituents are not detected, the concentration is assumed to be equal to half the detection limit in subsequent calculations.
Volume removal data based on the formula: mass (pounds) x (density)$^{-1}$ (cc/g) x 453.6 (g/pound) x (L/1000 cc) * (gal/3.785 L)
Density inputs: TPHg = 0.73 g/cc, benzene = 0.88 g/cc, MTBE = 0.74 g/cc
TPHg, BTEX, and MTBE analyzed by EPA Method 8260B
Italicized hour meter reading is calculated value.
As of February 1, 2006, gasoline range organics reported as TPHg include MTBE, tertiary-butyl alcohol, and di-isopropyl ether concentrations. TPHg concentrations reported prior to February 1, 2006 may not include one or more of these

Attachment A

Blaine Tech Services, Inc.
Groundwater Monitoring Report

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

July 19, 2007

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Second Quarter 2007 Groundwater Monitoring at
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Monitoring performed on June 14, 2007

Groundwater Monitoring Report **070614-PC-2**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Manager

MN/np

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Conestoga-Rovers & Associates
19449 Riverside Dr., Suite 230
Sonoma, CA 95476

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-1	03/19/3001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	12.14	147.45	ND
MW-1	03/23/2001	16,600	753	1,720	407	2,330	NA	27,500	NA	NA	NA	NA	159.59	12.25	147.34	ND
MW-1	05/31/2001	<20,000 d	1,000 d	920 d	490 d	2,000 d	NA	54,000 d	NA	NA	NA	NA	161.13	12.22	148.91	ND
MW-1	06/27/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.00b	NA	ND
MW-1	07/09/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.17	146.67	0.31
MW-1	09/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	14.27	145.66	0.43
MW-1	11/20/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.49	146.14	0.05
MW-1	12/05/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	11.32	148.31	0.05
MW-1	03/01/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.22	146.56	0.24
MW-1	06/06/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	12.99	147.00	0.50
MW-1	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.59	13.37	146.22	ND
MW-1	09/06/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.57	13.30	146.70	0.54
MW-1	12/12/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.57	13.78	146.61	1.03
MW-1	03/31/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.57	11.21	148.38	0.03
MW-1	06/30/2003	7,800	<25	37	<25	380	NA	2,000	NA	NA	NA	NA	159.57	12.20	147.37	ND
MW-1	09/09/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	15.70	145.28	2.38
MW-1	12/29/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	11.25	147.89	0.07
MW-1	03/17/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	11.80	147.40	0.15
MW-1	05/24/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	12.42	146.71	0.06
MW-1	09/17/2004	8,000	530	380	330	960	NA	1,100	<20	<20	<20	4,100	159.08	15.95	143.13	ND
MW-1	12/06/2004	2,800	150	<5.0	120	120	NA	300	NA	NA	NA	NA	159.08	13.15	145.93	ND
MW-1	03/02/2005	13,000	490	710	360	2,200	NA	5,000	NA	NA	NA	NA	159.08	12.14	146.94	ND
MW-1	06/10/2005	5,600	210	120	120	910	NA	3,100	NA	NA	NA	NA	159.08	NA	NA	<0.01
MW-1	09/01/2005	<1,300	73	<13	30	42	NA	2,400	<50	<50	<50	13,000	159.08	11.71	147.37	ND
MW-1	11/16/2005	4,150	62.7	10.9	45.2	98.9	NA	845	NA	NA	NA	NA	159.08	11.71	147.37	ND
MW-1 i	03/03/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	0.790	NA	NA	NA	<10.0	159.08	13.37	145.71	ND
MW-1	05/12/2006	3,430	80.0	0.530	26.8	71.9	NA	154	NA	NA	NA	1,040	159.08	17.41	141.67	ND
MW-1	09/05/2006	5,390	24.8	2.44	6.69	22.2	NA	106	<0.500	<0.500	<0.500	4,860	159.08	12.12	146.96	ND
MW-1	12/18/2006	6,800	120	28	110	840	NA	1,100	NA	NA	NA	5,400	159.08	10.74	148.34	ND
MW-1	03/21/2007	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	159.08	NA	NA	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-1	**06/14/2007**	**6,200**	**18**	**<5.0**	**11**	**4.6 k**	**NA**	**68**	**NA**	**NA**	**NA**	**1,800**	**159.08**	**19.82**	**139.26**	**ND**
MW-2	03/19/3001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	158.03	11.60	146.43	ND
MW-2	03/23/2001	4,450	280	41.0	62.1	63.0	NA	16,600	NA	NA	NA	NA	158.03	11.76	146.27	ND
MW-2	05/31/2001	<20,000 a	820 a	<200 a	<200 a	<200 a	NA	63,000 a	NA	NA	NA	NA	158.03	11.40	146.63	ND
MW-2	06/27/2001	<50,000	610	4.0	13	9.2	NA	47,000	NA	NA	NA	NA	158.03	12.65	145.38	ND
MW-2	09/25/2001	<2,000	41	<20	<20	<20	NA	6,400	NA	NA	NA	NA	158.03	12.89	145.14	ND
MW-2	12/05/2001	<2,000	74	<20	<20	<20	NA	8,400	NA	NA	NA	NA	158.03	10.40	147.63	ND
MW-2	03/01/2002	<1,000	<10	<10	<10	<10	NA	2,900	NA	NA	NA	NA	158.03	11.52	146.51	ND
MW-2	06/06/2002	<5,000	210	<50	<50	<50	NA	23,000	NA	NA	NA	NA	158.03	12.15	145.88	ND
MW-2	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	158.03	12.25	145.78	ND
MW-2	09/06/2002	<2,000	56	<20	<20	<20	NA	11,000	NA	NA	NA	NA	158.01	12.44	145.57	ND
MW-2	12/12/2002	<2,500	80	<25	<25	<25	NA	13,000	NA	NA	NA	NA	158.01	12.53	145.48	ND
MW-2	03/31/2003	<5,000	230	1,200	95	150	NA	13,000	NA	NA	NA	NA	158.01	11.98	146.03	ND
MW-2	06/30/2003	<12,000	780	<120	170	250	NA	9,000	NA	NA	NA	NA	158.01	12.10	145.91	ND
MW-2	09/09/2003	140,000	4,600	40,000	4,800	32,000	NA	11,000	NA	NA	NA	NA	158.01	12.94	145.07	ND
MW-2	12/29/2003	220,000	240	4,800	2,900	19,000	NA	1,000	NA	NA	NA	NA	158.01	11.20	146.81	ND
MW-2	03/17/2004	25,000	170	390	280	1,400	NA	1,500	NA	NA	NA	NA	158.01	11.40	146.61	ND
MW-2	05/24/2004	140,000	<25	220	1,200	6,800	NA	320	NA	NA	NA	NA	158.01	12.28	145.73	ND
MW-2	09/17/2004	64,000	2,900	230	2,300	9,700	NA	6,300	<100	<100	<100	4,100	158.01	12.90	145.11	ND
MW-2	12/06/2004	47,000	1,200	46	1,300	6,000	NA	3,900	NA	NA	NA	NA	158.01	13.02	144.99	ND
MW-2	03/02/2005	85,000	1,600	81	1,900	6,900	NA	2,500	NA	NA	NA	NA	158.01	11.06	146.95	ND
MW-2	06/10/2005	100,000	450	<25	440	800	NA	300	NA	NA	NA	NA	158.01	11.71	146.30	ND
MW-2	09/01/2005	140,000 g	490	<25	550	850	NA	110	<100	<100	<100	1,900	158.01	12.11	145.90	ND
MW-2	11/16/2005	473,000 h	776	18.7	1,300	2,730	NA	374	NA	NA	NA	NA	158.01	12.15	145.86	ND
MW-2 i	03/03/2006	4,830	6.25	2.29	14.6	5.45	NA	106	NA	NA	NA	228	158.01	11.40	146.61	ND
MW-2	05/12/2006	7,610	1,200	27.9	858	396	NA	688	NA	NA	NA	681	158.01	14.22	143.79	ND
MW-2	09/05/2006	84,000	683	10.2	314	300	NA	96.7	<0.500	<0.500	<0.500	1,250	158.01	12.20	145.81	ND
MW-2	12/18/2006	19,000	230	6.2	130	64	NA	94	NA	NA	NA	1,600	158.01	11.03	146.98	ND
MW-2	03/21/2007	30,000	380	31	460	290	NA	95	NA	NA	NA	1,700	158.01	11.75	146.26	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-2	**06/14/2007**	**Well inaccessible**		**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**158.01**	**NA**	**NA**	**ND**
MW-3	03/19/3001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	161.13	11.42	149.71	ND
MW-3	03/23/2001	<50.0	<0.500	<0.500	<0.500	<0.500	NA	1.26	NA	NA	NA	NA	161.13	11.42	149.71	ND
MW-3	05/31/2001	<50 e	<0.50 e	<0.50 e	<0.50 e	<0.50 e	NA	<5.0 e	NA	NA	NA	NA	159.59	13.00	146.59	ND
MW-3	06/27/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	161.13	12.32	148.81	ND
MW-3	09/25/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	NA	NA	NA	NA	161.13	12.50	148.63	ND
MW-3	12/05/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.13	10.13	151.00	ND
MW-3	03/01/2002	<50	<0.50	<0.50	<0.50	0.73	NA	<5.0	NA	NA	NA	NA	161.13	11.63	149.50	ND
MW-3	06/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.13	11.55	149.58	ND
MW-3	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	161.13	11.72	149.41	ND
MW-3	09/06/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.11	12.24	148.87	ND
MW-3	12/12/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	161.11	12.18	148.93	ND
MW-3	03/31/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	0.78	NA	NA	NA	NA	161.11	11.94	149.17	ND
MW-3	06/30/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	161.11	12.50	148.61	ND
MW-3	09/09/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	161.11	12.55	148.56	ND
MW-3	12/29/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	0.70	NA	NA	NA	NA	161.11	10.90	150.21	ND
MW-3	03/17/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	2.1	NA	NA	NA	NA	161.11	11.63	149.48	ND
MW-3	05/24/2004	<50	<0.50	<0.50	<0.50	1.0	NA	0.96	NA	NA	NA	NA	161.11	11.32	149.79	ND
MW-3	09/17/2004	<50	<0.50	<0.50	<0.50	1.0	NA	2.6	<2.0	<2.0	<2.0	<5.0	161.11	12.13	148.98	ND
MW-3	12/06/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	6.1	NA	NA	NA	NA	161.11	12.28	148.83	ND
MW-3	03/02/2005	<50 f	<0.50	<0.50	<0.50	<1.0	NA	2.4	NA	NA	NA	NA	161.11	10.42	150.69	ND
MW-3	06/10/2005	<50 f	<0.50	<0.50	<0.50	<1.0	NA	1.6	NA	NA	NA	NA	161.11	11.15	149.96	ND
MW-3	09/01/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	0.54	<2.0	<2.0	<2.0	<5.0	161.11	12.55	148.56	ND
MW-3	11/16/2005	<50.0	<0.500	<0.500	<0.500	<0.500	NA	0.570	NA	NA	NA	NA	161.11	12.04	149.07	ND
MW-3 i	03/03/2006	16,000 j	191	107 j	127	997 j	NA	1090 j	NA	NA	NA	NA	161.11	10.36	150.75	ND
MW-3	05/12/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	1.45	NA	NA	NA	NA	161.11	12.24	148.87	ND
MW-3	09/05/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	1.62	<0.500	<0.500	<0.500	<10.0	161.11	12.52	148.59	ND
MW-3	12/18/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	0.88	NA	NA	NA	NA	161.11	11.00	150.11	ND
MW-3	03/21/2007	<50	<0.50	<0.50	<0.50	<1.0	NA	<1.0	NA	NA	NA	NA	161.11	12.10	149.01	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-3	**06/14/2007**	**100**	**<0.50**	**<1.0**	**<1.0**	**<1.0**	**NA**	**2.4**	**NA**	**NA**	**NA**	**NA**	**161.11**	**12.08**	**149.03**	**ND**
MW-4	07/10/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	13.19	NA	ND
MW-4	07/16/2002	800	1.1	1.1	2.6	2.4	NA	450	NA	NA	NA	NA	NM	13.56	NA	ND
MW-4	09/06/2002	1,100	3.0	1.8	8.0	4.6	NA	110	NA	NA	NA	NA	160.09	13.67	146.42	ND
MW-4	12/12/2002	130	<0.50	<0.50	<0.50	<0.50	NA	940	NA	NA	NA	NA	160.09	14.06	146.03	ND
MW-4	03/31/2003	<250	<2.5	<2.5	<2.5	<5.0	NA	500	NA	NA	NA	NA	160.09	13.69	146.40	ND
MW-4	06/30/2003	3,100	5.3	<5.0	7.1	<10	NA	420	NA	NA	NA	NA	160.09	14.12	145.97	ND
MW-4	09/09/2003	1,400	2.4	2.0	2.6	3.2	NA	140	NA	NA	NA	NA	160.09	14.92	145.17	ND
MW-4	12/29/2003	2,700	10	6.2	20	11	NA	420	NA	NA	NA	NA	160.09	12.71	147.38	ND
MW-4	03/17/2004	1,900	6.9	3.0	33	22	NA	290	NA	NA	NA	NA	160.09	13.24	146.85	ND
MW-4	05/24/2004	1,800	<2.5	<2.5	<2.5	11	NA	44	NA	NA	NA	NA	160.09	14.03	146.06	ND
MW-4	09/17/2004	3,300	57	10	47	32	NA	310	<10	<10	<10	700	160.09	13.58	146.51	ND
MW-4	12/06/2004	4,700	9.4	3.8	34	12	NA	150	NA	NA	NA	NA	160.09	14.65	145.44	ND
MW-4	03/02/2005	<1,300	<13	<13	<13	<25	NA	150	NA	NA	NA	NA	160.09	12.67	147.42	ND
MW-4	06/10/2005	2,600	4.1	1.9	25	5.6	NA	61	NA	NA	NA	NA	160.09	13.11	146.98	ND
MW-4	09/01/2005	4,000 g	<13	<13	22	<25	NA	36	<50	<50	<50	<130	160.09	14.00	146.09	ND
MW-4	11/16/2005	4,740	3.23	1.75	12.8	6.06	NA	12.2	NA	NA	NA	NA	160.09	13.87	146.22	ND
MW-4 i	03/03/2006	79,300 j	649 j	37.2	470 j	326	NA	577 j	NA	NA	NA	NA	160.09	12.80	147.29	ND
MW-4	05/12/2006	2,750	8.03	<0.500	<0.500	<0.500	NA	244	NA	NA	NA	NA	160.09	16.26	143.83	ND
MW-4	09/05/2006	2,230	2.04	1.24	<0.500	1.50	NA	95.9	<0.500	<0.500	<0.500	239	160.09	13.92	146.17	ND
MW-4	12/18/2006	1,400	4.3	1.7	7.3	2.8	NA	140	NA	NA	NA	NA	160.09	12.71	147.38	ND
MW-4	03/21/2007	540	0.68	0.51	4.0	<1.0	NA	140	NA	NA	NA	NA	160.09	13.35	146.74	ND
MW-4	**06/14/2007**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**NA**	**160.09**	**19.02**	**141.07**	**ND**
MW-5	07/10/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	12.22	NA	ND
MW-5	07/16/2002	6,100	65	7.2	100	130	NA	410	NA	NA	NA	NA	NM	12.50	NA	ND
MW-5	09/06/2002	5,900	100	8.1	41	32	NA	230	NA	NA	NA	NA	158.25	12.77	145.48	ND
MW-5	12/12/2002	4,900	70	5.7	25	17	NA	280	NA	NA	NA	NA	158.25	12.71	145.54	ND
MW-5	03/31/2003	6,400	61	4.9	23	13	NA	330	NA	NA	NA	NA	158.25	11.93	146.32	ND

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-5	06/30/2003	3,400	18	<2.5	17	5.5	NA	47	NA	NA	NA	NA	158.25	11.97	146.28	ND
MW-5	09/09/2003	6,800	46	23	39	42	NA	67	NA	NA	NA	NA	158.25	12.44	145.81	ND
MW-5	12/29/2003	8,400	44	6.2	36	16	NA	60	NA	NA	NA	NA	158.25	11.38	146.87	ND
MW-5	03/17/2004	7,100	120	22	42	27	NA	300	NA	NA	NA	NA	158.25	11.68	146.57	ND
MW-5	05/24/2004	6,100	72	17	34	23	NA	110	NA	NA	NA	NA	158.25	12.30	145.95	ND
MW-5	09/17/2004	5,700	27	5.3	35	<10	NA	28	<20	<20	<20	<50	158.25	12.15	146.10	ND
MW-5	12/06/2004	4,500	11	<5.0	22	<10	NA	7.5	NA	NA	NA	NA	158.25	12.85	145.40	ND
MW-5	03/02/2005	6,500	14	<2.5	18	<5.0	NA	6.0	NA	NA	NA	NA	158.25	10.83	147.42	ND
MW-5	06/10/2005	5,300	19	2.4	17	4.3	NA	7.2	NA	NA	NA	NA	158.25	12.00	146.25	ND
MW-5	09/01/2005	1,900 g	5.3	<2.5	6.9	<5.0	NA	<2.5	<10	<10	<10	<25	158.25	12.30	145.95	ND
MW-5	11/16/2005	3,590	4.66	0.580	7.69	1.45	NA	1.13	NA	NA	NA	NA	158.25	12.58	145.67	ND
MW-5	03/03/2006	5,760	7.08	0.960	8.46	2.18	NA	2.65	NA	NA	NA	NA	158.25	11.15	147.10	ND
MW-5	05/12/2006	1,960	3.66	<0.500	1.03	<0.500	NA	1.45	NA	NA	NA	NA	158.25	12.55	145.70	ND
MW-5	09/05/2006	3,730	4.23	0.780	3.19	0.790	NA	1.77	<0.500	<0.500	<0.500	32.9	158.25	12.70	145.55	ND
MW-5	12/18/2006	1,600	5.1	0.66	6.0	3.3	NA	<0.50	NA	NA	NA	NA	158.25	11.40	146.85	ND
MW-5	03/21/2007	210	1.7	<0.50	<0.50	<1.0	NA	<1.0	NA	NA	NA	NA	158.25	12.17	146.08	ND
MW-5	**06/14/2007**	**2,300**	**1.5**	**<1.0**	**0.43 k**	**<1.0**	**NA**	**<1.0**	**NA**	**NA**	**NA**	**NA**	**158.25**	**13.50**	**144.75**	**ND**
TBW-N	09/25/2001 c	120,000	3,200	2,800	4,000	18,000	NA	31,000	NA	NA	NA	NA	NM	12.25	NM	ND
TBW-N	11/20/2001	72,000	2,200	3,600	2,600	14,000	NA	35,000	NA	NA	NA	NA	NM	12.13	NM	ND
TBW-N	12/05/2001	76,000	1,600	3,200	2,900	15,000	NA	30,000	NA	NA	NA	NA	NM	11.51	NM	ND
TBW-N	03/01/2002	91,000	1,200	4,200	2,800	14,000	NA	29,000	NA	NA	NA	NA	NM	11.88	NM	ND
TBW-N	06/06/2002	100,000	2,100	8,200	3,400	17,000	NA	18,000	NA	NA	NA	NA	NM	12.48	NM	ND
TBW-N	07/16/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NM	12.39	NM	ND
TBW-N	09/06/2002	69,000	870	4,800	2,300	11,000	NA	17,000	NA	NA	NA	NA	161.26	12.36	148.90	ND
TBW-N	12/12/2002	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	161.26	NA	NA	NA
TBW-N	12/19/2002	110,000	1,900	13,000	3,100	18,000	NA	19,000	NA	NA	NA	NA	161.26	10.82	150.44	ND
TBW-N	03/31/2003	62,000	1,600	6,500	2,200	11,000	NA	11,000	NA	NA	NA	NA	161.26	10.63	150.63	ND
TBW-N	06/30/2003	260,000	7,700	<120	5,800	40,000	NA	8,400	NA	NA	NA	NA	161.26	11.51	149.75	ND
TBW-N	09/09/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	159.92	11.37	148.64	0.11

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
TBW-N	12/29/2003	130,000	840	8,200	2,400	18,000	NA	5,400	NA	NA	NA	NA	159.92	10.40	149.52	ND
TBW-N	03/17/2004	32,000	440	1,500	580	4,500	NA	3,700	NA	NA	NA	NA	159.92	10.49	149.44	0.01
TBW-N	05/24/2004	110,000	380	2,600	1,600	11,000	NA	3,100	NA	NA	NA	NA	159.92	10.72	149.20	ND
TBW-N	09/17/2004	25,000	120	490	570	3,900	NA	490	<200	<200	<200	4,500	159.92	10.80	149.12	ND
TBW-N	12/06/2004	15,000	33	11	410	1,500	NA	200	NA	NA	NA	NA	159.92	11.00	148.92	ND
TBW-N	03/02/2005	7,900	15	<10	120	610	NA	460	NA	NA	NA	NA	159.92	10.58	149.34	ND
TBW-N	06/10/2005	1,200	<5.0	<5.0	13	25	NA	93	NA	NA	NA	NA	159.92	10.68	149.24	ND
TBW-N	09/01/2005	3,500 g	<10	<10	86	330	NA	47	<40	<40	<40	1,700	159.92	11.05	148.87	ND
TBW-N	11/16/2005	8,830	1.53	1.59	86.6	404	NA	35.0	NA	NA	NA	NA	159.92	10.95	148.97	ND
TBW-N	03/03/2006	955	<0.500	<0.500	1.25	<0.500	NA	70.4	NA	NA	NA	4,930	159.92	10.31	149.61	ND
TBW-N	05/12/2006	706	<0.500	<0.500	5.81	<0.500	NA	14.5	NA	NA	NA	488	159.92	10.73	149.19	ND
TBW-N	09/05/2006	1,230	<0.500	<0.500	6.05	2.68	NA	15.3	<0.500	<0.500	<0.500	265	159.92	11.46	148.46	ND
TBW-N	12/18/2006	290	0.68	<0.50	<0.50	<1.0	NA	37	NA	NA	NA	3,400	159.92	10.12	149.80	ND
TBW-N	03/21/2007	300	<0.50	<0.50	<0.50	<1.0	NA	15	NA	NA	NA	820	159.92	10.67	149.25	ND
TBW-N	**06/14/2007**	**530**	**<0.50**	**<1.0**	**<1.0**	**<1.0**	**NA**	**7.7**	**NA**	**NA**	**NA**	**240**	**159.92**	**11.22**	**148.70**	**ND**
EW-1	05/05/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.42	NA	ND
EW-1	05/12/2006	5,550	52.9	30.2	86.9	249	NA	939	<0.500	<0.500	<0.500	3,900	NA	17.33	NA	ND
EW-1	09/05/2006	2,700	28.3	1.64	11.8	7.98	NA	325	<0.500	<0.500	<0.500	1,900	158.63	12.44	146.19	ND
EW-1	12/18/2006	4,900	140	63	170	790	NA	640	NA	NA	NA	NA	158.63	11.00	147.63	ND
EW-1	03/21/2007	1,000	32	<2.5	14	48	NA	420	NA	NA	NA	NA	158.63	14.61	144.02	ND
EW-1	**06/14/2007**	**2,100**	**14**	**1.1**	**5.0**	**9.3**	**NA**	**46**	**NA**	**NA**	**NA**	**NA**	**158.63**	**21.00**	**137.63**	**ND**
EW-2	05/05/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16.83	NA	ND
EW-2	05/12/2006	11,400	377	135	335	313	NA	401	<0.500	<0.500	<0.500	1,220	NA	15.91	NA	ND
EW-2	09/05/2006	1,810	41.1	4.52	17.2	74.0	NA	87.8	<0.500	<0.500	<0.500	606	157.51	11.21	146.30	ND
EW-2	12/18/2006	3,200	75	33	90	470	NA	130	NA	NA	NA	NA	157.51	9.93	147.58	ND
EW-2	03/21/2007	61	<0.50	<0.50	<0.50	1.5	NA	18	NA	NA	NA	NA	157.51	10.55	146.96	ND
EW-2	**06/14/2007**	**570**	**3.8**	**<1.0**	**<1.0**	**<1.0**	**NA**	**10**	**NA**	**NA**	**NA**	**NA**	**157.51**	**12.82**	**144.69**	**ND**

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)

Abbreviations:
TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8015.
BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 31, 2001, analyzed by EPA Method 8020.
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B
ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B
TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B
TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B
TOC = Top of Casing Elevation
GW = Groundwater
TBW-N = tank backfill well-North
NA = Not analyzed
ND = Not detected
NM = Not measured
ug/L = parts per billion
MSL = Mean sea level
ft. = Feet
<n = Below detection limit

WELL CONCENTRATIONS
Shell-branded Service Station
2120 Montana Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)

Notes:

a = Resampled on June 27, 2001 due to possible mislabeling.

b = Separate phase hydrocarbons encountered during purge; groundwater elevation may not be accurate.

c = Sample TBW-N was analyzed once within hold time, but the analyte concentrations all exceeded the instrument working ranges. The sample was diluted and re-analyzed out of hold time. The diluted analysis is reported because it more accurately reflects the concentrations present.

d = These results are listed as MW-3 on analytical report due to possible mislabeling in field or laboratory. Resampled on June 27, 2001, to confirm mislabeling.

e = These results are listed as MW-1 on analytical report due to possible mislabeling in field or laboratory. Resampled on June 27, 2001, to confirm mislabeling.

f= The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.

g = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

h = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

i = Several of the results were above the instrument calibration range and should be considered estimated values. The results from the different VOA vials were not consistent; therefore the highest results were reported.

j = Concentration exceeds the calibration range and therefore result is semi-quantitative.

k = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.

Survey data provided by Cambria Environmental Technology, May 2001.

Site surveyed February 12, 2002 and June 26, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-1 and TBW-N surveyed September 23, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.

When separate phase hydrocarbons are present, ground water elevation is adjusted using the relation:

Corrected groundwater elevation = Top-of-casing elevation - Depth to water + (0.8 x Hydrocarbon thickness).

Wells EW-1 and EW-2 surveyed July 7, 2006 by Virgil Chavez Land Surveying of Vallejo, CA.

Calscience
Environmental
Laboratories, Inc.

June 27, 2007

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 07-06-1490**
Client Reference: 2120 Montana St., Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/20/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Don Burley
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	**07-06-1490-1**	**06/14/07**	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	6200	500	10		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	86	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-3	**07-06-1490-2**	**06/14/07**	**Aqueous**	**GC 18**	**06/26/07**	**06/26/07**	**070626B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	100	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	84	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	**07-06-1490-3**	**06/14/07**	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	2300	500	10		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	85	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-1	**07-06-1490-4**	**06/14/07**	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	2100	500	10		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	82	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-2	**07-06-1490-5**	**06/14/07**	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	570	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	84	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
TBW-N	**07-06-1490-6**	**06/14/07**	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	530	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	88	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-436-588**	**N/A**	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	78	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-436-604**	**N/A**	**Aqueous**	**GC 18**	**06/26/07**	**06/26/07**	**070626B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	82	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana St., Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-3	**07-06-1490-2**	**06/14/07**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	2.4	1.0	0.26	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	108	74-140		1,2-Dichloroethane-d4	114	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	94	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	**07-06-1490-3**	**06/14/07**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	1.5	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	0.43	1.0	0.23	1	J	o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	109	74-140		1,2-Dichloroethane-d4	117	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	104	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-1	**07-06-1490-4**	**06/14/07**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	14	0.50	0.14	1		p/m-Xylene	6.5	1.0	0.54	1	
Ethylbenzene	5.0	1.0	0.23	1		o-Xylene	2.8	1.0	0.17	1	
Toluene	1.1	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	46	1.0	0.26	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	120	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	100	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EW-2	**07-06-1490-5**	**06/14/07**	**Aqueous**	**GC/MS M**	**06/22/07**	**06/22/07**	**070622L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	3.8	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	10	1.0	0.26	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	95	74-140		1,2-Dichloroethane-d4	90	74-146	
Toluene-d8	105	88-112		1,4-Bromofluorobenzene	96	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blaine Tech Services, Inc.	Date Received:	06/20/07
1680 Rogers Avenue	Work Order No:	07-06-1490
San Jose, CA 95112-1105	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L
Project: 2120 Montana St., Oakland, CA		Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-21,822**	**N/A**	**Aqueous**	**GC/MS M**	**06/22/07**	**06/22/07**	**070622L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	74-140		1,2-Dichloroethane-d4	94	74-146	
Toluene-d8	104	88-112		1,4-Bromofluorobenzene	98	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-21,840**	**N/A**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		p/m-Xylene	ND	1.0	0.54	1	
Ethylbenzene	ND	1.0	0.23	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.27	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	110	74-140		1,2-Dichloroethane-d4	115	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana St., Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-1	**07-06-1490-1**	**06/14/07**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	18	2.5	0.70	5		o-Xylene	1.0	5.0	0.84	5	J
Ethylbenzene	11	5.0	1.1	5		Methyl-t-Butyl Ether (MTBE)	68	5.0	1.3	5	
Toluene	ND	5.0	1.4	5		Tert-Butyl Alcohol (TBA)	1800	50	27	5	
p/m-Xylene	3.6	5.0	2.7	5	J						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	110	74-140		1,2-Dichloroethane-d4	117	74-146	
Toluene-d8	95	88-112		1,4-Bromofluorobenzene	98	74-110	

TBW-N	**07-06-1490-6**	**06/14/07**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		o-Xylene	ND	1.0	0.17	1	
Ethylbenzene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	7.7	1.0	0.26	1	
Toluene	ND	1.0	0.27	1		Tert-Butyl Alcohol (TBA)	240	10	5.4	1	
p/m-Xylene	ND	1.0	0.54	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	112	74-146	
Toluene-d8	95	88-112		1,4-Bromofluorobenzene	99	74-110	

Method Blank	**099-10-006-21,840**	**N/A**	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.14	1		o-Xylene	ND	1.0	0.17	1	
Ethylbenzene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.26	1	
Toluene	ND	1.0	0.27	1		Tert-Butyl Alcohol (TBA)	ND	10	5.4	1	
p/m-Xylene	ND	1.0	0.54	1							

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	110	74-140		1,2-Dichloroethane-d4	115	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-1515-2	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	96	68-122	2	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-1859-11	**Aqueous**	**GC 18**	**06/26/07**	**06/26/07**	**070626S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	108	104	68-122	4	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-1515-3	**Aqueous**	**GC/MS M**	**06/22/07**	**06/22/07**	**070622S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	104	88-118	1	0-7	
Carbon Tetrachloride	88	89	67-145	0	0-11	
Chlorobenzene	102	102	88-118	0	0-7	
1,2-Dichlorobenzene	91	89	86-116	3	0-8	
1,1-Dichloroethene	79	107	70-130	29	0-25	4
Toluene	112	110	87-123	2	0-8	
Trichloroethene	106	105	79-127	1	0-10	
Vinyl Chloride	70	73	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	92	89	71-131	4	0-13	
Tert-Butyl Alcohol (TBA)	96	87	36-168	10	0-45	
Diisopropyl Ether (DIPE)	91	90	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	92	92	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	105	103	72-126	1	0-12	
Ethanol	86	81	53-149	6	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/20/07
Work Order No: 07-06-1490
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-1495-8	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	97	88-118	2	0-7	
Carbon Tetrachloride	104	104	67-145	0	0-11	
Chlorobenzene	97	99	88-118	2	0-7	
1,2-Dichlorobenzene	99	100	86-116	1	0-8	
1,1-Dichloroethene	88	117	70-130	29	0-25	4
Toluene	99	99	87-123	0	0-8	
Trichloroethene	98	103	79-127	6	0-10	
Vinyl Chloride	76	79	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	99	98	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	95	104	36-168	9	0-45	
Diisopropyl Ether (DIPE)	99	101	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	99	99	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	98	98	72-126	0	0-12	
Ethanol	87	90	53-149	3	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blaine Tech Services, Inc.	Date Received:	N/A
1680 Rogers Avenue	Work Order No:	07-06-1490
San Jose, CA 95112-1105	Preparation:	EPA 5030B
	Method:	EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-588	**Aqueous**	**GC 18**	**06/20/07**	**06/20/07**	**070620B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	104	104	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blaine Tech Services, Inc.	Date Received:	N/A
1680 Rogers Avenue	Work Order No:	07-06-1490
San Jose, CA 95112-1105	Preparation:	EPA 5030B
	Method:	EPA 8015B (M)

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-604	**Aqueous**	**GC 18**	**06/26/07**	**06/26/07**	**070626B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	105	109	78-120	4	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blaine Tech Services, Inc.	Date Received:	N/A
1680 Rogers Avenue	Work Order No:	07-06-1490
San Jose, CA 95112-1105	Preparation:	EPA 5030B
	Method:	EPA 8260B

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,822	**Aqueous**	**GC/MS M**	**06/22/07**	**06/22/07**	**070622L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	103	84-120	0	0-8	
Carbon Tetrachloride	85	84	63-147	1	0-10	
Chlorobenzene	101	101	89-119	1	0-7	
1,2-Dichlorobenzene	89	87	89-119	2	0-9	X
1,1-Dichloroethene	105	100	77-125	5	0-16	
Toluene	111	110	83-125	1	0-9	
Trichloroethene	105	106	89-119	1	0-8	
Vinyl Chloride	91	91	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	88	84	82-118	5	0-13	
Tert-Butyl Alcohol (TBA)	79	87	46-154	9	0-32	
Diisopropyl Ether (DIPE)	88	84	81-123	5	0-11	
Ethyl-t-Butyl Ether (ETBE)	89	85	74-122	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	102	101	76-124	1	0-10	
Ethanol	96	93	60-138	3	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blaine Tech Services, Inc.	Date Received:	N/A
1680 Rogers Avenue	Work Order No:	07-06-1490
San Jose, CA 95112-1105	Preparation:	EPA 5030B
	Method:	EPA 8260B

Project: 2120 Montana St., Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,840	**Aqueous**	**GC/MS T**	**06/23/07**	**06/23/07**	**070623L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	88	96	84-120	9	0-8	X
Carbon Tetrachloride	100	106	63-147	5	0-10	
Chlorobenzene	90	96	89-119	7	0-7	
1,2-Dichlorobenzene	93	98	89-119	5	0-9	
1,1-Dichloroethene	112	117	77-125	4	0-16	
Toluene	91	100	83-125	10	0-9	X
Trichloroethene	91	98	89-119	7	0-8	
Vinyl Chloride	82	74	63-135	10	0-13	
Methyl-t-Butyl Ether (MTBE)	95	95	82-118	0	0-13	
Tert-Butyl Alcohol (TBA)	96	89	46-154	8	0-32	
Diisopropyl Ether (DIPE)	95	98	81-123	3	0-11	
Ethyl-t-Butyl Ether (ETBE)	95	95	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	90	95	76-124	5	0-10	
Ethanol	91	84	60-138	9	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 07-06-1490

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

SHELL Chain Of Custody Record

LAB:
- ☐ TA - Irvine, California
- ☐ TA - Morgan Hill, California
- ☐ TA - Sacramento, California
- ☐ TA - Nashville, Tennessee
- ☑ Calscience
- ☐ Other_____

NAME OF PERSON TO BILL: Denis Brown

☑ ENVIRONMENTAL SERVICES ☐ NETWORK DEV / FE ☐ BILL CONSULTANT ☐ COMPLIANCE ☐ RMT/CRMT

☐ CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY): 9 8 9 9 5 7 4 0

PO #: SAP or CRMT #:

DATE: 6/14/07

PAGE: 1 of 1

SAMPLING COMPANY:	LOG CODE:	SITE ADDRESS: Street and City	State	GLOBAL ID NO.:
Blaine Tech Services	BTSS	2120 Montana St., Oakland	CA	T0600101805

ADDRESS:	EDF DELIVERABLE TO (Name, Company, Office Location):	PHONE NO.:	E-MAIL:	CONSULTANT PROJECT NO.:
1680 Rogers Avenue, San Jose, CA 95112	Ana Friel, CRA, Eureka Office	(707) 268-3812	sonomaedf@craworld.com	070614-PC2

PROJECT CONTACT (Hardcopy or PDF Report to):	TELEPHONE:	FAX:	E-MAIL:	BTS #
Michael Ninokata	408-573-0555	408-573-7771	mninokata@blainetech.com	

SAMPLER NAME(S) (Print): P. Cormish

LAB USE ONLY: 06-1490

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS): ☑ STD ☐ 5 DAY ☐ 3 DAY ☐ 2 DAY ☐ 24 HOURS ☐ RESULTS NEEDED ON WEEKEND

☐ LA - RWQCB REPORT FORMAT ☐ UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:

☐ EDD NOT NEEDED
☐ SHELL CONTRACT RATE APPLIES
☐ STATE REIMB RATE APPLIES
☑ RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TPH-motor oil (8015M)	TDS (160.1)	Total Iron (6010B)	Total Lead (6010B)		Total Oil and Grease (1664A)		TEMPERATURE ON RECEIPT C°
1	MW-1	6/14/07	1435	W	5	X		X		X	X														
2	MW-3		1336		5	X		X		X															
3	~~MW-4~~		~~1210~~			X		X		X															No sample
3	MW-5		1310		5	X		X		X															
4	~~E~~W-1		1455		5	X		X		X															
5	EW-2		1200		5	X		X		X															
6	TBW-N		1400	W	5	X		X		X	X														

FIELD NOTES:
Container/Preservative or PID Readings or Laboratory Notes

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
		6/14/07	1650
(Sample Custody)		6/19/07	0755
to GSO		6/20/07	0900

05/02/06 Revision

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 07 - 06 - 1490

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Blaine Tech DATE: 6/20/07

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

_____ Chilled, cooler with temperature blank provided.
_____ Chilled, cooler without temperature blank.
_____ Chilled and placed in cooler with wet ice.
_____ Ambient and placed in cooler with wet ice.
_____ Ambient temperature.
_____ °C Temperature blank.

LABORATORY (Other than Calscience Courier):

_____ °C Temperature blank.
4.3 °C IR thermometer.
_____ Ambient temperature.

Initial: JP

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: _____ No (Not Intact) : _____ Not Present: ✓

Initial: JP

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sampler's name indicated on COC	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers and volume for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: JP

COMMENTS:

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 2120 Montana St., Oakland Date 6/14/07

Job Number 070614-RS Technician P. Cornish Page 1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MW-1	X	X	W 6/19						W 6/19 Vault cover does not say 'monit. well'
MW-2									
MW-3	X	X							
MW-4	X	X							
MW-5	X	X							
TBW-N	X	X							W 6/19 Vault cover does not say 'monitwell'
EW-1	X	X							
EW-2	X	X	W 6/19						

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12"or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12"or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes:

SHELL SITE INSPECTION CHECKLIST

Client Shell Date 6-14-07

Site Address 2120 Montana St., Oakland

Job Number 070614AA1 Technician Andrew Adamik

Site Status Shell Branded Station Vacant Lot Other

Inspected / Labeled / Cleaned - all wells on Scope Of Work	☒	
Inspected / Cleaned Components - all other identifiable wells	☐	N/A
Inspected site for site investigation & site remediation related trip hazards	☒	
Completed all outstanding *BLAINE Wellhead Repair Order(s)*	☒	N/A
Completed *Shell Wellhead Repair Form(s)*	☒	N/A
Inspected treatment / remediation system compound for security, cleanliness and appearance	☐	N/A
Inspected vacant lot for signs of habitation, hazardous materials or terrain, overgrown vegetation and security	☐	N/A
Visually inspected site drums for condition and proper labeling	☐	N/A
Unresolved deficiencies identified - *"Notice of Deficient Condition"* form(s) completed	☐	N/A

Notes

PROJECT MANAGER ONLY

Checklist Reviewed MW 6/18 Initial/Date Notes

SHELL WELLHEAD REPAIR FORM

(FOR REPAIR TECHNICIAN)

Site Address 2120 Montam St., Oakland Date 6-14-07

Job Number 070614AM1 Technician Andrew Adinolfi Page 1 of 2

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency: Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Securable by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency	Not Securable by Design (greater than 12" diameter)	Well Not Inspected (explain in notes)	All Repairs Completed	Remaining Deficiencies Logged onto BLAINE Repair Order	Remaining Deficiencies Logged onto Notice of Deficient Condition - BLAINE Unable to Repair
MW-1	X																		
	Notes:																		
	Well box type / size: 39" Vault															Materials used:			
MW-2	X																		
	Notes:																		
	Well box type / size: 12" Penco															Materials used.			
MW-3		X															X		
	Notes: Lock rusted																		
	Well box type / size: 12" Penco															Materials used: lock			
MW-4																	X		
	Notes: 2 of 2 tabs stripped retap/heli																		
	Well box type / size: 12" Penco															Materials used: 2 bolts 2 heli coils			
MW-5	X																		
	Notes:																		
	Well box type / size: 12" Penco															Materials used:			
TBW-N																	X		
	Notes: No tag 1 of 4 bolts missing, retap heli																		
	Well box type / size: 39" Vault															Materials used: heli coil, bolts			
EW-1	X																		
	Notes:																		
	Well box type / size: 39" Vault															Materials used:			

SHELL WELLHEAD REPAIR FORM
(FOR REPAIR TECHNICIAN)

Job Number 070614AA1

Inspection Point (Well ID or description of location)	Well Inspected, Cleaned, Labeled - No Further Corrective Action Required	Replaced Cap	Replaced Lock	Replaced Lid Seal	Check Indicates deficiency: Casing	Annular Seal	Tabs / Bolts	Box Structure	Apron	Trip Hazard	Below Grade	Not Securable by Design (12" diameter or less)	Lid not marked with words "MONITORING WELL"	Other Deficiency	Not Securable by Design (Greater than 12" diameter)	Well Not Inspected (explain in notes)	All Repairs Completed	Remaining Deficiencies Logged onto *BLAINE Repair Order*	Remaining Deficiencies Logged onto *Notice of Deficient Condition* - BLAINE Unable to Repair
EW-2	X																		
	Notes:																		
	Well box type / size: 39" Vault														Materials used:				
	Notes:																		
	Well box type / size:														Materials used:				
	Notes:																		
	Well box type / size:														Materials used:				
	Notes:																		
	Well box type / size:														Materials used:				
	Notes:																		
	Well box type / size:														Materials used:				
	Notes:																		
	Well box type / size:														Materials used:				
	Notes:																		
	Well box type / size:														Materials used:				
	Notes:																		
	Well box type / size														Materials used:				

WELL GAUGING DATA

Project # 070614-R2 Date 6/14/07 Client Shell

Site 2120 Montana St., Oakland

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or ~~TOC~~	Notes
MW-1	1219	2					19.82	27.35	TOC	V SPH
MW-2		well inaccessible due to parked car								Tr.
MW-3	1212	2					12.08	19.90		
MW-4	1230	4					19.02	19.72		
MW-5	1258	2					13.50	19.60		Tr.
TBW-N	1226	4					11.22	13.05		
EW-1	1235	4					21.06	27.85		√ SPH Ext.
EW-2	1250	4			System Running		12.82	–		Ext.

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC2	Site: 98995740
Sampler: PC	Date: 6/14/07
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8 ___
Total Well Depth (TD): 27.35	Depth to Water (DTW): 19.92
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.33	

Purge Method: (Bailer), Disposable Bailer, Positive Air Displacement, Electric Submersible, Waterra, Peristaltic, Extraction Pump, Other____

Sampling Method: (Bailer), Disposable Bailer, Extraction Port, Dedicated Tubing, Other:

1 Case Volume	Specified Volumes	Calculated Volume
1.2 (Gals.) X	3	= 3.6 Gals.

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
1420	68.4	5.5	893	1.2 3.6	12	odor
1424	67.7	5.8	892	2.4	30	↓
1428	71.4	5.7	878	3.6	41	

Did well dewater? Yes (No) Gallons actually evacuated: 3.6

Sampling Date: 6/14/07 Sampling Time: 1435 Depth to Water: 19.95

Sample I.D.: MW-1 Laboratory: STL Other Calscience

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070604-TC2	Site: 9899540
Sampler: PC	Date: 6/14/07
Well I.D.: MW-2	Well Diameter: 2 3 4 6 8 ____
Total Well Depth (TD):	Depth to Water (DTW):
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer, Disposable Bailer, Positive Air Displacement, Electric Submersible, Waterra, Peristaltic, Extraction Pump, Other

Sampling Method: Bailer, Disposable Bailer, Extraction Port, Dedicated Tubing, Other:

_____ (Gals.) X _____ = _____ Gals.
1 Case Volume | Specified Volumes | Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
			well inaccessible due to parked car			

Did well dewater? Yes No	Gallons actually evacuated:		
Sampling Date:	Sampling Time:	Depth to Water:	
Sample I.D.:	Laboratory: STL Other		
Analyzed for: TPH-G BTEX MTBE TPH-D	Other:		
EB I.D. (if applicable): @ Time	Duplicate I.D. (if applicable):		
Analyzed for: TPH-G BTEX MTBE TPH-D	Other:		
D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC-2	Site: 98995740
Sampler: PC	Date: 6/14/07
Well I.D.: MW-3	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth (TD): 19.90	Depth to Water (DTW): 12.06
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.64	

Purge Method: (Bailer) Waterra
Disposable Bailer Peristaltic
Positive Air Displacement Extraction Pump
Electric Submersible Other____

Sampling Method: (Bailer)
Disposable Bailer
Extraction Port
Dedicated Tubing
Other:

1.3 (Gals.) X	3	= 3.9 Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1320	70.0	5.6	633	>1000	1.3	grey
1324	68.7	5.3	631	>1000	2.6	"
1328	71.2	5.0	635	>1000	3.9	"

Did well dewater? Yes (No) Gallons actually evacuated: 4

Sampling Date: 6/14/07 Sampling Time: 1338 Depth to Water: 13.55

Sample I.D.: MW-3 Laboratory: STL Other Calscience

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC-2	Site: 98995740
Sampler: PC	Date: 6/14/07
Well I.D.: MW-4	Well Diameter: 2 3 (4) 6 8 ____
Total Well Depth (TD): 19.72	Depth to Water (DTW): 19.02
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.16	

Purge Method: Bailer / Disposable Bailer / Positive Air Displacement / Electric Submersible / Waterra / Peristaltic / Extraction Pump / Other

Sampling Method: Bailer / Disposable Bailer / Extraction Port / Dedicated Tubing / Other

1 Case Volume	Specified Volumes	Calculated Volume
0.1 (Gals.) X	3 =	0.3 Gals.

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1408	68.8	5.4	832	27	.1	
	well dewatered			DTW: 19.65 @ dewater		
	DTW: 19.64 @ 1525			insufficient water for sample		

Did well dewater? (Yes) No Gallons actually evacuated: .12

Sampling Date: 6/14/07 Sampling Time: — Depth to Water:

Sample I.D.: MW-4 Laboratory: STL Other Calscience

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L	
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV	

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC2	Site: 98995740
Sampler: PC	Date: 6/14/07
Well I.D.: MW-4	Well Diameter: (2) 3 4 6 8 ___
Total Well Depth (TD): 19.60	Depth to Water (DTW): 13.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14.72	

Purge Method: (A) Bailer; Disposable Bailer; Positive Air Displacement; Electric Submersible; Waterra; Peristaltic; Extraction Pump; Other____

Sampling Method: (A) Bailer; Disposable Bailer; Extraction Port; Dedicated Tubing; Other:

1	(Gals.) X	3	=	3	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
1255	65.5	5.8	608	>1000	1	grey, silty
1258	64.2	6.57	597	>1000	2	↓ ↓
1302	63.7	5.7	602	>1000	3	

Did well dewater? Yes (No)		Gallons actually evacuated: 3	
Sampling Date: 6/14/07	Sampling Time: 1310	Depth to Water: 13.65	
Sample I.D.: MW-4		Laboratory: STL Other Calscience	
Analyzed for: (TPH-G) BTEX MTBE TPH-D		Other:	
EB I.D. (if applicable): @ Time		Duplicate I.D. (if applicable):	
Analyzed for: TPH-G BTEX MTBE TPH-D		Other:	
D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC2	Site: 98995740
Sampler: PC	Date: 6/14/07
Well I.D.: TBW-N	Well Diameter: 2 3 (4) 6 8 ____
Total Well Depth (TD): 13.05	Depth to Water (DTW): 11.22
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.59	

Purge Method: Bailer; Disposable Bailer; Positive Air Displacement; (Electric Submersible); Waterra; Peristaltic; Extraction Pump; Other____

Sampling Method: (Bailer); Disposable Bailer; Extraction Port; Dedicated Tubing; Other:

1.2 (Gals.) X	3	=	3.6 Gals.
1 Case Volume	Specified Volumes		Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (µS))	Turbidity (NTUs)	Gals. Removed	Observations
1345	71.5	5.3	1196	>1000	1.2	
1348	69.9	5.4	1240	>1000	2.4	
1354	73.4	5.2	1267	>1000	3.6	

Did well dewater? Yes (No) Gallons actually evacuated: 3.6

Sampling Date: 6/14/07 Sampling Time: 1400 Depth to Water: 11.38

Sample I.D.: TBW-N Laboratory: STL Other Calscience

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L	
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV	

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC-2	Site: 9899540
Sampler: PC	Date: 6/14/07
Well I.D.: EW-1	Well Diameter: 2 3 (4) 6 8 ____
Total Well Depth (TD): 27.85	Depth to Water (DTW): 21.06
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.42	

Purge Method: Bailer, Disposable Bailer, Positive Air Displacement, (Electric Submersible), Waterra, Peristaltic, Extraction Pump, Other____

Sampling Method: (Bailer), Disposable Bailer, Extraction Port, Dedicated Tubing, Other:

1 Case Volume	Specified Volumes	Calculated Volume
4.4 (Gals.) X	3	= 13.2 Gals.

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1448	76.2	6.5	855	>1000	4.5	grey
1450	71.1	8.66	817	>1000	9	
1451	70.5	6.0	775	>1000	13.2	

Did well dewater? Yes (No) Gallons actually evacuated: 13.2

Sampling Date: 6/14/07 Sampling Time: 1455 Depth to Water: 22.40

Sample I.D.: EW-1 Laboratory: STL Other Calscience

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070614-PC-2	Site: 98995740
Sampler: PC	Date: 6/14/07
Well I.D.: EW-2	Well Diameter: 2 3 (4) 6 8 ___
Total Well Depth (TD): -	Depth to Water (DTW): 12.52
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer, Disposable Bailer, Positive Air Displacement, Electric Submersible, Waterra, Peristaltic, (X) Extraction Pump, Other____

Sampling Method: Bailer, Disposable Bailer, (X) Extraction Port, Dedicated Tubing, Other:

____ (Gals.) X ____ = ____ Gals.		
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1200	73.6	6.7	7819	12	-	

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date: 6/14/07 Sampling Time: 1200 Depth to Water:

Sample I.D.: EW-2 Laboratory: STL Other Calscience

Analyzed for: (TPH-G) (BTEX) (MTBE) TPH-D Other:

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

Attachment B

System Analytical Laboratory Reports

Calscience Environmental Laboratories, Inc.

April 09, 2007

Brian Wong
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **Calscience Work Order No.: 07-04-0110**
Client Reference: 2120 Montana Street, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 4/3/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Don Burley
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 04/03/07
Work Order No: 07-04-0110
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	**07-04-0110-1**	**04/02/07**	**Aqueous**	**GC 18**	**04/04/07**	**04/04/07**	**070404B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	85	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	**07-04-0110-2**	**04/02/07**	**Aqueous**	**GC 18**	**04/04/07**	**04/04/07**	**070404B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	85	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	**07-04-0110-3**	**04/02/07**	**Aqueous**	**GC 18**	**04/04/07**	**04/04/07**	**070404B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	85	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	**07-04-0110-4**	**04/02/07**	**Aqueous**	**GC 18**	**04/04/07**	**04/05/07**	**070404B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	86	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	04/03/07
Work Order No:	07-04-0110
Preparation:	EPA 5030B
Method:	EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-436-266**	**N/A**	**Aqueous**	**GC 18**	**04/04/07**	**04/04/07**	**070404B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	83	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates	Date Received:	04/03/07
19449 Riverside Drive, Suite 230	Work Order No:	07-04-0110
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L
Project: 2120 Montana Street, Oakland, CA		Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	**07-04-0110-1**	**04/02/07**	**Aqueous**	**GC/MS R**	**04/07/07**	**04/08/07**	**070407L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.24	0.50	0.19	1	J	p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	0.19	1.0	0.17	1	J
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	36	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	112	74-140		1,2-Dichloroethane-d4	118	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	87	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	**07-04-0110-2**	**04/02/07**	**Aqueous**	**GC/MS R**	**04/07/07**	**04/08/07**	**070407L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	5.2	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	116	74-140		1,2-Dichloroethane-d4	121	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	83	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	**07-04-0110-3**	**04/02/07**	**Aqueous**	**GC/MS R**	**04/07/07**	**04/08/07**	**070407L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	114	74-140		1,2-Dichloroethane-d4	120	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	85	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	**07-04-0110-4**	**04/02/07**	**Aqueous**	**GC/MS R**	**04/07/07**	**04/08/07**	**070407L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	117	74-140		1,2-Dichloroethane-d4	122	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	85	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates		Date Received:	04/03/07
19449 Riverside Drive, Suite 230		Work Order No:	07-04-0110
Sonoma, CA 95476-6955		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: 2120 Montana Street, Oakland, CA			Page 2 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-20,945**	**N/A**	**Aqueous**	**GC/MS R**	**04/07/07**	**04/08/07**	**070407L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	110	74-140		1,2-Dichloroethane-d4	112	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	89	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 04/03/07
Work Order No: 07-04-0110
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
EFF	**Aqueous**	**GC 18**	**04/04/07**	**04/05/07**	**070404S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	91	90	68-122	0	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 04/03/07
Work Order No: 07-04-0110
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-04-0005-4	**Aqueous**	**GC/MS R**	**04/07/07**	**04/07/07**	**070407S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	101	88-118	3	0-7	
Carbon Tetrachloride	107	109	67-145	2	0-11	
Chlorobenzene	96	101	88-118	5	0-7	
1,2-Dichlorobenzene	98	103	86-116	5	0-8	
1,1-Dichloroethene	104	108	70-130	4	0-25	
Toluene	102	105	87-123	3	0-8	
Trichloroethene	95	100	79-127	6	0-10	
Vinyl Chloride	87	102	69-129	16	0-13	4
Methyl-t-Butyl Ether (MTBE)	105	108	71-131	3	0-13	
Tert-Butyl Alcohol (TBA)	104	107	36-168	2	0-45	
Diisopropyl Ether (DIPE)	106	109	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	109	110	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	101	103	72-126	2	0-12	
Ethanol	109	117	53-149	7	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates	Date Received:	N/A
19449 Riverside Drive, Suite 230	Work Order No:	07-04-0110
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-266	**Aqueous**	**GC 18**	**04/04/07**	**04/04/07**	**070404B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	107	104	78-120	3	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: N/A
Work Order No: 07-04-0110
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-20,945	**Aqueous**	**GC/MS R**	**04/07/07**	**04/07/07**	**070407L02**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	92	84-120	3	0-8	
Carbon Tetrachloride	103	98	63-147	4	0-10	
Chlorobenzene	93	92	89-119	1	0-7	
1,2-Dichlorobenzene	92	94	89-119	3	0-9	
1,1-Dichloroethene	101	96	77-125	5	0-16	
Toluene	97	93	83-125	4	0-9	
Trichloroethene	92	92	89-119	0	0-8	
Vinyl Chloride	93	86	63-135	8	0-13	
Methyl-t-Butyl Ether (MTBE)	106	107	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	105	108	46-154	2	0-32	
Diisopropyl Ether (DIPE)	105	105	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	108	109	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	97	101	76-124	4	0-10	
Ethanol	114	114	60-138	0	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 07-04-0110

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

SHELL Chain of Custody Record

LAB:
- ☐ TA - Irvine, CA
- ☐ TA - Morgan Hill, California
- ☐ TA - Sacramento, California
- ☐ TA - Nashville, Tennessee
- ☒ Calscience
- ☐ Other_____

NAME OF PERSON TO BILL: Denis Brown

☑ ENVIRONMENTAL SERVICES ☐ NETWORK DEV. / FE ☐ BILL CONSULTANT ☐ COMPLIANCE ☐ RMT/CRMT

☐ CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY): 9 8 9 9 5 7 4 0

PO #:

SAP or CRMT #:

DATE: _____

PAGE: _____ of _____

SAMPLING COMPANY: ~~Cambria Environmental Technology, Inc.~~ CONESTOGA ROVERS & ASSOC.	LOG CODE: CETS	SITE ADDRESS: Street and City: 2120 Montana Street, Oakland	State: CA	GLOBAL ID NO.: T0600101805
ADDRESS: 19449 Riverside Drive, Suite 230, Sonoma, CA 95476		EDF DELIVERABLE TO (Name, Company, Office Location): FELICIA BALLARD, CRA ~~Susan Lukaszewicz, Cambria~~, Sonoma	PHONE NO.: 707-933-2376	E-MAIL: sonomaedf@cambria-env.com	CONSULTANT PROJECT NO.: 248-0733-003
PROJECT CONTACT (Hardcopy or PDF Report to): Brian Wong		SAMPLER NAME(S) (Print): Rick Buskey		LAB USE ONLY: 07-DA-0110
TELEPHONE: 510-420-3345	FAX: 510-420-9170	E-MAIL: bwong@cambria-env.com		

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS): ☑ STD ☐ 5 DAY ☐ 3 DAY ☐ 2 DAY ☐ 24 HOURS ☐ RESULTS NEEDED ON WEEKEND

☐ LA - RWQCB REPORT FORMAT ☐ UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:

Strip Midfluent Data from EDF files

Compliance Samples

Flowmeter = 0702208 Hour Meter = 6632.7

cc: PDF Report to afriel@cambria-env.com

☐ EDD NOT NEEDED
☑ SHELL CONTRACT RATE APPLIES
☐ STATE REIMB RATE APPLIES
☑ RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Purgeable (8260B)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead ☐ Total ☐ STLC ☐ TCLP	LUFT5 ☐ Total ☐ STLC ☐ TCLP	CAM17 ☐ Total ☐ STLC ☐ TCLP	Test for Disposal (see attached)		FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes
	INF	4/2/7	10:25	AQ	5	X		X		X															VOAs w/HCl
	MID 1	"	10:20	AQ	5	X		X		X															VOAs w/HCl
	MID 2	"	10:15	AQ	5	X		X		X															VOAs w/HCl
	EFF	"	10:10	AQ	5	X		X		X															VOAs w/HCl
																									TEMPERATURE ON RECEIPT C°

Relinquished by: (Signature) Rick Buskey	Received by: (Signature) Secured Location	Date: 4/2/7	Time: 12:00 p.m.
Relinquished by: (Signature) GSO	Received by: (Signature) Woodland CA	Date: 4-3-07	Time: 1000
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Q&Q Graphic (714) 898-9702

Rev. 12/27/2006

K:\Oakland 2120 Montana\Remediation\O&M\Field Forms\0733 GWE COC 09.06Routine

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 07 - 04 - 0110

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: CONESTOGA + ROGERS **DATE:** 4-3-07

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

_____ Chilled, cooler with temperature blank provided.
_____ Chilled, cooler without temperature blank.
_____ Chilled and placed in cooler with wet ice.
_____ Ambient and placed in cooler with wet ice.
_____ Ambient temperature.
_____ °C Temperature blank.

LABORATORY (Other than Calscience Courier):

3.1 °C Temperature blank.
_____ °C IR thermometer.
_____ Ambient temperature.

Initial: WB

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: ✓ No (Not Intact) : _____ Not Present: _____

Initial: WB

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sampler's name indicated on COC	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers and volume for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: WB

COMMENTS:

Calscience
Environmental
Laboratories, Inc.

May 22, 2007

Brian Wong
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **Calscience Work Order No.: 07-05-1092**
Client Reference: 2120 Montana Street, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 5/15/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Don Burley
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 05/15/07
Work Order No: 07-05-1092
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	**07-05-1092-1**	**05/14/07**	**Aqueous**	**GC 4**	**05/16/07**	**05/17/07**	**070516B02**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	97	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	75	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	**07-05-1092-2**	**05/14/07**	**Aqueous**	**GC 4**	**05/16/07**	**05/17/07**	**070516B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	74	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	**07-05-1092-3**	**05/14/07**	**Aqueous**	**GC 4**	**05/16/07**	**05/17/07**	**070516B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	73	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	**07-05-1092-4**	**05/14/07**	**Aqueous**	**GC 4**	**05/16/07**	**05/17/07**	**070516B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	82	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 05/15/07
Work Order No: 07-05-1092
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-436-433**	**N/A**	**Aqueous**	**GC 4**	**05/16/07**	**05/16/07**	**070516B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	76	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-436-434**	**N/A**	**Aqueous**	**GC 4**	**05/16/07**	**05/17/07**	**070516B02**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	65	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates	Date Received:	05/15/07
19449 Riverside Drive, Suite 230	Work Order No:	07-05-1092
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L
Project: 2120 Montana Street, Oakland, CA		Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	**07-05-1092-1**	**05/14/07**	**Aqueous**	**GC/MS W**	**05/18/07**	**05/19/07**	**070518L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	4.7	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	14	1.0	0.23	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	113	74-140				1,2-Dichloroethane-d4	121	74-146			
Toluene-d8	104	88-112				1,4-Bromofluorobenzene	97	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	**07-05-1092-2**	**05/14/07**	**Aqueous**	**GC/MS R**	**05/17/07**	**05/17/07**	**070517L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	7.3	1.0	0.23	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	100	74-140				1,2-Dichloroethane-d4	102	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	93	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	**07-05-1092-3**	**05/14/07**	**Aqueous**	**GC/MS W**	**05/18/07**	**05/19/07**	**070518L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	107	74-140				1,2-Dichloroethane-d4	114	74-146			
Toluene-d8	101	88-112				1,4-Bromofluorobenzene	93	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	**07-05-1092-4**	**05/14/07**	**Aqueous**	**GC/MS W**	**05/18/07**	**05/19/07**	**070518L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	112	74-140				1,2-Dichloroethane-d4	123	74-146			
Toluene-d8	103	88-112				1,4-Bromofluorobenzene	97	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	05/15/07
Work Order No:	07-05-1092
Preparation:	EPA 5030B
Method:	EPA 8260B
Units:	ug/L

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-21,408**	**N/A**	**Aqueous**	**GC/MS R**	**05/17/07**	**05/17/07**	**070517L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	99	74-140		1,2-Dichloroethane-d4	97	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	91	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-21,427**	**N/A**	**Aqueous**	**GC/MS W**	**05/18/07**	**05/19/07**	**070518L02**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	111	74-140		1,2-Dichloroethane-d4	121	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	96	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	05/15/07
Work Order No:	07-05-1092
Preparation:	EPA 5030B
Method:	EPA 8015B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-05-1164-3	**Aqueous**	**GC 4**	**05/16/07**	**05/16/07**	**070516S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics	100	94	68-122	6	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	05/15/07
Work Order No:	07-05-1092
Preparation:	EPA 5030B
Method:	EPA 8015B (M)

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-05-1054-2	**Aqueous**	**GC 4**	**05/16/07**	**05/16/07**	**070516S02**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	99	97	68-122	1	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 05/15/07
Work Order No: 07-05-1092
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MID 1	**Aqueous**	**GC/MS R**	**05/17/07**	**05/17/07**	**070517S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	100	88-118	1	0-7	
Carbon Tetrachloride	125	124	67-145	1	0-11	
Chlorobenzene	105	100	88-118	5	0-7	
1,2-Dichlorobenzene	105	101	86-116	4	0-8	
1,1-Dichloroethene	96	93	70-130	3	0-25	
Toluene	103	101	87-123	2	0-8	
Trichloroethene	99	96	79-127	4	0-10	
Vinyl Chloride	89	85	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	92	89	71-131	2	0-13	
Tert-Butyl Alcohol (TBA)	85	71	36-168	6	0-45	
Diisopropyl Ether (DIPE)	97	94	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	94	91	72-126	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	89	91	72-126	1	0-12	
Ethanol	97	85	53-149	12	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 05/15/07
Work Order No: 07-05-1092
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-05-1182-9	**Aqueous**	**GC/MS W**	**05/18/07**	**05/19/07**	**070518S02**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	104	88-118	6	0-7	
Carbon Tetrachloride	79	92	67-145	16	0-11	4
Chlorobenzene	91	95	88-118	5	0-7	
1,2-Dichlorobenzene	90	94	86-116	5	0-8	
1,1-Dichloroethene	86	98	70-130	13	0-25	
Toluene	93	98	87-123	5	0-8	
Trichloroethene	87	94	79-127	8	0-10	
Vinyl Chloride	94	112	69-129	17	0-13	4
Methyl-t-Butyl Ether (MTBE)	70	90	71-131	25	0-13	3,4
Tert-Butyl Alcohol (TBA)	70	91	36-168	25	0-45	
Diisopropyl Ether (DIPE)	104	109	81-123	5	0-9	
Ethyl-t-Butyl Ether (ETBE)	89	97	72-126	9	0-12	
Tert-Amyl-Methyl Ether (TAME)	92	97	72-126	5	0-12	
Ethanol	123	119	53-149	3	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates	Date Received:	N/A
19449 Riverside Drive, Suite 230	Work Order No:	07-05-1092
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-433	**Aqueous**	**GC 4**	**05/16/07**	**05/16/07**	**070516B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	97	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates	Date Received:	N/A
19449 Riverside Drive, Suite 230	Work Order No:	07-05-1092
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-434	**Aqueous**	**GC 4**	**05/16/07**	**05/17/07**	**070516B02**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	95	94	78-120	2	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	N/A
Work Order No:	07-05-1092
Preparation:	EPA 5030B
Method:	EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,408	**Aqueous**	**GC/MS R**	**05/17/07**	**05/17/07**	**070517L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	96	98	84-120	2	0-8	
Carbon Tetrachloride	114	118	63-147	4	0-10	
Chlorobenzene	99	98	89-119	1	0-7	
1,2-Dichlorobenzene	100	100	89-119	1	0-9	
1,1-Dichloroethene	94	90	77-125	5	0-16	
Toluene	99	99	83-125	0	0-9	
Trichloroethene	98	98	89-119	1	0-8	
Vinyl Chloride	87	83	63-135	5	0-13	
Methyl-t-Butyl Ether (MTBE)	90	88	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	84	85	46-154	1	0-32	
Diisopropyl Ether (DIPE)	95	87	81-123	10	0-11	
Ethyl-t-Butyl Ether (ETBE)	90	89	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	87	92	76-124	5	0-10	
Ethanol	90	89	60-138	1	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	N/A
Work Order No:	07-05-1092
Preparation:	EPA 5030B
Method:	EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,427	**Aqueous**	**GC/MS W**	**05/18/07**	**05/19/07**	**070518L02**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	111	113	84-120	2	0-8	
Carbon Tetrachloride	102	96	63-147	6	0-10	
Chlorobenzene	100	103	89-119	3	0-7	
1,2-Dichlorobenzene	99	103	89-119	4	0-9	
1,1-Dichloroethene	110	113	77-125	3	0-16	
Toluene	104	107	83-125	2	0-9	
Trichloroethene	105	105	89-119	0	0-8	
Vinyl Chloride	120	114	63-135	4	0-13	
Methyl-t-Butyl Ether (MTBE)	92	89	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	97	83	46-154	16	0-32	
Diisopropyl Ether (DIPE)	111	114	81-123	3	0-11	
Ethyl-t-Butyl Ether (ETBE)	100	101	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	101	76-124	2	0-10	
Ethanol	118	126	60-138	6	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 07-05-1092

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

SHELL Chain Of Custody Record

LAB:
- ☐ TA - Irvine, Californi
- ☐ TA - Morgan Hill, California
- ☐ TA - Sacramento, California
- ☐ TA - Nashville, Tennesee
- ☑ Calscience
- ☐ Other_____

NAME OF PERSON TO BILL: Denis Brown

- ☑ ENVIRONMENTAL SERVICES
- ☐ NETWORK DEV / FE
- ☐ BILL CONSULTANT
- ☐ COMPLIANCE
- ☐ RMT/CRMT

☐ CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY): 98995740

PO #:

SAP or CRMT #:

DATE: 5/14/07

PAGE: 1 of 1

SAMPLING COMPANY:	LOG CODE:	SITE ADDRESS: Street and City	State	GLOBAL ID NO.:
Conestoga-Rovers & Associates	CETS	2120 Montana Street, Oakland	CA	T0600101805

ADDRESS:	EDF DELIVERABLE TO (Name, Company, Office Location):	PHONE NO.:	E-MAIL:	CONSULTANT PROJECT NO.:
19449 Riverside Drive, Suite 230, Sonoma, CA 95476	Felicia Ballard, CRA, Sonoma	707-933-2360	sonomaedf@craworld.com	240733-003

PROJECT CONTACT (Hardcopy or PDF Report to):	TELEPHONE:	FAX:	E-MAIL:
Brian Wong	510-420-3345	510-420-9170	bwong@craworld.com

SAMPLER NAME(S) (Print): Mark Johnson

LAB USE ONLY: 05-1092

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS): ☑ STD ☐ 5 DAY ☐ 3 DAY ☐ 2 DAY ☐ 24 HOURS ☐ RESULTS NEEDED ON WEEKEND

☐ LA - RWQCB REPORT FORMAT ☐ UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:

Strip Midfluent Data from EDF files

Compliance Samples

Flowmeter = 764028 Hour Meter = 7161.3

cc: PDF Report to afriel@craworld.com

- ☐ EDD NOT NEEDED
- ☑ SHELL CONTRACT RATE APPLIES
- ☐ STATE REIMB RATE APPLIES
- ☑ RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Purgeable (8015)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead ☐ Total ☐ STLC ☐ TCLP	LUFT5 ☐ Total ☐ STLC ☐ TCLP	CAM17 ☐ Total ☐ STLC ☐ TCLP	Test for Disposal (see attached)		TEMPERATURE ON RECEIPT C°
	INF	5/14	4:00	AQ	5	X		X		X																VOAs w/HCl
	MID 1		3:55	AQ	5	X		X		X																VOAs w/HCl
	MID 2		3:50	AQ	5	X		X		X																VOAs w/HCl
	EFF		3:45	AQ	5	X		X		X																VOAs w/HCl

FIELD NOTES:

Container/Preservative or PID Readings or Laboratory Notes

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Mark Johnson	CEL	5-14-07	1635
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
TO GSO		5/15/07	0900
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

K:\Sonoma.Shell\Oakland 2120 Montana\Remediation\O&M\Field Forms\0733 GWE COC 04.07.xlsRoutine

Rev. 4/23/2007

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 07 - 05 - 1092

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Conestoga **DATE:** 5/15/07

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

_____ Chilled, cooler with temperature blank provided.
_____ Chilled, cooler without temperature blank.
_____ Chilled and placed in cooler with wet ice.
_____ Ambient and placed in cooler with wet ice.
_____ Ambient temperature.
_____ °C Temperature blank.

LABORATORY (Other than Calscience Courier):

_____ °C Temperature blank.
4.1 °C IR thermometer.
_____ Ambient temperature.

Initial: AP

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: _____ No (Not Intact) : _____ Not Present: ✓

Initial: JP

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sampler's name indicated on COC	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers and volume for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: JP

COMMENTS:

Calscience Environmental Laboratories, Inc.

June 19, 2007

Brian Wong
Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Subject: **Calscience Work Order No.: 07-06-0810**
Client Reference: 2120 Montana Street, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/12/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Don Burley
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 06/12/07
Work Order No: 07-06-0810
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	**07-06-0810-1**	**06/11/07**	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612B01**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	84	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	79	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	**07-06-0810-2**	**06/11/07**	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612B01**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	78	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	79	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	**07-06-0810-3**	**06/11/07**	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612B01**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	230	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	80	38-134	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	**07-06-0810-4**	**06/11/07**	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612B01**

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	150	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	80	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 06/12/07
Work Order No: 07-06-0810
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-12-436-555**	**N/A**	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	77	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates	Date Received:	06/12/07
19449 Riverside Drive, Suite 230	Work Order No:	07-06-0810
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8260B
	Units:	ug/L
Project: 2120 Montana Street, Oakland, CA		Page 1 of 2

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
INF	**07-06-0810-1**	**06/11/07**	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	6.1	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	103	74-140		1,2-Dichloroethane-d4	101	74-146	
Toluene-d8	96	88-112		1,4-Bromofluorobenzene	95	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 1	**07-06-0810-2**	**06/11/07**	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	9.6	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	108	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	94	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MID 2	**07-06-0810-3**	**06/11/07**	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	74-140		1,2-Dichloroethane-d4	102	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	93	74-110	

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
EFF	**07-06-0810-4**	**06/11/07**	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	74-140		1,2-Dichloroethane-d4	106	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 06/12/07
Work Order No: 07-06-0810
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2120 Montana Street, Oakland, CA

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-21,749**	**N/A**	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615L01**

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	0.23	1	

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	100	74-140		1,2-Dichloroethane-d4	99	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	94	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received:	06/12/07
Work Order No:	07-06-0810
Preparation:	EPA 5030B
Method:	EPA 8015B (M)

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
EFF	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	97	68-122	1	0-18	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: 06/12/07
Work Order No: 07-06-0810
Preparation: EPA 5030B
Method: EPA 8260B

Project 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0784-9	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	101	88-118	1	0-7	
Carbon Tetrachloride	98	100	67-145	3	0-11	
Chlorobenzene	100	102	88-118	2	0-7	
1,2-Dichlorobenzene	98	97	86-116	1	0-8	
1,1-Dichloroethene	128	127	70-130	0	0-25	
Toluene	103	102	87-123	0	0-8	
Trichloroethene	102	99	79-127	2	0-10	
Vinyl Chloride	92	92	69-129	0	0-13	
Methyl-t-Butyl Ether (MTBE)	94	95	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	97	95	36-168	2	0-45	
Diisopropyl Ether (DIPE)	102	103	81-123	1	0-9	
Ethyl-t-Butyl Ether (ETBE)	94	97	72-126	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	95	96	72-126	2	0-12	
Ethanol	92	88	53-149	4	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates	Date Received:	N/A
19449 Riverside Drive, Suite 230	Work Order No:	07-06-0810
Sonoma, CA 95476-6955	Preparation:	EPA 5030B
	Method:	EPA 8015B (M)

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-555	**Aqueous**	**GC 24**	**06/12/07**	**06/12/07**	**070612B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	102	101	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Conestoga-Rovers & Associates
19449 Riverside Drive, Suite 230
Sonoma, CA 95476-6955

Date Received: N/A
Work Order No: 07-06-0810
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2120 Montana Street, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,749	**Aqueous**	**GC/MS T**	**06/15/07**	**06/15/07**	**070615L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	100	84-120	2	0-8	
Carbon Tetrachloride	101	104	63-147	2	0-10	
Chlorobenzene	102	103	89-119	2	0-7	
1,2-Dichlorobenzene	97	98	89-119	1	0-9	
1,1-Dichloroethene	100	103	77-125	3	0-16	
Toluene	102	103	83-125	1	0-9	
Trichloroethene	98	99	89-119	2	0-8	
Vinyl Chloride	87	89	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	94	97	82-118	4	0-13	
Tert-Butyl Alcohol (TBA)	85	88	46-154	3	0-32	
Diisopropyl Ether (DIPE)	101	103	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	98	101	74-122	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	98	101	76-124	3	0-10	
Ethanol	79	88	60-138	11	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 07-06-0810

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

SHELL Chain of Custody Record

LAB:
- ☐ TA - Irvine, California
- ☐ TA - Morgan Hill, California
- ☐ TA - Sacramento, California
- ☐ TA - Nashville, Tennessee
- ☑ Calscience
- ☐ Other_____

NAME OF PERSON TO BILL: Denis Brown

☑ ENVIRONMENTAL SERVICES ☐ NETWORK DEV / FE ☐ COMPLIANCE ☐ BILL CONSULTANT ☐ RMT/CRMT

☐ CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

INCIDENT # (ES ONLY): 9 8 9 9 5 7 4 0

PO # | SAP or CRMT #

DATE: 6-11-7

PAGE: 1 of 1

SAMPLING COMPANY:	LOG CODE:	SITE ADDRESS: Street and City	State	GLOBAL ID NO.:
Conestoga-Rovers & Associates	CETS	2120 Montana Street, Oakland	CA	T0600101805

ADDRESS:	EDF DELIVERABLE TO (Name, Company, Office Location):	PHONE NO.:	E-MAIL:	CONSULTANT PROJECT NO.:
19449 Riverside Drive, Suite 230, Sonoma, CA 95476	Felicia Ballard, CRA, Sonoma	707-933-2360	sonomaedf@craworld.com	240733-003

PROJECT CONTACT (Hardcopy or PDF Report to):	TELEPHONE:	FAX:	E-MAIL:
Brian Wong	510-420-3345	510-420-9170	bwong@craworld.com

SAMPLER NAME(S) (Print): VARTAN HAMEDANIAN

LAB USE ONLY: 07-06-0810

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS): ☑ STD ☐ 5 DAY ☐ 3 DAY ☐ 2 DAY ☐ 24 HOURS ☐ RESULTS NEEDED ON WEEKEND

☐ LA - RWQCB REPORT FORMAT ☐ UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:

Strip Midfluent Data from EDF files

Compliance Samples

Flowmeter = 813,820.0 Hour Meter = 7526.0

cc: PDF Report to afriel@craworld.com

☐ EDD NOT NEEDED
☑ SHELL CONTRACT RATE APPLIES
☐ STATE REIMB RATE APPLIES
☑ RECEIPT VERIFICATION REQUESTED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Purgeable (8015)	TPH - Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	VOCs by 8260B	Semi-Volatiles by 8270C	Lead ☐ Total ☐ STLC ☐ TCLP	LUFT5 ☐ Total ☐ STLC ☐ TCLP	CAM17 ☐ Total ☐ STLC ☐ TCLP	Test for Disposal (see attached)		TEMPERATURE ON RECEIPT C°
1	INF	6-11	1:00	AQ	5	X		X		X																VOAs w/HCl
2	MID 1		12:55	AQ	5	X		X		X																VOAs w/HCl
3	MID 2		12:50	AQ	5	X		X		X																VOAs w/HCl
4	EFF		12:45	AQ	5	X		X		X																VOAs w/HCl

FIELD NOTES:
Container/Preservative or PID Readings or Laboratory Notes

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Vartan Hamedanian	CEL	6-11-07	1655
TO GSD			
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
		6-12-07	0930
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Rev. 4/23/2007

K:\Sonoma.Shell\Oakland 2120 Montana\Remediation\O&M\Field Forms\0733 GWE COC 04.07.xlsRoutine

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 07 - 06 - 0810

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: CRA DATE: 06/12/07

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

_____ Chilled, cooler with temperature blank provided.
_____ Chilled, cooler without temperature blank.
_____ Chilled and placed in cooler with wet ice.
_____ Ambient and placed in cooler with wet ice.
_____ Ambient temperature.

_____ °C Temperature blank.

LABORATORY (Other than Calscience Courier):

_____ °C Temperature blank.
2.6 °C IR thermometer.
_____ Ambient temperature.

Initial: NC

CUSTODY SEAL INTACT:

Sample(s): _____ Cooler: _____ No (Not Intact) : _____ Not Present: ✓

Initial: NC

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sampler's name indicated on COC	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers and volume for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: NC

COMMENTS:

Attachment C

Data Graphs



GRAPH

1

Note: Concentrations below detection limit are plot at their detection limit value.

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

Influent TPHg Groundwater Mass Removal



GRAPH

2

Note: Concentrations below detection limit are plot at their detection limit value.

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

Influent Benzene Groundwater Mass Removal



GRAPH

3

Note: Concentrations below detection limit are plot at their detection limit value.

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

Influent MTBE Groundwater Concentrations



GRAPH

4

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

EW-1 Groundwater Concentrations and Elevation



GRAPH

5

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

EW-2 Groundwater Concentrations and Elevation



GRAPH

6

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

TBW-N Groundwater Concentrations and Elevation



GRAPH

7

Shell-branded Service Station
2120 Montana Street
Oakland, California

CONESTOGA-ROVERS & ASSOCIATES

MW-2 Groundwater Concentrations and Elevation