#### RECEIVED



10:01 am, Jan 18, 2011 Alameda County Environmental Health **Stacie H. Frerichs** Team Lead Marketing Business Unit Chevron Environmental Management Company 6001 Bollinger Canyon Road San Ramon, CA 94583 Tel (925) 842-9655 Fax (925) 842-8370

January 17, 2011 (date)

Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Re: Chevron Facility #\_9-7127\_\_\_\_

Address: Grant Line Road and Interstate 580, Tracy, California

I have reviewed the attached report titled <u>Second Semi-Annual 2010 Groundwater Monitoring</u> <u>Report</u>\_\_\_\_\_ and dated <u>January 17, 2011</u>.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

SHFrencho

Stacie H. Frerichs Project Manager

Enclosure: Report



10969 Trade Center Drive Rancho Cordova, California 95670 Telephone: (916) 889-8900 Fax: (916) 889-8999 www.CRAworld.com

January 17, 2011

Reference No. 631656

Mr. Mark Detterman, P.G., C.E.G. Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Re: Second Semi-Annual 2010 Groundwater Monitoring Report Former Chevron Service Station 9-7127 I-580 and Grant Line Road Tracy, California LOP Case #RO0000185

Dear Mr. Mark Detterman:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) to Alameda County Environmental Health (ACEH) on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. The report (prepared by Gettler-Ryan Inc. and dated December 22, 2010) presents the results of the second semi-annual 2010 event. Wells MW-1, MW-3, MW-4, and MW-6 are sampled on a semi-annual basis during the second and fourth quarters; wells MW-2, MW-5, and MW-7 are sampled on an annual basis during the second quarter; and the water-supply well is sampled on an annual basis during the fourth quarter. Sampling of well MW-8 has been discontinued due to a damaged well casing. Please note that wells MW-1 and MW-3 were not sampled during the current event due to the presence of light non-aqueous phase liquid (LNAPL). Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the second semi-annual 2010 analytical results along with a rose diagram. The monitoring results during 2010 are discussed below.

During 2010, petroleum hydrocarbon concentrations in the site wells were similar to or less than those observed during 2009. During 2010, LNAPL was detected in MW-1 at thicknesses of 0.88 feet and 2.68 feet. Various amounts of LNAPL have historically been detected in this well; however, the thickness detected during the current event was the highest to date. LNAPL was also detected in MW-3 at thicknesses of 0.25 feet and 0.61 feet during 2010; LNAPL has been present in MW-3 since 2009. Relatively low to slightly elevated concentrations of total petroleum hydrocarbons as gasoline (TPHg) (1,100 micrograms per liter [ $\mu$ g/L] and 520  $\mu$ g/L) and benzene (93  $\mu$ g/L and 130  $\mu$ g/L) were detected in MW-4 during 2010; these concentrations are consistent with historical fluctuations. Low concentrations of toluene (up to 19  $\mu$ g/L), ethylbenzene (up to 15  $\mu$ g/L), and xylenes (up to 32  $\mu$ g/L) were also detected in MW-4 during 2010; methyl tertiary butyl ether (MTBE) was not detected and has not been detected in

Equal Employment Opportunity Employer



January 17, 2011

Reference No. 631656

this well since 2001. TPHg, benzene, toluene, ethylbenzene, and xylenes (BTEX), and MTBE were not detected in MW-2, MW-5 through MW-7, or the water-supply well during 2010, and generally have not been detected in these wells throughout the course of monitoring.

2

Based on the analytical results, impacted groundwater is present in the area of well MW-4 upgradient of the former underground storage tanks (USTs) and dispensers; concentrations in this well have remained relatively stable. TPHg, BTEX, and MTBE were not detected in perimeter wells MW-2 and MW-5 through MW-7. Based on the monitoring results, the extent of impacted groundwater appears to be relatively well-defined. CRA recommends continued monitoring and sampling to further evaluate groundwater quality and concentration trends.

LNAPL continues to be detected in MW-1 adjacent to the former USTs. Previous remedial efforts were unsuccessful in removing the LNAPL. LNAPL also continues to be detected in well MW-3 since it was first observed in 2009. In May 2010, CRA performed a groundwater pumping test/vacuum extraction event on MW-1, the results were presented in the October 4, 2010 *Vacuum Extraction Event Report and Work Plan for Surfactant-Enhanced Recovery*. The results indicated that MW-1 was in good hydrogeologic communication with MW-3 (drawdown and a reduction in LNAPL observed) and sufficient volumes of water and/or LNAPL were able to be extracted from MW-1. Therefore, the use of surfactant-enhanced recovery (SER) was proposed to address the residual LNAPL at the site. However, in a letter dated December 20, 2010, ACEH requested further work prior to the use of SER. We are currently evaluating the path forward at the site.



January 17, 2011

3

James P. Kiernan, P.E.

Reference No. 631656

No. 68498 Exp. 9/30/ //

CALIF

REGIS

Please contact Mr. James Kiernan at (916) 889-8917 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES


Oliver M. Yan

OY/jm/9 Encl.


Figure 1	Vicinity Map
Figure 2	Concentration Map – November 29, 2010

Attachment A Groundwater Monitoring and Sampling Report


cc: Ms. Stacie Frerichs, Chevron (electronic copy only) Mr. Ardavan Onsori FIGURES



631656-127(009)GN-WA001 JAN 13/2011



631656-127(009)GN-WA002 JAN 14/2011





#### LEGEND

- MONITORING WELL LOCATION
- ⊕ WATER SUPPLY WELL (LIVESTOCK)
- SOIL BORING LOCATION (KLEINFELDER)
- SOIL BORING LOCATION (PEG)
- (440) TPHg CONCENTRATION (ug/L)
- (0.9) BENZENE CONCENTRATION (ug/L)
- (18) MTBE CONCENTRATION (ug/L)
- (NS) NOT SAMPLED
- (LNAPL) LIGHT NON-AQUEOUS PHASE LIQUID
- 11/29/10 SAMPLE DATE
- \* DISCONTINUED FROM MONITORING AND SAMPLING

• MW-4 (520) (130) (<0.5) 11/29/10

figure 2

CONCENTRATION MAP - NOVEMBER 29, 2010 FORMER CHEVRON SERVICE STATION 9-7127 GRANT LINE ROAD AND INTERSTATE 580 *Tracy, California* 

#### ATTACHMENT A

#### GROUNDWATER MONITORING AND SAMPLING REPORT



December 29, 2010 G-R #385251

- TO: Mr. James Kiernan Conestoga-Rovers & Associates 10969 Trade Center Drive, Suite 107 Rancho Cordova, CA 95670
- FROM: Deanna L. Harding Project Coordinator Gettler-Ryan Inc. 6747 Sierra Court, Suite J Dublin, California 94568

RE: Former Chevron Service Station #9-7127 (MTI) I-580 and Grant Line Road Tracy, California

#### WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	December 22, 2010	Groundwater Monitoring and Sampling Report Second Semi-Annual Event of November 29, 2010

#### COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for <u>your</u> <u>use and distribution to the following (including PDF submittal of the entire report to</u> <u>GeoTracker):</u>

Ms. Stacie H. Frerichs, Chevron Environmental Management Company, 6111 Bollinger Canyon Road, Room 3596, San Ramon, CA 94583 (PDF ONLY)

- Mr. Mark Detterman, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
  - (No Hard Copy-CRA UPLOAD TO ALAMEDA CO.)

Mr. Ardavan Onsori, 29310 Union City Blvd., Union City, CA 94587

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *January 12, 2010*, at which time this final report will be distributed to the following:

cc: Ms. Christyl Escarda, RWQCB, Central Valley Region, 11020 Sun Center Drive, Suite 200, Rancho Cordova, CA 95670-6114 (No Hard Copy)

Enclosures

trans/9-7127-SHF



Stacle H. Frerichs Team Lead Marketing Business Unit Chevron Environmental Management Company 6001 Bollinger Canyon Road San Ramon, CA 94583 Tel (925) 842-9655 Fax (925) 842-8370

December 29, 2010 (date)

Alameda County Health Care Services 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577

Re: Chevron Facility # 9-7127

Address: I-580 and Grant Line Road, Tracy, California

I have reviewed the attached routine groundwater monitoring report dated December 29, 2010

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Frencho

Stacie H. Frerichs Project Manager

Enclosure: Report

### WELL CONDITION STATUS SHEET

Client/Facility #:	Chevro	n <b>#9_7127</b>			-			SHEEL			
Site Address:		d Grant L	ine Beed		<u> </u>	-	Job #	385251			
City:	Tracy, C		ine Road			-	Event Date:		29.10		•
							Sampler:	- 30			
WELL ID	Vault Frame Condition	O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B≈ Broken S≈ Stripped R≈Retap	APRON Condition C=Cracked B=Broken G=Gone	<b>Grout Seal</b> (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW_1	0.10		N/A	NIA	Oik	O.K	o.k	N	N	Stave Die	
MW.2		NA		N/A				10		store pipe store pipe	No
MW-3		N/A-		N/A					1	Stove Pipe	
MW-4		O.K	O.K	O.IC						12" EMCO	
MW-5 MW-6			the second s	NA						Store Pipe	
MW-7		O.K N/A	OIC NA	D·K			/			12" ENCO	1
1.00		NIT	10/14	NA	V		V	V	V	Store Pipe	
comments			<u></u>								

Comments



December 22, 2010 G-R Job #385251

Ms. Stacie H. Frerichs Chevron Environmental Management Company 6111 Bollinger Canyon Rd., Room 3596 San Ramon, CA 94583

RE: Second Semi-Annual Event of November 29, 2010 Groundwater Monitoring & Sampling Report Former Chevron Service Station #9-7127 I-580 and Grant Line Road Tracy, California

Dear Ms. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,


Deanna L. Harding Project Coordinator

Douglas J. Lee

Senior Geologist, P.G. No. 6882

Figure 1:Potentiometric MapTable 1:Groundwater Monitoring Data and Analytical ResultsTable 2:Groundwater Analytical Results - Oxygenate CompoundsTable 3:Groundwater Analytical ResultsAttachments:Standard Operating Procedure - Groundwater Sampling<br/>Field Data Sheets<br/>Chain of Custody Document and Laboratory Analytical Reports





FILE NAME: P:\Enviro\Chevron\9-7127\Q10-9-7127.DWG | Layout Tab: Pot4

### Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

1-58

80 and	d Grant	Line	Road	

Tracy, California												
	TOTAL SPH											
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	B	T	E	x	MTBE	
DATE	(ft.)	(msl)	(fl.)	(fL)	(galløns)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-1												
02/15/94	329.17	299.40	29.77			99,000	20,000	24,000	2000	9800		
04/21/94	329.17	299.32	29.85		÷		-				-	
06/01/94	329.17	299.25	29.92			56,000	12,000	15,000	1100	5800		
06/28/94	329.17	299.02	30.15	-	-	-	( <del>24</del> )				-	
07/19/94	329,17	308.87	20.30			-					1.1	
09/02/94	329.17	298.96	30.61	0.50	-	1 m						
09/12/94	329.17	298.04	31.66	0.66	+	-					-	
10/12/94	329.17	298.70	31.70	1.54								
11/30/94	329.17	299.84	29.95	0.77	-		( <del></del> )		<u></u>		1.427	
03/09/95	329.17	299.88	29.54	0.31								
04/18/95	329.17	300.16	29.01									
05/17/95	329.17	300.08	29.09			130,000	22,000	30,000	2000	10,000	2	
06/07/95	329.17	299.93	29.24			1.00					_	
07/21/95	329.17	299.51	29.66				-		-	-		
08/15/95	329.17	299.30	29.87			41,000	9400	12,000	1400	7700		
09/07/95	329.17	299.32	29.85	-							0.00	
10/09/95	329.17	299.16	30.01		-				-	1.24		
11/15/95	329.17	299.29	29.88		-	68,000	15,000	9600	1100	5500	<2000	
12/30/95	329.17	299.18	29.99	-			-					
01/29/96	329.17	299.85	29.32	6			144				2	
02/27/96	329.17	300.66	28.51			520	48	71	<0.5	27	28	
03/05/96	329.17	300.73	28.44	-				-	-0.5			
04/23/96	329.17	300.97	28.20	-		-		2			2	
05/30/96	329.17	300.70	28.47	-	240	57,000	15,000	11,000	1100	4900	<250	
06/19/96	329.17	300.74	28.43									
07/15/96	329.17	300.51	28.66	-	-		-			- C	-	
08/27/96	329.17	300.44	28.73	-		74,000	11,000	9500	790	3600	<120	
09/09/96	329.17	300.32	28.85									
10/28/96	329.17	300.64	28.53	+-	42	-		-	-		2.5	
11/11/96	329.17	300.40	28.77	-	-	69,000	13,000	9100	810	3200		
05/06/97	329.17	301.05	28.12	**		98,000	23,000	17,000	1100	5200	<250	
07/27/97	329.17	300.99	28.18	-		-					<500	
11/18/97	329.17	300.44	28.73	1		58,000	19,000	9700	1100			
05/31/98	329.17	302.14	27.03	0.05		180,000	25,000	25,000		4000	<500	
05/31/983	329.17	302.14	27.03	0.05	-	130,000	23,000	25,000	1700	9300	19,000 <500	

### Table 1 water Monitoring Data and Analytics

Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

					-580 and Gran	ce Station #9-/ t Line Road	127				
					Tracy, Cal						
					TOTAL SPH						
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	В	T	E	x	MTBE
DATE	(ft.)	(msl)	(fi.)	(fl.)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-1 (cont)											
08/12/98 <sup>2</sup>	329.17	301.99	27.18	-		-			-		
11/23/98	329.17	301.63	27.54		4	131,000	14,600	23,700	1990	13,600	<200
05/11/99 <sup>2.7</sup>	329.17	301.89	27.28		· · ·			-	-		-
11/24/99	329.17	301.228	28.11	>0.2	0.26					( <del>1</del>	<u></u>
05/23/00 <sup>1</sup>	329.17	302.34**	27.61	0.97	0.5213	NOT SAMPLE	ED DUE TO T	HE PRESENCE	OF SPH	1.12	
10/31/00	329.17	301.47**	28.35	0.81	0.2613			HE PRESENCE		-	
05/18/01	329.17	301.27**	28.62	0.90	0.00			HE PRESENCE		-	144
11/16/0115	329.17	300.63**	28.57	0.04	0.00			HE PRESENCE			12
07/01/0215	329.17	300.38**	29.36	0.71	0.5013			HE PRESENCE		-	<u> </u>
11/08/0215	329.17	300.07**	29.82	0.90	0.1313			HE PRESENCE			
06/13/03 <sup>15</sup>	329.17	300.59**	28.83	0.31	1.8518			HE PRESENCE		- 2	
1/20/03	329.17	INACCESSIBL						THE TREBETTEE	OI DI II		
5/18/04	329.17	INACCESSIBL.									
1/19/04	329.17	INACCESSIBL								-	-
05/03/05	329.17	INACCESSIBL								-	
11/28/05	329.17	INACCESSIBL							-		
05/25/06	329.17	INACCESSIBL						1.25			
1/21/06	329.17	INACCESSIBL									
05/09/07	329.17	299.78**	29.70	0.39							-
1/17/07	329.17	299.68**	30.83		1.30 <sup>13</sup>			HE PRESENCE			-
04/30/08	329.17	299.08**		1.67	1.6913			HE PRESENCE		~	
1/26/08	329.17	298.73**	31.54	0.83	0.5313			HE PRESENCE			-
			31.90	1.82	0.7923			HE PRESENCE		-	
)5/22/09 <sup>24</sup>	329.17	298.00**	31.95	0.97	1.2913			HE PRESENCE			
1/24/09	329.17	298.38**	32.06	1.59	0.00			HE PRESENCE			- <del></del>
5/25/10	329.17	299.19**	30.68	0.88	0.00			HE PRESENCE			
1/29/10	329.17	299.64**	31.67	2.68	0.00	NOT SAMPL	ED DUE TO	THE PRESENC	E OF SPH	-	-
MW-2											
)2/15/94	327.22	300.13	27.09		<u>6</u> .	83	21	6.0	1.0	2.0	
)4/21/94	327.22	299.41	27.81		-			0.0		3.0	
)6/01/94	327.22	299.24	27.98	-		<50	1.3				*
)6/28/94	327.22	299.05	28.17	-			1.5	0.5	<0.5	<0.5	·*
)7/19/94	327.22	298.87	28.35								-
)9/02/94	327.22	298.70	28.52								
i z i vani z t	361.66	270.10	20.32		1771	82	13	16	3.6	14	

	Та	ble 1	
Groundwater	Monitoring	Data and	Analytical Results
			the state of the

Former Chevron Service Station #9-7127

I-580 and Grant Line Road

					I-580 and Grant						
					Tracy, Cali						
WELL ID/	TOC+	2718 B 187			TOTAL SPH	* . * . * . * . * . * . * . * . * . * .	· · · · · · · · · · · · · · · · · · ·				
DATE	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	B	T		X	MTBE
	(ft.)	(msl)	(fi.)	(fL)	(galtens)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-2 (cont)											
09/12/94	327.22	298.66	28.56	÷.	- <del></del>		0	1.44			
10/12/94	327.22	298.60	28.62		-	÷*					-
11/30/94	327.22	298.84	28.38		-	<50	3.6	4.5	1.0	4.5	
03/09/95	327.22	299.81	27.41	-	-						
04/18/95	327.22	300.43	26.79	-	-		-				
05/17/95	327.22	300.27	26.95			<50	<0.5	<0.5	<0.5	<0.5	
06/07/95	327.22	300.16	27.06		÷.					-	-
07/21/95	327.22	299.75	27.47			**	-				4
08/15/95	327.22	299.65	27.57			<50	<0.5	<0.5	<0.5	<0.5	<u></u>
09/07/95	327.22	298.53	28.69			44	140				
10/09/95	327.22	299.37	27.85						-		
11/15/95	327.22	299.31	27.91	-		<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/95	327.22	299.62	27.60		4					123	
01/29/96	327.22	300.06	27.16		-				-		
02/27/96	327.22	300.97	26.25			<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	327.22	300.52	26.70								
04/23/96	327.22	301.40	25.82		-				-	4	-
05/30/96	327.22	301.06	26.16		-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	327.22	300.95	26.27			-					
07/15/96	327.22	300.76	26.46							-	
08/27/96	327.22	300.50	26.72			<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	327.22	300.42	26.80						1.1		
10/28/96	327.22	300.39	26.83		÷						
11/11/96	327.22	300.50	26.72	-				-			
05/06/97	327.22	301.21	26.01	-		<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	327.22	300.84	26.38	-	100				-	-	
11/18/97	327.22	300.72	26.50			<u></u>	-	-			-
05/31/98	327.22	302.75	24.47	4		<50	<0.3	<0.3	<0.3	<0.6	<10
1/23/98	327.22	302.28	24.94		4	SAMPLED AN				-	
)5/11/99	327.22	302.73	24.49			<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	327.22	302.19	25.03	0.00	0.00	<50	<0.50	<0.50	< 0.50	<0.50	<2.5
10/31/00	327.22	301.30	25.92	0.00	0.00	-					-4.5
05/18/01	327.22	301.14	26.08	0.00	0.00	<50	0.52	2.6	< 0.50	1.9	<2.5
11/16/01	327.22	300.41	26.81	0.00	0.00	1					-4.5
07/01/02	327.22	300.25	26.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5

# Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

					-580 and Gran		127				
					Tracy, Cal	ifornia					
					TOTAL SPH	***********************************					
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	В	T	E	X	MTBE
DATE	(ft.)	(msl)	(fL)	(fl.)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-2 (cont)											
11/08/02	327.22	299.92	27.30	0.00	0.00	2.44		- <del>22</del> -2	- <del>1</del>		-
06/13/0319	327.22	300.49	26.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	327.22	300.74	26.48	0.00	0.00			-			
05/18/04 <sup>19</sup>	327.22	300.14	27.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	327.22	300.52	26.70	0.00	0.00	SAMPLED AN				-	
05/03/0519	327.22	299.97	27.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	327.22	299.77	27.45	0.00	0.00	SAMPLED AN			**	-	
05/25/0619	327.22	300.62	26.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	327.22	300.21	27.01	0.00	0.00	SAMPLED AN				-0.5	
05/09/07 <sup>19</sup>	327.22	299.68	27.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	327.22	300.11	27.11	0.00	0.00	SAMPLED AN			-0.5	-0.5	
04/30/0819	327.22	299.35	27.87	0.00	0.00	<50	<0.5	<0.5	<0.5		
11/26/08	327.22	298.52	28.70	0.00	0.00	SAMPLED AN		-0.5		<0.5	<0.5
05/22/0919	327.22	299.02	28.20	0.00	0.00	<50	<0.5	<0.5	-0.5	-0.5	
11/24/09	327.22	298.44	28.78	0.00	0.00	SAMPLED AN			<0.5	<0.5	<0.5
05/25/1019	327.22	299.15	28.07	0.00	0.00	<50	<0.5	-0.5	-0.5		
11/29/10	327.22	298.52	28.70	0.00	0.00	SAMPLED A		<0.5	<0.5	<0.5	<0.5
	Carries .	270152	20.70	0.00	0.00	SAMPLED A	NNUALLY	-	-	-	10
MW-3											
02/15/94	329.28	299.41	29.87		-	23,000	11,000	1700	540	1000	1.1
)4/21/94	329.28	299.32	29.96	-							
06/01/94	329.28	299.17	30.11			27,000	12,000	2600	600	2200	-
06/28/94	329.28	298.97	30.31								
)7/19/94	329.28	298.78	30.50								-
)9/02/94	329.28	298.67	30.61	-		34,000	16,000	4100	770	3000	2
09/12/94	329.28	298.63	30.65								
10/12/94	329.28	298.54	30.74		-						
1/30/94	329.28	298.84	30.44	÷.		33,000	16,000	3000	740	2400	-
)3/09/95	329.28	299.75	29.53					5000	740	2400	
04/18/95	329.28	300.31	28.97	- 20	-						
)5/17/95	329.28	300.09	29.19	12	-	27,000	10,000	760	400		
06/07/95	329.28	300.04	29.24	- 2					490	1000	
)7/21/95	329.28	299.58	29.70		-					÷	
08/15/95	329.28	299.50	29.78	- 2		39,000		2000	700		
	<i></i>	277.20	47.70	(197) (197)	27	37,000	13,000	2900	700	1700	

### Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

I-580 and Grant Line Road

					Tracy, Cali							
	TOTAL SPH											
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	В	T	<b>B</b>	x	MTBE	
DATE	(ft.)	(msl)	(fi.)	(fi.)	(galløns)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-3 (cont)												
09/07/95	329.28	299.42	29.86	-		(÷	-	- 14 - E	-			
10/09/95	329.28	299.26	30.02					. <del></del>				
11/15/95	329.28	299.22	30.06	- 14C	1.44	21,000	8000	2900	430	1500	<1000	
12/30/95	329.28	299.53	29.75								-	
01/29/96	329.28	300.06	29.22	1400 ·	-	-	-					
02/27/96	329.28	300.85	28.43			<2500	5000	500	220	130	710	
03/05/96	329.28	300.93	28.35	-	44		12	1000	-			
04/23/96	329.28	301.18	28.10	-		44.	-	-			-	
05/30/96	329.28	300.86	28.42			37,000	13,000	7200	870	2900	<120	
06/19/96	329.28	300.77	28.51									
07/15/96	329.28	300.65	28.63	-								
08/27/96	329.28	300.38	28.90	-	12	50,000	9500	6900	740	2900	<120	
09/06/96	329.28	300.30	28.98		±-							
10/28/96	329.28	300.30	28.98			4	-		3.0	-		
11/11/96	329.28	300.44	28.84			52,000	11,000	5500	780	3000	<250	
05/06/97	329.28	301.06	28.22			93,000	23,000	15,000	1400	6200		
07/27/97	329.28	300.70	28.58		<u> </u>						<500	
11/18/97	329.28	300.58	28.70		-	81,000	29,000	17,000	1600	6700		
05/31/98	329.28	302.60	26.68			78,000	24,000	12,000	1200		<500	
05/31/983	329.28	302.60	26.68	1						5800	1300	
08/12/98 <sup>2</sup>	329.28	302.25	27.03			-			-		<500	
11/23/98	329.28	302.19	27.09			97,200	17,900	12,800	1200			
05/11/99 <sup>2</sup>	329.28	302.60	26.68			51,000	18,000	7800		6950	<100	
05/11/993	329.28	302.60	26.68		4		18,000		670	3600	<2.5	
11/24/99	329.28	301.83	27.45	-		62,800	16,600	8300			<100	
05/23/001	329.28	302.11	27.17	0.00	0.00		14,000		900	4890	<500	
10/31/00 <sup>1</sup>	329.28	301.27	28.01	0.00	0.00	27,000 <sup>7</sup> 110,000 <sup>10</sup>		12,000	940	4,600	770	
05/18/01	329.28	301.07	28.21	0.00	0.00	and the second	25,700	21,300	1,300	7,320	1,680	
11/16/01	329.28	300.41	28.87	0.00	0.00	58,000 <sup>7</sup>	19,000	16,000	1,400	7,000	2,300/1114	
07/01/02 <sup>1</sup>	329.28	300.20	29.08	0.00		100,000	23,000	16,000	1,400	6,800	<200	
11/08/02	329.28	299.89	29.08	0.00	0.00	75,000	16,000	8,800	980	4,000	140/<10 <sup>17</sup>	
06/13/03 <sup>19,20</sup>	329.28	300.46	29.39		0.00	45,000	9,800	5,800	590	2,400	<50	
11/20/03 <sup>19</sup>	329.28	300.48	28.82	0.00	0.00	42,000	9,100	4,100	580	1,800	5	
05/18/04 <sup>19</sup>	329.28	300.31		0.00	0.00	52,000	12,000	4,500	660	3,200	5	
			29.21	0.00	0.00	57,000	15,000	5,700	840	3,400	9	
11/19/04 <sup>19</sup>	329.28	300.42	28.86	0.00	0.00	67,000	15,000	4,200	850	3,400	7	

# Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

						127						
			1									
TOC*	CWF	DTW	SPHT					-				
******************************	• • • • • • • • • • • • • • • • • • • •		*.*.*.*.*.*.*.*.*.*.	*,*,*,*,*,* * * * * * * * * *	***************************	**********************		• • • • • • • • • • • • • • • • • • • •		MTBE		
				(5 accorro)	(PS/ L)	(#5.0)	(µg/1-)	( <b>#</b> g/L)	(µg/1)	(µg/L)		
200.00	200.00			1.20								
										<10		
										<25		
										<5		
									1,600	<5		
							660	590	1,300	<10		
							86	610	560	3		
					19,000	8,300	440	510	620	<5		
			0.00	0.00	20,000	7,500	230	470	640	<10		
		30.58	0.72	0.9013	NOT SAMPLE	D DUE TO TI	HE PRESENCE	OF SPH				
		31.16	0.98	0.00	NOT SAMPLE	ED DUE TO TI	HE PRESENCE	OF SPH				
329.28	299.10**	30.38	0.25	0.00	NOT SAMPLE	D DUE TO TI	HE PRESENCE	OF SPH				
329.28	299.05**	30.72	0.61	0.00	NOT SAMPL	ED DUE TO	THE PRESENC	E OF SPH	-	100		
	-	<del></del> .	-			12	2.0	<0.5	1.0	1.2		
				-	300	56	10	0.8	3.0	-		
			-		260	47	12	2.0	4.0	-		
		29.99	÷-	÷÷ .						1.0		
	299.30	30.14	-		860	200	23	2.8	9.6	- 22		
329.44	299.12	30.32	-									
329.44	298.94	30.50								<u>6</u>		
329.44	298.82	30.62	-		1700	250	27	6.4	15			
329.44	298.75	30.69										
329.44	298.69	30.75								12		
329.44	298.93	30.51	÷-		830	350	29	8.1	22			
329.44	299.83	29.61								1		
329.44	300.36	29.08	**							- 2		
329.44	300.22	29.22			470	200	2.2			2		
329.44	300.17	29.27										
329.44	299.72											
329.44			-		100							
				1.1.1				~0.5		-		
329.44	299.39	30.05										
	 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44 329.44	(fL)         (msl)           329.28         299.88           329.28         299.72           329.28         300.47           329.28         300.06           329.28         299.55           329.28         299.55           329.28         299.46           329.28         299.28*           329.28         299.28**           329.28         299.28**           329.28         299.28**           329.28         299.10**           329.28         299.05**           329.28         299.05**           329.28         299.05**           329.44         299.45           329.44         299.45           329.44         299.30           329.44         299.45           329.44         299.45           329.44         298.94           329.44         298.82           329.44         298.82           329.44         298.75           329.44         298.83           329.44         298.93           329.44         298.93           329.44         299.83           329.44         300.36           3	$(ft.)$ $(mst)$ $(ft.)$ $329.28$ $299.88$ $29.40$ $329.28$ $299.72$ $29.56$ $329.28$ $300.47$ $28.81$ $329.28$ $299.55$ $29.73$ $329.28$ $299.55$ $29.73$ $329.28$ $299.46$ $29.82$ $329.28$ $299.46$ $29.82$ $329.28$ $299.46$ $29.82$ $329.28$ $299.28^{**}$ $30.58$ $329.28$ $299.28^{**}$ $30.58$ $329.28$ $299.05^{**}$ $30.72$ $329.28$ $299.05^{**}$ $30.72$ $329.44$ $299.54$ $29.90$ $329.44$ $299.45$ $29.99$ $329.44$ $299.12$ $30.32$ $329.44$ $299.12$ $30.32$ $329.44$ $298.82$ $30.62$ $329.44$ $298.75$ $30.69$ $329.44$ $298.82$ $30.62$ $329.44$ $298.75$ $30.69$ $329.44$ $298.83$ $29.61$ $329.44$ $298.83$ $29.61$ $329.44$ $299.83$ $29.61$ $329.44$ $299.72$ $29.72$ $329.44$ $299.72$ $29.72$ $329.44$ $299.67$ $29.77$ $329.44$ $299.67$ $29.77$ $329.44$ $299.67$ $29.77$ $329.44$ $299.67$ $29.77$ $329.44$ $299.72$ $29.72$ $329.44$ $299.67$ $29.77$ $329.44$ $299.59$ $29.85$ $329.44$ $299.59$ $29.85$ $329.$	TOC*         GWE         DTW         SPHT           (2.)         (nss)         (2.)         (2.)           329.28         299.72         29.56         0.00           329.28         300.47         28.81         0.00           329.28         300.06         29.22         0.00           329.28         299.55         29.73         0.00           329.28         299.55         29.73         0.00           329.28         299.46         29.82         0.00           329.28         299.28*         30.58         0.72           329.28         299.28**         30.58         0.72           329.28         299.28**         30.58         0.72           329.28         299.05**         30.72         0.61           329.28         299.05**         30.72         0.61           329.44         299.54         29.90	TOC*         GWE         DTW         SPHT         TOTAL SPH REMOVED (R.)           329.28         299.88         29.40         0.00         0.00           329.28         299.72         29.56         0.00         0.00           329.28         300.47         28.81         0.00         0.00           329.28         300.66         29.22         0.00         0.00           329.28         299.55         29.73         0.00         0.00           329.28         299.55         29.73         0.00         0.00           329.28         299.55         29.73         0.00         0.00           329.28         299.55         30.73         0.00         0.00           329.28         298.55         30.73         0.00         0.00           329.28         299.28**         30.58         0.72         0.90 <sup>13</sup> 329.28         299.28*         30.38         0.25         0.00           329.28         299.54         29.99             329.44         299.54         29.99             329.44         299.54         29.99             329.44	I-580 and Grant Line Road Tracy, California           TOC*         GWE         DTW         SPHT         REMOVED (gallons)         TPH-GRO (gallons)           329.28         299.88         29.40         0.00         0.00         54,000           329.28         299.72         29.56         0.00         0.00         38,000           329.28         300.47         28.81         0.00         0.00         27,000           329.28         300.06         29.22         0.00         0.00         22,000           329.28         299.55         29.73         0.00         0.00         22,000           329.28         299.46         29.82         0.00         0.00         19,000           329.28         299.46         29.82         0.00         0.00         19,000           329.28         299.28**         30.58         0.72         0.90 <sup>13</sup> NOT SAMPLE           329.28         299.28**         30.38         0.25         0.00         NOT SAMPLE           329.28         299.05**         30.72         0.61         0.00         NOT SAMPLE           329.44         299.54         29.99         -         -         -           329.44<	TOC*         CWE         DTW         SPHT         REMOVED         TPH-GRO         B           329.28         299.88         29.40         0.00         0.00         56,000         16,000           329.28         299.72         29.56         0.00         0.00         56,000         16,000           329.28         300.47         28.81         0.00         0.00         38,000         9,400           329.28         300.06         29.22         0.00         0.00         27,000         10,000           329.28         299.55         29.73         0.00         0.00         40,000         9,200           329.28         299.55         29.73         0.00         0.00         22,000         9,200           329.28         299.46         29.82         0.00         0.00         19,000         8,300           329.28         299.45         30.73         0.00         0.00         7,500         329,28           299.28         299.08**         31.16         0.98         0.00         NOT SAMPLED DUE TO TI           329.28         299.05**         30.72         0.61         0.00         NOT SAMPLED DUE TO TI           329.44         299.93	I-580 and Grant Line Road Tracy, California           TOC*         CWE         DTW         SPHT         REMOVED         TPH-GRO         B         T           (B.)         (mst)         (B)         (B)         T         (mg/L)         (mg/L)	IS80 and Grant Line Road Trex, California           TOC:         GWE         DTW         SPH1         REMOVED (gallon)         PTH-GRO (gg/L)         B         T         E           (b)         (mrl)         (g)         (gallon)         (gg/L)         (gg/L)	Taky, California           Tracy, California           Toy         SPHT         REMOVED         TPI+CRO         B         T         E         X           (Pr)         COVE         DTW         SPHT         REMOVED         TPI+CRO         B         T         E         X         (Pr)         (Cr)         (Cr)         (Cr)         (Pr)         (Cr)         (Cr)         (Cr)         (Pr)         C         (Cr)         (Cr) <th (cr)<="" colspan="2" td="" thv<=""></th>		

# Table 1 Groundwater Monitoring Data and Analytical Results

Former Chevron Service Station #9-7127

I-580 and Grant Line Road											
					Tracy, Cali	fornia					
WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW	SPHT	TOTAL SPH REMOVED	TPH-GRO	B	Ť	E	x	мтве
	(14)	(INISE)	(fl.)	(fi.)	(gallens)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(#g/L)	(µg/L)
MW-4 (cont)											
12/30/95	329.44	299.65	29.79	-		÷					
01/29/96	329.44	300.13	29.31	-		- <del></del>					
02/27/96	329.44	300.86	28.58			690	100	15	<0.5	2.0	79
03/05/96	329.44	300.89	28.55		4	-					1.2
04/23/96	329.44	301.29	28.15			-	-	-	24		
05/30/96	329.44	301.04	28.40		-	700	240	4.0	0.6	3.9	<5.0
06/19/96	329.44	300.97	28.47				( <del>4</del> )				-
07/15/96	329.44	300.82	28.62	**		-	- 44				-
08/27/96	329.44	300.59	28.85			<50	11	<0.5	<0.5	<0.5	<5.0
09/06/96	329.44	300.52	28.92			1 C	2	-		3 <del>4</del> 0	4
10/28/96	329.44	300.54	28.90			-		-	-		-
11/11/96	329.44	300.66	28.78			240	57	1.4	0,7	1.8	<5.0
05/06/97	329.44	301.33	28.11			240	74	2.7	<0.5	1.6	<5.0
07/27/97	329.44	301.01	28.43			4					
11/18/97	329.44	300.86	28.58			270	230	3.5	1.0	1.6	<2.5
05/31/98	329.44	302.91	26.53			1000	450	3.4	4.5	<6.0	<20
08/12/98 <sup>2</sup>	329.44	302.62	26.82	-	-	Contract of the		-			
11/23/986	329.44	305.52	23.92		-		-	- C.	-		
12/23/986	329.44	305.25	24.19	-				a l		144	-
05/11/99 <sup>2</sup>	329.44	306.24	23.20			470	260	2.6	<0.5	4.3	35
05/11/99 <sup>3</sup>	329.44	306.24	23.20	-			-				<2.0
11/24/99	329.44	306.41	23.03			2400	562	<5.0	10.7	10.4	38.1
5/23/00 <sup>1</sup>	329.44	305.30	24.14	0.00	0.00	370 <sup>8</sup>	4709	1.1	9.7	5.9	84
10/31/00 <sup>1</sup>	329.44	304.42	25.02	0.00	0.00	67211	224	<5.00	<5.00	<15.0	<25.0
05/18/011	329.44	304.23	25.21	0.00	0.00	2307	37	<0.50	1.3	0.95	22/2.114
11/16/0116	329.44	303.53	25.91	0.00	0.00	290	36	<0.50	<0.50	<1.5	<2.5
07/01/02	329.44	303.33	26.11	0.00	0.00	410	60	< 0.50	2.1	<1.5	<2.5
11/08/02	329.44	303.01	26.43	0.00	0.00	64	7.0	<0.50	<0.50	<1.5	<2.5
06/13/0319	329.44	302.58	26.86	0.00	0.00	79	4	<0.5	<0.5	<0.5	<0.5
11/20/0319	329.44	302.81	26.63	0.00	0.00	350	36	<0.5	2	0.7	<0.5
05/18/0419	329.44	303.13	26.31	0.00	0.00	160	22	<0.5	2	1	<0.5
11/19/0419	329.44	302.56	26.88	0.00	0.00	480	93	2	4	4	<0.5
05/03/0519	329.44	302.96	26.48	0.00	0.00	180	40	0.8	4	4	<0.5
11/28/0519	329.44	302.76	26.68	0.00	0.00	630	96	2	5	5	<0.5
05/25/0619	329.44	303.59	25.85	0.00	0.00	2,400	490	11	33	21	<0.5

## Table 1 Groundwater Monitoring Data and Analytical Results

Former Chevron Service Station #9-7127											
				1	-580 and Grant						
					Tracy, Cal						
WELL IN		-		0.00 M 100	TOTAL SPH						
WELL ID/ DATE	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	В	Т	E	x	MTBE
DATE	(ft.)	(msl)	(fl.)	(fl.)	(gallens)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(pg/L)	(µg/L)
MW-4 (cont)											
11/21/06 <sup>19</sup>	329,44	303.16	26.28	0.00	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
05/09/07 <sup>19</sup>	329.44	302.69	26.75	0.00	0.00	940	170	5	9	11	<0.5
11/17/0719	329.44	302.03	27.41	0.00	0.00	580	150	5	4	7	<0.5
04/30/0819	329.44	302.44	27.00	0.00	0.00	73	15	0.6	0.7	0.9	<0.5
11/26/0819	329.44	301.52	27.92	0.00	0.00	530	63	6	5	10	<0.5
05/22/0919	329.44	301.95	27.49	0.00	0.00	400	56	6	4	16	<0.5
11/24/0919	329.44	301.30	28.14	0.00	0.00	1,400	160	18	10	38	<0.5
05/25/1019	329.44	302.04	27.40	0.00	0.00	1,100	93	19	15	32	<0.5
11/29/1019	329.44	301.39	28.05	0.00	0.00	520	130	9	3	24	<0.5
											Course 1
MW-5											
05/25/93				-	-	<50	<0.5	<0.5	<0.5	0.9	
11/05/93						<50	<0.5	<0.5	< 0.5	<0.5	
02/15/94	312.88	287.78	25.10	-	<u>.</u>	<50	<0.5	1.0	<0.5	1.0	
04/21/94	312.88	299.67	13.21	4			-0.5		-0.5		-
06/01/94	312.88	299.49	13.39		-	<50	<0.5	< 0.5	< 0.5	<0.5	
06/28/94	312.88	299.15	13.73		÷.			-0.5			
07/19/94	312.88	299.08	13.80	4	-						
09/02/94	312.88	298.86	14.02	- 2.5		<50	3.2	1.8	<0.5		13
09/12/94	312.88	298.85	14.03		-		J.2			2.1	
10/12/94	312.88	298.73	14.15	-	-						-
11/30/94	312.88	298.97	13.91		-	<50	 <0.5	<0.5		-0.5	
03/09/95	312.88	299.91	12.97	1.1	2				<0.5	<0.5	
04/18/95	312.88	300.40	12.48								
05/17/95	312.88	300.17	12.71								
06/07/95	312.88	300.03	12.85				1.0	<0.5	<0.5	<0.5	- <del></del> -
07/21/95	312.88	299.58	12.85	- 2.0							-
08/15/95				-			<0.5				-
09/07/95	312.88 312.88	299.47 299.46	13.41 13.42			<50	<0.5	<0.5	<0.5	<0.5	-
10/09/95	312.88	299.40									
11/15/95			13.61		2						
12/30/95	312.88	299.25	13.63	**		<50	<0.5	<0.5	<0.5	<0.5	<5.0
01/29/96	312.88	299.58	13.30								
	312.88	300.13	12.75	( <del>*</del>	-						
02/27/96	312.88	300.86	12.02	~		<50	<0.5	<0.5	<0.5	<0.5	<5.0

### Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

I-580 and Grant Line Road Tracy, California												
				(()(()) <del>)) anta</del>		TOTAL SPH						
WELL ID/		TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	B	Т	E	x	MTBE
DATE		(ft.)	(msl)	(fi.)	(ft.)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(pg/L)	(µg/L)
MW-5 (cont)												
03/05/96		312.88	300.92	11.96			1.4F2	- 22	- 22			
04/23/96		312.88	301.11	11.77	-	-	12	-				
05/30/96		312.88	300.71	12.17	4	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96		312.88	300.63	12.25	-							
07/15/96		312.88	300.49	12.39	÷.			-		-		1
08/27/96		312.88	300.23	12.65			<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96		312.88	300.20	12.68				+				
10/28/96		312.88	300.16	12.72				-		-		
11/11/96		312.88	300.27	12.61	(And				22			- 2,
05/06/97		312.88	300.82	12.06			<50	2.2	2.0	<0.5	1.7	<5.0
07/27/97		312.88	300.49	12.39	-							-5.0
11/18/97		312.88	300.43	12.45						-		-
05/31/98		312.88	302.30	10.58		-	<50	< 0.3	<0.3	<0.3	<0.6	<10
11/23/98		312.88	301.96	10.92			SAMPLED AN		-0.5	-0.5	~0.0	
05/11/99		312.88	302.39	10.49	-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00		312.88	301.79	11.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00		312.88	300.97	11.91	0.00	0.00			-0.50			
05/18/01		312.88	300.82	12.06	0.00	0.00	<50	0.52	2.0	<0.50	1.0	<2.5
11/16/01		312.88	300.11	12.77	0.00	0.00	-			~0.50	1.0	
07/01/02		312.88	299.94	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02		312.88	299.61	13.27	0.00	0.00	-		-0.50	~0.50		
06/13/0319		312.88	300.03	12.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03		312.88	300.21	12.67	0.00	0.00	-		-0.5		~0.5	
05/18/0419		312.88	299.98	12.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-0.5
11/19/04		312.88	300.05	12.83	0.00	0.00	SAMPLED AN		-0.5	-0.5	~0.5	<0,5
05/03/0519		312.88	300.00	12.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-0.5
11/28/05		312.88	299.39	13.49	0.00	0.00	SAMPLED AN			-0.5		<0.5
05/25/0619	NP <sup>21</sup>	312.88	300.58	12.30	0.00	0.00	<50	<0.5	<0.5	<0.5	-0.5	-0.5
1/21/06		312.88	300.12	12.76	0.00	0.00	SAMPLED AN		-0.5		<0.5	<0.5
05/09/07 <sup>19</sup>	NP <sup>21</sup>	312.88	299.76	13,12	0.00	0.00	<50	<0.5	<0.5	<0.5	-0.5	-0.5
11/17/07		312.88	299.23	13.65	0.00	0.00	SAMPLED AN		-0.5		<0.5	<0.5
04/30/0819	NP <sup>21</sup>	312.88	299.12	13.76	0.00	0.00	<50	<0.5	<0.5	<0.5	-0.5	
11/26/08		312.88	298.23	14.65	0.00	0.00	SAMPLED AN				<0.5	<0.5
05/22/09 <sup>19</sup>	NP <sup>21</sup>	312.88	299.18	13.70	0.00	0.00	<50	<0.5	<0.5			
	141			13.70	0.00	0.00	-30	-0.5	-0.5	<0.5	<0.5	< 0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127

						-580 and Grant		127				
						Tracy, Cal	and the second se					
WELL ID/		тос*	GWE	DTW	SPHT	TOTAL SPH REMOVED	TPH-GRO	B	T	E	x	мтве
DATE	00000000	(ft.)	(msl)	(fi.)	(fi.)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-5 (cont)												
11/24/09		312.88	298.17	14.71	0.00	0.00	SAMPLED A	NNUALLY				
05/25/1019	NP <sup>21</sup>	312.88	298.60	14.28	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10		312.88	298.31	14.57	0.00	0.00	SAMPLED A	NNUALLY	-	÷		· <del>· ·</del>
MW-6												
12/30/95		312.20	298.55	13.65		4	1.1	1.1				
01/29/96		312.20	300.02	12.18					*	<del></del>	~	
02/27/96		312.20	300.75	11.45	-		70	1.1	<0.5			
03/05/96		312.20	300.88	11.32						<0.5	<0.5	<5.0
04/23/96		312.20	301.08	11.12	2.5	1						
)5/30/96		312.20	300.75	11.45	-	-	60	1.3	<0.5	-0.5		
06/19/96		312.20	300.66	11.54	-					<0.5	0.9	<5.0
07/15/96		312.20	300.44	11.76	-							
08/27/96		312.20	300.25	11.95	34		90	1.6	<0.5			
)9/06/96		312.20	300.18	12.02	14					<0.5	<0.5	<5.0
0/28/96		312.20	300.19	12.01								
1/11/96		312.20	300.30	11.90		-	110	<0.5	<0.5	<0.5		
)5/06/97		312.20	300.92	11.28		-	170	<0.5	<0.5	<0.5 <0.5	<0.5	<5.0
)7/27/97		312.20	300.52	11.68		-		-0.5	-0.5		<0.5	<5.0
1/18/97		312.20	300.43	11.77			<50	<0.5	< 0.5	<0.5	<0.5	
5/31/98		312.20	302.39	9.81		-	<50	0.89	0.65	<0.3	<0.5 <0.6	<2.5
1/23/98		312.20	UNABLE TO L			-						<10
2/23/98		312.20	301.88	10.32			66	<0.5	< 0.5	<0.5	<0.5	<2.5
)5/11/99		312.20	302.40	9.80			<50	1.9	<0.5	<0.5	<0.5 <0.5	2.9
1/24/99		312.20	301.55	10.65			77.2	13.5	<0.5	<0.5	<0.5	<2.9
5/23/00		312.20	301.85	10.35	0.00	0.00	<50	< 0.50	<0.50	<0.50	<0.50	
0/31/00		312.20	301.83	10.37	0.00	0.00	<50.0	< 0.500	< 0.500	<0.500	<0.30 <1.50	<2.5 5.08
5/18/01		312.20	300.89	11.31	0.00	0.00	<50	<0.50	< 0.50	<0.50	<0.50	<2.5
1/16/01		312.20	300.31	11.89	0.00	0.00	<50	<0.50	< 0.50	<0.50	<1.5	<2.5
07/01/02		312.20	300.04	12.16	0.00	0.00	<50	<0.50	< 0.50	<0.50	<1.5	<2.3 <2.5
1/08/02		312.20	299.70	12.50	0.00	0.00	<50	<0.50	< 0.50	<0.50	<1.5	<2.5 <2.5
06/13/03		312.20	UNABLE TO L							<0.50 	-1.5	~2.3
1/20/03		312.20	UNABLE TO L	OCATE								
05/18/04 <sup>19</sup>		312.20	299.94	12.26	0.00	0.00	<50	<0.5	< 0.5	<0.5	<0.5	<0.5

#### Table 1

Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

					I	-580 and Grant						
						Tracy, Cali						
WELL ID/		TOC*	C33/77	BACK BAL	ODIVI	TOTAL SPH						
DATE		(ft.)	GWE (msl)	DTW (fl.)	SPHT	REMOVED	TPH-GRO	B	T	E	X	MTBE
	<u> </u>		(Inse)	(J-)	(fL)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-6 (cont)		a salaria										
11/19/04 <sup>19</sup>		312.20	300.16	12.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 <sup>19</sup>		312.20	299.98	12.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 <sup>19</sup>		312.20	299.59	12.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/0619		312.20	300.37	11.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 <sup>19</sup>	1.1.1	312,20	300.10	12.10	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/0719	NP <sup>21</sup>	312.20	299.82	12.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/0719	NP <sup>21</sup>	312.20	299.25	12.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/0819		312.20	298.56	13.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/0819		312.20	298.40	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/0919		312.20	299.26	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 <sup>19</sup>		312.20	298.16	14.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/1019		312.20	298.98	13.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/1019		312.20	298.34	13.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7												
12/30/95		313.36	300.98	12.38					-			
01/29/96		313.36	300.22	13.14						<u> </u>		
02/27/96		313.36	301.02	12.34	44	1.4	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96		313.36	301.01	12.35	100	-		-0.5				
04/23/96		313.36	301.23	12.13								
05/30/96		313.36	300.94	12.42	-		<50	<0.5	<0.5	<0.5		
06/19/96		313.36	300.79	12.57		-			-0.5		<0.5	<5.0
07/15/96		313.36	300.66	12.70								
08/27/96		313.36	300.51	12.85			<50	<0.5	<0.5	<0.5		
09/06/96		313.36	300.46	12.90				-0.5			<0.5	<5.0
10/28/96		313.36	300.52	12.84				- 22				
11/11/96		313.36	300.61	12.75	-				-	-	· • •	-
05/06/97		313.36	301.22	12.14			<50	< 0.5			-0.5	
07/27/97		313.36	300.91	12.14	1		~50	~0.3	<0.5	<0.5	<0.5	<5.0
11/18/97		313.36	300.82	12.45		1000		÷-				
05/31/98		313.36	302.61	12.34				-0.2				
11/23/98		313.36	302.52	10.75	- 55	149 GB	<50	< 0.3	<0.3	<0.3	<0.6	<10
05/11/99		313.36	302.32	10.84		-	SAMPLED AN					
05/23/00		313.36	302.30	10.40			<50	<0.5	< 0.5	<0.5	<0.5	<2.5
00120100		515.30	302.39	10.97	0.00	0.00	<50	< 0.50	<0.50	<0.50	< 0.50	<2.5

#### Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

						-580 and Grant	ce Station #9-7 t Line Road	127				
						Tracy, Cali						
						TOTAL SPH						
WELL ID/		TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	В	Ţ	E	x	MTBE
DATE		(ft.)	(msl)	(fl.)	(fl.)	(galløns)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-7 (cont)												
10/31/00		313.36	301.51	11.85	0.00	0.00	l d <del>i</del>	**	-	(4) (i)		
05/18/01		313.36	301.34	12.02	0.00	0.00	<50	<0.50	1.7	<0.50	1.2	<2.5
11/16/01		313.36	300.53	12.83	0.00	0.00					-	-
07/01/02		313.36	300.42	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
1/08/02		313.36	300.11	13.25	0.00	0.00						
06/13/03 <sup>19</sup>		313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/20/03		313.36	300.77	12.59	0.00	0.00			-			
05/18/0419		313.36	300.53	12.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/19/04		313.36	300.57	12.79	0.00	0.00	SAMPLED AN					
)5/03/05 <sup>19</sup>		313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/28/05		313.36	299.78	13.58	0.00	0,00	SAMPLED AN					
05/25/06 <sup>19</sup>	NP <sup>21</sup>	313.36	301.07	12.29	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/21/06		313.36	300.62	12.74	0.00	0.00	SAMPLED AN				-	-0.5
5/09/0719	NP <sup>21</sup>	313.36	300.31	13.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/17/07		313.36	299.63	13.73	0.00	0.00	SAMPLED AN				-0.5	-0.5
04/30/0819	NP <sup>21</sup>	313.36	299.43	13.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/26/08		313.36	298.50	14.86	0.00	0.00	SAMPLED AN					
05/22/0919	NP <sup>21</sup>	313.36	299.75	13.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/24/09		313.36	298.50	15.01	0.00	0.00	SAMPLED AN				-0.5	-0.5
05/25/1019	NP <sup>21</sup>	313.36	298.93	14.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/29/10		313.36	298.61	14.75	0.00	0.00	SAMPLED A		-	-		-0.5
4W-8												
2/30/95		329.91	299.61	30.30		~			÷-		1 H H	-
1/29/96		329.91	300.35	29.56								
2/27/96		329.91	301.23	28.68	-		<50	<0.5	< 0.5	<0.5	<5.0	<5.0
3/05/96		329.91	301.16	28.75								
4/23/96		329.91	301.66	28.25	-	4						
5/30/96		329.91	301.47	28.44		-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
6/19/96		329.91	301.40	28.51		c <del>ú</del> n l						-5.0
7/15/96		329.91	301.24	28.67								
8/27/96		329.91	300.99	28.92			<50	< 0.5	<0.5	<0.5	<0.5	<5.0
9/06/96		329.91	300.92	28.99	44							-0.0
0/28/96		329.91	300.85	29.06	÷.			1.22				547

### Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

					-580 and Grant						
					Tracy, Cal	ifornia	-				
	· · · · · · · · · · · · · · · · · · ·				TOTAL SPH	* * * * * * * * * * * * * * * * * * *					
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	В	Т	E.	X	MTBE
DATE	(ft.)	(msl)	(fi.)	(ft.)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-8 (cont)											
11/11/96	329.91	300.93	28.98			<u></u>	1447	1,12,	·		
05/06/97	329.91	301.77	28.14			<50	3.6	3.1	0.7	2.5	<5.0
07/27/97	329.91	301.36	28.55			64	-	-			
1/18/97	329.91	301.11	28.80	-					24.5	4	
05/31/98	329.91	303.34	26.57			<50	< 0.3	<0.3	<0.3	<0.6	<10
1/23/98	329.91	302.95	26.96	4		SAMPLED AN		-			
05/11/99	329.91	303.43	26.48			<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	329.91	302.82	27.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	329.91	318.78	11.13	0.00	0.00			-			
05/18/01	329.91	301.67	28.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
1/16/01	329.91	300.84	29.07	0.00	0.00			-			
07/01/02	329.91	300.74	29.17	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
1/08/02	329.91	300.4	29.51	0.00	0.00	4	100	-			
06/13/0319	329.91	300.77	29.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/20/03	329.91	300.97	28.94	0.00	0.00						-0.5
05/18/0419	329.91	300.56	29.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/19/04	329.91	300.81	29.10	0.00	0.00	SAMPLED AN					
)5/03/05 <sup>19</sup>	329.91	300.40	29.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
1/28/05	329.91	300.17	29.74	0.00	0.00	SAMPLED AN				-0.5	-0.5
05/25/06 <sup>19</sup>	329.91	300.96	28.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	
1/21/06	329.91	300.77	29.14	0.00	0.00	SAMPLED AN					<0.5
05/09/07 <sup>19</sup>	329.91	300.19	29.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-0.6
1/17/07	329.91	299.83	30.08	0.00	0.00	SAMPLED AN		-0.5	-0.5		<0.5
04/30/0819	22	22	28.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	-0.5
1/26/08	22	WELL DAMAG					-0.0	-0.5			<0.5
5/22/09	22	WELL DAMAG									
1/24/09	22	WELL DAMAG				-					
MONITORING/SAM							**			1. T.	
	Diric Direct										
SUPPLY WELL											
1/15/95						<50	<0.5	<0.5	<0.5	<0.5	<5.0
1/11/96		-			-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
)7/27/97		-		-					-0.5	~0.5	-5.0
1/18/97		-	-	44	*	<50	<0.5	<0.5	<0.5	<0.5	<2.5

#### Table 1

Groundwater Monitoring Data and Analytical Results

Former Chevron Service Station #9-7127

1-580 and Grant Line Road

					Tracy, Cal								
	TOTAL SPH												
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	()#]#]#]#]#]#]#]#]#]#]#]#]#]#]#]#]#]#]#]	В	T	E	x	MTBE		
DATE	(ft.)	(msl)	(fl.)	(fl.)	(goltens)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)		
SUPPLY WELL (co	nt)												
05/31/98			-	-			1.000		1.44	- <b>H</b>	1 C.		
11/23/98		**	-			<50	<0.5	<0.5	<0.5	<0.5	<2.0		
05/11/99		0.00						-					
11/24/99	4+ I					<50	<0.5	<0.5	<0.5	<0.5	<2.5		
05/23/00						SAMPLED AT	NNUALLY						
10/30/00	÷.				-				-	1.4			
05/18/01	- 4		-		الفرار	-	144						
11/16/01	÷	-			24	<50	<0.50	<0.50	<0.50	<1.5	<2.5		
07/01/02						<50	<0.50	<0.50	<0.50	<1.5	<2.5		
11/08/02		**				<50	<0.50	<0.50	<0.50	<1.5	<2.5		
11/20/0319	4			-		<50	<0.5	<0.5	<0.5	<0.5	<0.5		
05/18/04	G++	+				SAMPLED A							
11/19/0419						<50	<0.5	<0.5	<0.5	<0.5	<0.5		
05/03/05			-	-		SAMPLED AT							
11/28/0519	+					<50	<0.5	<0.5	<0.5	<0.5	<0.5		
05/25/06		· · · ·			-	SAMPLED AN		-	-				
11/21/0619	44.0		-	-		<50	<0.5	<0.5	<0.5	<0.5	<0.5		
11/17/0719	-			-		<50	<0.5	<0.5	<0.5	<0.5	<0.5		
04/30/08		+				SAMPLED AN							
11/26/0819				4		<50	<0.5	<0.5	<0.5	<0.5	<0.5		
11/24/0919				-		<50	<0.5	<0.5	<0.5	<0.5	<0.5		
05/25/10	(ee.)		144	-		SAMPLED AN		2.5	1	-	-		
11/29/10	-	÷.	- <del>-</del> -	÷.	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5		
BAILER BLANK													
02/15/94						<50	<0.5	-0 F	-0.5	-0.5			
02/13/94	- C -				- T	<50	<0.5	<0.5	<0.5	<0.5			
TRIP BLANK													
02/15/94					+	<50	<0.5	<0.5	< 0.5	<0.5			
06/01/94					-	<50	<0.5	<0.5	<0.5	< 0.5			
09/02/94			-	-	-	<50	<0.5	<0.5	< 0.5	<0.5			
11/30/94				-	÷	<50	<0.5	<0.5	<0.5	<0.5			
05/17/95					-	<50	<0.5	<0.5	< 0.5	< 0.5			

# Table 1 Groundwater Monitoring Data and Analytical Results Former Chevron Service Station #9-7127

					-580 and Grant		141				
· · · · · · · · · · · · · · · · · · ·				_	Tracy, Cali	fornia					
					TOTAL SPH						
WELL ID/	TOC*	GWE	DTW	SPHT	REMOVED	TPH-GRO	B	T	E	X	MTBE
DATE	(ft.)	(msl)	(fl.)	(fl.)	(galløns)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
TRIP BLANK (cont)											
08/15/95		***	1++		-	<50	<0.5	<0.5	<0.5	<0.5	-
11/15/95	-	0.00	0.000		-	<50	<0.5	<0.5	<0.5	<0.5	<5.0
02/27/96	÷					<50	<0.5	<0.5	<0.5	<0.5	<5.0
05/30/96	- 4-2	**		4		<50	<0.5	<0.5	<0.5	<0.5	<5.0
08/27/96		**1	44	-		<50	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	( <del>1</del>	***	-		( <u>44</u> )	<50	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97			-			<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97		-		14.	-						
11/18/97	-				144	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98				-	-	<50	<0.3	<0.3	< 0.3	<0.6	<10
11/23/98				-	-	<50	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99						<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00						<50.0	<0.500	<0.500	<0.500	<0.500	<2.5
10/31/00				-		<50.0	<0.500	<0.500	<0.500	<1.50	49.0
05/18/01					1.44	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA									22.56		
11/16/01		-		dee h		<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02					1	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	<del></del> ()	-		-		<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03 <sup>19</sup>		-	++	-		<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03 <sup>19</sup>		-				<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04 <sup>19</sup>						<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 <sup>19</sup>		- <del></del>				<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 <sup>19</sup>			-		1.44	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 <sup>19</sup>						<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 <sup>19</sup>			-			<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 <sup>19</sup>	1					<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 <sup>19</sup>		-	-		-	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 <sup>19</sup>			÷	( <del>54</del> )		<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08 <sup>19</sup>				-		<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/0819			· +=			<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 <sup>19</sup> DISCONTINUED	1	- the	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5

#### **EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	TPH = Total Petroleum Hydrocarbons
(ft.) = Feet	GRO = Gasoline Range Organics
GWE = Groundwater Elevation	B = Benzene
(msl) = Mean sea level	T = Toluene
DTW = Depth to Water	E = Ethylbenzene
SPHT = Separate Phase Hydrocarbon Thickness	X = Xylenes
SPH = Separate Phase Hydrocarbons	MTBE = Methyl Tertiary Butyl Ether
* TOC elevations are relative to msl.	

-- = Not Measured/Not Analyzed NP = No Purge $(\mu g/L) =$  Micrograms per liter QA = Quality Assurance/Trip Blank

GWE has been corrected for the presence of SPH, correction factor =  $[(TOC - DTW) + (SPHT \times 0.80)]$ . \*\*

- 1 ORC present in well.
- 2 ORC Installed.
- 3 Confirmation run.

4 Due to the presence of Separate Phase Hydrocarbons results for EPA 8015/8020 do not represent true values for TPH-Gasoline, BTEX, or MTBE. The results were reported respectively as 24,000, 140, 830, 210, 1,500, and <0.05 mg/Kg.

- 5 Estimated Groundwater Elevation.
- 6 Well was not sampled due to damaged casing and debris in well. Ground water elevation is an estimate.
- 7 Laboratory report indicates gasoline C6-C12.
- 8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.
- Laboratory report indicates result exceeds the linear range of calibration.
- 10 Laboratory report indicates gasoline.
- 11 Laboratory report indicates the results for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.
- 12 Chromatogram pattern indicates an unidentified hydrocarbon.
- 13 Product + Water removed.
- 14 MTBE by EPA Method 8260 was analyzed outside the EPA recommended holding time.
- 15 Skimmer in well.
- 16 ORC not present in well.
- 17 MTBE by EPA Method 8260.
- 18 4.5 liters of SPH removed from skimmer and 2.5 liters of SPH removed from well.
- 19 BTEX and MTBE by EPA Method 8260.
- 20 Removed ORC from well.
- 21 Area inaccessible to truck; unable to purge.

 Table 1

 Groundwater Monitoring Data and Analytical Results

 Former Chevron Service Station #9-7127

 I-580 and Grant Line Road

 Tracy, California

#### **EXPLANATIONS:**

......

- <sup>22</sup> TOC has been altered; unable to determine GWE.
- <sup>23</sup> Product only removed from well.
- <sup>24</sup> Skimmer removed from well.

# Table 2 Groundwater Analytical Results - Oxygenate Compounds Former Chevron Service Station #9-7127

			and Grant Line Road Tracy, California			
WELL ID	DATE	ТВА (µg/L)	МТВЕ (µg/L)	DIPE (µg/L)	ЕТВЕ (µg/L)	ТАМЕ (µg/L)
MW-2	06/13/03	-	<0.5		-	-
	11/20/03	SAMPLED ANNUALLY		240	-	1400
	05/18/04		<0.5		<u>.</u>	
	05/03/05	24 J	<0.5		4	<u> </u>
	05/25/06		<0.5			
	05/09/07		<0.5			-
	04/30/08	0 <del></del>	<0.5			
	05/22/09		<0.5		<u>.</u>	
	05/25/10		<0.5	-	-	
MW-3	05/18/01 <sup>1</sup>	1,000	11	<10	<10	<10
	07/01/02	600	<10	<10	<10	<10
	06/13/03		5			<10
	11/20/03	-	5			
	05/18/04		9	-	-	*
	11/19/04		7	-		
	05/03/05		<10	2		
	11/28/05		<25	-		
	05/25/06		<5	3.5		
	11/21/06		<5			
	05/09/07		<10			-
	11/17/07		3	-		
	04/30/08		<5	<u>x</u>		
	11/26/08		<10		*	
	11/24/09	NOT SAMPLED DUE TO THE				-
	05/25/10	NOT SAMPLED DUE TO THE				· • •
	11/29/10	NOT SAMPLED DUE TO THE			-	
			ETRESENCE OF STIL		-	-
MW-4	05/18/011	200	2.1	<2.0	<2.0	<2.0
	06/13/03		<0.5			
	11/20/03		<0.5	- <del>8</del> 21	(C)+	
	05/18/04		<0.5	÷1	( )	
	11/19/04		<0.5	-		
	05/03/05		<0.5	-	() <del>10</del>	
	11/28/05		<0.5	H.	-	-

#### Table 2

Groundwater Analytical Results - Oxygenate Compounds Former Chevron Service Station #9-7127

I-580 and Grant Line Road

		1	Tracy, California			
WELL ID	DATE	ТВА (µg/L)	MTBE (μg/L)	DIPE (µg/L)	ETBE (µg/L)	ТАМЕ (µg/L)
MW-4 (cont)	05/25/06		<0.5			
	11/21/06	-	<0.5	÷.		
	05/09/07		<0.5	<u> </u>		12
	11/17/07		<0.5	4	-	
	04/30/08	· · · · · · · · · · · · · · · · · · ·	<0.5			
	11/26/08	-	<0.5		4	
	05/22/09		<0.5		-	<u>1</u>
	11/24/09		<0.5		Gen	
	05/25/10		<0.5			- 44
	11/29/10	2 <del>1</del>	<0.5	-	1 <del>-</del> -	
MW-5	06/13/03		<0.5			-
	11/20/03	SAMPLED ANNUALLY				
	05/18/04		<0.5		2	
	05/03/05		<0.5	-	140	2
	05/25/06		<0.5	4	-	
	05/09/07	( <del>) .</del>	<0.5		÷-	
	04/30/08	-	<0.5	-	12	140
	05/22/09		<0.5	-	10.20	
	05/25/10	10 <del>4</del>	<0.5	-	<u></u>	
	11/29/10	-	<0.5	-		Ē.
MW-6	05/18/04		<0.5			
	11/19/04	2	<0.5			
	05/03/05		<0.5			51
	11/28/05	-	<0.5			
	05/25/06	-	<0.5	-		**
	11/21/06		<0.5			**
	05/09/07	-	<0.5		-	
	11/17/07		<0.5			
	04/30/08	-	<0.5	-		-
	11/26/08		<0.5			
	05/22/09		<0.5			
	05122103		<b>\U.J</b>			

# Table 2 Groundwater Analytical Results - Oxygenate Compounds Former Chevron Service Station #9-7127

L-580 and Grant Line Road

			racy, California			
WELL ID	DATE	ТВА (µg/L)	МТВЕ <i>(µg/L)</i>	DIPE (µg/L)	ЕТВЕ (µg/L)	ТАМЕ <i>(µg/L)</i>
MW-6 (cont)	11/24/09		<0.5	()**/		
	05/25/10		<0.5	0 <del>1</del> 0		-
	11/29/10		<0.5	-	-	-
MW-7	06/13/03		<0.5			
	11/20/03	 SAMPLED ANNUALLY	-0.5			17
	05/18/04		<0.5		-	
	05/03/05		<0.5		-	
	05/25/06		<0.5			
	05/09/07		<0.5	-		
	04/30/08		<0.5	-	-	
	05/22/09		<0.5	<u> </u>		
	05/25/10		<0.5		-	2
MW-8	06/13/03		<0.5	-	<u>-</u>	
	11/20/03	SAMPLED ANNUALLY		1. <del>27</del>		
	05/18/04		<0.5			.44.5
	05/03/05		<0.5	r <del>û</del> n 1		
	05/25/06	-	<0.5		÷.	
	05/09/07		<0.5	C++1		
	04/30/08	(*	<0.5			
SUPPLY WELL	11/28/05		<0.5			dan kan
	11/21/06		<0.5			
	11/17/07		<0.5			
	04/30/08	SAMPLED ANNUALLY				
	11/26/08		<0.5			
	11/24/09		<0.5			
	11/29/10		<0.5			

# Table 2 Groundwater Analytical Results - Oxygenate Compounds Former Chevron Service Station #9-7127 I-580 and Grant Line Road Tracy, California

#### **EXPLANATIONS:**

TBA = t-Butyl alcohol MTBE = Methyl Tertiary Butyl Ether DIPE = di-Isopropyl ether ETBE = Ethyl t-butyl ether

TAME = t-Amyl methyl ether ( $\mu$ g/L) = Micrograms per liter -- = Not Analyzed

#### **ANALYTICAL METHOD:**

EPA Method 8260 for Oxygenate Compounds

<sup>1</sup> Laboratory report indicates samples were analyzed outside the EPA recommended holding time.

#### Table 3

Groundwater Analytical Results

Former Chevron Service Station #9-7127

I-580 and Grant Line Road

Tracy, California												
WELL ID/	Time	Volume	pH	Conduct.	Temp.	<b>D.O.</b>	ORP	Alkalinity	Nitrate	Sulfate	Phosphate	Ferrous Iron
DATE		(gallons)		(µmhøs/cm)	°C/°F	(mg/L)	(mV)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-1												
07/27/97	14:46											
07/27/97	14:51	7.5	7.09	212.00	20.9/	2.37	-5.0	500				
07/27/97	14:56	15.0	7.11	212.00	21/	2.24	-6.0	600				
07/27/97	15:01	22.5	7.11	211.00	21.1/	2.24	-5.0	550				
07/27/97	15:03	23.0	7.10	212.00	20.9/	2.25	-6.0	550	<1.0	14	<100	2.2
05/31/98	13:30								1.0	14	100	2.2
05/31/98	13:36	9.0	6.96	1331.00	20.6/	0.15	3.2	975				
05/31/98	13:40	18.0	6.97	1239.00	20.2/	0.40	1.3	900				
05/31/98	13:48	27.0	6.95	1199.00	20.5/	0.66	1.3	950				
05/31/98	13:50	28.0	6.97	1201.00	20.4/	0.60	2.0	950	<1.0	4.0	<10	4.1
08/12/98						0.45						
11/23/98	16:00	0.0	7.00	1706.00	16.6/							
05/11/99	15:45	8.0	7.60	1800.00	23.5/	0.3 (Pre)	118 (Pre)					
05/11/99	15:48	16.0	7.60	1600.00	21.3/							
05/11/99	15:50	24.0	7.60	1600.00	21.5/	1.5 (Post)	26 (Post)		1.7			1.5
MW-2												
07/27/97	14:01											
07/27/97	14:03	2.0	6.95	206.00	21.2/	9.83	2.1	300				
07/27/97	14:05	4.0	6.95	206.00	21.2/	9.85	3.0	350				
07/27/97	14:07	6.0	6.95	205.00	21.2/	9.93	3.0	325				
07/27/97	14:09	7.0	6.95	205.00	21.2/	9.90	3.0	350	59	68	<10	 0.019
05/31/98	12:34							200		00	-10	0.019
05/31/98	12:37	2.0	7.01	800.00	21.1/	2.16	-13	250				
05/31/98	12:40	4.0	7.03	800.00	21.1/	2.55	-10	300				
05/31/98	12:43	6.0	7.01	795.00	21.1/	2.83	-11	275				
05/31/98	12:46	7.0	6.99	796.00	21.2/	2.80	-10	275	54	57	<10	0.11
05/11/99	12:05	3.0	7.60	1200.00	21.4/	2.2 (Pre)	107 (Pre)					
05/11/99	12:08	6.0	6.90	1100.00	21.1/							
05/11/99	12:10	7.0	7.00	1100.00	21.2/	2.3 (Post)	91 (Post)	290	62	59		0.043
05/23/00	5:11	0.0				()						0.043
05/23/00	5:14	2.5	6.68	937.00	/72.0							
05/23/00	5:17	5.0	6.58	939.00	/71.5							
05/23/00	5:20	7.0	6.54	908.00	/71.1							

#### Table 3

**Groundwater Analytical Results** 

Former Chevron Service Station #9-7127

I-580 and Grant Line Road

Tracy.	California	
II acy,	Camornia	

WELL ID/	in the second second					· · · · · · · · · · · · · · · · · · ·						
DATE	Time	Volume	pH	Conduct.	Temp.	<b>D.O.</b>	ORP	Alkalinity	Nitrate	Sulfate	Phosphate	Ferrous Iron
		(gallons)		(µmhøs/cm)	°C/°F	(mg/L)	(mV)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-3												
07/27/97	14:29											
07/27/97	14:31	2.0	7.11	269.00	23/	8.75	-4.3	875				
07/27/97	14:33	4.0	6.95	264.00	22/	6.22	2.8	850				
07/27/97	14:35	6.0	6.93	261.00	21.9/	6.90	4.3	850				
07/27/97	14:37	7.0	6.94	262.00	21.9/	6.70	4.3	850	<1.0	<1.0	<10	2.1
05/31/98	13:13											
05/31/98	13:15	2.0	6.89	1266.00	21.1/	0.45	12.3	750				
05/31/98	13:17	4.0	6.75	1155.00	21/	0.40	12.2	700				
05/31/98	13:19	6.0	6.79	1200.00	20.9/	0.38	12.1	675				
05/31/98	13:23	7.0	6.78	1199.00	20.9/	0.35	12.1	700	<1.0	4.0	<10	3.1
08/12/98						0.33						
11/23/98	15:32	2.5	7.00	1705.00	16.6/							
11/23/98	15:36	4.5	7.00	1720.00	16.4/							
11/23/98	15:40	6.5	6.90	1723.00	16.4/							
05/11/99	17:01	3.0	8.00	1500.00	21.4/	1.5 (Pre)	-7.0 (Pre)					
05/11/99	17:03	6.0	7.20	1700.00	21.4/							
05/11/99	17:04	9.0	7.20	1700.00	21.4/	1.5 (Post)	-19 (Post)	480	<1.0	8.8		1.5
11/24/99	11:33	2.0	6.70	1588.00	17.9/							
11/24/99	11:36	4.0	6.70	1564.00	18.3/							
11/24/99	11:39	6.0	6.80	1517.00	18.4/							
05/23/00	7:30	0.0										
05/23/00	7:33	2.5	6.56	1251.00	/70.6							
05/23/00	7:36	5.0	6.53	1155.00	/70.0							
05/23/00	7:39	7.0	6.51	1137.00	/69.8							
07/27/97	14:14											
07/27/97	14:16	2.0	7.22	244.00	20.6/	8.75	-13	500				
07/27/97	14:18	4.0	7.21	243.00	20.6/	8.20	-13	550				
MW-4												
07/27/97	14:20	6.0	7.24	246.00	20.5/	8.55	-13	525				
07/27/97	14:22	7.0	7.22	245.00	20.6/	8.50	-13	550	80	68	<10	0.15
05/31/98	12:51										-10	0.15
05/31/98	12:54	3.0	7.01	1300.00	20.4/	2.83	-10	450				
05/31/98	12:57	6.0	6.98	1290.00	20.4/	2.82	-12	400				
05/31/98	13:00	9.0	6.90	1280.00	20.4/	2.80	-11	375				

#### Table 3

**Groundwater Analytical Results** 

Former Chevron Service Station #9-7127

I-580 and Grant Line Road

						Tracy, Ca	lifornia					
WELL ID/	Time	Volume	рН	Conduct.	Temp.	<b>D.O.</b>	ORP	Alkalinity	Nitrate	Sulfate	Phosphate	Ferrous Iron
DATE		(gallons)		(µmhøs/cm)	°C/°F	(mg/L)	(mV)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-4 (cont)												
05/31/98	13:03	10.0	6.92	1283.00	20.4/	2.80	-12	400	17	30	<10	7.4
08/12/98						0.82						
12/23/98	16:45	5.0	6.80	1062.00	9.9/							
05/11/99	15:00	1.5	7.80	1400.00	21.5/	0.3 (Pre)	148 (Pre)					
05/11/99	15:02	3.0	7.40	1500.00	20.6/							
05/11/99	15:04	4.0	7.30	1500.00	20.6/	1.8 (Post)	124 (Post)	430	86	- 64		0.027
11/24/99	11:05	1.5	7.00	1310.00	17.8/							
11/24/99	11:06	2.0	6.90	1319.00	18.2/							
11/24/99	11:08	4.0										
05/23/00	6:48	0.0										
05/23/00	6:52	1.5	7.18	1036.00	/71.6							
05/23/00	6:56	3.0	6.24	1014.00	/69.3							
05/23/00	6:59	4.0	6.24	1039.00	/69.6							
MW-5			35									
07/27/97	13:15											
07/27/97	13:18	3.0	7.95	274.00	19.3/	10.45	-55	300				
07/27/97	13:20	6.0	7.92	273.00	19/	10.35	-54	350				
07/27/97	13:22	9.0	7.90	274.00	18.9/	10.30	-52	300				
07/27/97	13:24	10.0	7.91	273.00	19/	10.31	-53	300	82	100	 <10	
05/31/98	12:07					10.51	-55	500	02	100	<10	0.013
05/31/98	12:09	34.5	6.85	785.00	18.9/	3.20	-25	350				
05/31/98	12:11	69.0	7.00	980.00	18.9/	3.20	-26	400				
05/31/98	12:13	13.5	7.01	981.00	18.9/	3.21	-28	400				
05/31/98	12:15	14.0	7.00	990.00	18.8/	3.20	-28	450	35	 90		
05/11/99	13:10	3.0	8.00	1700.00	18.9/	5.1 (Pre)	-20 98 (Pre)			90	<10	1.9
05/11/99	13:13	6.0	7.40	1700.00	18.2/							
05/11/99	13:17	9.0	7.40	1700.00	18.4/	4.6 (Post)	140 (Post)	330	62	100		
05/23/00	5:47	0.0										<0.01
05/23/00	5:53	3.0	7.80	1241.00	/70.3							
05/23/00	5:59	6.0	7.62	1178.00	/68.8							
05/23/00	6:07	9.0	7.62	1165.00	/67.4							

#### Table 3

Groundwater Analytical Results

Former Chevron Service Station #9-7127

I-580 and Grant Line Road

						Tracy, Ca	alifornia					
WELL ID/	Time	Volume	pH	Conduct.	Temp.	<b>D.O.</b>	ORP	Alkalinity	Nitrate	Sulfate	Phosphate	Ferrous Iron
DATE		(gallons)		(µmhos/cm)	°C/°F	(mg/L)	(mV)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-6												
07/27/97	13:42											
07/27/97	13:44	3.0	7.54	261.00	23.2/	11.28	-40	400				
07/27/97	13:46	6.0	7.34	232.00	19.4/	8.10	-18	450				
07/27/97	13:48	9.0	7.26	227.00	19/	8.35	-16	400				
07/27/97	13:50	10.0	7.20	228.00	19.1/	8.32	-15	400	17	27	<10	0.017
05/31/98	11:48									-		0.017
05/31/98	11:51	3.0	6.98	966.00	18.7/	0.72	3.20	500				
05/31/98	11:54	6.0	6.96	970.00	18.7/	0.51	3.19	450				
05/31/98	11.57	9.0	6.95	959.00	18.7/	0.36	3.42	400				
05/31/98	12:00	10.0	6.90	960.00	18.6/	0.40	3.40	450	68	51	<10	3.5
12/23/98	15:15	3.0	6.40	1038.00	15/							
12/23/98	15:20	6.0	6.70	980.00	15.7/							**
12/23/98	15:24	9.0	6.80	964.00	15.6/							
05/11/99	14:20	3.0	7.00	1200.00	18.6/	0.3 (Pre)	140 (Pre)					
05/11/99	14:23	6.0	6.40	1100.00	19.3/							
05/11/99	14:29	9.0	6.40	1100.00	19.1/	0.4 (Post)	214 (Post)	370	52	39		0.064
11/24/99	13:13	3.0	6.00	1130.00	19.6/							
11/24/99	13:18	6.0	6.90	1105.00	20/							
11/24/99	13:22	9.0	7.10	1114.00	20.2/							
05/23/00	8:15	0.0										
05/23/00	8:21	3.0	6.97	950.00	/66.2							
05/23/00	8:28	6.0	6.97	995.00	/65.5							
05/23/00	8:35	9.0	6.98	1002.00	/65.6							
MW-7												
07/27/97	13:02											
07/27/97	13:04	3.0	7.91	245.00	19.6/	8.95	-52	350				
07/27/97	13:06	6.0	7.94	264.00	19.3/	9.70	-55	325				
07/27/97	13:08	9.0	7.95	266.00	19.3/	9.80	-55	350				
07/27/97	13:10	10.0	7.93	265.00	19.3/	9.79	-55	350	99	100	<10	0.012
05/31/98	12:16							200		100	~10	0.012
05/31/98	12:18	3.0	6.85	1020.00	19.6/	3.60	-20	350				
05/31/98	12:20	6.0	7.25	1020.00	18.9/	3.80	-21	300				
05/31/98	12:22	9.0	7.28	1000.00	18.8/	4.20	-21	350				
05/31/98	12:24	10.0	7.30	1001.00	18.9/	4.40	-20	325	45	85	 <10	
							-20	565	45	03	<b>NI</b> 0	0.011

#### Table 3

Groundwater Analytical Results

Former Chevron Service Station #9-7127

I-580 and Grant Line Road

<u>butterenerre</u>						I racy, Ca						
WELL ID/	Time	Volume	рН	Conduct.	Temp.	<b>D.O</b> .	ORP	Alkalinity	Nitrate	Sulfate	Phosphate	Ferrous Iron
DATE		(gallons)		(umhos/cm)	°C/°F	(mg/L)	(mV)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-7 (cont)												
05/11/99	12:41	3.0	6.80	1200.00	18.2/	5.2 (Pre)	95 (Pre)					
05/11/99	12:44	6.0	7.40	1400.00	18.5/							
05/11/99	12:48	9.0	7.40	1400.00	18.2/	5.2 (Post)	96 (Post)	300	75	86		0.14
05/23/00	6:10	0.0										
05/23/00	6:15	3.0	8.01	1157.00	/68.8			~-				
05/23/00	6:21	6.0	7.70	1158.00	/67.8							
05/23/00	6:27	9.0	7.68	1136.00	67.8							
MW-8												
07/27/97	12:38											
07/27/97	12:40	2.2	7.85	141.00	21.1/	9.40	-61.3	100				
07/27/97	12:42	4.6	7.84	141.00	20.8/	9.30	-48.3	150				
07/27/97	12:44	6.6	7.83	142.00	20.9/	9.25	-50	100				
07/27/97	12:46	7.0	7.84	141.00	20.8/	9.25	-50	100	50	24	<10	0.02
05/31/98	11:18											
05/31/98	11:21	3.0	7.03	357.00	21.1/	6.58	-28	150				
05/31/98	11:24	6.0	7.09	381.00	20.5/	6.50	-30	200				
05/31/98	11:27	9.0	7.08	373.00	20.5/	6.40	-31	175				
05/31/98	11:30	10.0	7.08	375.00	20.5/	6.41	-30	200	35	16	<1.0	0.42
05/11/99	11:20	3.0	8.00	1600.00	18.2/	6.07 (Pre)	103 (Pre)					
05/11/99	11:24	6.0	7.30	1200.00	18.5/			~=				
05/11/99	11:26	8.0	7.10	1200.00	18.2/	5.44 (Post)	92 (Post)	110	42	19		0.028
05/23/00	4:23	0.0										
05/23/00	4:26	2.5	7.64	4280.00	/76.2							
05/23/00	4:29	5.0	7.39	4320.00	/72.5							
05/23/00	4:32	7.5	7.27	4390.00	/71.2							
SUPPLY WE	LL											
07/27/97	13:40		7.85	257.00	22.7	4.89	-53	200	48	76	<10	1.5
11/23/98	15:15	1.0	7.40	1115.00	20.4							
11/24/99	12:45		2.50	5386.00	18.8							
05/23/00												

# Table 3Groundwater Analytical ResultsFormer Chevron Service Station #9-7127I-580 and Grant Line RoadTracy, California

#### **EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

(μmhos/cm) = Micromhos per centimeter D.O. = Dissolved Oxygen (mg/L) = Milligrams per liter ORP = Oxidation-Reduction Potential (mV) = Millivolts (ppm) = Parts per million °C/°F = Degrees Celsius/Degrees Fahrenheit Conduct. = Conductivity Temp. = Temperature (Pre) = Pre-purge reading (Post) = Post-purge reading --- = Not Measured/Not Analyzed

#### STANDARD OPERATING PROCEDURE -GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



Client/Facility#:	Chevron #9	-/12/		Job Number:	385251		
Site Address:	I-580 And G	rant Line	Road	Event Date:	11-20	9-10	(inclusive)
City:	Tracy, CA			Sampler:	Joe		(110103140)
Well ID	mw - 1			Data Maritana I		12	
Well Diameter		 n.	·	Date Monitored:	11-29	-10	
Total Depth	39.44 ft			ołume 3/4"= 0. actor (VF) 4"= 0.		2"= 0.17 3"= 0.	
Depth to Water	31.67 #			lumn is less then $0.5$		6"= 1.50 12"= 5.	80
Departo Mater	7.77	Provide State		x3 case volume :			
Depth to Water		E ((Height of )	=	x3 case volume = 20) + DTW]:	= Estimated Purge	e Volume:	gal.
		e [(ricight of v	Valer Column X 0.2	.0) + D1 vvj.	Time Star	rted:	(2400 hrs)
Purge Equipment:		S	ampling Equipme	ent:		npleted:	(2400 hrs)
Disposable Bailer		D	isposable Bailer			Product: 28. Water: 31.	<u>99    ft</u> <u>67     f</u> t
Stainless Steel Bailer		Ρ	ressure Bailer				<u>68</u> ft
Stack Pump			iscrete Bailer		Visual Co	nfirmation/Descriptio	n:
Suction Pump Grundfos	<u> </u>		eristaltic Pump		Skimmer	<u>slucent yella</u> Absorbant Sock (ci	w product
Peristaltic Pump			ED Bladder Pump	<u></u>	Amt Remo	oved from Skimmer:	gal
QED Bladder Pump		0	ther:		Amt Remo	oved from Well:	gal
Other:					Water Rei	noved: <u>/</u> ransferred to:	
Approx. Flow Rate	e: /	gpm.	Sediment	or: Description:	Odor: Y / N		
Approx. Flow Rat Did well de-water Time (2400 hr.)		ýgpm. ýes, Time: pH		Description: tume:		-	
Did well de-water <sub>Time</sub>	? If	yes, Time:	Conductivity	Description: tume: Temperature	- gal. DTW @ D.O.	Sampling: ORP	
Did well de-water <sub>Time</sub>	? If	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: rume: Temperature ( C / F )	- gal. DTW @ D.O.	Sampling: ORP	
Did well de-water	? If Vojume (gal.)	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION /	- gal. DTW @ D.O.	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water Time (2400 hr.)	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water (2400 hr.)  SAMPLE ID	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	
Did well de-water (2400 hr.)  SAMPLE ID	? If Vojume (gal.)  (#) CONTAINER	yes, Time: pH	Conductivity (µmhos/cm/µS)	Description: tume: Temperature ( C / F )  INFORMATION / E LABORATORY	gal. DTW @	Sampling: ORP (mV)	



Client/Facility#:	Chevron #9-71	27	Job Nu	mber:	385251		
Site Address:	I-580 And Gran	nt Line Road	Event D	Date:	11-29	1-10	- (inclusive)
City:	Tracy, CA		Sample	er:			-
Well ID	mw-2		Date Moni	tored:	11-29	1-10	
Well Diameter	<b>2/4</b> in.		Volume	3/4"= 0.02		2"= 0.17 3"= 0.38	
Total Depth	38.43 ft.		Factor (VF)	4"= 0.66		6"= 1.50 12"≈ 5.80	
Depth to Water Depth to Water v	9.73 XV	/F = leight of Water Column x	column is less th x3 case v 0.20) + DTWJ:	olume = E	Estimated Purge	e Volume:	_gal.
					Time Sta	ted:	(2400 hrs)
Purge Equipment:		Sampling Equip			Depth to	Product:	(2400 hrs) ft
Disposable Bailer		Disposable Baile	r	·	Depth to V	Nater:	n ft
Stainless Steel Bailer		Pressure Bailer			Hydrocart	on Thickness:	ft
Stack Pump Suction Pump		Discrete Bailer			Visual Co	nfirmation/Description:	
Grundfos		Peristaltic Pump QED Bladder Pur			Skimmer	Absorbant Sock (circle	e one)
Peristaltic Pump		Other:			Amt Rem	oved from Skimmer:	gal
QED Bladder Pump		Outer			Amt Remo	oved from Well:	gal
Other:					Product T	noved:	
Did well de-water		s, Time: pH Conductivit (µmhos/cm -	y Temperat	ure	al. DTW @ D.O. (mg/L)	Sampling: ORP (mV)	
		LABORATO		ON			
SAMPLEID		EFRIG. PRESERV. 1				ANALYSES	
	x voa vial	YES HCL	LANCAS	TER TI	PH-GRO(8015)	/BTEX+MTBE(8260)	
		a					
	a la						
OMMENTS:	m. ouly		I				
Add/Replaced Lo	ock:	Add/Replaced Plu	g:	A	dd/Replaced	d Bolt:	



Client/Facility#:	Chevron #9-7127		Job Number:	385251	
Site Address:	I-580 And Grant Lin	e Road	Event Date:	11-29-10	(inclusive)
City:	Tracy, CA		Sampler:	Joe	
Well ID	mw-3		Date Monitored:	11-29-10	
Well Diameter	(2)/4 in.	Volum			3"= 0.38
Total Depth	40.05 ft.		r (VF) 4"= 0.0		12"= 5.80
Depth to Water	<u>30.72 ft</u> 9.33 xVF	Check if water colum			
Depth to Water	<u>9.33</u> xVF w/ 80% Recharge [(Height o		x3 case volume =	= Estimated Purge Volume:	gał.
Deptil to Water	w ou w recharge ((reight o	r vvater Column x 0.20)	+ DTWJ:	Time Started:	(2400 hrs)
Purge Equipment:		Sampling Equipment:		Time Completed:	(2400 hrs)
Disposable Bailer		Disposable Bailer		Depth to Product: Depth to Water:	<u>30.1/</u> ft <u>30.72</u> ft
Stainless Steel Bailer		Pressure Bailer		Hydrocarbon Thickne	
Stack Pump		Discrete Bailer		Visual Confirmation/D	escription:
Suction Pump Grundfos		Peristaltic Pump		Skimmer / Absorbant	tyellow product
Peristaltic Pump		QED Bladder Pump Other:	<del></del>	Amt Removed from S	kimmer: gal
QED Bladder Pump		Outer		Amt Removed from W	/ell:gał
Other:				Water Removed: Product Transferred to	
Start Time (purge)	):	Weather Co	ditions:		
Sample Time/Dat		Water Color:		Odor: Y / N	
Approx. Flow Rat		Sediment De			
Did well de-water			/'	gal. DTW @ Sampling	
			/	gui. Drvv @ Camping.	,, <u></u> _
Time (2400 hr.)	Volume (gal.)   pH	Conductivity (µmhos/cm - µS)	Temperature (C/F)		RP
(=		(µminos/cin = µ0)	(С/Г)	(mg/L) (r	nV)/
		/			<u> </u>
				-/	<del>/</del>
				7/	
SAMPLE ID	(#) CONTAINER   REFRIG.	LABORATORY IN PRESERV. TYPE			
	x voa vial YES	HCL	LABORATORY/	ANALYS TPH-GRO(8015)/BTEX+MT	
					52(0200)
			/		
/ -		/	/	/	
/+		1/	/		
		/	//		
/		/			
L//		1			
COMMENTS:					

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_

\_

Add/Replaced Bolt: \_\_\_\_\_



Client/Facility#:	Chevron #9	-7127		Job Number:	385251		
Site Address:	I-580 And G	rant Line	Road	Event Date:	11-20	7-10	 (inclusive)
City:	Tracy, CA			Sampler:	Joe	<u> </u>	((0.1001/0))
Well ID Well Diameter Total Depth	31.81 f	<u>n.</u> t.	[ Volum Factor		02 1"= 0.04	2"= 0.17 3"= 0.3 6"= 1.50 12"= 5.8	
Depth to Water	28.05 ft 3.76 w/80% Recharge		Check if water column $\frac{7}{2} = \frac{0 \cdot 6 \cdot 4}{2}$ Vater Column x 0.20) +	x3 case volume =	Estimated Purge	rted:	gal. (2400 hrs)
Purge Equipment: Disposable Bailer Stainless Steel Bailer Stack Pump Suction Pump Grundfos Peristaltic Pump QED Bladder Pump Other:		D Pi Di Pe	ampling Equipment: isposable Bailer ressure Bailer iscrete Bailer eristaltic Pump ED Bladder Pump ther:		Depth to Depth to Hydrocard Visual Co Skimmer Amt Remo Water Remo	npleted: Product: Water: bon Thickness: nfirmation/Descriptior / Absorbant Sock (circ oved from Skimmer: oved from Well:	(2400 hrs) ft ft ft ft ft gal gal
Approx. Flow Rat	e:	gpm.	Weather Con Water Color: Sediment De Volun	<u></u> scription:	Odor: 00/ N		
Time (2400 hr.)	Volume (gal.)	рН	Conductivity (µmhos/cm - µS)	Temperature ( 🎸 / F )	D.O. (mg/L)	ORP (mV)	
1020 1023 1028	<u>0.5</u> <u>1</u> 2	6.70	1035 983 980	16.9 17:0 17:2			
			ABORATORY INI				
SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE				

MW-41	6 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	1				

#### COMMENTS:

-

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



Client/Facility#:	Chevron #9	-7127		Job Number:	385251	
Site Address:	I-580 And G	rant Line	e Road	Event Date:	11-29-10	(inclusive)
City:	Tracy, CA			Sampler:	Jue	` ´
Well ID	mw.5			Date Monitored:	11-29-10	
Well Diameter	<b>(2)</b> 4 ii	٦.	Volu	me 3/4"= 0.02		0.38
Total Depth	28.18 f	t.		or (VF) 4"= 0.66		5.80
Depth to Water	13.61		=	nn is less then 0.50 x3 case volume =	Estimated Purge Volume:	gal.
Depth to Water	w/ 80% Recharge	E [(Height of	Water Column x 0.20)	+ DTW]:	Time Started:	(2400 hrs)
Purge Equipment:			Sampling Equipment	:	Time Completed:	(2400 hrs)
Disposable Bailer		0	Disposable Bailer		Depth to Product:	ft
Stainless Steel Baile	r	F	Pressure Bailer		Depth to Water: Hydrocarbon Thickness:	ft
Stack Pump		0	Discrete Bailer		Visual Confirmation/Descrip	ftft
Suction Pump		F	Peristaltic Pump			
Grundfos	·	C	ED Bladder Pump		Skimmer / Absorbant Sock	(circle one)
Peristaltic Pump		C	)ther:		Amt Removed from Skimme Amt Removed from Well:	er: gal
QED Bladder Pump	·				Water Removed:	
Other:					Product Transferred to:	
Time/ (2400 br.)	Volume (gal.)	рН	Conductivity (µmhos/cm - µS)	Temperature ( C / F )	D.O. ORP (mg/L) (mV)	
			LABORATORY IN	IFORMATION		
SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES	
	x voa vial	YES	HCL	LANCASTER T	TPH-GRO(8015)/BTEX+MTBE(82	60)
				<u> </u>		
COMMENTS:	m. ouly			<u> </u>		
Add/Replaced Lo	ock:	Add/I	Replaced Plug:	A	Add/Replaced Bolt:	



Client/Facility#:	Chevron #	9-7127		Job I	Number:	385251			
Site Address:	I-580 And	Grant Line	Road	Ever	It Date:	11-29.	10		(inclusive)
City:	Tracy, CA			Sam	- pler:	500			.(
					- 	000			, 
Well ID	mw_ (			Date Mo	onitored:	11-2	9-10		
Well Diameter	(2)/4	in.	]	Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38	1
Total Depth	28.83	<u>ft.</u>		Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80	
Depth to Water	13.86			column is less					1
	14.97		17 = 2.5			stimated Purg	e Volume:	8	gal.
Depth to Water w	// 80% Rechar	ge [(Height of W	ater Column x (	0.20) + DTW]:	16.85	Time Sta	ata ak		
Purge Equipment:		Sa	mpling Equipr	mont			mpleted:		(2400 hrs)
Disposable Bailer			posable Bailer		/	Depth to	Product:	/	ft
Stainless Steel Bailer			ssure Bailer			Depth to			ft
Stack Pump		Dis	crete Bailer		<u> </u>		bon Thickne onfirmation/D		ft
Suction Pump		Per	istaltic Pump						
Grundfos			D Bladder Pum	·		Amt Rem	/ Absorbant	Sock (circle	e one) gal
Peristaltic Pump QED Bladder Pump		Oth	er:			Amt Rem	oved from W	vell:	gal
Other:						Water Re			
						Product	ransferred to	0:	
Start Time (purge)	0915		Weathe	r Conditions	·	lead	cold		
Sample Time/Date		11-29-12		olor: <u>/</u>		dor: Y / I			
Approx. Flow Rate		gpm.		nt Descriptio					
Did well de-water?		If yes, Time:		Volume:		one I. DTW@	Sampling	14.1	6
Time (2400 hr.)	Volume (gal.)	рН	Conductivity (µmhos/cm -/µ			D.O. (mg/L)		)RP mV)	
0925	3	7.35	1218		0				
0932	_5	7.41	11.95		. 3				
0940	- 8	7.38	1207	= 17	.0				

			ABORATORY IN		
SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-6	C x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS:

\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_

Add/Replaced Bolt: \_\_\_\_\_



Client/Facility#:	Chevron #9-	7127		Job Number:	385251	
Site Address:	I-580 And G	rant Lin	e Road	Event Date:	11-19-10	(inclusive)
City:	Tracy, CA			Sampler:	Jor	(
Well ID	mw-7			Date Monitored:	11-19-10	
Well Diameter	<b>214</b> in		Volur	ne 3/4"= 0.(		0.00
Total Depth	28.18 ft.			or (VF) 4"= 0.6		0.38 5.80
Depth to Water		- The second sec	Check if water colun			
Depth to Water	<u>13.43</u> w/80% Recharge	_xVF	Water Column x 0.20)	x3 case volume =	Estimated Purge Volume:	gal.
		L(o.g.it of			Time Started:	(2400 hrs)
Purge Equipment:			Sampling Equipment:		Time Completed:	(2400 hrs)
Disposable Bailer		1	Disposable Bailer		Depth to Product:	ft
Stainless Steel Baile	r	F	Pressure Bailer		Depth to Water: Hydrocarbon Thickness:	
Stack Pump		ε	Discrete Bailer		Visual Confirmation/Descript	ft
Suction Pump		F	Peristaltic Pump			
Grundfos		C	ED Bladder Pump		Skimmer / Absorbant Sock (	circle one)
Peristaltic Pump		C	Other:		Amt Removed from Skimmer	r: gal
QED Bladder Pump					Amt Removed from Well:	gai
Other:					Product Transferred to:	
Start Time (purge Sample Time/Da Approx. Flow Rat Did well de-water Time (2400 hr.)	te:/	gpm. yes, Time pH	Weather Co Water Color: Sediment De Volui Conductivity (µmhos/cm - µS)	escription:	Odor: Y / N gal. DTW @ Sampling: D.O. ORP (mg/L) (mV)	
			LABORATORY IN	FORMATION		
SAMPL/E ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES	
	x voa vial	YES	HCL		TPH-GRO(8015)/BTEX+MTBE(826	0)
						·
			<u> </u>			
		· · · ·				
COMMENTS:	m.only			I		
Add/Replaced Lo		Add/I	Replaced Plug:		Add/Replaced Bolt:	



Event Date:           Sampler:           Date Monitored:           Volume         3/4"= 0.0           Factor (VF)         4"= 0.6           column is less then 0.50           x3 case volume =           0.20) + DTWJ:	Joe         2       1"= 0.04       2"= 0.17       3"= 0.38         6       5"= 1.02       6"= 1.50       12"= 5.80         0 ft.       Estimated Purge Volume:	(inclusive) gal. (2400 hrs) ft ft ft
Date Monitored:           Volume         3/4"= 0.0           Factor (VF)         4"= 0.6           column is less then 0.50	Joe           2         1"= 0.04         2"= 0.17         3"= 0.38           6         5"= 1.02         6"= 1.50         12"= 5.80           0 ft.         Estimated Purge Volume:	gal. (2400 hrs) (2400 hrs) ft ft
Volume 3/4"= 0.0, Factor (VF) 4"= 0.60 column is less then 0.50 	6 5"= 1.02 6"= 1.50 12"= 5.80 D ft. Estimated Purge Volume: Time Started: Time Completed: Depth to Product: Depth to Vater: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock {circle	(2400 hrs) (2400 hrs ft ft
Volume 3/4"= 0.0, Factor (VF) 4"= 0.60 column is less then 0.50 	6 5"= 1.02 6"= 1.50 12"= 5.80 D ft. Estimated Purge Volume: Time Started: Time Completed: Depth to Product: Depth to Vater: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock {circle	(2400 hrs) (2400 hrs ft ft
Factor (VF) 4"= 0.60 column is less then 0.50 	6 5"= 1.02 6"= 1.50 12"= 5.80 D ft. Estimated Purge Volume: Time Started: Time Completed: Depth to Product: Depth to Vater: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock {circle	(2400 hrs) (2400 hrs ft ft
x3 case volume = .2.20) + DTW]: nent:	0 ft. Estimated Purge Volume: Time Started: Time Completed: Depth to Product: Depth to Water: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock {circle	(2400 hrs) (2400 hrs ft ft
0.20) + DTW]:	Time Started: Time Completed: Depth to Product: Depth to Water: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock {circle	(2400 hrs) (2400 hrs) ft ft
nent:	Time Completed: Depth to Product: Depth to Water: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock (circle	(2400 hrs ft ft
	Depth to Product: Depth to Water: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock (circle	ft ft
	Depth to Water: Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock (circle	ft
	Hydrocarbon Thickness: Visual Confirmation/Description: Skimmer / Absorbant Sock (circle	
	Skimmer / Absorbant Sock circle	
	Skimmer / Absorbant Sock (circle	
	Amt Removed from Skimmer	
	Amt Removed from Well	gal
	Water Removed:	yai
	Product Transferred to	- <u></u>
/	/	
r Conditions:	/	~
	Odor: Y / N	
nt Description:	/	
/olume: g	gal. DTW @ Sampling:	
Tomportun		
• • • •		
	(119)[] (110)	
Y INFORMATION		
LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)	
	<u></u>	
· · · · · · · · · · · · · · · · · · ·		
	S) (C / F )	S) (C/F) (mg/L) (my/)

	Chevro	on Ca	alifo	orn	ia	Re	g	ior	n A	nc	aly	'sis	s Requ	est/	/Chain o	f Cu	isto
Lancaster Laboratories															e only C Group #:		
		CRA M							-		-	-	Requested		76#12		
Facility #: SS#9-7127 G-R#385251 G				Γ	Matri	x		-			Pres	erva	tion Codes		Preserve	and the second second	
ite Address								H							H = HCI	T = Thio	sulfate
Chevron PM: <u>MTI</u> Lead Consultant/Office: <u>G-R, Inc., 6747 Sierra</u> Co	Consultant: C	RAKJ K	iemar		1	Н									$N = HNO_3$ $S = H_2SO_4$	B = NaO O = Oth	
onsultant/Office: G-R, Inc., 6747 Sierra Co	urt, Suite J, I	Dublin, CA	9456	3	elde SES		Jen								J value report		
onsultant Prj. Mgr.: Deanna L. Harding (c	leanna@grin	c.com)			Potable		Containers	<b>1</b> 8021							Must meet lo possible for 8	west deter	ction limit
onsultant Phone #: 925-551-7555						4	С С		_   C	3		8	20		8021 MTBE Col		xounds
ampler: JOE & JEMIA							ğ	8260		5	- Sette	Method	W I		Confirm high		3260
						₹	Ę	+ MTBE			Oxygenates	g	Leac		Confirm all hi		
ample Identification	Date	Time	Grab	Soil	Water	□ 10	Total Number	BTEX +	TPH B015 MOD GHO	B260 full scan	6	Total Lead	Dissolved Lead Method		🖸 Run oxy	's on high	nest hit
mw-4	Collected	Collected		) Ø	13		71			: 8		4			🖸 Run oxy	-	
mw-G	4	0955	1	╋	11		6	4	*	+				┝╌┟	Comments / I	Remarks	
SuplyWell	11	1105	11	1-	11		č	7	1	+				╅╼┾			
									+	+		- 1		+	-		
													-+-+-				
					ļ	$ \downarrow \downarrow $	-										1
				╋		┼╌┞				+							
						┼┼								┢╴┟			
		· · ·		$\mathbf{T}$		┝╌┼╴	-			+		+	++++	╉╼╉			
												$\neg$		┼─┼			
				-			_										
improved Time Demonstration in the		Helingu	the la	4					1		Ļ						
urnaround Time Requested (TAT) (please ci PD. TAT 72 hour 48 hou				1					1	Date -30-	101	ime 1 <i>0</i> 1/	Received by:	1.	1 7d	Date Novi¢	Time
Thour 4 day 5 day		Relinqui	shed by	1				-70				ime	Received by:	0	5,0	Date	Time
	· · · · · · · · · · · · · · · · · · ·	Retingui	shed by	y .	2	and the second secon	_	59	14	Date		30	FEDER	-		Liano	14110
nta Package Options (please circle if required) Summary Type I - Fuil	DF/EDD	Lounda		· · · · ·			<b>.</b>			Date	11	ime	Received by:	++		Date	Time
pe VI (Raw Data) Coelt Deliverable not nee		Relinqui		-		l Carri	ier:				-	-	Received by:	4	Λ	Date	Time
P (RWQCB)		UPS		SdE		_	her_				_		1 miles	A	H I	Lille	an
sk		Tempera	ature Up	on R	eceipt_	1.1	-1	5%	6			C°	Custopy Seak		No No		

Lancaster Laboratories, Inc., 2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 (717) 656-2300 Copies: White and yellow should accompany samples to Lancaster Laboratories. The pink copy should be retained by the client.



2425 New Holland Pike, PO Box 12425, Lancesler, PA 17805-2425 • 717-856-2800 Fax: 717-656-2881 • www.lancesterlabs.com

#### ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories 2425 New Holland Pike Lancaster, PA 17605-2425 Prepared for:

Chevron c/o CRA Suite 107 10969 Trade Center Dr Rancho Cordova CA 95670

December 10, 2010

Project: 97127

Submittal Date: 12/01/2010 Group Number: 1223319 PO Number: 97127 Release Number: MTI State of Sample Origin: CA RECEIVED

DEC 1 4 2010

GETTLER-RYAN INC. GENERAL CONTRACTORS

<u>Client Sample Description</u> MW-4-W-101129 Grab Water MW-6-W-101129 Grab Water SupplyWell-W-101129 Grab Water

Lancaster Labs (LLI) # 6152950 6152951 6152952

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC ( COPY TO ELECTRONIC ( COPY TO ELECTRONIC ( COPY TO

Gettler-Ryan, Inc. Chevron c/o CRA Chevron Attn: Rachelle Munoz Attn: Report Contact Attn: Anna Avina



**Analysis Report** 

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 -717-656-2300 Fax: 717-656-2881 - www.lancasteriabs.com

Questions? Contact your Client Services Representative Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,

Lawrence M. Taylor Senior Specialist



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fex: 717-656-2681 • www.lancasterlabs.com

#### Page 1 of 1

Sample Description: MW-4-W-101129 Grab Water	LLI Sample # WW 6152950
Facility# 97127 Job# 385251 MTI# 63H-1656 GRD	LLI Group # 1223319
I-580 & Grant Line-Tracy T0600102298 MW-4	Account # 12099

#### Project Name: 97127

Collected: 11/29/2010 10:40 by JA

Submitted: 12/01/2010 09:20 Reported: 12/10/2010 15:28

#### GLT04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS	Volatiles SW-846	8260B	ug/l	ug/l	
10943	Benzene	71-43-2	130	0.5	1
10943	Ethylbenzene	100-41-4	3	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	9	0.5	1
10943	Xylene (Total)	1330-20-7	24	0.5	1
GC Vol	latiles SW-846	8015B	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	520	50	1

Chevron c/o CRA

10969 Trade Center Dr

Rancho Cordova CA 95670

Suite 107

#### General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
	BTEX/MTBE 8260 Water GC/MS VOA Water Prep TPH-GRO N. CA water C6-C12	SW-846 8260B SW-846 5030B SW-846 8015B	1	D103361AA D103361AA 10341C20A	12/02/2010 11:57 12/02/2010 11:57 12/08/2010 11:43	Daniel H Heller Daniel H Heller Butch A Sokolowski	1 1
01146	GC VOA Water Prep	SW-846 5030B	1	10341C20A	12/08/2010 11:43	Butch A Sokolowski	1



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 \*717-656-2300 Fax: 717-656-2681 \* www.lancasterlabs.com

#### Page 1 of 1

# Sample Description: MW-6-W-101129 Grab WaterLLI SamplFacility# 97127 Job# 385251 MTI# 63H-1656 GRDLLI GroupI-580 & Grant Line-Tracy T0600102298 MW-6Account

LLI Sample # WW 6152951 LLI Group # 1223319 Account # 12099

#### Project Name: 97127

Collected: 11/29/2010 09:55 by JA

Submitted: 12/01/2010 09:20 Reported: 12/10/2010 15:28

#### GLT06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS	Volatiles SW-846	8260B	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	-
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Vol	latiles SW-846	8015B	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

Chevron c/o CRA

10969 Trade Center Dr

Rancho Cordova CA 95670

Suite 107

#### General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943 01163 01728	BTEX/MTBE 8260 Water GC/MS VOA Water Prep TPH-GRO N. CA water C6-C12	SW-846 8260B SW-846 5030B SW-846 8015B	1	D103361AA D103361AA 10341C20A	12/02/2010 12:19 12/02/2010 12:19 12/08/2010 12:05	Daniel H Heller Daniel H Heller Butch A Sokolowski	1 1
01146	GC VOA Water Prep	SW-846 5030B	1	10341C20A	12/08/2010 12:05	Butch A Sokolowski	i 1



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

#### Page 1 of 1

# Sample Description: SupplyWell-W-101129 Grab Water LLI Sample # WW 6152952 Facility# 97127 Job# 385251 MTI# 63H-1656 GRD LLI Group # 1223319 I-580 & Grant Line-Tracy T0600102298 SupplyWell Account # 12099

Chevron c/o CRA

10969 Trade Center Dr

Rancho Cordova CA 95670

Suite 107

#### Project Name: 97127

Collected: 11/29/2010 11:05 by JA

Submitted: 12/01/2010 09:20 Reported: 12/10/2010 15:28

#### GLTSW

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS	Volatiles SW-846	8260B	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Vol	atiles SW-846	8015B	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

#### General Sample Comments

State of California Lab Certification No. 2501 Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943 01163	BTEX/MTBE 8260 Water GC/MS VOA Water Prep	SW-846 8260B SW-846 5030B	1	D103361AA D103361AA	12/02/2010 13:27 12/02/2010 13:27	Daniel H Heller Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10341C20A	12/08/2010 12:27	Butch A Sokolowsk:	i 1
01146	GC VOA Water Prep	SW-846 5030B	1	10341C20A	12/08/2010 12:27	Butch A Sokolowsk:	i 1



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 •717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 2

#### Quality Control Summary

Client Name: Chevron c/o CRA Reported: 12/10/10 at 03:28 PM Group Number: 1223319

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

#### Laboratory Compliance Quality Control

Analysis Name	Blank <u>Result</u>	Blank MDL	Report <u>Units</u>	LCS <u>%REC</u>	LCSD <u>%REC</u>	LCS/LCSD Limits	RPD	RPD Max
Batch number: D103361AA	Sample num	ber(s): 61	52950-6152	952				
Benzene	N.D.	0.5	ug/l	97		79-120		
Ethylbenzene	N.D.	0.5	ug/l	91		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	90		76-120		
Toluene	N.D.	0.5	ug/l	94		79-120		
Xylene (Total)	N.D.	0.5	ug/l	92		80-120		
Batch number: 10341C20A	Sample num			952				
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	100	100	75-135	0	30

#### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS <u>%REC</u>	MSD <u>%RBC</u>	MS/MSD <u>Limits</u>	RPD	RPD <u>MAX</u>	BKG <u>Conc</u>	DUP <u>Conc</u>	DUP RPD	Dup RPD <u>Max</u>
Batch number: D103361AA	Sample	number(s)	: 6152950	-61529	52 UNSP	K: 6152951			
Benzene	117	112	80-126	4	30				
Ethylbenzene	110	106	71-134	4	30				
Methyl Tertiary Butyl Ether	115	112	72-126	3	30				
Toluene	111	109	80-125	2	30				
Xylene (Total)	110	106	79-125	4	30				
Batch number: 10341C20A TPH-GRO N. CA water C6-C12	Sample 100	number(s)	: 6152950 63-154	-615299	52 UNSP	K: P155035			

#### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

	Name: UST VOCs by mber: D103361AA	/ 8260B - Water			
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	
6152950	92	98	98	96	
6152951	94	97	97	94	
6152952	93	99	100	97	
Blank	95	97	99	94	

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.



2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 2

#### Quality Control Summary

Client Name: Chevron c/o CRA Reported: 12/10/10 at 03:28 PM

Group Number: 1223319

LCS MS MSD	92 94 93	98 101 100	<b>Surrogate</b> 97 99 97	<b>Quality</b> 102 101 101	Control	
	80-116 Name: TPH-GR mber: 10341C2	77-113 O N. CA water C6-C	80-113	78-113		
	Trifluorotoluene-F					
6152950 6152951	91 86					
152951	84					
lank	85					
CS	110					
CSD	109					
1S	133					

Limits: 63-135

\*- Outside of specification

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.



### **Explanation of Symbols and Abbreviations**

The following defines common symbols and abbreviations used in reporting technical data:

RL N.D.	Reporting Limit none detected	BMQL MPN	Below Minimum Quantitation Level Most Probable Number	
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units	
IU International Units		NTU nephelometric turbidity units		
umhos/cm	micromhos/cm	ng	nanogram(s)	
С	degrees Celsius	Ĕ	degrees Fahrenheit	
meq	milliequivalents	lb.	pound(s)	
g	gram(s)	kg	kilogram(s)	
ug	microgram(s)	mg	milligram(s)	
mł	milliliter(s)	Ĭ	liter(s)	
m3	cubic meter(s)	ul	microliter(s)	

- < less than The number following the sign is the <u>limit of quantitation</u>, the smallest amount of analyte which can be reliably determined using this specific test.
- > greater than
- J estimated value The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).
- ppm parts per million One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.
- ppb parts per billion
- Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

#### U.S. EPA CLP Data Qualifiers:

#### **Organic Qualifiers**

- A TIC is a possible aldol-condensation product
- B Analyte was also detected in the blank
- C Pesticide result confirmed by GC/MS
- D Compound quantitated on a diluted sample
- E Concentration exceeds the calibration range of the instrument
- N Presumptive evidence of a compound (TICs only)
   P Concentration difference between primary and
- confirmation columns >25%
- U Compound was not detected
- X,Y,Z Defined in case narrative

#### Inorganic Qualifiers

- **B** Value is <CRDL, but  $\geq$ IDL
- E Estimated due to interference
- M Duplicate injection precision not met
- N Spike sample not within control limits
- S Method of standard additions (MSA) used for calculation
- U Compound was not detected
- W Post digestion spike out of control limits
- \* Duplicate analysis not within control limits
- + Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.