



**Catalina Espino
Devine**
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-3943
espino@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RECEIVED

By Alameda County Environmental Health at 9:13 am, May 06, 2013

RE: **First Quarter 2013 Groundwater Monitoring Report**
Former Chevron Service Station 97127
Grant Line Road and Interstate 580
Tracy, California
RWQCB # RO0000185

Dear Mr. Detterman:

ARCADIS U.S., Inc. (ARCADIS), at the request of Chevron Environmental Management Company (Chevron), has prepared the enclosed First Quarter 2013 Groundwater Monitoring Report for Former Chevron Service Station 97127, located at Grant Line Road and Interstate 580 in Tracy, California.

I declare to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct. The enclosed report is submitted pursuant to the requirements of California Water Code Section 13267 (b)(1).

Sincerely,

A handwritten signature in black ink that reads "Catalina Devine".

Catalina Espino Devine
Project Manager



Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Subject:

First Quarter 2013 Groundwater Monitoring Report
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California
RWQCB # RO0000185

Dear Mr. Detterman:

ARCADIS U.S., Inc. (ARCADIS) has prepared this *First Quarter of 2013 Groundwater Monitoring Report*, on behalf of Chevron Environmental Management Company (Chevron), to document the results of groundwater monitoring and sampling at former Chevron Service Station No. 97127, located at Grant Line Road and Interstate 580 in Tracy, California (the Site; Figure 1).

Groundwater Monitoring and Sampling

Gettler-Ryan Inc. (G-R) conducted quarterly groundwater monitoring and sampling on March 26, 2013. The groundwater monitoring and sampling program consists of measuring depth-to-groundwater, collecting groundwater samples, and analyzing the samples.

Field Procedures

G-R measured the depth to groundwater on March 26, 2013 from 13 of the 14 monitoring wells associated with the site monitoring network (MW-1, MW-2, MW-3, MW-4, MW-6, MW-7, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14 and MW-15), shown on Figure 2. MW-5 was not accessible due to a wasp nest located under the well lid; therefore it was not monitored or sampled during the first quarter 2013.

G-R subsequently collected groundwater samples on March 26, 2013 from 6 monitoring wells (MW-9, MW-10, MW-12, MW-13, MW-14 and MW-15). Monitoring wells MW-1, MW-3, MW-4, and MW-6 are sampled semiannually during the second

ARCADIS U.S., Inc.
950 Glenn Drive
Suite 125
Folsom
California 95630
Tel 916.985.2079
Fax 916.985.2093
www.arcadis-us.com

ENVIRONMENT

Date:
May 3, 2013

Contact:
Tonya R. Russi

Phone:
916.985.2079 ext. 15

Email:
Tonya.Russi@
arcadis-us.com

Our ref:
B0047959.0001

and fourth quarter monitoring events and wells MW-2, MW-5, MW-7, and WSW-1 are sampled annually during the fourth quarter monitoring event. Monitoring wells MW-1, MW-3 and MW-11 contained separate phase hydrocarbons (SPH), and monitoring well MW-8 has a damaged well casing; therefore, groundwater samples were not collected from these wells during the first quarter 2013 monitoring and sampling event. ARCADIS made repairs to MW-8 and re-surveyed the monitoring well network on April 23, 2013 and will reincorporated it back into the monitoring and sampling program during the second quarter 2013.

Groundwater samples were collected in accordance with California Environmental Protection Agency (CalEPA), Department of Toxic Substances Control procedures outlined in *Representative Sampling of Groundwater for Hazardous Substances*.¹

Samples were collected with new disposable bailers after purging approximately three well volumes. Purging and sampling was performed using the following series of activities and protocols:

- During the purge cycle, groundwater field parameter measurements consisting of specific conductance, pH and temperature were measured using a water quality meter
- Approximately three times the volume of standing water was removed from each monitoring well and field parameters were recorded on a well volume basis
- After the purge cycle was complete, a groundwater sample was collected for analysis with a disposable polyethylene bailer and transferred to the appropriate laboratory supplied sample containers prefilled with preservative; the water column was allowed to recharge to a minimum of 80 percent of its pre-purge elevation before a groundwater sample was collected

SPH were observed in monitoring wells MW-1, MW-3, and MW-11 at a thickness of 1.29 feet (ft), 0.21 foot, and 1.26 ft, respectively. SPH has historically been observed in monitoring wells MW-1 and MW-3, beginning on December 28, 1992 and May 22, 2009, respectively. ARCADIS will evaluate the MW-11 LNAPL occurrence during the

¹ California Environmental Protection Agency Department of Toxic Substances Control. 2008. *Representative Sampling of Groundwater for Hazardous Substances* (July 1995, revised February 2008). California: February 2008.

second quarter 2013 with a field inspection and evaluation of historical groundwater elevation data.

Groundwater monitoring and sampling field data sheets are presented in the G-R groundwater monitoring and sampling data package (Attachment 1). Purge water and equipment decontamination water generated during the sampling event was transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.

Laboratory Analysis

Subsequent to collection, samples were packed on ice in an attempt to maintain the samples at approximately 4 degrees Celsius (°C), and shipped under appropriate chain-of-custody protocols for analysis to Lancaster Laboratories (Lancaster) of Lancaster, Pennsylvania, a California Department of Public Health certified analytical laboratory. The groundwater samples were analyzed for the following chemicals:

- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) [C₆-C₁₂] by United States Environmental Protection Agency (USEPA) Method 8015B
- Benzene, toluene, ethylbenzene and total xylenes (BTEX) by USEPA Method 8260B
- Methyl tertiary butyl ether (MTBE) by USEPA Method 8260B

Quality assurance/quality control (QA/QC) samples, including trip blanks, were submitted for laboratory analysis. A laboratory supplied trip blank accompanied each sample delivery group. Trip blank samples were analyzed for TPH-GRO, BTEX and MTBE. Analytes were not detected in the trip blank at concentrations at or above the respective laboratory method detection limit (MDL). The laboratory analytical report and chain-of-custody record for the quarterly groundwater sampling event are presented in Attachment 2. Historical groundwater monitoring data results ending on February 21, 2012 are included in Attachment 3. Current Analytical Groundwater Gauging and Analytical Data for the December 10, 2012 monitoring event are included in Table 1. Historical groundwater monitoring beginning June 25, 2012 are included in Table 2.

Results

Groundwater Flow

Depth-to-water measurements were subtracted from surveyed top of casing elevations to calculate the groundwater elevation at each monitoring well. Depth-to-water measurements and calculated groundwater elevations are presented in Table 1. Calculated groundwater elevation data was used to construct a groundwater elevation contour map of the site (Figure 3).

The top of casing (TOC) elevations observed during the April 23, 2013 survey event were used to calculate the groundwater elevations during the first quarter 2013. On average, the TOC elevation increased by 0.55 foot from the TOC elevations previously observed in September 2011.

Due to a monitoring and sampling error, depth-to-water measurements were collected from monitoring wells MW-1, MW-3, and MW-11, where the presence of sheen, and or SPH was detected. Groundwater elevations from monitoring wells MW-1, MW-3, and MW-11 were not consistent with other groundwater elevations; therefore, the groundwater elevations were not used for contouring nor were they presented in the average results. Depth-to-water measurements were also not collected from MW-5 due to the presence of a biological hazard. On average, groundwater elevations at the site monitoring wells increased 0.22 ft from the fourth quarter 2012 event. The horizontal groundwater flow direction across the site was toward the north at an approximate horizontal hydraulic gradient of 0.001 foot per foot (ft/ft) as shown on the groundwater elevation contour map presented as Figure 3. The predominant groundwater flow direction across the site has been to the north, as depicted on the groundwater flow direction rose diagram presented as Figure 1 of Attachment 4.

Groundwater Analytical

Analytical results from the quarterly groundwater monitoring and sampling event are presented in Table 1. Historical analytical results through February 21, 2012, as provided by G-R, are presented in Attachment 3. Historical analytical results beginning July 25, 2012, are presented in Table 2. A concentration map of TPH-GRO, benzene and MTBE across the site are presented as Figure 4. Maximum and minimum concentrations of petroleum hydrocarbon constituents detected in

groundwater samples collected during the first quarter of 2013 are presented in the table below:

Constituent	Frequency of Detection Above the MDL ¹	Range of Detected Concentrations in µg/L ²	California Primary MCL ³ in µg/L ²	Frequency of Exceedances	Concentration of MCL Exceedance in µg/L ² (Well ID)
TPH-GRO	6/6	240 – 96,000	--	--	--
Benzene	6/6	7 – 25,000	1	6/6	700 (MW-9); 150 (MW-10); 7 (MW-12); 23 (MW-13); 23,000 (MW-14); 25,000 (MW-15)
Toluene	5/6	0.7 – 6,200	150	2/5	6,200 (MW-14); 4,300 (MW-15)
Ethylbenzene	6/6	0.9 – 1,200	300	2/6	1,200 (MW-14); 1,200 (MW-15)
Total Xylenes	5/6	1 – 4,700	1,750	2/5	4,700 (MW-14); 4,400 (MW-15)
MTBE	1/6	1	13	0/1	--

Notes:

1. MDL = method detection limit
2. µg/L = microgram per liter, equivalent to part per billion (ppb)
3. MCL = maximum contaminant level

Concentration graphs for TPH-GRO, benzene, MTBE and groundwater elevation versus time at wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14 and MW-15 are presented as Figures 1 through 14, respectively, of Attachment 5.

Chemical concentration ranges of groundwater samples collected during the fourth quarter of 2012 are generally consistent with the concentration ranges detected during previous quarterly monitoring and sampling events.

Summary and Conclusions

- Groundwater flowed toward the north across the site at an approximate horizontal hydraulic gradient of 0.001 ft/ft
- Benzene, toluene, ethylbenzene and total xylenes were detected above the respective California primary maximum contaminant level (MCL) in groundwater samples collected from the site monitoring network.
- TPH-GRO and MTBE were detected above their respective laboratory MDL in groundwater samples collected from the site monitoring well network.
- SPH was observed in monitoring wells MW-1, MW-3, MW-11

Recommendations

ARCADIS recommends continuation of the groundwater monitoring and sampling program.

Closing

If you have any questions or comments regarding the contents of this report, please contact Tonya Russi of ARCADIS at 916.985.2079 ext. 15 or by e-mail at Tonya.Russi@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.

Tonya R. Russi
 Associate Project Manager

David W. Lay, P.G., C.P.G.
 Principal Geologist



Enclosures:

- Table 1 First Quarter 2013 Groundwater Monitoring Data and Analytical Results
- Table 2 Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012

- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 Groundwater Elevation Contour Map, March 26, 2013
- Figure 4 TPH-GRO, Benzene and MTBE Concentration Map, March 26, 2013

- Attachment 1 Groundwater Monitoring and Sampling Data Package, Gettler-Ryan Inc., April 4, 2013
- Attachment 2 Groundwater Analytical Results, Lancaster Laboratories, April 8, 2013
- Attachment 3 Historical Groundwater Monitoring Data and Analytical Results, Ending February 21, 2012
- Attachment 4 Figure 1 (Groundwater Flow Direction Rose Diagram)
- Attachment 5 Figures 1 through 14 (Chemical Concentrations and Groundwater Elevations versus Time Graphs)

Copies:

Ms. Catalina Espino Devine, Chevron Environmental Management Company

Ms. Vera Fischer, Central Valley Regional Water Quality Control Board

Mr. Ardavan Onori, DM Livermore, Inc.

Mr. Wyman Hong, Zone 7 Water Agency

Martin & Jeanne Moghadam

Gary J. Grimm

Tables

Table 1
First Quarter 2013 Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-1	03/26/13	SPH	331.81	31.30	1.29	300.51	--	--	--	--	--	--	Monitored only
MW-2	03/26/13		329.88	28.45	0.00	301.43	--	--	--	--	--	--	Monitored only
MW-3	03/26/13	SPH	331.91	30.65	0.21	301.26	--	--	--	--	--	--	Monitored only
MW-4	03/26/13		329.25	27.73	0.00	301.52	--	--	--	--	--	--	Monitored only
MW-5	03/26/13		315.84	--	0.00	--	--	--	--	--	--	--	Wasp nest - no access
MW-6	03/26/13		314.92	13.56	0.00	301.36	--	--	--	--	--	--	Monitored only
MW-7	03/26/13		316.28	14.85	0.00	301.43	--	--	--	--	--	--	Monitored only
MW-8	03/26/13		333.00	--	0.00	--	--	--	--	--	--	--	
MW-9	03/26/13		332.45	31.00	0.00	301.45	4,400	700	110	57	120	<0.5	
MW-10	03/26/13		331.66	30.16	0.00	301.50	920	150	18	4	26	<0.5	
MW-11	03/26/13	SPH	331.87	31.35	1.26	300.52	--	--	--	--	--	--	Monitored only
MW-12	03/26/13		332.42	31.05	0.00	301.37	240	7	0.7	0.9	1	<0.5	
MW-13	03/26/13		331.49	30.15	0.00	301.34	290	23	<0.5	2	<0.5	2	
MW-14	03/26/13		332.12	30.74	0.00	301.38	92,000	23,000	6,200	1,200	4,700	<5	
MW-15	03/26/13		332.77	31.36	0.00	301.41	96,000	25,000	4,300	1,200	4,400	<5	
WSW-1	03/26/13		--	--	--	--	--	--	--	--	--	--	

Notes:

TPH-GRO = Total petroleum hydrocarbons as gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total xylenes

MTBE = Methyl tertiary butyl ether

SPH = Separate phase hydrocarbons

TOC = Top of casing (surveyed)

MSL = Mean sea level

µg/L = Microgram per liter

< = Analyte was not detected above laboratory method detection limit

-- = Not measured or analyzed

Well survey data (TOC elevation) provided by Muir Consulting, Inc., April 2013

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-1	06/25/12	SPH	331.93	31.85	1.80	300.08	--	--	--	--	--	--	
	09/22/12	SPH	331.93	32.85	2.42	299.08	--	--	--	--	--	--	
	12/10/12	SPH	331.93	32.21	1.90	299.72	--	--	--	--	--	--	
	03/26/13	SPH	331.81	31.30	1.29	300.51	--	--	--	--	--	--	
MW-2	06/25/12		329.98	28.60	0.00	301.38	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		329.98	29.15	0.00	300.83	--	--	--	--	--	--	
	12/10/12		329.98	28.79	0.00	301.19	--	--	--	--	--	--	
	03/26/13		329.88	28.45	0.00	301.43	--	--	--	--	--	--	
MW-3	06/25/12	SPH	332.03	30.88	0.22	301.15	--	--	--	--	--	--	
	09/22/12	SPH	332.03	31.58	0.42	300.45	--	--	--	--	--	--	
	12/10/12	SPH	332.03	31.00	0.06	301.03	--	--	--	--	--	--	
	03/26/13	SPH	331.91	30.65	0.21	301.26	--	--	--	--	--	--	
MW-4	06/25/12		320.22	27.88	0.00	292.34	1,300	170	44	23	67	<0.5	
	09/22/12		329.44*	28.35	0.00	301.09	--	--	--	--	--	--	
	12/10/12		329.44*	28.11	0.00	301.33	490	<0.5	<0.5	<0.5	25	<0.5	
	03/26/13		329.25	27.73	0.00	301.52	--	--	--	--	--	--	
MW-5	06/25/12	INA	315.97	14.68	0.00	301.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		315.97	15.19	0.00	300.78	--	--	--	--	--	--	
	12/10/12		315.97	14.63	0.00	301.34	--	--	--	--	--	--	
	03/26/13	INA	315.84	--	0.00	--	--	--	--	--	--	--	Wasp Nest - no access
MW-6	06/25/12		314.91	13.79	0.00	301.12	<50	<0.5	<0.5	<0.5	<0.5	1	
	09/22/12		314.91	14.33	0.00	300.58	--	--	--	--	--	--	
	12/10/12		314.91	13.87	0.00	301.04	<50	<0.5	<0.5	<0.5	<0.5	1	
	03/26/13		314.92	13.56	0.00	301.36	--	--	--	--	--	--	
MW-7	06/25/12	INA	316.39	14.98	0.00	301.41	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		316.39	15.46	0.00	300.93	--	--	--	--	--	--	
	12/10/12		316.39	14.93	0.00	301.46	--	--	--	--	--	--	
	03/26/13		316.28	14.85	0.00	301.43	--	--	--	--	--	--	
MW-8	03/26/13												
MW-9	06/25/12		332.56	31.13	0.00	301.43	2,400	370	84	59	62	<0.5	
	09/22/12		332.56	31.65	0.00	300.91	5,200	1,100	950	110	300	<5	
	12/10/12		332.56	31.34	0.00	301.22	6,800	1,400	1,100	90	370	<5	
	03/26/13		332.45	31.00	0.00	301.45	4,400	700	110	57	120	<0.5	
MW-10	06/25/12		331.77	30.32	0.00	301.45	2,500	420	70	27	180	<5	
	09/22/12		331.77	30.85	0.00	300.92	2,900	620	470	30	160	<5	
	12/10/12		331.77	36.64	0.00	295.13	3,100	630	27	<5	37	<5	
	03/26/13		331.66	30.16	0.00	301.50	920	150	18	4	26	<0.5	
MW-11	06/25/12		331.98	30.63	0.00	301.35	47,000	9,800	7,900	880	3,900	<50	
	09/22/12		331.98	31.15	0.00	300.83	51,000	9,000	7,200	1,200	4,600	<50	
	12/10/12		331.98	30.88	0.00	301.10	41,000	8,400	6,800	720	3,600	<25	
	03/26/13	SPH	331.87	31.35	1.26	300.52	--	--	--	--	--	--	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-12	06/25/12		332.53	31.23	0.00	301.30	570	21	0.8	38	3	<0.5	
	09/22/12		332.53	31.78	0.00	300.75	350	2	<0.5	6	<0.5	<0.5	
	12/10/12		332.53	31.37	0.00	301.16	380	17	<0.5	1	0.9	<0.5	
	03/26/13		332.42	31.05	0.00	301.37	240	7	0.7	0.9	1	<0.5	
MW-13	06/25/12		331.60	30.34	0.00	301.26	290	22	0.7	2	1	2	
	09/22/12		331.60	30.89	0.00	300.71	290	11	0.6	4	0.7	2	
	12/10/12		331.60	30.47	0.00	301.13	240	16	<0.5	5	1	1	
	03/26/13		331.49	30.15	0.00	301.34	290	23	<0.5	2	<0.5	2	
MW-14	06/25/12		332.24	30.92	0.00	301.32	80,000	23,000	9,800	1,100	4,300	<50	
	09/22/12		332.24	31.45	0.00	300.79	83,000	25,000	9,900	1,800	6,600	<25	
	12/10/12		332.24	31.07	0.00	301.17	70,000	19,000	8,700	1,200	4,600	<50	
	03/26/13		332.12	30.74	0.00	301.38	92,000	23,000	6,200	1,200	4,700	<5	
MW-15	06/25/12		332.88	31.51	0.00	301.37	88,000	28,000	8,400	1,100	4,300	<50	
	09/22/12		332.88	32.05	0.00	300.83	77,000	29,000	9,000	1,700	6,400	<25	
	12/10/12		332.88	31.70	0.00	301.18	71,000	22,000	5,900	1,200	4,800	<100	
	03/26/13		332.77	31.36	0.00	301.41	96,000	25,000	4,300	1,200	4,400	<5	
WSW-1	06/25/12		--	--	--	--	--	--	--	--	--	--	
	09/22/12		--	--	--	--	--	--	--	--	--	--	
	12/10/12		--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	03/26/13		--	--	--	--	--	--	--	--	--	--	

Notes:

TPH-GRO = Total petroleum hydrocarbons as gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total xylenes

MTBE = Methyl tertiary butyl ether

SPH = Separate phase hydrocarbons

TOC = Top of casing (surveyed)

MSL = Mean sea level

µg/L = Microgram per liter

< = Analyte was not detected above laboratory method detection limit

- = Not measured or analyzed

J = Estimated value (less than the method reporting limit and greater than or equal to the method detection limit)

N = Identity of contaminant uncertain (hydrocarbon pattern atypical of indicated analyte); see lab report

R = Data rejected (data determined to be unreliable by laboratory)


INA = Well inaccessible due to steep terrain, grab samples collected

Well survey data (TOC elevation) provided by Muir Consulting, Inc., April 2013

ARCADIS


Figures

CITY: PETALUMA, CA DIV/GROUP: ENV. DB: J. HARRIS
 G:\ENV\CA\DP\alameda\ACT\18047959\000\05\WR\4012\DWG\47959\01.dwg LAYOUT: 1 SAVED: 1/17/2013 3:45 PM ACADVER: 18.1S (LMS TECH) PAGESETUP: SETUP1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 4/25/2013 6:05 AM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: Clifton Court Forebay 2012.jpg
 Midway 2012.jpg



**SITE
LOCATION**

REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., MIDWAY AND CLIFTON COURT FOREBAY, CALIFORNIA, 2012.



CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA
**FIRST QUARTER 2013
 GROUNDWATER MONITORING REPORT**

SITE LOCATION MAP




FIGURE
1

CITY: PETALUMA, CA. DIV/GROUP: ENV. DB: J. HARRIS. G:\ENV\CAD\Federal\ACT\B0047959\0001\GWR011\10\3\DWG\47959B01.dwg. LAYOUT: 2. SAVED: 1/17/2013 3:44 PM. ACADVER: 18.1.5 (LMS TECH). PAGES: 1. PLOTSTYLETABLE: ARCADIS.CTB. PLOTTED: 4/25/2013 8:27 AM. BY: HARRIS, JESSICA. XREFS: IMAGES: PROJECTNAME: --. 47959X01. 97127 Figures 3 - 4_Page_1.jpg


GRANT LINE ROAD

INTERSTATE 580 ON RAMP


JESS RANCH ROAD



- LEGEND
- PROPERTY BOUNDARY
 - x-x-x- FENCE
 - MW-1 MONITORING WELL LOCATION
 - WSW-1 WATER SUPPLY WELL (LIVESTOCK)



- NOTES:
1. MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
 2. MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.




CHEVRON SITE ID 97127 GRANT LINE ROAD AND INTERSTATE 580 TRACY, CALIFORNIA FIRST QUARTER 2013 GROUNDWATER MONITORING REPORT	
SITE PLAN	
	FIGURE 2

CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS, E. KRAHMER
 \arcadis-us\office\petalum-ca\env\cad\petalum\act\B047959\0001\GWR011\013\DWG\47959\02.dwg LAYOUT: 3 SAVED: 5/2/2013 4:13 PM ACADVER: 18.1S (LMS TECH) PAGES: 3 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 5/2/2013 4:15 PM BY: KRAHMER, ERIC
 XREFS: IMAGES: PROJECTNAME: -- 47959X01

GRANT LINE ROAD


INTERSTATE 580 ON RAMP

JESS RANCH ROAD



- LEGEND
- PROPERTY BOUNDARY
 - - - FENCE
 - MW-1 MONITORING WELL LOCATION
 - WSW-1 WATER SUPPLY WELL (LIVESTOCK)
 - (301.38) GROUNDWATER ELEVATION IN FEET MEAN SEA LEVEL (FT MSL)
 - 301.40 --- GROUNDWATER ELEVATION CONTOUR IN FT MSL (DASHED WHERE INFERRED)
 - ← 0.001 FT/FT GROUNDWATER FLOW DIRECTION AND GRADIENT IN FOOT PER FOOT (FT/FT)
 - * DUE TO A MONITORING AND SAMPLING ERROR, GROUNDWATER ELEVATIONS WERE NOT USED FOR CONTOURING
 - (NM) NOT MONITORED

- NOTES:
1. MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
 2. MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
 3. MONITORING WELL MW-8 DISCONTINUED FROM MONITORING AND SAMPLING PROGRAM.



CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA
**FIRST QUARTER 2013
 GROUNDWATER MONITORING REPORT**

**GROUNDWATER ELEVATION
 CONTOUR MAP
 MARCH 26, 2013**

ARCADIS

ARCADIS

Attachment 1

Groundwater Monitoring and
Sampling Data Package,
Gettler-Ryan Inc., April 4, 2013



GETTLER-RYAN INC.



TRANSMITTAL

April 4, 2013
G-R #385251

TO: Ms. Tonya Russi
ARCADIS
950 Glenn Drive, Suite 125
Folsom, CA 95630

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-7127
I-580 and Grant Line Road
Tracy, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Quarter Event of March 26, 2013

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/9-7127

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job #: 385251
 Event Date: 3-26-13
 Sampler: ML

WELL ID	Vault Frame Condition	Gasket/O-Ring (M) Missing (R) Replaced	BOLTS (M) Missing (R) Replaced	Bolt Flanges B=Broken S=Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Y/N			
MW-1	OK	NA	→	→	OK	→	→	NO	NO	STOVEPIPE	NO			
MW-2	OK	NA	→	→	OK	→	→	↓	↓	"	↓			
MW-3	OK	NA	→	→	OK	→	→			"				
MW-4	OK		→	→		→	→			EMCO/12"12				
MW-5	OK	NA	→	→	OK	→	→			STOVEPIPE				
MW-6	OK		→	→		→	→			EMCO/12"12				
MW-7	OK	NA	→	→	OK	→	→			STOVEPIPE				
MW-9	OK	NA	→	→	OK	→	→							
MW-10	OK	NA	→	→	OK	→	→							
MW-11	OK	NA	→	→	OK	→	→							
MW-12	OK	NA	→	→	OK	→	→							
MW-13	OK	NA	→	→	OK	→	→							
MW-14	OK	NA	→	→	OK	→	→							
MW-15	OK	NA	→	→	OK	→	→							

Comments _____

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 3-26-13 (inclusive)
 Sampler: ML

Well ID: MW-1
 Well Diameter: 4
 Total Depth: 39.44 ft.
 Depth to Water: 31.30 ft.
8.14 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 3-26-13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 30.01 ft
 Depth to Water: 31.30 ft
 Hydrocarbon Thickness: 1.29 ft
 Visual Confirmation/Description:
Light Yellow
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH, M/6

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-2
 Well Diameter: 2
 Total Depth: 38.48 ft.
 Depth to Water: 28.45 ft.
10.03 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 3-26-13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Metal Filters _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX+MTBE(8260)

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-3 Date Monitored: 3-26-13

Well Diameter: 2
 Total Depth: 40.05 ft.
 Depth to Water: 30.65 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

9.40 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 30.44 ft
 Depth to Water: 30.65 ft
 Hydrocarbon Thickness: 0.21 ft
 Visual Confirmation/Description:
yellow
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x 60a vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH, M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-4
 Well Diameter: 2
 Total Depth: 31.67 ft.
 Depth to Water: 27.73 ft.
3.94 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 3-26-13

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-5 Date Monitored: _____
 Well Diameter: 2
 Total Depth: 28.16 ft.
 Depth to Water: _____ ft. Check if water column is less than 0.50 ft.
 _____ xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: VTA - LARGE WASPS NEST INSIDE WELL BOX

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-6
 Well Diameter: 2
 Total Depth: 28.86 ft.
 Depth to Water: 13.56 ft.
15.30 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 3-26-13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Metal Filters _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-7
 Well Diameter: 2
 Total Depth: 28.19 ft.
 Depth to Water: 14.85 ft.
13.34 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 3-26-13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 3-26-13 (inclusive)
 Sampler: ML

Well ID: MW-9
 Well Diameter: 2
 Total Depth: 40.68 ft.
 Depth to Water: 31.00 ft.
9.68 x VF .17 = 1.6

Date Monitored: 3-26-13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.93
 x3 case volume = Estimated Purge Volume: 4.8 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal

Start Time (purge): 1200 Weather Conditions: SUNNY
 Sample Time/Date: 1230 13-26-13 Water Color: cloudy Odor: YINS
 Approx. Flow Rate: - gpm. Sediment Description: light
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 31.26

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm uS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1205</u>	<u>1.5</u>	<u>7.16</u>	<u>0.86</u>	<u>20.0</u>	_____	_____
<u>1210</u>	<u>3</u>	<u>7.21</u>	<u>0.84</u>	<u>20.2</u>	_____	_____
<u>1217</u>	<u>5</u>	<u>7.20</u>	<u>0.85</u>	<u>20.3</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-10 Date Monitored: 3-26-13

Well Diameter: 2

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth: 40.44 ft.

Depth to Water: 30.16 ft. Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.21 gal.

xVF 1.7 = 1.7 x3 case volume = Estimated Purge Volume: 5.1 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1245 Weather Conditions: Sunny
 Sample Time/Date: 1320 13-26-13 Water Color: cloudy Odor: Y 10
 Approx. Flow Rate: _____ gpm. Sediment Description: none
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 30.42

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1252</u>	<u>2</u>	<u>7.24</u>	<u>0.78</u>	<u>19.7</u>	_____	_____
<u>1259</u>	<u>4</u>	<u>7.21</u>	<u>0.84</u>	<u>20.7</u>	_____	_____
<u>1305</u>	<u>5.5</u>	<u>7.20</u>	<u>0.83</u>	<u>20.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>2</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 3-26-13 (inclusive)
 Sampler: ML

Well ID: MW-11
 Well Diameter: 2
 Total Depth: 37.74 ft.
 Depth to Water: 31.35 ft.
6.39 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 3-26-13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other: _____

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Metal Filters
- Peristaltic Pump
- QED Bladder Pump
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: 3:26 (2400 hrs)
 Depth to Product: 30.09 ft
 Depth to Water: 31.35 ft
 Hydrocarbon Thickness: 1.26 ft
 Visual Confirmation/Description:
Light Yellow
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	<u>1 vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: SPH

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID MW-12 Date Monitored: 3-26-13

Well Diameter 2

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth 35.45 ft.

Depth to Water 31.05 ft.

Check if water column is less than 0.50 ft.

4.40 xVF .17 = 0.7 x3 case volume = Estimated Purge Volume: 2.1 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 31.93

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0930 Weather Conditions: SUNNY
 Sample Time/Date: 1000 13-26-13 Water Color: Brown Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: Light
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 31.38

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ^{ms} ($\mu\text{mhos/cm} - \mu\text{S}$)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0934</u>	<u>0.75</u>	<u>7.63</u>	<u>1.06</u>	<u>18.8</u>		
<u>0938</u>	<u>1.5</u>	<u>7.57</u>	<u>1.11</u>	<u>19.1</u>		
<u>0942</u>	<u>2.5</u>	<u>7.58</u>	<u>1.10</u>	<u>19.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-13 Date Monitored: 3-26-13

Well Diameter: 2

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth: 41.64 ft.

Depth to Water: 30.15 ft. Check if water column is less than 0.50 ft.

11.49 xVF -17 = 1.9 x3 case volume = Estimated Purge Volume: 5.7 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.44

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1015 Weather Conditions: SUNNY
 Sample Time/Date: 1050 13-26-13 Water Color: Cloudy Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: Light
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 30.32

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm-µS)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>1021</u>	<u>2</u>	<u>7.19</u>	<u>0.71</u>	<u>18.9</u>		
<u>1028</u>	<u>4</u>	<u>7.26</u>	<u>0.76</u>	<u>19.3</u>		
<u>1034</u>	<u>6</u>	<u>7.27</u>	<u>0.77</u>	<u>19.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-13</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-14 Date Monitored: 3-26-13

Well Diameter: 2
 Total Depth: 36.49 ft.
 Depth to Water: 30.74 ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 31.89
 Check if water column is less than 0.50 ft.
 xVF .17 = 0.9 x3 case volume = Estimated Purge Volume: 2.7 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1110 Weather Conditions: SUNNY
 Sample Time/Date: 1140, 3-26-13 Water Color: CLOUDY Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: Light
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 30.96

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - US)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1114</u>	<u>1</u>	<u>7.02</u>	<u>0.80</u>	<u>19.1</u>		
<u>1118</u>	<u>2</u>	<u>7.07</u>	<u>0.84</u>	<u>19.4</u>		
<u>1122</u>	<u>3</u>	<u>7.08</u>	<u>0.87</u>	<u>19.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>1</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: 1-580 And Grant Line Road Event Date: 3-26-13 (inclusive)
 City: Tracy, CA Sampler: ML

Well ID: MW-15 Date Monitored: 3-26-13
 Well Diameter: 2
 Total Depth: 39.22 ft.
 Depth to Water: 31.36 ft. Check if water column is less than 0.50 ft.
7.86 xVF .17 = 1.3 x3 case volume = Estimated Purge Volume: 3.9 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.93

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0845 Weather Conditions: SUNNY
 Sample Time/Date: 0915 13-26-13 Water Color: CLOUDY Odor: DIN STRONG
 Approx. Flow Rate: _____ gpm. Sediment Description: Light
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 31.73

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm @ 25°C)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>0850</u>	<u>1.5</u>	<u>7.55</u>	<u>0.75</u>	<u>17.6</u>		
<u>0856</u>	<u>3</u>	<u>7.50</u>	<u>0.71</u>	<u>17.9</u>		
<u>0900</u>	<u>4</u>	<u>7.48</u>	<u>0.70</u>	<u>18.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

ARCADIS

Attachment 2

Groundwater Analysis Report,
Lancaster Laboratories,
April 8, 2013

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
L4310
6001 Bollinger Canyon Rd.
San Ramon CA 94583

April 08, 2013

Project: 97127

Submittal Date: 03/27/2013
Group Number: 1378502
PO Number: 0015119899
Release Number: ESPINO DEVINE
State of Sample Origin: CA

Client Sample Description

QA-T-130326 NA Water
MW-9-W-130326 Grab Water
MW-10-W-130326 Grab Water
MW-12-W-130326 Grab Water
MW-13-W-130326 Grab Water
MW-14-W-130326 Grab Water
MW-15-W-130326 Grab Water

Lancaster Labs (LLD) #

6999011
6999012
6999013
6999014
6999015
6999016
6999017

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO Arcadis c/o Gettler-Ryan

Attn: Rachelle Munoz

ELECTRONIC COPY TO

ELECTRONIC COPY TO ARCADIS U.S., Inc.

Attn: Cameron McGovern

ELECTRONIC COPY TO

ELECTRONIC COPY TO Arcadis US, Inc.

Attn: Brett Krehbiel

ELECTRONIC COPY TO

ELECTRONIC COPY TO Arcadis

Attn: Tonya Russi

ELECTRONIC COPY TO

Respectfully Submitted,



Jill M. Parker
Senior Specialist

(717) 556-7262

Sample Description: QA-T-130326 NA Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999011
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013

Chevron

Submitted: 03/27/2013 09:25

L4310

Reported: 04/08/2013 09:50

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

CLTQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F130934AA	04/03/2013 20:53	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F130934AA	04/03/2013 20:53	Kevin A Sposito	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 11:14	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 11:14	Catherine J Schwarz	1

Sample Description: MW-9-W-130326 Grab Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999012
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013 12:30 by ML Chevron
 L4310
 Submitted: 03/27/2013 09:25 6001 Bollinger Canyon Rd.
 Reported: 04/08/2013 09:50 San Ramon CA 94583

CLTM9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	700	5	10
10943	Ethylbenzene	100-41-4	57	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	110	0.5	1
10943	Xylene (Total)	1330-20-7	120	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	4,400	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 18:42	Emily R Styer	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 19:09	Emily R Styer	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P130921AA	04/02/2013 18:42	Emily R Styer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	P130921AA	04/02/2013 19:09	Emily R Styer	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 14:12	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 14:12	Catherine J Schwarz	1

Sample Description: MW-10-W-130326 Grab Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999013
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013 13:20 by ML Chevron
 Submitted: 03/27/2013 09:25 L4310
 Reported: 04/08/2013 09:50 6001 Bollinger Canyon Rd.
 San Ramon CA 94583

CLT10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles			SW-846 8260B	ug/l	
10943	Benzene	71-43-2	150	0.5	1
10943	Ethylbenzene	100-41-4	4	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	18	0.5	1
10943	Xylene (Total)	1330-20-7	26	0.5	1
GC Volatiles			SW-846 8015B	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	920	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 19:37	Emily R Styer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P130921AA	04/02/2013 19:37	Emily R Styer	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 14:38	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 14:38	Catherine J Schwarz	1

Sample Description: MW-12-W-130326 Grab Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999014
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013 10:00 by ML Chevron
 L4310
 Submitted: 03/27/2013 09:25 6001 Bollinger Canyon Rd.
 Reported: 04/08/2013 09:50 San Ramon CA 94583

CLT12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	7	0.5	1
10943	Ethylbenzene	100-41-4	0.9	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	0.7	0.5	1
10943	Xylene (Total)	1330-20-7	1	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	240	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 20:05	Emily R Styer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P130921AA	04/02/2013 20:05	Emily R Styer	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 15:03	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 15:03	Catherine J Schwarz	1

Sample Description: MW-13-W-130326 Grab Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999015
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013 10:50 by ML Chevron
 L4310
 Submitted: 03/27/2013 09:25 6001 Bollinger Canyon Rd.
 Reported: 04/08/2013 09:50 San Ramon CA 94583

CLT13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	23	0.5	1
10943	Ethylbenzene	100-41-4	2	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	290	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 20:33	Emily R Styer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P130921AA	04/02/2013 20:33	Emily R Styer	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 15:54	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 15:54	Catherine J Schwarz	1

Sample Description: MW-14-W-130326 Grab Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999016
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013 11:40 by ML Chevron
 L4310
 Submitted: 03/27/2013 09:25 6001 Bollinger Canyon Rd.
 Reported: 04/08/2013 09:50 San Ramon CA 94583

CLT14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	23,000	100	200
10943	Ethylbenzene	100-41-4	1,200	5	10
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10
10943	Toluene	108-88-3	6,200	100	200
10943	Xylene (Total)	1330-20-7	4,700	5	10
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	92,000	1,300	25

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 21:00	Emily R Styer	10
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F130943AA	04/05/2013 00:38	Brett W Kenyon	200
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P130921AA	04/02/2013 21:00	Emily R Styer	10
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F130943AA	04/05/2013 00:38	Brett W Kenyon	200
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 20:45	Catherine J Schwarz	25
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 20:45	Catherine J Schwarz	25

Sample Description: MW-15-W-130326 Grab Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 6999017
 LLI Group # 1378502
 Account # 11928

Project Name: 97127

Collected: 03/26/2013 09:15 by ML Chevron
 L4310
 Submitted: 03/27/2013 09:25 6001 Bollinger Canyon Rd.
 Reported: 04/08/2013 09:50 San Ramon CA 94583

CLT15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	25,000	100	200
10943	Ethylbenzene	100-41-4	1,200	5	10
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10
10943	Toluene	108-88-3	4,300	100	200
10943	Xylene (Total)	1330-20-7	4,400	5	10
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	96,000	1,300	25

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P130921AA	04/02/2013 21:55	Emily R Styer	10
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F130943AA	04/05/2013 01:00	Brett W Kenyon	200
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P130921AA	04/02/2013 21:55	Emily R Styer	10
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F130943AA	04/05/2013 01:00	Brett W Kenyon	200
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13087B07A	04/03/2013 21:10	Catherine J Schwarz	25
01146	GC VOA Water Prep	SW-846 5030B	1	13087B07A	04/03/2013 21:10	Catherine J Schwarz	25

Quality Control Summary

Client Name: Chevron
Reported: 04/08/13 at 09:50 AM

Group Number: 1378502

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: F130934AA	Sample number(s): 6999011							
Benzene	N.D.	0.5	ug/l	90		77-121		
Ethylbenzene	N.D.	0.5	ug/l	89		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	101		68-121		
Toluene	N.D.	0.5	ug/l	89		79-120		
Xylene (Total)	N.D.	0.5	ug/l	91		77-120		
Batch number: F130943AA	Sample number(s): 6999016-6999017							
Benzene	N.D.	0.5	ug/l	91		77-121		
Toluene	N.D.	0.5	ug/l	89		79-120		
Batch number: P130921AA	Sample number(s): 6999012-6999017							
Benzene	N.D.	0.5	ug/l	118	94	77-121	22	30
Ethylbenzene	N.D.	0.5	ug/l	109	89	79-120	20	30
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	110	89	68-121	21	30
Toluene	N.D.	0.5	ug/l	113	93	79-120	19	30
Xylene (Total)	N.D.	0.5	ug/l	109	89	77-120	20	30
Batch number: 13087B07A	Sample number(s): 6999011-6999017							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	112	115	75-135	2	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: F130934AA	Sample number(s): 6999011 UNSPK: P997877								
Benzene	92	90	72-134	3	30				
Ethylbenzene	85	79	71-134	2	30				
Methyl Tertiary Butyl Ether	86	96	72-126	11	30				
Toluene	89	87	80-125	2	30				
Xylene (Total)	89	85	79-125	2	30				
Batch number: F130943AA	Sample number(s): 6999016-6999017 UNSPK: P997879								
Benzene	94	93	72-134	1	30				
Toluene	94	92	80-125	2	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 04/08/13 at 09:50 AM

Group Number: 1378502

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water
Batch number: F130934AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6999011	102	96	99	96
Blank	102	97	100	96
LCS	101	101	98	97
MS	99	98	98	101
MSD	103	96	99	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water
Batch number: P130921AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6999012	100	100	99	96
6999013	100	103	98	96
6999014	101	101	99	95
6999015	101	101	98	94
6999016	99	98	98	95
6999017	98	98	99	95
Blank	100	103	98	94
LCS	101	103	98	94
LCSD	99	104	98	94
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 13087B07A
Trifluorotoluene-F

6999011	87
6999012	132
6999013	91
6999014	95
6999015	92
6999016	100
6999017	102
Blank	84
LCS	97
LCSD	101
Limits:	63-135

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only

Acct. #: 11928 Sample # 6999011-17 Group #: 015547

032613-05

Q#1378502

Facility #: <u>SS#9-7127-OML G-R#385251 Global ID#T0600102298</u> Site Address: <u>1-580 AND GRANT LINE ROAD, TRACY, CA</u> Chevron PM: <u>ARCADIST Russi</u> Lead Consultant: <u>R</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Consultant Prj. Mgr: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>MIKE LOMBAED</u>			Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes: <u>HY</u> BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DFO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits		
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DFO	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	Comments / Remarks
<u>QA</u>	<u>3-26-13</u>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-9</u>		<u>1230</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-10</u>		<u>1320</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-12</u>		<u>1000</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-13</u>		<u>1050</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-14</u>		<u>1140</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-15</u>		<u>0915</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						

Turnaround Time Requested (TAT) (please circle)
 (STD. TAT) 24 hour
 72 hour
 48 hour
 4 day
 5 day

Data Package Options (please circle if required)
 QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed **EDF/EDD**
 WIP (RWQCB)
 Disk

Relinquished by: [Signature] Date: 3/26/13 Time: 1530 Received by: a. [Signature] Date: 26 MAR 13 Time: 0539
 Relinquished by: a. [Signature] Date: 26 MAR 13 Time: 1638 Received by: SOUTHWEST Date: Date Time
 Relinquished by: _____ Date: Date Time Received by: _____ Date Time
 Relinquished by Commercial Carrier: _____ Received by: [Signature] Date: 3-27-13 Time: 925
 UPS FedEx Other _____
 Temperature Upon Receipt: 1.1 °C Custody Seals Intact? Yes No

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m3	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Attachment 3

Historical Groundwater Monitoring
Data and Analytical Results,
Ending February 21, 2012

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-1												
12/28/92 ²⁵	329.17	299.73**	30.78	1.67	--	--	--	--	--	--	--	--
02/15/94	329.17	299.40	29.77	--	--	99,000	20,000	24,000	2000	9800	--	--
04/21/94	329.17	299.32	29.85	--	--	--	--	--	--	--	--	--
06/01/94	329.17	299.25	29.92	--	--	56,000	12,000	15,000	1100	5800	--	--
06/28/94	329.17	299.02	30.15	--	--	--	--	--	--	--	--	--
07/19/94	329.17	308.87	20.30	--	--	--	--	--	--	--	--	--
09/02/94	329.17	298.96	30.61	0.50	--	--	--	--	--	--	--	--
09/12/94	329.17	298.04	31.66	0.66	--	--	--	--	--	--	--	--
10/12/94	329.17	298.70	31.70	1.54	--	--	--	--	--	--	--	--
11/30/94	329.17	299.84	29.95	0.77	--	--	--	--	--	--	--	--
03/09/95	329.17	299.88	29.54	0.31	--	--	--	--	--	--	--	--
04/18/95	329.17	300.16	29.01	--	--	--	--	--	--	--	--	--
05/17/95	329.17	300.08	29.09	--	--	130,000	22,000	30,000	2000	10,000	--	--
06/07/95	329.17	299.93	29.24	--	--	--	--	--	--	--	--	--
07/21/95	329.17	299.51	29.66	--	--	--	--	--	--	--	--	--
08/15/95	329.17	299.30	29.87	--	--	41,000	9400	12,000	1400	7700	--	--
09/07/95	329.17	299.32	29.85	--	--	--	--	--	--	--	--	--
10/09/95	329.17	299.16	30.01	--	--	--	--	--	--	--	--	--
11/15/95	329.17	299.29	29.88	--	--	68,000	15,000	9600	1100	5500	<2000	--
12/30/95	329.17	299.18	29.99	--	--	--	--	--	--	--	--	--
01/29/96	329.17	299.85	29.32	--	--	--	--	--	--	--	--	--
02/27/96	329.17	300.66	28.51	--	--	520	48	71	<0.5	27	28	--
03/05/96	329.17	300.73	28.44	--	--	--	--	--	--	--	--	--
04/23/96	329.17	300.97	28.20	--	--	--	--	--	--	--	--	--
05/30/96	329.17	300.70	28.47	--	--	57,000	15,000	11,000	1100	4900	<250	--
06/19/96	329.17	300.74	28.43	--	--	--	--	--	--	--	--	--
07/15/96	329.17	300.51	28.66	--	--	--	--	--	--	--	--	--
08/27/96	329.17	300.44	28.73	--	--	74,000	11,000	9500	790	3600	<120	--
09/09/96	329.17	300.32	28.85	--	--	--	--	--	--	--	--	--
10/28/96	329.17	300.64	28.53	--	--	--	--	--	--	--	--	--
11/11/96	329.17	300.40	28.77	--	--	69,000	13,000	9100	810	3200	<250	--
05/06/97	329.17	301.05	28.12	--	--	98,000	23,000	17,000	1100	5200	<500	--
07/27/97	329.17	300.99	28.18	--	--	--	--	--	--	--	--	--
11/18/97	329.17	300.44	28.73	--	--	58,000	19,000	9700	1100	4000	<500	--
05/31/98	329.17	302.14	27.03	0.05	--	180,000	25,000	25,000	1700	9300	19,000	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-1 (cont)											
05/31/98 ³	329.17	302.14	27.03	0.05	--	--	--	--	--	--	<500
08/12/98 ²	329.17	301.99	27.18	--	--	--	--	--	--	--	--
11/23/98	329.17	301.63	27.54	--	--	131,000	14,600	23,700	1990	13,600	<200
05/11/99 ^{2,7}	329.17	301.89	27.28	--	--	--	--	--	--	--	--
11/24/99	329.17	301.22 ⁸	28.11	>0.2	0.26	--	--	--	--	--	--
05/23/00 ¹	329.17	302.34**	27.61	0.97	0.52 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
10/31/00	329.17	301.47**	28.35	0.81	0.26 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/18/01	329.17	301.27**	28.62	0.90	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/16/01 ¹⁵	329.17	300.63**	28.57	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
07/01/02 ¹⁵	329.17	300.38**	29.36	0.71	0.50 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/08/02 ¹⁵	329.17	300.07**	29.82	0.90	0.13 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/13/03 ¹⁵	329.17	300.59**	28.83	0.31	1.85 ¹⁸	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/20/03	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/18/04	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/19/04	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/03/05	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/28/05	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/25/06	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/21/06	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/09/07	329.17	299.78**	29.70	0.39	1.30 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/17/07	329.17	299.68**	30.83	1.67	1.69 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
04/30/08	329.17	298.29**	31.54	0.83	0.53 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/26/08	329.17	298.73**	31.90	1.82	0.79 ²³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/22/09 ²⁴	329.17	298.00**	31.95	0.97	1.29 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/24/09	329.17	298.38**	32.06	1.59	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/25/10	329.17	299.19**	30.68	0.88	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/29/10	329.17	299.64**	31.67	2.68	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/02/11	329.17	299.70**	29.63	0.20	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/23/11	331.93	301.72**	31.43	1.53	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
02/21/12	331.93	301.79**	31.20	1.32	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-2												
12/28/92 ²⁵	327.22	298.63	28.59	--	--	<50	<0.4	<0.3	<0.3	0.6	--	
02/15/94	327.22	300.13	27.09	--	--	83	21	6.0	1.0	3.0	--	
04/21/94	327.22	299.41	27.81	--	--	--	--	--	--	--	--	
06/01/94	327.22	299.24	27.98	--	--	<50	1.3	0.5	<0.5	<0.5	--	
06/28/94	327.22	299.05	28.17	--	--	--	--	--	--	--	--	
07/19/94	327.22	298.87	28.35	--	--	--	--	--	--	--	--	
09/02/94	327.22	298.70	28.52	--	--	82	13	16	3.6	14	--	
09/12/94	327.22	298.66	28.56	--	--	--	--	--	--	--	--	
10/12/94	327.22	298.60	28.62	--	--	--	--	--	--	--	--	
11/30/94	327.22	298.84	28.38	--	--	<50	3.6	4.5	1.0	4.5	--	
03/09/95	327.22	299.81	27.41	--	--	--	--	--	--	--	--	
04/18/95	327.22	300.43	26.79	--	--	--	--	--	--	--	--	
05/17/95	327.22	300.27	26.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/07/95	327.22	300.16	27.06	--	--	--	--	--	--	--	--	
07/21/95	327.22	299.75	27.47	--	--	--	--	--	--	--	--	
08/15/95	327.22	299.65	27.57	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/07/95	327.22	298.53	28.69	--	--	--	--	--	--	--	--	
10/09/95	327.22	299.37	27.85	--	--	--	--	--	--	--	--	
11/15/95	327.22	299.31	27.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
12/30/95	327.22	299.62	27.60	--	--	--	--	--	--	--	--	
01/29/96	327.22	300.06	27.16	--	--	--	--	--	--	--	--	
02/27/96	327.22	300.97	26.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
03/05/96	327.22	300.52	26.70	--	--	--	--	--	--	--	--	
04/23/96	327.22	301.40	25.82	--	--	--	--	--	--	--	--	
05/30/96	327.22	301.06	26.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
06/19/96	327.22	300.95	26.27	--	--	--	--	--	--	--	--	
07/15/96	327.22	300.76	26.46	--	--	--	--	--	--	--	--	
08/27/96	327.22	300.50	26.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
09/06/96	327.22	300.42	26.80	--	--	--	--	--	--	--	--	
10/28/96	327.22	300.39	26.83	--	--	--	--	--	--	--	--	
11/11/96	327.22	300.50	26.72	--	--	--	--	--	--	--	--	
05/06/97	327.22	301.21	26.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
07/27/97	327.22	300.84	26.38	--	--	--	--	--	--	--	--	
11/18/97	327.22	300.72	26.50	--	--	--	--	--	--	--	--	
05/31/98	327.22	302.75	24.47	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-2 (cont)											
11/23/98	327.22	302.28	24.94	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	327.22	302.73	24.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	327.22	302.19	25.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	327.22	301.30	25.92	0.00	0.00	--	--	--	--	--	--
05/18/01	327.22	301.14	26.08	0.00	0.00	<50	0.52	2.6	<0.50	1.9	<2.5
11/16/01	327.22	300.41	26.81	0.00	0.00	--	--	--	--	--	--
07/01/02	327.22	300.25	26.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	327.22	299.92	27.30	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	327.22	300.49	26.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	327.22	300.74	26.48	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	327.22	300.14	27.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	327.22	300.52	26.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/03/05 ¹⁹	327.22	299.97	27.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	327.22	299.77	27.45	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/06 ¹⁹	327.22	300.62	26.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	327.22	300.21	27.01	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/09/07 ¹⁹	327.22	299.68	27.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	327.22	300.11	27.11	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
04/30/08 ¹⁹	327.22	299.35	27.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	327.22	298.52	28.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/22/09 ¹⁹	327.22	299.02	28.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09	327.22	298.44	28.78	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/10 ¹⁹	327.22	299.15	28.07	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10	327.22	298.52	28.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/02/11 ¹⁹	327.22	299.69	27.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11	329.98	301.58	28.40	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
02/21/12	329.98	301.70	28.28	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
MW-3											
12/28/92 ²⁵	329.28	298.59	30.69	--	--	19,000	8,900	660	380	720	--
02/15/94	329.28	299.41	29.87	--	--	23,000	11,000	1700	540	1000	--
04/21/94	329.28	299.32	29.96	--	--	--	--	--	--	--	--
06/01/94	329.28	299.17	30.11	--	--	27,000	12,000	2600	600	2200	--
06/28/94	329.28	298.97	30.31	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-3 (cont)												
07/19/94	329.28	298.78	30.50	--	--	--	--	--	--	--	--	--
09/02/94	329.28	298.67	30.61	--	--	34,000	16,000	4100	770	3000	--	--
09/12/94	329.28	298.63	30.65	--	--	--	--	--	--	--	--	--
10/12/94	329.28	298.54	30.74	--	--	--	--	--	--	--	--	--
11/30/94	329.28	298.84	30.44	--	--	33,000	16,000	3000	740	2400	--	--
03/09/95	329.28	299.75	29.53	--	--	--	--	--	--	--	--	--
04/18/95	329.28	300.31	28.97	--	--	--	--	--	--	--	--	--
05/17/95	329.28	300.09	29.19	--	--	27,000	10,000	760	490	1000	--	--
06/07/95	329.28	300.04	29.24	--	--	--	--	--	--	--	--	--
07/21/95	329.28	299.58	29.70	--	--	--	--	--	--	--	--	--
08/15/95	329.28	299.50	29.78	--	--	39,000	13,000	2900	700	1700	--	--
09/07/95	329.28	299.42	29.86	--	--	--	--	--	--	--	--	--
10/09/95	329.28	299.26	30.02	--	--	--	--	--	--	--	--	--
11/15/95	329.28	299.22	30.06	--	--	21,000	8000	2900	430	1500	<1000	--
12/30/95	329.28	299.53	29.75	--	--	--	--	--	--	--	--	--
01/29/96	329.28	300.06	29.22	--	--	--	--	--	--	--	--	--
02/27/96	329.28	300.85	28.43	--	--	<2500	5000	500	220	130	710	--
03/05/96	329.28	300.93	28.35	--	--	--	--	--	--	--	--	--
04/23/96	329.28	301.18	28.10	--	--	--	--	--	--	--	--	--
05/30/96	329.28	300.86	28.42	--	--	37,000	13,000	7200	870	2900	<120	--
06/19/96	329.28	300.77	28.51	--	--	--	--	--	--	--	--	--
07/15/96	329.28	300.65	28.63	--	--	--	--	--	--	--	--	--
08/27/96	329.28	300.38	28.90	--	--	50,000	9500	6900	740	2900	<120	--
09/06/96	329.28	300.30	28.98	--	--	--	--	--	--	--	--	--
10/28/96	329.28	300.30	28.98	--	--	--	--	--	--	--	--	--
11/11/96	329.28	300.44	28.84	--	--	52,000	11,000	5500	780	3000	<250	--
05/06/97	329.28	301.06	28.22	--	--	93,000	23,000	15,000	1400	6200	<500	--
07/27/97	329.28	300.70	28.58	--	--	--	--	--	--	--	--	--
11/18/97	329.28	300.58	28.70	--	--	81,000	29,000	17,000	1600	6700	<500	--
05/31/98	329.28	302.60	26.68	--	--	78,000	24,000	12,000	1200	5800	1300	--
05/31/98 ³	329.28	302.60	26.68	--	--	--	--	--	--	--	<500	--
08/12/98 ²	329.28	302.25	27.03	--	--	--	--	--	--	--	--	--
11/23/98	329.28	302.19	27.09	--	--	97,200	17,900	12,800	1200	6950	<100	--
05/11/99 ²	329.28	302.60	26.68	--	--	51,000	18,000	7800	670	3600	<2.5	--
05/11/99 ³	329.28	302.60	26.68	--	--	--	--	--	--	--	<100	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-3 (cont)											
11/24/99	329.28	301.83	27.45	--	--	62,800	16,600	8300	900	4890	<500
05/23/00 ¹	329.28	302.11	27.17	0.00	0.00	27,000 ⁷	14,000	12,000	940	4,600	770
10/31/00 ¹	329.28	301.27	28.01	0.00	0.00	110,000 ¹⁰	25,700	21,300	1,300	7,320	1,680
05/18/01 ¹	329.28	301.07	28.21	0.00	0.00	58,000 ⁷	19,000	16,000	1,400	7,000	2,300/11 ¹⁴
11/16/01 ¹	329.28	300.41	28.87	0.00	0.00	100,000	23,000	16,000	1,400	6,800	<200
07/01/02 ¹	329.28	300.20	29.08	0.00	0.00	75,000	16,000	8,800	980	4,000	140/<10 ¹⁷
11/08/02	329.28	299.89	29.39	0.00	0.00	45,000	9,800	5,800	590	2,400	<50
06/13/03 ^{19,20}	329.28	300.46	28.82	0.00	0.00	42,000	9,100	4,100	580	1,800	5
11/20/03 ¹⁹	329.28	300.51	28.77	0.00	0.00	52,000	12,000	4,500	660	3,200	5
05/18/04 ¹⁹	329.28	300.07	29.21	0.00	0.00	57,000	15,000	5,700	840	3,400	9
11/19/04 ¹⁹	329.28	300.42	28.86	0.00	0.00	67,000	15,000	4,200	850	3,400	7
05/03/05 ¹⁹	329.28	299.88	29.40	0.00	0.00	54,000	13,000	3,400	690	2,600	<10
11/28/05 ¹⁹	329.28	299.72	29.56	0.00	0.00	56,000	16,000	1,800	950	3,500	<25
05/25/06 ¹⁹	329.28	300.47	28.81	0.00	0.00	38,000	9,400	1,800	680	2,100	<5
11/21/06 ¹⁹	329.28	300.06	29.22	0.00	0.00	27,000	10,000	420	650	1,600	<5
05/09/07 ¹⁹	329.28	299.55	29.73	0.00	0.00	40,000	9,200	660	590	1,300	<10
11/17/07 ¹⁹	329.28	298.90	30.38	0.00	0.00	22,000	9,200	86	610	560	3
04/30/08 ¹⁹	329.28	299.46	29.82	0.00	0.00	19,000	8,300	440	510	620	<5
11/26/08 ¹⁹	329.28	298.55	30.73	0.00	0.00	20,000	7,500	230	470	640	<10
05/22/09	329.28	299.28**	30.58	0.72	0.90 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/24/09	329.28	298.90**	31.16	0.98	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/25/10	329.28	299.10**	30.38	0.25	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/29/10	329.28	299.05**	30.72	0.61	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/02/11	329.28	299.63**	29.68	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/23/11	332.03	301.52**	30.54	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/21/12	332.03	301.66**	30.38	0.01	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
MW-4											
05/21/93	--	--	--	--	--	<50	12	2.0	<0.5	1.0	--
11/05/93	--	--	--	--	--	300	56	10	0.8	3.0	--
02/15/94	329.44	299.54	29.90	--	--	260	47	12	2.0	4.0	--
04/21/94	329.44	299.45	29.99	--	--	--	--	--	--	--	--
06/01/94	329.44	299.30	30.14	--	--	860	200	23	2.8	9.6	--
06/28/94	329.44	299.12	30.32	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4 (cont)											
07/19/94	329.44	298.94	30.50	--	--	--	--	--	--	--	--
09/02/94	329.44	298.82	30.62	--	--	1700	250	27	6.4	15	--
09/12/94	329.44	298.75	30.69	--	--	--	--	--	--	--	--
10/12/94	329.44	298.69	30.75	--	--	--	--	--	--	--	--
11/30/94	329.44	298.93	30.51	--	--	830	350	29	8.1	22	--
03/09/95	329.44	299.83	29.61	--	--	--	--	--	--	--	--
04/18/95	329.44	300.36	29.08	--	--	--	--	--	--	--	--
05/17/95	329.44	300.22	29.22	--	--	470	200	2.2	0.9	2.1	--
06/07/95	329.44	300.17	29.27	--	--	--	--	--	--	--	--
07/21/95	329.44	299.72	29.72	--	--	--	--	--	--	--	--
08/15/95	329.44	299.67	29.77	--	--	100	4.2	0.8	<0.5	<0.5	--
09/07/95	329.44	299.59	29.85	--	--	--	--	--	--	--	--
10/09/95	329.44	299.42	30.02	--	--	--	--	--	--	--	--
11/15/95	329.44	299.39	30.05	--	--	270	94	9.4	0.77	4.3	27
12/30/95	329.44	299.65	29.79	--	--	--	--	--	--	--	--
01/29/96	329.44	300.13	29.31	--	--	--	--	--	--	--	--
02/27/96	329.44	300.86	28.58	--	--	690	100	15	<0.5	2.0	79
03/05/96	329.44	300.89	28.55	--	--	--	--	--	--	--	--
04/23/96	329.44	301.29	28.15	--	--	--	--	--	--	--	--
05/30/96	329.44	301.04	28.40	--	--	700	240	4.0	0.6	3.9	<5.0
06/19/96	329.44	300.97	28.47	--	--	--	--	--	--	--	--
07/15/96	329.44	300.82	28.62	--	--	--	--	--	--	--	--
08/27/96	329.44	300.59	28.85	--	--	<50	11	<0.5	<0.5	<0.5	<5.0
09/06/96	329.44	300.52	28.92	--	--	--	--	--	--	--	--
10/28/96	329.44	300.54	28.90	--	--	--	--	--	--	--	--
11/11/96	329.44	300.66	28.78	--	--	240	57	1.4	0.7	1.8	<5.0
05/06/97	329.44	301.33	28.11	--	--	240	74	2.7	<0.5	1.6	<5.0
07/27/97	329.44	301.01	28.43	--	--	--	--	--	--	--	--
11/18/97	329.44	300.86	28.58	--	--	270	230	3.5	1.0	1.6	<2.5
05/31/98	329.44	302.91	26.53	--	--	1000	450	3.4	4.5	<6.0	<20
08/12/98 ²	329.44	302.62	26.82	--	--	--	--	--	--	--	--
11/23/98 ⁶	329.44	305.52	23.92	--	--	--	--	--	--	--	--
12/23/98 ⁶	329.44	305.25	24.19	--	--	--	--	--	--	--	--
05/11/99 ²	329.44	306.24	23.20	--	--	470	260	2.6	<0.5	4.3	35
05/11/99 ³	329.44	306.24	23.20	--	--	--	--	--	--	--	<2.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-4 (cont)											
11/24/99	329.44	306.41	23.03	--	--	2400	562	<5.0	10.7	10.4	38.1
5/23/00 ¹	329.44	305.30	24.14	0.00	0.00	370 ⁸	470 ⁹	1.1	9.7	5.9	84
10/31/00 ¹	329.44	304.42	25.02	0.00	0.00	672 ¹¹	224	<5.00	<5.00	<15.0	<25.0
05/18/01 ¹	329.44	304.23	25.21	0.00	0.00	230 ⁷	37	<0.50	1.3	0.95	22/2.1 ¹⁴
11/16/01 ¹⁶	329.44	303.53	25.91	0.00	0.00	290	36	<0.50	<0.50	<1.5	<2.5
07/01/02	329.44	303.33	26.11	0.00	0.00	410	60	<0.50	2.1	<1.5	<2.5
11/08/02	329.44	303.01	26.43	0.00	0.00	64	7.0	<0.50	<0.50	<1.5	<2.5
06/13/03 ¹⁹	329.44	302.58	26.86	0.00	0.00	79	4	<0.5	<0.5	<0.5	<0.5
11/20/03 ¹⁹	329.44	302.81	26.63	0.00	0.00	350	36	<0.5	2	0.7	<0.5
05/18/04 ¹⁹	329.44	303.13	26.31	0.00	0.00	160	22	<0.5	2	1	<0.5
11/19/04 ¹⁹	329.44	302.56	26.88	0.00	0.00	480	93	2	4	4	<0.5
05/03/05 ¹⁹	329.44	302.96	26.48	0.00	0.00	180	40	0.8	1	1	<0.5
11/28/05 ¹⁹	329.44	302.76	26.68	0.00	0.00	630	96	2	5	5	<0.5
05/25/06 ¹⁹	329.44	303.59	25.85	0.00	0.00	2,400	490	11	33	21	<0.5
11/21/06 ¹⁹	329.44	303.16	26.28	0.00	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	329.44	302.69	26.75	0.00	0.00	940	170	5	9	11	<0.5
11/17/07 ¹⁹	329.44	302.03	27.41	0.00	0.00	580	150	5	4	7	<0.5
04/30/08 ¹⁹	329.44	302.44	27.00	0.00	0.00	73	15	0.6	0.7	0.9	<0.5
11/26/08 ¹⁹	329.44	301.52	27.92	0.00	0.00	530	63	6	5	10	<0.5
05/22/09 ¹⁹	329.44	301.95	27.49	0.00	0.00	400	56	6	4	16	<0.5
11/24/09 ¹⁹	329.44	301.30	28.14	0.00	0.00	1,400	160	18	10	38	<0.5
05/25/10 ¹⁹	329.44	302.04	27.40	0.00	0.00	1,100	93	19	15	32	<0.5
11/29/10 ¹⁹	329.44	301.39	28.05	0.00	0.00	520	130	9	3	24	<0.5
05/02/11 ¹⁹	329.44	302.56	26.88	0.00	0.00	420	59	7	5	16	<0.5
11/23/11 ¹⁹	320.22	292.54	27.68	0.00	0.00	1,400	140	32	20	47	<0.5
02/21/12	320.22	292.60	27.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--
MW-5											
05/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.9	--
11/05/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/15/94	312.88	287.78	25.10	--	--	<50	<0.5	1.0	<0.5	1.0	--
04/21/94	312.88	299.67	13.21	--	--	--	--	--	--	--	--
06/01/94	312.88	299.49	13.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/28/94	312.88	299.15	13.73	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)											
07/19/94	312.88	299.08	13.80	--	--	--	--	--	--	--	--
09/02/94	312.88	298.86	14.02	--	--	<50	3.2	1.8	<0.5	2.1	--
09/12/94	312.88	298.85	14.03	--	--	--	--	--	--	--	--
10/12/94	312.88	298.73	14.15	--	--	--	--	--	--	--	--
11/30/94	312.88	298.97	13.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/95	312.88	299.91	12.97	--	--	--	--	--	--	--	--
04/18/95	312.88	300.40	12.48	--	--	--	--	--	--	--	--
05/17/95	312.88	300.17	12.71	--	--	150	1.0	<0.5	<0.5	<0.5	--
06/07/95	312.88	300.03	12.85	--	--	--	--	--	--	--	--
07/21/95	312.88	299.58	13.30	--	--	--	--	--	--	--	--
08/15/95	312.88	299.47	13.41	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/95	312.88	299.46	13.42	--	--	--	--	--	--	--	--
10/09/95	312.88	299.27	13.61	--	--	--	--	--	--	--	--
11/15/95	312.88	299.25	13.63	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/95	312.88	299.58	13.30	--	--	--	--	--	--	--	--
01/29/96	312.88	300.13	12.75	--	--	--	--	--	--	--	--
02/27/96	312.88	300.86	12.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	312.88	300.92	11.96	--	--	--	--	--	--	--	--
04/23/96	312.88	301.11	11.77	--	--	--	--	--	--	--	--
05/30/96	312.88	300.71	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	312.88	300.63	12.25	--	--	--	--	--	--	--	--
07/15/96	312.88	300.49	12.39	--	--	--	--	--	--	--	--
08/27/96	312.88	300.23	12.65	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	312.88	300.20	12.68	--	--	--	--	--	--	--	--
10/28/96	312.88	300.16	12.72	--	--	--	--	--	--	--	--
11/11/96	312.88	300.27	12.61	--	--	--	--	--	--	--	--
05/06/97	312.88	300.82	12.06	--	--	<50	2.2	2.0	<0.5	1.7	<5.0
07/27/97	312.88	300.49	12.39	--	--	--	--	--	--	--	--
11/18/97	312.88	300.43	12.45	--	--	--	--	--	--	--	--
05/31/98	312.88	302.30	10.58	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	312.88	301.96	10.92	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	312.88	302.39	10.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	312.88	301.79	11.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	312.88	300.97	11.91	0.00	0.00	--	--	--	--	--	--
05/18/01	312.88	300.82	12.06	0.00	0.00	<50	0.52	2.0	<0.50	1.0	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)											
11/16/01	312.88	300.11	12.77	0.00	0.00	--	--	--	--	--	--
07/01/02	312.88	299.94	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	312.88	299.61	13.27	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	312.88	300.03	12.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	312.88	300.21	12.67	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	312.88	299.98	12.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	312.88	300.05	12.83	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/03/05 ¹⁹	312.88	300.00	12.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	312.88	299.39	13.49	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/06 ¹⁹	NP ²¹	312.88	300.58	12.30	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06		312.88	300.12	12.76	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/09/07 ¹⁹	NP ²¹	312.88	299.76	13.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07		312.88	299.23	13.65	0.00	SAMPLED ANNUALLY	--	--	--	--	--
04/30/08 ¹⁹	NP ²¹	312.88	299.12	13.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08		312.88	298.23	14.65	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/22/09 ¹⁹	NP ²¹	312.88	299.18	13.70	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09		312.88	298.17	14.71	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/10 ¹⁹	NP ²¹	312.88	298.60	14.28	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10		312.88	298.31	14.57	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/02/11 ¹⁹	NP ²¹	312.88	299.20	13.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11		315.97	301.50	14.47	0.00	SAMPLED ANNUALLY	--	--	--	--	--
02/21/12	315.97	301.59	14.38	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
MW-6											
11/22/95 ²⁵	312.20	299.00	13.20	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	312.20	298.55	13.65	--	--	--	--	--	--	--	--
01/29/96	312.20	300.02	12.18	--	--	--	--	--	--	--	--
02/27/96	312.20	300.75	11.45	--	--	70	1.1	<0.5	<0.5	<0.5	<5.0
03/05/96	312.20	300.88	11.32	--	--	--	--	--	--	--	--
04/23/96	312.20	301.08	11.12	--	--	--	--	--	--	--	--
05/30/96	312.20	300.75	11.45	--	--	60	1.3	<0.5	<0.5	0.9	<5.0
06/19/96	312.20	300.66	11.54	--	--	--	--	--	--	--	--
07/15/96	312.20	300.44	11.76	--	--	--	--	--	--	--	--
08/27/96	312.20	300.25	11.95	--	--	90	1.6	<0.5	<0.5	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)											
09/06/96	312.20	300.18	12.02	--	--	--	--	--	--	--	--
10/28/96	312.20	300.19	12.01	--	--	--	--	--	--	--	--
11/11/96	312.20	300.30	11.90	--	--	110	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97	312.20	300.92	11.28	--	--	170	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	312.20	300.52	11.68	--	--	--	--	--	--	--	--
11/18/97	312.20	300.43	11.77	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98	312.20	302.39	9.81	--	--	<50	0.89	0.65	<0.3	<0.6	<10
11/23/98	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
12/23/98	312.20	301.88	10.32	--	--	66	<0.5	<0.5	<0.5	<0.5	<2.5
05/11/99	312.20	302.40	9.80	--	--	<50	1.9	<0.5	<0.5	<0.5	2.9
11/24/99	312.20	301.55	10.65	--	--	77.2	13.5	<0.5	<0.5	<0.5	<2.5
05/23/00	312.20	301.85	10.35	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	312.20	301.83	10.37	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<1.50	5.08
05/18/01	312.20	300.89	11.31	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/16/01	312.20	300.31	11.89	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	312.20	300.04	12.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	312.20	299.70	12.50	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
11/20/03	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
05/18/04 ¹⁹	312.20	299.94	12.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 ¹⁹	312.20	300.16	12.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 ¹⁹	312.20	299.98	12.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 ¹⁹	312.20	299.59	12.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 ¹⁹	312.20	300.37	11.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 ¹⁹	312.20	300.10	12.10	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	NP ²¹	299.82	12.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	NP ²¹	299.25	12.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08 ¹⁹	312.20	298.56	13.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08 ¹⁹	312.20	298.40	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 ¹⁹	312.20	299.26	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 ¹⁹	312.20	298.16	14.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/10 ¹⁹	312.20	298.98	13.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10 ¹⁹	312.20	298.34	13.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-6 (cont)											
05/02/11 ¹⁹	312.20	299.49	12.71	0.00	0.00	<50	1	<0.5	<0.5	<0.5	0.7
11/23/11 ¹⁹	314.91	301.38	13.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8
02/21/12	314.91	301.51	13.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--
MW-7											
11/22/95 ²⁵	313.36	299.21	14.15	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	313.36	300.98	12.38	--	--	--	--	--	--	--	--
01/29/96	313.36	300.22	13.14	--	--	--	--	--	--	--	--
02/27/96	313.36	301.02	12.34	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	313.36	301.01	12.35	--	--	--	--	--	--	--	--
04/23/96	313.36	301.23	12.13	--	--	--	--	--	--	--	--
05/30/96	313.36	300.94	12.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	313.36	300.79	12.57	--	--	--	--	--	--	--	--
07/15/96	313.36	300.66	12.70	--	--	--	--	--	--	--	--
08/27/96	313.36	300.51	12.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	313.36	300.46	12.90	--	--	--	--	--	--	--	--
10/28/96	313.36	300.52	12.84	--	--	--	--	--	--	--	--
11/11/96	313.36	300.61	12.75	--	--	--	--	--	--	--	--
05/06/97	313.36	301.22	12.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	313.36	300.91	12.45	--	--	--	--	--	--	--	--
11/18/97	313.36	300.82	12.54	--	--	--	--	--	--	--	--
05/31/98	313.36	302.61	10.75	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	313.36	302.52	10.84	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	313.36	302.96	10.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	313.36	302.39	10.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	313.36	301.51	11.85	0.00	0.00	--	--	--	--	--	--
05/18/01	313.36	301.34	12.02	0.00	0.00	<50	<0.50	1.7	<0.50	1.2	<2.5
11/16/01	313.36	300.53	12.83	0.00	0.00	--	--	--	--	--	--
07/01/02	313.36	300.42	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	313.36	300.11	13.25	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	313.36	300.77	12.59	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	313.36	300.53	12.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7 (cont)											
11/19/04	313.36	300.57	12.79	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/03/05 ¹⁹	313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	313.36	299.78	13.58	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/06 ¹⁹	NP ²¹	313.36	301.07	12.29	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	313.36	300.62	12.74	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/09/07 ¹⁹	NP ²¹	313.36	300.31	13.05	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	313.36	299.63	13.73	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
04/30/08 ¹⁹	NP ²¹	313.36	299.43	13.93	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	313.36	298.50	14.86	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/22/09 ¹⁹	NP ²¹	313.36	299.75	13.61	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09	313.36	298.50	15.01	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/10 ¹⁹	NP ²¹	313.36	298.93	14.43	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10	313.36	298.61	14.75	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/02/11 ¹⁹	NP ²¹	313.36	299.41	13.95	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11	316.39	301.64	14.75	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
02/21/12	316.39	301.81	14.58	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
MW-9											
11/18/11 ²⁶	332.56	301.58	30.98	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.56	301.58	30.98	--	--	2,500	480	81	55	52	<3
02/21/12¹⁹	332.56	301.68	30.88	--	--	2,900	590	100	64	81	<5
MW-10											
11/18/11 ²⁶	331.77	301.59	30.18	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.77	301.62	30.15	--	--	8,700	500	220	58	430	<3
02/21/12¹⁹	331.77	301.69	30.08	--	--	1,300	260	90	25	130	<3
MW-11											
11/18/11 ²⁶	331.98	301.83	30.15	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.98	301.56	30.42	--	--	61,000	5,500	11,000	1,300	6,400	<5
02/21/12¹⁹	331.98	301.63	30.35	--	--	62,000	6,400	7,800	1,100	5,000	<25

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-12												
11/18/11 ²⁶	332.53	302.11	30.42	--	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.53	301.50	31.03	--	--	4,100	880	190	160	150	<1	<5
02/21/12 ¹⁹	332.53	301.61	30.92	--	--	2,800	750	9	150	18	<5	<5
MW-13												
11/18/11 ²⁶	331.60	301.47	30.13	--	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.60	301.46	30.14	--	--	1,100	150	61	26	55	2	2
02/21/12 ¹⁹	331.60	301.58	30.02	--	--	430	43	1	13	2	3	3
MW-14												
11/18/11 ²⁶	332.24	301.53	30.71	--	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.24	301.52	30.72	--	--	68,000	19,000	9,400	1,400	4,900	<25	<25
02/21/12 ¹⁹	332.24	301.64	30.60	--	--	80,000	17,000	8,900	1,100	3,900	<10	<10
MW-15												
11/18/11 ²⁶	332.88	301.56	31.32	--	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.88	301.55	31.33	--	--	24,000	9,500	2,200	260	990	<10	<10
02/21/12 ¹⁹	332.88	301.66	31.22	--	--	110,000	25,000	8,800	1,000	3,800	<13	<13
MW-8												
11/22/95 ²⁵	329.91	299.56	30.35	--	--	<50	<0.50	<0.50	<0.50	<0.50	--	--
12/30/95	329.91	299.61	30.30	--	--	--	--	--	--	--	--	--
01/29/96	329.91	300.35	29.56	--	--	--	--	--	--	--	--	--
02/27/96	329.91	301.23	28.68	--	--	<50	<0.5	<0.5	<0.5	<5.0	<5.0	<5.0
03/05/96	329.91	301.16	28.75	--	--	--	--	--	--	--	--	--
04/23/96	329.91	301.66	28.25	--	--	--	--	--	--	--	--	--
05/30/96	329.91	301.47	28.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0
06/19/96	329.91	301.40	28.51	--	--	--	--	--	--	--	--	--
07/15/96	329.91	301.24	28.67	--	--	--	--	--	--	--	--	--
08/27/96	329.91	300.99	28.92	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0
09/06/96	329.91	300.92	28.99	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-8 (cont)											
10/28/96	329.91	300.85	29.06	--	--	--	--	--	--	--	--
11/11/96	329.91	300.93	28.98	--	--	--	--	--	--	--	--
05/06/97	329.91	301.77	28.14	--	--	<50	3.6	3.1	0.7	2.5	<5.0
07/27/97	329.91	301.36	28.55	--	--	--	--	--	--	--	--
11/18/97	329.91	301.11	28.80	--	--	--	--	--	--	--	--
05/31/98	329.91	303.34	26.57	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	329.91	302.95	26.96	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	329.91	303.43	26.48	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	329.91	302.82	27.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	329.91	318.78	11.13	0.00	0.00	--	--	--	--	--	--
05/18/01	329.91	301.67	28.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/16/01	329.91	300.84	29.07	0.00	0.00	--	--	--	--	--	--
07/01/02	329.91	300.74	29.17	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	329.91	300.4	29.51	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	329.91	300.77	29.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	329.91	300.97	28.94	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	329.91	300.56	29.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	329.91	300.81	29.10	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/03/05 ¹⁹	329.91	300.40	29.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	329.91	300.17	29.74	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/06 ¹⁹	329.91	300.96	28.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	329.91	300.77	29.14	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/09/07 ¹⁹	329.91	300.19	29.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	329.91	299.83	30.08	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
04/30/08 ¹⁹	-- ²²	-- ²²	28.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
05/22/09	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
11/24/09	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
MONITORING/SAMPLING DISCONTINUED											
SUPPLY WELL											
11/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	--	--	--	--	--	--	--	--	--	--	--
11/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
SUPPLY WELL (cont)											
05/31/98	--	--	--	--	--	--	--	--	--	--	--
11/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99	--	--	--	--	--	--	--	--	--	--	--
11/24/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
10/30/00	--	--	--	--	--	--	--	--	--	--	--
05/18/01	--	--	--	--	--	--	--	--	--	--	--
11/16/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/20/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/19/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/28/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/21/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/26/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/10	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/29/10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/02/11	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/23/11 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/12	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
BAILER BLANK											
02/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
TRIP BLANK												
02/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/01/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/30/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/17/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
02/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
05/30/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	--	--	--	--	--	--	--	--	--	--	--	--
11/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<2.5
10/31/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<1.50	49.0
05/18/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5
QA												
11/16/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft)	GWE (msl)	DTW (ft)	SPHT (ft)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)											
04/30/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
DISCONTINUED											

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

SPH = Separate Phase Hydrocarbons

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

-- = Not Measured/Not Analyzed

NP = No Purge

(µg/L) = Micrograms per liter

QA = Quality Assurance/Trip Blank

* TOC elevations are relative to msl.

** GWE has been corrected for the presence of SPH, correction factor = [(TOC - DTW) + (SPHT x 0.80)].

TOC elevations were surveyed on September 6, 2011, by Virgil Chavez Land Surveying and was provided on October 28, 2011.

1 ORC present in well.

2 ORC Installed.

3 Confirmation run.

4 Due to the presence of Separate Phase Hydrocarbons results for EPA 8015/8020 do not represent true values for TPH-Gasoline, BTEX, or MTBE. The results were reported respectively as 24,000, 140, 830, 210, 1,500, and <0.05 mg/Kg.

5 Estimated Groundwater Elevation.

6 Well was not sampled due to damaged casing and debris in well. Ground water elevation is an estimate.

7 Laboratory report indicates gasoline C6-C12.

8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

9 Laboratory report indicates result exceeds the linear range of calibration.

10 Laboratory report indicates gasoline.

11 Laboratory report indicates the results for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.

12 Chromatogram pattern indicates an unidentified hydrocarbon.

13 Product + Water removed.

14 MTBE by EPA Method 8260 was analyzed outside the EPA recommended holding time.

15 Skimmer in well.

16 ORC not present in well.

17 MTBE by EPA Method 8260.

18 4.5 liters of SPH removed from skimmer and 2.5 liters of SPH removed from well.

19 BTEX and MTBE by EPA Method 8260.

20 Removed ORC from well.

21 Area inaccessible to truck; unable to purge.

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:


- 22 TOC has been altered; unable to determine GWE.
- 23 Product only removed from well.
- 24 Skimmer removed from well.
- 25 Depth to water and analytical data provided by CRA.
- 26 Well development performed.

Attachment 4

Figure 1 (Groundwater Flow
Direction Rose Diagram)

**ATTACHMENT 4
FIGURE 1
GROUNDWATER FLOW DIRECTION ROSE DIAGRAM**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



Note

Groundwater gradient and flow data beginning 1SA05 through 1Q12 monitoring events provided by Gettler Ryan, Inc.

Legend

Concentric circles represent monitoring events beginning 1SA05 through 1Q13 quarterly monitoring event.


■ Groundwater Flow Direction

Attachment 5

Figures 1 through 14 (Chemical Concentrations and Groundwater Elevations versus Time Graph)


**ATTACHMENT 5
FIGURE 1
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-1**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 2
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-2**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 3
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-3**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 4
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-4**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 5
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-5**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 6
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-6**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 7
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-7**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 8
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-9**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 9
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-10**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 10
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-11**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 11
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-13**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 12
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-12**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



**ATTACHMENT 5
FIGURE 13
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-14**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



**ATTACHMENT 5
FIGURE 14
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-15**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California

