



RECEIVED

By Alameda County Environmental Health at 2:29 pm, Aug 19, 2013

**Catalina Espino
Devine**
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-3943
espino@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RE: **Second Quarter 2013 Groundwater Monitoring Report**
Former Chevron Service Station 97127
Grant Line Road and Interstate 580
Tracy, California
RWQCB # R00000185

Dear Mr. Detterman:

ARCADIS U.S., Inc. (ARCADIS), at the request of Chevron Environmental Management Company (Chevron), has prepared the enclosed Second Quarter 2013 Groundwater Monitoring Report for Former Chevron Service Station 97127, located at Grant Line Road and Interstate 580 in Tracy, California.

I declare to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct. The enclosed report is submitted pursuant to the requirements of California Water Code Section 13267 (b)(1).

Sincerely,

A handwritten signature in cursive script, appearing to read "Catalina M.", written in black ink.

Catalina Espino Devine
Project Manager



Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

ARCADIS U.S., Inc.
950 Glenn Drive
Suite 125
Folsom
California 95630
Tel 916.985.2079
Fax 916.985.2093
www.arcadis-us.com

Subject:

Second Quarter 2013 Groundwater Monitoring Report

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California
RWQCB # RO0000185

ENVIRONMENT

Date:
August 15, 2013

Dear Mr. Detterman:

Contact:
Tonya R. Russi

ARCADIS U.S., Inc. (ARCADIS) has prepared this *Second Quarter of 2013 Groundwater Monitoring Report*, on behalf of Chevron Environmental Management Company (Chevron), to document the results of groundwater monitoring and sampling at former Chevron Service Station No. 97127, located at Grant Line Road and Interstate 580 in Tracy, California (the Site; Figure 1).

Phone:
916.985.2079 ext. 15

Email:
Tonya.Russi@
arcadis-us.com

Groundwater Monitoring and Sampling

Our ref:
B0047959.0001

Gettler-Ryan Inc. (G-R) conducted quarterly groundwater monitoring and sampling on June 13, 2013. The groundwater monitoring and sampling program consists of measuring depth-to-groundwater, collecting groundwater samples, and analyzing the samples.

Field Procedures

G-R measured the depth to groundwater on June 13, 2013 from 15 of the 15 monitoring wells associated with the site monitoring network (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14 and MW-15), shown on Figure 2.

G-R subsequently collected groundwater samples on June 13, 2013 from 12 monitoring wells (MW-2, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-12, MW-13, MW-14 and MW-15). Monitoring wells MW-1, MW-3 and MW-11 contained separate phase hydrocarbons (SPH); therefore, groundwater samples were not

collected from these wells during the second quarter 2013 monitoring and sampling event.

Groundwater samples were collected in accordance with California Environmental Protection Agency (CalEPA), Department of Toxic Substances Control procedures outlined in *Representative Sampling of Groundwater for Hazardous Substances*.¹

Samples were collected with new disposable bailers after purging approximately three well volumes. Purging and sampling was performed using the following series of activities and protocols:

- During the purge cycle, groundwater field parameter measurements consisting of specific conductance, pH and temperature were measured using a water quality meter
- Approximately three times the volume of standing water was removed from each monitoring well and field parameters were recorded on a well volume basis
- After the purge cycle was complete, a groundwater sample was collected for analysis with a disposable polyethylene bailer and transferred to the appropriate laboratory supplied sample containers prefilled with preservative; the water column was allowed to recharge to a minimum of 80 percent of its pre-purge elevation before a groundwater sample was collected

SPH were observed in monitoring wells MW-1, MW-3, and MW-11 at a thickness of 2.03 feet (ft), 0.63 foot, and 1.33 ft, respectively. SPH has historically been observed in monitoring wells MW-1 and MW-3, beginning on December 28, 1992, May 22, 2009; SPH has been detected in MW-11 beginning April 4, 2013.

Groundwater monitoring and sampling field data sheets are presented in the G-R groundwater monitoring and sampling data package (Attachment 1). Purge water and equipment decontamination water generated during the sampling event was transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.

¹ California Environmental Protection Agency Department of Toxic Substances Control. 2008. *Representative Sampling of Groundwater for Hazardous Substances* (July 1995, revised February 2008). California: February 2008.

Laboratory Analysis

Subsequent to collection, samples were packed on ice in an attempt to maintain the samples at approximately 4 degrees Celsius (°C), and shipped under appropriate chain-of-custody protocols for analysis to Lancaster Laboratories (Lancaster) of Lancaster, Pennsylvania, a California Department of Public Health certified analytical laboratory. The groundwater samples were analyzed for the following chemicals:

- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) [C₆-C₁₂] by United States Environmental Protection Agency (USEPA) Method 8015B
- Benzene, toluene, ethylbenzene and total xylenes (BTEX) by USEPA Method 8260B
- Methyl tertiary butyl ether (MTBE) by USEPA Method 8260B

Quality assurance/quality control (QA/QC) samples, including trip blanks, were submitted for laboratory analysis. A laboratory supplied trip blank accompanied each sample delivery group. Trip blank samples were analyzed for TPH-GRO, BTEX and MTBE. Analytes were not detected in the trip blank at concentrations at or above the respective laboratory method detection limit (MDL). The laboratory analytical report and chain-of-custody record for the quarterly groundwater sampling event are presented in Attachment 2. Historical groundwater monitoring data results ending on February 21, 2012 are included in Attachment 3. Current Analytical Groundwater Gauging and Analytical Data for the June 13, 2013 monitoring event are included in Table 1. Historical groundwater monitoring beginning June 25, 2012 are included in Table 2.

Results

Groundwater Flow

Depth-to-water measurements were subtracted from surveyed top of casing elevations to calculate the groundwater elevation at each monitoring well. Depth-to-water measurements and calculated groundwater elevations are presented in Table 1. Calculated groundwater elevation data was used to construct a groundwater elevation contour map of the site (Figure 3).

On average, groundwater elevations at the site monitoring wells decreased 0.44 foot from the first quarter 2013 event. The horizontal groundwater flow direction across the site was toward the north-northeast at an approximate horizontal hydraulic

gradient of 0.002 foot per foot (ft/ft) as shown on the groundwater elevation contour map presented as Figure 3. The predominant groundwater flow direction across the site has been to the north, as depicted on the groundwater flow direction rose diagram presented as Figure 1 of Attachment 4.

Groundwater Analytical

Analytical results from the quarterly groundwater monitoring and sampling event are presented in Table 1. Historical analytical results through February 21, 2012, as provided by G-R, are presented in Attachment 3. Historical analytical results beginning July 25, 2012, are presented in Table 2. A concentration map of TPH-GRO, benzene and MTBE across the site are presented as Figure 4. Maximum and minimum concentrations of petroleum hydrocarbon constituents detected in groundwater samples collected during the first quarter of 2013 are presented in the table below:

Constituent	Frequency of Detection Above the MDL ¹	Range of Detected Concentrations in µg/L ²	California Primary MCL ³ in µg/L ²	Frequency of Exceedances	Concentration of MCL Exceedance in µg/L ² (Well ID)
TPH-GRO	5/12	180 – 76,000	--	--	--
Benzene	5/12	7 – 24,000	1	5/5	190 (MW-9); 7 (MW-12); 22 (MW-13); 24,000 (MW-14); 24,000 (MW-15)
Toluene	4/12	0.6 – 7,000	150	2/4	7,000 (MW-14); 4,500 (MW-15)
Ethylbenzene	4/12	0.6 – 1,300	300	2/4	1,300 (MW-14); 1,100 (MW-15)
Total Xylenes	4/12	0.5 – 4,900	1,750	2/4	4,900 (MW-14); 3,900 (MW-15)
MTBE	3/12	2 - 12	13	0/3	--

Notes:

1. MDL = method detection limit
2. µg/L = microgram per liter, equivalent to part per billion (ppb)
3. MCL = maximum contaminant level

Concentration graphs for TPH-GRO, benzene, MTBE and groundwater elevation versus time at wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14 and MW-15 are presented as Figures 1 through 14, respectively, of Attachment 5.

Chemical concentration ranges of groundwater samples collected during the second quarter of 2013 are generally consistent with the concentration ranges detected during previous quarterly monitoring and sampling events.

Summary and Conclusions

- Groundwater flowed toward the north-northeast across the site at an approximate horizontal hydraulic gradient of 0.002 ft/ft
- Benzene, toluene, ethylbenzene and total xylenes were detected above the respective California primary maximum contaminant level (MCL) in groundwater samples collected from the site monitoring network.
- TPH-GRO and MTBE were detected above their respective laboratory MDL in groundwater samples collected from the site monitoring well network.
- SPH was observed in monitoring wells MW-1, MW-3, MW-11

Recommendations

ARCADIS recommends continuation of the groundwater monitoring and sampling program.

Future Work

ARCADIS will perform field activities as approved by the Alameda County Health Care Services Agency in their letter dated July 10, 2013, during the third quarter 2013. The Site Conceptual Model will be updated with the data collected during field activities.

Closing

If you have any questions or comments regarding the contents of this report, please contact Tonya Russi of ARCADIS at 916.985.2079 ext. 15 or by e-mail at Tonya.Russi@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.

Tonya Russi

Tonya R. Russi
Associate Project Manager

DL

David W. Lay, P.G., C.P.G.
Principal Geologist



Enclosures:

- Table 1 Second Quarter 2013 Groundwater Monitoring Data and Analytical Results
- Table 2 Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012

- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 Groundwater Elevation Contour Map, June 13, 2013
- Figure 4 TPH-GRO, Benzene and MTBE Concentration Map, June 13, 2013

- Attachment 1 Groundwater Monitoring and Sampling Data Package, Gettler-Ryan Inc., June 25, 2013
- Attachment 2 Groundwater Analytical Results, Lancaster Laboratories, June 26, 2013
- Attachment 3 Historical Groundwater Monitoring Data and Analytical Results, Ending February 21, 2012
- Attachment 4 Figure 1 (Groundwater Flow Direction Rose Diagram)
- Attachment 5 Figures 1 through 14 (Chemical Concentrations and Groundwater Elevations versus Time Graphs)

Copies:

Ms. Catalina Espino Devine, Chevron Environmental Management Company

Ms. Vera Fischer, Central Valley Regional Water Quality Control Board

Mr. Ardavan Onsori, DM Livermore, Inc.

Mr. Wyman Hong, Zone 7 Water Agency

Matin & Jeanne Moghadam

Gary J. Grimm

Tables

Table 1
Second Quarter 2013 Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-1	06/13/13	SPH	331.81	32.39	2.03	300.94	--	--	--	--	--	--	Monitored only
MW-2	06/13/13		329.88	28.89	0.00	300.99	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-3	06/13/13	SPH	331.91	31.54	0.63	300.84	--	--	--	--	--	--	Monitored only
MW-4	06/13/13		329.25	28.16	0.00	301.09	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-5	06/13/13		315.84	14.96	0.00	300.88	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-6	06/13/13		314.92	14.08	0.00	300.84	<50	<0.5	<0.5	<0.5	<0.5	2	
MW-7	06/13/13		316.28	15.28	0.00	301.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-8	06/13/13		333.00	31.75	0.00	301.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-9	06/13/13		332.45	31.42	0.00	301.03	1,400	190	11	24	10	<0.5	
MW-10	06/13/13		331.66	30.63	0.00	301.03	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-11	06/13/13	SPH	331.87	31.96	1.33	300.91	--	--	--	--	--	--	Monitored only
MW-12	06/13/13		332.42	31.51	0.00	300.91	180	7	0.6	0.6	0.5	<0.5	
MW-13	06/13/13		331.49	30.62	0.00	300.87	240	22	<0.5	<0.5	<0.5	2	
MW-14	06/13/13		332.12	31.21	0.00	300.91	76,000	24,000	7,000	1,300	4,900	<10	
MW-15	06/13/13		332.77	31.81	0.00	300.96	58,000	24,000	4,500	1,100	3,900	12	
WSW-1	06/13/13		--	--	--	--	--	--	--	--	--	--	

Notes:

TPH-GRO = Total petroleum hydrocarbons as gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total xylenes

MTBE = Methyl tertiary butyl ether

SPH = Separate phase hydrocarbons

TOC = Top of casing (surveyed)

MSL = Mean sea level

µg/L = Microgram per liter

< = Analyte was not detected above laboratory method detection limit

-- = Not measured or analyzed

Calc. GW Elev. = Calculated groundwater elevation = TOC - Depth to Water + 0.75*(Measured SPH Thickness); assuming a specific gravity of 0.75 for SPH

Well survey data (TOC elevation) provided by Muir Consulting, Inc., April 2013

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-1	06/25/12	SPH	331.93	31.85	1.80	300.08	--	--	--	--	--	--	
	09/22/12	SPH	331.93	32.85	2.42	299.08	--	--	--	--	--	--	
	12/10/12	SPH	331.93	32.21	1.90	299.72	--	--	--	--	--	--	
	03/26/13	SPH	331.81	31.30	1.29	300.51	--	--	--	--	--	--	
	06/13/13	SPH	331.81	32.39	2.03	300.94	--	--	--	--	--	--	
MW-2	06/25/12		329.98	28.60	0.00	301.38	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		329.98	29.15	0.00	300.83	--	--	--	--	--	--	
	12/10/12		329.98	28.79	0.00	301.19	--	--	--	--	--	--	
	03/26/13		329.88	28.45	0.00	301.43	--	--	--	--	--	--	
	06/13/13		329.88	28.89	0.00	300.99	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-3	06/25/12	SPH	332.03	30.88	0.22	301.15	--	--	--	--	--	--	
	09/22/12	SPH	332.03	31.58	0.42	300.45	--	--	--	--	--	--	
	12/10/12	SPH	332.03	31.00	0.06	301.03	--	--	--	--	--	--	
	03/26/13	SPH	331.91	30.65	0.21	301.26	--	--	--	--	--	--	
	06/13/13	SPH	331.91	31.54	0.63	300.84	--	--	--	--	--	--	
MW-4	06/25/12		320.22	27.88	0.00	292.34	1,300	170	44	23		<0.5	
	09/22/12		329.44*	28.35	0.00	301.09	--	--	--	--	--	--	
	12/10/12		329.44*	28.11	0.00	301.33	490	<0.5	<0.5	<0.5	25	<0.5	
	03/26/13		329.25	27.73	0.00	301.52	--	--	--	--	--	--	
	06/13/13		329.25	28.16	0.00	301.09	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-5	06/25/12	INA	315.97	14.68	0.00	301.29	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		315.97	15.19	0.00	300.78	--	--	--	--	--	--	
	12/10/12		315.97	14.63	0.00	301.34	--	--	--	--	--	--	
	03/26/13	INA	315.84	--	0.00	--	--	--	--	--	--	--	
	06/13/13		315.84	14.96	0.00	300.88	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-6	06/25/12		314.91	13.79	0.00	301.12	<50	<0.5	<0.5	<0.5	<0.5	1	
	09/22/12		314.91	14.33	0.00	300.58	--	--	--	--	--	--	
	12/10/12		314.91	13.87	0.00	301.04	<50	<0.5	<0.5	<0.5	<0.5	1	
	03/26/13		314.92	13.56	0.00	301.36	--	--	--	--	--	--	
	06/13/13		314.92	14.08	0.00	300.84	<50	<0.5	<0.5	<0.5	<0.5	2	
MW-7	06/25/12	INA	316.39	14.98	0.00	301.41	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	09/22/12		316.39	15.46	0.00	300.93	--	--	--	--	--	--	
	12/10/12		316.39	14.93	0.00	301.46	--	--	--	--	--	--	
	03/26/13		316.28	14.85	0.00	301.43	--	--	--	--	--	--	
	06/13/13		316.28	15.28	0.00	301.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
MW-8	03/26/13		333.00	--	0.00	--	--	--	--	--	--	--	
	06/13/13		333.00	31.75	0.00	301.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-9	06/25/12		332.56	31.13	0.00	301.43	2,400	370	84	59	62	<0.5	
	09/22/12		332.56	31.65	0.00	300.91	5,200	1,100	950	110	300	<5	
	12/10/12		332.56	31.34	0.00	301.22	6,800	1,400	1,100	90	370	<5	
	03/26/13		332.45	31.00	0.00	301.45	4,400	700	110	57	120	<0.5	
	06/13/13		332.45	31.42	0.00	301.03	1,400	190	11	24	10	<0.5	
MW-10	06/25/12		331.77	30.32	0.00	301.45	2,500	420	70	27	180	<5	
	09/22/12		331.77	30.85	0.00	300.92	2,900	620	470	30	160	<5	
	12/10/12		331.77	36.64	0.00	295.13	3,100	630	27	<5	37	<5	
	03/26/13		331.66	30.16	0.00	301.50	920	150	18	4	26	<0.5	
	06/13/13		331.66	30.63	0.00	301.03	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-11	06/25/12		331.98	30.63	0.00	301.35	47,000	9,800	7,900	880	3,900	<50	
	09/22/12		331.98	31.15	0.00	300.83	51,000	9,000	7,200	1,200	4,600	<50	
	12/10/12		331.98	30.88	0.00	301.10	41,000	8,400	6,800	720	3,600	<25	
	03/26/13	SPH	331.87	31.35	1.26	300.52	--	--	--	--	--	--	
	06/13/13	SPH	331.87	31.96	1.33	300.91	--	--	--	--	--	--	
MW-12	06/25/12		332.53	31.23	0.00	301.30	570	21	0.8	38	3	<0.5	
	09/22/12		332.53	31.78	0.00	300.75	350	2	<0.5	6	<0.5	<0.5	
	12/10/12		332.53	31.37	0.00	301.16	380	17	<0.5	1	0.9	<0.5	
	03/26/13		332.42	31.05	0.00	301.37	240	7	0.7	0.9	1	<0.5	
	06/13/13		332.42	31.51	0.00	300.91	180	7	0.6	0.6	0.5	<0.5	
MW-13	06/25/12		331.60	30.34	0.00	301.26	290	22	0.7	2	1	2	
	09/22/12		331.60	30.89	0.00	300.71	290	11	0.6	4	0.7	2	
	12/10/12		331.60	30.47	0.00	301.13	240	16	<0.5	5	1	1	
	03/26/13		331.49	30.15	0.00	301.34	290	23	<0.5	2	<0.5	2	
	06/13/13		331.49	30.62	0.00	300.87	240	22	<0.5	<0.5	<0.5	2	
MW-14	06/25/12		332.24	30.92	0.00	301.32	80,000	23,000	9,800	1,100	4,300	<50	
	09/22/12		332.24	31.45	0.00	300.79	83,000	25,000	9,900	1,800	6,600	<25	
	12/10/12		332.24	31.07	0.00	301.17	70,000	19,000	8,700	1,200	4,600	<50	
	03/26/13		332.12	30.74	0.00	301.38	92,000	23,000	6,200	1,200	4,700	<5	
	06/13/13		332.12	31.21	0.00	300.91	76,000	24,000	7,000	1,300	4,900	<10	
MW-15	06/25/12		332.88	31.51	0.00	301.37	88,000	28,000	8,400	1,100	4,300	<50	
	09/22/12		332.88	32.05	0.00	300.83	77,000	29,000	9,000	1,700	6,400	<25	
	12/10/12		332.88	31.70	0.00	301.18	71,000	22,000	5,900	1,200	4,800	<100	
	03/26/13		332.77	31.36	0.00	301.41	96,000	25,000	4,300	1,200	4,400	<5	
	06/13/13		332.77	31.81	0.00	300.96	58,000	24,000	4,500	1,100	3,900	12	
WSW-1	06/25/12		--	--	--	--	--	--	--	--	--	--	
	09/22/12		--	--	--	--	--	--	--	--	--	--	
	12/10/12		--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	
	03/26/13		--	--	--	--	--	--	--	--	--	--	
	06/13/13		--	--	--	--	--	--	--	--	--	--	

Table 2
Historical Groundwater Monitoring Data and Analytical Results, Beginning June 25, 2012
Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580, Tracy, California

Well I.D.	Date	Notes	TOC Elevation (feet MSL)	Depth to Water (feet)	Measured SPH Thickness (feet)	Groundwater Elevation (feet MSL)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	Comments
-----------	------	-------	--------------------------------	--------------------------------	--	--	-------------------	-------------	-------------	-------------	-------------	----------------	----------

Notes:

TPH-GRO = Total petroleum hydrocarbons as gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Total xylenes

MTBE = Methyl tertiary butyl ether

SPH = Separate phase hydrocarbons

TOC = Top of casing (surveyed)

MSL = Mean sea level

µg/L = Microgram per liter

< = Analyte was not detected above laboratory method detection limit

- = Not measured or analyzed

J = Estimated value (less than the method reporting limit and greater than or equal to the method detection limit)

N = Identity of contaminant uncertain (hydrocarbon pattern atypical of indicated analyte); see lab report

R = Data rejected (data determined to be unreliable by laboratory)

INA = Well inaccessible due to steep terrain, grab samples collected


Calc. GW Elev. = Calculated groundwater elevation = TOC - Depth to Water + 0.75*(Measured SPH Thickness); assuming a specific gravity of 0.75 for SPH

Well survey data (TOC elevation) provided by Muir Consulting, Inc., April 2013

ARCADIS

Figures

CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS
 C:\Users\jharri\Desktop\ENV\CAD\B0047959\001\GWR012\013\DWG\47959\01.dwg LAYOUT: 1 SAVED: 4/18/2013 3:49 PM ACADVER: 18.1S (LIMS TECH) PAGES: 1 PLOTSTYLETABLE: ARCADIS.CTB PLOTTED: 7/11/2013 3:22 PM BY: HARRIS, JESSICA



SITE LOCATION

REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., MIDWAY AND CLIFTON COURT FOREBAY, CALIFORNIA, 2012.



Approximate Scale: 1 in. = 2000 ft.



CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA
**SECOND QUARTER 2013
 GROUNDWATER MONITORING REPORT**

SITE LOCATION MAP



FIGURE
1

XREFS: IMAGES: PROJECTNAME: Clifton Court Forebay 2012.jpg Midway 2012.jpg





CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS
 C:\Users\jharris\Desktop\ENVCAD\B0047959\00011\GWR01\2013\DWG\47959B01.dwg LAYOUT: 2_SAVED: 4/18/2013 4:16 PM ACADVER: 18.1S (LMS TECH) PAGES: 18 PLOTTED: 7/11/2013 3:23 PM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: --
 47959X01 97127 Figures 3 - 4_Page_1.jpg

GRANT LINE ROAD

INTERSTATE 580 ON RAMP




LEGEND


-  PROPERTY BOUNDARY
-  FENCE
-  MW-1 MONITORING WELL LOCATION
-  WSW-1 WATER SUPPLY WELL (LIVESTOCK)



NOTES:

- MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
- MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.



CHEVRON SITE ID 97127 GRANT LINE ROAD AND INTERSTATE 580 TRACY, CALIFORNIA SECOND QUARTER 2013 GROUNDWATER MONITORING REPORT	
SITE PLAN	
	FIGURE 2

GRANT LINE ROAD

INTERSTATE 580 ON RAMP

301.20

MW-8
(301.25)

MW-9
(301.03)

MW-10
(301.03)

MW-4
(301.09)

301.10

MW-15
(300.96)

MW-1
(300.94)

WSW-1
(NM)

MW-7
(301.00)

301.00

MW-14
(300.91)

MW-3
(300.84)

MW-12
(300.91)


MW-5
(300.88)

300.90

MW-6
(300.84)


LEGEND

- PROPERTY BOUNDARY
- - - FENCE
- MW-1 MONITORING WELL LOCATION
- WSW-1 WATER SUPPLY WELL (LIVESTOCK)
- (300.91) GROUNDWATER ELEVATION IN FEET MEAN SEA LEVEL (FT MSL)
- 300.90** — GROUNDWATER ELEVATION CONTOUR IN FT MSL (DASHED WHERE INFERRED)
- ← 0.002 FT/FT GROUNDWATER FLOW DIRECTION AND GRADIENT IN FOOT PER FOOT (FT/FT)
- (NM) NOT MONITORED




NOTES:

1. MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
2. MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
3. MONITORING WELL MW-8 DISCONTINUED FROM MONITORING AND SAMPLING PROGRAM.



<p>CHEVRON SITE ID 97127 GRANT LINE ROAD AND INTERSTATE 580 TRACY, CALIFORNIA SECOND QUARTER 2013 GROUNDWATER MONITORING REPORT</p>	
<p>GROUNDWATER ELEVATION CONTOUR MAP JUNE 13, 2013</p>	
	<p>FIGURE 3</p>

CITY: PETALUMA, CA DIV/GROUP: ENV DB: J. HARRIS
 C:\Users\jharris\Desktop\ENVCAD\B0047959\0001\GWR01\2013\DWG\47959\001.dwg LAYOUT: 4 SAVED: 7/11/2013 3:46 PM ACADVER: 18.1S (LMS TECH) PAGES: 18 PLOT: 1 PLOTSTYLE: ARCADIS.ctb PLOTTED: 7/11/2013 4:08 PM BY: HARRIS, JESSICA
 XREFS: IMAGES: PROJECTNAME: --



LEGEND

--- PROPERTY BOUNDARY

- - - FENCE

MW-1 MONITORING WELL LOCATION

WSW-1 WATER SUPPLY WELL (LIVESTOCK)

MW-12	
TPH-GRO	180
Benzene	7
MTBE	<0.5

BORING ID

CONCENTRATION (µg/L)

ANALYTE

TPH-GRO TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS

B BENZENE

MTBE METHYL TERTIARY BUTYL ETHER


µg/L MICROGRAMS PER LITER

< NOT DETECTED AT OR ABOVE STATED LABORATORY REPORTING LIMIT

(NS) NOT SAMPLED

* SEPARATE PHASE HYDROCARBONS (SPH) PRESENT IN WELL

- NOTES:**
- MONITORING WELL LOCATIONS BASED ON SURVEY DATA PROVIDED BY VIRGIL CHAVEZ LAND SURVEYING (SEPTEMBER 2011) DRAWING FILE 305620cad.dwg. MW-6 LOCATION WAS NOT SURVEYED AND IS APPROXIMATE.
 - MAP MODIFIED FROM CONESTOGA-ROVERS & ASSOCIATES (CRA) FIGURE ENTITLED "FIGURE 2 CONCENTRATION MAP" DATED FEBRUARY 21, 2012, DRAWING FILE xsite.dwg. ALL SITE FEATURES AND LOCATIONS ARE APPROXIMATE.
 - MONITORING WELL MW-8 DISCONTINUED FROM MONITORING AND SAMPLING PROGRAM.



CHEVRON SITE ID 97127
 GRANT LINE ROAD AND INTERSTATE 580
 TRACY, CALIFORNIA

**SECOND QUARTER 2013
 GROUNDWATER MONITORING REPORT**

**TPH-GRO, BENZENE AND MTBE
 CONCENTRATION MAP
 JUNE 13, 2013**

FIGURE
4

ARCADIS

Attachment 1

Groundwater Monitoring and
Sampling Data Package,
Gettler-Ryan Inc.,
June 25, 2013



GETTLER-RYAN INC.



TRANSMITTAL

June 25, 2013
G-R #385251

TO: Ms. Tonya Russi
ARCADIS
950 Glenn Drive, Suite 125
Folsom, CA 95630

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-7127
I-580 and Grant Line Road
Tracy, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package Second Quarter Event of June 13, 2013

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/9-7127

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job #: 385251
 Event Date: 6-13-13
 Sampler: GM

WELL ID	Vault Frame Condition	Gasket/O-Ring (M) Missing (R) Replaced	BOLTS (M) Missing (R) Replaced	Bolt Flanges B=Broken S=Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Y/N
Mw-4	OK						→	N	N	EMCO / 12/2	N
Mw-6	OK						→	N	N	↓ ↓ ↓	
Mw-1	OK	NA	NA	NA	OK	OK	OK			STONE PIPE	
Mw-2											
Mw-3											
Mw-5											
Mw-7								N	N		
Mw-8								Y	Y		
Mw-9								N	N		
Mw-10											
Mw-11											
Mw-12											
Mw-13											
Mw-14											
Mw-15											

Comments _____

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Seaport Environmental located in Redwood City, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: G.M.

Well ID: MW-1
 Well Diameter: 4
 Total Depth: 39.44 ft.
 Depth to Water: 32.39 ft.
7.05 xVF = _____

Date Monitored: 6/13/13

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 30.36 ft
 Depth to Water: 32.39 ft
 Hydrocarbon Thickness: 2.03 ft
 Visual Confirmation/Description:
LT Brown
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: NA gal
 Amt Removed from Well: NA gal
 Water Removed: NONE

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH PRESENT NO SAMPLE TAKEN.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-2
 Well Diameter: 2
 Total Depth: 38.48 ft.
 Depth to Water: 28.89 ft.
9.59 xVF 0.17 = 1.63

Date Monitored: 6/13/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 x3 case volume = Estimated Purge Volume: 5 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 30.80

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer X
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1330 Weather Conditions: Sunny
 Sample Time/Date: 1355 6/13/13 Water Color: clear Odor: Y/N
 Approx. Flow Rate: - gpm. Sediment Description: SLS/LT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 30.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1334</u>	<u>2</u>	<u>7.49</u>	<u>894</u>	<u>19.9</u>		
<u>1337</u>	<u>3.5</u>	<u>7.43</u>	<u>893</u>	<u>19.6</u>		
<u>1340</u>	<u>5</u>	<u>7.41</u>	<u>891</u>	<u>19.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: mw-3
 Well Diameter: 2
 Total Depth: 40.05 ft.
 Depth to Water: 31.54 ft.
8.51 xVF = _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 6/13/13

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Metal Filters _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 30.91 ft
 Depth to Water: 31.54 ft
 Hydrocarbon Thickness: 0.63 ft
 Visual Confirmation/Description:
LT SPONGE
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: NA gal
 Amt Removed from Well: NA gal
 Water Removed: None

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voc/vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH PRESENT NO SAMPLE TAKEN

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: mw-4
 Well Diameter: 2
 Total Depth: 31.67 ft.
 Depth to Water: 28.16 ft.
3.51 xVF 0.17 = 0.59

Date Monitored: 6/13/13

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 28.86
 x3 case volume = Estimated Purge Volume: 2 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer X
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1520 Weather Conditions: Sunny
 Sample Time/Date: 1600 / 6/13/13 Water Color: YAW Odor: YN MODERATE
 Approx. Flow Rate: - gpm. Sediment Description: SILT
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 28.85

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (µS))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1523</u>	<u>.75</u>	<u>7.04</u>	<u>923</u>	<u>20.3</u>		
<u>1526</u>	<u>1.5</u>	<u>7.06</u>	<u>920</u>	<u>20.3</u>		
<u>1529</u>	<u>2</u>	<u>7.01</u>	<u>919</u>	<u>20.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>mw-4</u>	<u>(x voa vial)</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-5
 Well Diameter: 2
 Total Depth: 28.16 ft.
 Depth to Water: 14.96 ft.
3.20 xVF 0.17 = 0.54

Date Monitored: 6/13/13

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.60

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0920 Weather Conditions: Sunny
 Sample Time/Date: 1005/6/13/13 Water Color: clear Odor: Y/N
 Approx. Flow Rate: - gpm. Sediment Description: SLIGHT
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 15.12

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm / µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0923</u>	<u>.75</u>	<u>7.70</u>	<u>1133</u>	<u>19.6</u>		
<u>0926</u>	<u>1.5</u>	<u>7.70</u>	<u>1132</u>	<u>19.6</u>		
<u>0929</u>	<u>2</u>	<u>7.69</u>	<u>1130</u>	<u>19.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: HAD TO BUCKET PURGE WATER UP & DOWN HILL

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/17 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID MW-6

Date Monitored: 6/12/13

Well Diameter 2

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth 28-86 ft.

Depth to Water 14.08 ft.

Check if water column is less than 0.50 ft.

14.70 xVF 0.17 = 2.51 x3 case volume = Estimated Purge Volume: 8 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.03

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0640 Weather Conditions: SUNNY
 Sample Time/Date: 0730 / 6/13/17 Water Color: CLEAR Odor: YIN
 Approx. Flow Rate: — gpm. Sediment Description: SL SILT
 Did well de-water? NO If yes, Time: — Volume: — gal. DTW @ Sampling: 16.28

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - uS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0645</u>	<u>3</u>	<u>7.46</u>	<u>819</u>	<u>21.0</u>		
<u>0650</u>	<u>5.5</u>	<u>7.41</u>	<u>810</u>	<u>20.2</u>		
<u>0655</u>	<u>8</u>	<u>7.37</u>	<u>801</u>	<u>19.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: INACCESSIBLE WITH TRUCK HAD TO BUCKET PURGE WATER BACK

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-7 Date Monitored: 6/13/13
 Well Diameter: 2
 Total Depth: 28.19 ft.
 Depth to Water: 15.28 ft. Check if water column is less than 0.50 ft.
12.91 xVF 0.17 = 2.19 x3 case volume = Estimated Purge Volume: 7 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 17.80

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0800 Weather Conditions: SUNNY
 Sample Time/Date: 0900 6/13/13 Water Color: TAN Odor: Y/N
 Approx. Flow Rate: - gpm. Sediment Description: CLAY
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 15.91

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>0805</u>	<u>3</u>	<u>7.80</u>	<u>1113</u>	<u>19.7</u>		
<u>0810</u>	<u>5</u>	<u>7.74</u>	<u>1110</u>	<u>19.4</u>		
<u>0814</u>	<u>7</u>	<u>7.72</u>	<u>1108</u>	<u>19.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: HAD TO WALK TO WELL DOWN HILL AND BUCKET PURGE WATER

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-8 Date Monitored: 6/13/13

Well Diameter: 2
 Total Depth: 41.77 ft.
 Depth to Water: 31.75 ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 33.75
 Check if water column is less than 0.50 ft.
 xVF 0.17 = 1.70 x3 case volume = Estimated Purge Volume: 5.5 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1615 Weather Conditions: SUNNY
 Sample Time/Date: 1650 6/13/13 Water Color: _____ Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 32.53

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1620</u>	<u>2</u>	_____	_____	_____	_____	_____
<u>1625</u>	<u>4</u>	_____	_____	_____	_____	_____
<u>1630</u>	<u>5.5</u>	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-B</u>	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS:

Add/Replaced Lock: / Add/Replaced Plug: / Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-9
 Well Diameter: 2
 Total Depth: 40.68 ft.
 Depth to Water: 31.42 ft.
9.26 xVF = 0.17 = 1.57

Date Monitored: 6/13/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 33.27

Purge Equipment:

Disposable Bailer: A
 Stainless Steel Bailer: _____
 Stack Pump: _____
 Suction Pump: _____
 Grundfos: _____
 Peristaltic Pump: _____
 QED Bladder Pump: _____
 Other: _____

Sampling Equipment:

Disposable Bailer: X
 Pressure Bailer: _____
 Metal Filters: _____
 Peristaltic Pump: _____
 QED Bladder Pump: _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1400 Weather Conditions: SUNNY
 Sample Time/Date: 1430 6/13/13 Water Color: GREEN Odor: Y/N STRONG
 Approx. Flow Rate: r gpm. Sediment Description: SILT
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 33.10

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (US))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1411</u>	<u>2</u>	<u>6.99</u>	<u>931</u>	<u>22.0</u>		
<u>1414</u>	<u>3.5</u>	<u>6.95</u>	<u>977</u>	<u>21.6</u>		
<u>1417</u>	<u>5</u>	<u>6.89</u>	<u>973</u>	<u>21.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6 x vva vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: 2 NP ~~OTHER~~ VOA'S FOR CHEVRON SAMPLES TAKEN

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-10
 Well Diameter: 2
 Total Depth: 40.44 ft.
 Depth to Water: 30.63 ft.
9.81 xVF 0.17 = 1.66

Date Monitored: 6/13/13

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.59

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1440 Weather Conditions: SUNNY
 Sample Time/Date: 1508/6/13/13 Water Color: grey Odor: FIN STROMA
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 31.71

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>1444</u>	<u>2</u>	<u>7.08</u>	<u>924</u>	<u>20.9</u>	_____	_____
<u>1447</u>	<u>3.5</u>	<u>7.04</u>	<u>716</u>	<u>20.6</u>	_____	_____
<u>1451</u>	<u>5</u>	<u>6.99</u>	<u>910</u>	<u>20.4</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: 2NP VOA'S TAKEN FOR CHEVRON SAMPLES

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: Mw-11
 Well Diameter: 2
 Total Depth: 37.74 ft.
 Depth to Water: 21.96 ft.
5.78 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 6/13/13

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: 30.63 ft
 Depth to Water: 31.96 ft
 Hydrocarbon Thickness: 1.33 ft
 Visual Confirmation/Description:
LT TSKDN
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: NA gal
 Amt Removed from Well: NA gal
 Water Removed: NONE

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x vva vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: SPH PRESENT NO SAMPLE TAKEN

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-12 Date Monitored: 6/13/13

Well Diameter: 2

Total Depth: 35.45 ft.

Depth to Water: 31.51 ft. Check if water column is less than 0.50 ft.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.29
 xVF 0.17 = 0.66 x3 case volume = Estimated Purge Volume: 2 gal.

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1030 Weather Conditions: SUNNY
 Sample Time/Date: 1110 6/13/13 Water Color: GRAY Odor: Y/N
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 32.26

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (µS)	Temperature (C) (F)	D.O. (mg/L)	ORP (mV)
<u>1033</u>	<u>.75</u>	<u>7.10</u>	<u>1309</u>	<u>19.7</u>		
<u>1036</u>	<u>1.5</u>	<u>7.09</u>	<u>1306</u>	<u>19.6</u>		
<u>1039</u>	<u>2</u>	<u>7.06</u>	<u>1302</u>	<u>19.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>2 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: 2 MP VOA'S TAKEN FOR CHEVRON SAMPLES

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-13
 Well Diameter: 2
 Total Depth: 41.64 ft.
 Depth to Water: 30.62 ft.

Date Monitored: 6/13/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 $11.02 \times VF 0.17 = 1.87$ x3 case volume = Estimated Purge Volume: 6 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.92

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1120 Weather Conditions: Sunny
 Sample Time/Date: 1158/6/13/13 Water Color: GRAY Odor: Ø N MODERATE
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 31.61

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (uS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1124</u>	<u>2</u>	<u>6.99</u>	<u>1030</u>	<u>19.9</u>	_____	_____
<u>1128</u>	<u>4</u>	<u>6.98</u>	<u>1016</u>	<u>19.6</u>	_____	_____
<u>1132</u>	<u>6</u>	<u>6.91</u>	<u>1068</u>	<u>19.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>2 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: 2 NO VOA'S TAKEN FOR CHEVRON SAMPLES

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127 Job Number: 385251
 Site Address: I-580 And Grant Line Road Event Date: 6/13/13 (inclusive)
 City: Tracy, CA Sampler: GM

Well ID: MW-14
 Well Diameter: 2
 Total Depth: 36.49 ft.
 Depth to Water: 31.21 ft.
5.28 xVF 0.17 = 0.89

Date Monitored: 6/13/13

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 32.26

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1210 Weather Conditions: Sunny
 Sample Time/Date: 1233 / 6/13/13 Water Color: Clear Odor: YDN NOISE
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 32.21

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) <u>(uS)</u>	Temperature <u>(C)</u> (F)	D.O. (mg/L)	ORP (mV)
<u>1212</u>	<u>1</u>	<u>6.87</u>	<u>995</u>	<u>19.3</u>		
<u>1215</u>	<u>2</u>	<u>6.84</u>	<u>996</u>	<u>19.6</u>		
<u>1218</u>	<u>3</u>	<u>6.82</u>	<u>991</u>	<u>19.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>0 x vva vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: 2 NP VOA TAKEN FOR CHEVRON SAMPLES

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-7127
 Site Address: I-580 And Grant Line Road
 City: Tracy, CA

Job Number: 385251
 Event Date: 6/13/13 (inclusive)
 Sampler: GUM

Well ID: MW-15
 Well Diameter: 2
 Total Depth: 39.22 ft.
 Depth to Water: 31.81 ft.
7.41 xVF = 0.17 = 1.26

Date Monitored: 6/13/13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 33.29

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1245 Weather Conditions: SUNNY
 Sample Time/Date: 1315 / 6/13/13 Water Color: GREY Odor: NO STRONG
 Approx. Flow Rate: _____ gpm. Sediment Description: SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 33.10

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (US)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1248</u>	<u>1.5</u>	<u>7.06</u>	<u>948</u>	<u>21.2</u>	_____	_____
<u>1251</u>	<u>2.75</u>	<u>7.03</u>	<u>939</u>	<u>20.6</u>	_____	_____
<u>1254</u>	<u>4</u>	<u>6.99</u>	<u>932</u>	<u>20.5</u>	_____	_____


LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>6 x vovial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: TOOK 2 NP VOA'S FOR CHEVRON SAMPLES.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



Lancaster Laboratories

Acct. # 06 1713 -04

For Eurofins Lancaster Laboratories use only
 Group # _____ Sample # _____
 Instructions on reverse side correspond with circled numbers.

1 Client Information				4 Matrix				5 Analyses Requested													
Facility # WBS SS#9-7127-OML G-R#385251 Global ID#T0600102298				Sediment <input type="checkbox"/> Ground <input checked="" type="checkbox"/> Surface <input type="checkbox"/>				Total Number of Containers BTEX + MTBE 8021 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> TPH-GRO 8015 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup <input type="checkbox"/> 8260 Full Scan Oxygenates Total Lead Method Dissolved Lead Method													
Site Address 1-580 AND GRANT LINE ROAD, TRACY, CA				Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/>																	
Chevron PM CED ARCADISTR Lead Consultant Russi				Oil <input type="checkbox"/>																	
Consultant/Office Getter-Ryan, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568				Total Number of Containers																	
Consultant Project Mgr. Deanna L. Harding, (deanna@grinc.com), (925) 551-7444 x180				Total Number of Containers																	
Consultant Phone # (916) 985-2079 x 15				Total Number of Containers				SCR #: _____													
Sampler				3 Composite				6 Remarks													
2 Sample Identification		Soil Depth		Collected		Grab		Composite													
				Date		Time															
QA				6/17/13				X													
MW-2						1355															
MW-4						1600															
MW-5						1005															
MW-6						0730															
MW-7						0900															
MW-9						1050															
MW-9						1430															
MW-10						1509															
MW-12						1110															
MW-13						1159															
MW-14						1233															
MW-15						1315															

Sample Identification	Soil Depth	Collected Date	Collected Time	Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MTBE	8021	8260	TPH-GRO	8015	8260	TPH-DRO 8015 without Silica Gel Cleanup	TPH-DRO 8015 with Silica Gel Cleanup	8260 Full Scan	Oxygenates	Total Lead Method	Dissolved Lead Method	
QA		6/17/13		X					2	X		X										
MW-2			1355						6													
MW-4			1600																			
MW-5			1005																			
MW-6			0730																			
MW-7			0900																			
MW-9			1050																			
MW-9			1430																			
MW-10			1509																			
MW-12			1110																			
MW-13			1159																			
MW-14			1233																			
MW-15			1315																			

7 Turnaround Time Requested (TAT) (please circle)				Relinquished by _____		Date 6/17/13		Time 1200		Received by _____		Date 06-17-13		Time 1200	
Standard 5 day 4 day 72 hour 48 hour 24 hour				Relinquished by _____		Date 06-17-13		Time 1400		Received by _____		Date 6/17/13		Time 1400	
8 Data Package (circle if required)				Relinquished by Commercial Carrier: _____		Date _____		Time _____		Received by _____		Date _____		Time _____	
Type I - Full				EDD (circle if required)		UPS _____ FedEx _____ Other _____		Temperature Upon Receipt _____ °C		Custody Seals Intact?		Yes _____ No _____			
Type VI (Raw Data)				EDFFLAT (default)											

ARCADIS

Attachment 2

Groundwater Analytical Results,
Lancaster Laboratories,
June 26, 2013

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

Chevron
L4310
6001 Bollinger Canyon Rd.
San Ramon CA 94583

June 26, 2013

Project: 97127

Submittal Date: 06/18/2013

Group Number: 1397893

PO Number: 0015119899

Release Number: SHRILL HOPKINS

State of Sample Origin: CA

<u>Client Sample Description</u>	<u>Lancaster Labs (LLD) #</u>
QA-T-130613 NA Water	7096755
MW-2-W-130613 Grab Groundwater	7096756
MW-4-W-130613 Grab Groundwater	7096757
MW-5-W-130613 Grab Groundwater	7096758
MW-6-W-130613 Grab Groundwater	7096759
MW-7-W-130613 Grab Groundwater	7096760
MW-8-W-130613 Grab Groundwater	7096761
MW-9-W-130613 Grab Groundwater	7096762
MW-10-W-130613 Grab Groundwater	7096763
MW-12-W-130613 Grab Groundwater	7096764
MW-13-W-130613 Grab Groundwater	7096765
MW-14-W-130613 Grab Groundwater	7096766
MW-15-W-130613 Grab Groundwater	7096767

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Arcadis c/o Gettler-Ryan	Attn: Rachelle Munoz
ELECTRONIC COPY TO	Arcadis	Attn: Tonya Russi
ELECTRONIC COPY TO	ARCADIS U.S., Inc.	Attn: Cameron McGovern
ELECTRONIC COPY TO	Arcadis US, Inc.	Attn: Brett Krehbiel

Respectfully Submitted,



Jill M. Parker
Senior Specialist

(717) 556-7262

Sample Description: QA-T-130613 NA Water
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096755
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

7127Q

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles			SW-846 8260B	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles			SW-846 8015B	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D131761AA	06/25/2013 12:11	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D131761AA	06/25/2013 12:11	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/21/2013 22:41	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/21/2013 22:41	Marie D John	1

Sample Description: MW-2-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096756
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 13:55

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

71272

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D131761AA	06/25/2013 12:46	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D131761AA	06/25/2013 12:46	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/21/2013 23:25	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/21/2013 23:25	Marie D John	1

Sample Description: MW-4-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096757
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 16:00

Chevron

L4310

Submitted: 06/18/2013 10:30

6001 Bollinger Canyon Rd.

Reported: 06/26/2013 20:12

San Ramon CA 94583

71274

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D131761AA	06/25/2013 13:55	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D131761AA	06/25/2013 13:55	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/21/2013 23:47	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/21/2013 23:47	Marie D John	1

Sample Description: MW-5-W-130613 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096758
LLI Group # 1397893
Account # 11928

Project Name: 97127

Collected: 06/13/2013 10:05

Chevron

L4310

Submitted: 06/18/2013 10:30

6001 Bollinger Canyon Rd.

Reported: 06/26/2013 20:12

San Ramon CA 94583

71275

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	D131761AA	06/25/2013 14:18	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D131761AA	06/25/2013 14:18	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/22/2013 00:09	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/22/2013 00:09	Marie D John	1

Sample Description: MW-6-W-130613 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096759
LLI Group # 1397893
Account # 11928

Project Name: 97127

Collected: 06/13/2013 07:30

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
San Ramon CA 94583

71276

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z131751AA	06/25/2013 02:08	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z131751AA	06/25/2013 02:08	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/22/2013 05:16	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/22/2013 05:16	Marie D John	1

Sample Description: MW-7-W-130613 Grab Groundwater
Facility# 97127 Job# 385251 GRD
I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096760
LLI Group # 1397893
Account # 11928

Project Name: 97127

Collected: 06/13/2013 09:00

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
San Ramon CA 94583

71277

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 11:05	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 11:05	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/22/2013 00:30	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/22/2013 00:30	Marie D John	1

Sample Description: MW-8-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096761
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 16:50

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

71278

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 12:30	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 12:30	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/22/2013 00:52	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/22/2013 00:52	Marie D John	1

Sample Description: MW-9-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096762
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 14:30

Chevron

L4310

Submitted: 06/18/2013 10:30

6001 Bollinger Canyon Rd.

Reported: 06/26/2013 20:12

San Ramon CA 94583

71279

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	190	5	10
10943	Ethylbenzene	100-41-4	24	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	11	0.5	1
10943	Xylene (Total)	1330-20-7	10	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	1,400	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 12:58	Anita M Dale	1
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F131772AA	06/26/2013 09:14	Anita M Dale	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 12:58	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F131772AA	06/26/2013 09:14	Anita M Dale	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/22/2013 05:38	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/22/2013 05:38	Marie D John	1

Sample Description: MW-10-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096763
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 15:08

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

12710

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 13:26	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 13:26	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13171D20A	06/22/2013 01:14	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	13171D20A	06/22/2013 01:14	Marie D John	1

Sample Description: MW-12-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096764
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 11:10

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

12712

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	7	0.5	1
10943	Ethylbenzene	100-41-4	0.6	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	0.6	0.5	1
10943	Xylene (Total)	1330-20-7	0.5	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	180	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 13:55	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 13:55	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13172B20A	06/22/2013 15:22	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	13172B20A	06/22/2013 15:22	Laura M Krieger	1

Sample Description: MW-13-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096765
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 11:58

Chevron

Submitted: 06/18/2013 10:30

L4310

Reported: 06/26/2013 20:12

6001 Bollinger Canyon Rd.
 San Ramon CA 94583

12713

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	22	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	240	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 14:23	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 14:23	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13172B20A	06/22/2013 15:44	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	13172B20A	06/22/2013 15:44	Laura M Krieger	1

Sample Description: MW-14-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096766
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 12:33

Chevron

L4310

Submitted: 06/18/2013 10:30

6001 Bollinger Canyon Rd.

Reported: 06/26/2013 20:12

San Ramon CA 94583

12714

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	24,000	100	200
10943	Ethylbenzene	100-41-4	1,300	10	20
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	10	20
10943	Toluene	108-88-3	7,000	100	200
10943	Xylene (Total)	1330-20-7	4,900	10	20
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	76,000	1,000	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 14:52	Anita M Dale	20
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 15:20	Anita M Dale	200
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 14:52	Anita M Dale	20
01163	GC/MS VOA Water Prep	SW-846 5030B	2	P131761AA	06/25/2013 15:20	Anita M Dale	200
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13172B20A	06/23/2013 11:41	Laura M Krieger	20
01146	GC VOA Water Prep	SW-846 5030B	1	13172B20A	06/23/2013 11:41	Laura M Krieger	20

Sample Description: MW-15-W-130613 Grab Groundwater
 Facility# 97127 Job# 385251 GRD
 I-580 & Grant Line-Tracy T0600102298

LLI Sample # WW 7096767
 LLI Group # 1397893
 Account # 11928

Project Name: 97127

Collected: 06/13/2013 13:15

Chevron

L4310

Submitted: 06/18/2013 10:30

6001 Bollinger Canyon Rd.

Reported: 06/26/2013 20:12

San Ramon CA 94583

12715

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
10943	Benzene	71-43-2	24,000	500	1000
10943	Ethylbenzene	100-41-4	1,100	5	10
10943	Methyl Tertiary Butyl Ether	1634-04-4	12	5	10
10943	Toluene	108-88-3	4,500	50	100
10943	Xylene (Total)	1330-20-7	3,900	5	10
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	58,000	1,000	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 15:48	Anita M Dale	10
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P131761AA	06/25/2013 16:17	Anita M Dale	100
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F131772AA	06/26/2013 09:36	Anita M Dale	1000
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P131761AA	06/25/2013 15:48	Anita M Dale	10
01163	GC/MS VOA Water Prep	SW-846 5030B	2	P131761AA	06/25/2013 16:17	Anita M Dale	100
01163	GC/MS VOA Water Prep	SW-846 5030B	3	F131772AA	06/26/2013 09:36	Anita M Dale	1000
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	13172B20A	06/22/2013 19:46	Laura M Krieger	20
01146	GC VOA Water Prep	SW-846 5030B	1	13172B20A	06/22/2013 19:46	Laura M Krieger	20

Quality Control Summary

Client Name: Chevron Group Number: 1397893
Reported: 06/26/13 at 08:12 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D131761AA	Sample number(s): 7096755-7096758							
Benzene	N.D.	0.5	ug/l	97		77-121		
Ethylbenzene	N.D.	0.5	ug/l	96		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	98		68-121		
Toluene	N.D.	0.5	ug/l	98		79-120		
Xylene (Total)	N.D.	0.5	ug/l	98		77-120		
Batch number: F131772AA	Sample number(s): 7096762,7096767							
Benzene	N.D.	0.5	ug/l	90		77-121		
Batch number: P131761AA	Sample number(s): 7096760-7096767							
Benzene	N.D.	0.5	ug/l	101		77-121		
Ethylbenzene	N.D.	0.5	ug/l	99		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	100		68-121		
Toluene	N.D.	0.5	ug/l	102		79-120		
Xylene (Total)	N.D.	0.5	ug/l	98		77-120		
Batch number: Z131751AA	Sample number(s): 7096759							
Benzene	N.D.	0.5	ug/l	80		77-121		
Ethylbenzene	N.D.	0.5	ug/l	83		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	85		68-121		
Toluene	N.D.	0.5	ug/l	82		79-120		
Xylene (Total)	N.D.	0.5	ug/l	83		77-120		
Batch number: 13171D20A	Sample number(s): 7096755-7096763							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	85	90	75-135	5	30
Batch number: 13172B20A	Sample number(s): 7096764-7096767							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	91	96	75-135	5	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D131761AA	Sample number(s): 7096755-7096758 UNSPK: 7096756								
Benzene	111	98	72-134	12	30				
Ethylbenzene	109	95	71-134	13	30				
Methyl Tertiary Butyl Ether	107	95	72-126	12	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1397893

Reported: 06/26/13 at 08:12 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>BKG</u> <u>MAX</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Toluene	111	97	80-125	13	30			
Xylene (Total)	111	96	79-125	14	30			
Batch number: F131772AA Sample number(s): 7096762,7096767 UNSPK: P097997								
Benzene	94	95	72-134	2	30			
Batch number: P131761AA Sample number(s): 7096760-7096767 UNSPK: 7096760								
Benzene	100	99	72-134	1	30			
Ethylbenzene	97	98	71-134	2	30			
Methyl Tertiary Butyl Ether	98	98	72-126	0	30			
Toluene	100	100	80-125	0	30			
Xylene (Total)	96	97	79-125	1	30			
Batch number: Z131751AA Sample number(s): 7096759 UNSPK: P096626								
Benzene	100	99	72-134	1	30			
Ethylbenzene	101	101	71-134	1	30			
Methyl Tertiary Butyl Ether	98	97	72-126	1	30			
Toluene	100	99	80-125	1	30			
Xylene (Total)	101	99	79-125	2	30			

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: D131761AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7096755	98	100	101	98
7096756	98	96	101	98
7096757	99	96	100	98
7096758	97	99	102	97
Blank	98	95	100	96
LCS	97	99	102	101
MS	99	99	101	102
MSD	99	98	100	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: P131761AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7096760	98	101	103	95
7096761	97	99	104	96
7096762	97	100	103	97
7096763	98	102	103	95
7096764	99	99	103	97

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/26/13 at 08:12 PM

Group Number: 1397893

Surrogate Quality Control

7096765	98	100	103	95
7096766	97	99	104	96
7096767	96	98	104	97
Blank	97	100	103	94
LCS	98	101	103	96
MS	97	103	103	95
MSD	96	100	103	96

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: Z131751AA

Dibromofluoromethane 1,2-Dichloroethane-d4 Toluene-d8 4-Bromofluorobenzene

7096759	101	97	100	99
Blank	100	94	99	101
LCS	99	97	99	98
MS	97	99	99	99
MSD	99	97	99	99

Limits: 80-116 77-113 80-113 78-113

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 13171D20A

Trifluorotoluene-F

7096755	67
7096756	67
7096757	63
7096758	67
7096759	72
7096760	71
7096761	69
7096762	90
7096763	71
Blank	70
LCS	84
LCSD	84

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 13172B20A

Trifluorotoluene-F

7096764	71
7096765	74
7096766	86
7096767	78
Blank	72
LCS	82
LCSD	83

Limits: 63-135

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/26/13 at 08:12 PM

Group Number: 1397893

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



Lancaster Laboratories

Acct. # 11928
061713-04

For Eurofins Lancaster Laboratories use only
Group # 1397893 Sample # 7096755-67
Instructions on reverse side correspond with circled numbers.

1 Client Information				4 Matrix			5 Analyses Requested										6 Remarks	
Facility # <u>SS#9-7127-OML G-R#385251 Global ID#T0600102298</u> Site Address <u>I-580 AND GRANT LINE ROAD, TRACY, CA</u> Chevron PM <u>ARCADISTR</u> Lead Consultant <u>Russi</u> Consultant/Office <u>Getter-Ryan, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Consultant Project Mgr. <u>Deanna L. Harding, (deanna@grinc.com), (925) 551-7444 x180</u> Consultant Phone # <u>(916) 985-2079 x 15</u> Sampler _____				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Oil <input type="checkbox"/> Soil <input type="checkbox"/> Water			Total Number of Containers _____ <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> 8015 <input type="checkbox"/> TPH-GRO <input type="checkbox"/> TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup <input type="checkbox"/> 8260 Full Scan Oxygenates _____ Total Lead _____ Method _____ Dissolved Lead _____ Method _____										SCR #: _____ <input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run _____ oxy's on highest hit <input type="checkbox"/> Run _____ oxy's on all hits	
2 Sample Identification		Soil Depth	3 Collected		Grab	Composite											6	
			Date	Time													6	
RA			6/17/13		X												6	
MW-2				1355													6	
MW-4				1600													6	
MW-5				1005													6	
MW-6				0730													6	
MW-7				0900													6	
MW-8				1050													6	
MW-9				1430													6	
MW-10				1508													6	
MW-12				1110													6	
MW-13				1159													6	
MW-14				1233													6	
MW-15				1315													6	
7 Turnaround Time Requested (TAT) (please circle)				Relinquished by _____		Date _____	Time _____	Received by _____		Date _____	Time _____	9						
<input checked="" type="radio"/> Standard 5 day 4 day 72 hour 48 hour 24 hour				<input checked="" type="radio"/> Relinquished by _____ <input type="radio"/> Relinquished by _____		Date <u>6/17/13</u> Date <u>6-17-13</u>	Time <u>1200</u> Time <u>1400</u>	Received by <u>[Signature]</u> Received by <u>[Signature]</u>		Date <u>6-17-13</u> Date <u>6/17/13</u>	Time <u>1200</u> Time <u>1400</u>	9						
8 Data Package (circle if required)				Relinquished by Commercial Carrier: _____		Date _____	Time _____	Received by _____		Date _____	Time _____	9						
<input type="radio"/> Type I - Full <input type="radio"/> Type VI (Raw Data)				EDD (circle if required) <input checked="" type="radio"/> EDF/EDD EDF/FLAT (default)		UPS <u>[Signature]</u> FedEx _____ Other _____ Date <u>6/17/13</u>	Time <u>1630</u>	Received by <u>[Signature]</u> Received by <u>[Signature]</u>		Date <u>6/18/13</u>	Time <u>1030</u>	9						
				Temperature Upon Receipt <u>0.7-2.2 °C</u>				Custody Seals Intact? <input checked="" type="radio"/> Yes <input type="radio"/> No				9						

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ARCADIS

Attachment 3

Historical Groundwater Monitoring
Data and Analytical Results, Ending
February 21, 2012

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-1											
12/28/92 ²⁵	329.17	299.73**	30.78	1.67	--	--	--	--	--	--	--
02/15/94	329.17	299.40	29.77	--	--	99,000	20,000	24,000	2000	9800	--
04/21/94	329.17	299.32	29.85	--	--	--	--	--	--	--	--
06/01/94	329.17	299.25	29.92	--	--	56,000	12,000	15,000	1100	5800	--
06/28/94	329.17	299.02	30.15	--	--	--	--	--	--	--	--
07/19/94	329.17	308.87	20.30	--	--	--	--	--	--	--	--
09/02/94	329.17	298.96	30.61	0.50	--	--	--	--	--	--	--
09/12/94	329.17	298.04	31.66	0.66	--	--	--	--	--	--	--
10/12/94	329.17	298.70	31.70	1.54	--	--	--	--	--	--	--
11/30/94	329.17	299.84	29.95	0.77	--	--	--	--	--	--	--
03/09/95	329.17	299.88	29.54	0.31	--	--	--	--	--	--	--
04/18/95	329.17	300.16	29.01	--	--	--	--	--	--	--	--
05/17/95	329.17	300.08	29.09	--	--	130,000	22,000	30,000	2000	10,000	--
06/07/95	329.17	299.93	29.24	--	--	--	--	--	--	--	--
07/21/95	329.17	299.51	29.66	--	--	--	--	--	--	--	--
08/15/95	329.17	299.30	29.87	--	--	41,000	9400	12,000	1400	7700	--
09/07/95	329.17	299.32	29.85	--	--	--	--	--	--	--	--
10/09/95	329.17	299.16	30.01	--	--	--	--	--	--	--	--
11/15/95	329.17	299.29	29.88	--	--	68,000	15,000	9600	1100	5500	<2000
12/30/95	329.17	299.18	29.99	--	--	--	--	--	--	--	--
01/29/96	329.17	299.85	29.32	--	--	--	--	--	--	--	--
02/27/96	329.17	300.66	28.51	--	--	520	48	71	<0.5	27	28
03/05/96	329.17	300.73	28.44	--	--	--	--	--	--	--	--
04/23/96	329.17	300.97	28.20	--	--	--	--	--	--	--	--
05/30/96	329.17	300.70	28.47	--	--	57,000	15,000	11,000	1100	4900	<250
06/19/96	329.17	300.74	28.43	--	--	--	--	--	--	--	--
07/15/96	329.17	300.51	28.66	--	--	--	--	--	--	--	--
08/27/96	329.17	300.44	28.73	--	--	74,000	11,000	9500	790	3600	<120
09/09/96	329.17	300.32	28.85	--	--	--	--	--	--	--	--
10/28/96	329.17	300.64	28.53	--	--	--	--	--	--	--	--
11/11/96	329.17	300.40	28.77	--	--	69,000	13,000	9100	810	3200	<250
05/06/97	329.17	301.05	28.12	--	--	98,000	23,000	17,000	1100	5200	<500
07/27/97	329.17	300.99	28.18	--	--	--	--	--	--	--	--
11/18/97	329.17	300.44	28.73	--	--	58,000	19,000	9700	1100	4000	<500
05/31/98	329.17	302.14	27.03	0.05	--	180,000	25,000	25,000	1700	9300	19,000

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-1 (cont)											
05/31/98 ³	329.17	302.14	27.03	0.05	--	--	--	--	--	--	<500
08/12/98 ²	329.17	301.99	27.18	--	--	--	--	--	--	--	--
11/23/98	329.17	301.63	27.54	--	--	131,000	14,600	23,700	1990	13,600	<200
05/11/99 ^{2,7}	329.17	301.89	27.28	--	--	--	--	--	--	--	--
11/24/99	329.17	301.22 ⁸	28.11	>0.2	0.26	--	--	--	--	--	--
05/23/00 ¹	329.17	302.34**	27.61	0.97	0.52 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
10/31/00	329.17	301.47**	28.35	0.81	0.26 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/18/01	329.17	301.27**	28.62	0.90	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/16/01 ¹⁵	329.17	300.63**	28.57	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
07/01/02 ¹⁵	329.17	300.38**	29.36	0.71	0.50 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/08/02 ¹⁵	329.17	300.07**	29.82	0.90	0.13 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
06/13/03 ¹⁵	329.17	300.59**	28.83	0.31	1.85 ¹⁸	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/20/03	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/18/04	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/19/04	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/03/05	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/28/05	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/25/06	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
11/21/06	329.17	INACCESSIBLE - ATTACHED TO A SOLAR POWERED BELT SKIMMER						--	--	--	--
05/09/07	329.17	299.78**	29.70	0.39	1.30 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/17/07	329.17	299.68**	30.83	1.67	1.69 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
04/30/08	329.17	298.29**	31.54	0.83	0.53 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/26/08	329.17	298.73**	31.90	1.82	0.79 ²³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/22/09 ²⁴	329.17	298.00**	31.95	0.97	1.29 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/24/09	329.17	298.38**	32.06	1.59	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/25/10	329.17	299.19**	30.68	0.88	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/29/10	329.17	299.64**	31.67	2.68	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
05/02/11	329.17	299.70**	29.63	0.20	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
11/23/11	331.93	301.72**	31.43	1.53	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--
02/21/12	331.93	301.79**	31.20	1.32	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
MW-2												
12/28/92 ²⁵	327.22	298.63	28.59	--	--	<50	<0.4	<0.3	<0.3	0.6	--	
02/15/94	327.22	300.13	27.09	--	--	83	21	6.0	1.0	3.0	--	
04/21/94	327.22	299.41	27.81	--	--	--	--	--	--	--	--	
06/01/94	327.22	299.24	27.98	--	--	<50	1.3	0.5	<0.5	<0.5	--	
06/28/94	327.22	299.05	28.17	--	--	--	--	--	--	--	--	
07/19/94	327.22	298.87	28.35	--	--	--	--	--	--	--	--	
09/02/94	327.22	298.70	28.52	--	--	82	13	16	3.6	14	--	
09/12/94	327.22	298.66	28.56	--	--	--	--	--	--	--	--	
10/12/94	327.22	298.60	28.62	--	--	--	--	--	--	--	--	
11/30/94	327.22	298.84	28.38	--	--	<50	3.6	4.5	1.0	4.5	--	
03/09/95	327.22	299.81	27.41	--	--	--	--	--	--	--	--	
04/18/95	327.22	300.43	26.79	--	--	--	--	--	--	--	--	
05/17/95	327.22	300.27	26.95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
06/07/95	327.22	300.16	27.06	--	--	--	--	--	--	--	--	
07/21/95	327.22	299.75	27.47	--	--	--	--	--	--	--	--	
08/15/95	327.22	299.65	27.57	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	
09/07/95	327.22	298.53	28.69	--	--	--	--	--	--	--	--	
10/09/95	327.22	299.37	27.85	--	--	--	--	--	--	--	--	
11/15/95	327.22	299.31	27.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
12/30/95	327.22	299.62	27.60	--	--	--	--	--	--	--	--	
01/29/96	327.22	300.06	27.16	--	--	--	--	--	--	--	--	
02/27/96	327.22	300.97	26.25	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
03/05/96	327.22	300.52	26.70	--	--	--	--	--	--	--	--	
04/23/96	327.22	301.40	25.82	--	--	--	--	--	--	--	--	
05/30/96	327.22	301.06	26.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
06/19/96	327.22	300.95	26.27	--	--	--	--	--	--	--	--	
07/15/96	327.22	300.76	26.46	--	--	--	--	--	--	--	--	
08/27/96	327.22	300.50	26.72	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
09/06/96	327.22	300.42	26.80	--	--	--	--	--	--	--	--	
10/28/96	327.22	300.39	26.83	--	--	--	--	--	--	--	--	
11/11/96	327.22	300.50	26.72	--	--	--	--	--	--	--	--	
05/06/97	327.22	301.21	26.01	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
07/27/97	327.22	300.84	26.38	--	--	--	--	--	--	--	--	
11/18/97	327.22	300.72	26.50	--	--	--	--	--	--	--	--	
05/31/98	327.22	302.75	24.47	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-2 (cont)											
11/23/98	327.22	302.28	24.94	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	327.22	302.73	24.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	327.22	302.19	25.03	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	327.22	301.30	25.92	0.00	0.00	--	--	--	--	--	--
05/18/01	327.22	301.14	26.08	0.00	0.00	<50	0.52	2.6	<0.50	1.9	<2.5
11/16/01	327.22	300.41	26.81	0.00	0.00	--	--	--	--	--	--
07/01/02	327.22	300.25	26.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	327.22	299.92	27.30	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	327.22	300.49	26.73	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	327.22	300.74	26.48	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	327.22	300.14	27.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	327.22	300.52	26.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/03/05 ¹⁹	327.22	299.97	27.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	327.22	299.77	27.45	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/06 ¹⁹	327.22	300.62	26.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	327.22	300.21	27.01	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/09/07 ¹⁹	327.22	299.68	27.54	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	327.22	300.11	27.11	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
04/30/08 ¹⁹	327.22	299.35	27.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	327.22	298.52	28.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/22/09 ¹⁹	327.22	299.02	28.20	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09	327.22	298.44	28.78	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/10 ¹⁹	327.22	299.15	28.07	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10	327.22	298.52	28.70	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/02/11 ¹⁹	327.22	299.69	27.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11	329.98	301.58	28.40	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
02/21/12	329.98	301.70	28.28	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
MW-3											
12/28/92 ²⁵	329.28	298.59	30.69	--	--	19,000	8,900	660	380	720	--
02/15/94	329.28	299.41	29.87	--	--	23,000	11,000	1700	540	1000	--
04/21/94	329.28	299.32	29.96	--	--	--	--	--	--	--	--
06/01/94	329.28	299.17	30.11	--	--	27,000	12,000	2600	600	2200	--
06/28/94	329.28	298.97	30.31	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-3 (cont)											
07/19/94	329.28	298.78	30.50	--	--	--	--	--	--	--	--
09/02/94	329.28	298.67	30.61	--	--	34,000	16,000	4100	770	3000	--
09/12/94	329.28	298.63	30.65	--	--	--	--	--	--	--	--
10/12/94	329.28	298.54	30.74	--	--	--	--	--	--	--	--
11/30/94	329.28	298.84	30.44	--	--	33,000	16,000	3000	740	2400	--
03/09/95	329.28	299.75	29.53	--	--	--	--	--	--	--	--
04/18/95	329.28	300.31	28.97	--	--	--	--	--	--	--	--
05/17/95	329.28	300.09	29.19	--	--	27,000	10,000	760	490	1000	--
06/07/95	329.28	300.04	29.24	--	--	--	--	--	--	--	--
07/21/95	329.28	299.58	29.70	--	--	--	--	--	--	--	--
08/15/95	329.28	299.50	29.78	--	--	39,000	13,000	2900	700	1700	--
09/07/95	329.28	299.42	29.86	--	--	--	--	--	--	--	--
10/09/95	329.28	299.26	30.02	--	--	--	--	--	--	--	--
11/15/95	329.28	299.22	30.06	--	--	21,000	8000	2900	430	1500	<1000
12/30/95	329.28	299.53	29.75	--	--	--	--	--	--	--	--
01/29/96	329.28	300.06	29.22	--	--	--	--	--	--	--	--
02/27/96	329.28	300.85	28.43	--	--	<2500	5000	500	220	130	710
03/05/96	329.28	300.93	28.35	--	--	--	--	--	--	--	--
04/23/96	329.28	301.18	28.10	--	--	--	--	--	--	--	--
05/30/96	329.28	300.86	28.42	--	--	37,000	13,000	7200	870	2900	<120
06/19/96	329.28	300.77	28.51	--	--	--	--	--	--	--	--
07/15/96	329.28	300.65	28.63	--	--	--	--	--	--	--	--
08/27/96	329.28	300.38	28.90	--	--	50,000	9500	6900	740	2900	<120
09/06/96	329.28	300.30	28.98	--	--	--	--	--	--	--	--
10/28/96	329.28	300.30	28.98	--	--	--	--	--	--	--	--
11/11/96	329.28	300.44	28.84	--	--	52,000	11,000	5500	780	3000	<250
05/06/97	329.28	301.06	28.22	--	--	93,000	23,000	15,000	1400	6200	<500
07/27/97	329.28	300.70	28.58	--	--	--	--	--	--	--	--
11/18/97	329.28	300.58	28.70	--	--	81,000	29,000	17,000	1600	6700	<500
05/31/98	329.28	302.60	26.68	--	--	78,000	24,000	12,000	1200	5800	1300
05/31/98 ³	329.28	302.60	26.68	--	--	--	--	--	--	--	<500
08/12/98 ²	329.28	302.25	27.03	--	--	--	--	--	--	--	--
11/23/98	329.28	302.19	27.09	--	--	97,200	17,900	12,800	1200	6950	<100
05/11/99 ²	329.28	302.60	26.68	--	--	51,000	18,000	7800	670	3600	<2.5
05/11/99 ³	329.28	302.60	26.68	--	--	--	--	--	--	--	<100

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-3 (cont)											
11/24/99	329.28	301.83	27.45	--	--	62,800	16,600	8300	900	4890	<500
05/23/00 ¹	329.28	302.11	27.17	0.00	0.00	27,000 ⁷	14,000	12,000	940	4,600	770
10/31/00 ¹	329.28	301.27	28.01	0.00	0.00	110,000 ¹⁰	25,700	21,300	1,300	7,320	1,680
05/18/01 ¹	329.28	301.07	28.21	0.00	0.00	58,000 ⁷	19,000	16,000	1,400	7,000	2,300/11 ¹⁴
11/16/01 ¹	329.28	300.41	28.87	0.00	0.00	100,000	23,000	16,000	1,400	6,800	<200
07/01/02 ¹	329.28	300.20	29.08	0.00	0.00	75,000	16,000	8,800	980	4,000	140/<10 ¹⁷
11/08/02	329.28	299.89	29.39	0.00	0.00	45,000	9,800	5,800	590	2,400	<50
06/13/03 ^{19,20}	329.28	300.46	28.82	0.00	0.00	42,000	9,100	4,100	580	1,800	5
11/20/03 ¹⁹	329.28	300.51	28.77	0.00	0.00	52,000	12,000	4,500	660	3,200	5
05/18/04 ¹⁹	329.28	300.07	29.21	0.00	0.00	57,000	15,000	5,700	840	3,400	9
11/19/04 ¹⁹	329.28	300.42	28.86	0.00	0.00	67,000	15,000	4,200	850	3,400	7
05/03/05 ¹⁹	329.28	299.88	29.40	0.00	0.00	54,000	13,000	3,400	690	2,600	<10
11/28/05 ¹⁹	329.28	299.72	29.56	0.00	0.00	56,000	16,000	1,800	950	3,500	<25
05/25/06 ¹⁹	329.28	300.47	28.81	0.00	0.00	38,000	9,400	1,800	680	2,100	<5
11/21/06 ¹⁹	329.28	300.06	29.22	0.00	0.00	27,000	10,000	420	650	1,600	<5
05/09/07 ¹⁹	329.28	299.55	29.73	0.00	0.00	40,000	9,200	660	590	1,300	<10
11/17/07 ¹⁹	329.28	298.90	30.38	0.00	0.00	22,000	9,200	86	610	560	3
04/30/08 ¹⁹	329.28	299.46	29.82	0.00	0.00	19,000	8,300	440	510	620	<5
11/26/08 ¹⁹	329.28	298.55	30.73	0.00	0.00	20,000	7,500	230	470	640	<10
05/22/09	329.28	299.28**	30.58	0.72	0.90 ¹³	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/24/09	329.28	298.90**	31.16	0.98	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/25/10	329.28	299.10**	30.38	0.25	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/29/10	329.28	299.05**	30.72	0.61	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/02/11	329.28	299.63**	29.68	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/23/11	332.03	301.52**	30.54	0.04	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/21/12	332.03	301.66**	30.38	0.01	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
MW-4											
05/21/93	--	--	--	--	--	<50	12	2.0	<0.5	1.0	--
11/05/93	--	--	--	--	--	300	56	10	0.8	3.0	--
02/15/94	329.44	299.54	29.90	--	--	260	47	12	2.0	4.0	--
04/21/94	329.44	299.45	29.99	--	--	--	--	--	--	--	--
06/01/94	329.44	299.30	30.14	--	--	860	200	23	2.8	9.6	--
06/28/94	329.44	299.12	30.32	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-4 (cont)											
07/19/94	329.44	298.94	30.50	--	--	--	--	--	--	--	--
09/02/94	329.44	298.82	30.62	--	--	1700	250	27	6.4	15	--
09/12/94	329.44	298.75	30.69	--	--	--	--	--	--	--	--
10/12/94	329.44	298.69	30.75	--	--	--	--	--	--	--	--
11/30/94	329.44	298.93	30.51	--	--	830	350	29	8.1	22	--
03/09/95	329.44	299.83	29.61	--	--	--	--	--	--	--	--
04/18/95	329.44	300.36	29.08	--	--	--	--	--	--	--	--
05/17/95	329.44	300.22	29.22	--	--	470	200	2.2	0.9	2.1	--
06/07/95	329.44	300.17	29.27	--	--	--	--	--	--	--	--
07/21/95	329.44	299.72	29.72	--	--	--	--	--	--	--	--
08/15/95	329.44	299.67	29.77	--	--	100	4.2	0.8	<0.5	<0.5	--
09/07/95	329.44	299.59	29.85	--	--	--	--	--	--	--	--
10/09/95	329.44	299.42	30.02	--	--	--	--	--	--	--	--
11/15/95	329.44	299.39	30.05	--	--	270	94	9.4	0.77	4.3	27
12/30/95	329.44	299.65	29.79	--	--	--	--	--	--	--	--
01/29/96	329.44	300.13	29.31	--	--	--	--	--	--	--	--
02/27/96	329.44	300.86	28.58	--	--	690	100	15	<0.5	2.0	79
03/05/96	329.44	300.89	28.55	--	--	--	--	--	--	--	--
04/23/96	329.44	301.29	28.15	--	--	--	--	--	--	--	--
05/30/96	329.44	301.04	28.40	--	--	700	240	4.0	0.6	3.9	<5.0
06/19/96	329.44	300.97	28.47	--	--	--	--	--	--	--	--
07/15/96	329.44	300.82	28.62	--	--	--	--	--	--	--	--
08/27/96	329.44	300.59	28.85	--	--	<50	11	<0.5	<0.5	<0.5	<5.0
09/06/96	329.44	300.52	28.92	--	--	--	--	--	--	--	--
10/28/96	329.44	300.54	28.90	--	--	--	--	--	--	--	--
11/11/96	329.44	300.66	28.78	--	--	240	57	1.4	0.7	1.8	<5.0
05/06/97	329.44	301.33	28.11	--	--	240	74	2.7	<0.5	1.6	<5.0
07/27/97	329.44	301.01	28.43	--	--	--	--	--	--	--	--
11/18/97	329.44	300.86	28.58	--	--	270	230	3.5	1.0	1.6	<2.5
05/31/98	329.44	302.91	26.53	--	--	1000	450	3.4	4.5	<6.0	<20
08/12/98 ²	329.44	302.62	26.82	--	--	--	--	--	--	--	--
11/23/98 ⁶	329.44	305.52	23.92	--	--	--	--	--	--	--	--
12/23/98 ⁶	329.44	305.25	24.19	--	--	--	--	--	--	--	--
05/11/99 ²	329.44	306.24	23.20	--	--	470	260	2.6	<0.5	4.3	35
05/11/99 ³	329.44	306.24	23.20	--	--	--	--	--	--	--	<2.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-4 (cont)											
11/24/99	329.44	306.41	23.03	--	--	2400	562	<5.0	10.7	10.4	38.1
5/23/00 ¹	329.44	305.30	24.14	0.00	0.00	370 ⁸	470 ⁹	1.1	9.7	5.9	84
10/31/00 ¹	329.44	304.42	25.02	0.00	0.00	672 ¹¹	224	<5.00	<5.00	<15.0	<25.0
05/18/01 ¹	329.44	304.23	25.21	0.00	0.00	230 ⁷	37	<0.50	1.3	0.95	22/2.1 ¹⁴
11/16/01 ¹⁶	329.44	303.53	25.91	0.00	0.00	290	36	<0.50	<0.50	<1.5	<2.5
07/01/02	329.44	303.33	26.11	0.00	0.00	410	60	<0.50	2.1	<1.5	<2.5
11/08/02	329.44	303.01	26.43	0.00	0.00	64	7.0	<0.50	<0.50	<1.5	<2.5
06/13/03 ¹⁹	329.44	302.58	26.86	0.00	0.00	79	4	<0.5	<0.5	<0.5	<0.5
11/20/03 ¹⁹	329.44	302.81	26.63	0.00	0.00	350	36	<0.5	2	0.7	<0.5
05/18/04 ¹⁹	329.44	303.13	26.31	0.00	0.00	160	22	<0.5	2	1	<0.5
11/19/04 ¹⁹	329.44	302.56	26.88	0.00	0.00	480	93	2	4	4	<0.5
05/03/05 ¹⁹	329.44	302.96	26.48	0.00	0.00	180	40	0.8	1	1	<0.5
11/28/05 ¹⁹	329.44	302.76	26.68	0.00	0.00	630	96	2	5	5	<0.5
05/25/06 ¹⁹	329.44	303.59	25.85	0.00	0.00	2,400	490	11	33	21	<0.5
11/21/06 ¹⁹	329.44	303.16	26.28	0.00	0.00	<50	3	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	329.44	302.69	26.75	0.00	0.00	940	170	5	9	11	<0.5
11/17/07 ¹⁹	329.44	302.03	27.41	0.00	0.00	580	150	5	4	7	<0.5
04/30/08 ¹⁹	329.44	302.44	27.00	0.00	0.00	73	15	0.6	0.7	0.9	<0.5
11/26/08 ¹⁹	329.44	301.52	27.92	0.00	0.00	530	63	6	5	10	<0.5
05/22/09 ¹⁹	329.44	301.95	27.49	0.00	0.00	400	56	6	4	16	<0.5
11/24/09 ¹⁹	329.44	301.30	28.14	0.00	0.00	1,400	160	18	10	38	<0.5
05/25/10 ¹⁹	329.44	302.04	27.40	0.00	0.00	1,100	93	19	15	32	<0.5
11/29/10 ¹⁹	329.44	301.39	28.05	0.00	0.00	520	130	9	3	24	<0.5
05/02/11 ¹⁹	329.44	302.56	26.88	0.00	0.00	420	59	7	5	16	<0.5
11/23/11 ¹⁹	320.22	292.54	27.68	0.00	0.00	1,400	140	32	20	47	<0.5
02/21/12	320.22	292.60	27.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--
MW-5											
05/25/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	0.9	--
11/05/93	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
02/15/94	312.88	287.78	25.10	--	--	<50	<0.5	1.0	<0.5	1.0	--
04/21/94	312.88	299.67	13.21	--	--	--	--	--	--	--	--
06/01/94	312.88	299.49	13.39	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/28/94	312.88	299.15	13.73	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)											
07/19/94	312.88	299.08	13.80	--	--	--	--	--	--	--	--
09/02/94	312.88	298.86	14.02	--	--	<50	3.2	1.8	<0.5	2.1	--
09/12/94	312.88	298.85	14.03	--	--	--	--	--	--	--	--
10/12/94	312.88	298.73	14.15	--	--	--	--	--	--	--	--
11/30/94	312.88	298.97	13.91	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/09/95	312.88	299.91	12.97	--	--	--	--	--	--	--	--
04/18/95	312.88	300.40	12.48	--	--	--	--	--	--	--	--
05/17/95	312.88	300.17	12.71	--	--	150	1.0	<0.5	<0.5	<0.5	--
06/07/95	312.88	300.03	12.85	--	--	--	--	--	--	--	--
07/21/95	312.88	299.58	13.30	--	--	--	--	--	--	--	--
08/15/95	312.88	299.47	13.41	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/95	312.88	299.46	13.42	--	--	--	--	--	--	--	--
10/09/95	312.88	299.27	13.61	--	--	--	--	--	--	--	--
11/15/95	312.88	299.25	13.63	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
12/30/95	312.88	299.58	13.30	--	--	--	--	--	--	--	--
01/29/96	312.88	300.13	12.75	--	--	--	--	--	--	--	--
02/27/96	312.88	300.86	12.02	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	312.88	300.92	11.96	--	--	--	--	--	--	--	--
04/23/96	312.88	301.11	11.77	--	--	--	--	--	--	--	--
05/30/96	312.88	300.71	12.17	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	312.88	300.63	12.25	--	--	--	--	--	--	--	--
07/15/96	312.88	300.49	12.39	--	--	--	--	--	--	--	--
08/27/96	312.88	300.23	12.65	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	312.88	300.20	12.68	--	--	--	--	--	--	--	--
10/28/96	312.88	300.16	12.72	--	--	--	--	--	--	--	--
11/11/96	312.88	300.27	12.61	--	--	--	--	--	--	--	--
05/06/97	312.88	300.82	12.06	--	--	<50	2.2	2.0	<0.5	1.7	<5.0
07/27/97	312.88	300.49	12.39	--	--	--	--	--	--	--	--
11/18/97	312.88	300.43	12.45	--	--	--	--	--	--	--	--
05/31/98	312.88	302.30	10.58	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	312.88	301.96	10.92	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	312.88	302.39	10.49	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	312.88	301.79	11.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	312.88	300.97	11.91	0.00	0.00	--	--	--	--	--	--
05/18/01	312.88	300.82	12.06	0.00	0.00	<50	0.52	2.0	<0.50	1.0	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5 (cont)											
11/16/01	312.88	300.11	12.77	0.00	0.00	--	--	--	--	--	--
07/01/02	312.88	299.94	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	312.88	299.61	13.27	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	312.88	300.03	12.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	312.88	300.21	12.67	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	312.88	299.98	12.90	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	312.88	300.05	12.83	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/03/05 ¹⁹	312.88	300.00	12.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	312.88	299.39	13.49	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/06 ¹⁹	NP ²¹	312.88	300.58	12.30	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06		312.88	300.12	12.76	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/09/07 ¹⁹	NP ²¹	312.88	299.76	13.12	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07		312.88	299.23	13.65	0.00	SAMPLED ANNUALLY	--	--	--	--	--
04/30/08 ¹⁹	NP ²¹	312.88	299.12	13.76	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08		312.88	298.23	14.65	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/22/09 ¹⁹	NP ²¹	312.88	299.18	13.70	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09		312.88	298.17	14.71	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/10 ¹⁹	NP ²¹	312.88	298.60	14.28	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10		312.88	298.31	14.57	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/02/11 ¹⁹	NP ²¹	312.88	299.20	13.68	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11		315.97	301.50	14.47	0.00	SAMPLED ANNUALLY	--	--	--	--	--
02/21/12	315.97	301.59	14.38	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
MW-6											
11/22/95 ²⁵	312.20	299.00	13.20	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	312.20	298.55	13.65	--	--	--	--	--	--	--	--
01/29/96	312.20	300.02	12.18	--	--	--	--	--	--	--	--
02/27/96	312.20	300.75	11.45	--	--	70	1.1	<0.5	<0.5	<0.5	<5.0
03/05/96	312.20	300.88	11.32	--	--	--	--	--	--	--	--
04/23/96	312.20	301.08	11.12	--	--	--	--	--	--	--	--
05/30/96	312.20	300.75	11.45	--	--	60	1.3	<0.5	<0.5	0.9	<5.0
06/19/96	312.20	300.66	11.54	--	--	--	--	--	--	--	--
07/15/96	312.20	300.44	11.76	--	--	--	--	--	--	--	--
08/27/96	312.20	300.25	11.95	--	--	90	1.6	<0.5	<0.5	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-6 (cont)											
09/06/96	312.20	300.18	12.02	--	--	--	--	--	--	--	--
10/28/96	312.20	300.19	12.01	--	--	--	--	--	--	--	--
11/11/96	312.20	300.30	11.90	--	--	110	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97	312.20	300.92	11.28	--	--	170	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	312.20	300.52	11.68	--	--	--	--	--	--	--	--
11/18/97	312.20	300.43	11.77	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98	312.20	302.39	9.81	--	--	<50	0.89	0.65	<0.3	<0.6	<10
11/23/98	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
12/23/98	312.20	301.88	10.32	--	--	66	<0.5	<0.5	<0.5	<0.5	<2.5
05/11/99	312.20	302.40	9.80	--	--	<50	1.9	<0.5	<0.5	<0.5	2.9
11/24/99	312.20	301.55	10.65	--	--	77.2	13.5	<0.5	<0.5	<0.5	<2.5
05/23/00	312.20	301.85	10.35	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	312.20	301.83	10.37	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<1.50	5.08
05/18/01	312.20	300.89	11.31	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/16/01	312.20	300.31	11.89	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	312.20	300.04	12.16	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	312.20	299.70	12.50	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
11/20/03	312.20	UNABLE TO LOCATE		--	--	--	--	--	--	--	--
05/18/04 ¹⁹	312.20	299.94	12.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 ¹⁹	312.20	300.16	12.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 ¹⁹	312.20	299.98	12.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 ¹⁹	312.20	299.59	12.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 ¹⁹	312.20	300.37	11.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 ¹⁹	312.20	300.10	12.10	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	NP ²¹	299.82	12.38	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	NP ²¹	299.25	12.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08 ¹⁹	312.20	298.56	13.64	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08 ¹⁹	312.20	298.40	13.80	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 ¹⁹	312.20	299.26	12.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 ¹⁹	312.20	298.16	14.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/10 ¹⁹	312.20	298.98	13.22	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10 ¹⁹	312.20	298.34	13.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						MTBE (µg/L)
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-6 (cont)											
05/02/11 ¹⁹	312.20	299.49	12.71	0.00	0.00	<50	1	<0.5	<0.5	<0.5	0.7
11/23/11 ¹⁹	314.91	301.38	13.53	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	0.8
02/21/12	314.91	301.51	13.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--
MW-7											
11/22/95 ²⁵	313.36	299.21	14.15	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	313.36	300.98	12.38	--	--	--	--	--	--	--	--
01/29/96	313.36	300.22	13.14	--	--	--	--	--	--	--	--
02/27/96	313.36	301.02	12.34	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
03/05/96	313.36	301.01	12.35	--	--	--	--	--	--	--	--
04/23/96	313.36	301.23	12.13	--	--	--	--	--	--	--	--
05/30/96	313.36	300.94	12.42	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	313.36	300.79	12.57	--	--	--	--	--	--	--	--
07/15/96	313.36	300.66	12.70	--	--	--	--	--	--	--	--
08/27/96	313.36	300.51	12.85	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	313.36	300.46	12.90	--	--	--	--	--	--	--	--
10/28/96	313.36	300.52	12.84	--	--	--	--	--	--	--	--
11/11/96	313.36	300.61	12.75	--	--	--	--	--	--	--	--
05/06/97	313.36	301.22	12.14	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	313.36	300.91	12.45	--	--	--	--	--	--	--	--
11/18/97	313.36	300.82	12.54	--	--	--	--	--	--	--	--
05/31/98	313.36	302.61	10.75	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	313.36	302.52	10.84	--	--	SAMPLED ANNUALLY			--	--	--
05/11/99	313.36	302.96	10.40	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	313.36	302.39	10.97	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	313.36	301.51	11.85	0.00	0.00	--	--	--	--	--	--
05/18/01	313.36	301.34	12.02	0.00	0.00	<50	<0.50	1.7	<0.50	1.2	<2.5
11/16/01	313.36	300.53	12.83	0.00	0.00	--	--	--	--	--	--
07/01/02	313.36	300.42	12.94	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	313.36	300.11	13.25	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	313.36	300.77	12.59	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	313.36	300.53	12.83	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-7 (cont)											
11/19/04	313.36	300.57	12.79	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/03/05 ¹⁹	313.36	300.55	12.81	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	313.36	299.78	13.58	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/06 ¹⁹	NP ²¹ 313.36	301.07	12.29	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	313.36	300.62	12.74	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/09/07 ¹⁹	NP ²¹ 313.36	300.31	13.05	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	313.36	299.63	13.73	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
04/30/08 ¹⁹	NP ²¹ 313.36	299.43	13.93	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	313.36	298.50	14.86	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/22/09 ¹⁹	NP ²¹ 313.36	299.75	13.61	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09	313.36	298.50	15.01	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/25/10 ¹⁹	NP ²¹ 313.36	298.93	14.43	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/29/10	313.36	298.61	14.75	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
05/02/11 ¹⁹	NP ²¹ 313.36	299.41	13.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/23/11	316.39	301.64	14.75	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
02/21/12	316.39	301.81	14.58	0.00	0.00	SAMPLED ANNUALLY	--	--	--	--	--
MW-9											
11/18/11 ²⁶	332.56	301.58	30.98	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.56	301.58	30.98	--	--	2,500	480	81	55	52	<3
02/21/12¹⁹	332.56	301.68	30.88	--	--	2,900	590	100	64	81	<5
MW-10											
11/18/11 ²⁶	331.77	301.59	30.18	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.77	301.62	30.15	--	--	8,700	500	220	58	430	<3
02/21/12¹⁹	331.77	301.69	30.08	--	--	1,300	260	90	25	130	<3
MW-11											
11/18/11 ²⁶	331.98	301.83	30.15	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.98	301.56	30.42	--	--	61,000	5,500	11,000	1,300	6,400	<5
02/21/12¹⁹	331.98	301.63	30.35	--	--	62,000	6,400	7,800	1,100	5,000	<25

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-12											
11/18/11 ²⁶	332.53	302.11	30.42	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.53	301.50	31.03	--	--	4,100	880	190	160	150	<1
02/21/12 ¹⁹	332.53	301.61	30.92	--	--	2,800	750	9	150	18	<5
MW-13											
11/18/11 ²⁶	331.60	301.47	30.13	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	331.60	301.46	30.14	--	--	1,100	150	61	26	55	2
02/21/12 ¹⁹	331.60	301.58	30.02	--	--	430	43	1	13	2	3
MW-14											
11/18/11 ²⁶	332.24	301.53	30.71	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.24	301.52	30.72	--	--	68,000	19,000	9,400	1,400	4,900	<25
02/21/12 ¹⁹	332.24	301.64	30.60	--	--	80,000	17,000	8,900	1,100	3,900	<10
MW-15											
11/18/11 ²⁶	332.88	301.56	31.32	--	--	--	--	--	--	--	--
11/23/11 ¹⁹	332.88	301.55	31.33	--	--	24,000	9,500	2,200	260	990	<10
02/21/12 ¹⁹	332.88	301.66	31.22	--	--	110,000	25,000	8,800	1,000	3,800	<13
MW-8											
11/22/95 ²⁵	329.91	299.56	30.35	--	--	<50	<0.50	<0.50	<0.50	<0.50	--
12/30/95	329.91	299.61	30.30	--	--	--	--	--	--	--	--
01/29/96	329.91	300.35	29.56	--	--	--	--	--	--	--	--
02/27/96	329.91	301.23	28.68	--	--	<50	<0.5	<0.5	<0.5	<5.0	<5.0
03/05/96	329.91	301.16	28.75	--	--	--	--	--	--	--	--
04/23/96	329.91	301.66	28.25	--	--	--	--	--	--	--	--
05/30/96	329.91	301.47	28.44	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
06/19/96	329.91	301.40	28.51	--	--	--	--	--	--	--	--
07/15/96	329.91	301.24	28.67	--	--	--	--	--	--	--	--
08/27/96	329.91	300.99	28.92	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
09/06/96	329.91	300.92	28.99	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-8 (cont)											
10/28/96	329.91	300.85	29.06	--	--	--	--	--	--	--	--
11/11/96	329.91	300.93	28.98	--	--	--	--	--	--	--	--
05/06/97	329.91	301.77	28.14	--	--	<50	3.6	3.1	0.7	2.5	<5.0
07/27/97	329.91	301.36	28.55	--	--	--	--	--	--	--	--
11/18/97	329.91	301.11	28.80	--	--	--	--	--	--	--	--
05/31/98	329.91	303.34	26.57	--	--	<50	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	329.91	302.95	26.96	--	--	SAMPLED ANNUALLY		--	--	--	--
05/11/99	329.91	303.43	26.48	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	329.91	302.82	27.09	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/31/00	329.91	318.78	11.13	0.00	0.00	--	--	--	--	--	--
05/18/01	329.91	301.67	28.24	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/16/01	329.91	300.84	29.07	0.00	0.00	--	--	--	--	--	--
07/01/02	329.91	300.74	29.17	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	329.91	300.4	29.51	0.00	0.00	--	--	--	--	--	--
06/13/03 ¹⁹	329.91	300.77	29.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03	329.91	300.97	28.94	0.00	0.00	--	--	--	--	--	--
05/18/04 ¹⁹	329.91	300.56	29.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04	329.91	300.81	29.10	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/03/05 ¹⁹	329.91	300.40	29.51	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05	329.91	300.17	29.74	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/25/06 ¹⁹	329.91	300.96	28.95	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06	329.91	300.77	29.14	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
05/09/07 ¹⁹	329.91	300.19	29.72	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07	329.91	299.83	30.08	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--
04/30/08 ¹⁹	-- ²²	-- ²²	28.97	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
05/22/09	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
11/24/09	-- ²²	WELL DAMAGED		--	--	--	--	--	--	--	--
MONITORING/SAMPLING DISCONTINUED											
SUPPLY WELL											
11/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	--	--	--	--	--	--	--	--	--	--	--
11/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
SUPPLY WELL (cont)											
05/31/98	--	--	--	--	--	--	--	--	--	--	--
11/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99	--	--	--	--	--	--	--	--	--	--	--
11/24/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
10/30/00	--	--	--	--	--	--	--	--	--	--	--
05/18/01	--	--	--	--	--	--	--	--	--	--	--
11/16/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/20/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/19/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/28/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/21/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/30/08	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/26/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/24/09 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/10	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/29/10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/02/11	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
11/23/11 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/12	--	--	--	--	--	SAMPLED ANNUALLY		--	--	--	--
BAILER BLANK											
02/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TOTAL SPH							
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	
TRIP BLANK												
02/15/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/01/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/02/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/30/94	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/17/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/15/95	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
02/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
05/30/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
08/27/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
11/11/96	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
05/06/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
07/27/97	--	--	--	--	--	--	--	--	--	--	--	--
11/18/97	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
05/31/98	--	--	--	--	--	<50	<0.3	<0.3	<0.3	<0.3	<0.6	<10
11/23/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.0
05/11/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5
05/23/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<2.5
10/31/00	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<1.50	49.0
05/18/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5
QA												
11/16/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
11/08/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5
06/13/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/20/03 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/18/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/19/04 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/03/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/28/05 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/25/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/06 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/09/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
11/17/07 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

WELL ID/ DATE	TOC* (ft)	GWE (msl)	DTW (ft)	SPHT (ft)	TOTAL SPH						
					REMOVED (gallons)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)											
04/30/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/08 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/22/09 ¹⁹	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
DISCONTINUED											

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH = Total Petroleum Hydrocarbons	-- = Not Measured/Not Analyzed
GWE = Groundwater Elevation (msl) = Mean sea level	GRO = Gasoline Range Organics	NP = No Purge
DTW = Depth to Water	B = Benzene	(µg/L) = Micrograms per liter
SPHT = Separate Phase Hydrocarbon Thickness	T = Toluene	QA = Quality Assurance/Trip Blank
SPH = Separate Phase Hydrocarbons	E = Ethylbenzene	
	X = Xylenes	
	MTBE = Methyl Tertiary Butyl Ether	

* TOC elevations are relative to msl.

** GWE has been corrected for the presence of SPH, correction factor = [(TOC - DTW) + (SPHT x 0.80)].

TOC elevations were surveyed on September 6, 2011, by Virgil Chavez Land Surveying and was provided on October 28, 2011.

1 ORC present in well.

2 ORC Installed.

3 Confirmation run.

4 Due to the presence of Separate Phase Hydrocarbons results for EPA 8015/8020 do not represent true values for TPH-Gasoline, BTEX, or MTBE. The results were reported respectively as 24,000, 140, 830, 210, 1,500, and <0.05 mg/Kg.

5 Estimated Groundwater Elevation.

6 Well was not sampled due to damaged casing and debris in well. Ground water elevation is an estimate.

7 Laboratory report indicates gasoline C6-C12.

8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

9 Laboratory report indicates result exceeds the linear range of calibration.

10 Laboratory report indicates gasoline.

11 Laboratory report indicates the results for this hydrocarbon is elevated due to the presence of single analyte peak(s) in the quantitation range.

12 Chromatogram pattern indicates an unidentified hydrocarbon.

13 Product + Water removed.

14 MTBE by EPA Method 8260 was analyzed outside the EPA recommended holding time.

15 Skimmer in well.

16 ORC not present in well.

17 MTBE by EPA Method 8260.

18 4.5 liters of SPH removed from skimmer and 2.5 liters of SPH removed from well.

19 BTEX and MTBE by EPA Method 8260.

20 Removed ORC from well.

21 Area inaccessible to truck; unable to purge.

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-7127
I-580 and Grant Line Road
Tracy, California

EXPLANATIONS:


- 22 TOC has been altered; unable to determine GWE.
- 23 Product only removed from well.
- 24 Skimmer removed from well.
- 25 Depth to water and analytical data provided by CRA.
- 26 Well development performed.

Attachment 4

Figure 1 (Groundwater Flow
Direction Rose Diagram)

**ATTACHMENT 4
FIGURE 1
GROUNDWATER FLOW DIRECTION ROSE DIAGRAM**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



Note


Groundwater gradient and flow data beginning 1SA05 through 1Q12 monitoring events provided by Gettler Ryan, Inc.

Attachment 5

Figures 1 through 14 (Chemical Concentrations and Groundwater Elevations versus Time Graphs)


**ATTACHMENT 5
FIGURE 1
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-1**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 2
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-2**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 3
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-3**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 4
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-4**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 5
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-5**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 6
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-6**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 7
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-7**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 8
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-9**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 9
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-10**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 10
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-11**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 11
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-12**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California




**ATTACHMENT 5
FIGURE 12
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-13**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



**ATTACHMENT 5
FIGURE 13
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-14**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California



**ATTACHMENT 5
FIGURE 14
CHEMICAL CONCENTRATIONS AND GROUNDWATER ELEVATION VERSUS TIME – MW-15**

Former Chevron Service Station No. 97127
Grant Line Road and Interstate 580
Tracy, California

