

Ro 75



Project No.
3174.3.051.02

January 7, 2003

Mr. George Moniz
Livermore Valley Joint Unified School District
685 East Jack London Boulevard
Livermore, CA 94550

Subject: Maintenance Yard
2900 Ladd Avenue
Livermore, California

**REPORT ON GROUNDWATER SAMPLING FOR
MONITORING WELL MW-5**

Dear Mr. Moniz:

ENGEO Incorporated is pleased to provide the results from the most recent sampling and laboratory testing of groundwater Monitoring Well MW-5 located at 2900 Ladd Avenue in Livermore, California. This report presents the results of the December 2002 sampling event. The scope of services included the following:

- Recovery of groundwater samples from groundwater monitoring well MW-5 and groundwater depth readings for MW-2, MW-3, and MW-5.
- Laboratory analysis of the groundwater samples for TVPH as gasoline; benzene, toluene, ethyl benzene and xylenes (BTEX), and methyl t-butyl ether (MtBE).
- Preparation of this letter report.

GROUNDWATER SAMPLING

Fieldwork was conducted on December 4, 2002. The depth to the top of the groundwater for groundwater monitoring wells MW-2, MW-3, and MW-5, were recorded at 36.21, 36.35, and 24.35 feet below top of casing, respectively. The groundwater level was not measured in groundwater Monitoring Well MW-4, located in the roller hockey rink, as the well has been paved over.

Groundwater Monitoring Well MW-5 was checked for the presence of free product or petroleum sheen. A sheen was observed on the water recovered from MW-5. The well was not purged and groundwater parameters were not measured due to the small amount of groundwater, with a vertical water column of approximately 7 inches. The groundwater samples collected from MW-5 for laboratory testing were recovered using a disposable polyethylene bailer. The samples were then decanted into pre-cleaned laboratory glassware and cooled in an ice chest until delivery under a documented chain of custody to Severn Trent Services in Pleasanton, California. The well sampling information forms and the chain of custody are provided as attachments.

LABORATORY ANALYSIS

The groundwater samples were tested for total petroleum hydrocarbons as gasoline TVPH, BTEX, and MtBE. A copy of the laboratory test report is provided as an attachment. Table I provides a summary of the laboratory test results for the current sampling. Table II, which provides a historical summary of the laboratory analysis data, is included as an attachment.

TABLE I
Laboratory Analysis Summary for the Current Sampling Episode
(Concentrations reported in parts per billion)

Well	DTW	TVPH	B	T	E	X	MtBE
MW2	36.21	--	--	--	--	--	--
MW3	36.35	--	--	--	--	--	--
MW4	--	--	--	--	--	--	--
MW5	24.35	72,000	8,500	11,000	1,600	10,000	<1,300

DTW: Depth to water (ft.) measured from top of casing (TOC)
-- no data

With your authorization, a copy of this report has been provided to Ms. Eva Chu with the Alameda County Department of Environmental Health.

We appreciate the opportunity to be of continued service to you on this project. If you have any questions, please contact us.


Very truly yours,

ENGEO INCORPORATED



Bill Fagundes
Staff Geologist
bf/kc:gws

Reviewed by:



Shawn Munger
Principal - CHG 413

Attachments: Figure 1 - Site Location
Figure 2 - Monitoring Well Locations
Table II - Historical Laboratory Analysis Summary
Severn Trent Services, Laboratory Test Results
Chain of Custody

cc: 1 - Ms. Eva Chu, Alameda County Department of Environmental Health

TABLE II
 Historical Data
 Laboratory Analysis Summary
 (Concentrations reported in parts per billion)

	DTW	TVPHg	B	T	E	X	MtBE
MW2							
4/20/93	30.81	4,500	340	110	8.0	630	NT
5/12/94	31.12	7,000	520	220	35	410	NT
2/8/95	28.04	170	8.9	4.5	2.1	17	NT
5/23/95	17.77	<50	<0.5	<0.5	<0.5	<0.5	NT
9/20/95	25.55	8,400	2,500	1,200	180	940	NT
12/29/95	20.91	640	0.7	<0.5	1.9	4.7	NT
11/01/96	22.63	1,600	390	140	25	120	NT
4/29/97	20.39	4,900	640	240	83	200	<250
8/05/99	26.18	3,000	1,100	370	97	240	<25
8/01/00	23.96	2,200	850	240	74	240	<50
1/18/02	30.85	350	62	0.85	0.82	2.5	<5.0
7/02/02	33.45	--	--	--	--	--	--
12/04/02	36.21	--	--	--	--	--	--
MW3							
7/12/94	38.76	<50	<0.5	<0.5	<0.5	<0.5	NT
2/8/95	27.08	<50	<0.5	<0.5	<0.5	<0.5	NT
5/23/95	17.28	<50	<0.5	<0.5	<0.5	<0.5	NT
9/20/95	25.06	<50	1.4	<0.5	<0.5	<0.5	NT
12/29/95	20.25	50	1.8	<0.5	<0.5	<0.5	NT
11/01/96	22.22	<50	<0.5	<0.5	<0.5	<0.5	NT
4/29/97	20.05	<50	1.7	<0.5	<0.5	<0.5	<5.0
8/05/99	26.07	<50	<0.50	<0.50	<0.50	0.70	<5.0
7/20/00	23.35	<50	1.4	3.6	<0.50	3.9	<5.0
1/18/02	30.50	<50	<50	<50	<50	<50	<5.0
7/02/02	33.53	--	--	--	--	--	--
12/04/02	36.35	--	--	--	--	--	--
MW4							
7/12/94	39.50	<50	<0.5	<0.5	<0.5	<0.5	NT
2/8/95	27.66	<50	<0.5	<0.5	<0.5	<0.5	NT
5/23/95	17.68	60	<0.5	<0.5	<0.5	<0.5	NT
9/20/95	25.81	<50	<0.5	<0.5	<0.5	<0.5	NT
12/29/95	20.90	<50	<0.5	<0.5	<0.5	<0.5	NT
11/01/96	22.84	<50	2.7	<0.5	<0.5	<0.5	NT
4/29/97	20.57	<50	2.6	<0.5	<0.5	<0.5	9.2

TABLE II (Continued)

8/05/99	26.64	120	59	<0.50	<0.50	<0.50	19
7/20/00	23.91	97	21	6.8	0.66	4.6	11
1/18/02*	NM	NS	NS	NS	NS	NS	NS
7/02/02*	--	--	--	--	--	--	--
MW5 ¹							
7/21/00	20.19	92,000	9,900	15,000	540	17,000	<1,300
1/18/02	23.61	63,000	5,900	10,000	1,900	15,000	<1,300
7/02/02	24.29	86,000	10,000	14,000	2,100	15,000	<1,300
12/04/02	24.35	72,000	8,500	11,000	1,600	10,000	<1,300

MW-4 is currently inaccessible.

DTW: Depth to water (ft.) measured from top of casing (TOC).


NT: Not Tested.

NM: Not Measured.

NS: Not Sampled¹

Well installed May 28, 2000.

COPYRIGHT © 2003 BY ENGED INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED OR EXCERPTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGED INCORPORATED.



BASE MAP SOURCE: THOMAS BROTHERS

NO SCALE

ENGEO
INCORPORATED
EXCELLENT SERVICE SINCE 1971

SITE LOCATION
MAINTENANCE YARD, 2900 LADD AVENUE
LIVERMORE, CALIFORNIA

PROJECT NO.: 3174.3.051.02

FIGURE NO.

DATE: JANUARY 2003

1


DRAWN BY: SRP CHECKED BY: SM

BY ENGEO INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED OR EXCERPTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGEO INC.





MW3

T	11,000
E	1,600
X	10,000
MTBE	ND

PLAYING
FIELDS



EXPLANATION

-  APPROXIMATE LOCATION OF GROUNDWATER MONITORING WELLS INSTALLED 6/30/94 & 7/1/94
-  APPROXIMATE LOCATION OF DECOMMISSIONED MONITORING WELL
-  APPROXIMATE LOCATION OF GROUNDWATER MONITORING WELL INSTALLED 4/13/93
-  APPROXIMATE LOCATION OF GROUNDWATER MONITORING WELL INSTALLED 6/28/00

TPH(G) GASOLINE

B BENZENE

T TOLUENE


E ETHYL BENZENE

X TOTAL XYLENES

MTBE METHYL-TERTIARY-BUTYL ETHER

ND CONCENTRATION BELOW LABROTORY REPORTING LIMITS

CONCENTRATIONS REPORTED IN PARTS PER BILLION



Engeo, Inc.

December 12, 2002

2401 Crow Canyon Road, Suite 200
San Ramon, CA 94583-1545

Attn.: Bill Fagundes

Project#: 3174.3.051.02

Project: 2900 Ladd Avenue

Attached is our report for your samples received on 12/04/2002 11:30


This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 01/18/2003 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions, please call me at (925) 484-1919.

You can also contact me via email. My email address is: asalimpour@stl-inc.com

Sincerely,



Afsaneh Salimpour
Project Manager

Gas/BTEX Compounds by 8015M/8021

Engeo, Inc.

Attn.: Bill Fagundes

2401 Crow Canyon Road, Suite 200

San Ramon, CA 94583-1545

Phone: (925) 838-1600 Fax: (925) 838-7425

Project: 3174.3.051.02

Received: 12/04/2002 11:30

2900 Ladd Avenue

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-5	12/04/2002 11:20	Water	1

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

12/11/2002 16:09

Gas/BTEX Compounds by 8015M/8021

Engeo, Inc.

Attn.: Bill Fagundes

2401 Crow Canyon Road, Suite 200
San Ramon, CA 94583-1545
Phone: (925) 838-1600 Fax: (925) 838-7425

Project: 3174.3.051.02
2900 Ladd Avenue

Received: 12/04/2002 11:30

Prep(s):	5030	Test(s):	8015M
	5030		8021B
Sample ID:	MW-5	Lab ID:	2002-12-0061 - 1
Sampled:	12/04/2002 11:20	Extracted:	12/9/2002 15:39
Matrix:	Water	QC Batch#:	2002/12/09-01.05

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline	72000	13000	ug/L	250.00	12/09/2002 15:39	
Benzene	8500	130	ug/L	250.00	12/09/2002 15:39	
Toluene	11000	130	ug/L	250.00	12/09/2002 15:39	
Ethyl benzene	1600	130	ug/L	250.00	12/09/2002 15:39	
Xylene(s)	10000	130	ug/L	250.00	12/09/2002 15:39	
MTBE	ND	1300	ug/L	250.00	12/09/2002 15:39	
Surrogates(s)						
Trifluorotoluene	78.1	58-124	%	1.00	12/09/2002 15:39	
4-Bromofluorobenzene-FID	75.2	50-150	%	1.00	12/09/2002 15:39	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

12/11/2002 16:09

Gas/BTEX Compounds by 8015M/8021

Engeo, Inc.

Attn.: Bill Fagundes

2401 Crow Canyon Road, Suite 200

San Ramon, CA 94583-1545

Phone: (925) 838-1600 Fax: (925) 838-7425

Project: 3174.3.051.02

Received: 12/04/2002 11:30

2900 Ladd Avenue

Batch QC Report

Prep(s): 5030

Method Blank

MB: 2002/12/09-01.05-004

Water

Test(s): 8015M

QC Batch # 2002/12/09-01.05

Date Extracted: 12/09/2002 11:17

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline	ND	50	ug/L	12/09/2002 08:36	
Benzene	ND	0.5	ug/L	12/09/2002 08:36	
Toluene	ND	0.5	ug/L	12/09/2002 08:36	
Ethyl benzene	ND	0.5	ug/L	12/09/2002 08:36	
Xylene(s)	ND	0.5	ug/L	12/09/2002 08:36	
MTBE	ND	5.0	ug/L	12/09/2002 08:36	
Surrogates(s)					
Trifluorotoluene	87.0	58-124	%	12/09/2002 08:36	
4-Bromofluorobenzene-FID	77.6	50-150	%	12/09/2002 08:36	

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

12/11/2002 16:09

Gas/BTEX Compounds by 8015M/8021

Engeo, Inc.

Attn.: Bill Fagundes

2401 Crow Canyon Road, Suite 200

San Ramon, CA 94583-1545

Phone: (925) 838-1600 Fax: (925) 838-7425

Project: 3174.3.051.02

2900 Ladd Avenue

Received: 12/04/2002 11:30

Batch QC Report

Prep(s): 5030

Test(s): 8021B

Laboratory Control Spike

Water

QC Batch # 2002/12/09-01.05

LCS 2002/12/09-01.05-005

Extracted: 12/09/2002

Analyzed: 12/09/2002 09:08

LCSD 2002/12/09-01.05-006

Extracted: 12/09/2002

Analyzed: 12/09/2002 09:40

Compound	Conc. ug/L		Exp. Conc.	Recovery		RPD	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Benzene	98.1	93.0	100.0	98.1	93.0	5.3	77-123	20		
Toluene	96.5	91.4	100.0	96.5	91.4	5.4	78-122	20		
Ethyl benzene	97.1	91.3	100.0	97.1	91.3	6.2	70-130	20		
Xylene(s)	291	275	300	97.0	91.7	5.6	75-125	20		
Surrogates(s)										
Trifluorotoluene	460	466	500	92.0	93.2		58-124			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

12/11/2002 16:09

Gas/BTEX Compounds by 8015M/8021

Engeo, Inc.

Attn.: Bill Fagundes

2401 Crow Canyon Road, Suite 200
San Ramon, CA 94583-1545
Phone: (925) 838-1600 Fax: (925) 838-7425

Project: 3174.3.051.02
2900 Ladd Avenue

Received: 12/04/2002 11:30

Batch QC Report

Prep(s): 5030

Test(s): 8015M

Laboratory Control Spike

Water

QC Batch # 2002/12/09-01.05

LCS 2002/12/09-01.05-007

Extracted: 12/09/2002

Analyzed: 12/09/2002 10:13

LCSD 2002/12/09-01.05-008

Extracted: 12/09/2002

Analyzed: 12/09/2002 10:45

Compound	Conc. ug/L		Exp. Conc.	Recovery		RPD	Ctrl. Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Gasoline	545	520	500	109.0	104.0	4.7	75-125	20		
Surrogates(s)										
4-Bromofluorobenzene-FID	449	474	500	89.8	94.8		50-150			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

12/11/2002 16:09

SEVERN
TRENT

STL

STL San Francisco Chain of Custody
1220 Quarry Lane • Pleasanton CA 94566-4756
Phone: (925) 464-1919 • Fax: (925) 464-1096
Email: info@chromalab.com

2002-12-06

Reference #: 70583

Date _____ Page _____ of _____

Report To					Analysis Request																							
Attn: <u>BILL FAGUNDES</u>					TPH EPA - <input type="checkbox"/> 8015/8021 <input type="checkbox"/> 8260B <input checked="" type="checkbox"/> Gas w/ <input checked="" type="checkbox"/> BTEX <input checked="" type="checkbox"/> MTBE	Purgeable Aromatics BTEX EPA - <input type="checkbox"/> 8021 <input type="checkbox"/> 8260B	TEPH EPA 8015M <input type="checkbox"/> Silica Gel <input type="checkbox"/> Diesel <input type="checkbox"/> Motor Oil <input type="checkbox"/> Other _____	Fuel Tests EPA 8260B: <input type="checkbox"/> Gas <input type="checkbox"/> BTEX <input type="checkbox"/> Five Oxynates <input type="checkbox"/> DCA, EDB <input type="checkbox"/> Ethanol	Purgeable Halocarbons (HVOCs) EPA 8021	Volatile Organics GC/MS (VOCs) <input type="checkbox"/> EPA 8260B <input type="checkbox"/> 624	Semivolatiles GC/MS <input type="checkbox"/> EPA 8270 <input type="checkbox"/> 625	Oil and Grease <input type="checkbox"/> Petroleum (EPA 1664) <input type="checkbox"/> Total	Pesticides <input type="checkbox"/> EPA 8081 <input type="checkbox"/> 608 PCBs <input type="checkbox"/> EPA 8082 <input type="checkbox"/> 608	PNAs by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	CAM17 Metals (EPA 8010/7470/7471)	Metals: <input type="checkbox"/> Lead <input type="checkbox"/> LUFT <input type="checkbox"/> RCRA <input type="checkbox"/> Other: _____	<input type="checkbox"/> W.E.T (STLC) <input type="checkbox"/> TCLP	Hexavalent Chromium pH (24h hold time for H ₂ O)	<input type="checkbox"/> Spec Cond. <input type="checkbox"/> Alkalinity <input type="checkbox"/> TSS	Anions: <input type="checkbox"/> Cl <input type="checkbox"/> SO ₄ <input type="checkbox"/> NO ₃ <input type="checkbox"/> F <input type="checkbox"/> Br <input type="checkbox"/> NO ₂ <input type="checkbox"/> PO ₄								Number of Containers
Company: <u>ENGEO INC</u>																												
Address: <u>2401 Crow Canyon Rd STE 200</u>																												
Phone: <u>925-838-1600</u> Email: <u>wfagundes@engeo.com</u>																												
Bill To: <u>ENGEO</u>				Sampled By: <u>BILL FAGUNDES</u>																								
Attn: _____				Phone: _____																								
Sample ID	Date	Time	Mat rix	Pres erv.																								
<u>MW-5</u>	<u>12-5-02</u>	<u>1120</u>	<u>Aqueous</u>	<u>HCl</u>	<input checked="" type="checkbox"/>																							

Project Info.		Sample Receipt	
Project Name: <u>2900 Ladd Avenue</u>		# of Containers: <u>3</u>	
Project#: <u>3174.3.051.02</u>		Head Space:	
PO#:		Temp:	
Credit Card#:		Conforms to record:	
T	A	T	Other:
	<u>5</u> Day	72h	48h
Report: <input type="checkbox"/> Routine <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4 <input type="checkbox"/> EDD <input type="checkbox"/> State Tank Fund EDF			
Special Instructions / Comments: <u>STD 5-DAY TAT</u>			
<input type="checkbox"/> Global ID			

1) Relinquished by:

Bill Fagundes 1130
Signature Time

BILL FAGUNDES 12-4-02
Printed Name Date

ENGEO INC
Company

1) Received by:

Signature Time

Printed Name Date

Company

2) Relinquished by:

Signature Time

Printed Name Date

Company

2) Received by:

Signature Time

Printed Name Date

Company

3) Relinquished by:

Signature Time

Printed Name Date

Company

3) Received by:

Nourak 1130
Signature Time

Nourak 12/4/02
Printed Name Date

STL-SF
Company



STL San Francisco

Sample Receipt Checklist

Submission #: 2002- 12 - 0061

Checklist completed by: (Initials) CR Date: 12/04/02

Courier name: STL San Francisco Client _____

- Custody seals intact on shipping container/samples Yes ___ No ___ Not Present
- Chain of custody present? Yes No ___
- Chain of custody signed when relinquished and received? Yes No ___
- Chain of custody agrees with sample labels? Yes No ___
- Samples in proper container/bottle? Yes No ___
- Sample containers intact? Yes No ___
- Sufficient sample volume for indicated test? Yes No ___
- All samples received within holding time? Yes No ___
- Container/Temp Blank temperature in compliance ($4^{\circ}C \pm 2$)? Temp: 16.0 °C Yes No ___
- Water - VOA vials have zero headspace? No VOA vials submitted ___ Yes No ___

(if bubble is present, refer to approximate bubble size and itemize in comments as S (small - O), M (medium - O) or L (large - O)

Water - pH acceptable upon receipt? Yes No
 pH adjusted- Preservative used: HNO₃ HCl H₂SO₄ NaOH ZnOAc

For any item check-listed "No", provided detail of discrepancy in comment section below:

Comments: _____

Project Management [Routing for instruction of indicated discrepancy(ies)]

Project Manager: (initials) _____ Date: _____/_____/02

Client contacted: Yes No

Summary of discussion: _____

Corrective Action (per PM/Client): _____

FILE: 3174.3.051.02

**SEVERN
TRENT**

STL

STL San Francisco Chain of Custody
1220 Quarry Lane • Pleasanton CA 94566-4756
Phone: (925) 484-1919 • Fax: (925) 484-1096
Email: info@chromalab.com

Reference #: _____

Date _____ Page _____ of _____

Report To **Analysis Request**

Attn: **BILL FAGUNDES**
Company: **ENGEO INC**
Address: **2901 Ladd Avenue STE 200**
Phone: **925-838-1600** Email: **wfagundes@engeo.com**
Bill To: **ENGEO** Sampled By: **BILL FAGUNDES**
Attn: _____ Phone: _____

Sample ID	Date	Time	Mat rix	Pres erv.	TPH EPA - 80158021 <input type="checkbox"/> 82608 <input checked="" type="checkbox"/> Gas w/ <input checked="" type="checkbox"/> MTBE	Purgeable Aromatics BTX EPA - <input type="checkbox"/> 8021 <input type="checkbox"/> 82608	TEPH EPA 8015M <input type="checkbox"/> Silica Gel <input type="checkbox"/> Diesel <input type="checkbox"/> Motor Oil <input type="checkbox"/> Other _____	Fuel Tests EPA 8260B: <input type="checkbox"/> Gas <input type="checkbox"/> BTX <input type="checkbox"/> Five Oxygenates <input type="checkbox"/> DCA, EDB <input type="checkbox"/> Ethanol	Purgeable Halocarbons (HVOCs) EPA 8021	Volatile Organics GC/MS (VOCs) <input type="checkbox"/> EPA 8260B <input type="checkbox"/> 624	Semivolatiles GC/MS <input type="checkbox"/> EPA 8270 <input type="checkbox"/> 625	Oil and Grease <input type="checkbox"/> Petroleum (EPA 1664) <input type="checkbox"/> Total	Pesticides <input type="checkbox"/> EPA 8081 <input type="checkbox"/> 608 <input type="checkbox"/> PCBs <input type="checkbox"/> EPA 8082 <input type="checkbox"/> 608	PNAs by <input type="checkbox"/> 8270 <input type="checkbox"/> 8310	CAM17 Metals (EPA 601074707471)	Metals: <input type="checkbox"/> Lead <input type="checkbox"/> LUFT <input type="checkbox"/> RCRA <input type="checkbox"/> Other: _____	WET (STLO) <input type="checkbox"/> TCLP	Hexavalent Chromium pH (24h hold time for H ₂ O)	Spec Cond. <input type="checkbox"/> Alkalinity TSS <input type="checkbox"/> TDS	Anions: <input type="checkbox"/> Cl <input type="checkbox"/> SO ₄ <input type="checkbox"/> NO ₃ <input type="checkbox"/> F <input type="checkbox"/> Br <input type="checkbox"/> NO ₂ <input type="checkbox"/> PO ₄	Number of Containers
MW-5	12-5-02	1120	Agnes	HCl	<input checked="" type="checkbox"/>																3

Project Info. Project Name: **2900 Ladd Avenue**
Project#: **3174.3.051.02**
PO#: _____
Credit Card#: _____

Sample Receipt # of Containers: **3**
Head Space: _____
Temp: _____
Conforms to record: _____

1) Relinquished by:
Bill Fagundes 1130
Signature _____ Time _____
BILL FAGUNDES 12-4-02
Printed Name _____ Date _____
ENGEO INC
Company _____

2) Relinquished by:
Signature _____ Time _____
Printed Name _____ Date _____
Company _____

3) Relinquished by:
Signature _____ Time _____
Printed Name _____ Date _____
Company _____

TAT: 5 Day 72h 48h 24h Other: _____

Report: Routine Level 3 Level 4 EDD State Tank Fund EDF
Special Instructions / Comments: Global ID _____

STD 5-DAY TAT

1) Received by:
Signature _____ Time _____
Printed Name _____ Date _____
Company _____

2) Received by:
Signature _____ Time _____
Printed Name _____ Date _____
Company _____

3) Received by:
Noumak 1130
Signature _____ Time _____
Noumak 12/4/02
Printed Name _____ Date _____
STL-SF
Company _____