



Texaco Refining  
and Marketing Inc

108 Cutting Boulevard  
Richmond CA 94804

92 APR -2 7:12:31

March 30, 1992

Mr. Robi Arulananpham  
Alameda County Department  
of Environmental Health  
Hazardous Materials Division  
80 Swan Way, Room 200  
Oakland, CA 94612

SHD # 3614

Dear Mr. Arulananpham:

Enclosed is a copy of our Quarterly Status Report dated January 27, 1992 for our former Texaco Service Station located at **930 Springtown Boulevard in Livermore**, California. This report covers the first quarter of 1992.

Please call me at (510) 236-3611 if you have any questions.

Sincerely,

Karel Detterman  
Project Coordinator

Enclosure

cc: Mr. Lester Feldman  
California Regional Water Quality Control Board  
San Francisco Bay Area Region  
2101 Webster Street, Suite 500  
Oakland, CA 94612

pr: *GRJ*

HR/P



Texaco Refining  
and Marketing Inc

108 Cutting Boulevard  
Richmond CA 94804

March 30, 1992

Mr. Robi Arulananpham  
Alameda County Department  
of Environmental Health  
Hazardous Materials Division  
80 Swan Way, Room 200  
Oakland, CA 94612

Dear Mr. Arulananpham:

Enclosed is a copy of our Quarterly Status Report dated January 27, 1992 for our former Texaco Service Station located at 930 Springtown Boulevard in Livermore, California. This report covers the first quarter of 1992.

Please call me at (510) 236-3611 if you have any questions.

Sincerely,

Karel Detterman  
Project Coordinator

Enclosure

cc: Mr. Lester Feldman  
California Regional Water Quality Control Board  
San Francisco Bay Area Region  
2101 Webster Street, Suite 500  
Oakland, CA 94612

pr: *GRJ*

HR/P



# GROUNDWATER TECHNOLOGY, INC.

1401 Halyard Drive, Suite 140, West Sacramento, CA 95691, (916) 372-4700

FAX (916) 372-8781

January 27, 1992

Project No. 02320 1383

Mr. R. R. Zielinski  
Texaco Environmental Services  
108 Cutting Boulevard  
Richmond, California 94804

**RE: QUARTERLY STATUS REPORT (R-1 OF 92)  
FORMER TEXACO SERVICE STATION  
930 SPRINGTOWN BOULEVARD  
LIVERMORE, CALIFORNIA**

Dear Mr. Zielinski:

This letter is presented as a quarterly report on groundwater conditions at the former Texaco service station site in Livermore, California for the quarter of November 1991 through January 1992. Groundwater monitoring and sampling were conducted to determine water table elevation, the thickness of any separate-phase petroleum hydrocarbons (SP), and the distribution of dissolved hydrocarbons in the 10 monitoring wells (MWs) at this site. Groundwater monitoring data and results of laboratory analyses of groundwater samples collected on January 2, 1991 are included.

## WORK PERFORMED

### GROUNDWATER MONITORING

Water table elevations at the site have increased an average of 0.37 foot from levels reported the previous quarter in all wells except MW-7, in which the level decreased 0.64 foot. The potentiometric surface map (Figure 1, Attachment I) indicates that groundwater beneath the site flows to the north-northwest with a hydraulic gradient of approximately 0.04. Trace thicknesses (<0.01 foot) of SP were detected in MW-A and MW-B. Historical and recent monitoring data are summarized in Table 1 (Attachment II).

### GROUNDWATER SAMPLING

Prior to water-sample collection, the groundwater monitoring wells were purged of approximately 4 well volumes and allowed to recharge to at least 80 percent of their initial levels. A Teflon<sup>®</sup> sampler, cleaned with an industrial detergent and distilled water, was used for the groundwater sampling. The water samples were transferred to 40-milliliter glass vials with Teflon<sup>®</sup> septum caps, preserved on ice, and transported to a California state-certified laboratory, accompanied by a chain-of-custody manifest.

Groundwater samples were analyzed using modified EPA methods 8020/8015, which measure concentrations of total petroleum hydrocarbons-as-gasoline (TPH-G), and benzene, toluene, ethylbenzene and xylenes (BTEX).

MW-7 was not sampled because it is interpreted to be non-strategic to plume boundary definition. MW-A and MW-B were not sampled because the wells contained separate-phase petroleum hydrocarbons.

**GROUNDWATER ANALYTICAL RESULTS**

Concentrations of TPH-G in the January 2, 1992 groundwater samples ranged from below the method detection limit (<MDL) to 12,000 parts per billion (ppb) (Figure 2, Attachment I). Dissolved benzene concentrations ranged from <MDL to 74 ppb (Figure 3, Attachment I). Historical and recent analytical data are summarized in Table 2 (Attachment II). Copies of the laboratory analyses reports and the chain-of-custody manifest for the January 2, 1992 samples are included in Attachment III.


**WASTEWATER DISPOSAL**

Wastewater generated during purging and sampling of the 10 monitoring wells is stored on site in Department of Transportation (DOT)-approved 55-gallon drums. Purge water is characterized as non-hazardous waste, based on the laboratory analyses from the water samples obtained from the monitoring wells. Transportation and disposal of the wastewater is performed on a quarterly basis. A vacuum truck is used to remove the water from the drums and to transport it to Gibson Oil in Taft, California.


Please contact Groundwater Technology's West Sacramento office if you have questions or comments regarding this quarterly report.

Sincerely,

GROUNDWATER TECHNOLOGY, INC.




DANISE M. SCRIVEN  
Project Geologist




JOHN E. BOWER, R.E.A.  
Environmental Geologist  
Project Manager



E. K. SIMONIS, R.G.  
Senior Environmental Geologist



DMS/JEB/EKS:rc  
Attachments  
Ms. Karol Detterman, Texaco Environmental Services  
1383QSR.R1



**LEGEND**

- GROUNDWATER MONITORING WELL
- ⊕ SOIL BORING
- (505.62) POTENTIOMETRIC SURFACE ELEVATION (FT.)
- POTENTIOMETRIC SURFACE CONTOUR; INTERVAL=1 FT.
- ESTIMATED GROUNDWATER FLOW DIRECTION


**FIGURE 1  
POTENTIOMETRIC  
SURFACE MAP**  
(DATUM: MEAN SEA LEVEL)  
JANUARY 2, 1992

TEXACO REFINING & MARKETING INC.  
930 SPRINGTOWN BLVD.  
LIVERMORE, CA  
92320-1383

REVISIONS:  
DATE: 1/23/92  
REVISION: FINAL DRAFT  
BY: CWS



GROUNDWATER  
TECHNOLOGY, INC.




**LEGEND**

- GROUNDWATER MONITORING WELL
- ⊕ SOIL BORING
- (340) DISSOLVED TPH-G CONCENTRATION (ppb)
- (SP) SEPARATE-PHASE PETROLEUM HYDROCARBONS
- (ND) NOT DETECTABLE AT OR ABOVE METHOD DETECTION LIMIT
- (NS) NOT SAMPLED
- LINE OF ESTIMATED EQUAL DISSOLVED TPH-G CONCENTRATION (ppb)
- - - APPROXIMATE EXTENT OF SEPARATE-PHASE PETROLEUM HYDROCARBONS

**FIGURE 2**  
**DISSOLVED TPH-G**  
**CONCENTRATION MAP**  
 (IN PARTS PER BILLION [ppb])  
 JANUARY 2, 1992  
 TEXACO REFINING & MARKETING INC.  
 930 SPRINGTOWN BLVD.  
 LIVERMORE, CA  
 02320-1383

REVISIONS:  
 DATE: 1/23/92  
 REVISION: FINAL DRAFT  
 BY: GWS






**LEGEND**

- GROUNDWATER MONITORING WELL
- ⊕ SOIL BORING
- (74) DISSOLVED BENZENE CONCENTRATION (ppb)
- (SP) SEPARATE-PHASE PETROLEUM HYDROCARBONS
- (ND) NOT DETECTABLE AT OR ABOVE METHOD DETECTION LIMIT
- (NS) NOT SAMPLED
- LINE OF ESTIMATED EQUAL DISSOLVED BENZENE CONCENTRATION (ppb)
- APPROXIMATE EXTENT OF SEPARATE-PHASE PETROLEUM HYDROCARBONS

**FIGURE 3**  
**DISSOLVED BENZENE**  
**CONCENTRATION MAP**  
 (IN PARTS PER BILLION [ppb])  
 JANUARY 2, 1992  
 TEXACO REFINING & MARKETING INC.  
 830 SPRINGTOWN BLVD.  
 LIVERMORE, CA  
 02320-1383

REVISIONS:  
 DATE: 1/23/92  
 REVISION: FINAL DRAFT  
 BY: GWS



**Table 1**  
**CUMULATIVE GROUNDWATER MONITORING SUMMARY**  
(in feet)

Former Texaco Service Station  
930 Springtown Boulevard  
Livermore, California

WELL I. D.	DATE MONITORED	WELL ELEVATION	DEPTH TO WATER	WATER TABLE ELEVATION	COMMENTS
MW-A	01/10/91	519.85	13.28	506.57	
	04/04/91		12.12	507.73	
	07/12/91		12.95	506.90	
	10/04/91		13.98	505.87	Trace SP
	01/02/92		13.61	506.24	Trace SP
MW-B	01/10/91	518.16	11.06	507.10	
	04/04/91		10.04	508.12	
	07/12/91		10.91	507.25	
	10/04/91		11.82	506.34	Trace SP
	01/02/92		11.27	506.89	Trace SP
MW-1	01/10/91	520.76	13.80	506.96	
	04/04/91		12.70	508.06	
	07/12/91		13.55	507.21	
	10/04/91		14.52	506.24	
	01/02/92		14.11	506.65	
MW-2	01/10/91	518.46	11.66	506.80	
	04/04/91		10.61	507.85	
	07/12/91		11.48	506.98	
	10/04/91		12.35	506.11	
	01/02/92		11.96	506.50	
MW-3	01/10/91	519.30	12.84	506.46	
	04/04/91		11.71	507.59	
	07/12/91		12.54	506.76	
	10/04/91		13.47	505.83	
	01/02/92		12.87	506.43	
MW-4	01/10/91	518.75	12.02	506.73	
	04/04/91		10.72	508.03	
	07/12/91		11.78	506.97	
	10/04/91		12.30	506.45	
	01/02/92		12.22	506.53	
MW-5	01/10/91	520.50	14.33	506.17	
	04/04/91		13.26	507.24	
	07/12/91		14.14	506.36	
	10/04/91		14.96	505.54	
	01/02/92		14.56	505.94	



Table 1 (continued)

WELL I.D.	DATE MONITORED	WELL ELEVATION	DEPTH TO WATER	WATER TABLE ELEVATION	COMMENTS
MW-6	01/10/91	522.26	16.31	505.95	
	04/04/91		15.19	507.07	
	07/12/91		NA	NA	
	10/04/91		16.90	505.36	
	01/02/92		16.64	505.62	
MW-7	01/10/91	522.17	9.07	513.10	
	04/04/91		7.59	514.58	
	07/12/91		9.26	512.91	
	10/04/91		10.53	511.64	
	01/02/92		11.17	511.00	
MW-8	01/10/91	524.04	18.03	506.01	
	04/04/91		17.01	507.03	
	07/12/91		17.82	506.22	
	10/04/91		18.70	505.34	
	01/02/92		18.42	505.62	

**NOTES:**

SP = Separate-phase petroleum hydrocarbons

NA = Not Available

GMSTAB1.WK1

**Table 2**  
**CUMULATIVE LABORATORY ANALYSES OF GROUNDWATER**  
(in parts per billion [ppb])

Former Texaco Service Station  
930 Springtown Boulevard  
Livermore, California

WELL I.D.	DATE SAMPLED	BENZENE	TOLUENE	ETHYL-BENZENE	XYLENES	TPH-G
MW-A	01/10/91	1,900	3,700	2,600	8,300	50,000
	04/04/91	950	1,100	1,300	2,900	31,000
	07/12/91	2,000	4,200	4,600	13,000	100,000
	10/04/91	SP	SP	SP	SP	SP
	01/02/92	SP	SP	SP	SP	SP
MW-B	01/10/91	47	1,300	770	3,100	35,000
	04/04/91	4	10	22	19	2,300
	07/12/91	88	1,800	390	1,300	18,000
	10/04/91	SP	SP	SP	SP	SP
	01/02/92	SP	SP	SP	SP	SP
MW-1	01/10/91	ND	ND	ND	ND	ND
	04/04/91	ND	ND	ND	ND	ND
	07/12/91	ND	ND	3	16	390
	10/04/91	1	ND	ND	ND	ND
	01/02/92	6	ND	ND	ND	16
MW-2	01/10/91	ND	ND	ND	ND	ND
	04/04/91	ND	ND	ND	ND	ND
	07/12/91	ND	ND	ND	ND	ND
	10/04/91	0.3	ND	ND	ND	ND
	01/02/92	ND	ND	ND	ND	ND
MW-3	01/10/91	ND	ND	ND	ND	110
	04/04/91	4	ND	0.6	0.9	630
	07/12/91	2	ND	ND	1	230
	10/04/91	0.5	2	ND	0.5	360
	01/02/92	0.4	ND	ND	ND	340
MW-4	01/10/91	ND	ND	ND	ND	ND
	04/04/91	ND	ND	ND	ND	ND
	07/12/91	ND	ND	ND	ND	ND
	10/04/91	0.6	ND	ND	ND	ND
	01/02/92	ND	ND	ND	ND	ND
MW-5	01/10/91	48	2	87	9	1,900
	04/04/91	ND	ND	ND	ND	ND
	07/12/91	13	ND	18	1	850
	10/04/91	240	13	34	14	2,000
	01/02/92	74	41	84	94	1,800
MDL		0.3	0.3	0.3	0.5	10

Table 2 (continued)

WELL I.D.	DATE SAMPLED	BENZENE	TOLUENE	ETHYL-BENZENE	XYLENES	TPH-G
MW-6	01/10/91	ND	ND	ND	ND	ND
	04/04/91	ND	ND	ND	ND	ND
	07/12/91	--	--	--	--	--
	10/04/91	0.3	ND	ND	ND	ND
	01/02/92	ND	0.3	0.6	3	23
MW-7	01/10/91	ND	ND	ND	ND	ND
	04/04/91	ND	ND	ND	ND	ND
	07/12/91	--	--	--	--	--
	10/04/91	--	--	--	--	--
	01/02/92	--	--	--	--	--
MW-8	01/10/91	ND	ND	ND	ND	ND
	04/04/91	--	--	--	--	--
	07/12/91	--	--	--	--	--
	10/04/91	--	--	--	--	--
	01/02/92	32	980	200	760	12,000
MDL		0.3	0.3	0.3	0.5	10

## NOTES:

MDL = Method Detection Limit

ND = Not detected at or above the MDL

TPH-G = Total petroleum hydrocarbons-as-gasoline

SP = Separate-phase petroleum hydrocarbons

-- = Not sampled

LABTAB2.WK1

**ATTACHMENT III**

**LABORATORY ANALYSES REPORTS  
AND  
CHAIN-OF-CUSTODY MANIFEST**



# GTEL

ENVIRONMENTAL  
LABORATORIES, INC.

**Northwest Region**

4080-C Pike Lane  
Concord, CA 94520  
(415) 685-7852  
(800) 544-3422 from inside California  
(800) 423-7143 from outside California  
(415) 825-0720 (FAX)

Client Number: GTI71TEX01  
Consultant Project Number: 023201383  
Project ID: Livermore  
Work Order Number: C2-01-048

January 9, 1992

John Bower  
Groundwater Technology, Inc.  
1401 Halyard Dr., Ste. 140  
West Sacramento, CA 95691

Enclosed please find the analytical results for samples received by GTEL Environmental Laboratories, Inc. on 01/03/92, under chain of custody record 72-13660.

A formal Quality Control/Quality Assurance (QA/QC) program is maintained by GTEL, which is designed to meet or exceed the EPA requirements. Analytical work for this project met QA/QC criteria, unless otherwise stated in the footnotes.

GTEL is certified by the California State Department of Health Services to perform analyses for drinking water, wastewater, and hazardous waste materials according to EPA protocols.

If you have any questions concerning this analysis or if we can be of further assistance, please call our Customer Service Representative.

Sincerely,  
GTEL Environmental Laboratories, Inc.

Emma P. Popek  
Laboratory Director

Client Number: GTI71TEX01  
 Consultant Project Number: 023201383  
 Project ID: Livermore  
 Work Order Number: C2-01-048

**Table 1**  
**ANALYTICAL RESULTS**  
 Aromatic Volatile Organics and  
 Total Petroleum Hydrocarbons as Gasoline in Water  
 EPA Methods 5030, 8020, and Modified 8015<sup>a</sup>

GTEL Sample Number		01	02	03	04
Client Identification		TRIP BLANK	RINSATE	MW 6	MW 4
Date Sampled		01/02/92	01/02/92	01/02/92	01/02/92
Date Analyzed		01/07/92	01/07/92	01/07/92	01/07/92
Analyte	Detection Limit, ug/L	Concentration, ug/L			
Benzene	0.3	<0.3	<0.3	<0.3	<0.3
Toluene	0.3	<0.3	<0.3	0.3	<0.3
Ethylbenzene	0.3	<0.3	<0.3	0.6	<0.3
Xylene, total	0.5	<0.5	<0.5	3	<0.5
BTEX, total	--	--	--	4	--
Gasoline	10	<10	<10	23	<10
Detection Limit Multiplier		1	1	1	1

- a. Test Methods for Evaluating Solid Waste, SW-846, Third Edition, Revision 0, US EPA November 1986. Modification for TPH as gasoline as per California State Water Resources Control Board LUFT Manual protocols, May 1988 revision.

**Table 1 (Continued)**

**ANALYTICAL RESULTS**

**Aromatic Volatile Organics and  
 Total Petroleum Hydrocarbons as Gasoline in Water**

EPA Methods 5030, 8020, and Modified 8015<sup>a</sup>

GTEL Sample Number		05	06	07	08
Client Identification		MW 2	MW 1	MW 3	MW 5
Date Sampled		01/02/92	01/02/92	01/02/92	01/02/92
Date Analyzed		01/07/92	01/07/92	01/07/92	01/07/92
Analyte	Detection Limit, ug/L	Concentration, ug/L			
Benzene	0.3	<0.3	6	0.4	74
Toluene	0.3	<0.3	<0.3	<0.3	41
Ethylbenzene	0.3	<0.3	<0.3	<0.3	84
Xylene, total	0.5	<0.5	<0.5	<0.5	94
BTEX, total	--	--	6	0.4	290
Gasoline	10	<10	16	340	1800
Detection Limit Multiplier		1	1	1	1

a. Test Methods for Evaluating Solid Waste, SW-846, Third Edition, Revision 0, US EPA November 1986. Modification for TPH as gasoline as per California State Water Resources Control Board LUFT Manual protocols, May 1988 revision.

Client Number: GT171TEX01  
 Consultant Project Number: 023201383  
 Project ID: Livermore  
 Work Order Number: C2-01-048

Table 1 (Continued)

ANALYTICAL RESULTS

Aromatic Volatile Organics and  
 Total Petroleum Hydrocarbons as Gasoline in Water

EPA Methods 5030, 8020, and Modified 8015<sup>a</sup>

GTEL Sample Number		09			
Client Identification		MW 8			
Date Sampled		01/02/92			
Date Analyzed		01/07/92			
Analyte	Detection Limit, ug/L	Concentration, ug/L			
Benzene	0.3	32			
Toluene	0.3	980			
Ethylbenzene	0.3	200			
Xylene, total	0.5	760			
BTEX, total	-	2000			
Gasoline	10	9200			
Detection Limit Multiplier		1			

a. Test Methods for Evaluating Solid Waste, SW-846, Third Edition, Revision 0, US EPA November 1986. Modification for TPH as gasoline as per California State Water Resources Control Board LUFT Manual protocols, May 1988 revision.





4080- Pike Lane  
 Concord, CA 94520 800-544-3422 (In CA)  
 415-685-7852 800-423-7143 (Outside CA)

**CHAIN-OF-CUSTODY RECORD  
 AND ANALYSIS REQUEST**

72-13660

**CUSTODY RECORD**

**ANALYSIS REQUEST**

Project Manager: *John Bower* Phone #: *(916) 364-4220*  
 Address: *1401 HWY 101 DR., SUITE 140* Site location: *LIVERMORE*  
*West Sacramento, CA 95691*  
 Project Number: *02 3201383-030504* Project Name: *TES LIVERMORE*

I attest that the proper field sampling procedures were used during the collection of these samples. Sampler Name (Print): *PAUL K. QUARANTO*

Field Sample ID	Source of Sample	GTEL Lab # (Lab use only)	# CONTAINERS	Matrix					Method Preserved					Sampling		
				WATER	SOIL	AIR	SLUDGE	OTHER	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	ICE	NONE	OTHER	DATE	TIME
<i>TRIP BANK</i>		<i>01</i>	<i>1</i>	<i>X</i>											<i>2/10/89</i>	
<i>MW-6</i>	<i>N</i>	<i>02</i>	<i>2</i>												<i>1/30/89</i>	
<i>MW-4</i>	<i>N</i>	<i>03</i>	<i>2</i>												<i>1/31/89</i>	
<i>MW-2</i>	<i>N</i>	<i>04</i>	<i>2</i>												<i>1/31/89</i>	
<i>MW-1</i>	<i>N</i>	<i>05</i>	<i>2</i>												<i>1/31/89</i>	
<i>MW-3</i>	<i>N</i>	<i>06</i>	<i>2</i>												<i>1/31/89</i>	
<i>MW-5</i>	<i>XV</i>	<i>07</i>	<i>2</i>												<i>1/31/89</i>	
<i>MW-8B</i>		<i>08</i>	<i>2</i>												<i>1/31/89</i>	

<input checked="" type="checkbox"/> BTEX 602	<input checked="" type="checkbox"/> 8020	<input type="checkbox"/> with MTBE	<input type="checkbox"/> BTEX/TPH Gas: 602/8015	<input type="checkbox"/> 8020/8015	<input type="checkbox"/> MTBE	<input type="checkbox"/> TPH as Gas	<input type="checkbox"/> Diesel	<input type="checkbox"/> Jet Fuel	<input type="checkbox"/> Product I.D. by GC (SIMDIS)	<input type="checkbox"/> Total Oil & Grease: 413.1	<input type="checkbox"/> 413.2	<input type="checkbox"/> 503A	<input type="checkbox"/> Total Petroleum Hydrocarbons: 418.1	<input type="checkbox"/> 503E	<input type="checkbox"/> EPA 601	<input type="checkbox"/> 8010	<input type="checkbox"/> DCA only	<input type="checkbox"/> EPA 602	<input type="checkbox"/> 8020	<input type="checkbox"/> PCBs only	<input type="checkbox"/> EPA 610	<input type="checkbox"/> 8310	<input type="checkbox"/> EPA 624	<input type="checkbox"/> 8240	<input type="checkbox"/> NBS +15	<input type="checkbox"/> EPA 625	<input type="checkbox"/> 8270	<input type="checkbox"/> NBS +25	<input type="checkbox"/> EPTOX: Metals	<input type="checkbox"/> Pesticides	<input type="checkbox"/> Herbicides	<input type="checkbox"/> TCLP Metals	<input type="checkbox"/> VOA	<input type="checkbox"/> Semi VOA	<input type="checkbox"/> EPA Priority Pollutant Metals	<input type="checkbox"/> HSL	<input type="checkbox"/> LEAD 7420	<input type="checkbox"/> 7421	<input type="checkbox"/> 239.2	<input type="checkbox"/> 6010	<input type="checkbox"/> Org. Lead	<input type="checkbox"/> CAM Metals	<input type="checkbox"/> STLC	<input type="checkbox"/> TTLC	<input type="checkbox"/> Corrosivity	<input type="checkbox"/> Flashpoint	<input type="checkbox"/> Reactivity
--	--	------------------------------------	---	------------------------------------	-------------------------------	-------------------------------------	---------------------------------	-----------------------------------	--	--	--------------------------------	-------------------------------	--	-------------------------------	----------------------------------	-------------------------------	-----------------------------------	----------------------------------	-------------------------------	------------------------------------	----------------------------------	-------------------------------	----------------------------------	-------------------------------	----------------------------------	----------------------------------	-------------------------------	----------------------------------	--	-------------------------------------	-------------------------------------	--------------------------------------	------------------------------	-----------------------------------	--	------------------------------	------------------------------------	-------------------------------	--------------------------------	-------------------------------	------------------------------------	-------------------------------------	-------------------------------	-------------------------------	--------------------------------------	-------------------------------------	-------------------------------------

**SPECIAL HANDLING**  
 24 HOURS   
 EXPEDITED 48 Hours   
 SEVEN DAY   
 OTHER \_\_\_\_\_ (#) BUSINESS DAYS  
 QA/QC CLP Level  Blue Level   
 FAX

**SPECIAL DETECTION LIMITS (Specify)**  
  
**SPECIAL REPORTING REQUIREMENTS (Specify)**

**REMARKS:**  
  
**Lab Use Only**      **Storage Location**  
 Lot #:      Work Order #:

Relinquished by Sampler: <i>Paul K. Quaranto</i>	Received by: <i>John Bower</i>
Relinquished by: <i>Paul K. Quaranto</i>	Received by: <i>John Bower</i>
Relinquished by: <i>Paul K. Quaranto</i>	Received by Laboratory: <i>Way bill #</i>