



**Carryl MacLeod**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6101 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 790-6506  
cmacleod@chevron.com

**RECEIVED**

*By Alameda County Environmental Health at 4:49 pm, Apr 07, 2014*

March 26, 2014

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Former Texaco Service Station 211253  
930 Springtown Boulevard  
Livermore, California  
ACEHS Case No. RO0189

I accept the *First Quarter 2014 Groundwater Monitoring and Sampling Report*.

I agree with the conclusions and recommendations presented in this document. The information included is accurate to the best of my knowledge, and appears to meet local agency and Regional Board guidelines. This First Quarter 2014 Groundwater Monitoring and Sampling Report was prepared by Conestoga Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in blue ink that reads "Carryl MacLeod".

Carryl MacLeod  
Project Manager

Attachment: *First Quarter 2014 Groundwater Monitoring and Sampling Report*



**CONESTOGA-ROVERS  
& ASSOCIATES**

10969 Trade Center Drive  
Rancho Cordova, California 95670  
Telephone: (916) 889-8900 Fax: (916) 889-8999  
<http://www.craworld.com>

March 26, 2014

Reference No. 060058

Mr. Jerry Wickham  
Alameda County Environmental Health Services (ACEH)  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502

Re: First Quarter 2014  
Groundwater Monitoring and Sampling Report  
Former Texaco Station 211253  
930 Springtown Boulevard  
Livermore, California  
ACEH Case RO0189

---

Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) is submitting this *First Quarter 2014 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company (Chevron). Groundwater monitoring and sampling was performed by Gettler-Ryan Inc. (G-R) of Dublin, California and their *Groundwater Monitoring Data Package* is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1 and shown on Figures 2, 3, and 4. Eurofins Lancaster Laboratories Environmental, LLC's *Analytical Results* report is included as Attachment B. Historical groundwater monitoring and sampling data are included as Attachment C.

### **RESULTS OF FIRST QUARTER 2014 EVENT**

On January 30, 2014, G-R monitored and sampled wells per the established schedule. Monitoring wells are divided into three zones based on the screen intervals: shallow zone (wells MW-9, MW-11, MW-14, MW-18, MW-19, and MW-20), intermediate zone (wells MW-10, MW-12, MW-13, MW-16, and MW-17), and deep zone (well MW-15). Groundwater elevation and hydrocarbon concentration maps for the shallow, intermediate, and deep zones are illustrated on Figures 2 through 4.

---

Equal  
Employment Opportunity  
Employer

---



March 26, 2014

Reference No. 060058

- 2 -

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction
  - Shallow (Figure 2) Northwest
  - Intermediate (Figure 3) Variable
  - Deep Not Applicable (single well)
  
- Approximate Depth to Groundwater
  - Shallow Wells 10 to 14 feet below grade (fbg)
  - Intermediate Wells 11 to 15 fbg
  - Deep Well 11 fbg

Results of the most recent sampling event are presented below in Table A.

<b>TABLE A: GROUNDWATER ANALYTICAL DATA</b>					
<i>Well ID</i>	<i>TPHg (µg/L)</i>	<i>Benzene (µg/L)</i>	<i>Toluene (µg/L)</i>	<i>Ethylbenzene (µg/L)</i>	<i>Total Xylenes (µg/L)</i>
<i>ESLs</i>	<b>100</b>	<b>1</b>	<b>40</b>	<b>30</b>	<b>20</b>
<i>Shallow Wells</i>					
MW-9	Not sampled due to insufficient water				
MW-11					
MW-14	<b>4,300</b>	<b>230</b>	<b>64</b>	<b>80</b>	<b>220</b>
MW-18	<b>220</b>	0.6	0.8	<0.5	<0.5
MW-19	<50	<0.5	<0.5	<0.5	<0.5
MW-20	<b>1,100</b>	<0.5	<0.5	1	<0.5
<i>Intermediate Wells</i>					
MW-10	57	<0.5	<0.5	<0.5	<0.5
MW-12	<b>7,800</b>	<b>11</b>	31	<b>120</b>	<b>240</b>
MW-13	<b>14,000</b>	<b>650</b>	<b>1,500</b>	<b>110</b>	<b>1,900</b>
MW-16	<50	<0.5	<0.5	<0.5	<0.5
MW-17	<50	<0.5	<0.5	<0.5	<0.5
<i>Deep Well</i>					
MW-15	<50	<0.5	<0.5	<0.5	<0.5
µg/L Micrograms per liter < Indicates constituent was not detected at or above stated laboratory reporting limit Semi-annual wells are sampled during the first and third quarters					



March 26, 2014

Reference No. 060058

- 3 -

## **CONCLUSIONS AND RECOMMENDATIONS**

Results of ongoing groundwater monitoring and sampling at the site indicate the following:

- Based on groundwater elevation data in shallow, intermediate, and deep monitoring wells it appears groundwater at the three depth intervals is hydraulically connected.
- No LNAPL was detected in MW-14 during the first quarter 2014 event. CRA removed the sorbent sock from MW-14 in June 2013; no LNAPL has been observed in well MW-14 since August 2012.
- Dissolved hydrocarbon concentrations in site wells are generally stable to declining.

Wells MW-9 through MW-16 are sampled semi-annually during the first and third quarters. Given recently installed wells MW-17 through MW-20 have been sampled quarterly for six quarters since installation, CRA recommends that these wells also be sampled semi-annually.

## **ANTICIPATED FUTURE ACTIVITIES**

### ***Groundwater Monitoring***

G-R will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.

### ***Comparison of Site Conditions to Low-Threat Closure Policy Criteria***

CRA will compare site conditions to the low-threat closure policy criteria and submit a Low-Threat Closure Request during the second or third quarter 2014.



**CONESTOGA-ROVERS  
& ASSOCIATES**

March 26, 2014

Reference No. 060058

- 4 -


Please contact Brian Silva at (916) 889-8908 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Brian Silva

Greg Barclay, PG 6260



BS/aa/26  
Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentration Map - Shallow Zone
Figure 3	Groundwater Elevation and Hydrocarbon Concentration Map - Intermediate Zone
Figure 4	Groundwater Elevation and Hydrocarbon Concentration Map - Deep Zone
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report
Attachment C	Historical Groundwater Monitoring and Sampling Data



**CONESTOGA-ROVERS  
& ASSOCIATES**

March 26, 2014

- 5 -

Reference No. 060058

cc: Ms. Carryl MacLeod, Chevron (*electronic copy*)  
Mr. Keiran Buckley  
Mr. Ken Hilliard  
Mr. Kirk F. Sniff, Esq, Strasburger & Price, LLP

## FIGURES







Figure 1  
VICINITY MAP  
FORMER TEXACO STATION 211253  
930 SPRINGTOWN BOULEVARD  
*Livermore, California*







- LEGEND**
- SHALLOW MONITORING WELL LOCATION
  - INTERMEDIATE MONITORING WELL LOCATION
  - ⊙ DEEP MONITORING WELL LOCATION
  - ⦿ DESTROYED MONITORING WELL LOCATION
  - 509.80 — GROUNDWATER ELEVATION CONTOUR, IN FEET ABOVE MEAN SEA LEVEL (MSL), DASHED WHERE INFERRED
  - GROUNDWATER FLOW DIRECTION AND GRADIENT (ft/ft)
  - WELL  
ELEV  
TPHg  
BENZ
  - NS NOT SAMPLED



WELL	SCREEN INTERVAL (fbg)
MW-9	5-15
MW-11	5-15
MW-14	5-15
MW-18	5-15
MW-19	5-15
MW-20	5-15

**Figure 2**  
**GROUNDWATER ELEVATION AND**  
**HYDROCARBON CONCENTRATION MAP - SHALLOW ZONE**  
**FORMER TEXACO SERVICE STATION 211253**  
**930 SPRINGTOWN BOULEVARD**  
*Livermore, California*  
*January 30, 2014*



BASE MAP MODIFIED FROM SURVEY MAP PROVIDED BY MORROW SURVEYING





Figure 3  
 GROUNDWATER ELEVATION AND  
 HYDROCARBON CONCENTRATION MAP - INTERMEDIATE ZONE  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 Livermore, California  
 January 30, 2014




BASE MODIFIED FROM SURVEY MAP PROVIDED BY MORROW SURVEYING



- LEGEND**
- SHALLOW MONITORING WELL LOCATION
  - ◐ INTERMEDIATE MONITORING WELL LOCATION
  - ◑ DEEP MONITORING WELL LOCATION
  - ◒ DESTROYED MONITORING WELL LOCATION

**WELL**  
 ELEV  
 TPHg  
 BENZ

WELL DESIGNATION  
 GROUNDWATER ELEVATION (MSL)  
 TPHg CONCENTRATION (µg/L)  
 BENZENE CONCENTRATION (µg/L)



WELL	SCREEN INTERVAL (ftg)
MW-15	41.5-46.5

Figure 4  
 GROUNDWATER ELEVATION AND  
 HYDROCARBON CONCENTRATION MAP - DEEP ZONE  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 Livermore, California  
 January 30, 2014

## TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-anst	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9 <sup>2</sup>	08/24/2010	523.14	13.58	509.56	-	-	3,500	6	8	180	79	-	-	-	-
MW-9 <sup>2</sup>	01/31/2011	523.14	12.31	510.83	-	-	68	<0.5	<0.5	3	<0.5	-	-	-	-
MW-9 <sup>2</sup>	08/09/2011	523.14	12.01	511.13	-	-	54	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-9 <sup>2</sup>	02/09/2012	523.14	13.05	510.09	-	-	5,300	6	7	250	120	-	-	-	-
MW-9 <sup>2,5</sup>	05/10/2012	523.14	12.52	510.62	-	-	-	-	-	-	-	-	-	-	-
MW-9 <sup>2,5</sup>	08/22/2012	523.14	13.45	509.69	-	-	1,300	<5	<5	8	7	2,900	9,200	<250	24,000
MW-9 <sup>2,5</sup>	11/29/2012	523.14	13.30	509.84	-	-	-	-	-	-	-	-	-	-	-
MW-9 <sup>2,5</sup>	02/14/2013	523.14	12.70	510.44	-	-	5,200	<5	<5	37	60	-	-	-	-
MW-9 <sup>2,5</sup>	05/20/2013	523.14	13.11	510.03	-	-	-	-	-	-	-	-	-	-	-
MW-9 <sup>2,5</sup>	07/30/2013	523.14	13.55	509.59	-	-	5,600	6	4	31	77	-	-	-	-
MW-9 <sup>2,5</sup>	11/06/2013	523.14	13.57	509.57	-	-	-	-	-	-	-	-	-	-	-
<b>MW-9<sup>2,5,6</sup></b>	<b>01/30/2014</b>	<b>523.14</b>	<b>13.65</b>	<b>509.49</b>	-	-	-	-	-	-	-	-	-	-	-
MW-10 <sup>3</sup>	08/24/2010	523.25	13.07	510.18	-	-	1,300	<0.5	<0.5	2	<0.5	-	-	-	-
MW-10 <sup>3</sup>	01/31/2011	523.25	11.92	511.33	-	-	250	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-10 <sup>3</sup>	08/09/2011	523.25	11.85	511.40	-	-	300	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-10 <sup>3</sup>	02/09/2012	523.25	12.62	510.63	-	-	140	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-10 <sup>3,5</sup>	05/10/2012	523.25	12.26	510.99	-	-	-	-	-	-	-	-	-	-	-
MW-10 <sup>3,5</sup>	08/22/2012	523.25	13.03	510.22	-	-	600	2	0.7	2	2	670	580	<250	24,400
MW-10 <sup>3,5</sup>	11/29/2012	523.25	12.89	510.36	-	-	-	-	-	-	-	-	-	-	-
MW-10 <sup>3,5</sup>	02/14/2013	523.25	12.31	510.94	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-10 <sup>3,5</sup>	05/20/2013	523.25	12.70	510.55	-	-	-	-	-	-	-	-	-	-	-
MW-10 <sup>3,5</sup>	07/30/2013	523.25	13.15	510.10	-	-	170	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-10 <sup>3,5</sup>	11/06/2013	523.25	13.18	510.07	-	-	-	-	-	-	-	-	-	-	-
<b>MW-10<sup>3,5</sup></b>	<b>01/30/2014</b>	<b>523.25</b>	<b>13.34</b>	<b>509.91</b>	-	-	<b>57</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-
MW-11 <sup>2</sup>	08/24/2010	523.42	13.80	509.62	-	-	2,000	6	2	9	5	-	-	-	-
MW-11 <sup>2</sup>	01/31/2011	523.42	12.35	511.07	-	-	790	1	<0.5	5	3	-	-	-	-
MW-11 <sup>2</sup>	08/09/2011	523.42	12.06	511.36	-	-	130	<0.5	<0.5	0.9	<0.5	-	-	-	-
MW-11 <sup>2</sup>	02/09/2012	523.42	13.06	510.36	-	-	220	<0.5	<0.5	<0.5	<0.5	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-anst	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11 <sup>2,5</sup>	05/10/2012	523.42	12.58	510.84	-	-	-	-	-	-	-	-	-	-	-
MW-11 <sup>2,5</sup>	08/22/2012	523.42	13.50	509.92	-	-	510	<0.5	<0.5	<0.5	<0.5	760	1,400	<250	59,500
MW-11 <sup>2,5</sup>	11/29/2012	523.42	13.32	510.10	-	-	-	-	-	-	-	-	-	-	-
MW-11 <sup>2,5</sup>	02/14/2013	523.42	12.72	510.70	-	-	110	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-11 <sup>2,5</sup>	05/20/2013	523.42	13.13	510.29	-	-	-	-	-	-	-	-	-	-	-
MW-11 <sup>2,5</sup>	07/30/2013	523.42	13.60	509.82	-	-	320	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-11 <sup>2,5</sup>	11/06/2013	523.42	13.64	509.78	-	-	-	-	-	-	-	-	-	-	-
<b>MW-11<sup>2,5,6</sup></b>	<b>01/30/2014</b>	<b>523.42</b>	<b>13.69</b>	<b>509.73</b>	-	-	-	-	-	-	-	-	-	-	-
MW-12 <sup>3</sup>	08/24/2010	523.12	12.84	510.28	-	-	18,000	210	650	330	1,900	-	-	-	-
MW-12 <sup>3</sup>	01/31/2011	523.12	12.47	510.65	-	-	9,600	64	180	180	400	-	-	-	-
MW-12 <sup>3</sup>	08/09/2011	523.12	12.19	510.93	-	-	9,000	71	140	170	580	-	-	-	-
MW-12 <sup>3</sup>	02/09/2012	523.12	13.11	510.01	-	-	8,700	85	130	170	590	-	-	-	-
MW-12 <sup>3,5</sup>	05/10/2012	523.12	12.71	510.41	-	-	-	-	-	-	-	-	-	-	-
MW-12 <sup>3,5</sup>	08/22/2012	523.12	13.44	509.68	-	-	8,500	<5	12	120	160	2,000	6,400	<250	3,200
MW-12 <sup>3,5</sup>	11/29/2012	523.12	13.35	509.77	-	-	-	-	-	-	-	-	-	-	-
MW-12 <sup>3,5</sup>	02/14/2013	523.12	12.82	510.30	-	-	7,700	20	83	160	500	-	-	-	-
MW-12 <sup>3,5</sup>	05/20/2013	523.12	13.21	509.91	-	-	-	-	-	-	-	-	-	-	-
MW-12 <sup>3,5</sup>	07/30/2013	523.12	13.62	509.50	-	-	9,000	52	190	160	610	-	-	-	-
MW-12 <sup>3,5</sup>	11/06/2013	523.12	13.66	509.46	-	-	-	-	-	-	-	-	-	-	-
<b>MW-12<sup>3,5</sup></b>	<b>01/30/2014</b>	<b>523.12</b>	<b>13.66</b>	<b>509.46</b>	-	-	<b>7,800</b>	<b>11</b>	<b>31</b>	<b>120</b>	<b>240</b>	-	-	-	-
MW-13 <sup>3</sup>	08/24/2010	520.88	13.69	507.19	-	-	13,000	810	710	76	660	-	-	-	-
MW-13 <sup>3</sup>	01/31/2011	520.88	12.21	508.67	-	-	22,000	1,600	1,600	270	1,600	-	-	-	-
MW-13 <sup>3</sup>	08/09/2011	520.88	11.91	508.97	-	-	12,000	1,200	820	120	710	-	-	-	-
MW-13 <sup>3</sup>	02/09/2012	520.88	12.83	508.05	-	-	18,000	1,600	3,700	370	2,200	-	-	-	-
MW-13 <sup>3,5</sup>	05/10/2012	520.88	12.44	508.44	-	-	-	-	-	-	-	-	-	-	-
MW-13 <sup>3,5</sup>	08/22/2012	520.88	13.19	507.69	-	-	35,000	2,000	5,600	340	4,500	8,500	1,200	<250	2,600
MW-13 <sup>3,5</sup>	11/29/2012	520.88	13.06	507.82	-	-	-	-	-	-	-	-	-	-	-
MW-13 <sup>3,5</sup>	02/14/2013	520.88	12.53	508.35	-	-	11,000	380	750	31	1,700	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-anst	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13 <sup>3,5</sup>	05/20/2013	520.88	12.94	507.94	-	-	-	-	-	-	-	-	-	-	-
MW-13 <sup>3,5</sup>	07/30/2013	520.88	13.35	507.53	-	-	2,800	94	19	22	57	-	-	-	-
MW-13 <sup>3,5</sup>	11/06/2013	520.88	13.38	507.50	-	-	-	-	-	-	-	-	-	-	-
<b>MW-13<sup>3,5</sup></b>	<b>01/30/2014</b>	<b>520.88</b>	<b>13.43</b>	<b>507.45</b>	-	-	<b>14,000</b>	<b>650</b>	<b>1,500</b>	<b>110</b>	<b>1,900</b>	-	-	-	-
MW-14 <sup>2</sup>	08/24/2010 <sup>1,**</sup>	520.88	10.36	510.75	0.29	0.00	-	-	-	-	-	-	-	-	-
MW-14 <sup>2</sup>	01/31/2011 <sup>1,**</sup>	520.88	9.96	511.12	0.25	0.00	-	-	-	-	-	-	-	-	-
MW-14 <sup>2</sup>	08/09/2011 <sup>1,**</sup>	520.88	9.67	511.35	0.17	0.00	-	-	-	-	-	-	-	-	-
MW-14 <sup>2</sup>	02/09/2012 <sup>1,**</sup>	520.88	10.69	510.46	0.34	0.00	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	05/10/2012 <sup>1,**</sup>	520.88	10.18	510.91	0.26	0.00	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	05/30/2012	520.88					Sorbent Sock Installed								
MW-14 <sup>2,5</sup>	06/14/2012**	520.88	10.36	510.65	0.16	1.25	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	06/25/2012**	520.88	10.44	510.47	0.04	0.98	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	07/11/2012**	520.88	10.52	510.41	0.06	1.34	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	07/24/2012**	520.88	10.70	510.20	0.02	0.45	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	08/08/2012**	520.88	13.74	507.16	0.03	0.46	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	08/22/2012	520.88	10.78	510.10	-	0.33	22,000	890	990	600	2,600	1,200	1,000	<250	145,000
MW-14 <sup>2,5</sup>	09/04/2012	520.88	10.82	510.06	-	0.16	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	09/21/2012	520.88	10.69	510.19	-	-	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	10/02/2012	520.88	10.65	510.23	-	-	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	10/17/2012	520.88	10.70	510.18	-	-	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	10/29/2012	520.88	10.62	510.26	-	-	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	11/29/2012	520.88	10.68	510.20	-	-	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	02/14/2013	520.88	10.22	510.66	-	-	4,200	170	120	61	410	-	-	-	-
MW-14 <sup>2,5</sup>	05/20/2013	520.88	10.51	510.37	-	-	-	-	-	-	-	-	-	-	-
MW-14 <sup>2,5</sup>	07/30/2013	520.88	10.92	509.96	-	-	6,500	370	110	140	430	-	-	-	-
MW-14 <sup>2,5</sup>	11/06/2013	520.88	11.03	509.85	-	-	-	-	-	-	-	-	-	-	-
<b>MW-14<sup>2,5</sup></b>	<b>01/30/2014</b>	<b>520.88</b>	<b>11.03</b>	<b>509.85</b>	-	-	<b>4,300</b>	<b>230</b>	<b>64</b>	<b>80</b>	<b>220</b>	-	-	-	-
MW-15 <sup>4</sup>	08/24/2010	520.87	10.81	510.06	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-anst	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15 <sup>4</sup>	01/31/2011	520.87	9.86	511.01	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-15 <sup>4</sup>	08/09/2011	520.87	9.56	511.31	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-15 <sup>4</sup>	02/09/2012	520.87	10.44	510.43	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-15 <sup>4,5</sup>	05/10/2012	520.87	10.05	510.82	-	-	-	-	-	-	-	-	-	-	-
MW-15 <sup>4,5</sup>	08/22/2012	520.87	10.87	510.00	-	-	<50	<0.5	<0.5	<0.5	<0.5	<5.0	<10	2,100	267,000
MW-15 <sup>4,5</sup>	11/29/2012	520.87	10.70	510.17	-	-	-	-	-	-	-	-	-	-	-
MW-15 <sup>4,5</sup>	02/14/2013	520.87	10.16	510.71	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-15 <sup>4,5</sup>	05/20/2013	520.87	10.58	510.29	-	-	-	-	-	-	-	-	-	-	-
MW-15 <sup>4,5</sup>	07/30/2013	520.87	11.00	509.87	-	-	<50	<0.5	<0.5	<0.5	0.6	-	-	-	-
MW-15 <sup>4,5</sup>	11/06/2013	520.87	11.07	509.80	-	-	-	-	-	-	-	-	-	-	-
<b>MW-15<sup>4,5</sup></b>	<b>01/30/2014</b>	<b>520.87</b>	<b>11.06</b>	<b>509.81</b>	-	-	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-
MW-16 <sup>3</sup>	08/24/2010	520.50	11.07	509.43	-	-	68	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-16 <sup>3</sup>	01/31/2011	520.50	9.99	510.51	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-16 <sup>3</sup>	08/09/2011	520.50	9.59	510.91	-	-	66	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-16 <sup>3</sup>	02/09/2012	520.50	10.62	509.88	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-16 <sup>3,5</sup>	05/10/2012	520.50	10.18	510.32	-	-	-	-	-	-	-	-	-	-	-
MW-16 <sup>3,5</sup>	08/22/2012	520.50	11.08	509.42	-	-	<50	<0.5	<0.5	<0.5	<0.5	1,000	16	590	49,400
MW-16 <sup>3,5</sup>	11/29/2012	520.50	10.86	509.64	-	-	-	-	-	-	-	-	-	-	-
MW-16 <sup>3,5</sup>	02/14/2013	520.50	10.27	510.23	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-16 <sup>3,5</sup>	05/20/2013	520.50	10.70	509.80	-	-	-	-	-	-	-	-	-	-	-
MW-16 <sup>3,5</sup>	07/30/2013	520.50	11.12	509.38	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-16 <sup>3,5</sup>	11/06/2013	520.50	11.16	509.34	-	-	-	-	-	-	-	-	-	-	-
<b>MW-16<sup>3,5</sup></b>	<b>01/30/2014</b>	<b>520.50</b>	<b>11.35</b>	<b>509.15</b>	-	-	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-
MW-17 <sup>3</sup>	02/07/2012	524.81	14.50	510.31	-	-	-	-	-	-	-	-	-	-	-
MW-17 <sup>3</sup>	02/09/2012	524.81	14.58	510.23	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-17 <sup>3</sup>	05/10/2012	524.81	14.10	510.71	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-17 <sup>3</sup>	08/22/2012	524.81	14.54	510.27	-	-	<50	<0.5	<0.5	<0.5	<0.5	25	<10	3,700	77,400
MW-17 <sup>3</sup>	11/29/2012	524.81	14.75	510.06	-	-	<50	<0.5	<0.5	<0.5	<0.5	39	77	3,200	67,900



TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPL	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-anst	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17 <sup>3</sup>	02/14/2013	524.81	14.25	510.56	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-17 <sup>3</sup>	05/20/2013	524.81	14.65	510.16	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-17 <sup>3</sup>	07/30/2013	524.81	15.09	509.72	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-17 <sup>3</sup>	11/06/2013	524.81	14.93	509.88	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
<b>MW-17<sup>3</sup></b>	<b>01/30/2014</b>	<b>524.81</b>	<b>14.90</b>	<b>509.91</b>	-	-	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-
MW-18 <sup>2</sup>	02/07/2012	522.40	12.01	510.39	-	-	-	-	-	-	-	-	-	-	-
MW-18 <sup>2</sup>	02/09/2012	522.40	12.06	510.34	-	-	12,000	200	1,300	68	2,200	-	-	-	-
MW-18 <sup>2</sup>	05/10/2012	522.40	11.60	510.80	-	-	6,700	220	390	380	720	-	-	-	-
MW-18 <sup>2</sup>	08/22/2012	522.40	12.50	509.90	-	-	3,600	80	310	170	550	240	2,500	580	143,000
MW-18 <sup>2</sup>	11/29/2012	522.40	12.36	510.04	-	-	2,000	44	25	96	190	320	2,400	<250	117,000
MW-18 <sup>2</sup>	02/14/2013	522.40	11.76	510.64	-	-	3,000	130	5	270	160	-	-	-	-
MW-18 <sup>2</sup>	05/20/2013	522.40	12.11	510.29	-	-	1,200	28	47	52	130	-	-	-	-
MW-18 <sup>2</sup>	07/30/2013	522.40	12.57	509.83	-	-	6,400	270	230	440	1,100	-	-	-	-
MW-18 <sup>2</sup>	11/06/2013	522.40	12.67	509.73	-	-	1,400	43	28	74	190	-	-	-	-
<b>MW-18<sup>2</sup></b>	<b>01/30/2014</b>	<b>522.40</b>	<b>12.70</b>	<b>509.70</b>	-	-	<b>220</b>	<b>0.6</b>	<b>0.8</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-
MW-19 <sup>2</sup>	02/07/2012	522.63	12.30	510.33	-	-	-	-	-	-	-	-	-	-	-
MW-19 <sup>2</sup>	02/09/2012	522.63	12.39	510.24	-	-	6,700	4	<3	18	35	-	-	-	-
MW-19 <sup>2</sup>	05/10/2012	522.63	11.92	510.71	-	-	1,500	<0.5	<0.5	0.7	0.9	-	-	-	-
MW-19 <sup>2</sup>	08/22/2012	522.63	12.80	509.83	-	-	1,300	<0.5	<0.5	17	2	1,900	820	<250	32,900
MW-19 <sup>2</sup>	11/29/2012	522.63	12.64	509.99	-	-	58	<0.5	<0.5	<0.5	<0.5	15	1,800	<250	41,200
MW-19 <sup>2</sup>	02/14/2013	522.63	12.08	510.55	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-19 <sup>2</sup>	05/20/2013	522.63	12.44	510.19	-	-	4,700	6	2	43	7	-	-	-	-
MW-19 <sup>2</sup>	07/30/2013	522.63	12.93	509.70	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
MW-19 <sup>2</sup>	11/06/2013	522.63	12.96	509.67	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
<b>MW-19<sup>2</sup></b>	<b>01/30/2014</b>	<b>522.63</b>	<b>13.05</b>	<b>509.58</b>	-	-	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-
MW-20 <sup>2</sup>	02/07/2012	520.28	9.60	510.68	-	-	-	-	-	-	-	-	-	-	-
MW-20 <sup>2</sup>	02/09/2012	520.28	9.68	510.60	-	-	9,100	3	94	200	600	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-amsl	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-20 <sup>2</sup>	05/10/2012	520.28	9.32	510.96	-	-	3,900	<5	28	42	230	-	-	-	-
MW-20 <sup>2</sup>	08/22/2012	520.28	10.12	510.16	-	-	4,800	<5	42	120	320	37	2,800	<250	234,000
MW-20 <sup>2</sup>	11/29/2012	520.28	9.99	510.29	-	-	4,200	<0.5	9	41	95	23	11,100	<250	131,000
MW-20 <sup>2</sup>	02/14/2013	520.28	9.43	510.85	-	-	2,000	<5	<5	<5	<5	-	-	-	-
MW-20 <sup>2</sup>	05/20/2013	520.28	9.78	510.50	-	-	3,000	<0.5	1	24	30	-	-	-	-
MW-20 <sup>2</sup>	07/30/2013	520.28	10.28	510.00	-	-	2,800	<0.5	3	23	17	-	-	-	-
MW-20 <sup>2</sup>	11/06/2013	520.28	10.27	510.01	-	-	1,900	<0.5	2	18	17	-	-	-	-
<b>MW-20<sup>2</sup></b>	<b>01/30/2014</b>	<b>520.28</b>	<b>10.33</b>	<b>509.95</b>	-	-	<b>1,100</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>1</b>	<b>&lt;0.5</b>	-	-	-	-
QA	08/24/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	01/31/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	08/09/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	02/09/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	05/10/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	08/22/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	11/29/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	02/14/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	05/20/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	07/30/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
QA	11/06/2013	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-	-	-
<b>QA</b>	<b>01/30/2014</b>	-	-	-	-	-	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	-	-	-	-

**Abbreviations and Notes:**

- TOC = Top of casing
- DTW = Depth to water
- GWE = Groundwater elevation
- (ft-amsl) = Feet above mean sea level
- ft = Feet

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA  
 FORMER TEXACO SERVICE STATION 211253  
 930 SPRINGTOWN BOULEVARD  
 LIVERMORE, CALIFORNIA

Location	Date	TOC	DTW	GWE	LNAPLT	LNAPL REMOVED	HYDROCARBONS	PRIMARY VOCS				GENERAL CHEMISTRY			
							TPH-GRO	B	T	E	X	Methane	Ferrous iron	Nitrate as Nitrogen	Sulfate
	Units	ft	ft	ft-anst	ft	gallons	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

µg/L = Micrograms per Liter

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes (Total)

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

J = Estimated concentration

\* TOC elevations were surveyed on July 22, 2009, by Morrow Surveying. Vertical datum is NAVD 88 from GPS Observations.

\*\* GWE was corrected for the presence of LNAPL; correction factor: [(TOC - DTW) + (LNAPLT x 0.80)].

1 Not sampled due to the presence of LNAPL.

2 Shallow well

3 Intermediate well

4 Deep well

5 Sampled semi-annually during the first and third quarters

6 Insufficient water

ATTACHMENT A

MONITORING DATA PACKAGE



# GETTLER-RYAN INC.



## TRANSMITTAL

February 10, 2014

G-R #385867

TO: Mr. Brian Silva  
Conestoga-Rovers & Associates  
10969 Trade Center Drive, Suite 107  
Rancho Cordova, California 95670

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6805 Sierra Court, Suite G  
Dublin, California 94568

RE: **Former Texaco Service Station**  
**930 Springtown Blvd.**  
**Livermore, California**  
**(Site #211253)**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package First Quarter Event of January 30, 2014

### COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

Trans/211253

## WELL CONDITION STATUS SHEET

Client/Facility #: **Chevron #211253**  
 Site Address: **930 Springtown Blvd.**  
 City: **Livermore, CA**

Job #: **385867**  
 Event Date: **1/30/14**  
 Sampler: **JY**

WELL ID	Vault Frame Condition	Gasket/O-Ring (M) Missing (R) Replaced	BOLTS (M) Missing (R) Replaced	Bolt Flanges B=Broken S=Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Y/N
MW-9	ok							✓	✓	12" emco	✓
MW-10	ok										
MW-11	ok										
MW-12	ok										
MW-13	ok										
MW-14	ok										
MW-15	ok										
MW-16	ok										
MW-17	ok										
MW-18	ok										
MW-19	ok										
MW-20	ok										

Comments \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Seaport Environmental located in Redwood City, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: JW

Well ID: MW-9 Date Monitored: 1/30/14  
 Well Diameter: 4  
 Total Depth: 14.09 ft.  
 Depth to Water: 13.65 ft.  Check if water column is less than 0.50 ft.  
.44 xVF        =        x3 case volume = Estimated Purge Volume:        gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:       

### Purge Equipment:

Disposable Bailer         
 Stainless Steel Bailer         
 Stack Pump         
 Suction Pump         
 Grundfos         
 Peristaltic Pump         
 QED Bladder Pump         
 Other:       

### Sampling Equipment:

Disposable Bailer         
 Pressure Bailer         
 Metal Filters         
 Peristaltic Pump         
 QED Bladder Pump         
 Other:       

Time Started:        (2400 hrs)  
 Time Completed:        (2400 hrs)  
 Depth to Product:        ft  
 Depth to Water:        ft  
 Hydrocarbon Thickness:        ft  
 Visual Confirmation/Description:         
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer:        gal  
 Amt Removed from Well:        gal  
 Water Removed:       

Start Time (purge):        Weather Conditions:         
 Sample Time/Date:        /        Water Color:        Odor: Y / N  
 Approx. Flow Rate:        gpm. Sediment Description:         
 Did well de-water?        If yes, Time:        Volume:        gal. DTW @ Sampling:       

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)

COMMENTS: IN SUPPLEMENT H2O





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: JB

Well ID: MW-10  
 Well Diameter: 4  
 Total Depth: 26.31 ft.  
 Depth to Water: 13.34 ft.  
12.97 xVF = .66 = 8.56

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.93  
 x3 case volume = Estimated Purge Volume: 25.68 gal.

**Purge Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump X  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0935 Weather Conditions: Cloudy  
 Sample Time/Date: 1020 / 1/30/14 Water Color: Cloudy Odor: Y10  
 Approx. Flow Rate: 2 gpm. Sediment Description: Lo. H<sub>2</sub>O  
 Did well de-water? Yes If yes, Time: 0930 Volume: 10 gal. DTW @ Sampling: 15.05

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <del>DS</del> )	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0930</u>	<u>10</u>	<u>7.31</u>	<u>944</u>	<u>18.2</u>		
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253  
 Site Address: 930 Springtown Blvd.  
 City: Livermore, CA

Job Number: 385867  
 Event Date: 1/30/14 (inclusive)  
 Sampler: 34

Well ID: MW-11  
 Well Diameter: 4  
 Total Depth: 14.35 ft.  
 Depth to Water: 13.69 ft.  
.66 xVF = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:         

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date:          /          Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)

COMMENTS: In sufficient H2O



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: SH

Well ID: MW-12  
 Well Diameter: 4  
 Total Depth: 26.61 ft.  
 Depth to Water: 13.66 ft.  
12.95 xVF = .66 = 8.54

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.25 x3 case volume = Estimated Purge Volume: 25.64 gal.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump X  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1000 Weather Conditions: cloudy  
 Sample Time/Date: 1045 / 1/30/14 Water Color: cloudy Odor: DI N Lish  
 Approx. Flow Rate: 2 gpm. Sediment Description: Lish  
 Did well de-water? Yes If yes, Time: 1006 Volume: 12 gal. DTW @ Sampling: 14.92

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>US</u> )	Temperature ( <u>0</u> / F )	D.O. (mg/L)	ORP (mV)
<u>1004</u>	<u>8</u>	<u>7.65</u>	<u>881</u>	<u>18.5</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: SV

Well ID MW-13  
 Well Diameter 4  
 Total Depth 36.60 ft.  
 Depth to Water 13.43 ft.  
23.17 xVF .66 = 15.29

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.06 x3 case volume = Estimated Purge Volume: 45.87 gal.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump X  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0945 Weather Conditions: Clear  
 Sample Time/Date: 1030 / 1/30/14 Water Color: Clear Odor: 0 / N L, H, H  
 Approx. Flow Rate: 2 gpm. Sediment Description: L, H, H  
 Did well de-water? Yes If yes, Time: 0955 Volume: 20 gal. DTW @ Sampling: 17.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>MS</u> )	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>0955</u>	<u>16</u>	<u>7.29</u>	<u>891</u>	<u>18.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-13</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: SV

Well ID: MW-14 Date Monitored: 1/30/14  
 Well Diameter: 4  
 Total Depth: 14.37 ft.  
 Depth to Water: 11.03 ft.

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.69  
 $3.34 \times VF \cdot 66 = 2.20$  x3 case volume = Estimated Purge Volume: 6.61 gal.

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1130 Weather Conditions: cloudy  
 Sample Time/Date: 1320 / 1/30/14 Water Color: cloudy Odor: B/N strong  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: L.S.H.  
 Did well de-water? Yes If yes, Time: 1130 Volume: 3 gal. DTW @ Sampling: 11.47

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1136</u>	<u>2</u>	<u>7.36</u>	<u>904</u>	<u>18.4</u>		
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-14</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: no sock in well

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: JH

Well ID MW-15  
 Well Diameter 4  
 Total Depth 45.79 ft.  
 Depth to Water 11.06 ft.

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 18.00  
 $34.73 \times VF .66 = 22.92$  x3 case volume = Estimated Purge Volume: 68.76 gal.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump X  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1145 Weather Conditions: Cloudy  
 Sample Time/Date: 1340 / 1/30/14 Water Color: clear Odor: Y / 10  
 Approx. Flow Rate: 2 gpm. Sediment Description: None  
 Did well de-water? Yes If yes, Time: 1202 Volume: 32 gal. DTW @ Sampling: 16.77

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1156</u>	<u>22</u>	<u>7.65</u>	<u>867</u>	<u>18.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: SH

Well ID: MW-16 Date Monitored: 1/30/14  
 Well Diameter: 4  
 Total Depth: 29.17 ft.  
 Depth to Water: 11.35 ft.  
 Volume Factor (VF) table:  

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 Check if water column is less than 0.50 ft.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14.91  
 xVF .66 = 11.76 x3 case volume = Estimated Purge Volume: 35.28 gal.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump X  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1430 Weather Conditions: cloudy  
 Sample Time/Date: 1600 / 1/30/14 Water Color: clear Odor: Y 1 (B)  
 Approx. Flow Rate: 2 gpm. Sediment Description: L.O.B.  
 Did well de-water? Yes If yes, Time: 1440 Volume: 20 gal. DTW @ Sampling: 14.77

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1436</u>	<u>12</u>	<u>7.63</u>	<u>772</u>	<u>18.7</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-16</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: JH

Well ID: MW-17 Date Monitored: 1/30/14  
 Well Diameter: 4  
 Total Depth: 37.05 ft.  
 Depth to Water: 14.90 ft.  Check if water column is less than 0.50 ft.  
22.15 xVF .66 = 14.61 x3 case volume = Estimated Purge Volume: 43.85 gal.  
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.33

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump X  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 0823 Weather Conditions: cloudy  
 Sample Time/Date: 0910 / 1/30/14 Water Color: clear Odor: GIN Light  
 Approx. Flow Rate: 2 gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 17.39

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>3</u> )	Temperature (° / F)	D.O. (mg/L)	ORR (mV)
<u>0830</u>	<u>14</u>	<u>7.83</u>	<u>1628</u>	<u>17.9</u>	_____	_____
<u>0837</u>	<u>28</u>	<u>7.60</u>	<u>1601</u>	<u>17.7</u>	_____	_____
<u>0848</u>	<u>44</u>	<u>7.44</u>	<u>1580</u>	<u>17.4</u>	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-17</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>

### COMMENTS:

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_





# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: JH

Well ID: MW-18  
 Well Diameter: 4  
 Total Depth: 14.60 ft.  
 Depth to Water: 12.70 ft.  
1.90 xVF = .66 = 1.25

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.08 gal.

### Purge Equipment:

Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1115 Weather Conditions: cloudy  
 Sample Time/Date: 1245 / 1/30/14 Water Color: cloudy Odor: Oil N L.O.W.  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? yes If yes, Time: 1118 Volume: 1.5 gal. DTW @ Sampling: 13.05

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - <u>US</u> )	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1117</u>	<u>1</u>	<u>7.62</u>	<u>1258</u>	<u>18.6</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-18</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

### COMMENTS:

\_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/17 (inclusive)  
 City: Livermore, CA Sampler: SH

Well ID MW-19  
 Well Diameter 4  
 Total Depth 14.87 ft.  
 Depth to Water 13.05 ft.  
1.82 xVF .66 = 1.20

Date Monitored: 1/30/17

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.41 x3 case volume = Estimated Purge Volume: 3.60 gal.

**Purge Equipment:**  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1100 Weather Conditions: cloudy  
 Sample Time/Date: 1300 / 1/30/17 Water Color: cloudy Odor: Y10  
 Approx. Flow Rate: - gpm. Sediment Description: Light  
 Did well de-water? Yes If yes, Time: 1104 Volume: 1.5 gal. DTW @ Sampling: 13.35

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (uS))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1102</u>	<u>1</u>	<u>7.38</u>	<u>842</u>	<u>18.4</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-19</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211253 Job Number: 385867  
 Site Address: 930 Springtown Blvd. Event Date: 1/30/14 (inclusive)  
 City: Livermore, CA Sampler: JH

Well ID MW-20  
 Well Diameter 4  
 Total Depth 14.62 ft.  
 Depth to Water 10.33 ft.  
4.29 xVF .66 = 2.83

Date Monitored: 1/30/14

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 11.18  
 x3 case volume = Estimated Purge Volume: 8.49 gal.

**Purge Equipment:**  
 Disposable Bailer X  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer X  
 Pressure Bailer \_\_\_\_\_  
 Metal Filters \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_

Start Time (purge): 1220 Weather Conditions: cloudy  
 Sample Time/Date: 1400 / 1/30/14 Water Color: cloudy Odor: Y 1 (N)  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: L.O.B.T.  
 Did well de-water? Yes If yes, Time: 1235 Volume: 5 gal. DTW @ Sampling: 10.80

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - (uS))	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1228</u>	<u>3</u>	<u>7.74</u>	<u>935</u>	<u>18.6</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-20</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



**Lancaster Laboratories**

Acct. # \_\_\_\_\_ Group # \_\_\_\_\_ Sample # \_\_\_\_\_  
 For Eurofins Lancaster Laboratories use only  
 Instructions on reverse side correspond with circled numbers.

<b>1 Client Information</b>				<b>4 Matrix</b>				<b>5 Analyses Requested</b>									
Facility: <b>SSW211253-OML G-R-385867 Global ID#10500101353</b>				Sediment <input type="checkbox"/> Ground <input checked="" type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Total Number of Containers: _____				BTEX + MTBE 8021 <input type="checkbox"/> 8260 <input checked="" type="checkbox"/> TPH-GRO 8015 <input type="checkbox"/> 8260 <input type="checkbox"/> TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup <input type="checkbox"/> 8260 Full Scan _____ Oxygenates _____ Total Lead Method _____ Dissolved Lead Method _____									
Site Address: <b>830 SPRINGTOWN BLVD., LIVERMORE, CA</b>																	
Chevron: <b>GM CRASB</b> Lead: <b>Silvart</b>																	
Consultant: <b>Griffin-Ryan, Inc., 6805 Sierra Court, Suite G, Dublin, CA 94568</b>																	
Consultant Project Mgr.: <b>Deanna G. Harding, deanna@grinc.com</b>																	
Consultant Phone: <b>(925) 351-7444 x180</b>																	
Sampler: <b>J. Herzo</b>																	

SCR #: \_\_\_\_\_

- Results in Dry Weight
- J value reporting needed
- Must meet lowest detection limits possible for 8260 compounds
- 8021 MTBE Confirmation
- Confirm highest hit by 8260
- Confirm all hits by 8260
- Run \_\_\_\_\_ oxy's on highest hit
- Run \_\_\_\_\_ oxy's on all hits

2 Sample Identification	Soil Depth	3 Collected		Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MTBE	8021	8260	TPH-GRO	8015	8260	TPH-DRO 8015 without Silica Gel Cleanup	TPH-DRO 8015 with Silica Gel Cleanup	8260 Full Scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method	
		Date	Time																					
GXA		11/30/14		X			X		2	X			X											
MW-10			1020						6															
MW-12			1045																					
MW-13			1030																					
MW-14			1320																					
MW-15			1340																					
MW-16			1600																					
MW-17			0910																					
MW-18			1215																					
MW-19			1300																					
MW-20			1400																					

**6 Remarks**

**Please forward the lab results directly to the Lead Consultant and cc: G-R.**

**7 Turnaround Time Requested (TAT) (please circle)**

Standard    5 day    4 day  
 72 hour    48 hour    24 hour

Relinquished by: _____	Date: 1/30/14	Time: 1900	Received by: _____	Date: 1-31-14	Time: _____
Relinquished by: _____	Date: 1-31-14	Time: 1500	Received by: _____	Date: 1/31/14	Time: 1500

**8 Data Package (circle if required)**

Type I - Full    Type VI (Raw Data)

**EDD (circle if required)**

EDFFLAT (default)    Other: \_\_\_\_\_

Relinquished by Commercial Carrier:

UPS \_\_\_\_\_ FedEx \_\_\_\_\_ Other \_\_\_\_\_

Temperature Upon Receipt \_\_\_\_\_ °C

Custody Seals Intact?    Yes    No

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

Chevron  
L4310  
6001 Bollinger Canyon Rd.  
San Ramon CA 94583

February 12, 2014

Project: 211253

Submittal Date: 02/04/2014

Group Number: 1450110

PO Number: 0015141332

Release Number: HOPKINS/CMACLEO

State of Sample Origin: CA

### Client Sample Description

QA-T-140130 NA Water  
MW-10-W-140130 Grab Groundwater  
MW-12-W-140130 Grab Groundwater  
MW-13-W-140130 Grab Groundwater  
MW-14-W-140130 Grab Groundwater  
MW-15-W-140130 Grab Groundwater  
MW-16-W-140130 Grab Groundwater  
MW-17-W-140130 Grab Groundwater  
MW-18-W-140130 Grab Groundwater  
MW-19-W-140130 Grab Groundwater  
MW-20-W-140130 Grab Groundwater

### Lancaster Labs (LL) #

7353992  
7353993  
7353994  
7353995  
7353996  
7353997  
7353998  
7353999  
7354000  
7354001  
7354002

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Gettler-Ryan Inc.	Attn: Gettler Ryan
ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Brian Silva

Respectfully Submitted,



Amek Carter  
Specialist

(717) 556-7252

Sample Description: QA-T-140130 NA Water  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353992  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014

Chevron

Submitted: 02/04/2014 09:20

L4310

Reported: 02/12/2014 16:45

6001 Bollinger Canyon Rd.  
San Ramon CA 94583

SBLQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	P140361AA	02/05/2014 13:00	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P140361AA	02/05/2014 13:00	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 12:09	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 12:09	Marie D Beamenderfer	1



Sample Description: MW-10-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353993  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 10:20 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	57	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	D140422AA	02/12/2014 02:15	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D140422AA	02/12/2014 02:15	Brett W Kenyon	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 15:46	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 15:46	Marie D Beamenderfer	1

Sample Description: MW-12-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353994  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 10:45 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B</b>			<b>ug/l</b>	<b>ug/l</b>	
10943	Benzene	71-43-2	11	5	10
10943	Ethylbenzene	100-41-4	120	5	10
10943	Toluene	108-88-3	31	5	10
10943	Xylene (Total)	1330-20-7	240	5	10
<b>GC Volatiles SW-846 8015B</b>			<b>ug/l</b>	<b>ug/l</b>	
01728	TPH-GRO N. CA water C6-C12	n.a.	7,800	500	10

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 15:41	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 15:41	Daniel H Heller	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 18:19	Laura M Krieger	10
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 18:19	Laura M Krieger	10

Sample Description: MW-13-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353995  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 10:30 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	650	5	10
10943	Ethylbenzene	100-41-4	110	5	10
10943	Toluene	108-88-3	1,500	5	10
10943	Xylene (Total)	1330-20-7	1,900	5	10
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	14,000	500	10

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 16:05	Daniel H Heller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 16:05	Daniel H Heller	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 18:41	Laura M Krieger	10
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 18:41	Laura M Krieger	10

Sample Description: MW-14-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353996  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 13:20 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	230	3	5
10943	Ethylbenzene	100-41-4	80	3	5
10943	Toluene	108-88-3	64	3	5
10943	Xylene (Total)	1330-20-7	220	3	5
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	4,300	250	5

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 16:29	Daniel H Heller	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 16:29	Daniel H Heller	5
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 19:03	Laura M Krieger	5
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 19:03	Laura M Krieger	5

Sample Description: MW-15-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353997  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 13:40 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 16:53	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 16:53	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 16:08	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 16:08	Marie D Beamenderfer	1

Sample Description: MW-16-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353998  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 16:00 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL16

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 17:17	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 17:17	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 16:30	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 16:30	Marie D Beamenderfer	1

Sample Description: MW-17-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7353999  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 09:10 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL17

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 17:41	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 17:41	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 16:52	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 16:52	Marie D Beamenderfer	1

Sample Description: MW-18-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7354000  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 12:45 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL18

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	0.6	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	0.8	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	220	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 18:05	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 18:05	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 17:14	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 17:14	Marie D Beamenderfer	1



Sample Description: MW-19-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7354001  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 13:00 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL19

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 18:29	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 18:29	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14037A20A	02/06/2014 17:36	Marie D Beamenderfer	1
01146	GC VOA Water Prep	SW-846 5030B	1	14037A20A	02/06/2014 17:36	Marie D Beamenderfer	1

Sample Description: MW-20-W-140130 Grab Groundwater  
Facility# 211253 Job# 385867 GRD  
930 Springtown-Livermore T0600101353

LL Sample # WW 7354002  
LL Group # 1450110  
Account # 10904

Project Name: 211253

Collected: 01/30/2014 14:00 by JH Chevron  
L4310  
Submitted: 02/04/2014 09:20 6001 Bollinger Canyon Rd.  
Reported: 02/12/2014 16:45 San Ramon CA 94583

SBL20

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
<b>GC/MS Volatiles SW-846 8260B ug/l</b>					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	1	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
<b>GC Volatiles SW-846 8015B ug/l</b>					
01728	TPH-GRO N. CA water C6-C12	n.a.	1,100	50	1

### General Sample Comments

CA ELAP Lab Certification No. 2792; CA NELAP Lab Certification No. 10276CA

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	Z140411AA	02/10/2014 18:53	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z140411AA	02/10/2014 18:53	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	14041A20A	02/10/2014 15:49	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	14041A20A	02/10/2014 15:49	Laura M Krieger	1



## Quality Control Summary

Client Name: Chevron Group Number: 1450110  
Reported: 02/12/14 at 04:45 PM

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Xylene (Total)	103	108	79-125	4	30				

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: D140422AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7353993	104	103	92	102
Blank	104	102	95	101
LCS	104	102	96	94
LCSD	104	103	97	101
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: P140361AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7353992	98	98	100	99
Blank	97	96	100	98
LCS	97	100	99	100
MS	97	99	98	100
MSD	98	100	99	100
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: Z140411AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7353994	103	98	101	93
7353995	103	99	100	94
7353996	102	96	101	95
7353997	107	102	98	88
7353998	106	101	98	89
7353999	108	102	99	89
7354000	105	99	99	94
7354001	107	100	98	88
7354002	101	96	101	95
Blank	107	102	99	90
LCS	103	101	99	99
MS	103	100	97	99
MSD	103	101	99	99
Limits:	80-116	77-113	80-113	78-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 02/12/14 at 04:45 PM

Group Number: 1450110

### Surrogate Quality Control

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 14037A20A  
Trifluorotoluene-F

---

7353992	94
7353993	94
7353994	113
7353995	108
7353996	98
7353997	93
7353998	94
7353999	91
7354000	190*
7354001	92
Blank	91
LCS	98
LCSD	99

---

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12  
Batch number: 14041A20A  
Trifluorotoluene-F

---

7354002	111
Blank	92
LCS	98
LCSD	97

---

Limits: 63-135

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# Chevron California Region Analysis Request/Chain of Custody



**Lancaster Laboratories**

01/31/14-07

Acct. # 10904

For Eurofins Lancaster Laboratories use only  
Group # 1450110 Sample # 1353992-4002

Instructions on reverse side correspond with circled numbers.

1 Client Information				4 Matrix				5 Analyses Requested										6 Remarks						
Facility <b>SS#211253-OML G-R#385867 Global ID#T0600101353</b> Site Address <b>930 SPRINGTOWN BLVD., LIVERMORE, CA</b> Chevron # <b>CM</b> CRASB Lead Consultant <b>Sierra</b> Consultant/Office <b>Getter-Ryan, Inc., 6805 Sierra Court, Suite G, Dublin, CA 94568</b> Consultant Project Mgr. <b>Deanna L. Harding, deanna@grinc.com</b> Consultant Phone # <b>(925) 551-7444 x180</b> Sampler <b>J. Herron</b>				<input type="checkbox"/> Sediment <input checked="" type="checkbox"/> Ground <input type="checkbox"/> Surface <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Oil				Total Number of Containers BTEX + MME 8021 <input checked="" type="checkbox"/> 8260 <input checked="" type="checkbox"/> TPH-GRO 8015 <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> TPH-DRO 8015 without Silica Gel Cleanup <input type="checkbox"/> TPH-DRO 8015 with Silica Gel Cleanup <input type="checkbox"/> 8260 Full Scan Oxygenates Total Lead Method Dissolved Lead Method										SCR #: _____ <input type="checkbox"/> Results in Dry Weight <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds <input type="checkbox"/> 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ____ oxy's on highest hit <input type="checkbox"/> Run ____ oxy's on all hits						
2 Sample Identification		Soil Depth		Collected Date Time		3 Grab	Composite	Soil	Water	Oil	Total Number of Containers	BTEX + MME	8021	8260	TPH-GRO	8015	TPH-DRO 8015 without Silica Gel Cleanup	TPH-DRO 8015 with Silica Gel Cleanup	8260 Full Scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method
GA				1/30/14		X		X			2	X	X											
MW-10				1020		7					6													
MW-12				1045																				
MW-13				1030																				
MW-14				1320																				
MW-15				1340																				
MW-16				1600																				
MW-17				0910																				
MW-18				1215																				
MW-19				1300																				
MW-20				1400																				
7 Turnaround Time Requested (TAT) (please circle) Standard 5 day 4 day 72 hour 48 hour 24 hour <b>EDF/EDD</b>				Relinquished by <i>[Signature]</i> Date <u>1/30/14</u> Time <u>1900</u> Relinquished by <i>[Signature]</i> Date <u>1-31-14</u> Time <u>1530</u>				Received by <i>[Signature]</i> Date <u>1-31-14</u> Time _____ Received by <i>[Signature]</i> Date <u>1/31/14</u> Time <u>1530</u>				Relinquished by Commercial Carrier: <u>UPS</u> Date <u>2/3/14</u> Time <u>1600</u> UPS FedEx Other				Received by <u>UPS</u> Date _____ Time _____ Temperature Upon Receipt <u>0.2-0.60C</u> Custody Seals Intact? <u>Yes</u>								
8 Data Package (circle if required) Type I - Full Type VI (Raw Data)				EDD (circle if required) EDFFLAT (default) Other: _____				Relinquished by Commercial Carrier: <u>UPS</u> Date <u>2/3/14</u> Time <u>1600</u> UPS FedEx Other				Received by <u>UPS</u> Date _____ Time _____ Temperature Upon Receipt <u>0.2-0.60C</u> Custody Seals Intact? <u>Yes</u>												

*Suandy Isam* Issued by Dept. 40 Management  
 2.4.14 105093

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

**ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

**ppb** parts per billion

**Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

*Data Qualifiers:*

**C** – result confirmed by reanalysis.

**J** - estimated value – The result is  $\geq$  the Method Detection Limit (MDL) and  $<$  the Limit of Quantitation (LOQ).

*U.S. EPA CLP Data Qualifiers:*

**Organic Qualifiers**

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns  $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

**Inorganic Qualifiers**

- B** Value is  $<$ CRDL, but  $\geq$ IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- \*** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA  $<0.995$

**Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT C

HISTORICAL GROUNDWATER MONITORING AND SAMPLING DATA



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Texaco Service Station #211253  
930 Springtown Boulevard  
Livermore, California

<b>WELL ID/ DATE</b>	<b>TOC* (ft.)</b>	<b>DTW (ft.)</b>	<b>GWE (msl)</b>	<b>SPHT (ft.)</b>	<b>SPH REMOVED (gallons)</b>	<b>TPH-GRO (µg/L)</b>	<b>B (µg/L)</b>	<b>T (µg/L)</b>	<b>E (µg/L)</b>	<b>X (µg/L)</b>
<b>MW-9</b>										
07/23/09 <sup>1</sup>	523.14	13.00	510.14	0.00	0.00	5,200	4	5	310	100
11/09/09	523.14	12.70	510.44	0.00	0.00	240	4	4	2	5
02/22/10	523.14	11.93	511.21	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5
<b>05/24/10</b>	<b>523.14</b>	<b>12.22</b>	<b>510.92</b>	<b>0.00</b>	<b>0.00</b>	<b>6,200</b>	<b>9</b>	<b>5</b>	<b>470</b>	<b>110</b>
<b>MW-10</b>										
07/23/09 <sup>1</sup>	522.76	12.59	510.17	0.00	0.00	16,000	220	440	440	660
11/09/09	522.76	12.30	510.46	0.00	0.00	2,800	1	2 <sup>3</sup>	30	30
02/22/10	522.76	11.52	511.24	0.00	0.00	3,600	9	2	61	10
<b>05/24/10</b>	<b>522.76</b>	<b>11.82</b>	<b>510.94</b>	<b>0.00</b>	<b>0.00</b>	<b>3,000</b>	<b>12</b>	<b>3</b>	<b>110</b>	<b>22</b>
<b>MW-11</b>										
07/23/09 <sup>1</sup>	523.25	13.05	510.20	0.00	0.00	5,400	25	28	62	66
11/09/09	523.25	12.73	510.52	0.00	0.00	1,100	3	0.6 <sup>3</sup>	2	2
02/22/10	523.25	11.96	511.29	0.00	0.00	1,400	2	<0.5	5	0.9
<b>05/24/10</b>	<b>523.25</b>	<b>12.27</b>	<b>510.98</b>	<b>0.00</b>	<b>0.00</b>	<b>1,700</b>	<b>1</b>	<b>&lt;0.5</b>	<b>10</b>	<b>0.6</b>
<b>MW-12</b>										
07/23/09 <sup>1</sup>	523.42	13.03	510.41**	0.02	5.01 <sup>2</sup>	48,000	340	3,100	1,300	7,600
11/09/09	523.42	12.78	510.64	0.00	0.00	18,000	290	560	22	3,100
02/22/10	523.42	12.13	511.29	0.00	0.00	14,000	190	590	310	1,400
<b>05/24/10</b>	<b>523.42</b>	<b>12.38</b>	<b>511.04</b>	<b>0.00</b>	<b>0.00</b>	<b>17,000</b>	<b>150</b>	<b>530</b>	<b>320</b>	<b>1,400</b>
<b>MW-13</b>										
07/23/09 <sup>1</sup>	523.12	12.75	510.37	0.00	0.00	52,000	760	6,200	980	13,000
11/09/09	523.12	12.51	510.61	0.00	0.00	12,000	340	1,300	16	1,700
02/22/10	523.12	11.87	511.25	0.00	0.00	13,000	630	600	22	960
<b>05/24/10</b>	<b>523.12</b>	<b>12.10</b>	<b>511.02</b>	<b>0.00</b>	<b>0.00</b>	<b>15,000</b>	<b>950</b>	<b>670</b>	<b>130</b>	<b>790</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Texaco Service Station #211253  
930 Springtown Boulevard  
Livermore, California

<b>WELL ID/ DATE</b>	<b>TOC* (ft.)</b>	<b>DTW (ft.)</b>	<b>GWE (msl)</b>	<b>SPHT (ft.)</b>	<b>SPH REMOVED (gallons)</b>	<b>TPH-GRO (µg/L)</b>	<b>B (µg/L)</b>	<b>T (µg/L)</b>	<b>E (µg/L)</b>	<b>X (µg/L)</b>
<b>MW-14</b>										
07/23/09 <sup>1</sup>	520.88	10.40	510.48	0.00	0.00	8,400	230	460	180	670
11/09/09	520.88	10.11	510.77	0.00	0.00	23,000	1,800	1,900	750	2,600
02/22/10	520.88	9.37	511.51	0.00	0.00	48,000	3,600	7,900	2,100	9,400
<b>05/24/10</b>	<b>520.88</b>	<b>9.88</b>	<b>511.25**</b>	<b>0.31</b>	<b>0.00</b>	<b>NOT SAMPLED DUE TO THE PRESENCE OF SPH</b>				<b>--</b>
<b>MW-15</b>										
07/23/09 <sup>1</sup>	520.87	10.33	510.54	0.00	0.00	2,500	6	17	16	320
11/09/09	520.87	10.18	510.69	0.00	0.00	20,000	110	590	370	4,900
02/22/10	520.87	9.48	511.39	0.00	0.00	66	<0.5	3	1	6
<b>05/24/10</b>	<b>520.87</b>	<b>9.83</b>	<b>511.04</b>	<b>0.00</b>	<b>0.00</b>	<b>70</b>	<b>1</b>	<b>8</b>	<b>1</b>	<b>8</b>
<b>MW-16</b>										
07/23/09 <sup>1</sup>	520.50	10.63	509.87	0.00	0.00	430	0.6	<0.5	<0.5	<0.5
11/09/09	520.50	10.31	510.19	0.00	0.00	180	<0.5	<0.5	<0.5	<0.5
02/22/10	520.50	9.63	510.87	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5
<b>05/24/10</b>	<b>520.50</b>	<b>9.88</b>	<b>510.62</b>	<b>0.00</b>	<b>0.00</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
<b>QA</b>										
07/23/09	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
11/09/09	--	--	--	--	--	<50	<0.5	1 <sup>4</sup>	<0.5	<0.5
02/22/10	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5
<b>05/24/10</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Former Texaco Service Station #211253  
930 Springtown Boulevard  
Livermore, California

---

---

**EXPLANATIONS:**

TOC = Top of Casing  
(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

SPHT = Separate Phase Hydrocarbon Thickness

(msl) = Mean Sea Level

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

(µg/L) = Micrograms per liter

\* TOC elevations were surveyed on July 22, 2009, by Morrow Surveying. Vertical datum is NAVD 88 from GPS Observations.

\*\* GWE has been corrected due to the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

**ANALYTICAL METHODS:**

TPH-GRO analyzed by EPA Method 8015

BTEX analyzed by EPA Method 8260

<sup>1</sup> Well development performed.

<sup>2</sup> Product + water removed.

<sup>3</sup> The Laboratory report indicates the result reported for toluene in this sample may be attributed to trace amounts of toluene recently found in HCl preserved vials from the manufacturer. The trip blank associated with this sample had a trace toluene detection of 1 ug/l. Please refer to the letter accompanying the lab report for further explanation.

<sup>4</sup> The Laboratory report indicates the result reported for toluene in this trip blank may be attributed to trace amounts of toluene recently found in HCl preserved vials from the manufacturer. Please refer to the letter accompanying the lab report for further explanation.