




GETTLER-RYAN INC.

TRANSMITTAL



TO: ~~Mr. Thomas Bauhs~~
 Delta Environmental Consultants, Inc.
 3164 Gold Camp Drive, Suite 200
 Rancho Cordova, California 95670

CC: Mr. Thomas Bauhs
 Chevron Products Company
 P.O. Box 6004
 San Ramon, California 94583

FROM: Deanna L. Harding
 Project Coordinator
 Gettler-Ryan Inc.
 6747 Sierra Court, Suite J
 Dublin, California 94568

RE: Chevron Service Station
 #9-0290
 1802 Webster Street
 Alameda, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	August 28, 2000	Groundwater Monitoring and Sampling Report Second Quarter Event of May 8, 2000

COMMENTS:

Enclosed are copies of the above referenced report for your review and distribution to the following:

Ms. Eva Chu, Alameda County Health Care Services, Department of Environmental Health, 1131 Harbor Bay Parkway, Alameda, CA 94502

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *September 12, 2000*, at which time the final report will be distributed to the following:

Mr. Greg Gurs, Gettler-Ryan Inc., 3164 Gold Camp Drive, Suite 240, Rancho Cordova, CA 95670
 Mr. Arnold Cherry, 10 Kelsey Court, Pleasant Hill, CA 94523
 Mr. Bill Scudder, Chevron Products Company, P.O. Box 6004, San Ramon, CA 94583 (w/o attachment)

Enclosures

trans/9-0290.tb



GETTLER-RYAN INC.

August 28, 2000
G-R Job #385280

Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Quarter Event of May 8, 2000
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Dear Mr. Bauhs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Deanna L. Harding
Project Coordinator

Stephen J. Carter
Stephen J. Carter
Senior Geologist, R.G. No. 5577





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM.

Gettler - Ryan Inc.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

FIGURE
1

PROJECT NUMBER 385280	REVIEWED BY	DATE May 8, 2000	REVISED DATE
---------------------------------	-------------	----------------------------	--------------

FILE NAME: F:\ENVIRO\CHEVRON\9-0290\000-9-0290.DWG | Layout Tab: P012

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH-Diesel	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
A-1															
09/20/91	8.13	0.48	9.23	1.58	--	--	--	--	--	--	--	--	--	--	--
10/09/91	8.13	1.46	6.67	0.00	--	--	--	--	--	--	--	--	--	--	--
10/17/91	8.13	1.43	7.28	0.58	--	--	--	--	--	--	--	--	--	--	--
10/23/91	8.13	1.36	7.42	0.65	--	--	--	--	--	--	--	--	--	--	--
11/01/91	8.13	1.49	7.14	0.50	--	--	--	--	--	--	--	--	--	--	--
11/07/91	8.13	1.50	7.14	0.51	--	--	--	--	--	--	--	--	--	--	--
11/15/91	8.13	1.47	7.19	0.53	--	--	--	--	--	--	--	--	--	--	--
11/21/91	8.13	1.28	7.28	0.54	--	--	--	--	--	--	--	--	--	--	--
12/12/91	8.13	1.29	7.33	0.49	--	--	--	--	--	--	--	--	--	--	--
12/30/91	8.13	1.73	6.76	0.36	--	--	--	--	--	--	--	--	--	--	--
01/13/92	8.13	2.21	6.29	0.37	--	--	--	--	--	--	--	--	--	--	--
01/22/92	8.13	2.15	6.43	0.45	--	--	--	--	--	--	--	--	--	--	--
02/12/92	8.13	2.21	6.30	0.38	--	--	--	--	--	--	--	--	--	--	--
03/09/92	8.13	3.14	5.30	0.31	--	--	--	--	--	--	--	--	--	--	--
04/10/92	8.13	2.83	5.37	0.07	--	--	--	--	--	--	--	--	--	--	--
05/18/92	8.13	2.39	6.14	0.40	--	--	--	--	--	--	--	--	--	--	--
01/06/93	8.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	8.13	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.56	6.19	5.85	0.60	--	--	--	--	--	--	--	--	--	--	--
06/11/93	11.56	--	--	--	2.000	2.000	--	--	--	--	--	--	--	--	--
06/15/93	11.56	--	--	--	0.130	2.130	--	--	--	--	--	--	--	--	--
06/18/93	11.56	--	--	--	0.130	2.260	--	--	--	--	--	--	--	--	--
06/22/93	11.56	--	--	--	0.500	2.760	--	--	--	--	--	--	--	--	--
06/29/93	11.56	--	--	--	--	2.760	--	--	--	--	--	--	--	--	--
07/09/93	11.56	--	--	--	--	2.760	--	--	--	--	--	--	--	--	--
07/15/93	11.56	--	--	--	--	2.760	--	--	--	--	--	--	--	--	--
07/19/93	11.56	5.54	6.23	0.26	2.000	4.760	--	--	--	--	--	--	--	--	--
07/20/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
07/27/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
08/06/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
08/10/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
08/16/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
A-1 (cont)															
09/16/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
09/24/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
10/01/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
10/07/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
10/13/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
10/19/93	11.56	--	--	0.10	--	4.760	--	--	--	--	--	--	--	--	--
10/20/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
10/28/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
11/12/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
11/19/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
11/30/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
12/10/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
12/16/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
12/23/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
12/29/93	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
01/03/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
01/17/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
01/26/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
02/07/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
02/11/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
02/18/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
02/25/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
03/04/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
03/11/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
03/16/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
03/25/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
04/01/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
08/18/94	11.56	--	--	--	--	4.760	--	--	--	--	--	--	--	--	--
11/30/94	11.56	--	--	--	--	2.000	6.760	--	--	--	--	--	--	--	--
02/15/95	11.56	--	4.79	--	--	6.760	--	--	--	--	--	--	--	--	--
05/01/95	11.56	--	--	--	--	6.760	--	--	--	--	--	--	--	--	--
08/04/95	11.56	--	--	--	--	6.760	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
A-1 (cont)															
11/29/95	11.56	5.24	6.38	0.08	0.026	6.786	--	--	--	--	--	--	--	--	--
02/08/96	11.56	7.03	4.57	0.05	--	6.790	--	--	--	--	--	--	--	--	--
05/08/96	11.56	6.29	5.49	0.28	--	6.790	--	--	--	--	--	--	--	--	--
08/23/96	11.56	5.31	6.43	0.22	--	6.790	--	--	--	--	--	--	--	--	--
12/12/96	11.56	6.37	5.53	0.42	0.053	6.843	--	--	--	--	--	--	--	--	--
02/10/97	11.56	7.25	4.45	0.17	0.079	6.922	--	--	--	--	--	--	--	--	--
05/01/97	11.56	6.11	5.51	0.08	0.053	6.975	--	--	--	--	--	--	--	--	--
08/05/97	11.56	5.68	5.96	0.10	0.066	7.041	--	--	--	--	--	--	--	--	--
10/28/97	11.56	5.56	6.05	0.06	0.026	7.067	--	--	--	--	--	--	--	--	--
02/04/98	11.56	8.39	3.20	0.04	0.026	7.093	--	--	--	--	--	--	--	--	--
06/03/98	11.56	7.02	4.56	0.03	0.021	7.114	--	--	--	--	--	--	--	--	--
07/29/98	11.56	7.15	4.44	0.04	0.040	7.154	--	--	--	--	--	--	--	--	--
11/30/98	11.56	6.23	5.61	0.35	0.012	7.166	--	--	--	--	--	--	--	--	--
02/24/99	11.56	7.63	4.41	0.60	0.066	7.232	--	--	--	--	--	--	--	--	--
05/06/99	11.56	6.89	4.67	--	--	7.232	--	9,500+	580	13.4	<2.0	4.68	58	165	--
08/30/99	11.56	5.52	6.04	--	--	7.232	--	22,000+	615	12	3.45	3.8	44	95.5	--
11/17/99	11.56	5.70	5.89	0.04	0.08	7.312	--	--	--	--	--	--	--	--	--
02/21/00	11.56	7.39	4.23	0.08	0.01	7.322	--	--	--	--	--	--	--	--	--
05/08/00	11.56	6.55*	5.10	0.11	--	--	--	Not Sampled due to the presence of SPHT					--	--	--

+ Chromatogram pattern indicates unidentified hydrocarbons.

* GWE has been corrected due to the presence of SPHT; correction factor = [(TOC - DTW) + (SPHT x 0.80)].

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH-Diesel	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
A-2															
09/20/91	8.00	0.27	7.73	0.00	--	--	--	5100	8100	860	14	110	53	--	--
10/09/91	8.00	1.39	6.61	0.00	--	--	--	--	--	--	--	--	--	--	--
10/17/91	8.00	1.34	6.66	0.00	--	--	--	--	--	--	--	--	--	--	--
10/23/91	8.00	1.29	6.80	0.09	--	--	--	--	--	--	--	--	--	--	--
11/01/91	8.00	1.45	6.63	0.15	--	--	--	--	--	--	--	--	--	--	--
11/07/91	8.00	1.45	6.64	0.21	--	--	--	--	--	--	--	--	--	--	--
11/15/91	8.00	1.38	6.81	0.19	--	--	--	--	--	--	--	--	--	--	--
11/21/91	8.00	1.31	6.93	0.24	--	--	--	--	--	--	--	--	--	--	--
12/12/91	8.00	1.24	6.97	0.15	--	--	--	--	--	--	--	--	--	--	--
12/30/91	8.00	1.70	6.54	0.24	--	--	--	--	--	--	--	--	--	--	--
01/13/92	8.00	2.16	5.92	0.08	--	--	--	--	--	--	--	--	--	--	--
01/22/92	8.00	2.00	6.01	0.10	--	--	--	--	--	--	--	--	--	--	--
02/12/92	8.00	2.20	6.06	0.26	--	--	--	--	--	--	--	--	--	--	--
03/09/92	8.00	3.11	4.93	0.04	--	--	--	--	--	--	--	--	--	--	--
04/10/92	8.00	2.80	5.20	<0.01	--	--	--	--	--	--	--	--	--	--	--
05/18/92	8.00	2.36	5.66	0.02	--	--	--	--	--	--	--	--	--	--	--
01/06/93	8.00	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	8.00	3.20	4.98	0.22	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.46	6.24	5.36	0.18	--	--	--	--	--	--	--	--	--	--	--
06/11/93	11.46	--	--	--	0.13	1.000	--	--	--	--	--	--	--	--	--
06/15/93	11.46	--	--	--	0.13	1.130	--	--	--	--	--	--	--	--	--
06/18/93	11.46	--	--	--	0.26	1.390	--	--	--	--	--	--	--	--	--
06/22/93	11.46	--	--	--	0.50	1.890	--	--	--	--	--	--	--	--	--
06/29/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
07/09/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
07/15/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
07/19/93	11.46	5.53	6.79	1.07	--	1.890	--	--	--	--	--	--	--	--	--
07/20/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
07/27/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
08/06/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
08/10/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
08/16/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
A-2 (cont)															
09/16/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
09/24/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
10/01/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
10/07/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
10/13/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
10/19/93	11.46	6.23	6.36	1.41	--	1.890	--	--	--	--	--	--	--	--	--
10/20/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
10/28/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
11/12/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
11/19/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
11/30/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
12/10/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
12/16/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
12/23/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
12/29/93	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
01/03/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
01/17/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
01/26/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
02/07/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
02/11/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
02/18/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
02/25/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
03/04/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
03/11/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
03/16/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
03/25/94	11.46	--	--	--	--	1.890	--	--	--	--	--	--	--	--	--
04/01/94	11.46	--	--	--	--	1.890	Destroyed	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-1															
04/23/93	12.12	6.19	5.93	--	--	--	--	8300	13,000	4900	22	250	47	--	--
07/19/93	12.12	5.46	6.66	--	--	--	--	1600	3300	1200	16	24	<30	--	--
10/19/93	12.12	5.04	7.08	--	--	--	--	550	2300	730	18	14	31	--	--
01/17/94	12.12	5.39	6.73	--	--	--	--	<50	22,000	6500	170	210	430	--	--
08/18/94	12.12	5.27	6.85	--	--	--	Inaccessible	--	--	--	--	--	--	--	--
11/30/94	12.12	6.11	6.01	--	--	--	--	3200**	1500	250	17	7.5	19	--	<5.0*
02/15/95	12.12	6.75	5.37	--	--	--	--	1300**	1000	160	<2.0	4.6	2.6	--	--
05/01/95	12.12	7.00	5.12	--	--	--	--	2600***	140	20	0.52	2.0	0.67	--	--
08/04/95	12.12	6.62	5.50	--	--	--	--	4900***	6700	1400	<20	<20	<20	--	--
11/29/95	12.12	6.27	5.85	--	--	--	--	5000***	9200	2200	<25	<25	25	8300	--
02/08/96	12.12	8.12	4.00	--	--	--	--	1300***	1500	190	<5.0	<5.0	<5.0	2300	--
05/08/96	12.12	7.32	4.80	--	--	--	--	2900***	3700	650	<10	24	16	2300	--
08/23/96	12.12	6.58	5.54	--	--	--	--	2600	3200	500	<20	<20	<20	4900	--
12/12/96	12.12	7.22	4.90	--	--	--	--	3400+	2500	380	<25	<25	25	8600	--
02/10/97	12.12	7.53	4.59	--	--	--	--	2100***	2200	270	11	8.8	13	3400	--
05/01/97	12.12	6.46	5.66	--	--	--	--	1300***	1200	70	5.8	<5.0	7.2	2000	--
08/05/97	12.12	5.68	6.44	--	--	--	--	1500***	<1000	86	<10	<10	<10	3800	--
10/28/97	12.12	5.69	6.43	--	--	--	--	2000***	1400	73	6.5	6.8	9.0	2900	--
02/04/98	12.12	9.11	3.01	--	--	--	--	1200***	1500	4.5	1.7	<0.5	2.2	1900	--
02/12/98	12.12	8.33	3.79	--	--	--	--	--	--	--	--	--	--	--	--
06/03/98	12.12	7.23	4.89	--	--	--	--	970***	<50	<0.5	<0.5	<0.5	<0.5	1400	--
07/29/98	12.12	6.37	5.75	--	--	--	--	1100***	850	27	<0.5	4.0	2.9	770	--
07/29/98	12.12	6.37	5.75	--	--	--	Confirmation run	--	--	--	--	--	--	1200	--
11/30/98	12.12	6.44	5.68	--	--	--	--	1490	543	<5.0	<5.0	<5.0	<5.0	2220	--

* Analytical values are in parts per million (ppm).

** Chromatogram pattern indicates a non-diesel mix.

*** Chromatogram pattern indicates an unidentified hydrocarbon.

+ Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.

+++ Hydrocarbon pattern appears to be weathered.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-1 (cont)															
02/24/99	12.12	7.83	4.29	--	--	--	--	1400***	390	1.6	0.57	2.8	2.5	2600	--
05/06/99	12.12	7.11	5.01	--	--	--	--	340***	239	4.02	<0.5	3.87	1.97	197	--
08/30/99	12.12	5.91	6.21	--	--	--	--	1570+++	739	22.4	3.45	5.62	3.27	1110	--
11/17/99	12.12	5.98	6.14	--	--	--	--	1730	907	66.4	3.82	4.39	4.75	2480	--
02/21/00	12.12	7.53	4.59	--	--	--	--	1000***	679	10.5	<1.0	3.84	3.21	2330	--
05/08/00	12.12	6.66	5.46	0.00	--	--	--	870 ^d	1,000 ^l	<5.0	<5.0	<5.0	<5.0	660	--
B-3															
09/20/91	8.01	1.08	6.94	0.01	--	--	--	--	--	--	--	--	--	--	--
10/09/91	8.01	1.66	6.35	--	--	--	--	--	--	--	--	--	--	--	--
10/17/91	8.01	1.57	6.44	--	--	--	--	--	--	--	--	--	--	--	--
10/23/91	8.01	1.53	6.84	--	--	--	--	--	--	--	--	--	--	--	--
11/01/91	8.01	1.70	6.31	--	--	--	--	--	--	--	--	--	--	--	--
11/07/91	8.01	1.69	6.32	--	--	--	--	--	--	--	--	--	--	--	--
11/15/91	8.01	1.62	6.39	--	--	--	--	--	--	--	--	--	--	--	--
11/21/91	8.01	1.57	6.44	--	--	--	--	--	--	--	--	--	--	--	--
12/12/91	8.01	1.19	6.82	<0.01	--	--	--	--	--	--	--	--	--	--	--
12/30/91	8.01	1.64	6.37	--	--	--	--	--	--	--	--	--	--	--	--
01/13/92	8.01	2.07	5.94	--	--	--	--	--	--	--	--	--	--	--	--
01/22/92	8.01	2.02	5.99	--	--	--	--	--	--	--	--	--	--	--	--
02/12/92	8.01	2.19	5.82	<0.01	--	--	--	--	--	--	--	--	--	--	--
03/09/92	8.01	2.91	5.10	--	--	--	--	--	--	--	--	--	--	--	--
04/10/92	8.01	2.65	5.36	--	--	--	--	--	--	--	--	--	--	--	--
05/18/92	8.01	2.29	5.72	--	--	--	--	250	6200	550	58	13	51	--	<5000

* Analytical values are in parts per million (ppm).

** Chromatogram pattern indicates a non-diesel mix.

*** Chromatogram pattern indicates an unidentified hydrocarbon.

+ Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.

+++ Hydrocarbon pattern appears to be weathered.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-3 (cont)															
01/06/93	8.01	2.51	5.50	--	--	--	Sheen	10,000	5400	490	54	51	82	--	--
02/03/93	8.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.42	6.10	5.32	--	--	--	--	6400	18,000	540	69	47	120	--	--
07/29/93	11.42	5.48	5.94	--	--	--	--	4000	40,000	780	69	49	150	--	--
10/19/93	11.42	5.10	6.32	--	--	--	--	1500	20,000	520	37	43	100	--	--
01/17/94	11.42	4.47	6.95	--	--	--	Destroyed	<50	3900	430	32	29	82	--	--
B-4															
09/20/91	8.04	1.22	6.82	0.01	--	--	--	1400	19,000	710	160	650	2000	--	--
10/09/91	8.04	1.41	6.63	--	--	--	--	--	--	--	--	--	--	--	--
10/17/91	8.04	1.20	6.84	--	--	--	--	--	--	--	--	--	--	--	--
10/23/91	8.04	1.17	6.87	--	--	--	--	--	--	--	--	--	--	--	--
11/01/91	8.04	1.34	6.70	--	--	--	--	--	--	--	--	--	--	--	--
11/07/91	8.04	1.31	6.73	--	--	--	--	--	--	--	--	--	--	--	--
11/15/91	8.04	1.21	6.83	--	--	--	--	--	--	--	--	--	--	--	--
11/21/91	8.04	1.20	6.84	--	--	--	--	--	--	--	--	--	--	--	--
12/12/91	8.04	1.17	6.87	<0.01	--	--	--	--	--	--	--	--	--	--	--
12/30/91	8.04	1.58	6.46	--	--	--	--	--	--	--	--	--	--	--	--
01/13/92	8.04	2.13	5.91	--	--	--	--	--	--	--	--	--	--	--	--
01/22/92	8.04	2.09	5.95	--	--	--	--	--	--	--	--	--	--	--	--
02/12/92	8.04	2.26	5.78	<0.01	--	--	--	860	15,000	920	75	520	940	--	--
03/09/92	8.04	2.95	5.09	--	--	--	--	--	--	--	--	--	--	--	--
04/10/92	8.04	2.65	5.39	--	--	--	--	--	--	--	--	--	--	--	--
05/18/92	8.04	2.45	5.59	--	--	--	--	<50	19,000	2000	97	560	1200	--	<5000
01/06/93	8.04	2.54	5.50	--	--	--	Sheen	2700	19,000	2000	89	490	740	--	--
02/03/93	8.04	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.46	6.07	5.39	--	--	--	--	2300	5700	2400	75	380	580	--	--
07/19/93	11.46	5.33	6.13	--	--	--	--	2400	19,000	2400	140	440	620	--	--
10/19/93	11.46	4.95	6.51	--	--	--	--	2100	13,000	1200	84	290	530	--	--
01/17/94	11.46	5.28	6.18	--	--	--	Destroyed	<50	11,000	1900	63	170	290	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH-Diesel	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
B-5															
09/20/91	7.73	2.20	5.53	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/09/91	7.73	2.42	5.31	--	--	--	--	--	--	--	--	--	--	--	--
10/17/91	7.73	2.09	5.64	--	--	--	--	--	--	--	--	--	--	--	--
10/23/91	7.73	2.05	5.68	--	--	--	--	--	--	--	--	--	--	--	--
11/01/91	7.73	2.24	5.49	--	--	--	--	--	--	--	--	--	--	--	--
11/07/91	7.73	2.19	5.54	--	--	--	--	--	--	--	--	--	--	--	--
11/15/91	7.73	2.10	5.63	--	--	--	--	--	--	--	--	--	--	--	--
11/21/91	7.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/12/91	7.73	2.05	5.68	--	--	--	--	--	--	--	--	--	--	--	--
12/30/91	7.73	2.54	5.19	--	--	--	--	--	--	--	--	--	--	--	--
01/13/92	7.73	3.07	4.65	--	--	--	--	--	--	--	--	--	--	--	--
01/22/92	7.73	3.03	4.70	--	--	--	--	--	--	--	--	--	--	--	--
02/12/92	7.73	3.38	4.45	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/09/92	7.73	3.68	4.05	--	--	--	--	--	--	--	--	--	--	--	--
04/10/92	7.73	3.30	4.43	--	--	--	--	--	--	--	--	--	--	--	--
05/18/92	7.73	3.94	3.79	--	--	--	--	--	390	39	1.9	11	24	--	<5000
01/06/93	7.73	3.39	4.44	--	--	--	Sheen	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/03/93	7.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	10.18	5.86	4.32	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/19/93	10.18	5.15	5.03	--	--	--	--	<50	54	<0.5	0.7	<0.5	<1.5	--	--
10/19/93	10.18	5.08	5.10	--	--	--	--	<50	<50	2.0	4.1	0.6	3.5	--	--
01/07/94	10.18	5.32	4.86	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	10.18	5.04	5.14	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	10.18	5.73	4.45	--	--	--	--	140*	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	10.18	6.03	4.15	--	--	--	--	170*	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	10.18	5.75	4.43	--	--	--	--	190**	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	10.18	5.22	4.96	--	--	--	--	250**	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/95	10.18	4.97	5.21	--	--	--	--	330**	140	1.5	<0.5	1.1	<0.5	800	--
02/08/96	10.18	6.38	3.80	--	--	--	--	250**	<200	2.1	<2.0	<2.0	<2.0	1100	--

* Chromatogram pattern indicates a non-diesel mix.

** Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-5 (cont)															
05/08/96	10.18	5.78	4.40	--	--	--	--	350**	<500	<5.0	<5.0	<5.0	<5.0	1400	--
08/23/96	10.18	5.19	4.99	--	--	--	--	990	250	6.4	2.1	2.1	4.3	9300	--
12/12/96	10.18	5.90	4.28	--	--	--	--	430**	<1000	<10	<10	<10	<10	6700	--
02/10/97	10.18	6.55	3.63	--	--	--	--	340**	<500	<5.0	<5.0	<5.0	<5.0	930	--
05/01/97	10.18	5.87	4.31	--	--	--	--	290**	<500	<5.0	<5.0	<5.0	<5.0	1900	--
08/05/97	10.18	5.29	4.89	--	--	--	--	710**	<1000	<10	<10	<10	<10	6800	--
10/28/97	10.18	5.18	5.00	--	--	--	--	880**	<500	<5.0	<5.0	<5.0	<5.0	7000	--
02/04/98	10.18	7.65	2.53	--	--	--	--	290**	<50	0.51	<0.5	<0.5	<0.5	2100	--
06/03/98	10.18	6.33	3.85	--	--	--	--	630**	220	2.0	15	2.8	20	450	--
07/29/98	10.18	5.63	4.55	--	--	--	--	1100**	<50	1.6	<0.5	<0.5	1.6	4600	--
07/29/98	10.18	5.63	4.55	--	--	--	Confirmation run	--	--	--	--	--	--	6200	--
11/30/98	10.18	5.81	4.37	--	--	--	--	371	<50	<0.5	1.91	<0.5	1.09	202	--
02/24/99	10.18	6.79	3.39	--	--	--	--	512**	<50	<0.5	<0.5	0.69	3.1	25	--
05/06/99	10.18	6.16	4.02	--	--	--	--	790**	<50	2.27	<0.5	<0.5	<0.5	3090	--
08/30/99	10.18	5.02	5.16	--	--	--	--	1890***	<250	4.25	<2.5	<2.5	<2.5	10,400	--
11/17/99	10.18	5.28	4.90	--	--	--	--	1180**	101	4.95	<0.5	<0.5	<0.5	8510	--
02/21/00	10.18	6.67	3.51	--	--	--	--	240**	<100	<1.0	<1.0	<1.0	<1.0	555	--
05/08/00	10.18	5.88	4.30	0.00	--	--	--	1,200 ^s	<50	<0.50	<0.50	<0.50	1.4	270	--

** Chromatogram pattern indicates an unidentified hydrocarbon.

*** Hydrocarbon pattern in sample appears to be weathered.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
B-6															
09/20/91	8.55	1.70	6.85	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/09/91	8.55	1.72	6.83	--	--	--	--	--	--	--	--	--	--	--	--
10/17/91	8.55	1.65	6.90	--	--	--	--	--	--	--	--	--	--	--	--
10/23/91	8.55	1.62	6.93	--	--	--	--	--	--	--	--	--	--	--	--
11/01/91	8.55	1.77	6.78	--	--	--	--	--	--	--	--	--	--	--	--
11/07/91	8.55	1.74	6.81	--	--	--	--	--	--	--	--	--	--	--	--
11/15/91	8.55	1.67	6.88	--	--	--	--	--	--	--	--	--	--	--	--
11/21/91	8.55	1.60	6.95	--	--	--	--	--	--	--	--	--	--	--	--
12/12/91	8.55	1.41	7.14	--	--	--	--	--	--	--	--	--	--	--	--
12/30/91	8.55	2.05	6.50	--	--	--	--	--	--	--	--	--	--	--	--
01/13/92	8.55	2.36	6.19	--	--	--	--	--	--	--	--	--	--	--	--
01/22/92	8.55	2.28	6.27	--	--	--	--	--	--	--	--	--	--	--	--
02/12/92	8.55	2.43	6.12	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/09/92	8.55	3.27	5.28	--	--	--	--	--	--	--	--	--	--	--	--
04/10/92	8.55	3.07	5.48	--	--	--	--	--	--	--	--	--	--	--	--
05/18/92	8.55	2.65	5.90	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<5000
01/06/93	8.55	2.76	5.79	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/03/93	8.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.97	6.70	5.27	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/19/93	11.97	5.06	6.91	--	--	--	--	<50	74	<0.5	<0.5	<0.5	<1.5	--	--
10/19/93	11.97	5.49	6.48	--	--	--	--	<50	<50	<0.5	0.5	<0.5	2.2	--	--
01/07/94	11.97	5.79	6.18	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	11.97	5.77	6.20	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	11.97	6.52	5.45	--	--	--	--	230*	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	11.97	7.27	4.70	--	--	--	--	130*	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	11.97	6.94	5.03	--	--	--	--	97**	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	11.97	6.15	5.82	--	--	--	--	350**	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/95	11.97	5.97	6.00	--	--	--	--	200**	--	--	--	--	--	--	--
02/08/96	11.97	7.27	4.70	--	--	--	--	210**	--	--	--	--	--	--	--

* Chromatogram pattern indicates a non-diesel mix.

** Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-6 (cont)															
05/08/96	11.97	6.74	5.23	--	--	--	--	250**	--	--	--	--	--	--	--
08/23/96	11.97	5.92	6.05	--	--	--	--	310**	--	--	--	--	--	--	--
12/12/96	11.97	6.65	5.32	--	--	--	--	300**	--	--	--	--	--	--	--
02/10/97	11.97	7.60	4.37	--	--	--	--	130**	--	--	--	--	--	360	--
05/01/97	11.97	6.74	5.23	--	--	--	--	260**	--	--	--	--	--	2200	--
08/05/97	11.97	6.22	5.75	--	--	--	--	260**	--	--	--	--	--	1800	--
10/28/97	11.97	5.89	6.08	--	--	--	--	340**	--	--	--	--	--	1900	--
02/04/98	11.97	9.26	2.71	--	--	--	--	280**	--	--	--	--	--	1400	--
06/03/98	11.97	7.49	4.48	--	--	--	--	130**	--	--	--	--	--	1200	--
07/29/98	11.97	6.69	5.28	--	--	--	--	340**	--	--	--	--	--	2700	--
07/29/98	11.97	6.69	5.28	--	--	--	Confirmation run	--	--	--	--	--	--	3000	--
11/30/98	11.97	6.48	5.49	--	--	--	--	2740	655	<5.0	<5.0	<5.0	<5.0	2160	--
02/24/99	11.97	7.79	4.18	--	--	--	--	225**	--	--	--	--	--	1500	--
05/06/99	11.97	6.29	5.68	--	--	--	--	71**	--	--	--	--	--	1010	--
08/30/99	11.97	6.06	5.91	--	--	--	--	356**	--	--	--	--	--	4520	--
11/17/99	11.97	6.01	5.96	--	--	--	--	1960**	--	--	--	--	--	5160	--
02/21/00	11.97	7.51	4.46	--	--	--	--	180**	--	--	--	--	--	6920	--
05/08/00	11.97	6.92	5.05	0.00	--	--	--	420 ^d	--	--	--	--	--	6,800	--

** Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
B-7															
04/23/93	10.54	6.02	4.52	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	<50
07/19/93	10.54	5.50	5.04	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	<50
10/19/93	10.54	5.14	5.40	--	--	--	--	<50	<50	3.1	0.5	<0.5	0.8	--	--
01/07/94	10.54	5.35	5.19	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	10.54	5.28	5.26	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	1.1	--	--
11/30/94	10.54	5.96	4.58	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	10.54	6.32	4.22	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	10.54	6.04	4.50	--	--	--	--	53**	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	10.54	5.56	4.98	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/12/98	10.54	7.49	3.05	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/03/98	10.54	6.59	3.95	--	--	--	Sampled biannually	--	--	--	--	--	--	--	--
07/29/98	10.54	5.99	4.55	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/30/98	10.54	5.56	4.98	--	--	--	--	--	--	--	--	--	--	--	--
02/24/99	10.54	7.24	3.30	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/06/99	10.54	4.79	5.75	--	--	--	--	--	--	--	--	--	--	--	--
08/30/99	10.54	5.25	5.29	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/17/99	10.54	4.81	5.73	--	--	--	--	--	--	--	--	--	--	--	--
02/21/00	10.54	6.54	4.00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/08/00	10.54	6.14	4.40	0.00	--	--	--	--	--	--	--	--	--	--	--
B-8															
04/23/93	11.99	6.63	5.36	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	<50
07/19/93	11.99	5.77	6.22	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	<50
10/19/93	11.99	--	--	--	--	--	Dry	--	--	--	--	--	--	--	--
01/07/94	11.99	5.69	6.30	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	11.99	5.56	6.43	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	11.99	6.53	5.46	--	--	--	--	120*	<50	<0.5	<0.5	<0.5	<0.5	--	--

* Chromatogram pattern indicates a non-diesel mix.

** Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-8 (cont)															
02/15/95	11.99	7.27	4.72	--	--	--	--	120*	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	11.99	6.99	5.00	--	--	--	--	51**	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	11.99	6.07	5.92	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/98	11.99	6.45	5.54	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED															
B-9															
04/23/93	10.70	6.14	4.56	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	<50
07/19/93	10.70	5.25	5.45	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	<50
10/19/93	10.70	4.81	5.89	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/07/94	10.70	5.29	5.41	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	10.70	5.15	5.55	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	10.70	6.35	4.35	--	--	--	--	60*	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	10.70	7.05	3.65	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	10.70	6.41	4.29	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	10.70	5.50	5.20	--	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
NOT MONITORED/SAMPLED															
B-10															
11/29/95	11.42	4.91	6.51	--	--	--	--	900*	1700	95	<2.5	69	170	22	--
02/08/96	11.42	6.87	4.55	--	--	--	--	650*	230	31	<0.5	7.2	6.2	10	--
05/08/96	11.42	5.87	5.55	--	--	--	--	570*	260	61	0.59	37	23	20	--
08/23/96	11.42	5.23	6.19	--	--	--	--	700*	320	34	<0.5	29	15	8.3	--
12/12/96	11.42	5.59	5.83	--	--	--	--	990*	1600	94	<2.5	110	27	<12	--

* Chromatogram pattern indicates a non-diesel mix.

** Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-10 (cont)															
02/10/97	11.42	6.84	4.58	--	--	--	--	530*	2100	230	5.6	130	83	<12	--
05/01/97	11.42	5.85	5.57	--	--	--	--	770*	2300	110	<2.5	140	49	<12	--
08/05/97	11.42	5.12	6.30	--	--	--	--	620*	650	33	1.1	70	16	3.2	--
10/28/97	11.42	5.24	6.18	--	--	--	--	310*	740	25	1.6	53	14	6.7	--
02/04/98	11.42	8.53	2.89	--	--	--	--	250*	950	23	4.5	<0.5	1.9	<2.5	--
06/03/98	11.42	6.62	4.80	--	--	--	--	490*	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	11.42	5.77	5.65	--	--	--	--	390*	290	3.9	<0.5	8.5	1.4	<2.5	--
11/30/98	11.42	5.80	5.62	--	--	--	--	437	<50	<0.5	<0.5	<0.5	<0.5	7.11	--
02/24/99	11.42	7.19	4.23	--	--	--	--	259*	160	35	0.55	0.64	0.64	9.2	--
05/06/99	11.42	6.31	5.11	--	--	--	--	190*	490	7.05	1.02	8.24	2.18	<5.0	--
08/30/99	11.42	5.06	6.36	--	--	--	--	330*	205	1.79	0.808	5.55	2.16	3.93	--
11/17/99	11.42	5.48	5.94	--	--	--	--	2180*	108	1.2	<0.5	1.2	<0.5	<2.5	--
02/21/00	11.42	7.07	4.35	--	--	--	--	360*	587	17.6	2.92	10.1	4.61	5.08	--
05/08/00	11.42	5.99	5.43	0.00	--	--	--	320 ⁴	380 ²	5.4	2.6	3.2	6.3	9.1	--

* Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
B-11															
11/29/95	11.98	6.08	5.90	--	--	--	--	1400*	2800	38	<10	26	48	21,000	--
02/08/96	11.98	7.54	4.44	--	--	--	--	1100*	<5000	<50	<50	<50	<50	38,000	--
05/08/96	11.98	6.98	5.00	--	--	--	--	1300*	4100	110	<10	31	25	17,000	--
08/23/96	11.98	6.37	5.61	--	--	--	--	820*	3400	160	12	41	13	4000	--
12/12/96	11.98	6.85	5.13	--	--	--	--	1300*	3700	120	12	<5.0	30	2200	--
02/10/97	11.98	7.91	4.07	--	--	--	--	810*	2300	56	17	<5.0	20	4700	--
05/01/97	11.98	6.95	5.03	--	--	--	--	820*	<5000	<50	<50	<50	<50	21,000	--
08/05/97	11.98	6.38	5.60	--	--	--	--	900*	3500	42	<10	<10	<10	4100	--
10/28/97	11.98	6.30	5.68	--	--	--	--	1300*	3000	39	6.2	8.0	13	2300	--
02/04/98	11.98	9.39	2.59	--	--	--	--	930*	1300	3.2	1.4	<0.5	5.0	46,000	--
06/03/98	11.98	7.53	4.45	--	--	--	--	740*	860	3.7	1.4	0.84	3.0	34,000	--
07/29/98	11.98	6.80	5.18	--	--	--	--	1400*	1300	6.9	2.5	3.8	2.0	50,000	--
07/29/98	11.98	6.80	5.18	--	--	--	Confirmation run	--	--	--	--	--	--	41,000	--
11/30/98	11.98	6.91	5.07	--	--	--	--	1020	<1000	<10	<10	<10	<10	5370	--
02/24/99	11.98	7.79	4.19	--	--	--	--	2290*	690	4.7	<0.5	2.7	3.1	67,000	--
05/06/99	11.98	7.43	4.55	--	--	--	--	580*	423	4.66	0.662	<0.5	1.38	20,600	--
08/30/99	11.98	6.18	5.80	--	--	--	--	1120*	1220	31	8.6	<5.0	14	10,900	--
11/17/99	11.98	6.41	5.57	--	--	--	--	1160*	2800	36.6	10.6	8.41	11.6	12,000	--
02/21/00	11.98	7.77	4.21	--	--	--	--	730*	1570	12.3	2.71	3.33	12.9	2980	--
05/08/00	11.98	7.04	4.94	0.00	--	--	--	220 ⁶	<500	<5.0	<5.0	<5.0	<5.0	8,500	--

* Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

Analytical results are in parts per billion (ppb)

Vertical Measurements are in feet.

DATE	TOC	GWE	DTW	SPHT	SPH Removed	Total SPH Removed	Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
B-12															
11/29/95	11.16	5.15	6.01	--	--	--	--	1800*	1100	10	<10	<10	<10	37,000	--
02/08/96	11.16	6.56	4.60	--	--	--	--	1800*	<20,000	<200	<200	<200	<200	88,000	--
05/08/96	11.16	6.08	5.08	--	--	--	--	1800*	<25,000	<250	<250	<250	<250	88,000	--
08/23/96	11.16	5.51	5.65	--	--	--	--	1500*	630	16	<5.0	<5.0	<5.0	420	--
12/12/96	11.16	6.05	5.11	--	--	--	--	1200*	<25,000	<250	<250	<250	<250	54,000	--
02/10/97	11.16	7.05	4.11	--	--	--	--	1200*	<20,000	<200	<200	<200	<200	65,000	--
02/10/97	11.16	7.05	4.11	--	--	--	EPA 8240	--	--	<500	<500	<500	<500	--	--
05/01/97	11.16	6.17	4.99	--	--	--	--	1100*	<12,500	<125	<125	<125	<125	64,000	--
08/05/97	11.16	5.55	5.61	--	--	--	--	1100*	<10,000	<100	<100	<100	<100	46,000	--
10/28/97	11.16	5.40	5.76	--	--	--	--	1100*	1400	39	<5.0	7.2	6.0	29,000	--
02/04/98	11.16	8.53	2.63	--	--	--	--	4800*	920	6.9	1.1	<0.5	2.8	59,000	--
06/03/98	11.16	6.71	4.45	--	--	--	--	2000*	590	9.4	<0.5	0.93	<0.5	15,000	--
07/29/98	11.16	5.91	5.25	--	--	--	--	2200*	820	5.6	2.0	3.3	1.2	28,000	--
07/29/98	11.16	5.91	5.25	--	--	--	Confirmation run	--	--	--	--	--	--	33,000	--
11/30/98	11.16	6.03	5.13	--	--	--	--	1060	2110	<10	<10	<10	<10	5330	--
02/24/99	11.16	7.16	4.00	--	--	--	--	2680*	410	0.64	<0.5	2.2	2.3	15,000	--
05/06/99	11.16	6.71	4.45	--	--	--	--	3550*	<500	<5.0	<5.0	<5.0	<5.0	1370	<1000
08/30/99	11.16	5.32	5.84	--	--	--	--	1310*	985	12.5	6.0	9.5	10.8	6600	--
11/17/99	11.16	5.73	5.43	--	--	--	--	1060*	1700	14.4	5.99	5.98	<5.0	14,200	--
02/21/00	11.16	6.85	4.31	--	--	--	--	430*	595	3.49	<0.5	<0.5	4.26	5100	--
05/08/00	11.16	6.21	4.95	0.00	--	--	--	340 ⁶	<500	<5.0	<5.0	<5.0	<5.0	2,100	--

* Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
B-13															
11/29/95	11.17	5.26	5.91	--	--	--	--	3400*	1800	19	<5.0	5.5	<5.0	7400	--
02/08/96	11.17	6.72	4.45	--	--	--	--	450*	910	12	1.3	2.0	1.9	77	--
05/08/96	11.17	6.20	4.97	--	--	--	--	560*	140	1.9	<0.5	0.88	2.0	98	--
08/23/96	11.17	5.54	5.63	--	--	--	--	1300*	1300	<10	<10	<10	<10	450	--
12/12/96	11.17	5.91	5.26	--	--	--	--	1300*	2600	29	5.4	9.40	6.3	230	--
02/10/97	11.17	7.05	4.12	--	--	--	--	290*	670	<0.5	6.7	2.6	5.6	28	--
05/01/97	11.17	6.17	5.00	--	--	--	--	480*	920	8.5	4.6	2.1	6.1	530	--
08/05/97	11.17	5.52	5.65	--	--	--	--	1300*	1900	23	<5.0	<5.0	<5.0	860	--
10/28/97	11.17	5.49	5.68	--	--	--	--	2200*	2400	33	14	8.4	10	2100	--
02/04/98	11.17	8.48	2.69	--	--	--	--	260*	110	<0.5	<0.5	<0.5	<0.5	260	--
06/03/98	11.17	6.79	4.38	--	--	--	--	480*	<50	<0.5	<0.5	<0.5	<0.5	400	--
07/29/98	11.17	6.12	5.05	--	--	--	--	830*	350	5.0	<0.5	0.67	1.2	730	--
07/29/98	11.17	6.12	5.05	--	--	--	Confirmation run	--	--	--	--	--	--	980	--
11/30/98	11.17	6.16	5.01	--	--	--	--	741	168	0.797	<0.5	<0.5	<0.5	114	--
02/24/99	11.17	7.14	4.03	--	--	--	--	670*	69	<0.5	<0.5	<0.5	<0.5	530	--
05/06/99	11.17	6.72	4.45	--	--	--	--	540*	<500	<5.0	<5.0	<5.0	<5.0	454	--
08/30/99	11.17	5.43	5.74	--	--	--	--	927*	748	13.7	<2.5	4.53	10.6	377	--
11/17/99	11.17	5.58	5.59	--	--	--	--	1310*	1240	24.6	8.96	<5.0	20.2	1900	--
02/21/00	11.17	6.93	4.24	--	--	--	--	200*	443	2.11	0.908	1.89	2.89	254	--
05/08/00	11.17	6.35	4.82	0.00	--	--	--	240 ⁴	190 ³	<0.50	0.68	1.7	1.1	190	--

* Chromatogram pattern indicates an unidentified hydrocarbon.

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	TOC	GWE	DTW	SPHT	Total		Notes	TPH- Diesel	TPH- Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes	MTBE	TOG
					SPH Removed	SPH Removed									
TRIP BLANK															
01/06/93	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/19/93	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/19/93	--	--	--	--	--	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--
01/17/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/95	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/08/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/08/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/23/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/12/96	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/10/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/01/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/05/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/28/97	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/12/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/03/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/30/98	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
02/24/99	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/06/99	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/30/99	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/17/99	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/21/00	--	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/08/00	--	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 8, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

DTW = Depth to Water

GWE = Groundwater Elevation

SPHT = Separate Phase Hydrocarbons Thickness

SPH = Separate Phase Hydrocarbons

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

-- = Not Measured/Not Analyzed

- ¹ Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons >C10.
- ² Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- ³ Laboratory report indicates gasoline C6-C12.
- ⁴ Laboratory report indicates unidentified hydrocarbons C9-C24.
- ⁵ Laboratory report indicates unidentified hydrocarbons >C16.
- ⁶ Laboratory report indicates unidentified hydrocarbons <C16.

Table 2
Groundwater Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Analytical values are in parts per billion (ppb)

DATE	Alkalinity	Ferrous Iron	Nitrate as Nitrate	Sulfate	EPA 8010B	EPA 8270B	Cadmium	Chromium	Lead	Nickel	Zinc	Motor Oil
A-1 08/30/99	--	--	--	--	--	--	--	--	--	--	--	68,400
B-1 07/29/98	930,000	2,000	13,000	280,000	--	--	--	--	--	--	--	--
B-5 07/29/98	280,000	1,100	<1,000	7,000	--	--	--	--	--	--	--	--
B-10 07/29/98	630,000	740	34,000	16,000	--	--	--	--	--	--	--	--
B-11 07/29/98	460,000	1,100	33,000	18,000	--	--	--	--	--	--	--	--
B-12 07/29/98	700,000	450	<1,000	27,000	--	--	--	--	--	--	--	--
05/06/99	--	--	--	--	<5.0-<10	<10-<50	<10	86.7	<75	143	185	--
B-13 07/29/98	290,000	240	5,600	17,000	--	--	--	--	--	--	--	--

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

-- = Not Measured/Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility# CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KEVORK

Well ID A-1 Well Condition: OK (BROKEN FLANGE)
 Well Diameter 6 in. Hydrocarbon Thickness: 0.11 (feet) Amount Bailed (Gallons)
 Total Depth 11.09 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 5.10 ft. Factor (VF) 6" = 1.50 12" = 5.80

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: N/A Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: N/A Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: _____ Weather Conditions: _____
 Sampling Time: N/A Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-</u>	<u>X VOA w/ HCL Litter Amber</u>	<u>Y</u>	<u>HCL None</u>	<u>SEQUOIA Seq.</u>	<u>TPH(GI)/bTEX/mTOS/TPAT</u>

COMMENTS: PRODUCT IN WELL (0.11' BLACK STICKY PRODUCT).

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility # CHEVRON # 9-0290 Job #: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KEVOAK

Well ID B-1 Well Condition: OK (LOOSE BOLTS)
 Well Diameter 2 in. Hydrocarbon Thickness: Ø Amount Bailed (product/water): Ø (Gallons)
 Total Depth 15.93 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 5.46 ft. Factor (VF) 6" = 1.50 12" = 5.80

10.47 x VF 0.17 = 1.7 X 3 (case volume) = Estimated Purge Volume: 5.1 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 13:42 Weather Conditions: PARTLY SUNNY
 Sampling Time: 13:58 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes: Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>13:45</u>	<u>2</u>	<u>6.85</u>	<u>1148</u>	<u>24.6</u>			
<u>13:49</u>	<u>4</u>	<u>6.82</u>	<u>1166</u>	<u>24.2</u>			
<u>13:51</u>	<u>5</u>	<u>6.78</u>	<u>1185</u>	<u>24.3</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-1</u>	<u>2x VOA w/ HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/benz/mtbe/TPND</u>
	<u>1 Linder Antbr</u>		<u>None</u>	<u>Seq.</u>	

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility # CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIK KEVORK

Well ID B-5 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: Ø (feet) Amount Bailed (product/water): Ø (Gallons)
 Total Depth 18.12 ft. Volume Factor (VF) 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 4.30 ft. 6" = 1.50 12" = 5.80

13.82 x VF 0.17 2.3 x 3 (case volume) = Estimated Purge Volume: 6.9 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 12:40 Weather Conditions: PARTLY SUNNY
 Sampling Time: 12:57 Water Color: _____ Odor: _____
 Purging Flow Rate: 3/4 gpm. Sediment Description: _____
 Did well de-water? NO If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ hos/cm	Temperature $^{\circ}$ C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>12:43</u>	<u>2.5</u>	<u>6.97</u>	<u>96</u>	<u>23.4</u>			
<u>12:46</u>	<u>5</u>	<u>6.88</u>	<u>105</u>	<u>23.2</u>			
<u>12:49</u>	<u>7</u>	<u>6.90</u>	<u>111</u>	<u>22.9</u>			

LABORATORY INFORMATION

SAMPLE ID	(N) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES	
					TPH(HI)/bTEX/mTOS	TPAD
<u>B-5</u>	<u>2x VOA w/ HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>		
	<u>1 Liter Amber</u>		<u>None</u>	<u>Seq.</u>		

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility # CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KEVORK

Well ID B-6 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: Ø Amount Bailed (product/water): Ø (Gallons)
 Total Depth 18.30 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 5.05 ft. Factor (VF) 6" = 1.50 12" = 5.80

13.25 x VF 0.17 = 2.2 x 3 (case volume) = Estimated Purge Volume: 6.6 (gal.)

Purge Equipment: Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: 14:42 Weather Conditions: PARTLY SUNNY
 Sampling Time: 15:03 Water Color: _____ Odor: _____
 Purging Flow Rate: 3/4 gpm. Sediment Description: _____
 Did well de-water? NO If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F / $^{\circ}$ C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>14:45</u>	<u>2</u>	<u>6.89</u>	<u>683</u>	<u>23.5</u>	_____	_____	_____
<u>14:48</u>	<u>4</u>	<u>6.80</u>	<u>712</u>	<u>23.3</u>	_____	_____	_____
<u>14:51</u>	<u>6</u>	<u>6.82</u>	<u>720</u>	<u>23.0</u>	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-6</u>	<u>2x VOA w/ HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/benz/mnba/TPAD</u>
	<u>1 Liter Amber</u>		<u>None</u>	<u>Seq.</u>	

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility# CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KEVOAK

Well ID B-1
 Well Diameter 2 in.
 Total Depth 13.47 ft.
 Depth to Water 4.40 ft.

Well Condition: OK (NO BOLTS - COVER LOOSE)

Hydrocarbon Thickness:	<input checked="" type="checkbox"/>	Amount Bailed (product/water):	<input checked="" type="checkbox"/>
Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: N/A
 Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: N/A
 Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: _____ Weather Conditions: _____
 Sampling Time: N/A Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(M) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES	
					TPH(GI)/BTEX/PAHs	TPH(T)
<u>B-</u>	<u>XVOA w/ HCL Liter Amber</u>	<u>Y</u>	<u>HCL None</u>	<u>SEQOIA Seq.</u>		

COMMENTS: MONITORED ONLY

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility# CHEVRON # 9-0290 Job#: 385200
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KEVORK

Well ID B-10 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: Ø Amount Bailed Ø (Gallons)
 Total Depth 16.03 ft. Volume Factor (VF) 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 5.43 ft. 6" = 1.50 12" = 5.80

10.60 x VF 0.17 = 1.8 X 3 (case volume) = Estimated Purge Volume: 5.4 (gal.)

Purge Equipment: Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: 11:40 Weather Conditions: PARTLY SUNNY
 Sampling Time: 11:55 Water Color: _____ Odor: _____
 Purging Flow Rate: 3.4 gpm. Sediment Description: _____
 Did well de-water? NO If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity µmhos/cm	Temperature °C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>11:43</u>	<u>2</u>	<u>6.94</u>	<u>926</u>	<u>25.7</u>			
<u>11:45</u>	<u>4</u>	<u>6.85</u>	<u>943</u>	<u>25.3</u>			
<u>11:47</u>	<u>5</u>	<u>6.80</u>	<u>952</u>	<u>25.6</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-10</u>	<u>2X 100 mL HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/btox/mtbe/TPAD</u>
	<u>1 Liter Amber</u>		<u>None</u>	<u>Seq.</u>	

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility # CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIK KEVORK

Well ID B-11 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: Ø (ft) Amount Bailed (Gallons) Ø
 Total Depth 14.21 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 4.94 ft. Factor (VF) 6" = 1.50 12" = 5.80

9.33 x VF 0.17 = 1.5 x 3 (case volume) = Estimated Purge Volume: 4.5 (gal.)

Purge Equipment: Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: 14:13 Weather Conditions: PARTLY SUNNY
 Sampling Time: 14:30 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity µmhos/cm	Temperature °C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>14:15</u>	<u>1.5</u>	<u>7.15</u>	<u>549</u>	<u>22.8</u>			
<u>14:18</u>	<u>3</u>	<u>7.11</u>	<u>532</u>	<u>22.5</u>			
<u>14:21</u>	<u>4.5</u>	<u>7.06</u>	<u>540</u>	<u>22.3</u>			

LABORATORY INFORMATION

SAMPLE ID	(M) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES	
					TPH(GI)/max/mcbe	(TPAD)
<u>B-11</u>	<u>2x VOA w/ HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>		
	<u>1 Liter Amber</u>		<u>None</u>	<u>Seq.</u>		

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility # CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KEVOBK

Well ID B-12 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: ∅ (feet) Amount Bailed ∅ (Gallons)
 Total Depth 15.08 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 4.95 ft. Factor (VF) 6" = 1.50 12" = 5.80

10.13 x VF 0.17 = 1.7 X 3 (case volume) = Estimated Purge Volume: 5.1 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 13:10 Weather Conditions: PARTLY SUNNY
 Sampling Time: 13:28 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>13:13</u>	<u>2</u>	<u>6.48</u>	<u>731</u>	<u>22.7</u>			
<u>13:16</u>	<u>4</u>	<u>6.58</u>	<u>752</u>	<u>22.3</u>			
<u>13:18</u>	<u>5</u>	<u>6.56</u>	<u>764</u>	<u>22.4</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-12</u>	<u>2x VOA w/ HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/benz/mibz/TPMTD</u>
	<u>1 Liter Amb</u>		<u>None</u>	<u>Seq.</u>	

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/Facility # CHEVRON # 9-0290 Job#: 385280
 Address: 1802 Webster St Date: 5/8/00
 City: Alameda, CA Sampler: HAIG KIEVORK

Well ID B-13 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: Ø Amount Bailed (product/water): Ø (Gallons)
 Total Depth 13.93 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 4.82 ft. Factor (VF) 6" = 1.50 12" = 5.80
9.11 x VF 0.17 = 1.5 X 3 (case volume) = Estimated Purge Volume: 4.5 (gal.)

Purge Equipment: Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: 12:05 Weather Conditions: PARTLY SUNNY
 Sampling Time: 12:25 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ hos/cm	Temperature $^{\circ}$ C	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>12:08</u>	<u>1.5</u>	<u>6.83</u>	<u>389</u>	<u>22.8</u>			
<u>12:11</u>	<u>3</u>	<u>6.80</u>	<u>410</u>	<u>22.5</u>			
<u>12:13</u>	<u>4.5</u>	<u>6.74</u>	<u>417</u>	<u>22.3</u>			

LABORATORY INFORMATION

SAMPLE ID	(A) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-13</u>	<u>2 X VOA w/ HCL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(GI)/btox/mtbe/TPND</u>
	<u>1 Liter Amber</u>		<u>None</u>	<u>Seq.</u>	

COMMENTS: _____

Fax copy of Lab Report and COC to Chevron Contact: Yes No

Chain-of-Custody-Record

Chevron Products Co.
P.O. BOX 6004
San Ramon, CA 94583
FAX (925)842-8370

Chevron Facility Number 9-0290
Facility Address 1802 Webster St. Alameda CA
385280
Consultant Project Number _____
Consultant Name GETTLER-RYAN INC.
Address 6747 SIERRA COURT, SUITE J, DUBLIN, CA 94568
Project Contact (Name) DEANNA L. HARDING
(Phone) 925-551-7555 (Fax Number) 925-551-7899

Chevron Contact (Name) Mr. Tom Baubs
(Phone) (925) 842-8098
Laboratory Name SEQUOIA ANALYTICAL
Laboratory Service Order _____
Laboratory Service Code _____
Samples Collected by (Name) HAIG KEVORK
Signature [Signature]

State Method: CA OR WA NW Series CO UT IDAHO

Sample Number	Number of Containers	Matrix S = Soil A = Air W = Water C = Charcoal	Sample Preservation	Date/Time	State Method: <input checked="" type="checkbox"/> CA <input type="checkbox"/> OR <input type="checkbox"/> WA <input type="checkbox"/> NW Series <input type="checkbox"/> CO <input type="checkbox"/> UT <input type="checkbox"/> IDAHO													Remarks						
					BTEX/MTBE+TPH GAS (8020 + 8015)	BTEX + TPH GAS (8020 + 8015)	TPH Diesel (8015)	Organobenzene (8280)	Purgeable Hydrocarbons (8010)	Purgeable Organics (8280)	Extractable Organics (8270)	Oil and Grease (8530)	Metals (ICAP or AA) Cd,Cr,Pb,Zn,Cu	BTEX (8020)	BTEX/MTBE/Naph. (8020)	TPH - HCD	TPH-Q Extended		MTBE	Lab Sample No.				
TSLB	1	W	HCL	5/8/00	X																			
B-1	3	W	HCL	5/8/00	✓																			
B-5	3	W		5/8/00	✓																			
B-6	3	W		5/8/00	✓																			
B-10	3	W		5/8/00	✓																			
B-11	3	W		5/8/00	✓																			
B-12	3	W		5/8/00	✓																			
B-13	3	W		5/8/00	✓																			

Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced Y/N
[Signature]	G-R INC.					
Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced Y/N
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature)		Date/Time	Iced Y/N

Turn Around Time (Circle Choice)

24 Hrs.
48 Hrs.
5 Days
10 Days
As Contracted



Sequoia Analytical

404 N. Wiget Lane
Walnut Creek, CA 94598
(925) 988-9600
FAX (925) 988-9673
www.sequoialabs.com

26 May, 2000

Deanna L. Harding
Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin, CA 94568

RE: Chevron
Sequoia Report: W005240

Enclosed are the results of analyses for samples received by the laboratory on 09-May-00 17:25. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Charlie Westwater
Project Manager

CA ELAP Certificate #1271





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TB-LB	W005240-01	Water	08-May-00 00:00	09-May-00 17:25
B-1	W005240-02	Water	08-May-00 13:58	09-May-00 17:25
B-5	W005240-03	Water	08-May-00 12:57	09-May-00 17:25
B-6	W005240-04	Water	08-May-00 15:03	09-May-00 17:25
B-10	W005240-05	Water	08-May-00 11:55	09-May-00 17:25
B-11	W005240-06	Water	08-May-00 14:30	09-May-00 17:25
B-12	W005240-07	Water	08-May-00 13:28	09-May-00 17:25
B-13	W005240-08	Water	08-May-00 12:25	09-May-00 17:25

Sequoia Analytical - Walnut Creek

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Charlie Westwater, Project Manager





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TB-LB (W005240-01) Water Sampled: 08-May-00 00:00 Received: 09-May-00 17:25									
Purgeable Hydrocarbons	ND	50	ug/l	1	0E19003	19-May-00	19-May-00	EPA 8015M/8020	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.5	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		95.3 %	70-130		"	"	"	"	
B-1 (W005240-02) Water Sampled: 08-May-00 13:58 Received: 09-May-00 17:25 P-07									
Purgeable Hydrocarbons	1000	500	ug/l	10	0E19003	19-May-00	19-May-00	EPA 8015M/8020	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	660	25	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		92.7 %	70-130		"	"	"	"	
B-5 (W005240-03) Water Sampled: 08-May-00 12:57 Received: 09-May-00 17:25									
Purgeable Hydrocarbons	ND	50	ug/l	1	0E19003	19-May-00	19-May-00	EPA 8015M/8020	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	1.4	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	270	2.5	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		103 %	70-130		"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B-10 (W005240-05) Water Sampled: 08-May-00 11:55 Received: 09-May-00 17:25									P-04
Purgeable Hydrocarbons	380	50	ug/l	1	0E19003	19-May-00	19-May-00	EPA 8015M/8020	
Benzene	5.4	0.50	"	"	"	"	"	"	
Toluene	2.6	0.50	"	"	"	"	"	"	
Ethylbenzene	3.2	0.50	"	"	"	"	"	"	
Xylenes (total)	6.3	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	9.1	2.5	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		96.0 %	70-130		"	"	"	"	
B-11 (W005240-06) Water Sampled: 08-May-00 14:30 Received: 09-May-00 17:25									
Purgeable Hydrocarbons	ND	500	ug/l	10	0E19003	19-May-00	19-May-00	EPA 8015M/8020	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	5.0	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		97.7 %	70-130		"	"	"	"	
B-11 (W005240-06RE1) Water Sampled: 08-May-00 14:30 Received: 09-May-00 17:25									
Methyl tert-butyl ether	8500	500	ug/l	200	0E19003	19-May-00	21-May-00	EPA 8015M/8020	
Surrogate: a,a,a-Trifluorotoluene		96.7 %	70-130		"	"	"	"	
B-12 (W005240-07) Water Sampled: 08-May-00 13:28 Received: 09-May-00 17:25									
Purgeable Hydrocarbons	ND	500	ug/l	10	0E20002	21-May-00	21-May-00	EPA 8015M/8020	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2100	25	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		100 %	70-130		"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B-13 (W005240-08) Water Sampled: 08-May-00 12:25 Received: 09-May-00 17:25									P-01
Purgeable Hydrocarbons	190	50	ug/l	1	0E20002	21-May-00	21-May-00	EPA 8015M/8020	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	0.68	0.50	"	"	"	"	"	"	
Ethylbenzene	1.7	0.50	"	"	"	"	"	"	
Xylenes (total)	1.1	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	190	2.5	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		89.0 %		70-130	"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**Diesel Hydrocarbons (C9-C24) by DHS LUFT
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B-1 (W005240-02) Water Sampled: 08-May-00 13:58 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	870	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-14
Surrogate: n-Pentacosane		100 %	50-150		"	"	"	"	
B-5 (W005240-03) Water Sampled: 08-May-00 12:57 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	1200	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-12
Surrogate: n-Pentacosane		577 %	50-150		"	"	"	"	D-07
B-6 (W005240-04) Water Sampled: 08-May-00 15:03 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	420	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-14
Surrogate: n-Pentacosane		92.2 %	50-150		"	"	"	"	
B-10 (W005240-05) Water Sampled: 08-May-00 11:55 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	320	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-14
Surrogate: n-Pentacosane		100 %	50-150		"	"	"	"	
B-11 (W005240-06) Water Sampled: 08-May-00 14:30 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	220	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-11
Surrogate: n-Pentacosane		71.1 %	50-150		"	"	"	"	
B-12 (W005240-07) Water Sampled: 08-May-00 13:28 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	340	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-11
Surrogate: n-Pentacosane		79.0 %	50-150		"	"	"	"	
B-13 (W005240-08) Water Sampled: 08-May-00 12:25 Received: 09-May-00 17:25									
Diesel Range Hydrocarbons	240	50	ug/l	1	0E18021	18-May-00	23-May-00	EPA 8015M	D-14
Surrogate: n-Pentacosane		89.2 %	50-150		"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

MTBE by DHS LUFT

Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
B-6 (W005240-04) Water Sampled: 08-May-00 15:03 Received: 09-May-00 17:25									
Methyl tert-butyl ether	6800	250	ug/l	100	0E20002	21-May-00	21-May-00	DHS LUFT	
Surrogate: a,a,a-Trifluorotoluene		99.3 %		70-130	"	"	"	"	





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0E19003 - EPA 5030B [P/T]										
Blank (0E19003-BLK1) Prepared & Analyzed: 19-May-00										
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
Surrogate: a, a, a-Trifluorotoluene	30.3		"	30.0		101	70-130			
LCS (0E19003-BS1) Prepared & Analyzed: 19-May-00										
Benzene	21.0	0.50	ug/l	20.0		105	70-130			
Toluene	21.2	0.50	"	20.0		106	70-130			
Ethylbenzene	21.4	0.50	"	20.0		107	70-130			
Xylenes (total)	61.9	0.50	"	60.0		103	70-130			
Surrogate: a, a, a-Trifluorotoluene	28.2		"	30.0		94.0	70-130			
Matrix Spike (0E19003-MS1) Source: W005249-02 Prepared & Analyzed: 19-May-00										
Benzene	21.0	0.50	ug/l	20.0	ND	105	70-130			
Toluene	21.2	0.50	"	20.0	ND	106	70-130			
Ethylbenzene	21.3	0.50	"	20.0	ND	106	70-130			
Xylenes (total)	61.1	0.50	"	60.0	ND	102	70-130			
Surrogate: a, a, a-Trifluorotoluene	28.9		"	30.0		96.3	70-130			
Matrix Spike Dup (0E19003-MSD1) Source: W005249-02 Prepared & Analyzed: 19-May-00										
Benzene	20.7	0.50	ug/l	20.0	ND	104	70-130	1.44	20	
Toluene	20.9	0.50	"	20.0	ND	104	70-130	1.43	20	
Ethylbenzene	21.1	0.50	"	20.0	ND	106	70-130	0.943	20	
Xylenes (total)	60.9	0.50	"	60.0	ND	102	70-130	0.328	20	
Surrogate: a, a, a-Trifluorotoluene	27.6		"	30.0		92.0	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0E20002 - EPA 5030B [P/T]

Blank (0E20002-BLK1)

Prepared & Analyzed: 20-May-00

Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	28.8		"	30.0		96.0	70-130			

Blank (0E20002-BLK2)

Prepared & Analyzed: 21-May-00

Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	28.7		"	30.0		95.7	70-130			

LCS (0E20002-BS1)

Prepared & Analyzed: 20-May-00

Benzene	16.3	0.50	ug/l	20.0		81.5	70-130			
Toluene	17.4	0.50	"	20.0		87.0	70-130			
Ethylbenzene	18.4	0.50	"	20.0		92.0	70-130			
Xylenes (total)	55.0	0.50	"	60.0		91.7	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	27.9		"	30.0		93.0	70-130			

LCS (0E20002-BS2)

Prepared & Analyzed: 21-May-00

Benzene	17.0	0.50	ug/l	20.0		85.0	70-130			
Toluene	18.1	0.50	"	20.0		90.5	70-130			
Ethylbenzene	19.1	0.50	"	20.0		95.5	70-130			
Xylenes (total)	56.9	0.50	"	60.0		94.8	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	28.0		"	30.0		93.3	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0E20002 - EPA 5030B [P/T]

Matrix Spike (0E20002-MS1)		Source: W005267-06			Prepared & Analyzed: 20-May-00					
Benzene	17.4	0.50	ug/l	20.0	ND	87.0	70-130			
Toluene	18.2	0.50	"	20.0	ND	91.0	70-130			
Ethylbenzene	18.6	0.50	"	20.0	ND	93.0	70-130			
Xylenes (total)	55.2	0.50	"	60.0	ND	92.0	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	29.1		"	30.0		97.0	70-130			

Matrix Spike Dup (0E20002-MSD1)		Source: W005267-06			Prepared & Analyzed: 20-May-00					
Benzene	16.3	0.50	ug/l	20.0	ND	81.5	70-130	6.53	20	
Toluene	17.3	0.50	"	20.0	ND	86.5	70-130	5.07	20	
Ethylbenzene	18.3	0.50	"	20.0	ND	91.5	70-130	1.63	20	
Xylenes (total)	53.8	0.50	"	60.0	ND	89.7	70-130	2.57	20	
<i>Surrogate: a, a, a-Trifluorotoluene</i>	28.6		"	30.0		95.3	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**Diesel Hydrocarbons (C9-C24) by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0E18021 - EPA 3510B										
Blank (0E18021-BLK1)										
Prepared: 18-May-00 Analyzed: 23-May-00										
Diesel Range Hydrocarbons	ND	50	ug/l							
Surrogate: <i>n</i> -Pentacosane	35.7		"	33.3		107	50-150			
LCS (0E18021-BS1)										
Prepared: 18-May-00 Analyzed: 25-May-00										
Diesel Range Hydrocarbons	435	50	ug/l	500		87.0	60-140			
Surrogate: <i>n</i> -Pentacosane	24.0		"	33.3		72.1	50-150			
LCS Dup (0E18021-BSD1)										
Prepared: 18-May-00 Analyzed: 25-May-00										
Diesel Range Hydrocarbons	416	50	ug/l	500		83.2	60-140	4.47	50	
Surrogate: <i>n</i> -Pentacosane	23.0		"	33.3		69.1	50-150			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0E19003 - EPA 5030B [P/T]

Blank (0E19003-BLK1)

Prepared & Analyzed: 19-May-00

Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	30.3		"	30.0		101	70-130			

LCS (0E19003-BS1)

Prepared & Analyzed: 19-May-00

Benzene	21.0	0.50	ug/l	20.0		105	70-130			
Toluene	21.2	0.50	"	20.0		106	70-130			
Ethylbenzene	21.4	0.50	"	20.0		107	70-130			
Xylenes (total)	61.9	0.50	"	60.0		103	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	28.2		"	30.0		94.0	70-130			

Matrix Spike (0E19003-MS1)

Source: W005249-02

Prepared & Analyzed: 19-May-00

Benzene	21.0	0.50	ug/l	20.0	ND	105	70-130			
Toluene	21.2	0.50	"	20.0	ND	106	70-130			
Ethylbenzene	21.3	0.50	"	20.0	ND	106	70-130			
Xylenes (total)	61.1	0.50	"	60.0	ND	102	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	28.9		"	30.0		96.3	70-130			

Matrix Spike Dup (0E19003-MSD1)

Source: W005249-02

Prepared & Analyzed: 19-May-00

Benzene	20.7	0.50	ug/l	20.0	ND	104	70-130	1.44	20	
Toluene	20.9	0.50	"	20.0	ND	104	70-130	1.43	20	
Ethylbenzene	21.1	0.50	"	20.0	ND	106	70-130	0.943	20	
Xylenes (total)	60.9	0.50	"	60.0	ND	102	70-130	0.328	20	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	27.6		"	30.0		92.0	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 0E20002 - EPA 5030B [P/T]										
Blank (0E20002-BLK1) Prepared & Analyzed: 20-May-00										
Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a, a, a-Trifluorotoluene</i>	28.8		"	30.0		96.0	70-130			
Blank (0E20002-BLK2) Prepared & Analyzed: 21-May-00										
Benzene	ND	0.50	ug/l							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a, a, a-Trifluorotoluene</i>	28.7		"	30.0		95.7	70-130			
LCS (0E20002-BS1) Prepared & Analyzed: 20-May-00										
Benzene	16.3	0.50	ug/l	20.0		81.5	70-130			
Toluene	17.4	0.50	"	20.0		87.0	70-130			
Ethylbenzene	18.4	0.50	"	20.0		92.0	70-130			
Xylenes (total)	55.0	0.50	"	60.0		91.7	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	27.9		"	30.0		93.0	70-130			
LCS (0E20002-BS2) Prepared & Analyzed: 21-May-00										
Benzene	17.0	0.50	ug/l	20.0		85.0	70-130			
Toluene	18.1	0.50	"	20.0		90.5	70-130			
Ethylbenzene	19.1	0.50	"	20.0		95.5	70-130			
Xylenes (total)	56.9	0.50	"	60.0		94.8	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	28.0		"	30.0		93.3	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

**MTBE by DHS LUFT - Quality Control
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 0E20002 - EPA 5030B [P/T]

Matrix Spike (0E20002-MS1)		Source: W005267-06			Prepared & Analyzed: 20-May-00					
Benzene	17.4	0.50	ug/l	20.0	ND	87.0	70-130			
Toluene	18.2	0.50	"	20.0	ND	91.0	70-130			
Ethylbenzene	18.6	0.50	"	20.0	ND	93.0	70-130			
Xylenes (total)	55.2	0.50	"	60.0	ND	92.0	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	29.1		"	30.0		97.0	70-130			

Matrix Spike Dup (0E20002-MSD1)		Source: W005267-06			Prepared & Analyzed: 20-May-00					
Benzene	17.4	0.50	ug/l	20.0	ND	87.0	70-130	0	20	
Toluene	18.2	0.50	"	20.0	ND	91.0	70-130	0	20	
Ethylbenzene	18.6	0.50	"	20.0	ND	93.0	70-130	0	20	
Xylenes (total)	55.2	0.50	"	60.0	ND	92.0	70-130	0	20	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	29.1		"	30.0		97.0	70-130			





Gettler Ryan, Inc. - Dublin
6747 Sierra Court Suite J
Dublin CA, 94568

Project: Chevron
Project Number: Chevron # 9-0290
Project Manager: Deanna L. Harding

Reported:
26-May-00 09:19

Notes and Definitions

- D-07 Surrogate out of control limits because of peak coelution with the sample.
- D-11 Chromatogram Pattern: Unidentified Hydrocarbons < C16
- D-12 Chromatogram Pattern: Unidentified Hydrocarbons > C16
- D-14 Chromatogram Pattern: Unidentified Hydrocarbons C9-C24
- P-01 Chromatogram Pattern: Gasoline C6-C12
- P-04 Chromatogram Pattern: Gasoline C6-C12 + Unidentified Hydrocarbons C6-C12
- P-07 Chromatogram Pattern: Gasoline C6-C12 + Unidentified Hydrocarbons >C10
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

