

Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

J. Mark Inglis
Project Manager

R0195

ChevronTexaco

July 6, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County
JUL 08 2005
Environmental Health

Re: Chevron Service Station #9-0290

Address: 1802 Webster Street, Alameda, California

I have reviewed the attached routine groundwater monitoring report dated June 20, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,


J. Mark Inglis
Project Manager

Enclosure: Report



GETTLER-RYAN Inc.

TRANSMITTAL

June 20, 2005
G-R #385280

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, California 94608

CC: Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-0290
1802 Webster Street
Alameda, California
RO 0000195

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	June 20, 2005	Groundwater Monitoring and Sampling Report Second Quarter - Event of May 12, 2005

COMMENTS:

This report is being sent for you review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **July 5, 2005**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Department of Environmental Health,
1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Arnold Cherry, 10 Kelsey Court, Pleasant Hill, CA 94523

Enclosures

trans/9-0290-M1

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



GETTLER-RYAN INC.

June 20, 2005
G-R Job #385280

Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Second Quarter Event of May 12, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

Alameda County
JUL 08 2005
Environmental Health

Dear Mr. Inglis:

This report documents and the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached). Joint groundwater monitoring and sampling is conducted with BP Station located at 1716 Webster Street, during the first and third quarters only.

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Groundwater Analytical Results
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

FIGURE
1

PROJECT NUMBER
385280

REVIEWED BY

DATE
 May 12, 2005

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
A-1													
09/20/91	8.13	0.48	9.23	1.58	--	--	--	--	--	--	--	--	--
10/09/91	8.13	1.46	6.67	0.00	--	--	--	--	--	--	--	--	--
10/17/91	8.13	1.43	7.28	0.58	--	--	--	--	--	--	--	--	--
10/23/91	8.13	1.36	7.42	0.65	--	--	--	--	--	--	--	--	--
11/01/91	8.13	1.49	7.14	0.50	--	--	--	--	--	--	--	--	--
11/07/91	8.13	1.50	7.14	0.51	--	--	--	--	--	--	--	--	--
11/15/91	8.13	1.47	7.19	0.53	--	--	--	--	--	--	--	--	--
11/21/91	8.13	1.28	7.28	0.54	--	--	--	--	--	--	--	--	--
12/12/91	8.13	1.29	7.33	0.49	--	--	--	--	--	--	--	--	--
12/30/91	8.13	1.73	6.76	0.36	--	--	--	--	--	--	--	--	--
01/13/92	8.13	2.21	6.29	0.37	--	--	--	--	--	--	--	--	--
01/22/92	8.13	2.15	6.43	0.45	--	--	--	--	--	--	--	--	--
02/12/92	8.13	2.21	6.30	0.38	--	--	--	--	--	--	--	--	--
03/09/92	8.13	3.14	5.30	0.31	--	--	--	--	--	--	--	--	--
04/10/92	8.13	2.83	5.37	0.07	--	--	--	--	--	--	--	--	--
05/18/92	8.13	2.39	6.14	0.40	--	--	--	--	--	--	--	--	--
01/06/93	8.13	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	8.13	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.56	6.19	5.85	0.60	--	--	--	--	--	--	--	--	--
06/11/93	11.56	--	--	--	2.00	--	--	--	--	--	--	--	--
06/15/93	11.56	--	--	--	0.13	--	--	--	--	--	--	--	--
06/18/93	11.56	--	--	--	0.13	--	--	--	--	--	--	--	--
06/22/93	11.56	--	--	--	0.50	--	--	--	--	--	--	--	--
06/29/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
07/09/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
07/15/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
07/19/93	11.56	5.54	6.23	0.26	2.00	--	--	--	--	--	--	--	--
07/20/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
07/27/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
08/06/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
08/10/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
08/16/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
A-1 (cont)													
09/16/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
09/24/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
10/01/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
10/07/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
10/13/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
10/19/93	11.56	--	--	0.10	--	--	--	--	--	--	--	--	--
10/20/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
10/28/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
11/12/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
11/19/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
11/30/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
12/10/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
12/16/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
12/23/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
12/29/93	11.56	--	--	--	--	--	--	--	--	--	--	--	--
01/03/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
01/17/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
01/26/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
02/07/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
02/11/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
02/18/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
02/25/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
03/04/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
03/11/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
03/16/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
03/25/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
04/01/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
08/18/94	11.56	--	--	--	--	--	--	--	--	--	--	--	--
11/30/94	11.56	--	--	--	2.00	--	--	--	--	--	--	--	--
02/15/95	11.56	--	4.79	--	--	--	--	--	--	--	--	--	--
05/01/95	11.56	--	--	--	--	--	--	--	--	--	--	--	--
08/04/95	11.56	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
A-1 (cont)													
11/29/95	11.56	5.24	6.38	0.08	0.03	--	--	--	--	--	--	--	--
02/08/96	11.56	7.03	4.57	0.05	--	--	--	--	--	--	--	--	--
05/08/96	11.56	6.29	5.49	0.28	--	--	--	--	--	--	--	--	--
08/23/96	11.56	5.31	6.43	0.22	--	--	--	--	--	--	--	--	--
12/12/96	11.56	6.37	5.53	0.42	0.05	--	--	--	--	--	--	--	--
02/10/97	11.56	7.25	4.45	0.17	0.08	--	--	--	--	--	--	--	--
05/01/97	11.56	6.11	5.51	0.08	0.05	--	--	--	--	--	--	--	--
08/05/97	11.56	5.68	5.96	0.10	0.07	--	--	--	--	--	--	--	--
10/28/97	11.56	5.56	6.05	0.06	0.03	--	--	--	--	--	--	--	--
02/04/98	11.56	8.39	3.20	0.04	0.03	--	--	--	--	--	--	--	--
06/03/98	11.56	7.02	4.56	0.03	0.02	--	--	--	--	--	--	--	--
07/29/98	11.56	7.15	4.44	0.04	0.04	--	--	--	--	--	--	--	--
11/30/98	11.56	6.23	5.61	0.35	0.01	--	--	--	--	--	--	--	--
02/24/99	11.56	7.63	4.41	0.60	0.07	--	--	--	--	--	--	--	--
05/06/99	11.56	6.89	4.67	--	--	9,500 ³	580	13.4	<2.0	4.68	58	165	--
08/30/99	11.56	5.52	6.04	--	--	22,000 ³	615	12	3.45	3.8	44	95.5	--
11/17/99	11.56	5.70	5.89	0.04	0.08	--	--	--	--	--	--	--	--
02/21/00	11.56	7.39	4.23	0.08	0.01	--	--	--	--	--	--	--	--
05/08/00	11.56	6.55**	5.10	0.11	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
08/08/00	11.56	6.13**	5.53	0.13	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
11/01/00	11.56	5.99**	5.67	0.13	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
02/12/01	11.56	6.85	4.71	0.00	0.00	15,000 ¹²	290 ¹⁰	5.1	<2.0	<2.0	17	640	--
05/14/01 ¹⁷	11.56	6.26	5.30	0.00	0.00	3,100 ¹²	190 ¹⁰	4.8	1.2	0.92	22	100	--
08/13/01	11.56	5.69**	5.89	0.03	0.26	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
11/12/01	11.56	5.84**	5.78	0.08	0.05	NOT SAMPLED DUE TO THE PRESENCE OF SPH					--	--	--
02/04/02	11.56	6.77	4.79	0.00	0.00	23,000	380	3.3	1.4	0.69	14	1,800	--
05/06/02	11.56	6.56	5.00	0.00	0.00	12,000	280	2.7	1.9	1.1	20	130	--
08/29/02	11.56	5.86	5.70	0.00	0.00	13,000	380	4.1	3.3	2.1	31	42	--
11/25/02	11.56	5.74	5.82	0.00	0.00	19,000	290	3.0	1.3	0.81	12	340	--
02/05/03	11.56	6.75	4.81	0.00	0.00	12,000	290	3.1	1.1	<0.50	5.2	2,400 ²²	--
05/15/03	11.56	6.71	4.85	0.00	0.00	8,400	330	4.3	1.8	1	16	190	--
08/14/03 ²⁴	11.56	5.85	5.71	0.00	0.00	9,100 ²³	450	8	3	2	26	270	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
A-1 (cont)													
11/13/03 ²⁴	11.56	5.65	5.91	0.00	0.00	13,000	310	4	0.6	0.6	7	150	--
02/12/04 ²⁴	-- ²⁵	-- ²⁵	4.31	0.00	0.00	14,000	120	<0.5	<0.5	<0.5	3	84	--
05/13/04 ²⁴	-- ²⁵	-- ²⁵	4.53	0.00	0.00	3,900 ²³	310	3	1	0.9	13	9	--
08/12/04 ²⁴	-- ²⁵	-- ²⁵	5.13	0.00	0.00	4,600	240	1	<0.5	<0.5	5	16	--
11/11/04 ²⁴	-- ²⁵	-- ²⁵	5.67	0.00	0.00	9,500	<50	<0.5	<0.5	<0.5	<0.5	41	--
02/10/05 ²⁴	-- ²⁵	-- ²⁵	4.38	0.00	0.00	9,900	160	<0.5	<0.5	<0.5	1	43	--
05/12/05 ²⁴	-- ²⁵	-- ²⁵	4.19	0.00	0.00	3,100 ²⁶	180	0.7	0.5	<0.5	5	4	--
B-1													
04/23/93	12.12	6.19	5.93	--	--	8,300	13,000	4,900	22	250	47	--	--
07/19/93	12.12	5.46	6.66	--	--	1,600	3,300	1,200	16	24	<30	--	--
10/19/93	12.12	5.04	7.08	--	--	550	2,300	730	18	14	31	--	--
01/17/94	12.12	5.39	6.73	--	--	<50	22,000	6,500	170	210	430	--	--
08/18/94	12.12	5.27	6.85	--	--	--	--	--	--	--	--	--	--
11/30/94	12.12	6.11	6.01	--	--	3,200 ¹	1,500	250	17	7.5	19	--	<5.0 ²
02/15/95	12.12	6.75	5.37	--	--	1,300 ¹	1,000	160	<2.0	4.6	2.6	--	--
05/01/95	12.12	7.00	5.12	--	--	2,600 ³	140	20	0.52	2.0	0.67	--	--
08/04/95	12.12	6.62	5.50	--	--	4,900 ³	6,700	1,400	<20	<20	<20	--	--
11/29/95	12.12	6.27	5.85	--	--	5,000 ³	9,200	2,200	<25	<25	25	8,300	--
02/08/96	12.12	8.12	4.00	--	--	1,300 ³	1,500	190	<5.0	<5.0	<5.0	2,300	--
05/08/96	12.12	7.32	4.80	--	--	2,900 ³	3,700	650	<10	24	16	2,300	--
08/23/96	12.12	6.58	5.54	--	--	2600	3,200	500	<20	<20	<20	4,900	--
12/12/96	12.12	7.22	4.90	--	--	3,400 ⁴	2,500	380	<25	<25	25	8,600	--
02/10/97	12.12	7.53	4.59	--	--	2,100 ³	2,200	270	11	8.8	13	3,400	--
05/01/97	12.12	6.46	5.66	--	--	1,300 ³	1,200	70	5.8	<5.0	7.2	2,000	--
08/05/97	12.12	5.68	6.44	--	--	1,500 ³	<1,000	86	<10	<10	<10	3,800	--
10/28/97	12.12	5.69	6.43	--	--	2,000 ³	1,400	73	6.5	6.8	9.0	2,900	--
02/04/98	12.12	9.11	3.01	--	--	1,200 ³	1,500	4.5	1.7	<0.5	2.2	1,900	--
02/12/98	12.12	8.33	3.79	--	--	--	--	--	--	--	--	--	--
06/03/98	12.12	7.23	4.89	--	--	970 ³	<50	<0.5	<0.5	<0.5	<0.5	1,400	--
07/29/98	12.12	6.37	5.75	--	--	1,100 ³	850	27	<0.5	4.0	2.9	770/1,200 ⁶	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-1 (cont)													
11/30/98	12.12	6.44	5.68	--	--	1,490	543	<5.0	<5.0	<5.0	<5.0	2,220	--
02/24/99	12.12	7.83	4.29	--	--	1,400 ³	390	1.6	0.57	2.8	2.5	2,600	--
05/06/99	12.12	7.11	5.01	--	--	340 ³	239	4.02	<0.5	3.87	1.97	197	--
08/30/99	12.12	5.91	6.21	--	--	1,570 ⁷	739	22.4	3.45	5.62	3.27	1,110	--
11/17/99	12.12	5.98	6.14	--	--	1,730	907	66.4	3.82	4.39	4.75	2,480	--
02/21/00	12.12	7.53	4.59	--	--	1,000 ³	679	10.5	<1.0	3.84	3.21	2,330	--
05/08/00	12.12	6.66	5.46	0.00	0.00	870 ¹¹	1,000 ⁸	<5.0	<5.0	<5.0	<5.0	660	--
08/08/00	12.12	6.22	5.90	0.00	0.00	520 ¹¹	<500	29	<5.0	<5.0	<5.0	1,900	--
11/01/00	12.12	7.14	4.98	0.00	0.00	570 ¹⁴	860 ¹⁰	41	<5.0	8.3	13	2,500	--
02/12/01	12.12	6.71	5.41	0.00	0.00	940 ¹⁴	790 ¹⁵	36	<5.0	<5.0	18	1,200	--
05/14/01	12.12	6.38	5.74	0.00	0.00	690 ¹¹	<1,000	<10	<10	<10	<10	540	--
11/12/01	12.12	5.59	6.53	0.00	0.00	2,300	1,100	12	2.5	3.4	8.8	1,100	--
02/04/02	12.12	6.92	5.20	0.00	0.00	1,800	850	7.5	0.66	5.3	<5.0	220	--
05/06/02	12.12	6.67	5.45	0.00	0.00	440	350	<0.50	<0.50	1.7	<1.5	83	--
08/29/02	12.12	5.94	6.18	0.00	0.00	3,000	770	7.3	1.1	1.5	3.1	330	--
11/25/02	12.12	5.87	6.25	0.00	0.00	3,400	510	7.7	<1.0	1.2	3.6	540	--
02/05/03	12.12	6.87	5.25	0.00	0.00	1,400	560	4.8	0.55	2.4	1.9	200	--
05/15/03	12.12	6.86	5.26	0.00	0.00	1,400	370	2.4	<0.5	1.9	2.0	130	--
08/14/03 ²⁴	12.12	5.92	6.20	0.00	0.00	1,300 ²³	650	4	0.9	0.7	2	210	--
11/13/03 ²⁴	12.12	5.73	6.39	0.00	0.00	720	210	0.7	<0.5	<0.5	0.9	200	--
02/12/04 ²⁴	12.12	6.95	5.17	0.00	0.00	1,200	<50	<0.5	<0.5	<0.5	<0.5	53	--
05/13/04 ²⁴	12.12	6.86	5.26	0.00	0.00	63 ²³	<50	<0.5	<0.5	<0.5	<0.5	10	--
08/12/04 ²⁴	12.12	6.11	6.01	0.00	0.00	280	<50	<0.5	<0.5	<0.5	<0.5	26	--
11/11/04 ²⁴	12.12	5.64	6.48	0.00	0.00	280	<50	<0.5	<0.5	<0.5	<0.5	23	--
02/10/05 ²⁴	12.12	6.71	5.41	0.00	0.00	420	<50	<0.5	<0.5	<0.5	<0.5	41	--
05/12/05 ²⁴	12.12	7.14	4.98	0.00	0.00	200	<50	<0.5	<0.5	<0.5	<0.5	9	--
B-5													
09/20/91	7.73	2.20	5.53	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/09/91	7.73	2.42	5.31	--	--	--	--	--	--	--	--	--	--
10/17/91	7.73	2.09	5.64	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	F (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-5 (cont)													
10/23/91	7.73	2.05	5.68	--	--	--	--	--	--	--	--	--	--
11/01/91	7.73	2.24	5.49	--	--	--	--	--	--	--	--	--	--
11/07/91	7.73	2.19	5.54	--	--	--	--	--	--	--	--	--	--
11/15/91	7.73	2.10	5.63	--	--	--	--	--	--	--	--	--	--
11/21/91	7.73	--	--	--	--	--	--	--	--	--	--	--	--
12/12/91	7.73	2.05	5.68	--	--	--	--	--	--	--	--	--	--
12/30/91	7.73	2.54	5.19	--	--	--	--	--	--	--	--	--	--
01/13/92	7.73	3.07	4.65	--	--	--	--	--	--	--	--	--	--
01/22/92	7.73	3.03	4.70	--	--	--	--	--	--	--	--	--	--
02/12/92	7.73	3.38	4.45	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/09/92	7.73	3.68	4.05	--	--	--	--	--	--	--	--	--	--
04/10/92	7.73	3.30	4.43	--	--	--	--	--	--	--	--	--	--
05/18/92	7.73	3.94	3.79	--	--	--	390	39	1.9	11	24	--	<5,000
01/06/93	7.73	3.39	4.44	Sheen	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/03/93	7.73	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	10.18	5.86	4.32	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/19/93	10.18	5.15	5.03	--	--	<50	54	<0.5	0.7	<0.5	<1.5	--	--
10/19/93	10.18	5.08	5.10	--	--	<50	<50	2.0	4.1	0.6	3.5	--	--
01/07/94	10.18	5.32	4.86	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	10.18	5.04	5.14	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	10.18	5.73	4.45	--	--	140 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	10.18	6.03	4.15	--	--	170 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	10.18	5.75	4.43	--	--	190 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	10.18	5.22	4.96	--	--	250 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/95	10.18	4.97	5.21	--	--	330 ³	140	1.5	<0.5	1.1	<0.5	800	--
02/08/96	10.18	6.38	3.80	--	--	250 ³	<200	2.1	<2.0	<2.0	<2.0	1,100	--
05/08/96	10.18	5.78	4.40	--	--	350 ³	<500	<5.0	<5.0	<5.0	<5.0	1,400	--
08/23/96	10.18	5.19	4.99	--	--	990	250	6.4	2.1	2.1	4.3	9,300	--
12/12/96	10.18	5.90	4.28	--	--	430 ³	<1,000	<10	<10	<10	<10	6,700	--
02/10/97	10.18	6.55	3.63	--	--	340 ³	<500	<5.0	<5.0	<5.0	<5.0	930	--
05/01/97	10.18	5.87	4.31	--	--	290 ³	<500	<5.0	<5.0	<5.0	<5.0	1,900	--
08/05/97	10.18	5.29	4.89	--	--	710 ³	<1,000	<10	<10	<10	<10	6,800	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-5 (cont)													
10/28/97	10.18	5.18	5.00	--	--	880 ³	<500	<5.0	<5.0	<5.0	<5.0	7,000	--
02/04/98	10.18	7.65	2.53	--	--	290 ³	<50	0.51	<0.5	<0.5	<0.5	2,100	--
06/03/98	10.18	6.33	3.85	--	--	630 ³	220	2.0	15	2.8	20	450	--
07/29/98	10.18	5.63	4.55	--	--	1,100 ³	<50	1.6	<0.5	<0.5	1.6	4,600/6,200 ⁶	--
11/30/98	10.18	5.81	4.37	--	--	371	<50	<0.5	1.91	<0.5	1.09	202	--
02/24/99	10.18	6.79	3.39	--	--	512 ³	<50	<0.5	<0.5	0.69	3.1	25	--
05/06/99	10.18	6.16	4.02	--	--	790 ³	<50	2.27	<0.5	<0.5	<0.5	3,090	--
08/30/99	10.18	5.02	5.16	--	--	1,890 ⁷	<250	4.25	<2.5	<2.5	<2.5	10,400	--
11/17/99	10.18	5.28	4.90	--	--	1,180 ³	101	4.95	<0.5	<0.5	<0.5	8,510	--
02/21/00	10.18	6.67	3.51	--	--	240 ³	<100	<1.0	<1.0	<1.0	<1.0	555	--
05/08/00	10.18	5.88	4.30	0.00	0.00	1,200 ¹²	<50	<0.50	<0.50	<0.50	1.4	270	--
08/08/00	10.18	5.55	4.63	0.00	0.00	350 ¹¹	<1,000	<10	<10	<10	<10	8,600	--
11/01/00	10.18	5.53	4.65	0.00	0.00	470 ¹⁴	<500	<5.0	<5.0	<5.0	11	4,600	--
02/12/01	10.18	6.13	4.05	0.00	0.00	190 ¹²	<50	<0.50	<0.50	<0.50	1.3	420	--
05/14/01	10.18	5.59	4.59	0.00	0.00	<1,000	<500	<5.0	<5.0	<5.0	<5.0	6,800	--
08/13/01	10.18	5.14	5.04	0.00	0.00	2,800	<50	<0.50	<0.50	<0.50	<0.50	11,000	--
11/12/01	10.18	5.88	4.30	0.00	0.00	2,400	100	1.0	<0.50	<0.50	<1.5	2,300	--
02/04/02	10.18	6.03	4.15	0.00	0.00	1,800	99	<0.50	0.63	2.2	14	3,200	--
05/06/02	10.18	5.86	4.32	0.00	0.00	1,700	<50	<0.50	<0.50	<0.50	<1.5	830	--
08/29/02	10.18	5.20	4.98	0.00	0.00	12,000	<250	5.2	<1.0	<1.0	<3.0	18,000	--
11/25/02	10.18	5.26	4.92	0.00	0.00	5,100	100	1.2	<0.50	<0.50	<1.5	4,300	--
02/05/03	10.18	5.98	4.20	0.00	0.00	1,900	<50	<0.50	<0.50	<0.50	<1.5	4,100	--
05/15/03	10.18	5.95	4.23	0.00	0.00	2,600	53	0.8	0.7	<0.5	1.6	5,400	--
08/14/03 ²⁴	10.18	5.17	5.01	0.00	0.00	10,000 ²³	320	<10	<10	<10	<10	15,000	--
11/13/03 ²⁴	-- ²⁵	-- ²⁵	5.05	0.00	0.00	15,000	220	<3	<3	<3	<3	4,700	--
02/12/04 ²⁴	-- ²⁵	-- ²⁵	4.19	0.00	0.00	4,900	120	<5	<5	<5	<5	5,200	--
05/13/04 ²⁴	-- ²⁵	-- ²⁵	4.55	0.00	0.00	3,400 ²³	94	<1	<1	<1	<1	2,000	--
08/12/04 ²⁴	-- ²⁵	-- ²⁵	4.84	0.00	0.00	4,800	150	<0.5	<0.5	<0.5	<0.5	300	--
11/11/04 ²⁴	-- ²⁵	-- ²⁵	5.35	0.00	0.00	12,000	150	<0.5	<0.5	<0.5	<0.5	57	--
02/10/05 ²⁴	-- ²⁵	-- ²⁵	4.04	0.00	0.00	3,500	70	<0.5	<0.5	<0.5	<0.5	44	--
05/12/05 ²⁴	-- ²⁵	-- ²⁵	4.11	0.00	0.00	2,900 ²⁶	69	<0.5	<0.5	<0.5	<0.5	39	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-6													
09/20/91	8.55	1.70	6.85	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/09/91	8.55	1.72	6.83	--	--	--	--	--	--	--	--	--	--
10/17/91	8.55	1.65	6.90	--	--	--	--	--	--	--	--	--	--
10/23/91	8.55	1.62	6.93	--	--	--	--	--	--	--	--	--	--
11/01/91	8.55	1.77	6.78	--	--	--	--	--	--	--	--	--	--
11/07/91	8.55	1.74	6.81	--	--	--	--	--	--	--	--	--	--
11/15/91	8.55	1.67	6.88	--	--	--	--	--	--	--	--	--	--
11/21/91	8.55	1.60	6.95	--	--	--	--	--	--	--	--	--	--
12/12/91	8.55	1.41	7.14	--	--	--	--	--	--	--	--	--	--
12/30/91	8.55	2.05	6.50	--	--	--	--	--	--	--	--	--	--
01/13/92	8.55	2.36	6.19	--	--	--	--	--	--	--	--	--	--
01/22/92	8.55	2.28	6.27	--	--	--	--	--	--	--	--	--	--
02/12/92	8.55	2.43	6.12	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/09/92	8.55	3.27	5.28	--	--	--	--	--	--	--	--	--	--
04/10/92	8.55	3.07	5.48	--	--	--	--	--	--	--	--	--	--
05/18/92	8.55	2.65	5.90	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<5,000
01/06/93	8.55	2.76	5.79	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/03/93	8.55	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.97	6.70	5.27	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/19/93	11.97	5.06	6.91	--	--	<50	74	<0.5	<0.5	<0.5	<1.5	--	--
10/19/93	11.97	5.49	6.48	--	--	<50	<50	<0.5	0.5	<0.5	2.2	--	--
01/07/94	11.97	5.79	6.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	11.97	5.77	6.20	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	11.97	6.52	5.45	--	--	230 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	11.97	7.27	4.70	--	--	130 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	11.97	6.94	5.03	--	--	97 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	11.97	6.15	5.82	--	--	350 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/95	11.97	5.97	6.00	--	--	200 ³	--	--	--	--	--	--	--
02/08/96	11.97	7.27	4.70	--	--	210 ³	--	--	--	--	--	--	--
05/08/96	11.97	6.74	5.23	--	--	250 ³	--	--	--	--	--	--	--
08/23/96	11.97	5.92	6.05	--	--	310 ³	--	--	--	--	--	--	--
12/12/96	11.97	6.65	5.32	--	--	300 ³	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-6 (cont)													
02/10/97	11.97	7.60	4.37	--	--	130 ³	--	--	--	--	--	360	--
05/01/97	11.97	6.74	5.23	--	--	260 ³	--	--	--	--	--	2,200	--
08/05/97	11.97	6.22	5.75	--	--	260 ³	--	--	--	--	--	1,800	--
10/28/97	11.97	5.89	6.08	--	--	340 ³	--	--	--	--	--	1,900	--
02/04/98	11.97	9.26	2.71	--	--	280 ³	--	--	--	--	--	1,400	--
06/03/98	11.97	7.49	4.48	--	--	130 ³	--	--	--	--	--	1,200	--
07/29/98	11.97	6.69	5.28	--	--	340 ³	--	--	--	--	--	2,700/3,000 ⁶	--
11/30/98	11.97	6.48	5.49	--	--	2,740	655	<5.0	<5.0	<5.0	<5.0	2,160	--
02/24/99	11.97	7.79	4.18	--	--	225 ³	--	--	--	--	--	1,500	--
05/06/99	11.97	6.29	5.68	--	--	71 ³	--	--	--	--	--	1,010	--
08/30/99	11.97	6.06	5.91	--	--	356 ³	--	--	--	--	--	4,520	--
11/17/99	11.97	6.01	5.96	--	--	1,960 ³	--	--	--	--	--	5,160	--
02/21/00	11.97	7.51	4.46	--	--	180 ³	--	--	--	--	--	6,920	--
05/08/00	11.97	6.92	5.05	0.00	0.00	420 ¹¹	--	--	--	--	--	6,800	--
08/08/00	11.97	6.55	5.42	0.00	0.00	180 ¹¹	--	--	--	--	--	25,000	--
11/01/00	11.97	6.24	5.73	0.00	0.00	77 ¹⁴	--	--	--	--	--	25,000	--
02/12/01	11.97	6.65	5.32	0.00	0.00	62 ¹¹	--	--	--	--	--	16,000	--
05/14/01	11.97	6.62	5.35	0.00	0.00	55 ¹²	--	--	--	--	--	9,100	--
08/13/01	11.97	6.05	5.92	0.00	0.00	220	--	--	--	--	--	33,000	--
11/12/01	11.97	5.63	6.34	0.00	0.00	550	--	--	--	--	--	34,000 ¹⁹	--
02/04/02	11.97	7.16	4.81	0.00	0.00	290	--	--	--	--	--	28,000	--
05/06/02	11.97	6.94	5.03	0.00	0.00	270	--	--	--	--	--	23,000	--
08/29/02	11.97	6.29	5.68	0.00	0.00	490	--	--	--	--	--	29,000	--
11/25/02	11.97	6.08	5.89	0.00	0.00	450	--	--	--	--	--	30,000	--
02/05/03	11.97	6.99	4.98	0.00	0.00	260	--	--	--	--	--	17,000	--
05/15/03	11.97	7.04	4.93	0.00	0.00	310	--	--	--	--	--	28,000	--
08/14/03	11.97	6.32	5.65	0.00	0.00	160 ²³	--	--	--	--	--	31,000	--
11/13/03	-- ²⁵	-- ²⁵	5.90	0.00	0.00	190	--	--	--	--	--	20,000	--
02/12/04	-- ²⁵	-- ²⁵	4.79	0.00	0.00	400	--	--	--	--	--	31,000	--
05/13/04	-- ²⁵	-- ²⁵	4.97	0.00	0.00	54 ²³	--	--	--	--	--	13,000	--
08/12/04	-- ²⁵	-- ²⁵	5.56	0.00	0.00	250	--	--	--	--	--	26,000	--
11/11/04	-- ²⁵	-- ²⁵	5.97	0.00	0.00	250	460	--	--	--	--	20,000	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-6 (cont)													
02/10/05	-- ²⁵	-- ²⁵	4.67	0.00	0.00	280	--	--	--	--	--	10.000	--
05/12/05 ²⁴	-- ²⁵	-- ²⁵	4.61	0.00	0.00	210 ²⁶	340	<10	<10	<10	<10	15,000	--
B-7													
04/23/93	10.54	6.02	4.52	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	<50
07/19/93	10.54	5.50	5.04	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	<50
10/19/93	10.54	5.14	5.40	--	--	<50	<50	3.1	0.5	<0.5	0.8	--	--
01/07/94	10.54	5.35	5.19	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	10.54	5.28	5.26	--	--	<50	<50	<0.5	<0.5	<0.5	1.1	--	--
11/30/94	10.54	5.96	4.58	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	10.54	6.32	4.22	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	10.54	6.04	4.50	--	--	53 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	10.54	5.56	4.98	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/12/98	10.54	7.49	3.05	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/03/98	10.54	6.59	3.95	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
07/29/98	10.54	5.99	4.55	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/30/98	10.54	5.56	4.98	--	--	--	--	--	--	--	--	--	--
02/24/99	10.54	7.24	3.30	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/06/99	10.54	4.79	5.75	--	--	--	--	--	--	--	--	--	--
08/30/99	10.54	5.25	5.29	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/17/99	10.54	4.81	5.73	--	--	--	--	--	--	--	--	--	--
02/21/00	10.54	6.54	4.00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/08/00	10.54	6.14	4.40	0.00	0.00	--	--	--	--	--	--	--	--
08/08/00	10.54	6.05	4.49	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/01/00	10.54	5.85	4.69	0.00	0.00	--	--	--	--	--	--	--	--
02/12/01	10.54	6.17	4.37	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/14/01	10.54	6.09	4.45	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--	--
08/13/01	10.54	5.61	4.93	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/12/01	10.54	5.27	5.27	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--
02/04/02	10.54	6.43	4.11	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/06/02	10.54	6.28	4.26	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-7 (cont)													
08/29/02	10.54	5.76	4.78	0.00	0.00	--	<50	<0.50	<0.50	<0.50	1.8	<2.5	--
11/25/02	10.54	5.61	4.93	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
02/05/03	10.54	6.43	4.11	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/03	10.54	6.45	4.09	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
08/14/03 ²⁴	10.54	5.76	4.78	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/13/03	10.54	5.85	4.69	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
02/12/04 ²⁴	10.54	6.39	4.15	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/13/04	10.54	6.24	4.30	0.00	0.00	<50 ²³	--	--	--	--	--	--	--
08/12/04 ²⁴	10.54	5.78	4.76	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/11/04	10.54	5.36	5.18	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
02/10/05 ²⁴	10.54	6.58	3.96	0.00	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/12/05	10.54	6.67	3.87	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
B-10													
11/29/95	11.42	4.91	6.51	--	--	900 ³	1,700	95	<2.5	69	170	22	--
02/08/96	11.42	6.87	4.55	--	--	650 ³	230	31	<0.5	7.2	6.2	10	--
05/08/96	11.42	5.87	5.55	--	--	570 ³	260	61	0.59	37	23	20	--
08/23/96	11.42	5.23	6.19	--	--	700 ³	320	34	<0.5	29	15	8.3	--
12/12/96	11.42	5.59	5.83	--	--	990 ³	1,600	94	<2.5	110	27	<12	--
02/10/97	11.42	6.84	4.58	--	--	530 ³	2,100	230	5.6	130	83	<12	--
05/01/97	11.42	5.85	5.57	--	--	770 ³	2,300	110	<2.5	140	49	<12	--
08/05/97	11.42	5.12	6.30	--	--	620 ³	650	33	1.1	70	16	3.2	--
10/28/97	11.42	5.24	6.18	--	--	310 ³	740	25	1.6	53	14	6.7	--
02/04/98	11.42	8.53	2.89	--	--	250 ³	950	23	4.5	<0.5	1.9	<2.5	--
06/03/98	11.42	6.62	4.80	--	--	490 ³	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	11.42	5.77	5.65	--	--	390 ³	290	3.9	<0.5	8.5	1.4	<2.5	--
11/30/98	11.42	5.80	5.62	--	--	437	<50	<0.5	<0.5	<0.5	<0.5	7.11	--
02/24/99	11.42	7.19	4.23	--	--	259 ³	160	35	0.55	0.64	0.64	9.2	--
05/06/99	11.42	6.31	5.11	--	--	190 ³	490	7.05	1.02	8.24	2.18	<5.0	--
08/30/99	11.42	5.06	6.36	--	--	330 ³	205	1.79	0.808	5.55	2.16	3.93	--
11/17/99	11.42	5.48	5.94	--	--	2,180 ³	108	1.2	<0.5	1.2	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-10 (cont)													
02/21/00	11.42	7.07	4.35	--	--	360 ³	587	17.6	2.92	10.1	4.61	5.08	--
05/08/00	11.42	5.99	5.43	0.00	0.00	320 ¹¹	380 ⁹	5.4	2.6	3.2	6.3	9.1	--
08/08/00	11.42	DRY	--	--	--	--	--	--	--	--	--	--	--
11/01/00	11.42	DRY	--	--	--	--	--	--	--	--	--	--	--
02/12/01 ¹⁶	NP	6.09	5.33	0.00	0.00	--	--	--	--	--	--	--	--
05/14/01 ¹⁶	11.42	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
08/13/01 ¹⁶	11.42	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
11/12/01 ¹⁶	11.42	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
02/04/02 ²⁰	11.42	6.18	5.24	0.00	0.00	340	100	1.8	<0.50	0.57	<1.5	18	--
05/06/02	11.42	6.00	5.42	0.00	0.00	1,000	86	1.4	<0.50	<0.50	<1.5	17	--
08/29/02	11.42	4.79	6.63	0.00	0.00	650	120	<0.50	<0.50	<0.50	<1.5	38	--
11/25/02	11.42	5.32	6.10	0.00	0.00	1,200	77	<0.50	<0.50	<0.50	<1.5	40	--
02/05/03	11.42	6.19	5.23	0.00	0.00	650	190	<2.0	<0.50	<0.50	<1.5	30	--
05/15/03	11.42	6.16	5.26	0.00	0.00	750	150	1.2	<0.5	<0.5	<1.5	30	--
08/14/03 ²⁴	11.42	5.03	6.39	0.00	0.00	230 ²³	<50	<0.5	<0.5	<0.5	<0.5	38	--
11/13/03 ²⁴	11.42	5.17	6.25	0.00	0.00	1,000	<50	<0.5	<0.5	<0.5	<0.5	52	--
02/12/04 ²⁴	11.42	6.32	5.10	0.00	0.00	810	<50	<0.5	<0.5	<0.5	<0.5	30	--
05/13/04 ²⁴	11.42	5.75	5.67	0.00	0.00	71 ²³	<50	<0.5	<0.5	<0.5	<0.5	33	--
08/12/04 ²⁴	11.42	5.12	6.30	0.00	0.00	460	<50	<0.5	<0.5	<0.5	<0.5	30	--
11/11/04 ²⁴	11.42	4.65	6.77	0.00	0.00	350	<50	<0.5	<0.5	<0.5	<0.5	30	--
02/10/05 ²⁴	11.42	6.60	4.82	0.00	0.00	580	<50	<0.5	<0.5	<0.5	<0.5	27	--
05/12/05 ²⁴	11.42	6.38	5.04	0.00	0.00	160 ²⁶	<50	<0.5	<0.5	<0.5	<0.5	21	--
B-11													
11/29/95	11.98	6.08	5.90	--	--	1,400 ³	2,800	38	<10	26	48	21,000	--
02/08/96	11.98	7.54	4.44	--	--	1,100 ³	<5,000	<50	<50	<50	<50	38,000	--
05/08/96	11.98	6.98	5.00	--	--	1,300 ³	4,100	110	<10	31	25	17,000	--
08/23/96	11.98	6.37	5.61	--	--	820 ³	3,400	160	12	41	13	4,000	--
12/12/96	11.98	6.85	5.13	--	--	1,300 ³	3,700	120	12	<5.0	30	2,200	--
02/10/97	11.98	7.91	4.07	--	--	810 ³	2,300	56	17	<5.0	20	4,700	--
05/01/97	11.98	6.95	5.03	--	--	820 ³	<5,000	<50	<50	<50	<50	21,000	--
08/05/97	11.98	6.38	5.60	--	--	900 ³	3,500	42	<10	<10	<10	4,100	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-11 (cont)													
10/28/97	11.98	6.30	5.68	--	--	1,300 ³	3,000	39	6.2	8.0	13	2,300	--
02/04/98	11.98	9.39	2.59	--	--	930 ³	1,300	3.2	1.4	<0.5	5.0	46,000	--
06/03/98	11.98	7.53	4.45	--	--	740 ³	860	3.7	1.4	0.84	3.0	34,000	--
07/29/98	11.98	6.80	5.18	--	--	1,400 ³	1,300	6.9	2.5	3.8	2.0	50,000/41,000 ⁶	--
11/30/98	11.98	6.91	5.07	--	--	1,020	<1,000	<10	<10	<10	<10	5,370	--
02/24/99	11.98	7.79	4.19	--	--	2,290 ³	690	4.7	<0.5	2.7	3.1	67,000	--
05/06/99	11.98	7.43	4.55	--	--	580 ³	423	4.66	0.662	<0.5	1.38	20,600	--
08/30/99	11.98	6.18	5.80	--	--	1,120 ³	1,220	31	8.6	<5.0	14	10,900	--
11/17/99	11.98	6.41	5.57	--	--	1,160 ³	2,800	36.6	10.6	8.41	11.6	12,000	--
02/21/00	11.98	7.77	4.21	--	--	730 ³	1,570	12.3	2.71	3.33	12.9	2,980	--
05/08/00	11.98	7.04	4.94	0.00	0.00	220 ¹³	<500	<5.0	<5.0	<5.0	<5.0	8,500	--
08/08/00	11.98	6.79	5.19	0.00	0.00	660 ¹³	2,900 ¹⁰	51	<25	<25	38	10,000	--
11/01/00	11.98	6.72	5.26	0.00	0.00	290 ¹¹	<5,000	<50	<50	<50	<50	29,000	--
02/12/01	11.98	7.24	4.74	0.00	0.00	660 ¹³	1,700 ¹⁰	38	11	11	22	7,800	--
05/14/01	11.98	6.84	5.14	0.00	0.00	430 ¹³	1,200 ¹⁰	29	11	<10	<10	35,000	--
08/13/01	11.98	6.33	5.65	0.00	0.00	910	<5,000	<50	<50	<50	<50	140,000 ¹⁸	--
11/12/01	11.98	6.32	5.66	0.00	0.00	1,400	3,100	14	6.1	8.7	23	6,100	--
02/04/02	11.98	7.25	4.73	0.00	0.00	650	1,400	5.6	1.8	2.5	9.3	7,800	--
05/06/02	11.98	7.10	4.88	0.00	0.00	880	480	1.2	0.64	1.3	1.9	1,400	--
08/29/02	11.98	6.44	5.54	0.00	0.00	3,500	1,500	5.4	1.9	2.2	5.8	96,000	--
11/25/02	11.98	6.44	5.54	0.00	0.00	3,700	1,200	2.7	1.0	1.4	7.0	45,000	--
02/05/03	11.98	7.18	4.80	0.00	0.00	2,100	910	2.7	<2.5	<2.5	<7.5	46,000	--
05/15/03	11.98	7.18	4.80	0.00	0.00	2,500	1,100	5.4	<2.5	4.5	11	78,000	--
08/14/03 ²⁴	11.98	6.45	5.53	0.00	0.00	3,600 ²³	840	<50	<50	<50	<50	88,000	--
11/13/03 ²⁴	11.98	6.37	5.61	0.00	0.00	2,300	570	<10	<10	<10	<10	14,000	--
02/12/04 ²⁴	11.98	7.28	4.70	0.00	0.00	4,400	310	<25	<25	<25	<25	29,000	--
05/13/04 ²⁴	11.98	6.95	5.03	0.00	0.00	410 ²³	480	<13	<13	<13	<13	100,000	--
08/12/04 ²⁴	11.98	6.56	5.42	0.00	0.00	3,600	850	<10	<10	<10	<10	83,000	--
11/11/04 ²⁴	11.98	6.05	5.93	0.00	0.00	3,100	570	<10	<10	<10	<10	20,000	--
02/10/05 ²⁴	11.98	7.42	4.56	0.00	0.00	12,000	320	<25	<25	<25	<25	49,000	--
05/12/05 ²⁴	11.98	7.40	4.58	0.00	0.00	1,900 ²⁶	400	<25	<25	<25	<25	42,000	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOC (ppb)
B-12													
11/29/95	11.16	5.15	6.01	--	--	1,800 ³	1,100	10	<10	<10	<10	37,000	--
02/08/96	11.16	6.56	4.60	--	--	1,800 ³	<20,000	<200	<200	<200	<200	88,000	--
05/08/96	11.16	6.08	5.08	--	--	1,800 ³	<25,000	<250	<250	<250	<250	88,000	--
08/23/96	11.16	5.51	5.65	--	--	1,500 ³	630	16	<5.0	<5.0	<5.0	420	--
12/12/96	11.16	6.05	5.11	--	--	1,200 ³	<25,000	<250	<250	<250	<250	54,000	--
02/10/97	11.16	7.05	4.11	--	--	1,200 ³	<20,000	<200	<200	<200	<200	65,000	--
02/10/97 ⁵	11.16	7.05	4.11	--	--	--	--	<500	<500	<500	<500	--	--
05/01/97	11.16	6.17	4.99	--	--	1,100 ³	<12,500	<125	<125	<125	<125	64,000	--
08/05/97	11.16	5.55	5.61	--	--	1,100 ³	<10,000	<100	<100	<100	<100	46,000	--
10/28/97	11.16	5.40	5.76	--	--	1,100 ³	1,400	39	<5.0	7.2	6.0	29,000	--
02/04/98	11.16	8.53	2.63	--	--	4,800 ³	920	6.9	1.1	<0.5	2.8	59,000	--
06/03/98	11.16	6.71	4.45	--	--	2,000 ³	590	9.4	<0.5	0.93	<0.5	15,000	--
07/29/98	11.16	5.91	5.25	--	--	2,200 ³	820	5.6	2.0	3.3	1.2	28,000/33,000 ⁶	--
11/30/98	11.16	6.03	5.13	--	--	1,060	2,110	<10	<10	<10	<10	5,330	--
02/24/99	11.16	7.16	4.00	--	--	2,680 ³	410	0.64	<0.5	2.2	2.3	15,000	--
05/06/99	11.16	6.71	4.45	--	--	3,550 ³	<500	<5.0	<5.0	<5.0	<5.0	1370	<1,000
08/30/99	11.16	5.32	5.84	--	--	1,310 ³	985	12.5	6.0	9.5	10.8	6600	--
11/17/99	11.16	5.73	5.43	--	--	1,060 ³	1,700	14.4	5.99	5.98	<5.0	14,200	--
02/21/00	11.16	6.85	4.31	--	--	430 ³	595	3.49	<0.5	<0.5	4.26	5,100	--
05/08/00	11.16	6.21	4.95	0.00	0.00	340 ¹³	<500	<5.0	<5.0	<5.0	<5.0	2,100	--
08/08/00	11.16	6.01	5.15	0.00	0.00	260 ¹³	410 ¹⁰	3.9	1.5	1.8	4.8	2,000	--
11/01/00	11.16	5.85	5.31	0.00	0.00	130 ¹¹	660 ⁹	6.0	1.9	2.8	2.9	4,600	--
02/12/01	11.16	6.27	4.89	0.00	0.00	280 ¹¹	550 ¹⁰	14	<5.0	5.0	<5.0	2,000	--
05/14/01	11.16	6.05	5.11	0.00	0.00	280 ¹³	770 ¹⁰	7.6	5.0	0.80	4.8	1,400	--
08/13/01	11.16	5.52	5.64	0.00	0.00	500	730 ¹⁰	10	<5.0	6.1	<5.0	2,700	--
11/12/01	11.16	5.40	5.76	0.00	0.00	900	1,700	2.2	1.1	7.6	9.2	1,400	--
02/04/02	11.16	6.45	4.71	0.00	0.00	440	1,100	2.0	1.0	2.0	2.8	310	--
05/06/02	11.16	6.28	4.88	0.00	0.00	340	660	<1.0	<1.0	<1.0	<1.0	96	--
08/29/02	11.16	5.67	5.49	0.00	0.00	1,000	1,700	5.6	3.9	4.2	<15	530	--
11/25/02	11.16	5.58	5.58	0.00	0.00	890	2,300	<5.0	1.8	3.5	<10	320	--
02/05/03	11.16	6.40	4.76	0.00	0.00	770	1,600	<10	<2.5	<2.5	<7.5	270	--
05/15/03	11.16	6.40	4.76	0.00	0.00	1,500	1,800	<2.5	<2.5	2.6	<7.5	280	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-12 (cont)													
08/14/03 ²⁴	11.16	5.68	5.48	0.00	0.00	1,000 ²³	2,000	1	0.7	0.9	2	300	--
11/13/03 ²⁴	11.16	5.48	5.68	0.00	0.00	390	790	<0.5	<0.5	1	1	36	--
02/12/04 ²⁴	11.16	6.44	4.72	0.00	0.00	210	94	<0.5	<0.5	<0.5	<0.5	8	--
05/13/04 ²⁴	11.16	6.24	4.92	0.00	0.00	60 ²³	<50	<0.5	<0.5	<0.5	<0.5	2	--
08/12/04 ²⁴	11.16	5.75	5.41	0.00	0.00	130	290	<0.5	<0.5	<0.5	<0.5	61	--
11/11/04 ²⁴	11.16	5.26	5.90	0.00	0.00	160	180	<0.5	<0.5	<0.5	<0.5	5	--
02/10/05 ²⁴	11.16	6.62	4.54	0.00	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	5	--
05/12/05 ²⁴	11.16	6.59	4.57	0.00	0.00	150	160	<0.5	<0.5	<0.5	<0.5	5	--
B-13													
11/29/95	11.17	5.26	5.91	--	--	3,400 ³	1,800	19	<5.0	5.5	<5.0	7,400	--
02/08/96	11.17	6.72	4.45	--	--	450 ³	910	12	1.3	2.0	1.9	77	--
05/08/96	11.17	6.20	4.97	--	--	560 ³	140	1.9	<0.5	0.88	2.0	98	--
08/23/96	11.17	5.54	5.63	--	--	1,300 ³	1,300	<10	<10	<10	<10	450	--
12/12/96	11.17	5.91	5.26	--	--	1,300 ³	2,600	29	5.4	9.40	6.3	230	--
02/10/97	11.17	7.05	4.12	--	--	290 ³	670	<0.5	6.7	2.6	5.6	28	--
05/01/97	11.17	6.17	5.00	--	--	480 ³	920	8.5	4.6	2.1	6.1	530	--
08/05/97	11.17	5.52	5.65	--	--	1,300 ³	1,900	23	<5.0	<5.0	<5.0	860	--
10/28/97	11.17	5.49	5.68	--	--	2,200 ³	2,400	33	14	8.4	10	2100	--
02/04/98	11.17	8.48	2.69	--	--	260 ³	110	<0.5	<0.5	<0.5	<0.5	260	--
06/03/98	11.17	6.79	4.38	--	--	480 ³	<50	<0.5	<0.5	<0.5	<0.5	400	--
07/29/98	11.17	6.12	5.05	--	--	830 ³	350	5.0	<0.5	0.67	1.2	730/980 ⁶	--
11/30/98	11.17	6.16	5.01	--	--	741	168	0.797	<0.5	<0.5	<0.5	114	--
02/24/99	11.17	7.14	4.03	--	--	670 ³	69	<0.5	<0.5	<0.5	<0.5	530	--
05/06/99	11.17	6.72	4.45	--	--	540 ³	<500	<5.0	<5.0	<5.0	<5.0	454	--
08/30/99	11.17	5.43	5.74	--	--	927 ³	748	13.7	<2.5	4.53	10.6	377	--
11/17/99	11.17	5.58	5.59	--	--	1,310 ³	1,240	24.6	8.96	<5.0	20.2	1,900	--
02/21/00	11.17	6.93	4.24	--	--	200 ³	443	2.11	0.908	1.89	2.89	254	--
05/08/00	11.17	6.35	4.82	0.00	0.00	240 ¹¹	190 ¹⁰	<0.50	0.68	1.7	1.1	190	--
08/08/00	11.17	6.18	4.99	0.00	0.00	100 ¹³	150 ¹⁰	0.84	1.2	1.3	2.6	44	--
11/01/00	11.17	5.96	5.21	0.00	0.00	290 ¹⁴	560 ⁹	4.9	1.4	4.7	11	1,100	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-13 (cont)													
02/12/01	11.17	6.41	4.76	0.00	0.00	210 ¹³	160 ¹⁰	5.4	1.3	2.1	2.5	200	--
05/14/01	11.17	6.19	4.98	0.00	0.00	130 ¹¹	240 ¹⁰	3.7	2.2	0.92	3.2	66	--
08/13/01	11.17	5.62	5.55	0.00	0.00	750	560 ¹⁰	13	6.4	<5.0	<5.0	690	--
11/12/01	11.17	5.46	5.71	0.00	0.00	2,100	3,500	9.2	8.1	16	25	700	--
02/04/02	11.17	6.62	4.55	0.00	0.00	320	430	1.7	0.54	1.0	1.8	91	--
05/06/02	11.17	6.44	4.73	0.00	0.00	430	<50	<0.50	<0.50	<0.50	<0.50	22	--
08/29/02	11.17	5.82	5.35	0.00	0.00	1,600	660	<2.0	1.1	0.82	2.2	320	--
11/25/02	11.17	5.69	5.48	0.00	0.00	1,600	1,800	3.3	2.8	4.4	<10	520	--
02/05/03	11.17	6.56	4.61	0.00	0.00	550	410	1.1	0.60	<2.0	1.6	94	--
05/15/03	11.17	6.59	4.58	0.00	0.00	760	250	<2.0	<0.5	0.9	<1.5	41	--
08/14/03 ²⁴	11.17	5.84	5.33	0.00	0.00	1,200 ²³	610	1	0.9	1	2	300	--
11/13/03 ²⁴	11.17	5.61	5.56	0.00	0.00	1,500	810	0.6	0.5	1	1	63	--
02/12/04 ²⁴	11.17	6.58	4.59	0.00	0.00	180	<50	<0.5	<0.5	<0.5	<0.5	10	--
05/13/04 ²⁴	11.17	6.42	4.75	0.00	0.00	<50 ²³	<50	<0.5	<0.5	<0.5	<0.5	7	--
08/12/04 ²⁴	11.17	5.91	5.26	0.00	0.00	260	<50	<0.5	<0.5	<0.5	<0.5	8	--
11/11/04 ²⁴	11.17	5.52	5.65	0.00	0.00	240	<50	<0.5	<0.5	<0.5	<0.5	24	--
02/10/05 ²⁴	11.17	6.77	4.40	0.00	0.00	150	<50	<0.5	<0.5	<0.5	<0.5	4	--
05/12/05 ²⁴	11.17	6.79	4.38	0.00	0.00	730 ²⁶	<50	<0.5	<0.5	<0.5	<0.5	29	--
B-14													
08/29/02 ²¹	9.54	5.12	4.42	0.00	0.00	930	<50	<0.50	<0.50	<0.50	<1.5	1,400	--
11/25/02	9.54	5.14	4.40	0.00	0.00	1,200	<50	<0.50	<0.50	<0.50	<1.5	1,100	--
02/05/03	9.54	5.56	3.98	0.00	0.00	580	<50	<0.50	<0.50	<0.50	<1.5	1,400	--
05/15/03	9.54	5.69	3.85	0.00	0.00	1,000	<50	<0.5	<0.5	<0.5	<1.5	1,500	--
08/14/03 ²⁴	9.54	5.07	4.47	0.00	0.00	<250 ²³	<50	<0.5	<0.5	<0.5	<0.5	1,100	--
11/13/03 ²⁴	9.54	5.04	4.50	0.00	0.00	1,800	<50	<0.5	<0.5	<0.5	<0.5	530	--
02/12/04 ²⁴	9.54	5.56	3.98	0.00	0.00	2,000	59	<0.5	<0.5	<0.5	<0.5	1,000	--
05/13/04 ²⁴	9.54	5.47	4.07	0.00	0.00	390 ²³	<50	<1	<1	<1	<1	1,800	--
08/12/04 ²⁴	9.54	5.26	4.28	0.00	0.00	750	<50	<0.5	<0.5	<0.5	<0.5	1,100	--
11/11/04 ²⁴	9.54	4.76	4.78	0.00	0.00	2,100	<50	<0.5	<0.5	<0.5	<0.5	910	--
02/10/05 ²⁴	9.54	5.82	3.72	0.00	0.00	2,500	78	<1	<1	<1	<1	1,600	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-14 (cont)													
05/12/05 ²⁴	9.54	5.74	3.80	0.00	0.00	700 ²⁶	72	<0.5	<0.5	<0.5	<0.5	1,900	--
B-15													
08/29/02 ²¹	9.43	5.25	4.18	0.00	0.00	<130	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/25/02	9.43	5.22	4.21	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/05/03	9.43	5.86	3.57	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/03	9.43	5.88	3.55	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/14/03 ²⁴	9.43	5.30	4.13	0.00	0.00	<50 ²³	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/13/03 ²⁴	9.43	5.14	4.29	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	0.8	--
02/12/04 ²⁴	9.43	5.84	3.59	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/13/04 ²⁴	9.43	5.62	3.81	0.00	0.00	<50 ²³	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/12/04 ²⁴	9.43	5.22	4.21	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/11/04 ²⁴	9.43	4.79	4.64	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/10/05 ²⁴	9.43	6.02	3.41	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/12/05 ²⁴	9.43	6.08	3.35	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
A-2													
09/20/91	8.00	0.27	7.73	0.00	--	5,100	8,100	860	14	110	53	--	--
10/09/91	8.00	1.39	6.61	0.00	--	--	--	--	--	--	--	--	--
10/17/91	8.00	1.34	6.66	0.00	--	--	--	--	--	--	--	--	--
10/23/91	8.00	1.29	6.80	0.09	--	--	--	--	--	--	--	--	--
11/01/91	8.00	1.45	6.63	0.15	--	--	--	--	--	--	--	--	--
11/07/91	8.00	1.45	6.64	0.21	--	--	--	--	--	--	--	--	--
11/15/91	8.00	1.38	6.81	0.19	--	--	--	--	--	--	--	--	--
11/21/91	8.00	1.31	6.93	0.24	--	--	--	--	--	--	--	--	--
12/12/91	8.00	1.24	6.97	0.15	--	--	--	--	--	--	--	--	--
12/30/91	8.00	1.70	6.54	0.24	--	--	--	--	--	--	--	--	--
01/13/92	8.00	2.16	5.92	0.08	--	--	--	--	--	--	--	--	--
01/22/92	8.00	2.00	6.01	0.10	--	--	--	--	--	--	--	--	--
02/12/92	8.00	2.20	6.06	0.26	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
A-2 (cont)													
03/09/92	8.00	3.11	4.93	0.04	--	--	--	--	--	--	--	--	--
04/10/92	8.00	2.80	5.20	<0.01	--	--	--	--	--	--	--	--	--
05/18/92	8.00	2.36	5.66	0.02	--	--	--	--	--	--	--	--	--
01/06/93	8.00	--	--	--	--	--	--	--	--	--	--	--	--
02/03/93	8.00	3.20	4.98	0.22	--	--	--	--	--	--	--	--	--
04/23/93	11.46	6.24	5.36	0.18	--	--	--	--	--	--	--	--	--
06/11/93	11.46	--	--	--	0.13	--	--	--	--	--	--	--	--
06/15/93	11.46	--	--	--	0.13	--	--	--	--	--	--	--	--
06/18/93	11.46	--	--	--	0.26	--	--	--	--	--	--	--	--
06/22/93	11.46	--	--	--	0.50	--	--	--	--	--	--	--	--
06/29/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
07/09/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
07/15/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
07/19/93	11.46	5.53	6.79	1.07	--	--	--	--	--	--	--	--	--
07/20/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
07/27/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
08/06/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
08/10/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
08/16/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
09/16/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
09/24/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
10/01/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
10/07/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
10/13/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
10/19/93	11.46	6.23	6.36	1.41	--	--	--	--	--	--	--	--	--
10/20/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
10/28/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
11/12/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
11/19/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
11/30/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
12/10/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
12/16/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
A-2 (cont)													
12/23/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
12/29/93	11.46	--	--	--	--	--	--	--	--	--	--	--	--
01/03/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
01/17/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
01/26/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
02/07/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
02/11/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
02/18/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
02/25/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
03/04/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
03/11/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
03/16/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
03/25/94	11.46	--	--	--	--	--	--	--	--	--	--	--	--
DESTROYED													
B-3													
09/20/91	8.01	1.08	6.94	0.01	--	--	--	--	--	--	--	--	--
10/09/91	8.01	1.66	6.35	--	--	--	--	--	--	--	--	--	--
10/17/91	8.01	1.57	6.44	--	--	--	--	--	--	--	--	--	--
10/23/91	8.01	1.53	6.84	--	--	--	--	--	--	--	--	--	--
11/01/91	8.01	1.70	6.31	--	--	--	--	--	--	--	--	--	--
11/07/91	8.01	1.69	6.32	--	--	--	--	--	--	--	--	--	--
11/15/91	8.01	1.62	6.39	--	--	--	--	--	--	--	--	--	--
11/21/91	8.01	1.57	6.44	--	--	--	--	--	--	--	--	--	--
12/12/91	8.01	1.19	6.82	<0.01	--	--	--	--	--	--	--	--	--
12/30/91	8.01	1.64	6.37	--	--	--	--	--	--	--	--	--	--
01/13/92	8.01	2.07	5.94	--	--	--	--	--	--	--	--	--	--
01/22/92	8.01	2.02	5.99	--	--	--	--	--	--	--	--	--	--
02/12/92	8.01	2.19	5.82	<0.01	--	--	--	--	--	--	--	--	--
03/09/92	8.01	2.91	5.10	--	--	--	--	--	--	--	--	--	--
04/10/92	8.01	2.65	5.36	--	--	--	--	--	--	--	--	--	--
05/18/92	8.01	2.29	5.72	--	--	250	6,200	550	58	13	51	--	<5,000
01/06/93	8.01	2.51	5.50	Sheen	--	10,000	5,400	490	54	51	82	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-3 (cont)													
02/03/93	8.01	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.42	6.10	5.32	--	--	6,400	18,000	540	69	47	120	--	--
07/29/93	11.42	5.48	5.94	--	--	4,000	40,000	780	69	49	150	--	--
10/19/93	11.42	5.10	6.32	--	--	1,500	20,000	520	37	43	100	--	--
01/17/94	11.42	4.47	6.95	--	--	<50	3,900	430	32	29	82	--	--
DESTROYED													
B-4													
09/20/91	8.04	1.22	6.82	0.01	--	1,400	19,000	710	160	650	2,000	--	--
10/09/91	8.04	1.41	6.63	--	--	--	--	--	--	--	--	--	--
10/17/91	8.04	1.20	6.84	--	--	--	--	--	--	--	--	--	--
10/23/91	8.04	1.17	6.87	--	--	--	--	--	--	--	--	--	--
11/01/91	8.04	1.34	6.70	--	--	--	--	--	--	--	--	--	--
11/07/91	8.04	1.31	6.73	--	--	--	--	--	--	--	--	--	--
11/15/91	8.04	1.21	6.83	--	--	--	--	--	--	--	--	--	--
11/21/91	8.04	1.20	6.84	--	--	--	--	--	--	--	--	--	--
12/12/91	8.04	1.17	6.87	<0.01	--	--	--	--	--	--	--	--	--
12/30/91	8.04	1.58	6.46	--	--	--	--	--	--	--	--	--	--
01/13/92	8.04	2.13	5.91	--	--	--	--	--	--	--	--	--	--
01/22/92	8.04	2.09	5.95	--	--	--	--	--	--	--	--	--	--
02/12/92	8.04	2.26	5.78	<0.01	--	860	15,000	920	75	520	940	--	--
03/09/92	8.04	2.95	5.09	--	--	--	--	--	--	--	--	--	--
04/10/92	8.04	2.65	5.39	--	--	--	--	--	--	--	--	--	--
05/18/92	8.04	2.45	5.59	--	--	<50	19,000	2,000	97	560	1,200	--	<5,000
01/06/93	8.04	2.54	5.50	Sheen	--	2,700	19,000	2,000	89	490	740	--	--
02/03/93	8.04	--	--	--	--	--	--	--	--	--	--	--	--
04/23/93	11.46	6.07	5.39	--	--	2,300	5,700	2,400	75	380	580	--	--
07/19/93	11.46	5.33	6.13	--	--	2,400	19,000	2,400	140	440	620	--	--
10/19/93	11.46	4.95	6.51	--	--	2,100	13,000	1,200	84	290	530	--	--
01/17/94	11.46	5.28	6.18	--	--	<50	11,000	1,900	63	170	290	--	--
DESTROYED													
B-8													
04/23/93	11.99	6.63	5.36	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
B-8 (cont)													
07/19/93	11.99	5.77	6.22	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	<50
10/19/93	11.99	DRY	--	--	--	--	--	--	--	--	--	--	--
01/07/94	11.99	5.69	6.30	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	11.99	5.56	6.43	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	11.99	6.53	5.46	--	--	120 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	11.99	7.27	4.72	--	--	120 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	11.99	6.99	5.00	--	--	51 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	11.99	6.07	5.92	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/98	11.99	6.45	5.54	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED													
B-9													
04/23/93	10.70	6.14	4.56	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	<50
07/19/93	10.70	5.25	5.45	--	--	<50	<50	<0.5	<0.5	<0.5	<1.5	--	<50
10/19/93	10.70	4.81	5.89	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/07/94	10.70	5.29	5.41	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	10.70	5.15	5.55	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	10.70	6.35	4.35	--	--	60 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	10.70	7.05	3.65	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/01/95	10.70	6.41	4.29	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	10.70	5.50	5.20	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
NOT MONITORED/SAMPLED													
TRIP BLANK													
01/06/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/23/93	--	--	--	--	--	--	--	--	--	--	--	--	--
07/19/93	--	--	--	--	--	--	--	--	--	--	--	--	--
10/19/93	--	--	--	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--
01/17/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/18/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/15/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
TRIP BLANK (cont)													
05/01/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/04/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/29/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/08/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/08/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/23/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/12/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/10/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/01/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/05/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/28/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/04/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/12/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/03/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/29/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/30/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
02/24/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/06/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
08/30/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/17/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/21/00	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/08/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/08/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
11/01/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
02/12/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/14/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/13/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
QA													
11/12/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/04/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/06/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/29/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/25/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
QA (cont)													
02/05/03	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/15/03	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
08/14/03 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/13/03 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/12/04 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/13/04 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/12/04 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/11/04 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/10/05 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/12/05 ²⁴	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0290
 1802 Webster Street
 Alameda, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 8, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	TPH-D = Total Petroleum Hydrocarbons as Diesel	MTBE = Methyl tertiary butyl ether
(ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline	TOG = Total Oil and Grease
GWE = Groundwater Elevation	B = Benzene	(ppb) = Parts per billion
(msl) = Mean sea level	T = Toluene	-- = Not Measured/Not Analyzed
DTW = Depth to Water	E = Ethylbenzene	NP = No Purge
SPHT = Separate Phase Hydrocarbon Thickness	X = Xylenes	QA = Quality Assurance/Trip Blank

* TOC elevations were surveyed on September 26, 2002, by Virgil Chavez Land Surveying. The benchmark for this survey was a brass disk in a monument well at the mid return of the northwest corner of Webster St. and Buena Vista Ave., (Benchmark Elevation = 11.09 feet NGVD 29).

** GWE has been corrected due to the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

- 1 Chromatogram pattern indicates a non-diesel mix.
- 2 Analytical values are in parts per million (ppm).
- 3 Chromatogram pattern indicates an unidentified hydrocarbon.
- 4 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 5 EPA Method 8240.
- 6 Confirmation run.
- 7 Hydrocarbon pattern appears to be weathered.
- 8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons >C10.
- 9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 10 Laboratory report indicates gasoline C6-C12.
- 11 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 12 Laboratory report indicates unidentified hydrocarbons >C16.
- 13 Laboratory report indicates unidentified hydrocarbons <C16.
- 14 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 15 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 16 Well obstructed by roots.
- 17 Laboratory report indicates TPH-G, B, T, E, X and MTBE was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
- 18 Laboratory report indicates sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
- 19 Laboratory report indicates sample was run past holding time.
- 20 Obstruction in well at 11.46 feet.
- 21 Well development performed.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

EXPLANATIONS: (cont)

- 22 Laboratory report indicates the analysis was performed from a previously opened vial and the results are therefore estimated.
- 23 TPH-D with silica gel cleanup.
- 24 BTEX and MTBE by EPA Method 8260.
- 25 TOC has been altered due to well repair. *Unable to determine an accurate GWE.*
- 26 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.

Table 2
Groundwater Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	Ethanol (ppb)	Alkalinity (ppb)	Ferrous Iron (ppb)	Nitrate as Nitrate (ppb)	Sulfate (ppb)	EPA 8010B (ppb)	EPA 8270B (ppb)	Cadmium (ppb)	Chromium (ppb)	Lead (ppb)	Nickel (ppb)	Zinc (ppb)	Motor Oil (ppb)
A-1													
08/30/99	--	--	--	--	--	--	--	--	--	--	--	--	68,400
08/14/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-1													
07/29/98	--	930,000	2,000	13,000	280,000	--	--	--	--	--	--	--	--
08/14/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-5													
07/29/98	--	280,000	1,100	<1,000	7,000	--	--	--	--	--	--	--	--
08/14/03	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<250	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<500	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<100	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--

Table 2
Groundwater Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	Ethanol (ppb)	Alkalinity (ppb)	Ferrous Iron (ppb)	Nitrate as Nitrate (ppb)	Sulfate (ppb)	EPA 8010B (ppb)	EPA 8270B (ppb)	Cadmium (ppb)	Chromium (ppb)	Lead (ppb)	Nickel (ppb)	Zinc (ppb)	Motor Oil (ppb)
B-5 (cont)													
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-6													
08/14/03	<2,500	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<2,000	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<250	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<250	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
B-7													
08/14/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	SAMPLED SEMI-ANNUALLY												
02/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-10													
07/29/98	--	630,000	740	34,000	16,000	--	--	--	--	--	--	--	--
08/14/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--

Table 2
Groundwater Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	Ethanol (ppb)	Alkalinity (ppb)	Ferrous Iron (ppb)	Nitrate as Nitrate (ppb)	Sulfate (ppb)	EPA 8010B (ppb)	EPA 8270B (ppb)	Cadmium (ppb)	Chromium (ppb)	Lead (ppb)	Nickel (ppb)	Zinc (ppb)	Motor Oil (ppb)
B-11													
07/29/98	--	460,000	1,100	33,000	18,000	--	--	--	--	--	--	--	--
08/14/03	<5,000	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<2,500	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<1,300	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<1,000	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<2,500	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<2,500	--	--	--	--	--	--	--	--	--	--	--	--
B-12													
07/29/98	--	700,000	450	<1,000	27,000	--	--	--	--	--	--	--	--
05/06/99	--	--	--	--	--	<5.0-<10	<10-<50	<10	86.7	<75	143	185	--
08/14/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-13													
07/29/98	--	290,000	240	5,600	17,000	--	--	--	--	--	--	--	--
08/14/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/13/03	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/13/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--

Table 2
Groundwater Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

WELL ID/ DATE	Ethanol (ppb)	Alkalinity (ppb)	Ferrous Iron (ppb)	Nitrate as Nitrate (ppb)	Sulfate (ppb)	EPA 8010B (ppb)	EPA 8270B (ppb)	Cadmium (ppb)	Chromium (ppb)	Lead (ppb)	Nickel (ppb)	Zinc (ppb)	Motor Oil (ppb)
B-13 (cont)													
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-14													
05/13/04	<100	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<100	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
B-15													
05/13/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
08/12/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
11/11/04	<50	--	--	--	--	--	--	--	--	--	--	--	--
02/10/05	<50	--	--	--	--	--	--	--	--	--	--	--	--
05/12/05	<50	--	--	--	--	--	--	--	--	--	--	--	--

Table 2
Groundwater Analytical Results
Chevron Service Station #9-0290
1802 Webster Street
Alameda, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to August 14, 2003, were compiled from reports prepared by Blaine Tech Services, Inc.

(ppb) = Parts per billion

-- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: A-1 Date Monitored: 5.12.05 Well Condition: OK
 Well Diameter: 6 in.
 Total Depth: 11.14 ft.
 Depth to Water: 4.19 ft.
 $6.95 \times VF = 1.50 = 10.43 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 32 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0644 Weather Conditions: cloudy
 Sample Time/Date: 0722 5.12.05 Water Color: clear Odor: yr
 Purging Flow Rate: 1 gpm. Sediment Description: _____
 Did well de-water? yes If yes, Time: 0659 to 0710 Volume: 211412 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0655</u>	<u>10</u>	<u>6.69</u>	<u>899</u>	<u>67.2</u>		
<u>0656</u>	<u>11</u>	<u>6.65</u>	<u>915</u>	<u>67.9</u>		
<u>0710</u>	<u>12</u>	<u>6.64</u>	<u>912</u>	<u>68.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
A-1	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	2 x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: _____

Add/Replaced Lock:

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290
 Site Address: 1802 Webster Street
 City: Alameda, CA

Job Number: 385280
 Event Date: 5-12-05 (inclusive)
 Sampler: Joe

Well ID: B-1 Date Monitored: 5-12-05 Well Condition: o.k.

Well Diameter: 2 in.
 Total Depth: 16.08 ft.
 Depth to Water: 4.98 ft.

Volume	3/4" = 0.02	1" = 0.04	1 1/2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

11.10 x VF 0.17 = 1.89 x3 case volume = Estimated Purge Volume: 6 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: 0 ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0605 Weather Conditions: Cloudy
 Sample Time/Date: 0630 5-12-05 Water Color: Clear Odor: faint
 Purging Flow Rate: 2.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0616</u>	<u>2</u>	<u>7.31</u>	<u>1127</u>	<u>63.1</u>	_____	_____
<u>0620</u>	<u>4</u>	<u>7.38</u>	<u>1136</u>	<u>62.9</u>	_____	_____
<u>0625</u>	<u>6</u>	<u>7.42</u>	<u>1134</u>	<u>64.0</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-1</u>	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	<u>2</u> x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: Joc

Well ID: B-5 Date Monitored: 5-12-05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 18.15 ft.
 Depth to Water: 4.11 ft.
14.04 x VF 0.17 = 2.39 x3 case volume = Estimated Purge Volume: 7.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump ✓
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1148 Weather Conditions: cloudy
 Sample Time/Date: 1215 15-12-05 Water Color: clear Odor: yes
 Purging Flow Rate: 1 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1156</u>	<u>2.5</u>	<u>7.16</u>	<u>1403</u>	<u>67.9</u>	_____	_____
<u>1158</u>	<u>5</u>	<u>7.18</u>	<u>1368</u>	<u>68.0</u>	_____	_____
<u>1201</u>	<u>7.5</u>	<u>7.15</u>	<u>1372</u>	<u>67.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-5</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>✓ x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: ✓ Add/Replaced Plug: ✓ Size: 2"



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: B-6 Date Monitored: 5-12-05 Well Condition: O.K.
 Well Diameter: 2 in.
 Total Depth: 18.25 ft.
 Depth to Water: 4.61 ft.
13.64 xVF 0.17 = 232 x3 case volume = Estimated Purge Volume: 7 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1102 Weather Conditions: cloudy
 Sample Time/Date: 112615-1205 Water Color: clear Odor: yes
 Purging Flow Rate: 1 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1113</u>	<u>2.5</u>	<u>6.50</u>	<u>896</u>	<u>66.7</u>	_____	_____
<u>1115</u>	<u>5</u>	<u>6.57</u>	<u>894</u>	<u>67.1</u>	_____	_____
<u>1117</u>	<u>7</u>	<u>6.58</u>	<u>907</u>	<u>67.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2</u> x Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: Add/Replaced Plug: Size: 2"



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: See

Well ID: B-7
 Well Diameter: 2 in.
 Total Depth: 13.28 ft.
 Depth to Water: 3.87 ft.

Date Monitored: 5-12-05 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 2 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
B-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: m. only

Add/Replaced Lock: _____ Add/Replaced Plug: Size: 2"



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290
 Site Address: 1802 Webster Street
 City: Alameda, CA

Job Number: 385280
 Event Date: 5-12-05 (inclusive)
 Sampler: Joe

Well ID: B-10 Date Monitored: 5.12.05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 16.25 ft.
 Depth to Water: 5.04 ft.
11.21 xVF 0.17 = 1.91 x3 case volume= Estimated Purge Volume: 6 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0940 Weather Conditions: cloudy
 Sample Time/Date: 1015 15.12.05 Water Color: clear Odor: mild
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0952</u>	<u>2</u>	<u>6.80</u>	<u>946</u>	<u>69.0</u>	_____	_____
<u>0957</u>	<u>4</u>	<u>6.82</u>	<u>957</u>	<u>68.4</u>	_____	_____
<u>1004</u>	<u>6</u>	<u>6.83</u>	<u>962</u>	<u>68.1</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-10</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>✓ x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS:

Add/Replaced Lock:

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: B-11 Date Monitored: 5.12.05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 15.00 ft.
 Depth to Water: 4.58 ft.
10.42 xVF 0.17 = 1.77 x3 case volume = Estimated Purge Volume: 5.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF):	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1230 Weather Conditions: cloudy
 Sample Time/Date: 1258/15.12.05 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1240</u>	<u>1.5</u>	<u>6.91</u>	<u>1042</u>	<u>67.0</u>		
<u>1244</u>	<u>3</u>	<u>6.87</u>	<u>1045</u>	<u>67.4</u>		
<u>1248</u>	<u>5.5</u>	<u>6.86</u>	<u>1051</u>	<u>67.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-11</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2</u> x Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: Size: 2"



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: B-12 Date Monitored: 5.12.05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 15.02 ft.
 Depth to Water: 4.57 ft.
10.45 xVF 0.17 = 1.78 x3 case volume = Estimated Purge Volume: 5.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0900 Weather Conditions: cloudy
 Sample Time/Date: 0928 5-12-05 Water Color: clear Odor: mild
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/E)	D.O. (mg/L)	ORP (mV)
<u>0908</u>	<u>1.5</u>	<u>7.30</u>	<u>1204</u>	<u>68.5</u>		
<u>0913</u>	<u>3</u>	<u>7.36</u>	<u>1168</u>	<u>69.0</u>		
<u>0917</u>	<u>5.5</u>	<u>7.27</u>	<u>1171</u>	<u>63.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-12</u>	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	<u>2</u> x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS:

Add/Replaced Lock:

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290
 Site Address: 1802 Webster Street
 City: Alameda, CA

Job Number: 385280
 Event Date: 5-12-05 (inclusive)
 Sampler: Soe

Well ID: B-13
 Well Diameter: 2 in.
 Total Depth: 13.85 ft.
 Depth to Water: 4.38 ft.
9.47 xVF 0.17 = 1.61 x3 case volume = Estimated Purge Volume: 5 gal.

Date Monitored: 5-12-05 Well Condition: o/c

Volume	3/4"= 0.02	1"= 0.04	1 1/2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1026 Weather Conditions: cloudy
 Sample Time/Date: 1050 15 12-05 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1034</u>	<u>1.5</u>	<u>6.8</u>	<u>1316</u>	<u>64.0</u>		
<u>1038</u>	<u>3</u>	<u>7.16</u>	<u>1275</u>	<u>64.2</u>		
<u>1041</u>	<u>5</u>	<u>7.22</u>	<u>1269</u>	<u>64.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-13</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2 x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290
 Site Address: 1802 Webster Street
 City: Alameda, CA

Job Number: 385280
 Event Date: 5-12-05 (inclusive)
 Sampler: Joe

Well ID: B-14
 Well Diameter: 2 in.
 Total Depth: 16.02 ft.
 Depth to Water: 3.80 ft.
12.22 x VF = 0.17 = 2.07 x 3 case volume = Estimated Purge Volume: 6.5 gal.

Date Monitored: 5.12.05 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 2 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0818 Weather Conditions: Cloudy
 Sample Time/Date: 0850 15-12-05 Water Color: clear Odor: faint
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0830</u>	<u>2</u>	<u>7.69</u>	<u>1484</u>	<u>63.0</u>	_____	_____
<u>0835</u>	<u>4</u>	<u>7.62</u>	<u>1480</u>	<u>63.2</u>	_____	_____
<u>0838</u>	<u>6.5</u>	<u>7.66</u>	<u>1489</u>	<u>63.5</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-14</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2 x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0290 Job Number: 385280
 Site Address: 1802 Webster Street Event Date: 5-12-05 (inclusive)
 City: Alameda, CA Sampler: Joe

Well ID: B-15 Date Monitored: 5.12.05 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 14.18 ft.
 Depth to Water: 3.35 ft.
 $10.83 \times VF = 0.17 = 1.84 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 5.5 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0735 Weather Conditions: cloudy
 Sample Time/Date: 0805 5-12-05 Water Color: clear Odor: none
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (μ mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0746</u>	<u>1.5</u>	<u>7.48</u>	<u>1796</u>	<u>64.2</u>	_____	_____
<u>0750</u>	<u>3</u>	<u>7.42</u>	<u>1808</u>	<u>63.9</u>	_____	_____
<u>0754</u>	<u>5.5</u>	<u>7.46</u>	<u>1812</u>	<u>63.1</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>B-15</u>	<u>6 x vva vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2 x Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock:

Add/Replaced Plug: _____ Size: _____



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RIE

NOV 2005

SETTLED
GENERAL

SAMPLE GROUP

The sample group for this submittal is 943530. Samples arrived at the laboratory on Saturday, May 14, 2005. The PO# for this group is 99011184 and the release number is INGLIS.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-050512	NA	Water	4524808
A-1-W-050512	Grab	Water	4524809
B-1-W-050512	Grab	Water	4524810
B-5-W-050512	Grab	Water	4524811
B-6-W-050512	Grab	Water	4524812
B-10-W-050512	Grab	Water	4524813
B-11-W-050512	Grab	Water	4524814
B-12-W-050512	Grab	Water	4524815
B-13-W-050512	Grab	Water	4524816
B-14-W-050512	Grab	Water	4524817
B-15-W-050512	Grab	Water	4524818

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300

Respectfully Submitted,

Michele M. Turner

Michele M. Turner
Director



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4524808

QA-T-050512 NA Water
Facility# 90290 Job# 385280 GRD
1802 Webster St-Alameda T0600100307 QA
Collected: 05/12/2005

Account Number: 10904

Submitted: 05/14/2005 10:00
Reported: 05/31/2005 at 10:47
Discard: 07/01/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

WSAQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/18/2005 06:00	Linda C Pape	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/21/2005 12:56	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 06:00	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005 12:56	Ginelle L Haines	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4524810

B-1-W-050512 Grab Water
 Facility# 90290 Job# 385280 GRD
 1802 Webster St-Alameda T0600100307 B-1
 Collected: 05/12/2005 06:35 by JA

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA01

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	200.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	9.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/18/2005 07:26	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/21/2005 15:11	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 09:10	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 07:26	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005 09:10	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005 01:45	David V Hershey Jr	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4524811

B-5-W-050512 Grab Water
 Facility# 90290 Job# 385280 GRD
 1802 Webster St-Alameda T0600100307 B-5
 Collected: 05/12/2005 12:15 by JA

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	69.		50.	ug/l	1
06609	TPH-DRO CALUFT(Waters) The observed sample pattern is not typical of diesel/#2 fuel oil.	n.a.	2,900.		290.	ug/l	10
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH						
01587	Ethanol	64-17-5	N.D.		50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	39.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/18/2005	07:55	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	Method CALUFT-DRO/8015B, Modified	1	05/21/2005	21:27	Tracy A Cole	10
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005	09:34	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005	07:55	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005	09:34	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005	01:45	David V Hershey Jr	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2651 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4524812**

B-6-W-050512 **Grab** **Water**
Facility# 90290 **Job# 385280** **GRD**
1802 Webster St-Alameda **T0600100307** **B-6**
Collected: 05/12/2005 11:26 **by JA**

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	340.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	210.	50.	ug/l	1
	The observed sample pattern is not typical of diesel/#2 fuel oil.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	1,000.	ug/l	20
02010	Methyl Tertiary Butyl Ether	1634-04-4	15,000.	100.	ug/l	200
05401	Benzene	71-43-2	N.D.	10.	ug/l	20
05407	Toluene	108-88-3	N.D.	10.	ug/l	20
05415	Ethylbenzene	100-41-4	N.D.	10.	ug/l	20
06310	Xylene (Total)	1330-20-7	N.D.	10.	ug/l	20
	Due to the level of methyl tertiary butyl ether, the reporting limits for all GC/MS volatile compounds were raised.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/18/2005 08:52	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/21/2005 15:38	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 09:58	Ginelle L Haines	20
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 10:21	Ginelle L Haines	200
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 08:52	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005 09:58	Ginelle L Haines	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/21/2005 10:21	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005 01:45	David V Hershey Jr	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4524813**

B-10-W-050512 **Grab** **Water**
Facility# 90290 **Job# 385280** **GRD**
1802 Webster St-Alameda **T0600100307** **B-10**
Collected: 05/12/2005 10:15 **by JA**

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06609	TPH-DRO CALUFT(Waters) The observed sample pattern is not typical of diesel/#2 fuel oil.	n.a.	160.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	21.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/18/2005 08:23	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/21/2005 16:04	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 10:45	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 08:23	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005 10:45	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005 01:45	David V Hershey Jr	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW 4524814**

B-11-W-050512 **Grab** **Water**
Facility# 90290 **Job# 385280** **GRD**
1802 Webster St-Alameda **T0600100307** **B-11**
Collected: 05/12/2005 12:58 **by JA**

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA11

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	400.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	1,900.	150.	ug/l	5
	The observed sample pattern is not typical of diesel/#2 fuel oil.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	2,500.	ug/l	50
02010	Methyl Tertiary Butyl Ether	1634-04-4	42,000.	250.	ug/l	500
05401	Benzene	71-43-2	N.D.	25.	ug/l	50
05407	Toluene	108-88-3	N.D.	25.	ug/l	50
05415	Ethylbenzene	100-41-4	N.D.	25.	ug/l	50
06310	Xylene (Total)	1330-20-7	N.D.	25.	ug/l	50
	Due to the level of methyl tertiary butyl ether, the reporting limits for all GC/MS volatile compounds were raised.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/18/2005 09:21	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/24/2005 05:12	Tracy A Cole	5
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 11:09	Ginelle L Haines	50
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 11:33	Ginelle L Haines	500
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 09:21	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005 11:09	Ginelle L Haines	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/21/2005 11:33	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005 01:45	David V Hershey Jr	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4524815

B-12-W-050512 Grab Water
 Facility# 90290 Job# 385280 GRD
 1802 Webster St-Alameda T0600100307 B-12
 Collected: 05/12/2005 09:28 by JA

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	160.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	150.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	5.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/18/2005 11:15	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/21/2005 18:19	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 11:57	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 11:15	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/21/2005 11:57	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005 01:45	David V Hershey Jr	1

Lancaster Laboratories Sample No. WW 4524817

B-14-W-050512 Grab Water
 Facility# 90290 Job# 385280 GRD
 1802 Webster St-Alameda T0600100307 B-14
 Collected: 05/12/2005 08:50 by JA

Account Number: 10904

Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	72.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	700.	50.	ug/l	1
	The observed sample pattern is not typical of diesel/#2 fuel oil.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1,900.	13.	ug/l	25
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/18/2005 12:13	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/21/2005 19:13	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/21/2005 13:08	Ginelle L Haines	25
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/25/2005 17:41	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005 12:13	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/25/2005 17:41	Ginelle L Haines	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/21/2005 13:08	Ginelle L Haines	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005 01:45	David V Hershey Jr	1

Lancaster Laboratories Sample No. WW 4524818

 B-15-W-050512 Grab Water
 Facility# 90290 Job# 385280 GRD
 1802 Webster St-Alameda T0600100307 B-15
 Collected: 05/12/2005 08:05 by JA

Account Number: 10904

 Submitted: 05/14/2005 10:00
 Reported: 05/31/2005 at 10:47
 Discard: 07/01/2005

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

WSA15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUFT(Waters)	n.a.	N.D.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/18/2005	12:42	Linda C Pape	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	05/21/2005	16:31	Tracy A Cole	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/20/2005	11:10	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/18/2005	12:42	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/20/2005	11:10	Anita M Dale	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	05/18/2005	01:45	David V Hershey Jr	1

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:47 AM

Group Number: 943530

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 051370013A TPH-DRO CALUFT(Waters)	N.D.	50.	Sample number(s): 4524809-4524818 ug/l	83	78	64-125	6	20
Batch number: 05138A16A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4524808-4524818 ug/l	96	96	70-130	1	30
Batch number: W051391AB	N.D.	50.	Sample number(s): 4524818 ug/l	118		30-155		
Ethanol	N.D.	50.	ug/l	106		77-127		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	98		85-117		
Benzene	N.D.	0.5	ug/l	93		85-115		
Toluene	N.D.	0.5	ug/l	97		82-119		
Ethylbenzene	N.D.	0.5	ug/l	96		83-113		
Xylene (Total)	N.D.	0.5	ug/l					
Batch number: Z051411AA	N.D.	50.	Sample number(s): 4524809-4524817 ug/l	108		30-155		
Ethanol	N.D.	50.	ug/l	93		77-127		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		85-117		
Benzene	N.D.	0.5	ug/l	97		85-115		
Toluene	N.D.	0.5	ug/l	98		82-119		
Ethylbenzene	N.D.	0.5	ug/l	98		83-113		
Xylene (Total)	N.D.	0.5	ug/l					
Batch number: Z051412AA	N.D.	0.5	Sample number(s): 4524808 ug/l	90		77-127		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	95		85-117		
Benzene	N.D.	0.5	ug/l	96		85-115		
Toluene	N.D.	0.5	ug/l	98		82-119		
Ethylbenzene	N.D.	0.5	ug/l	97		83-113		
Xylene (Total)	N.D.	0.5	ug/l					
Batch number: Z051452AA	N.D.	50.	Sample number(s): 4524817 ug/l	107		30-155		
Ethanol	N.D.	50.	ug/l	94		85-117		
Benzene	N.D.	0.5	ug/l	98		85-115		
Toluene	N.D.	0.5	ug/l	99		82-119		
Ethylbenzene	N.D.	0.5	ug/l	97		83-113		
Xylene (Total)	N.D.	0.5	ug/l					

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05138A16A									
			Sample number(s): 4524808-4524818						

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:47 AM

Group Number: 943530

Sample Matrix Quality Control

<u>Analysis Name</u>	<u>MS</u>	<u>MSD</u>	<u>MS/MSD</u>	<u>RPD</u>	<u>RPD</u>	<u>BKG</u>	<u>DUP</u>	<u>DUP</u>	<u>Dup RPD</u>
	<u>%REC</u>	<u>%REC</u>	<u>Limits</u>		<u>MAX</u>	<u>Conc</u>	<u>Conc</u>	<u>RPD</u>	<u>Max</u>
TPH-GRO - Waters	103		63-154						
Batch number: W051391AB	Sample number(s): 4524818								
Ethanol	122	132	26-153	8					30
Methyl Tertiary Butyl Ether	101	101	69-134	0					30
Benzene	106	106	83-128	0					30
Toluene	103	104	83-127	1					30
Ethylbenzene	107	108	82-129	0					30
Xylene (Total)	104	105	82-130	0					30
Batch number: Z051411AA	Sample number(s): 4524809-4524817								
Ethanol	107	112	26-153	4					30
Methyl Tertiary Butyl Ether	96	95	69-134	1					30
Benzene	98	100	83-128	2					30
Toluene	100	99	83-127	1					30
Ethylbenzene	28*	75*	82-129	17					30
Xylene (Total)	77*	99	82-130	12					30
Batch number: Z051412AA	Sample number(s): 4524808								
Methyl Tertiary Butyl Ether	89	94	69-134	5					30
Benzene	99	103	83-128	4					30
Toluene	102	107	83-127	6					30
Ethylbenzene	103	107	82-129	4					30
Xylene (Total)	102	106	82-130	4					30
Batch number: Z051452AA	Sample number(s): 4524817								
Ethanol	110	114	26-153	3					30
Benzene	101	101	83-128	1					30
Toluene	104	103	83-127	1					30
Ethylbenzene	106	105	82-129	1					30
Xylene (Total)	104	103	82-130	1					30

Surrogate Quality Control

 Analysis Name: TPH-DRO CALUFT(Waters)
 Batch number: 051370013A
 Orthoterphenyl

4524809	86
4524810	93
4524811	83
4524812	94
4524813	94
4524814	99
4524815	97
4524816	86
4524817	80
4524818	91
Blank	92
LCS	95
LCSD	89

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 05/31/05 at 10:47 AM

Group Number: 943530

Surrogate Quality Control

Limits: 52-134

Analysis Name: TPH-GRO - Waters
Batch number: 05138A16A
Trifluorotoluene-F

4524808	97
4524809	97
4524810	96
4524811	98
4524812	100
4524813	96
4524814	104
4524815	100
4524816	97
4524817	98
4524818	97
Blank	98
LCS	100
LCSD	100
MS	100

Limits: 70-142

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
Batch number: W051391AB

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4524818	101	90	89	96
Blank	100	93	90	93
LCS	102	91	90	101
MS	100	85	94	102
MSD	99	84	93	101

Limits: 81-120

82-112

85-112

83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
Batch number: Z051411AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4524809	96	98	97	96
4524810	95	98	97	96
4524811	96	99	98	96
4524812	94	98	98	95
4524813	94	98	98	95
4524814	94	99	98	96
4524815	94	98	98	95
4524816	94	98	97	96
Blank	95	98	98	97
LCS	94	98	98	96
MS	95	97	98	96
MSD	95	98	97	97

Limits: 81-120

82-112

85-112

83-113

Analysis Name: BTEX+MTBE by 8260B

Batch number: Z051412AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
--	----------------------	-----------------------	------------	----------------------

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 05/31/05 at 10:47 AM

Group Number: 943530

Surrogate Quality Control

4524808	93	98	100	96
Blank	94	97	100	96
LCS	95	99	99	97
MS	94	96	99	98
MSD	94	98	99	
Limits:	81-120	82-112	85-112	83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
Batch number: Z051452AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4524817	93	93	99	94
Blank	93	93	99	94
LCS	92	94	98	96
MS	93	94	99	97
MSD	92	92	99	96
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns $>25\%$
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is $<$ CRDL, but \geq IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.