



RECEIVED

8:19 am, Jun 28, 2011
Alameda County
Environmental Health

Dave Patten
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2961
Fax (925) 543-2324
acosta@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-0290
1802 Webster Street
Alameda, CA

I have reviewed the attached report dated June 27, 2011

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Dave Patten
Project Manager

Attachment: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

June 27, 2011

Reference No. 311594

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Semi-Annual 2011
Groundwater Monitoring and Sampling Report
Chevron Service Station 9-0290
1802 Webster Street
Alameda, California
Fuel Leak Case No. RO0000195

Dear Mr. Mark Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *First Semi-Annual 2011 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's May 4, 2011 *Second Quarter Monitoring* report is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' May 13, 2011 *Analytical Results* is included as Attachment B.

Equal
Employment Opportunity
Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

June 27, 2011

Reference No. 311594

- 2 -

Please contact Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



Nathan Lee, PG 8486

NL/aa/10
Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Mr. Dave Patten, Chevron
Ms. Elena Lieberman, Property Owner

FIGURES




FIGURE 1


Chevron Service Station 9-0290

1802 Webster Street
Alameda, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map



BASEMAP MODIFIED FROM DRAWING PROVIDED BY GETTLER RYAN INC.

TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	09/20/1991	8.13	9.23	0.48	1.58	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/09/1991	8.13	6.67	1.46	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/17/1991	8.13	7.28	1.43	0.58	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/23/1991	8.13	7.42	1.36	0.65	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/01/1991	8.13	7.14	1.49	0.50	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/07/1991	8.13	7.14	1.50	0.51	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/15/1991	8.13	7.19	1.47	0.53	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/21/1991	8.13	7.28	1.28	0.54	0.00	-	-	-	-	-	-	-	-	-	-
A-1	12/12/1991	8.13	7.33	1.29	0.49	0.00	-	-	-	-	-	-	-	-	-	-
A-1	12/30/1991	8.13	6.76	1.73	0.36	0.00	-	-	-	-	-	-	-	-	-	-
A-1	01/13/1992	8.13	6.29	2.21	0.37	0.00	-	-	-	-	-	-	-	-	-	-
A-1	01/22/1992	8.13	6.43	2.15	0.45	0.00	-	-	-	-	-	-	-	-	-	-
A-1	02/12/1992	8.13	6.30	2.21	0.38	0.00	-	-	-	-	-	-	-	-	-	-
A-1	03/09/1992	8.13	5.30	3.14	0.31	0.00	-	-	-	-	-	-	-	-	-	-
A-1	04/10/1992	8.13	5.37	2.83	0.07	0.00	-	-	-	-	-	-	-	-	-	-
A-1	05/18/1992	8.13	6.14	2.39	0.40	0.00	-	-	-	-	-	-	-	-	-	-
A-1	01/06/1993	8.13	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	02/03/1993	8.13	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	04/23/1993	11.56	5.85	6.19	0.60	0.00	-	-	-	-	-	-	-	-	-	-
A-1	06/11/1993	11.56	-	-	0.00	2.00	-	-	-	-	-	-	-	-	-	-
A-1	06/15/1993	11.56	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-
A-1	06/18/1993	11.56	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	06/22/1993	11.56	-	-	0.00	0.50	-	-	-	-	-	-	-	-	-	-
A-1	06/29/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	07/09/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	07/15/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	07/19/1993	11.56	6.23	5.54	0.26	2.00	-	-	-	-	-	-	-	-	-	-
A-1	07/20/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	07/27/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/06/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/10/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/16/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	09/16/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	09/24/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/01/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/07/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/13/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/19/1993	11.56	-	-	0.10	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/20/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	10/28/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/12/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/19/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	12/10/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	12/16/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	12/23/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	12/29/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	01/03/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	01/17/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	01/26/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	02/07/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	02/11/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	02/18/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	02/25/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	03/04/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	03/11/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	03/16/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	03/25/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	04/01/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/18/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1994	11.56	-	-	0.00	2.00	-	-	-	-	-	-	-	-	-	-
A-1	02/15/1995	11.56	4.79	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	05/01/1995	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/04/1995	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/29/1995	11.56	6.38	5.24	0.08	0.03	-	-	-	-	-	-	-	-	-	-
A-1	02/08/1996	11.56	4.57	7.03	0.05	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	05/08/1996	11.56	5.49	6.29	0.28	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/23/1996	11.56	6.43	5.31	0.22	0.00	-	-	-	-	-	-	-	-	-	-
A-1	12/12/1996	11.56	5.53	6.37	0.42	0.05	-	-	-	-	-	-	-	-	-	-
A-1	02/10/1997	11.56	4.45	7.25	0.17	0.08	-	-	-	-	-	-	-	-	-	-
A-1	05/01/1997	11.56	5.51	6.11	0.08	0.05	-	-	-	-	-	-	-	-	-	-
A-1	08/05/1997	11.56	5.96	5.68	0.10	0.07	-	-	-	-	-	-	-	-	-	-
A-1	10/28/1997	11.56	6.05	5.56	0.06	0.03	-	-	-	-	-	-	-	-	-	-
A-1	02/04/1998	11.56	3.20	8.39	0.04	0.03	-	-	-	-	-	-	-	-	-	-
A-1	06/03/1998	11.56	4.56	7.02	0.03	0.02	-	-	-	-	-	-	-	-	-	-
A-1	07/29/1998	11.56	4.44	7.15	0.04	0.04	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1998	11.56	5.61	6.23	0.35	0.01	-	-	-	-	-	-	-	-	-	-
A-1	02/24/1999	11.56	4.41	7.63	0.60	0.07	-	-	-	-	-	-	-	-	-	-
A-1	05/06/1999	11.56	4.67	6.89	0.00	0.00	9,500 ³	-	580	-	13.4	<2.0	4.68	58	-	165
A-1	08/30/1999	11.56	6.04	5.52	0.00	0.00	22,000 ³	-	615	68,400	12	3.45	3.8	44	-	95.5
A-1	11/17/1999	11.56	5.89	5.70	0.04	0.08	-	-	-	-	-	-	-	-	-	-
A-1	02/21/2000	11.56	4.23	7.39	0.08	0.01	-	-	-	-	-	-	-	-	-	-
A-1	05/08/2000	11.56	5.10	6.55	0.11	0.00	-	-	-	-	-	-	-	-	-	-
A-1	08/08/2000	11.56	5.53	6.13	0.13	0.26	-	-	-	-	-	-	-	-	-	-
A-1	11/01/2000	11.56	5.67	5.99	0.13	0.26	-	-	-	-	-	-	-	-	-	-
A-1	02/12/2001	11.56	4.71	6.85	0.00	0.00	15,000 ¹²	-	290 ¹⁰	-	5.1	<2.0	<2.0	17	-	640
A-1	05/14/2001 ¹⁷	11.56	5.30	6.26	0.00	0.00	3,100 ¹²	-	190 ¹⁰	-	4.8	1.2	0.92	22	-	100
A-1	08/13/2001	11.56	5.89	5.69	0.03	0.26	-	-	-	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	11/12/2001	11.56	5.78	5.84	0.08	0.05	-	-	-	-	-	-	-	-	-	-
A-1	02/04/2002	11.56	4.79	6.77	0.00	0.00	23,000	-	380	-	3.3	1.4	0.69	14	-	1,800
A-1	05/06/2002	11.56	5.00	6.56	0.00	0.00	12,000	-	280	-	2.7	1.9	1.1	20	-	130
A-1	08/29/2002	11.56	5.70	5.86	0.00	0.00	13,000	-	380	-	4.1	3.3	2.1	31	-	42
A-1	11/25/2002	11.56	5.82	5.74	0.00	0.00	19,000	-	290	-	3.0	1.3	0.81	12	-	340
A-1	02/05/2003	11.56	4.81	6.75	0.00	0.00	12,000	-	290	-	3.1	1.1	<0.50	5.2	-	2,400 ²²
A-1	05/15/2003	11.56	4.85	6.71	0.00	0.00	8,400	-	330	-	4.3	1.8	1	16	-	190
A-1	08/14/2003 ²⁴	11.56	5.71	5.85	0.00	0.00	9,100 ²³	-	450	-	8	3	2	26	-	270
A-1	11/13/2003 ²⁴	11.56	5.91	5.65	0.00	0.00	13,000	-	310	-	4	0.6	0.6	7	-	150
A-1	02/12/2004 ²⁴	-	4.31	-	0.00	0.00	14,000	-	120	-	<0.5	<0.5	<0.5	3	-	84
A-1	05/13/2004 ²⁴	-	4.53	-	0.00	0.00	3,900 ²³	-	310	-	3	1	0.9	13	-	9
A-1	08/12/2004 ²⁴	-	5.13	-	0.00	0.00	4,600	-	240	-	1	<0.5	<0.5	5	-	16
A-1	11/11/2004 ²⁴	-	5.67	-	0.00	0.00	9,500	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	41
A-1	02/10/2005 ²⁴	-	4.38	-	0.00	0.00	9,900	-	160	-	<0.5	<0.5	<0.5	1	-	43
A-1	05/12/2005 ²⁴	-	4.19	-	0.00	0.00	3,100 ²⁶	-	180	-	0.7	0.5	<0.5	5	-	4
A-1	08/11/2005 ²⁴	-	4.99	-	0.00	0.00	3,900 ²⁷	-	250	-	0.7	0.6	0.5	5	-	3
A-1	11/10/2005 ²⁴	-	4.95	-	0.00	0.00	2,700 ²⁷	-	160	-	<0.5	<0.5	<0.5	2	-	37
A-1	02/09/2006 ²⁴	-	4.02	-	0.00	0.00	4,700 ²⁷	-	83	-	<0.5	<0.5	<0.5	<0.5	-	28
A-1	05/11/2006 ²⁴	-	4.06	-	0.00	0.00	4,000	-	71	-	<0.5	<0.5	<0.5	3	-	<0.5
A-1	08/10/2006 ²⁴	-	5.05	-	0.00	0.00	4,500	-	180	-	0.8	0.7	0.6	6	-	1
A-1	11/09/2006 ²⁴	-	5.38	-	0.00	0.00	3,300	-	160	-	<0.5	<0.5	<0.5	2	-	18
A-1	02/08/2007 ²⁴	-	5.02	-	0.00	0.00	5,300	-	65	-	<0.5	<0.5	<0.5	<0.5	-	17

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	05/10/2007 ²⁴	-	4.76	-	0.00	0.00	2,600	-	110	-	0.7	<0.5	<0.5	3	-	2
A-1	08/08/2007 ²⁴	-	5.45	-	0.00	0.00	2,100	-	160	-	<0.5	<0.5	<0.5	5	-	7
A-1	11/07/2007 ²⁴	-	5.60	-	0.00	0.00	6,900	-	78	-	<0.5	<0.5	<0.5	0.7	-	22
A-1	02/13/2008 ²⁴	-	4.12	-	0.00	0.00	7,800	-	70	-	<0.5	<0.5	<0.5	<0.5	-	15
A-1	05/14/2008 ²⁴	-	4.98	-	0.00	0.00	5,200	-	1,500	-	<0.5	<0.5	<0.5	3	-	2
A-1	08/13/2008 ²⁴	-	5.33	-	0.00	0.00	5,400	-	88	-	<0.5	<0.5	<0.5	7	-	4
A-1	11/12/2008 ²⁴	-	5.25	-	0.00	0.00	32,000	-	84	-	<0.5	<0.5	<0.5	0.8	-	10
A-1	02/11/2009 ²⁴	-	5.19	-	0.00	0.00	6,500	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
A-1	05/11/2009	-	-	-	0.00	0.00	6,600	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2
A-1	08/27/2009	-	5.20	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-1	11/10/2009	-	5.20	-	0.00	0.00	8,700	-	90 J	-	<0.5	<0.5	<0.5	<0.5	-	9
A-1	05/19/2010	-	5.03	-	0.00	0.00	7,000	-	52 J	-	<0.5	<0.5	<0.5	<0.5	-	1
A-1	12/01/2010	-	5.45	-	0.00	0.00	14,000	-	63 J	-	<0.5	<0.5	<0.5	<0.5	-	6
A-1	05/03/2011	-	4.80	-	0.00	0.00	-	8,800	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
A-2	09/20/1991	8.00	7.73	0.27	0.00	0.00	5,100	-	8,100	-	860	14	110	53	-	-
A-2	10/09/1991	8.00	6.61	1.39	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/17/1991	8.00	6.66	1.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/23/1991	8.00	6.80	1.29	0.09	0.00	-	-	-	-	-	-	-	-	-	-
A-2	11/01/1991	8.00	6.63	1.45	0.15	0.00	-	-	-	-	-	-	-	-	-	-
A-2	11/07/1991	8.00	6.64	1.45	0.21	0.00	-	-	-	-	-	-	-	-	-	-
A-2	11/15/1991	8.00	6.81	1.38	0.19	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-2	11/21/1991	8.00	6.93	1.31	0.24	0.00	-	-	-	-	-	-	-	-	-	-
A-2	12/12/1991	8.00	6.97	1.24	0.15	0.00	-	-	-	-	-	-	-	-	-	-
A-2	12/30/1991	8.00	6.54	1.70	0.24	0.00	-	-	-	-	-	-	-	-	-	-
A-2	01/13/1992	8.00	5.92	2.16	0.08	0.00	-	-	-	-	-	-	-	-	-	-
A-2	01/22/1992	8.00	6.01	2.00	0.10	0.00	-	-	-	-	-	-	-	-	-	-
A-2	02/12/1992	8.00	6.06	2.20	0.26	0.00	-	-	-	-	-	-	-	-	-	-
A-2	03/09/1992	8.00	4.93	3.11	0.04	0.00	-	-	-	-	-	-	-	-	-	-
A-2	04/10/1992	8.00	5.20	2.80	<0.01	0.00	-	-	-	-	-	-	-	-	-	-
A-2	05/18/1992	8.00	5.66	2.36	0.02	0.00	-	-	-	-	-	-	-	-	-	-
A-2	01/06/1993	8.00	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	02/03/1993	8.00	4.98	3.20	0.22	0.00	-	-	-	-	-	-	-	-	-	-
A-2	04/23/1993	11.46	5.36	6.24	0.18	0.00	-	-	-	-	-	-	-	-	-	-
A-2	06/11/1993	11.46	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-
A-2	06/15/1993	11.46	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-
A-2	06/18/1993	11.46	-	-	0.00	0.26	-	-	-	-	-	-	-	-	-	-
A-2	06/22/1993	11.46	-	-	0.00	0.50	-	-	-	-	-	-	-	-	-	-
A-2	06/29/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	07/09/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	07/15/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	07/19/1993	11.46	6.79	5.53	1.07	0.00	-	-	-	-	-	-	-	-	-	-
A-2	07/20/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	07/27/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-2	08/06/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	08/10/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	08/16/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	09/16/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	09/24/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/01/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/07/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/13/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/19/1993	11.46	6.36	6.23	1.41	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/20/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	10/28/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	11/12/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	11/19/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	11/30/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	12/10/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	12/16/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	12/23/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	12/29/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	01/03/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	01/17/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	01/26/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	02/07/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-2	02/11/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	02/18/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	02/25/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	03/04/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	03/11/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	03/16/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
A-2	03/25/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-1	04/23/1993	12.12	5.93	6.19	0.00	0.00	8,300	-	13,000	-	4,900	22	250	47	-	-
B-1	07/19/1993	12.12	6.66	5.46	0.00	0.00	1,600	-	3,300	-	1,200	16	24	<30	-	-
B-1	10/19/1993	12.12	7.08	5.04	0.00	0.00	550	-	2,300	-	730	18	14	31	-	-
B-1	01/17/1994	12.12	6.73	5.39	0.00	0.00	<50	-	22,000	-	6,500	170	210	430	-	-
B-1	08/18/1994	12.12	6.85	5.27	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-1	11/30/1994	12.12	6.01	6.11	0.00	0.00	3,200 ¹	-	1,500	-	250	17	7.5	19	-	-
B-1	02/15/1995	12.12	5.37	6.75	0.00	0.00	1,300 ¹	-	1,000	-	160	<2.0	4.6	2.6	-	-
B-1	05/01/1995	12.12	5.12	7.00	0.00	0.00	2,600 ³	-	140	-	20	0.52	2.0	0.67	-	-
B-1	08/04/1995	12.12	5.50	6.62	0.00	0.00	4,900 ³	-	6,700	-	1,400	<20	<20	<20	-	-
B-1	11/29/1995	12.12	5.85	6.27	0.00	0.00	5,000 ³	-	9,200	-	2,200	<25	<25	25	-	8,300
B-1	02/08/1996	12.12	4.00	8.12	0.00	0.00	1,300 ³	-	1,500	-	190	<5.0	<5.0	<5.0	-	2,300
B-1	05/08/1996	12.12	4.80	7.32	0.00	0.00	2,900 ³	-	3,700	-	650	<10	24	16	-	2,300
B-1	08/23/1996	12.12	5.54	6.58	0.00	0.00	2,600	-	3,200	-	500	<20	<20	<20	-	4,900
B-1	12/12/1996	12.12	4.90	7.22	0.00	0.00	3,400 ⁴	-	2,500	-	380	<25	<25	25	-	8,600

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	02/10/1997	12.12	4.59	7.53	0.00	0.00	2,100 ³	-	2,200	-	270	11	8.8	13	-	3,400
B-1	05/01/1997	12.12	5.66	6.46	0.00	0.00	1,300 ³	-	1,200	-	70	5.8	<5.0	7.2	-	2,000
B-1	08/05/1997	12.12	6.44	5.68	0.00	0.00	1,500 ³	-	<1,000	-	86	<10	<10	<10	-	3,800
B-1	10/28/1997	12.12	6.43	5.69	0.00	0.00	2,000 ³	-	1,400	-	73	6.5	6.8	9.0	-	2,900
B-1	02/04/1998	12.12	3.01	9.11	0.00	0.00	1,200 ³	-	1,500	-	4.5	1.7	<0.5	2.2	-	1,900
B-1	02/12/1998	12.12	3.79	8.33	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-1	06/03/1998	12.12	4.89	7.23	0.00	0.00	970 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1,400
B-1	07/29/1998	12.12	5.75	6.37	0.00	0.00	1,100 ³	-	850	-	27	<0.5	4.0	2.9	-	770 / 1200 ⁶
B-1	11/30/1998	12.12	5.68	6.44	0.00	0.00	1,490	-	543	-	<5.0	<5.0	<5.0	<5.0	-	2,220
B-1	02/24/1999	12.12	4.29	7.83	0.00	0.00	1,400 ³	-	390	-	1.6	0.57	2.8	2.5	-	2,600
B-1	05/06/1999	12.12	5.01	7.11	0.00	0.00	340 ³	-	239	-	4.02	<0.5	3.87	1.97	-	197
B-1	08/30/1999	12.12	6.21	5.91	0.00	0.00	1,570 ⁷	-	739	-	22.4	3.45	5.62	3.27	-	1,110
B-1	11/17/1999	12.12	6.14	5.98	0.00	0.00	1,730	-	907	-	66.4	3.82	4.39	4.75	-	2,480
B-1	02/21/2000	12.12	4.59	7.53	0.00	0.00	1,000 ³	-	679	-	10.5	<1.0	3.84	3.21	-	2,330
B-1	05/08/2000	12.12	5.46	6.66	0.00	0.00	870 ¹¹	-	1,000 ⁸	-	<5.0	<5.0	<5.0	<5.0	-	660
B-1	08/08/2000	12.12	5.90	6.22	0.00	0.00	520 ¹¹	-	<500	-	29	<5.0	<5.0	<5.0	-	1,900
B-1	11/01/2000	12.12	4.98	7.14	0.00	0.00	570 ¹⁴	-	860 ¹⁰	-	41	<5.0	8.3	13	-	2,500
B-1	02/12/2001	12.12	5.41	6.71	0.00	0.00	940 ¹⁴	-	790 ¹⁵	-	36	<5.0	<5.0	18	-	1,200
B-1	05/14/2001	12.12	5.74	6.38	0.00	0.00	690 ¹¹	-	<1,000	-	<10	<10	<10	<10	-	540
B-1	11/12/2001	12.12	6.53	5.59	0.00	0.00	2,300	-	1,100	-	12	2.5	3.4	8.8	-	1,100
B-1	02/04/2002	12.12	5.20	6.92	0.00	0.00	1,800	-	850	-	7.5	0.66	5.3	<5.0	-	220
B-1	05/06/2002	12.12	5.45	6.67	0.00	0.00	440	-	350	-	<0.50	<0.50	1.7	<1.5	-	83

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	08/29/2002	12.12	6.18	5.94	0.00	0.00	3,000	-	770	-	7.3	1.1	1.5	3.1	-	330
B-1	11/25/2002	12.12	6.25	5.87	0.00	0.00	3,400	-	510	-	7.7	<1.0	1.2	3.6	-	540
B-1	02/05/2003	12.12	5.25	6.87	0.00	0.00	1,400	-	560	-	4.8	0.55	2.4	1.9	-	200
B-1	05/15/2003	12.12	5.26	6.86	0.00	0.00	1,400	-	370	-	2.4	<0.5	1.9	2.0	-	130
B-1	08/14/2003 ²⁴	12.12	6.20	5.92	0.00	0.00	1,300 ²³	-	650	-	4	0.9	0.7	2	-	210
B-1	11/13/2003 ²⁴	12.12	6.39	5.73	0.00	0.00	720	-	210	-	0.7	<0.5	<0.5	0.9	-	200
B-1	02/12/2004 ²⁴	12.12	5.17	6.95	0.00	0.00	1,200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	53
B-1	05/13/2004 ²⁴	12.12	5.26	6.86	0.00	0.00	63 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10
B-1	08/12/2004 ²⁴	12.12	6.01	6.11	0.00	0.00	280	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	26
B-1	11/11/2004 ²⁴	12.12	6.48	5.64	0.00	0.00	280	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	23
B-1	02/10/2005 ²⁴	12.12	5.41	6.71	0.00	0.00	420	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	41
B-1	05/12/2005 ²⁴	12.12	4.98	7.14	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9
B-1	08/11/2005 ²⁴	12.12	5.78	6.34	0.00	0.00	260 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	17
B-1	11/10/2005 ²⁴	12.12	5.74	6.38	0.00	0.00	130 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	56
B-1	02/09/2006 ²⁴	12.12	4.86	7.26	0.00	0.00	380 ³¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	25
B-1	05/11/2006 ²⁴	12.12	4.92	7.20	0.00	0.00	580	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10
B-1	08/10/2006 ²⁴	12.12	5.80	6.32	0.00	0.00	550	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
B-1	11/09/2006 ²⁴	12.12	6.15	5.97	0.00	0.00	300	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7
B-1	02/08/2007 ²⁴	12.12	5.80	6.32	0.00	0.00	240	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-1	05/10/2007 ²⁴	12.12	5.50	6.62	0.00	0.00	140	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4
B-1	08/08/2007 ²⁴	12.12	6.18	5.94	0.00	0.00	170	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6
B-1	11/07/2007 ²⁴	12.12	6.31	5.81	0.00	0.00	250	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	02/13/2008 ²⁴	12.12	4.94	7.18	0.00	0.00	570	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	47
B-1	05/14/2008 ²⁴	12.12	5.85	6.27	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1
B-1	08/13/2008 ²⁴	12.12	6.20	5.92	0.00	0.00	180	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-1	11/12/2008 ²⁴	12.12	6.11	6.01	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4
B-1	02/11/2009 ²⁴	12.12	6.01	6.11	0.00	0.00	140	-	75	-	<0.5	<0.5	<0.5	<0.5	-	11
B-1	05/11/2009	12.12	6.82	5.30	0.00	0.00	1,000	-	67 J	-	<0.5	<0.5	<0.5	<0.5	-	27
B-1	08/27/2009	12.12	6.07	6.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-1	11/10/2009	12.12	5.95	6.17	0.00	0.00	1,500	-	220	-	<0.5	<0.5	<0.5	<0.5	-	36
B-1	05/19/2010	12.12	5.73	6.39	0.00	0.00	540	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	0.8 J
B-1	12/01/2010	12.12	6.25	5.87	0.00	0.00	540	-	55 J	-	<0.5	<0.5	<0.5	<0.5	-	18
B-1	05/03/2011	12.12	5.50	6.62	0.00	0.00	-	310	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-3	09/20/1991	8.01	6.94	1.08	0.01	0.00	-	-	-	-	-	-	-	-	-	-
B-3	10/09/1991	8.01	6.35	1.66	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	10/17/1991	8.01	6.44	1.57	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	11/01/1991	8.01	6.31	1.70	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	11/07/1991	8.01	6.32	1.69	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	11/15/1991	8.01	6.39	1.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	11/21/1991	8.01	6.44	1.57	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	12/12/1991	8.01	6.82	1.19	<0.01	0.00	-	-	-	-	-	-	-	-	-	-
B-3	12/30/1991	8.01	6.37	1.64	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	01/13/1992	8.01	5.94	2.07	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-3	01/22/1992	8.01	5.99	2.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	02/12/1992	8.01	5.82	2.19	<0.01	0.00	-	-	-	-	-	-	-	-	-	-
B-3	03/09/1992	8.01	5.10	2.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	04/10/1992	8.01	5.36	2.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	05/18/1992	8.01	5.72	2.29	0.00	0.00	250	-	6,200	-	550	58	13	51	-	-
B-3	01/06/1993	8.01	5.50	2.51	Sheen	0.00	10,000	-	5,400	-	490	54	51	82	-	-
B-3	02/03/1993	8.01	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-3	04/23/1993	11.42	5.32	6.10	0.00	0.00	6,400	-	18,000	-	540	69	47	120	-	-
B-3	07/29/1993	11.42	5.94	5.48	0.00	0.00	4,000	-	40,000	-	780	69	49	150	-	-
B-3	10/19/1993	11.42	6.32	5.10	0.00	0.00	1,500	-	20,000	-	520	37	43	100	-	-
B-3	01/17/1994	11.42	6.95	4.47	0.00	0.00	<50	-	3,900	-	430	32	29	82	-	-
B-4	09/20/1991	8.04	6.82	1.22	0.01	0.00	1,400	-	19,000	-	710	160	650	2,000	-	-
B-4	10/09/1991	8.04	6.63	1.41	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	10/17/1991	8.04	6.84	1.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	10/23/1991	8.04	6.87	1.17	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	11/01/1991	8.04	6.70	1.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	11/07/1991	8.04	6.73	1.31	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	11/15/1991	8.04	6.83	1.21	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	11/21/1991	8.04	6.84	1.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	12/12/1991	8.04	6.87	1.17	<0.01	0.00	-	-	-	-	-	-	-	-	-	-
B-4	12/30/1991	8.04	6.46	1.58	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-4	01/13/1992	8.04	5.91	2.13	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	01/22/1992	8.04	5.95	2.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	02/12/1992	8.04	5.78	2.26	<0.01	0.00	860	-	15,000	-	920	75	520	940	-	-
B-4	03/09/1992	8.04	5.09	2.95	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	04/10/1992	8.04	5.39	2.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	05/18/1992	8.04	5.59	2.45	0.00	0.00	<50	-	19,000	-	2,000	97	560	1,200	-	-
B-4	01/06/1993	8.04	5.50	2.54	Sheen	0.00	2,700	-	19,000	-	2,000	89	490	740	-	-
B-4	02/03/1993	8.04	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-4	04/23/1993	11.46	5.39	6.07	0.00	0.00	2,300	-	5,700	-	2,400	75	380	580	-	-
B-4	07/19/1993	11.46	6.13	5.33	0.00	0.00	2,400	-	19,000	-	2,400	140	440	620	-	-
B-4	10/19/1993	11.46	6.51	4.95	0.00	0.00	2,100	-	13,000	-	1,200	84	290	530	-	-
B-4	01/17/1994	11.46	6.18	5.28	0.00	0.00	<50	-	11,000	-	1,900	63	170	290	-	-
B-5	09/20/1991	7.73	5.53	2.20	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	10/09/1991	7.73	5.31	2.42	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	10/17/1991	7.73	5.64	2.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	10/23/1991	7.73	5.68	2.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	11/01/1991	7.73	5.49	2.24	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	11/07/1991	7.73	5.54	2.19	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	11/15/1991	7.73	5.63	2.10	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	11/21/1991	7.73	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	12/12/1991	7.73	5.68	2.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	12/30/1991	7.73	5.19	2.54	0.00	0.00	550	-	-	-	-	-	-	-	-	-
B-5	01/13/1992	7.73	4.65	3.07	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	01/22/1992	7.73	4.70	3.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	02/12/1992	7.73	4.45	3.38	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	03/09/1992	7.73	4.05	3.68	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	04/10/1992	7.73	4.43	3.30	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	05/18/1992	7.73	3.79	3.94	0.00	0.00	-	-	390	-	39	1.9	11	24	-	-
B-5	01/06/1993	7.73	4.44	3.39	Sheen	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	02/03/1993	7.73	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	04/23/1993	10.18	4.32	5.86	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-5	07/19/1993	10.18	5.03	5.15	0.00	0.00	<50	-	54	-	<0.5	0.7	<0.5	<1.5	-	-
B-5	10/19/1993	10.18	5.10	5.08	0.00	0.00	<50	-	<50	-	2.0	4.1	0.6	3.5	-	-
B-5	01/07/1994	10.18	4.86	5.32	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	08/18/1994	10.18	5.14	5.04	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	11/30/1994	10.18	4.45	5.73	0.00	0.00	140 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	02/15/1995	10.18	4.15	6.03	0.00	0.00	170 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	05/01/1995	10.18	4.43	5.75	0.00	0.00	190 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	08/04/1995	10.18	4.96	5.22	0.00	0.00	250 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-5	11/29/1995	10.18	5.21	4.97	0.00	0.00	330 ³	-	140	-	1.5	<0.5	1.1	<0.5	-	800
B-5	02/08/1996	10.18	3.80	6.38	0.00	0.00	250 ³	-	<200	-	2.1	<2.0	<2.0	<2.0	-	1,100
B-5	05/08/1996	10.18	4.40	5.78	0.00	0.00	350 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	1,400
B-5	08/23/1996	10.18	4.99	5.19	0.00	0.00	990	-	250	-	6.4	2.1	2.1	4.3	-	9,300

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	12/12/1996	10.18	4.28	5.90	0.00	0.00	430 ³	-	<1,000	-	<10	<10	<10	<10	-	6,700
B-5	02/10/1997	10.18	3.63	6.55	0.00	0.00	340 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	930
B-5	05/01/1997	10.18	4.31	5.87	0.00	0.00	290 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	1,900
B-5	08/05/1997	10.18	4.89	5.29	0.00	0.00	710 ³	-	<1,000	-	<10	<10	<10	<10	-	6,800
B-5	10/28/1997	10.18	5.00	5.18	0.00	0.00	880 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	7,000
B-5	02/04/1998	10.18	2.53	7.65	0.00	0.00	290 ³	-	<50	-	0.51	<0.5	<0.5	<0.5	-	2,100
B-5	06/03/1998	10.18	3.85	6.33	0.00	0.00	630 ³	-	220	-	2.0	15	2.8	20	-	450
B-5	07/29/1998	10.18	4.55	5.63	0.00	0.00	1,100 ³	-	<50	-	1.6	<0.5	<0.5	1.6	-	4600 / 6200 ⁶
B-5	11/30/1998	10.18	4.37	5.81	0.00	0.00	371	-	<50	-	<0.5	1.91	<0.5	1.09	-	202
B-5	02/24/1999	10.18	3.39	6.79	0.00	0.00	512 ³	-	<50	-	<0.5	<0.5	0.69	3.1	-	25
B-5	05/06/1999	10.18	4.02	6.16	0.00	0.00	790 ³	-	<50	-	2.27	<0.5	<0.5	<0.5	-	3,090
B-5	08/30/1999	10.18	5.16	5.02	0.00	0.00	1,890 ⁷	-	<250	-	4.25	<2.5	<2.5	<2.5	-	10,400
B-5	11/17/1999	10.18	4.90	5.28	0.00	0.00	1,180 ³	-	101	-	4.95	<0.5	<0.5	<0.5	-	8,510
B-5	02/21/2000	10.18	3.51	6.67	0.00	0.00	240 ³	-	<100	-	<1.0	<1.0	<1.0	<1.0	-	555
B-5	05/08/2000	10.18	4.30	5.88	0.00	0.00	1,200 ¹²	-	<50	-	<0.50	<0.50	<0.50	1.4	-	270
B-5	08/08/2000	10.18	4.63	5.55	0.00	0.00	350 ¹¹	-	<1,000	-	<10	<10	<10	<10	-	8,600
B-5	11/01/2000	10.18	4.65	5.53	0.00	0.00	470 ¹⁴	-	<500	-	<5.0	<5.0	<5.0	11	-	4,600
B-5	02/12/2001	10.18	4.05	6.13	0.00	0.00	190 ¹²	-	<50	-	<0.50	<0.50	<0.50	1.3	-	420
B-5	05/14/2001	10.18	4.59	5.59	0.00	0.00	<1,000	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	6,800
B-5	08/13/2001	10.18	5.04	5.14	0.00	0.00	2,800	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	11,000
B-5	11/12/2001	10.18	4.30	5.88	0.00	0.00	2,400	-	100	-	1.0	<0.50	<0.50	<1.5	-	2,300
B-5	02/04/2002	10.18	4.15	6.03	0.00	0.00	1,800	-	99	-	<0.50	0.63	2.2	14	-	3,200

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	05/06/2002	10.18	4.32	5.86	0.00	0.00	1,700	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	830
B-5	08/29/2002	10.18	4.98	5.20	0.00	0.00	12,000	-	<250	-	5.2	<1.0	<1.0	<3.0	-	18,000
B-5	11/25/2002	10.18	4.92	5.26	0.00	0.00	5,100	-	100	-	1.2	<0.50	<0.50	<1.5	-	4,300
B-5	02/05/2003	10.18	4.20	5.98	0.00	0.00	1,900	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	4,100
B-5	05/15/2003	10.18	4.23	5.95	0.00	0.00	2,600	-	53	-	0.8	0.7	<0.5	1.6	-	5,400
B-5	08/14/2003 ²⁴	10.18	5.01	5.17	0.00	0.00	10,000 ²³	-	320	-	<10	<10	<10	<10	-	15,000
B-5	11/13/2003 ²⁴	-	5.05	-	0.00	0.00	15,000	-	220	-	<3	<3	<3	<3	-	4,700
B-5	02/12/2004 ²⁴	-	4.19	-	0.00	0.00	4,900	-	120	-	<5	<5	<5	<5	-	5,200
B-5	05/13/2004 ²⁴	-	4.55	-	0.00	0.00	3,400 ²³	-	94	-	<1	<1	<1	<1	-	2,000
B-5	08/12/2004 ²⁴	-	4.84	-	0.00	0.00	4,800	-	150	-	<0.5	<0.5	<0.5	<0.5	-	300
B-5	11/11/2004 ²⁴	-	5.35	-	0.00	0.00	12,000	-	150	-	<0.5	<0.5	<0.5	<0.5	-	57
B-5	02/10/2005 ²⁴	-	4.04	-	0.00	0.00	3,500	-	70	-	<0.5	<0.5	<0.5	<0.5	-	44
B-5	05/12/2005 ²⁴	-	4.11	-	0.00	0.00	2,900 ²⁶	-	69	-	<0.5	<0.5	<0.5	<0.5	-	39
B-5	08/11/2005 ²⁴	-	4.62	-	0.00	0.00	13,000 ²⁸	-	140	-	<0.5	<0.5	<0.5	<0.5	-	83
B-5	11/10/2005 ²⁴	-	4.71	-	0.00	0.00	9,500 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	16
B-5	02/09/2006 ²⁴	-	3.90	-	0.00	0.00	1,400 ²⁷	-	61	-	<0.5	<0.5	<0.5	<0.5	-	27
B-5	05/11/2006 ²⁴	-	3.93	-	0.00	0.00	1,200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1
B-5	08/10/2006 ²⁴	-	4.70	-	0.00	0.00	9,000	-	73	-	<0.5	<0.5	0.5	1	-	18
B-5	11/09/2006 ²⁴	-	4.83	-	0.00	0.00	9,200	-	50	-	<0.5	<0.5	0.5	<0.5	-	29
B-5	02/08/2007 ²⁴	-	4.58	-	0.00	0.00	6,600	-	56	-	<0.5	<0.5	<0.5	<0.5	-	650
B-5	05/10/2007 ²⁴	-	4.47	-	0.00	0.00	4,500	-	82	-	<0.5	<0.5	<0.5	<0.5	-	52
B-5	08/08/2007 ²⁴	-	4.93	-	0.00	0.00	13,000	-	54	-	<0.5	<0.5	<0.5	<0.5	-	32

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	11/07/2007 ²⁴	-	5.04	-	0.00	0.00	5,300	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9
B-5	02/13/2008 ²⁴	-	4.43	-	0.00	0.00	2,700	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
B-5	05/14/2008 ²⁴	-	4.97	-	0.00	0.00	4,600	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	97
B-5	08/13/2008 ²⁴	-	4.89	-	0.00	0.00	3,900	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	22
B-5	11/12/2008 ²⁴	-	4.78	-	0.00	0.00	3,300	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-5	02/11/2009 ²⁴	-	4.70	-	0.00	0.00	6,000	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6
B-5	05/11/2009	-	-	-	0.00	0.00	3,700	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	29
B-5	08/27/2009	-	4.90	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-5	11/10/2009	-	4.70	-	0.00	0.00	6,400	-	59 J	-	<0.5	<0.5	<0.5	<0.5	-	15
B-5	05/19/2010	-	4.72	-	0.00	0.00	6,700	-	79 J	-	<0.5	<0.5	<0.5	<0.5	-	34
B-5	12/01/2010	-	5.02	-	0.00	0.00	6,300	-	66 J	-	<0.5	<0.5	<0.5	<0.5	-	11
B-5	05/03/2011	-	4.53	-	0.00	0.00	-	4,000	320	-	<0.5	<0.5	<0.5	<0.5	-	8
B-6	09/20/1991	8.55	6.85	1.70	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	10/09/1991	8.55	6.83	1.72	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	10/17/1991	8.55	6.90	1.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	10/23/1991	8.55	6.93	1.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	11/01/1991	8.55	6.78	1.77	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	11/07/1991	8.55	6.81	1.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	11/15/1991	8.55	6.88	1.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	11/21/1991	8.55	6.95	1.60	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	12/12/1991	8.55	7.14	1.41	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	12/30/1991	8.55	6.50	2.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	01/13/1992	8.55	6.19	2.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	01/22/1992	8.55	6.27	2.28	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	02/12/1992	8.55	6.12	2.43	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	03/09/1992	8.55	5.28	3.27	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	04/10/1992	8.55	5.48	3.07	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	05/18/1992	8.55	5.90	2.65	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	01/06/1993	8.55	5.79	2.76	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	02/03/1993	8.55	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	04/23/1993	11.97	5.27	6.70	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-6	07/19/1993	11.97	6.91	5.06	0.00	0.00	<50	-	74	-	<0.5	<0.5	<0.5	<1.5	-	-
B-6	10/19/1993	11.97	6.48	5.49	0.00	0.00	<50	-	<50	-	<0.5	0.5	<0.5	2.2	-	-
B-6	01/07/1994	11.97	6.18	5.79	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	08/18/1994	11.97	6.20	5.77	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	11/30/1994	11.97	5.45	6.52	0.00	0.00	230 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	02/15/1995	11.97	4.70	7.27	0.00	0.00	130 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	05/01/1995	11.97	5.03	6.94	0.00	0.00	97 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	08/04/1995	11.97	5.82	6.15	0.00	0.00	350 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-6	11/29/1995	11.97	6.00	5.97	0.00	0.00	200 ³	-	-	-	-	-	-	-	-	-
B-6	02/08/1996	11.97	4.70	7.27	0.00	0.00	210 ³	-	-	-	-	-	-	-	-	-
B-6	05/08/1996	11.97	5.23	6.74	0.00	0.00	250 ³	-	-	-	-	-	-	-	-	-
B-6	08/23/1996	11.97	6.05	5.92	0.00	0.00	310 ³	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	12/12/1996	11.97	5.32	6.65	0.00	0.00	300 ³	-	-	-	-	-	-	-	-	-
B-6	02/10/1997	11.97	4.37	7.60	0.00	0.00	130 ³	-	-	-	-	-	-	-	-	360
B-6	05/01/1997	11.97	5.23	6.74	0.00	0.00	260 ³	-	-	-	-	-	-	-	-	2,200
B-6	08/05/1997	11.97	5.75	6.22	0.00	0.00	260 ³	-	-	-	-	-	-	-	-	1,800
B-6	10/28/1997	11.97	6.08	5.89	0.00	0.00	340 ³	-	-	-	-	-	-	-	-	1,900
B-6	02/04/1998	11.97	2.71	9.26	0.00	0.00	280 ³	-	-	-	-	-	-	-	-	1,400
B-6	06/03/1998	11.97	4.48	7.49	0.00	0.00	130 ³	-	-	-	-	-	-	-	-	1,200
B-6	07/29/1998	11.97	5.28	6.69	0.00	0.00	340 ³	-	-	-	-	-	-	-	-	2700 / 3000 ⁶
B-6	11/30/1998	11.97	5.49	6.48	0.00	0.00	2,740	-	655	-	<5.0	<5.0	<5.0	<5.0	-	2,160
B-6	02/24/1999	11.97	4.18	7.79	0.00	0.00	225 ³	-	-	-	-	-	-	-	-	1,500
B-6	05/06/1999	11.97	5.68	6.29	0.00	0.00	71 ³	-	-	-	-	-	-	-	-	1,010
B-6	08/30/1999	11.97	5.91	6.06	0.00	0.00	356 ³	-	-	-	-	-	-	-	-	4,520
B-6	11/17/1999	11.97	5.96	6.01	0.00	0.00	1,960 ³	-	-	-	-	-	-	-	-	5,160
B-6	02/21/2000	11.97	4.46	7.51	0.00	0.00	180 ³	-	-	-	-	-	-	-	-	6,920
B-6	05/08/2000	11.97	5.05	6.92	0.00	0.00	420 ¹¹	-	-	-	-	-	-	-	-	6,800
B-6	08/08/2000	11.97	5.42	6.55	0.00	0.00	180 ¹¹	-	-	-	-	-	-	-	-	25,000
B-6	11/01/2000	11.97	5.73	6.24	0.00	0.00	77 ¹⁴	-	-	-	-	-	-	-	-	25,000
B-6	02/12/2001	11.97	5.32	6.65	0.00	0.00	62 ¹¹	-	-	-	-	-	-	-	-	16,000
B-6	05/14/2001	11.97	5.35	6.62	0.00	0.00	55 ¹²	-	-	-	-	-	-	-	-	9,100
B-6	08/13/2001	11.97	5.92	6.05	0.00	0.00	220	-	-	-	-	-	-	-	-	33,000
B-6	11/12/2001	11.97	6.34	5.63	0.00	0.00	550	-	-	-	-	-	-	-	-	34,000 ¹⁹
B-6	02/04/2002	11.97	4.81	7.16	0.00	0.00	290	-	-	-	-	-	-	-	-	28,000

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	05/06/2002	11.97	5.03	6.94	0.00	0.00	270	-	-	-	-	-	-	-	-	23,000
B-6	08/29/2002	11.97	5.68	6.29	0.00	0.00	490	-	-	-	-	-	-	-	-	29,000
B-6	11/25/2002	11.97	5.89	6.08	0.00	0.00	450	-	-	-	-	-	-	-	-	30,000
B-6	02/05/2003	11.97	4.98	6.99	0.00	0.00	260	-	-	-	-	-	-	-	-	17,000
B-6	05/15/2003	11.97	4.93	7.04	0.00	0.00	310	-	-	-	-	-	-	-	-	28,000
B-6	08/14/2003	11.97	5.65	6.32	0.00	0.00	160 ²³	-	-	-	-	-	-	-	-	31,000
B-6	11/13/2003	-	5.90	-	0.00	0.00	190	-	-	-	-	-	-	-	-	20,000
B-6	02/12/2004	-	4.79	-	0.00	0.00	400	-	-	-	-	-	-	-	-	31,000
B-6	05/13/2004	-	4.97	-	0.00	0.00	54 ²³	-	-	-	-	-	-	-	-	13,000
B-6	08/12/2004	-	5.56	-	0.00	0.00	250	-	-	-	-	-	-	-	-	26,000
B-6	11/11/2004	-	5.97	-	0.00	0.00	250	-	460	-	-	-	-	-	-	20,000
B-6	02/10/2005	-	4.67	-	0.00	0.00	280	-	-	-	-	-	-	-	-	10,000
B-6	05/12/2005 ²⁴	-	4.61	-	0.00	0.00	210 ²⁶	-	340	-	<10	<10	<10	<10	-	15,000
B-6	08/11/2005	-	5.32	-	0.00	0.00	130 ²⁷	-	-	-	-	-	-	-	-	12,000 ²⁹
B-6	11/10/2005	-	5.41	-	0.00	0.00	100 ²⁷	-	-	-	<0.5	<0.5	<0.5	<1.5	-	9,300
B-6	02/09/2006	-	4.50	-	0.00	0.00	290 ³¹	-	-	-	-	-	-	-	-	2,200
B-6	05/11/2006	-	4.70	-	0.00	0.00	<50	-	-	-	-	-	-	-	-	1,000
B-6	08/10/2006	-	5.42	-	0.00	0.00	150	-	-	-	-	-	-	-	-	4,300
B-6	11/09/2006 ²⁴	-	5.80	-	0.00	0.00	240	-	-	-	<2.0	<0.5	<0.5	<1.5	-	2,200
B-6	02/08/2007	-	5.48	-	0.00	0.00	140	-	-	-	-	-	-	-	-	1,300
B-6	05/10/2007	-	5.17	-	0.00	0.00	120	-	-	-	<0.5	<0.5	<0.5	<0.5	-	1,500
B-6	08/08/2007	-	5.80	-	0.00	0.00	73	-	-	-	-	-	-	-	-	1,300

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	11/07/2007	-	5.98	-	0.00	0.00	120	-	-	-	-	-	-	-	-	100 ³⁰
B-6	02/13/2008	-	4.59	-	0.00	0.00	130	-	-	-	-	-	-	-	-	33
B-6	05/14/2008	-	5.36	-	0.00	0.00	94	-	-	-	-	-	-	-	-	680
B-6	08/13/2008 ²⁴	-	5.87	-	0.00	0.00	90	-	-	-	<0.5	<0.5	<0.5	<1.5	-	<400 ³²
B-6	11/12/2008	-	5.75	-	0.00	0.00	95	-	-	-	-	-	-	-	-	22
B-6	02/11/2009	-	5.70	-	0.00	0.00	<50	-	-	-	-	-	-	-	-	13
B-6	05/11/2009	-	-	-	0.00	0.00	420	-	-	-	<0.5	<0.5	<0.5	<1.5	1,100	-
B-6	08/27/2009	-	5.67	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-6	11/10/2009	-	5.72	-	0.00	0.00	230	-	-	-	-	-	-	-	-	850
B-6	05/19/2010	-	5.34	-	0.00	0.00	480	-	-	-	-	-	-	-	150	-
B-6	12/01/2010	-	5.97	-	0.00	0.00	110	-	-	-	<0.5	<0.5	<0.5	<0.5	-	12
B-6	05/03/2011	-	5.10	-	0.00	0.00	-	<50	-	-	<0.5	<0.5	<0.5	<0.5	-	7
B-7	04/23/1993	10.54	4.52	6.02	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-7	07/19/1993	10.54	5.04	5.50	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-7	10/19/1993	10.54	5.40	5.14	0.00	0.00	<50	-	<50	-	3.1	0.5	<0.5	0.8	-	-
B-7	01/07/1994	10.54	5.19	5.35	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-7	08/18/1994	10.54	5.26	5.28	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	1.1	-	-
B-7	11/30/1994	10.54	4.58	5.96	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-7	02/15/1995	10.54	4.22	6.32	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-7	05/01/1995	10.54	4.50	6.04	0.00	0.00	53 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-7	08/04/1995	10.54	4.98	5.56	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	02/12/1998	10.54	3.05	7.49	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-7	06/03/1998	10.54	3.95	6.59	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	07/29/1998	10.54	4.55	5.99	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
B-7	11/30/1998	10.54	4.98	5.56	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/24/1999	10.54	3.30	7.24	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
B-7	05/06/1999	10.54	5.75	4.79	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/30/1999	10.54	5.29	5.25	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
B-7	11/17/1999	10.54	5.73	4.81	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/21/2000	10.54	4.00	6.54	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
B-7	05/08/2000	10.54	4.40	6.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/08/2000	10.54	4.49	6.05	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
B-7	11/01/2000	10.54	4.69	5.85	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/12/2001	10.54	4.37	6.17	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
B-7	05/14/2001	10.54	4.45	6.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/13/2001	10.54	4.93	5.61	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
B-7	11/12/2001	10.54	5.27	5.27	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/04/2002	10.54	4.11	6.43	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
B-7	05/06/2002	10.54	4.26	6.28	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/29/2002	10.54	4.78	5.76	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	1.8	-	<2.5
B-7	11/25/2002	10.54	4.93	5.61	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/05/2003	10.54	4.11	6.43	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
B-7	05/15/2003	10.54	4.09	6.45	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	08/14/2003 ²⁴	10.54	4.78	5.76	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	11/13/2003	10.54	4.69	5.85	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/12/2004 ²⁴	10.54	4.15	6.39	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/13/2004	10.54	4.30	6.24	0.00	0.00	<50 ²³	-	-	-	-	-	-	-	-	-
B-7	08/12/2004 ²⁴	10.54	4.76	5.78	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	11/11/2004	10.54	5.18	5.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/10/2005 ²⁴	10.54	3.96	6.58	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/12/2005	10.54	3.87	6.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/11/2005 ²⁴	10.54	4.49	6.05	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	11/10/2005	10.54	4.51	6.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/09/2006 ²⁴	10.54	3.75	6.79	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/11/2006	10.54	3.72	6.82	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/10/2006 ²⁴	10.54	4.83	5.71	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	11/09/2006	10.54	5.12	5.42	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/08/2007 ²⁴	10.54	4.81	5.73	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/10/2007	10.54	4.65	5.89	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/08/2007 ²⁴	10.54	4.96	5.58	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	11/07/2007	10.54	5.21	5.33	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	02/13/2008 ²⁴	10.54	4.03	6.51	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/14/2008	10.54	4.46	6.08	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/13/2008 ²⁴	10.54	4.91	5.63	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	11/12/2008	10.54	4.85	5.69	0.00	0.00	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	02/11/2009 ²⁴	10.54	4.65	5.89	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/11/2009	10.54	6.18	4.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	08/27/2009	10.54	5.02	5.52	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-7	11/10/2009	10.54	4.70	5.84	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/19/2010	10.54	4.68	5.86	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9
B-7	12/01/2010	10.54	5.25	5.29	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-7	05/03/2011	10.54	4.60	5.94	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-8	04/23/1993	11.99	5.36	6.63	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-8	07/19/1993	11.99	6.22	5.77	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-8	10/19/1993	11.99	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-8	01/07/1994	11.99	6.30	5.69	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-8	08/18/1994	11.99	6.43	5.56	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-8	11/30/1994	11.99	5.46	6.53	0.00	0.00	120 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-8	02/15/1995	11.99	4.72	7.27	0.00	0.00	120 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-8	05/01/1995	11.99	5.00	6.99	0.00	0.00	51 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-8	08/04/1995	11.99	5.92	6.07	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-8	11/30/1998	11.99	5.54	6.45	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-9	04/23/1993	10.70	4.56	6.14	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-9	07/19/1993	10.70	5.45	5.25	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-
B-9	10/19/1993	10.70	5.89	4.81	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-9	01/07/1994	10.70	5.41	5.29	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-9	08/18/1994	10.70	5.55	5.15	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-9	11/30/1994	10.70	4.35	6.35	0.00	0.00	60 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-9	02/15/1995	10.70	3.65	7.05	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-9	05/01/1995	10.70	4.29	6.41	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-9	08/04/1995	10.70	5.20	5.50	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
B-10	11/29/1995	11.42	6.51	4.91	0.00	0.00	900 ³	-	1,700	-	95	<2.5	69	170	-	22
B-10	02/08/1996	11.42	4.55	6.87	0.00	0.00	650 ³	-	230	-	31	<0.5	7.2	6.2	-	10
B-10	05/08/1996	11.42	5.55	5.87	0.00	0.00	570 ³	-	260	-	61	0.59	37	23	-	20
B-10	08/23/1996	11.42	6.19	5.23	0.00	0.00	700 ³	-	320	-	34	<0.5	29	15	-	8.3
B-10	12/12/1996	11.42	5.83	5.59	0.00	0.00	990 ³	-	1,600	-	94	<2.5	110	27	-	<12
B-10	02/10/1997	11.42	4.58	6.84	0.00	0.00	530 ³	-	2,100	-	230	5.6	130	83	-	<12
B-10	05/01/1997	11.42	5.57	5.85	0.00	0.00	770 ³	-	2,300	-	110	<2.5	140	49	-	<12
B-10	08/05/1997	11.42	6.30	5.12	0.00	0.00	620 ³	-	650	-	33	1.1	70	16	-	3.2
B-10	10/28/1997	11.42	6.18	5.24	0.00	0.00	310 ³	-	740	-	25	1.6	53	14	-	6.7
B-10	02/04/1998	11.42	2.89	8.53	0.00	0.00	250 ³	-	950	-	23	4.5	<0.5	1.9	-	<2.5
B-10	06/03/1998	11.42	4.80	6.62	0.00	0.00	490 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
B-10	07/29/1998	11.42	5.65	5.77	0.00	0.00	390 ³	-	290	-	3.9	<0.5	8.5	1.4	-	<2.5
B-10	11/30/1998	11.42	5.62	5.80	0.00	0.00	437	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7.11
B-10	02/24/1999	11.42	4.23	7.19	0.00	0.00	259 ³	-	160	-	35	0.55	0.64	0.64	-	9.2
B-10	05/06/1999	11.42	5.11	6.31	0.00	0.00	190 ³	-	490	-	7.05	1.02	8.24	2.18	-	<5.0

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-10	08/30/1999	11.42	6.36	5.06	0.00	0.00	330 ³	-	205	-	1.79	0.808	5.55	2.16	-	3.93
B-10	11/17/1999	11.42	5.94	5.48	0.00	0.00	2,180 ³	-	108	-	1.2	<0.5	1.2	<0.5	-	<2.5
B-10	02/21/2000	11.42	4.35	7.07	0.00	0.00	360 ³	-	587	-	17.6	2.92	10.1	4.61	-	5.08
B-10	05/08/2000	11.42	5.43	5.99	0.00	0.00	320 ¹¹	-	380 ⁹	-	5.4	2.6	3.2	6.3	-	9.1
B-10	08/08/2000	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	11/01/2000	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	02/12/2001 ¹⁶	11.42	5.33	6.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	05/14/2001	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	08/13/2001	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	11/12/2001	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	02/04/2002 ²⁰	11.42	5.24	6.18	0.00	0.00	340	-	100	-	1.8	<0.50	0.57	<1.5	-	18
B-10	05/06/2002	11.42	5.42	6.00	0.00	0.00	1,000	-	86	-	1.4	<0.50	<0.50	<1.5	-	17
B-10	08/29/2002	11.42	6.63	4.79	0.00	0.00	650	-	120	-	<0.50	<0.50	<0.50	<1.5	-	38
B-10	11/25/2002	11.42	6.10	5.32	0.00	0.00	1,200	-	77	-	<0.50	<0.50	<0.50	<1.5	-	40
B-10	02/05/2003	11.42	5.23	6.19	0.00	0.00	650	-	190	-	<2.0	<0.50	<0.50	<1.5	-	30
B-10	05/15/2003	11.42	5.26	6.16	0.00	0.00	750	-	150	-	1.2	<0.5	<0.5	<1.5	-	30
B-10	08/14/2003 ²⁴	11.42	6.39	5.03	0.00	0.00	230 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	38
B-10	11/13/2003 ²⁴	11.42	6.25	5.17	0.00	0.00	1,000	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	52
B-10	02/12/2004 ²⁴	11.42	5.10	6.32	0.00	0.00	810	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	30
B-10	05/13/2004 ²⁴	11.42	5.67	5.75	0.00	0.00	71 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	33
B-10	08/12/2004 ²⁴	11.42	6.30	5.12	0.00	0.00	460	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	30
B-10	11/11/2004 ²⁴	11.42	6.77	4.65	0.00	0.00	350	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	30

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-10	02/10/2005 ²⁴	11.42	4.82	6.60	0.00	0.00	580	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	27
B-10	05/12/2005 ²⁴	11.42	5.04	6.38	0.00	0.00	160 ²⁶	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	21
B-10	08/11/2005 ²⁴	11.42	5.72	5.70	0.00	0.00	130 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	18
B-10	11/10/2005 ²⁴	11.42	5.52	5.90	0.00	0.00	89 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	22
B-10	02/09/2006 ²⁴	11.42	4.64	6.78	0.00	0.00	320 ²⁷	-	81	-	<0.5	<0.5	<0.5	<0.5	-	16
B-10	05/11/2006 ²⁴	11.42	4.98	6.44	0.00	0.00	430	-	180	-	<0.5	<0.5	<0.5	0.5	-	19
B-10	08/10/2006 ²⁴	11.42	5.78	5.64	0.00	0.00	210	-	<50	-	<0.5	<0.5	0.6	<0.5	-	12
B-10	11/09/2006 ²⁴	11.42	6.09	5.33	0.00	0.00	980	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	11
B-10	02/08/2007 ²⁴	11.42	5.65	5.77	0.00	0.00	340	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	13
B-10	05/10/2007 ²⁴	11.42	5.51	5.91	0.00	0.00	90	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10
B-10	08/08/2007 ²⁴	11.42	6.03	5.39	0.00	0.00	120	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7
B-10	11/07/2007 ²⁴	11.42	6.30	5.12	0.00	0.00	250	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7
B-10	02/13/2008 ²⁴	11.42	4.71	6.71	0.00	0.00	510	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4
B-10	05/14/2008 ²⁴	11.42	5.68	5.74	0.00	0.00	140	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6
B-10	08/13/2008 ²⁴	11.42	6.01	5.41	0.00	0.00	520	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-10	11/12/2008 ²⁴	11.42	5.90	5.52	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7
B-10	02/11/2009 ²⁴	11.42	5.89	5.53	0.00	0.00	85	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
B-10	05/11/2009	11.42	6.03	5.39	0.00	0.00	140	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10
B-10	08/27/2009	11.42	6.06	5.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-10	11/10/2009	11.42	5.72	5.70	0.00	0.00	560	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	12
B-10	05/19/2010	11.42	5.72	5.70	0.00	0.00	580	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9
B-10	12/01/2010	11.42	6.02	5.40	0.00	0.00	82J	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-10	05/03/2011	11.42	5.43	5.99	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	4
B-11	11/29/1995	11.98	5.90	6.08	0.00	0.00	1,400 ³	-	2,800	-	38	<10	26	48	-	21,000
B-11	02/08/1996	11.98	4.44	7.54	0.00	0.00	1,100 ³	-	<5,000	-	<50	<50	<50	<50	-	38,000
B-11	05/08/1996	11.98	5.00	6.98	0.00	0.00	1,300 ³	-	4,100	-	110	<10	31	25	-	17,000
B-11	08/23/1996	11.98	5.61	6.37	0.00	0.00	820 ³	-	3,400	-	160	12	41	13	-	4,000
B-11	12/12/1996	11.98	5.13	6.85	0.00	0.00	1,300 ³	-	3,700	-	120	12	<5.0	30	-	2,200
B-11	02/10/1997	11.98	4.07	7.91	0.00	0.00	810 ³	-	2,300	-	56	17	<5.0	20	-	4,700
B-11	05/01/1997	11.98	5.03	6.95	0.00	0.00	820 ³	-	<5,000	-	<50	<50	<50	<50	-	21,000
B-11	08/05/1997	11.98	5.60	6.38	0.00	0.00	900 ³	-	3,500	-	42	<10	<10	<10	-	4,100
B-11	10/28/1997	11.98	5.68	6.30	0.00	0.00	1,300 ³	-	3,000	-	39	6.2	8.0	13	-	2,300
B-11	02/04/1998	11.98	2.59	9.39	0.00	0.00	930 ³	-	1,300	-	3.2	1.4	<0.5	5.0	-	46,000
B-11	06/03/1998	11.98	4.45	7.53	0.00	0.00	740 ³	-	860	-	3.7	1.4	0.84	3.0	-	34,000
B-11	07/29/1998	11.98	5.18	6.80	0.00	0.00	1,400 ³	-	1,300	-	6.9	2.5	3.8	2.0	-	50000 / 41000 ⁶
B-11	11/30/1998	11.98	5.07	6.91	0.00	0.00	1,020	-	<1,000	-	<10	<10	<10	<10	-	5,370
B-11	02/24/1999	11.98	4.19	7.79	0.00	0.00	2,290 ³	-	690	-	4.7	<0.5	2.7	3.1	-	67,000
B-11	05/06/1999	11.98	4.55	7.43	0.00	0.00	580 ³	-	423	-	4.66	0.662	<0.5	1.38	-	20,600
B-11	08/30/1999	11.98	5.80	6.18	0.00	0.00	1,120 ³	-	1,220	-	31	8.6	<5.0	14	-	10,900
B-11	11/17/1999	11.98	5.57	6.41	0.00	0.00	1,160 ³	-	2,800	-	36.6	10.6	8.41	11.6	-	12,000
B-11	02/21/2000	11.98	4.21	7.77	0.00	0.00	730 ³	-	1,570	-	12.3	2.71	3.33	12.9	-	2,980
B-11	05/08/2000	11.98	4.94	7.04	0.00	0.00	220 ¹³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	8,500
B-11	08/08/2000	11.98	5.19	6.79	0.00	0.00	660 ¹³	-	2,900 ¹⁰	-	51	<25	<25	38	-	10,000

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-11	11/01/2000	11.98	5.26	6.72	0.00	0.00	290 ¹¹	-	<5,000	-	<50	<50	<50	<50	-	29,000
B-11	02/12/2001	11.98	4.74	7.24	0.00	0.00	660 ¹³	-	1,700 ¹⁰	-	38	11	11	22	-	7,800
B-11	05/14/2001	11.98	5.14	6.84	0.00	0.00	430 ¹³	-	1,200 ¹⁰	-	29	11	<10	<10	-	35,000
B-11	08/13/2001	11.98	5.65	6.33	0.00	0.00	910	-	<5,000	-	<50	<50	<50	<50	-	140,000 ¹⁸
B-11	11/12/2001	11.98	5.66	6.32	0.00	0.00	1,400	-	3,100	-	14	6.1	8.7	23	-	6,100
B-11	02/04/2002	11.98	4.73	7.25	0.00	0.00	650	-	1,400	-	5.6	1.8	2.5	9.3	-	7,800
B-11	05/06/2002	11.98	4.88	7.10	0.00	0.00	880	-	480	-	1.2	0.64	1.3	1.9	-	1,400
B-11	08/29/2002	11.98	5.54	6.44	0.00	0.00	3,500	-	1,500	-	5.4	1.9	2.2	5.8	-	96,000
B-11	11/25/2002	11.98	5.54	6.44	0.00	0.00	3,700	-	1,200	-	2.7	1.0	1.4	7.0	-	45,000
B-11	02/05/2003	11.98	4.80	7.18	0.00	0.00	2,100	-	910	-	2.7	<2.5	<2.5	<7.5	-	46,000
B-11	05/15/2003	11.98	4.80	7.18	0.00	0.00	2,500	-	1,100	-	5.4	<2.5	4.5	11	-	78,000
B-11	08/14/2003 ²⁴	11.98	5.53	6.45	0.00	0.00	3,600 ²³	-	840	-	<50	<50	<50	<50	-	88,000
B-11	11/13/2003 ²⁴	11.98	5.61	6.37	0.00	0.00	2,300	-	570	-	<10	<10	<10	<10	-	14,000
B-11	02/12/2004 ²⁴	11.98	4.70	7.28	0.00	0.00	4,400	-	310	-	<25	<25	<25	<25	-	29,000
B-11	05/13/2004 ²⁴	11.98	5.03	6.95	0.00	0.00	410 ²³	-	480	-	<13	<13	<13	<13	-	100,000
B-11	08/12/2004 ²⁴	11.98	5.42	6.56	0.00	0.00	3,600	-	850	-	<10	<10	<10	<10	-	83,000
B-11	11/11/2004 ²⁴	11.98	5.93	6.05	0.00	0.00	3,100	-	570	-	<10	<10	<10	<10	-	20,000
B-11	02/10/2005 ²⁴	11.98	4.56	7.42	0.00	0.00	12,000	-	320	-	<25	<25	<25	<25	-	49,000
B-11	05/12/2005 ²⁴	11.98	4.58	7.40	0.00	0.00	1,900 ²⁶	-	400	-	<25	<25	<25	<25	-	42,000
B-11	08/11/2005 ²⁴	11.98	5.16	6.82	0.00	0.00	12,000 ²⁸	-	320	-	<25	<25	<25	<25	-	36,000
B-11	11/10/2005 ²⁴	11.98	5.08	6.90	0.00	0.00	1,200 ²⁷	-	57	-	<0.5	<0.5	<0.5	<0.5	-	1,400
B-11	02/09/2006 ²⁴	11.98	4.36	7.62	0.00	0.00	310 ²⁷	-	70	-	<3	<3	<3	<3	-	10,000

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-11	05/11/2006 ²⁴	11.98	4.59	7.39	0.00	0.00	740	-	250	-	<5	<5	<5	<5	-	19,000
B-11	08/10/2006 ²⁴	11.98	6.09	5.89	0.00	0.00	6,600	-	2,000	-	<25	<25	<25	<25	-	94,000
B-11	11/09/2006 ²⁴	11.98	5.51	6.47	0.00	0.00	10,000	-	620	-	<3	<3	<3	<3	-	9,900
B-11	02/08/2007 ²⁴	11.98	5.22	6.76	0.00	0.00	5,100	-	1,000	-	<10	<10	<10	<10	-	47,000
B-11	05/10/2007 ²⁴	11.98	5.09	6.89	0.00	0.00	3,500	-	1,700	-	<5	<5	<5	<5	-	38,000
B-11	08/08/2007 ²⁴	11.98	5.55	6.43	0.00	0.00	9,800	-	730	-	<25	<25	<25	<25	-	50,000
B-11	11/07/2007 ²⁴	11.98	5.82	6.16	0.00	0.00	1,700	-	340	-	<0.5	<0.5	<0.5	1	-	680 ³⁰
B-11	02/13/2008 ²⁴	11.98	4.48	7.50	0.00	0.00	3,100	-	760	-	<3	<3	<3	<3	-	24,000
B-11	05/14/2008 ²⁴	11.98	5.22	6.76	0.00	0.00	10,000	-	750	-	<10	<10	<10	<10	-	38,000
B-11	08/13/2008 ²⁴	11.98	5.55	6.43	0.00	0.00	5,300	-	460	-	<5	<5	<5	<5	-	14,000
B-11	11/12/2008 ²⁴	11.98	5.45	6.53	0.00	0.00	4,100	-	270	-	<0.5	<0.5	<0.5	<0.5	-	870
B-11	02/11/2009 ²⁴	11.98	5.36	6.62	0.00	0.00	8,800	-	520	-	<0.5	<0.5	<0.5	<0.5	-	3,000
B-11	05/11/2009	11.98	6.98	5.00	0.00	0.00	7,000	-	510	-	<1	<1	<1	<1	-	8,300
B-11	08/27/2009	11.98	5.47	6.51	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-11	11/10/2009	11.98	5.37	6.61	0.00	0.00	8,100	-	620	-	<1	<1	<1	<1	-	4,200
B-11	05/19/2010	11.98	5.26	6.72	0.00	0.00	4,000	-	610	-	<3	<3	<3	<3	-	8,700
B-11	12/01/2010	11.98	5.75	6.23	0.00	0.00	4,400	-	480	-	10	<0.5	<0.5	<0.5	-	4,500
B-11	05/03/2011	11.98	5.07	6.91	0.00	0.00	-	1,600	570	-	<0.5	<0.5	<0.5	<0.5	-	2,700
B-12	11/29/1995	11.16	6.01	5.15	0.00	0.00	1,800 ³	-	1,100	-	10	<10	<10	<10	-	37,000
B-12	02/08/1996	11.16	4.60	6.56	0.00	0.00	1,800 ³	-	<20,000	-	<200	<200	<200	<200	-	88,000
B-12	05/08/1996	11.16	5.08	6.08	0.00	0.00	1,800 ³	-	<25,000	-	<250	<250	<250	<250	-	88,000

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	08/23/1996	11.16	5.65	5.51	0.00	0.00	1,500 ³	-	630	-	16	<5.0	<5.0	<5.0	-	420
B-12	12/12/1996	11.16	5.11	6.05	0.00	0.00	1,200 ³	-	<25,000	-	<250	<250	<250	<250	-	54,000
B-12	02/10/1997 ⁵	11.16	4.11	7.05	0.00	0.00	1,200 ³	-	<20,000	-	<500 / <200	<500 / <200	<500 / <200	<500 / <200	-	65,000
B-12	05/01/1997	11.16	4.99	6.17	0.00	0.00	1,100 ³	-	<12,500	-	<125	<125	<125	<125	-	64,000
B-12	08/05/1997	11.16	5.61	5.55	0.00	0.00	1,100 ³	-	<10,000	-	<100	<100	<100	<100	-	46,000
B-12	10/28/1997	11.16	5.76	5.40	0.00	0.00	1,100 ³	-	1,400	-	39	<5.0	7.2	6.0	-	29,000
B-12	02/04/1998	11.16	2.63	8.53	0.00	0.00	4,800 ³	-	920	-	6.9	1.1	<0.5	2.8	-	59,000
B-12	06/03/1998	11.16	4.45	6.71	0.00	0.00	2,000 ³	-	590	-	9.4	<0.5	0.93	<0.5	-	15,000
B-12	07/29/1998	11.16	5.25	5.91	0.00	0.00	2,200 ³	-	820	-	5.6	2.0	3.3	1.2	-	28000 / 33000 ⁶
B-12	11/30/1998	11.16	5.13	6.03	0.00	0.00	1,060	-	2,110	-	<10	<10	<10	<10	-	5,330
B-12	02/24/1999	11.16	4.00	7.16	0.00	0.00	2,680 ³	-	410	-	0.64	<0.5	2.2	2.3	-	15,000
B-12	05/06/1999	11.16	4.45	6.71	0.00	0.00	3,550 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	1,370
B-12	08/30/1999	11.16	5.84	5.32	0.00	0.00	1,310 ³	-	985	-	12.5	6.0	9.5	10.8	-	6,600
B-12	11/17/1999	11.16	5.43	5.73	0.00	0.00	1,060 ³	-	1,700	-	14.4	5.99	5.98	<5.0	-	14,200
B-12	02/21/2000	11.16	4.31	6.85	0.00	0.00	430 ³	-	595	-	3.49	<0.5	<0.5	4.26	-	5,100
B-12	05/08/2000	11.16	4.95	6.21	0.00	0.00	340 ¹³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	2,100
B-12	08/08/2000	11.16	5.15	6.01	0.00	0.00	260 ¹³	-	410 ¹⁰	-	3.9	1.5	1.8	4.8	-	2,000
B-12	11/01/2000	11.16	5.31	5.85	0.00	0.00	130 ¹¹	-	660 ⁹	-	6.0	1.9	2.8	2.9	-	4,600
B-12	02/12/2001	11.16	4.89	6.27	0.00	0.00	280 ¹¹	-	550 ¹⁰	-	14	<5.0	5.0	<5.0	-	2,000
B-12	05/14/2001	11.16	5.11	6.05	0.00	0.00	280 ¹³	-	770 ¹⁰	-	7.6	5.0	0.80	4.8	-	1,400
B-12	08/13/2001	11.16	5.64	5.52	0.00	0.00	500	-	730 ¹⁰	-	10	<5.0	6.1	<5.0	-	2,700
B-12	11/12/2001	11.16	5.76	5.40	0.00	0.00	900	-	1,700	-	2.2	1.1	7.6	9.2	-	1,400

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	02/04/2002	11.16	4.71	6.45	0.00	0.00	440	-	1,100	-	2.0	1.0	2.0	2.8	-	310
B-12	05/06/2002	11.16	4.88	6.28	0.00	0.00	340	-	660	-	<1.0	<1.0	<1.0	<1.0	-	96
B-12	08/29/2002	11.16	5.49	5.67	0.00	0.00	1,000	-	1,700	-	5.6	3.9	4.2	<15	-	530
B-12	11/25/2002	11.16	5.58	5.58	0.00	0.00	890	-	2,300	-	<5.0	1.8	3.5	<10	-	320
B-12	02/05/2003	11.16	4.76	6.40	0.00	0.00	770	-	1,600	-	<10	<2.5	<2.5	<7.5	-	270
B-12	05/15/2003	11.16	4.76	6.40	0.00	0.00	1,500	-	1,800	-	<2.5	<2.5	2.6	<7.5	-	280
B-12	08/14/2003 ²⁴	11.16	5.48	5.68	0.00	0.00	1,000 ²³	-	2,000	-	1	0.7	0.9	2	-	300
B-12	11/13/2003 ²⁴	11.16	5.68	5.48	0.00	0.00	390	-	790	-	<0.5	<0.5	1	1	-	36
B-12	02/12/2004 ²⁴	11.16	4.72	6.44	0.00	0.00	210	-	94	-	<0.5	<0.5	<0.5	<0.5	-	8
B-12	05/13/2004 ²⁴	11.16	4.92	6.24	0.00	0.00	60 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2
B-12	08/12/2004 ²⁴	11.16	5.41	5.75	0.00	0.00	130	-	290	-	<0.5	<0.5	<0.5	<0.5	-	61
B-12	11/11/2004 ²⁴	11.16	5.90	5.26	0.00	0.00	160	-	180	-	<0.5	<0.5	<0.5	<0.5	-	5
B-12	02/10/2005 ²⁴	11.16	4.54	6.62	0.00	0.00	130	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-12	05/12/2005 ²⁴	11.16	4.57	6.59	0.00	0.00	150	-	160	-	<0.5	<0.5	<0.5	<0.5	-	5
B-12	08/11/2005 ²⁴	11.16	5.14	6.02	0.00	0.00	110	-	89	-	<0.5	<0.5	<0.5	<0.5	-	11
B-12	11/10/2005 ²⁴	11.16	5.11	6.05	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5
B-12	02/09/2006 ²⁴	11.16	4.38	6.78	0.00	0.00	240 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2
B-12	05/11/2006 ²⁴	11.16	4.57	6.59	0.00	0.00	100	-	250	-	<0.5	<0.5	<0.5	<0.5	-	3
B-12	08/10/2006 ²⁴	11.16	5.32	5.84	0.00	0.00	1,300	-	470	-	<0.5	<0.5	<0.5	0.6	-	20
B-12	11/09/2006 ²⁴	11.16	5.58	5.58	0.00	0.00	580	-	1,300	-	<0.5	<0.5	<0.5	0.5	-	17
B-12	02/08/2007 ²⁴	11.16	5.30	5.86	0.00	0.00	97	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1
B-12	05/10/2007 ²⁴	11.16	5.08	6.08	0.00	0.00	100	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	08/08/2007 ²⁴	11.16	5.60	5.56	0.00	0.00	480	-	1,300	-	0.9	<0.5	<0.5	0.9	-	45
B-12	11/07/2007 ²⁴	11.16	5.71	5.45	0.00	0.00	150	-	180	-	<0.5	<0.5	<0.5	<0.5	-	4
B-12	02/13/2008 ²⁴	11.16	4.45	6.71	0.00	0.00	290	-	59	-	<0.5	<0.5	<0.5	<0.5	-	2
B-12	05/14/2008 ²⁴	11.16	5.20	5.96	0.00	0.00	100	-	140	-	<0.5	<0.5	<0.5	<0.5	-	2
B-12	08/13/2008 ²⁴	11.16	5.60	5.56	0.00	0.00	3,400	-	970	-	<0.5	<0.5	0.6	0.7	-	74
B-12	11/12/2008 ²⁴	11.16	5.48	5.68	0.00	0.00	79	-	190	-	<0.5	<0.5	<0.5	<0.5	-	4
B-12	02/11/2009 ²⁴	11.16	5.41	5.75	0.00	0.00	70	-	100	-	<0.5	<0.5	<0.5	<0.5	-	3
B-12	05/11/2009	11.16	6.20	4.96	0.00	0.00	4,300	-	750	-	<0.5	<0.5	<0.5	<0.5	-	72
B-12	08/27/2009	11.16	5.80	5.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-12	11/10/2009	11.16	5.87	5.29	0.00	0.00	2,600	-	700	-	<0.5	<0.5	<0.5	<0.5	-	20
B-12	05/19/2010	11.16	5.34	5.82	0.00	0.00	3,700	-	1,600	-	0.7 J	<0.5	<0.5	0.7 J	-	44
B-12	12/01/2010	11.16	5.80	5.36	0.00	0.00	4,700	-	1,100	-	0.9 J	<0.5	<0.5	<0.5	-	49
B-12	05/03/2011	11.16	5.07	6.09	0.00	0.00	-	1,200	870	-	2	0.6 J	0.6 J	0.7 J	-	29
B-13	11/29/1995	11.17	5.91	5.26	0.00	0.00	3,400 ³	-	1,800	-	19	<5.0	5.5	<5.0	-	7,400
B-13	02/08/1996	11.17	4.45	6.72	0.00	0.00	450 ³	-	910	-	12	1.3	2.0	1.9	-	77
B-13	05/08/1996	11.17	4.97	6.20	0.00	0.00	560 ³	-	140	-	1.9	<0.5	0.88	2.0	-	98
B-13	08/23/1996	11.17	5.63	5.54	0.00	0.00	1,300 ³	-	1,300	-	<10	<10	<10	<10	-	450
B-13	12/12/1996	11.17	5.26	5.91	0.00	0.00	1,300 ³	-	2,600	-	29	5.4	9.40	6.3	-	230
B-13	02/10/1997	11.17	4.12	7.05	0.00	0.00	290 ³	-	670	-	<0.5	6.7	2.6	5.6	-	28
B-13	05/01/1997	11.17	5.00	6.17	0.00	0.00	480 ³	-	920	-	8.5	4.6	2.1	6.1	-	530
B-13	08/05/1997	11.17	5.65	5.52	0.00	0.00	1,300 ³	-	1,900	-	23	<5.0	<5.0	<5.0	-	860

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	10/28/1997	11.17	5.68	5.49	0.00	0.00	2,200 ³	-	2,400	-	33	14	8.4	10	-	2,100
B-13	02/04/1998	11.17	2.69	8.48	0.00	0.00	260 ³	-	110	-	<0.5	<0.5	<0.5	<0.5	-	260
B-13	06/03/1998	11.17	4.38	6.79	0.00	0.00	480 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	400
B-13	07/29/1998	11.17	5.05	6.12	0.00	0.00	830 ³	-	350	-	5.0	<0.5	0.67	1.2	-	730 / 980 ⁶
B-13	11/30/1998	11.17	5.01	6.16	0.00	0.00	741	-	168	-	0.797	<0.5	<0.5	<0.5	-	114
B-13	02/24/1999	11.17	4.03	7.14	0.00	0.00	670 ³	-	69	-	<0.5	<0.5	<0.5	<0.5	-	530
B-13	05/06/1999	11.17	4.45	6.72	0.00	0.00	540 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	454
B-13	08/30/1999	11.17	5.74	5.43	0.00	0.00	927 ³	-	748	-	13.7	<2.5	4.53	10.6	-	377
B-13	11/17/1999	11.17	5.59	5.58	0.00	0.00	1,310 ³	-	1,240	-	24.6	8.96	<5.0	20.2	-	1,900
B-13	02/21/2000	11.17	4.24	6.93	0.00	0.00	200 ³	-	443	-	2.11	0.908	1.89	2.89	-	254
B-13	05/08/2000	11.17	4.82	6.35	0.00	0.00	240 ¹¹	-	190 ¹⁰	-	<0.50	0.68	1.7	1.1	-	190
B-13	08/08/2000	11.17	4.99	6.18	0.00	0.00	100 ¹³	-	150 ¹⁰	-	0.84	1.2	1.3	2.6	-	44
B-13	11/01/2000	11.17	5.21	5.96	0.00	0.00	290 ¹⁴	-	560 ⁹	-	4.9	1.4	4.7	11	-	1,100
B-13	02/12/2001	11.17	4.76	6.41	0.00	0.00	210 ¹³	-	160 ¹⁰	-	5.4	1.3	2.1	2.5	-	200
B-13	05/14/2001	11.17	4.98	6.19	0.00	0.00	130 ¹¹	-	240 ¹⁰	-	3.7	2.2	0.92	3.2	-	66
B-13	08/13/2001	11.17	5.55	5.62	0.00	0.00	750	-	560 ¹⁰	-	13	6.4	<5.0	<5.0	-	690
B-13	11/12/2001	11.17	5.71	5.46	0.00	0.00	2,100	-	3,500	-	9.2	8.1	16	25	-	700
B-13	02/04/2002	11.17	4.55	6.62	0.00	0.00	320	-	430	-	1.7	0.54	1.0	1.8	-	91
B-13	05/06/2002	11.17	4.73	6.44	0.00	0.00	430	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	22
B-13	08/29/2002	11.17	5.35	5.82	0.00	0.00	1,600	-	660	-	<2.0	1.1	0.82	2.2	-	320
B-13	11/25/2002	11.17	5.48	5.69	0.00	0.00	1,600	-	1,800	-	3.3	2.8	4.4	<10	-	520
B-13	02/05/2003	11.17	4.61	6.56	0.00	0.00	550	-	410	-	1.1	0.60	<2.0	1.6	-	94

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	05/15/2003	11.17	4.58	6.59	0.00	0.00	760	-	250	-	<2.0	<0.5	0.9	<1.5	-	41
B-13	08/14/2003 ²⁴	11.17	5.33	5.84	0.00	0.00	1,200 ²³	-	610	-	1	0.9	1	2	-	300
B-13	11/13/2003 ²⁴	11.17	5.56	5.61	0.00	0.00	1,500	-	810	-	0.6	0.5	1	1	-	63
B-13	02/12/2004 ²⁴	11.17	4.59	6.58	0.00	0.00	180	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10
B-13	05/13/2004 ²⁴	11.17	4.75	6.42	0.00	0.00	<50 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7
B-13	08/12/2004 ²⁴	11.17	5.26	5.91	0.00	0.00	260	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
B-13	11/11/2004 ²⁴	11.17	5.65	5.52	0.00	0.00	240	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	24
B-13	02/10/2005 ²⁴	11.17	4.40	6.77	0.00	0.00	150	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4
B-13	05/12/2005 ²⁴	11.17	4.38	6.79	0.00	0.00	730 ²⁶	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	29
B-13	08/11/2005 ²⁴	11.17	5.08	6.09	0.00	0.00	440 ²⁸	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4
B-13	11/10/2005 ²⁴	11.17	5.09	6.08	0.00	0.00	370 ²⁷	-	170	-	<0.5	<0.5	<0.5	<0.5	-	27
B-13	02/09/2006 ²⁴	11.17	4.40	6.77	0.00	0.00	200 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	0.7
B-13	05/11/2006 ²⁴	11.17	4.50	6.67	0.00	0.00	120	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-13	08/10/2006 ²⁴	11.17	5.21	5.96	0.00	0.00	1,200	-	92	-	<0.5	<0.5	<0.5	<0.5	-	5
B-13	11/09/2006 ²⁴	11.17	5.49	5.68	0.00	0.00	1,500	-	530	-	<0.5	<0.5	0.6	0.8	-	14
B-13	02/08/2007 ²⁴	11.17	5.19	5.98	0.00	0.00	790	-	68	-	<0.5	<0.5	<0.5	<0.5	-	14
B-13	05/10/2007 ²⁴	11.17	5.02	6.15	0.00	0.00	530	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6
B-13	08/08/2007 ²⁴	11.17	5.51	5.66	0.00	0.00	330	-	140	-	<0.5	<0.5	<0.5	<0.5	-	4
B-13	11/07/2007 ²⁴	11.17	5.73	5.44	0.00	0.00	400	-	250	-	<0.5	<0.5	<0.5	<0.5	-	4
B-13	02/13/2008 ²⁴	11.17	4.33	6.84	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2
B-13	05/14/2008 ²⁴	11.17	5.10	6.07	0.00	0.00	800	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2
B-13	08/13/2008 ²⁴	11.17	5.49	5.68	0.00	0.00	1,700	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	11/12/2008 ²⁴	11.17	5.37	5.80	0.00	0.00	2,000	-	500	-	<0.5	<0.5	<0.5	1	-	13
B-13	02/11/2009 ²⁴	11.17	5.30	5.87	0.00	0.00	1,400	-	980	-	0.6	0.7	1	2	-	15
B-13	05/11/2009	11.17	6.37	4.80	0.00	0.00	260	-	230	-	<0.5	<0.5	<0.5	0.8 J	-	5
B-13	08/27/2009	11.17	5.43	5.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-13	11/10/2009	11.17	5.48	5.69	0.00	0.00	1,600	-	1,900 J	-	2	2	2	4	-	46
B-13	05/19/2010	11.17	5.32	5.85	0.00	0.00	2,200	-	2,600 J	-	3	4	4	9	-	30
B-13	12/01/2010	11.17	5.70	5.47	0.00	0.00	3,400	-	4,100	-	5	6	6	20	-	39
B-13	05/03/2011	11.17	5.00	6.17	0.00	0.00	-	630	820	-	2	2	2	3	-	10
B-14	08/29/2002 ²¹	9.54	4.42	5.12	0.00	0.00	930	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	1,400
B-14	11/25/2002	9.54	4.40	5.14	0.00	0.00	1,200	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	1,100
B-14	02/05/2003	9.54	3.98	5.56	0.00	0.00	580	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	1,400
B-14	05/15/2003	9.54	3.85	5.69	0.00	0.00	1,000	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	1,500
B-14	08/14/2003 ²⁴	9.54	4.47	5.07	0.00	0.00	<250 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1,100
B-14	11/13/2003 ²⁴	9.54	4.50	5.04	0.00	0.00	1,800	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	530
B-14	02/12/2004 ²⁴	9.54	3.98	5.56	0.00	0.00	2,000	-	59	-	<0.5	<0.5	<0.5	<0.5	-	1,000
B-14	05/13/2004 ²⁴	9.54	4.07	5.47	0.00	0.00	390 ²³	-	<50	-	<1	<1	<1	<1	-	1,800
B-14	08/12/2004 ²⁴	9.54	4.28	5.26	0.00	0.00	750	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1,100
B-14	11/11/2004 ²⁴	9.54	4.78	4.76	0.00	0.00	2,100	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	910
B-14	02/10/2005 ²⁴	9.54	3.72	5.82	0.00	0.00	2,500	-	78	-	<1	<1	<1	<1	-	1,600
B-14	05/12/2005 ²⁴	9.54	3.80	5.74	0.00	0.00	700 ²⁶	-	72	-	<0.5	<0.5	<0.5	<0.5	-	1,900
B-14	08/11/2005 ²⁴	9.54	4.03	5.51	0.00	0.00	1,500 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	830

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-14	11/10/2005 ²⁴	9.54	3.98	5.56	0.00	0.00	1,200 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	480
B-14	02/09/2006 ²⁴	9.54	3.70	5.84	0.00	0.00	1,600 ²⁷	-	52	-	<0.5	<0.5	<0.5	<0.5	-	230
B-14	05/11/2006 ²⁴	9.54	3.77	5.77	0.00	0.00	3,400	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	190
B-14	08/10/2006 ²⁴	9.54	4.27	5.27	0.00	0.00	1,700	-	53	-	<0.5	<0.5	<0.5	<0.5	-	440
B-14	11/09/2006 ²⁴	9.54	4.20	5.34	0.00	0.00	1,400	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	84
B-14	02/08/2007 ²⁴	9.54	4.18	5.36	0.00	0.00	1,100	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7
B-14	05/10/2007 ²⁴	9.54	4.09	5.45	0.00	0.00	910	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	150
B-14	08/08/2007 ²⁴	9.54	4.31	5.23	0.00	0.00	330	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	94
B-14	11/07/2007 ²⁴	9.54	4.40	5.14	0.00	0.00	240	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	50
B-14	02/13/2008 ²⁴	9.54	3.53	6.01	0.00	0.00	520	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2
B-14	05/14/2008 ²⁴	9.54	4.08	5.46	0.00	0.00	280	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	20
B-14	08/13/2008 ²⁴	9.54	4.27	5.27	0.00	0.00	180	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	28
B-14	11/12/2008 ²⁴	9.54	4.18	5.36	0.00	0.00	57	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	12
B-14	02/11/2009 ²⁴	9.54	4.11	5.43	0.00	0.00	390	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
B-14	05/11/2009	9.54	5.40	4.14	0.00	0.00	980	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	19
B-14	08/27/2009	9.54	4.87	4.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-14	11/10/2009	9.54	4.10	5.44	0.00	0.00	430	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	21
B-14	05/19/2010	9.54	4.52	5.02	0.00	0.00	560	-	110	-	<0.5	<0.5	<0.5	<0.5	-	4
B-14	12/01/2010	9.54	4.60	4.94	0.00	0.00	170 J	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	16
B-14	05/03/2011	9.54	4.30	5.24	0.00	0.00	-	160	<50	-	<0.5	<0.5	<0.5	<0.5	-	8
B-15	08/29/2002 ²¹	9.43	4.18	5.25	0.00	0.00	<130	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-15	11/25/2002	9.43	4.21	5.22	0.00	0.00	<50	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
B-15	02/05/2003	9.43	3.57	5.86	0.00	0.00	<50	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
B-15	05/15/2003	9.43	3.55	5.88	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	<2.5
B-15	08/14/2003 ²⁴	9.43	4.13	5.30	0.00	0.00	<50 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	11/13/2003 ²⁴	9.43	4.29	5.14	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	0.8
B-15	02/12/2004 ²⁴	9.43	3.59	5.84	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/13/2004 ²⁴	9.43	3.81	5.62	0.00	0.00	<50 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	08/12/2004 ²⁴	9.43	4.21	5.22	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	11/11/2004 ²⁴	9.43	4.64	4.79	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	02/10/2005 ²⁴	9.43	3.41	6.02	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/12/2005 ²⁴	9.43	3.35	6.08	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	08/11/2005 ²⁴	9.43	3.87	5.56	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	11/10/2005 ²⁴	9.43	3.90	5.53	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	02/09/2006 ²⁴	9.43	3.52	5.91	0.00	0.00	150 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/11/2006 ²⁴	9.43	3.47	5.96	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	08/10/2006 ²⁴	9.43	4.12	5.31	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	11/09/2006 ²⁴	9.43	4.17	5.26	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	02/08/2007 ²⁴	9.43	4.08	5.35	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/10/2007 ²⁴	9.43	4.01	5.42	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	08/08/2007 ²⁴	9.43	4.15	5.28	0.00	0.00	50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	11/07/2007 ²⁴	9.43	4.33	5.10	0.00	0.00	250	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	02/13/2008 ²⁴	9.43	3.51	5.92	0.00	0.00	67	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO av/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-15	05/14/2008 ²⁴	9.43	3.87	5.56	0.00	0.00	110	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	08/13/2008 ²⁴	9.43	4.16	5.27	0.00	0.00	170	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	11/12/2008 ²⁴	9.43	4.10	5.33	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	02/11/2009 ²⁴	9.43	3.96	5.47	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/11/2009	9.43	5.63	3.80	0.00	0.00	360	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	08/27/2009	9.43	4.19	5.24	0.00	0.00	-	-	-	-	-	-	-	-	-	-
B-15	11/10/2009	9.43	4.00	5.43	0.00	0.00	92 J	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/19/2010	9.43	4.36	5.07	0.00	0.00	660	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9
B-15	12/01/2010	9.43	4.35	5.08	0.00	0.00	<33	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
B-15	05/03/2011	9.43	3.86	5.57	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/12/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
QA	02/04/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
QA	05/06/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
QA	08/29/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
QA	11/25/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
QA	02/05/2003	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5
QA	05/15/2003	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	<2.5
QA	08/14/2003 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/13/2003 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	02/12/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/13/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	08/12/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/11/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	02/10/2005 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/12/2005 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	08/11/2005 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/10/2005 ²⁴	-	-	-	-	-	-	-	<50	-	0.6 ³⁰	<0.5	<0.5	<0.5	-	<0.5
QA	02/09/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/11/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	08/10/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/09/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	02/08/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/10/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	08/08/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/07/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	02/13/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/14/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	08/13/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/12/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	02/11/2009 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/11/2009	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	11/10/2009	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/19/2010	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	12/01/2010	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
QA	05/03/2011	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5
Trip Blank	01/06/1993	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	10/19/1993	-	-	-	-	-	-	-	<50	-	<0.5	0.5	<0.5	<0.5	-	-
Trip Blank	01/17/1994	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	08/18/1994	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	11/30/1994	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	02/15/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	05/01/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	08/04/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	11/29/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	02/08/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	05/08/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	08/23/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	12/12/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	02/10/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	05/01/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	08/05/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	10/28/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	02/04/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	02/12/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS					
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	06/03/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	07/29/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	11/30/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.0
Trip Blank	02/24/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	05/06/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<5.0
Trip Blank	08/30/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	11/17/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	02/21/2000	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5
Trip Blank	05/08/2000	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
Trip Blank	08/08/2000	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
Trip Blank	11/01/2000	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
Trip Blank	02/12/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
Trip Blank	05/14/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5
Trip Blank	08/13/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	09/20/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	10/09/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	10/17/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	10/23/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	11/01/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	11/07/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	11/15/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	11/21/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	12/12/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	12/30/1991	-	-	-	-	-	-	-	-	-	-	-
A-1	01/13/1992	-	-	-	-	-	-	-	-	-	-	-
A-1	01/22/1992	-	-	-	-	-	-	-	-	-	-	-
A-1	02/12/1992	-	-	-	-	-	-	-	-	-	-	-
A-1	03/09/1992	-	-	-	-	-	-	-	-	-	-	-
A-1	04/10/1992	-	-	-	-	-	-	-	-	-	-	-
A-1	05/18/1992	-	-	-	-	-	-	-	-	-	-	-
A-1	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	02/03/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	06/11/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	06/15/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	06/18/1993	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	06/22/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	06/29/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	07/09/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	07/15/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	07/19/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	07/20/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	07/27/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	08/06/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	08/10/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	08/16/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	09/16/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	09/24/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	10/01/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	10/07/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	10/13/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	10/20/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	10/28/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	11/12/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	11/19/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	12/10/1993	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	12/16/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	12/23/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	12/29/1993	-	-	-	-	-	-	-	-	-	-	-
A-1	01/03/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	01/17/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	01/26/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	02/07/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	02/11/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	02/18/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	02/25/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	03/04/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	03/11/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	03/16/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	03/25/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	04/01/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
A-1	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
A-1	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
A-1	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
A-1	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
A-1	02/08/1996	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
A-1	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
A-1	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
A-1	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
A-1	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
A-1	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
A-1	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
A-1	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
A-1	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
A-1	07/29/1998	-	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
A-1	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
A-1	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
A-1	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
A-1	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
A-1	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
A-1	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
A-1	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
A-1	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
A-1	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
A-1	05/14/2001 ¹⁷	-	-	-	-	-	-	-	-	-	-	-
A-1	08/13/2001	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
A-1	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
A-1	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
A-1	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
A-1	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
A-1	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
A-1	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
A-1	08/14/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	11/13/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	02/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/13/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOC	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
A-1	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
A-1	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
A-1	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
A-1	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
A-2	09/20/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	10/09/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	10/17/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	10/23/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	11/01/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	11/07/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	11/15/1991	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-2	11/21/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	12/12/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	12/30/1991	-	-	-	-	-	-	-	-	-	-	-
A-2	01/13/1992	-	-	-	-	-	-	-	-	-	-	-
A-2	01/22/1992	-	-	-	-	-	-	-	-	-	-	-
A-2	02/12/1992	-	-	-	-	-	-	-	-	-	-	-
A-2	03/09/1992	-	-	-	-	-	-	-	-	-	-	-
A-2	04/10/1992	-	-	-	-	-	-	-	-	-	-	-
A-2	05/18/1992	-	-	-	-	-	-	-	-	-	-	-
A-2	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	02/03/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	06/11/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	06/15/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	06/18/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	06/22/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	06/29/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	07/09/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	07/15/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	07/19/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	07/20/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	07/27/1993	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-2	08/06/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	08/10/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	08/16/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	09/16/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	09/24/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	10/01/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	10/07/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	10/13/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	10/20/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	10/28/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	11/12/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	11/19/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	11/30/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	12/10/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	12/16/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	12/23/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	12/29/1993	-	-	-	-	-	-	-	-	-	-	-
A-2	01/03/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	01/17/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	01/26/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	02/07/1994	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-2	02/11/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	02/18/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	02/25/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	03/04/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	03/11/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	03/16/1994	-	-	-	-	-	-	-	-	-	-	-
A-2	03/25/1994	-	-	-	-	-	-	-	-	-	-	-
B-1	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
B-1	07/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-1	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-1	01/17/1994	-	-	-	-	-	-	-	-	-	-	-
B-1	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
B-1	11/30/1994	<5.0 ²	-	-	-	-	-	-	-	-	-	-
B-1	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
B-1	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
B-1	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
B-1	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-1	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-1	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-1	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
B-1	12/12/1996	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
B-1	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-1	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
B-1	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-1	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-1	02/12/1998	-	-	-	-	-	-	-	-	-	-	-
B-1	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-1	07/29/1998	-	-	930,000	2,000	13,000	280,000	-	-	-	-	-
B-1	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-1	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-1	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
B-1	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-1	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-1	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-1	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-1	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-1	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-1	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-1	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-1	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-1	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
B-1	05/06/2002	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-1	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-1	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-1	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-1	08/14/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	11/13/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	02/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/13/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-1	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-1	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-1	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-1	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-3	09/20/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	10/09/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	10/17/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	11/01/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	11/07/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	11/15/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	11/21/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	12/12/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	12/30/1991	-	-	-	-	-	-	-	-	-	-	-
B-3	01/13/1992	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-3	01/22/1992	-	-	-	-	-	-	-	-	-	-	-
B-3	02/12/1992	-	-	-	-	-	-	-	-	-	-	-
B-3	03/09/1992	-	-	-	-	-	-	-	-	-	-	-
B-3	04/10/1992	-	-	-	-	-	-	-	-	-	-	-
B-3	05/18/1992	<5,000	-	-	-	-	-	-	-	-	-	-
B-3	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
B-3	02/03/1993	-	-	-	-	-	-	-	-	-	-	-
B-3	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
B-3	07/29/1993	-	-	-	-	-	-	-	-	-	-	-
B-3	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-3	01/17/1994	-	-	-	-	-	-	-	-	-	-	-
B-4	09/20/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	10/09/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	10/17/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	10/23/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	11/01/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	11/07/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	11/15/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	11/21/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	12/12/1991	-	-	-	-	-	-	-	-	-	-	-
B-4	12/30/1991	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-4	01/13/1992	-	-	-	-	-	-	-	-	-	-	-
B-4	01/22/1992	-	-	-	-	-	-	-	-	-	-	-
B-4	02/12/1992	-	-	-	-	-	-	-	-	-	-	-
B-4	03/09/1992	-	-	-	-	-	-	-	-	-	-	-
B-4	04/10/1992	-	-	-	-	-	-	-	-	-	-	-
B-4	05/18/1992	<5,000	-	-	-	-	-	-	-	-	-	-
B-4	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
B-4	02/03/1993	-	-	-	-	-	-	-	-	-	-	-
B-4	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
B-4	07/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-4	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-4	01/17/1994	-	-	-	-	-	-	-	-	-	-	-
B-5	09/20/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	10/09/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	10/17/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	10/23/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	11/01/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	11/07/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	11/15/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	11/21/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	12/12/1991	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	12/30/1991	-	-	-	-	-	-	-	-	-	-	-
B-5	01/13/1992	-	-	-	-	-	-	-	-	-	-	-
B-5	01/22/1992	-	-	-	-	-	-	-	-	-	-	-
B-5	02/12/1992	-	-	-	-	-	-	-	-	-	-	-
B-5	03/09/1992	-	-	-	-	-	-	-	-	-	-	-
B-5	04/10/1992	-	-	-	-	-	-	-	-	-	-	-
B-5	05/18/1992	<5,000	-	-	-	-	-	-	-	-	-	-
B-5	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
B-5	02/03/1993	-	-	-	-	-	-	-	-	-	-	-
B-5	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
B-5	07/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-5	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-5	01/07/1994	-	-	-	-	-	-	-	-	-	-	-
B-5	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
B-5	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
B-5	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
B-5	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
B-5	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
B-5	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-5	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-5	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-5	08/23/1996	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
B-5	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
B-5	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-5	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
B-5	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-5	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-5	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-5	07/29/1998	-	-	280,000	1,100	<1,000	7,000	-	-	-	-	-
B-5	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-5	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-5	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
B-5	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-5	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-5	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-5	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-5	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-5	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-5	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-5	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-5	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-5	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-5	02/04/2002	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-5	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-5	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-5	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-5	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-5	08/14/2003 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-5	11/13/2003 ²⁴	-	<250	-	-	-	-	-	-	-	-	-
B-5	02/12/2004 ²⁴	-	<500	-	-	-	-	-	-	-	-	-
B-5	05/13/2004 ²⁴	-	<100	-	-	-	-	-	-	-	-	-
B-5	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-5	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-5	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-5	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-5	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-6	09/20/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	10/09/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	10/17/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	10/23/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	11/01/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	11/07/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	11/15/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	11/21/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	12/12/1991	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	12/30/1991	-	-	-	-	-	-	-	-	-	-	-
B-6	01/13/1992	-	-	-	-	-	-	-	-	-	-	-
B-6	01/22/1992	-	-	-	-	-	-	-	-	-	-	-
B-6	02/12/1992	-	-	-	-	-	-	-	-	-	-	-
B-6	03/09/1992	-	-	-	-	-	-	-	-	-	-	-
B-6	04/10/1992	-	-	-	-	-	-	-	-	-	-	-
B-6	05/18/1992	<5,000	-	-	-	-	-	-	-	-	-	-
B-6	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
B-6	02/03/1993	-	-	-	-	-	-	-	-	-	-	-
B-6	04/23/1993	-	-	-	-	-	-	-	-	-	-	-
B-6	07/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-6	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-6	01/07/1994	-	-	-	-	-	-	-	-	-	-	-
B-6	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
B-6	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
B-6	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
B-6	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
B-6	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
B-6	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-6	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-6	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-6	08/23/1996	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
B-6	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
B-6	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-6	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
B-6	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-6	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-6	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-6	07/29/1998	-	-	-	-	-	-	-	-	-	-	-
B-6	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-6	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-6	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
B-6	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-6	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-6	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-6	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-6	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-6	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-6	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-6	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-6	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-6	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-6	02/04/2002	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-6	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-6	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-6	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-6	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-6	08/14/2003	-	<2,500	-	-	-	-	-	-	-	-	-
B-6	11/13/2003	-	<1,000	-	-	-	-	-	-	-	-	-
B-6	02/12/2004	-	<2,000	-	-	-	-	-	-	-	-	-
B-6	05/13/2004	-	<250	-	-	-	-	-	-	-	-	-
B-6	08/12/2004	-	<250	-	-	-	-	-	-	-	-	-
B-6	11/11/2004	-	<1,000	-	-	-	-	-	-	-	-	-
B-6	02/10/2005	-	<1,000	-	-	-	-	-	-	-	-	-
B-6	05/12/2005 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-6	08/11/2005	-	<1,000	-	-	-	-	-	-	-	-	-
B-6	11/10/2005	-	<500	-	-	-	-	-	-	-	-	-
B-6	02/09/2006	-	<250	-	-	-	-	-	-	-	-	-
B-6	05/11/2006	-	<50	-	-	-	-	-	-	-	-	-
B-6	08/10/2006	-	<250	-	-	-	-	-	-	-	-	-
B-6	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-6	02/08/2007	-	<50	-	-	-	-	-	-	-	-	-
B-6	05/10/2007	-	<50	-	-	-	-	-	-	-	-	-
B-6	08/08/2007	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	11/07/2007	-	<50	-	-	-	-	-	-	-	-	-
B-6	02/13/2008	-	<50	-	-	-	-	-	-	-	-	-
B-6	05/14/2008	-	<50	-	-	-	-	-	-	-	-	-
B-6	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-6	11/12/2008	-	<50	-	-	-	-	-	-	-	-	-
B-6	02/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-6	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-6	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-6	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-6	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-6	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-6	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-7	04/23/1993	<50	-	-	-	-	-	-	-	-	-	-
B-7	07/19/1993	<50	-	-	-	-	-	-	-	-	-	-
B-7	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-7	01/07/1994	-	-	-	-	-	-	-	-	-	-	-
B-7	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
B-7	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
B-7	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
B-7	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
B-7	08/04/1995	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	02/12/1998	-	-	-	-	-	-	-	-	-	-	-
B-7	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-7	07/29/1998	-	-	-	-	-	-	-	-	-	-	-
B-7	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-7	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-7	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
B-7	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-7	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-7	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-7	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-7	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-7	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-7	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-7	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-7	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-7	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-7	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
B-7	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-7	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-7	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-7	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-7	05/15/2003	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	08/14/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	11/13/2003	-	-	-	-	-	-	-	-	-	-	-
B-7	02/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/13/2004	-	-	-	-	-	-	-	-	-	-	-
B-7	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	11/11/2004	-	-	-	-	-	-	-	-	-	-	-
B-7	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/12/2005	-	-	-	-	-	-	-	-	-	-	-
B-7	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	11/10/2005	-	-	-	-	-	-	-	-	-	-	-
B-7	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/11/2006	-	-	-	-	-	-	-	-	-	-	-
B-7	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	11/09/2006	-	-	-	-	-	-	-	-	-	-	-
B-7	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/10/2007	-	<50	-	-	-	-	-	-	-	-	-
B-7	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	11/07/2007	-	-	-	-	-	-	-	-	-	-	-
B-7	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/14/2008	-	-	-	-	-	-	-	-	-	-	-
B-7	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	11/12/2008	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/11/2009	-	-	-	-	-	-	-	-	-	-	-
B-7	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-7	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-7	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-7	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-8	04/23/1993	<50	-	-	-	-	-	-	-	-	-	-
B-8	07/19/1993	<50	-	-	-	-	-	-	-	-	-	-
B-8	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
B-8	01/07/1994	-	-	-	-	-	-	-	-	-	-	-
B-8	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
B-8	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
B-8	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
B-8	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
B-8	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
B-8	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-9	04/23/1993	<50	-	-	-	-	-	-	-	-	-	-
B-9	07/19/1993	<50	-	-	-	-	-	-	-	-	-	-
B-9	10/19/1993	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-9	01/07/1994	-	-	-	-	-	-	-	-	-	-	-
B-9	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
B-9	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
B-9	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
B-9	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
B-9	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
B-10	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-10	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-10	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-10	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
B-10	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
B-10	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
B-10	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-10	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
B-10	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-10	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-10	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-10	07/29/1998	-	-	630,000	740	34,000	16,000	-	-	-	-	-
B-10	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-10	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-10	05/06/1999	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-10	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-10	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-10	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-10	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-10	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-10	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-10	02/12/2001 ¹⁶	-	-	-	-	-	-	-	-	-	-	-
B-10	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-10	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-10	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-10	02/04/2002 ²⁰	-	-	-	-	-	-	-	-	-	-	-
B-10	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-10	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-10	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-10	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-10	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-10	08/14/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	11/13/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	02/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/13/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-10	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-10	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-10	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-10	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-10	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-10	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-11	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-11	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-11	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-11	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
B-11	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
B-11	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
B-11	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-11	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
B-11	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-11	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-11	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-11	07/29/1998	-	-	460,000	1,100	33,000	18,000	-	-	-	-	-
B-11	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-11	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-11	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
B-11	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-11	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-11	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-11	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-11	08/08/2000	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-11	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-11	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-11	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-11	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-11	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-11	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
B-11	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-11	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-11	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-11	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-11	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-11	08/14/2003 ²⁴	-	<5,000	-	-	-	-	-	-	-	-	-
B-11	11/13/2003 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-11	02/12/2004 ²⁴	-	<2,500	-	-	-	-	-	-	-	-	-
B-11	05/13/2004 ²⁴	-	<1,300	-	-	-	-	-	-	-	-	-
B-11	08/12/2004 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-11	11/11/2004 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-11	02/10/2005 ²⁴	-	<2,500	-	-	-	-	-	-	-	-	-
B-11	05/12/2005 ²⁴	-	<2,500	-	-	-	-	-	-	-	-	-
B-11	08/11/2005 ²⁴	-	<2,500	-	-	-	-	-	-	-	-	-
B-11	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-11	02/09/2006 ²⁴	-	<250	-	-	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$
B-11	05/11/2006 ²⁴	-	<500	-	-	-	-	-	-	-	-	-
B-11	08/10/2006 ²⁴	-	<2,500	-	-	-	-	-	-	-	-	-
B-11	11/09/2006 ²⁴	-	<250	-	-	-	-	-	-	-	-	-
B-11	02/08/2007 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-11	05/10/2007 ²⁴	-	<500	-	-	-	-	-	-	-	-	-
B-11	08/08/2007 ²⁴	-	<2,500	-	-	-	-	-	-	-	-	-
B-11	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-11	02/13/2008 ²⁴	-	<250	-	-	-	-	-	-	-	-	-
B-11	05/14/2008 ²⁴	-	<1,000	-	-	-	-	-	-	-	-	-
B-11	08/13/2008 ²⁴	-	<500	-	-	-	-	-	-	-	-	-
B-11	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-11	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-11	05/11/2009	-	<130	-	-	-	-	-	-	-	-	-
B-11	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-11	11/10/2009	-	<130	-	-	-	-	-	-	-	-	-
B-11	05/19/2010	-	<250	-	-	-	-	-	-	-	-	-
B-11	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-11	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-12	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-12	05/08/1996	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
B-12	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
B-12	02/10/1997 ⁵	-	-	-	-	-	-	-	-	-	-	-
B-12	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-12	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
B-12	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-12	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-12	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-12	07/29/1998	-	-	700,000	450	<1,000	27,000	-	-	-	-	-
B-12	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-12	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-12	05/06/1999	<1,000	-	-	-	-	-	<10	86.7	<75	143	185
B-12	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-12	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-12	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-12	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-12	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-12	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-12	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-12	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-12	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-12	11/12/2001	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
B-12	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-12	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-12	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-12	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-12	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-12	08/14/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/13/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	02/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/13/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-12	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-12	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-12	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-12	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-13	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
B-13	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-13	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
B-13	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
B-13	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
B-13	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
B-13	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
B-13	08/05/1997	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
B-13	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
B-13	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
B-13	07/29/1998	-	-	290,000	240	5,600	17,000	-	-	-	-	-
B-13	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
B-13	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
B-13	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
B-13	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
B-13	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
B-13	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
B-13	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-13	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
B-13	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
B-13	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-13	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
B-13	08/13/2001	-	-	-	-	-	-	-	-	-	-	-
B-13	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
B-13	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
B-13	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
B-13	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
B-13	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-13	02/05/2003	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-13	08/14/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	11/13/2003 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	02/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/13/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-13	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-13	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-13	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-13	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-14	08/29/2002 ²¹	-	-	-	-	-	-	-	-	-	-	-
B-14	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-14	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-14	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-14	08/14/2003 ²⁴	-	-	-	-	-	-	-	-	-	-	-
B-14	11/13/2003 ²⁴	-	-	-	-	-	-	-	-	-	-	-
B-14	02/12/2004 ²⁴	-	-	-	-	-	-	-	-	-	-	-
B-14	05/13/2004 ²⁴	-	<100	-	-	-	-	-	-	-	-	-
B-14	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	02/10/2005 ²⁴	-	<100	-	-	-	-	-	-	-	-	-
B-14	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-14	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-14	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-14	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-14	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-14	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-14	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-14	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/29/2002 ²¹	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-15	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
B-15	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
B-15	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
B-15	08/14/2003 ²⁴	-	-	-	-	-	-	-	-	-	-	-
B-15	11/13/2003 ²⁴	-	-	-	-	-	-	-	-	-	-	-
B-15	02/12/2004 ²⁴	-	-	-	-	-	-	-	-	-	-	-
B-15	05/13/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/12/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	11/11/2004 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	02/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	05/12/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/11/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	11/10/2005 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	02/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	05/11/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/10/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	11/09/2006 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	02/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	05/10/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/08/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	11/07/2007 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	02/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-15	05/14/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/13/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	11/12/2008 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	02/11/2009 ²⁴	-	<50	-	-	-	-	-	-	-	-	-
B-15	05/11/2009	-	<50	-	-	-	-	-	-	-	-	-
B-15	08/27/2009	-	-	-	-	-	-	-	-	-	-	-
B-15	11/10/2009	-	<50	-	-	-	-	-	-	-	-	-
B-15	05/19/2010	-	<50	-	-	-	-	-	-	-	-	-
B-15	12/01/2010	-	<50	-	-	-	-	-	-	-	-	-
B-15	05/03/2011	-	<50	-	-	-	-	-	-	-	-	-
QA	11/12/2001	-	-	-	-	-	-	-	-	-	-	-
QA	02/04/2002	-	-	-	-	-	-	-	-	-	-	-
QA	05/06/2002	-	-	-	-	-	-	-	-	-	-	-
QA	08/29/2002	-	-	-	-	-	-	-	-	-	-	-
QA	11/25/2002	-	-	-	-	-	-	-	-	-	-	-
QA	02/05/2003	-	-	-	-	-	-	-	-	-	-	-
QA	05/15/2003	-	-	-	-	-	-	-	-	-	-	-
QA	08/14/2003 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	11/13/2003 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	02/12/2004 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	05/13/2004 ²⁴	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	08/12/2004 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	11/11/2004 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	02/10/2005 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	05/12/2005 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	08/11/2005 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	11/10/2005 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	02/09/2006 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	05/11/2006 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	08/10/2006 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	11/09/2006 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	02/08/2007 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	05/10/2007 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	08/08/2007 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	11/07/2007 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	02/13/2008 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	05/14/2008 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	08/13/2008 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	11/12/2008 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	02/11/2009 ²⁴	-	-	-	-	-	-	-	-	-	-	-
QA	05/11/2009	-	-	-	-	-	-	-	-	-	-	-
QA	11/10/2009	-	-	-	-	-	-	-	-	-	-	-
QA	05/19/2010	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		TOC	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	12/01/2010	-	-	-	-	-	-	-	-	-	-	-
QA	05/03/2011	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	01/06/1993	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	10/19/1993	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	01/17/1994	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/18/1994	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/30/1994	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/15/1995	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/01/1995	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/04/1995	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/29/1995	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/08/1996	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/08/1996	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/23/1996	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	12/12/1996	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/10/1997	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/01/1997	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/05/1997	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	10/28/1997	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/04/1998	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/12/1998	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 9-0290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	ADDITIONAL						METALS				
		<i>TOG</i>	<i>Ethanol</i>	<i>Alkalinity</i>	<i>Ferrous Iron</i>	<i>Nitrate as Nitrite</i>	<i>Sulfate</i>	<i>Cadmium</i>	<i>Chromium</i>	<i>Lead</i>	<i>Nickel</i>	<i>Zinc</i>
	Units	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$	$\mu\text{g/L}$
Trip Blank	06/03/1998	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	07/29/1998	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/30/1998	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/24/1999	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/06/1999	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/30/1999	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/17/1999	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/21/2000	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/08/2000	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/08/2000	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/01/2000	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/12/2001	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/14/2001	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/13/2001	-	-	-	-	-	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Abbreviations and Notes:

- TOC = Top of Casing
- DTW = Depth to Water
- GWE = Groundwater elevation
- SPHT = Separate Phase Hydrocarbon Thickness
- (ft-amsl) = Feet Above Mean sea level
- ft = Feet
- µg/L = Micrograms per Liter
- TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics
- TPH-GRO = Total Petroleum Hydrocarbons - Gasoline Range Organics
- VOCS = Volatile Organic Compounds
- B = Benzene
- T = Toluene
- E = Ethylbenzene
- X = Xylene
- MTBE = Methyl tert butyl ether
- TOG = Total Oil and Grease
- = Not available / not applicable
- <x = Not detected above laboratory method detection limit

- * TOC elevations were surveyed on September 26, 2002, by Virgil Chavez Land Surveying.
The benchmark for this survey was a brass disk in a monument well at the mid return of the northwest corner of Webster St. and Buena Vista Ave., (Benchmark Elevation = 11.09 feet NGVD 29).
- ** GWE has been corrected due to the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].
- 1 Chromatogram pattern indicates a non-diesel mix.
- 2 Analytical values are in parts per million (ppm).
- 3 Chromatogram pattern indicates an unidentified hydrocarbon.
- 4 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 5 EPA Method 8240.
- 6 Confirmation run.
- 7 Hydrocarbon pattern appears to be weathered.
- 8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons >C10.
- 9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 10 Laboratory report indicates gasoline C6-C12.
- 11 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 12 Laboratory report indicates unidentified hydrocarbons >C16.

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 9-0290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

13	Laboratory report indicates unidentified hydrocarbons <C16.
14	Laboratory report indicates unidentified hydrocarbons C9-C40.
15	Laboratory report indicates unidentified hydrocarbons C6-C12.
16	Well obstructed by roots.
17	Laboratory report indicates TPH-G, B, T, E, X and MTBE was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
18	Laboratory report indicates sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
19	Laboratory report indicates sample was run past holding time.
20	Obstruction in well at 11.46 feet.
21	Well development performed.
22	Laboratory report indicates the analysis was performed from a previously opened vial and the results are therefore estimated.
23	Analyzed with silica gel cleanup.
24	BTEX and MTBE by EPA Method 8260.
25	TOC has been altered due to well repair. Unable to determine an accurate GWE.
26	Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
27	Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.
28	Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.
29	Analysis by EPA Method 8260.
30	Laboratory confirmed analytical result.
31	Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range and individual peaks eluting in the DRO range.
32	Laboratory report indicates due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

ATTACHMENT A

MONITORING DATA PACKAGE



May 4, 2011

Chevron Environmental Management Company
Dave Patten
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

Second Quarter 2011 Monitoring at
Chevron Service Station 90290
1802 Webster St.
Alameda, CA

Monitoring performed on May 3, 2010

Blaine Tech Services, Inc. Groundwater Monitoring Event 110503-PH1

This submission covers the routine monitoring of groundwater wells conducted on May 3, 2010 at this location. Eleven monitoring wells were measured for depth to groundwater (DTW). Eleven monitoring wells were sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Second Quarter Groundwater Monitoring at Chevron 90290, 1802 Webster St., Alameda, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

Second Quarter Groundwater Monitoring at Chevron 90290, 1802 Webster St., Alameda, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

www.blainetech.com

BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

WELL GAUGING DATA

Project # 110503-PHR Date 5/3/11 Client Chemman

Site 1802 Webster Ave, Alameda

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOC</u>	Notes	
A-1	1039	6					4.80	10.70	↓		
B-1	0956	2					5.50	17.05			
B-5	1025	2					4.53	18.10			
B-6	0952	2					5.10	18.05			
B-7	0946	2					4.60	13.60			
B-10	1006	2					5.43	15.61			
B-11	1030	2					5.07	14.82			
B-12	1024	2					5.07	14.90			
B-13	1018	2					5.00	13.75			
B-14	1000	2					4.30	15.24			
B-15	1012	2					3.88	14.22		↓	

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-PH2</u>	Station #: <u>9-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>70°F</u>
Well I.D.: <u>A-1</u>	Well Diameter: 2 3 4 <u>6</u> 8 _____
Total Well Depth: <u>10.70</u>	Depth to Water: <u>4.80</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>5.98</u>	

Purge Method: Electric Submersible Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____

8.7 (Gals.) X 3 = 26.0 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1438</u>	<u>21.0</u>	<u>7.6</u>	<u>623</u>	<u>79</u>	<u>9.0</u>	
<u>1439</u>	<u>20.3</u>	<u>7.5</u>	<u>617</u>	<u>27</u>	<u>17.5</u>	
<u>1441</u>	<u>20.1</u>	<u>7.5</u>	<u>616</u>	<u>6</u>	<u>26.0</u>	

Did well dewater? Yes No Gallons actually evacuated: 26

Sampling Date: 5/3/11 Sampling Time: 1445 Depth to Water: 4.80

Sample I.D.: A-1 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See 102

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 110503 PH2	Station #: 9-0290
Sampler: PH	Date: 5/3/11
Weather: Sunny	Ambient Air Temperature: 61°F
Well I.D.: 3-1	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 17.05	Depth to Water: 5.50
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.81	

Purge Method: Bailer Watterra Disposible Bailer
Disposible Bailer Peristaltic Extraction Port
Positive Air Displacement Extraction Pump Dedicated Tubing
Electric Submersible Other _____ Other: _____

1.8 (Gals.) X 3 = 5.5 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1135	18.3	6.8	923	186	2	
1137	18.0	6.7	912	>1000	4	
1139	17.7	6.7	895	>1000	5.5	

Did well dewater? Yes No Gallons actually evacuated: 5.5

Sampling Date: 5/3/11 Sampling Time: 1145 Depth to Water: 7.05

Sample I.D.: 3-1 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See eoc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-PH2</u>	Station #: <u>7-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>70°F</u>
Well I.D.: <u>3-5</u>	Well Diameter: <u>2</u> 3 4 6 8 <u> </u>
Total Well Depth: <u>18.10</u>	Depth to Water: <u>4.53</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>7.24</u>	

Purge Method: Bailer Watera Disposable Bailer
 Bailer Peristaltic
 Disposable Bailer Extraction Pump
 Positive Air Displacement Dedicated Tubing
 Electric Submersible Other: _____

Sampling Method: Bailer
Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

<u>2.2</u> (Gals.) X	<u>3</u> Specified Volumes	<u>= 6.5</u> Gals. Calculated Volume
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1420</u>	<u>20.9</u>	<u>7.2</u>	<u>1650</u>	<u>>1000</u>	<u>2.2</u>	
						<u>~ dewatered @ 2.2 gallons</u>
<u>1530</u>	<u>20.8</u>	<u>7.3</u>	<u>1307</u>	<u>58</u>	<u>-</u>	

Did well dewater? Yes No Gallons actually evacuated: 2.2

Sampling Date: 5/3/11 Sampling Time: 1530 Depth to Water: 6.30

Sample I.D.: 3-5 Laboratory: Lancaster Other: _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See 600

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-P42</u>	Station #: <u>7-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>61°F</u>
Well I.D.: <u>B-6</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth: <u>18.05</u>	Depth to Water: <u>5.10</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>7.69</u>	

Purge Method:

- Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
- Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

<u>2.0</u> (Gals.) X	<u>3</u>	<u>= 6.2</u> Gals.
1 Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1114</u>	<u>18.9</u>	<u>6.8</u>	<u>520</u>	<u>685</u>	<u>2</u>	
<u>1116</u>	<u>19.2</u>	<u>6.7</u>	<u>517</u>	<u>491</u>	<u>4</u>	
<u>1118</u>	<u>19.6</u>	<u>6.7</u>	<u>515</u>	<u>355</u>	<u>6.2</u>	

Did well dewater? Yes No Gallons actually evacuated: 6.2

Sampling Date: 5/3/11 Sampling Time: 1125 Depth to Water: 5.86

Sample I.D.: B-6 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See Cox

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-PH2</u>	Station #: <u>9-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>61°F</u>
Well I.D.: <u>3-7</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth: <u>13.60</u>	Depth to Water: <u>4.60</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>6.40</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing
 Other: _____

1.4 (Gals.) X 3 = 4.3 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1056</u>	<u>17.4</u>	<u>6.5</u>	<u>703</u>	<u>>1000</u>	<u>1.5</u>	
<u>1059</u>	<u>17.7</u>	<u>6.5</u>	<u>684</u>	<u>>1000</u>	<u>3.0</u>	
<u>1602</u>	<u>18.2</u>	<u>6.6</u>	<u>653</u>	<u>>1000</u>	<u>4.5</u>	

Did well dewater? Yes No Gallons actually evacuated: 4.5

Sampling Date: 5/3/11 Sampling Time: 1500 Depth to Water: 5.20

Sample I.D.: 3-7 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See Saw

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-PH2</u>	Station #: <u>9-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>70°F</u>
Well I.D.: <u>B-11</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth: <u>14.82</u>	Depth to Water: <u>5.07</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>7.02</u>	

Purge Method: Disposible Bailer Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____

<u>1.6</u> (Gals.) X	<u>3</u> Specified Volumes	= <u>4.7</u> Gals. Calculated Volume
----------------------	----------------------------	--------------------------------------

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1401</u>	<u>20.5</u>	<u>7.1</u>	<u>1007</u>	<u>553</u>	<u>1.7</u>	<u>ODOR</u>
<u>1404</u>	<u>19.9</u>	<u>7.0</u>	<u>981</u>	<u>807</u>	<u>3.5</u>	
<u>1406</u>	<u>20.3</u>	<u>7.0</u>	<u>970</u>	<u>>1000</u>	<u>4.7</u>	

Did well dewater? Yes No Gallons actually evacuated: 4.7

Sampling Date: 5/3/11 Sampling Time: 1410 Depth to Water: 7.00

Sample I.D.: B-11 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503 PH2</u>	Station #: <u>9-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>67°F</u>
Well I.D.: <u>3-12</u>	Well Diameter: <u>3</u> 4 6 8 _____
Total Well Depth: <u>14.90</u>	Depth to Water: <u>5.07</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>7.03</u>	

Purge Method: Bailer Waterra Disposal Bailer
 Disposable Bailer Peristaltic
 Positive Air Displacement Extraction Pump
 Electric Submersible Other _____

Sampling Method: Bailer
Disposal Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

1.6 (Gals.) X 3 = 4.7 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1340</u>	<u>20.6</u>	<u>7.2</u>	<u>617</u>	<u>392</u>	<u>1.7</u>	
<u>1343</u>	<u>20.2</u>	<u>7.1</u>	<u>591</u>	<u>466</u>	<u>3.5</u>	
<u>1345</u>	<u>20.0</u>	<u>7.1</u>	<u>598</u>	<u>529</u>	<u>4.7</u>	

Did well dewater? Yes No Gallons actually evacuated: 4.7

Sampling Date: 5/3/11 Sampling Time: 1350 Depth to Water: 6.84

Sample I.D.: 3-12 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See C06

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-PH2</u>	Station #: <u>9-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>63°F</u>
Well I.D.: <u>B-14</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth: <u>15.24</u>	Depth to Water: <u>4.30</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>6.48</u>	

Purge Method: Bailer Water Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____

<u>1.7</u> (Gals.) X	<u>3</u> Specified Volumes	<u>= 5.2</u> Gals. Calculated Volume
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1154</u>	<u>18.1</u>	<u>7.0</u>	<u>1868</u>	<u>>1000</u>	<u>1.7</u>	
<u>1156</u>	<u>18.0</u>	<u>6.9</u>	<u>1824</u>	<u>>1000</u>	<u>3.5</u>	
<u>1158</u>	<u>17.9</u>	<u>6.9</u>	<u>1812</u>	<u>>1000</u>	<u>5.2</u>	

Did well dewater? Yes No Gallons actually evacuated: 5.2

Sampling Date: 5/3/11 Sampling Time: 1205 Depth to Water: 6.32

Sample I.D.: B-14 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

CHEVRON WELL MONITORING DATA SHEET

Project #: <u>110503-912</u>	Station #: <u>9-0290</u>
Sampler: <u>PH</u>	Date: <u>5/3/11</u>
Weather: <u>Sunny</u>	Ambient Air Temperature: <u>65°F</u>
Well I.D.: <u>3-15</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth: <u>14.22</u>	Depth to Water: <u>3.86</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>5.93</u>	

Purge Method: Bailer Waterra Disposable Bailer Peristaltic
 Disposable Bailer Peristaltic
 Positive Air Displacement Extraction Pump
 Electric Submersible Other _____

Sampling Method: Bailer Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

1.7 (Gals.) X 3 = 5.0 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1302	20.2	7.4	683	21000	1.7	
						Reversed @ 2 gallons
1515	21.7	7.6	650	32	-	

Did well dewater? Yes No Gallons actually evacuated: 2

Sampling Date: 5/3/11 Sampling Time: 1515 Depth to Water: 4.32

Sample I.D.: B-15 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	mV	Post-purge:	mV

CHEVRON-NORTHERN CALIFORNIA TYPE **A** BILL OF LADING

SOURCE RECORD **BILL OF LADING**

FOR NON-HAZARDOUS PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE NON-HAZARDOUS PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR, MADE UP INTO LOADS OF APPROPRIATE SIZE AND HAULED BY IWM TO THEIR FACILITY IN SAN JOSE, CALIFORNIA.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BTS), 1680 Rogers Ave. San Jose CA (408)573-0555). Blaine Tech Services, Inc. is authorized by CHEVRON PRODUCTS COMPANY (CHEVRON) to recover, collect, apportion into loads, and haul the Non-Hazardous Well Purgewater that is drawn from wells at the CHEVRON facility indicated below and to deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one Chevron facility to BTS; from one Chevron facility to BTS via another Chevron facility; or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of CHEVRON.

This **Source Record BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

<u>9-0290</u>	<u>Dave Patten</u>
CHEVRON #	Chevron Engineer
<u>1802 Webster Ave</u>	<u>Alameda CA</u>
street number	street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
A-1 / 26		B-3	4.2
B-1	5.5	B-14	5.2
B-5	2.2	B-15	2
B-6	6.2		
B-7	4.5		
B-10	5		
B-11	4.7		
B-12	4.7		
added equip.		any other	
rinse water	12	adjustments	
TOTAL GALS.		loaded onto	
RECOVERED	<u>82.2</u>	BTS vehicle #	<u>29</u>
BTS event #	time	date	
<u>110502-P42</u>	<u>1615</u>	<u>5/3/11</u>	
signature	<u>[Signature]</u>		

REC'D AT	time	date	
<u>BTS</u>	<u>1730</u>	<u>5/3/11</u>	
unloaded by			
signature	<u>[Signature]</u>		

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

May 13, 2011

Project: 90290

Submittal Date: 05/04/2011
Group Number: 1245132
PO Number: 0015074399
Release Number: PATTEN
State of Sample Origin: CA

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
QA-T-110503 NA Water	6276089
A-1-W-110503 NA Water	6276090
B-1-W-110503 NA Water	6276091
B-5-W-110503 NA Water	6276092
B-6-W-110503 NA Water	6276093
B-7-W-110503 NA Water	6276094
B-10-W-110503 NA Water	6276095
B-11-W-110503 NA Water	6276096
B-12-W-110503 NA Water	6276097
B-13-W-110503 NA Water	6276098
B-14-W-110503 NA Water	6276099
B-15-W-110503 NA Water	6276100

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Ian Hull
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee

COPY TO

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Christine Dulaney
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: QA-T-110503 NA Water
 Facility #90290 BTST
 1802 Webster-Alameda T0600100307 QA

LLI Sample # WW 6276089
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 10:50

Chevron

Submitted: 05/04/2011 09:40

6001 Bollinger Canyon Rd L4310

Reported: 05/13/2011 15:58

San Ramon CA 94583

WAQA-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	F111313AA	05/11/2011 20:25	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 20:25	Kelly E Keller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/05/2011 22:51	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/05/2011 22:51	Laura M Krieger	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: A-1-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 A-1

LLI Sample # WW 6276090
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 14:45 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAA1-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	8,800	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/11/2011 21:58	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 21:58	Kelly E Keller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 03:12	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 03:12	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 14:47	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-1-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-1

LLI Sample # WW 6276091
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 11:45 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB1-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	310	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/12/2011 04:52	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/12/2011 04:52	Kelly E Keller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 03:34	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 03:34	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 12:40	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-5-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-5

LLI Sample # WW 6276092
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 15:30 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB5-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	8	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	320	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	4,000	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/11/2011 22:20	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 22:20	Kelly E Keller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 03:56	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 03:56	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 13:53	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: B-6-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-6

LLI Sample # WW 6276093
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 11:25 by PH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB6-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	7	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/11/2011 22:42	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 22:42	Kelly E Keller	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 05:56	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: B-7-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-7

LLI Sample # WW 6276094
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 15:00 by PH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB7-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/11/2011 23:04	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 23:04	Kelly E Keller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 04:18	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 04:18	Laura M Krieger	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-10-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-10

LLI Sample # WW 6276095
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 12:45 by PH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	4	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/11/2011 23:25	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 23:25	Kelly E Keller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 04:39	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 04:39	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 06:14	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-11-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-11

LLI Sample # WW 6276096
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 14:10 by PH

Chevron

6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	2,700	5	10	10
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	570	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	1,600	50	110	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/11/2011 23:47	Kelly E Keller	1
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F111313AA	05/12/2011 00:09	Kelly E Keller	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F111313AA	05/11/2011 23:47	Kelly E Keller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	F111313AA	05/12/2011 00:09	Kelly E Keller	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 05:01	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 05:01	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 06:32	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-12-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-12

LLI Sample # WW 6276097
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 13:50 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	2	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	0.6 J	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	29	0.5	1	1
10943	Toluene	108-88-3	0.6 J	0.5	1	1
10943	Xylene (Total)	1330-20-7	0.7 J	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	870	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	1,200	50	110	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D111301AA	05/10/2011 12:46	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D111301AA	05/10/2011 12:46	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11125A20A	05/06/2011 05:23	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11125A20A	05/06/2011 05:23	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 07:26	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-13-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-13

LLI Sample # WW 6276098
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 13:25 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	2	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	2	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	10	0.5	1	1
10943	Toluene	108-88-3	2	0.5	1	1
10943	Xylene (Total)	1330-20-7	3	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	820	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	630	50	110	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D111301AA	05/10/2011 13:08	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D111301AA	05/10/2011 13:08	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11126A07A	05/09/2011 12:24	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11126A07A	05/09/2011 12:24	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 07:43	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: B-14-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-14

LLI Sample # WW 6276099
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 12:05 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	8	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	160	50	110	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D111301AA	05/10/2011 14:16	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D111301AA	05/10/2011 14:16	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11126A07A	05/09/2011 12:49	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11126A07A	05/09/2011 12:49	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	2	111250024A	05/11/2011 12:57	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: B-15-W-110503 NA Water
Facility #90290 BTST
1802 Webster-Alameda T0600100307 B-15

LLI Sample # WW 6276100
LLI Group # 1245132
Account # 10991

Project Name: 90290

Collected: 05/03/2011 15:15 by PH

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/04/2011 09:40

Reported: 05/13/2011 15:58

WAB15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Extractable TPH SW-846 8015B						
w/Si Gel						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	D111301AA	05/10/2011 14:38	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D111301AA	05/10/2011 14:38	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11126A07A	05/09/2011 13:14	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	11126A07A	05/09/2011 13:14	Laura M Krieger	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	111250024A	05/11/2011 08:01	Glorines Suarez-Rivera	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	111250024A	05/06/2011 08:45	Catherine R Wiker	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Chevron

Group Number: 1245132

Reported: 05/13/11 at 03:58 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D111301AA	Sample number(s): 6276097-6276100								
Benzene	N.D.	0.5	1	ug/l	98		79-120		
Ethanol	N.D.	50.	250	ug/l	109		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	95		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	89		76-120		
Toluene	N.D.	0.5	1	ug/l	96		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	96		80-120		
Batch number: F111313AA	Sample number(s): 6276089-6276096								
Benzene	N.D.	0.5	1	ug/l	102	98	79-120	4	30
Ethanol	N.D.	50.	250	ug/l	100	99	54-149	0	30
Ethylbenzene	N.D.	0.5	1	ug/l	99	94	79-120	5	30
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	88	85	76-120	3	30
Toluene	N.D.	0.5	1	ug/l	100	95	79-120	5	30
Xylene (Total)	N.D.	0.5	1	ug/l	98	94	80-120	4	30
Batch number: 11125A20A	Sample number(s): 6276089-6276092, 6276094-6276097								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	109	109	75-135	0	30
Batch number: 11126A07A	Sample number(s): 6276098-6276100								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	100	100	75-135	0	30
Batch number: 111250024A	Sample number(s): 6276090-6276093, 6276095-6276100								
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	100	ug/l	86	86	52-126	0	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D111301AA	Sample number(s): 6276097-6276100 UNSPK: 6276098								
Benzene	111	122	80-126	9	30				
Ethanol	143	134	53-146	6	30				
Ethylbenzene	112	120	71-134	6	30				
Methyl Tertiary Butyl Ether	97	102	72-126	3	30				
Toluene	110	119	80-125	7	30				
Xylene (Total)	111	119	79-125	7	30				
Batch number: F111313AA	Sample number(s): 6276089-6276096 UNSPK: 6276090								
Benzene	106	105	80-126	1	30				
Ethanol	113	115	53-146	2	30				

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 05/13/11 at 03:58 PM

Group Number: 1245132

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Ethylbenzene	101	99	71-134	2	30				
Methyl Tertiary Butyl Ether	86	90	72-126	4	30				
Toluene	103	101	80-125	2	30				
Xylene (Total)	100	97	79-125	3	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: D111301AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6276097	92	95	96	109
6276098	92	96	100	105
6276099	96	98	100	98
6276100	95	95	99	96
Blank	97	95	100	99
LCS	93	96	99	105
MS	91	95	100	108
MSD	89	95	99	106
Limits:	80-116	77-113	80-113	78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: F111313AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6276089	97	103	98	91
6276090	97	102	99	92
6276091	96	101	98	92
6276092	106	102	95	92
6276093	95	100	98	90
6276094	99	104	98	92
6276095	98	104	97	90
6276096	97	98	97	93
Blank	96	102	97	92
LCS	95	102	97	99
LCSD	96	103	97	100
MS	95	101	99	98
MSD	95	99	97	99
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 11125A20A

	Trifluorotoluene-F
6276089	75

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 05/13/11 at 03:58 PM

Group Number: 1245132

Surrogate Quality Control

6276090	76
6276091	73
6276092	72
6276094	72
6276095	71
6276096	81
6276097	95
Blank	75
LCS	104
LCSD	107

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 11126A07A
Trifluorotoluene-F

6276098	100
6276099	81
6276100	79
Blank	80
LCS	91
LCSD	91

Limits: 63-135

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel
Batch number: 111250024A
Orthoterphenyl

6276090	110
6276091	104
6276092	105
6276093	109
6276095	98
6276096	99
6276097	99
6276098	108
6276099	91
6276100	95
Blank	110
LCS	114
LCSD	112

Limits: 59-131

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.