



**Catalina Espino
Devine**
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-3949
espino@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-0290
1802 Webster Street
Alameda, CA

RECEIVED

8:37 am, Aug 16, 2012

Alameda County
Environmental Health

I have reviewed the attached report dated August 13, 2012

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,


Catalina Espino Devine
Project Manager

Attachment: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

August 13, 2012

Reference No. 311594

Mr. Mark Detterman
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Semi-Annual 2012
Groundwater Monitoring and Sampling Report
Chevron Service Station 90290
1802 Webster Street
Alameda, California
Fuel Leak Case No. RO0000195

Dear Mark Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *First Semi-Annual 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's *Second Quarter 2012 Monitoring* report is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' *Analytical Results* is included as Attachment B.

Equal
Employment Opportunity
Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

August 13, 2012

Reference No. 311594

- 2 -

Please contact Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



Nathan Lee, PG 8486

BW/cw/12
Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Ms. Catalina Espino Devine, Chevron (*electronic copy*)
Ms. Elena Lieberman, Property Owner

FIGURES





Figure 1
 VICINITY MAP
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 Alameda, California





TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
A-1	09/20/1991	8.13	9.23	0.48	1.58	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/09/1991	8.13	6.67	1.46	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/17/1991	8.13	7.28	1.43	0.58	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/23/1991	8.13	7.42	1.36	0.65	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/01/1991	8.13	7.14	1.49	0.50	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/07/1991	8.13	7.14	1.50	0.51	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/15/1991	8.13	7.19	1.47	0.53	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/21/1991	8.13	7.28	1.28	0.54	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/12/1991	8.13	7.33	1.29	0.49	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/30/1991	8.13	6.76	1.73	0.36	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	01/13/1992	8.13	6.29	2.21	0.37	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	01/22/1992	8.13	6.43	2.15	0.45	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/12/1992	8.13	6.30	2.21	0.38	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	03/09/1992	8.13	5.30	3.14	0.31	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	04/10/1992	8.13	5.37	2.83	0.07	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/18/1992	8.13	6.14	2.39	0.40	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	01/06/1993	8.13	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/03/1993	8.13	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	04/23/1993	11.56	5.85	6.19	0.60	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	06/11/1993	11.56	-	-	0.00	2.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	06/15/1993	11.56	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	06/18/1993	11.56	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	06/22/1993	11.56	-	-	0.00	0.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	06/29/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	07/09/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	07/15/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	07/19/1993	11.56	6.23	5.54	0.26	2.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	07/20/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	07/27/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/06/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/10/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL					METALS														
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc							
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
A-1	08/16/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	09/16/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	09/24/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/01/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/07/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/13/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/19/1993	11.56	-	-	0.10	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/20/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/28/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/12/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/19/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/10/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/16/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/23/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/29/1993	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	01/03/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	01/17/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	01/26/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/07/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/11/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/18/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/25/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	03/04/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	03/11/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	03/16/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	03/25/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	04/01/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/18/1994	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1994	11.56	-	-	0.00	2.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/15/1995	11.56	4.79	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS											
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc							
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
A-1	05/01/1995	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	08/04/1995	11.56	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/29/1995	11.56	6.38	5.24	0.08	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/08/1996	11.56	4.57	7.03	0.05	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/08/1996	11.56	5.49	6.29	0.28	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/23/1996	11.56	6.43	5.31	0.22	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/12/1996	11.56	5.53	6.37	0.42	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/10/1997	11.56	4.45	7.25	0.17	0.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/01/1997	11.56	5.51	6.11	0.08	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/05/1997	11.56	5.96	5.68	0.10	0.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	10/28/1997	11.56	6.05	5.56	0.06	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/04/1998	11.56	3.20	8.39	0.04	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	06/03/1998	11.56	4.56	7.02	0.03	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	07/29/1998	11.56	4.44	7.15	0.04	0.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/30/1998	11.56	5.61	6.23	0.35	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/24/1999	11.56	4.41	7.63	0.60	0.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/06/1999	11.56	4.67	6.89	0.00	0.00	9,500 ³	-	580	-	13.4	<2.0	4.68	58	-	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/30/1999	11.56	6.04	5.52	0.00	0.00	22,000 ³	-	615	68,400	12	3.45	3.8	44	-	95.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/17/1999	11.56	5.89	5.70	0.04	0.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/21/2000	11.56	4.23	7.39	0.08	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/08/2000	11.56	5.10	6.55	0.11	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/08/2000	11.56	5.53	6.13	0.13	0.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/01/2000	11.56	5.67	5.99	0.13	0.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/12/2001	11.56	4.71	6.85	0.00	0.00	15,000 ¹²	-	290 ¹⁰	-	5.1	<2.0	<2.0	17	-	640	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/14/2001 ¹⁷	11.56	5.30	6.26	0.00	0.00	3,100 ¹²	-	190 ¹⁰	-	4.8	1.2	0.92	22	-	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/13/2001	11.56	5.89	5.69	0.03	0.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/12/2001	11.56	5.78	5.84	0.08	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	02/04/2002	11.56	4.79	6.77	0.00	0.00	23,000	-	380	-	3.3	1.4	0.69	14	-	1,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/06/2002	11.56	5.00	6.56	0.00	0.00	12,000	-	280	-	2.7	1.9	1.1	20	-	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/29/2002	11.56	5.70	5.86	0.00	0.00	13,000	-	380	-	4.1	3.3	2.1	31	-	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/25/2002	11.56	5.82	5.74	0.00	0.00	19,000	-	290	-	3.0	1.3	0.81	12	-	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS												
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc								
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
A-1	02/05/2003	11.56	4.81	6.75	0.00	0.00	12,000	-	290	-	3.1	1.1	<0.50	5.2	-	2,400 ²²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	05/15/2003	11.56	4.85	6.71	0.00	0.00	8,400	-	330	-	4.3	1.8	1	16	-	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	08/14/2003 ²⁴	11.56	5.71	5.85	0.00	0.00	9,100 ²³	-	450	-	8	3	2	26	-	270	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	11/13/2003 ²⁴	11.56	5.91	5.65	0.00	0.00	13,000	-	310	-	4	0.6	0.6	7	-	150	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	02/12/2004 ²⁴	-	4.31	-	0.00	0.00	14,000	-	120	-	<0.5	<0.5	<0.5	3	-	84	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	05/13/2004 ²⁴	-	4.53	-	0.00	0.00	3,900 ²³	-	310	-	3	1	0.9	13	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	08/12/2004 ²⁴	-	5.13	-	0.00	0.00	4,600	-	240	-	1	<0.5	<0.5	5	-	16	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	11/11/2004 ²⁴	-	5.67	-	0.00	0.00	9,500	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	41	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	02/10/2005 ²⁴	-	4.38	-	0.00	0.00	9,900	-	160	-	<0.5	<0.5	<0.5	1	-	43	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	05/12/2005 ²⁴	-	4.19	-	0.00	0.00	3,100 ²⁶	-	180	-	0.7	0.5	<0.5	5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
A-1	08/11/2005 ²⁴	-	4.99	-	0.00	0.00	3,900 ²⁷	-	250	-	0.7	0.6	0.5	5	-	3	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	11/10/2005 ²⁴	-	4.95	-	0.00	0.00	2,700 ²⁷	-	160	-	<0.5	<0.5	<0.5	2	-	37	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	02/09/2006 ²⁴	-	4.02	-	0.00	0.00	4,700 ²⁷	-	83	-	<0.5	<0.5	<0.5	<0.5	-	28	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	05/11/2006 ²⁴	-	4.06	-	0.00	0.00	4,000	-	71	-	<0.5	<0.5	<0.5	3	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	08/10/2006 ²⁴	-	5.05	-	0.00	0.00	4,500	-	180	-	0.8	0.7	0.6	6	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	11/09/2006 ²⁴	-	5.38	-	0.00	0.00	3,300	-	160	-	<0.5	<0.5	<0.5	2	-	18	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	02/08/2007 ²⁴	-	5.02	-	0.00	0.00	5,300	-	65	-	<0.5	<0.5	<0.5	<0.5	-	17	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	05/10/2007 ²⁴	-	4.76	-	0.00	0.00	2,600	-	110	-	0.7	<0.5	<0.5	3	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	08/08/2007 ²⁴	-	5.45	-	0.00	0.00	2,100	-	160	-	<0.5	<0.5	<0.5	5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	11/07/2007 ²⁴	-	5.60	-	0.00	0.00	6,900	-	78	-	<0.5	<0.5	<0.5	0.7	-	22	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	02/13/2008 ²⁴	-	4.12	-	0.00	0.00	7,800	-	70	-	<0.5	<0.5	<0.5	<0.5	-	15	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	05/14/2008 ²⁴	-	4.98	-	0.00	0.00	5,200	-	1,500	-	<0.5	<0.5	<0.5	3	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	08/13/2008 ²⁴	-	5.33	-	0.00	0.00	5,400	-	88	-	<0.5	<0.5	<0.5	7	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	11/12/2008 ²⁴	-	5.25	-	0.00	0.00	32,000	-	84	-	<0.5	<0.5	<0.5	0.8	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	02/11/2009 ²⁴	-	5.19	-	0.00	0.00	6,500	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	05/11/2009	-	-	-	0.00	0.00	6,600	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	08/27/2009	-	5.20	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	11/10/2009	-	5.20	-	0.00	0.00	8,700	-	90 J	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	05/19/2010	-	5.03	-	0.00	0.00	7,000	-	52 J	-	<0.5	<0.5	<0.5	<0.5	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	12/01/2010	-	5.45	-	0.00	0.00	14,000	-	63 J	-	<0.5	<0.5	<0.5	<0.5	-	6	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-1	05/03/2011	-	4.80	-	0.00	0.00	-	8,800	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
A-1	12/01/2011	-	5.68	-	0.00	0.00	-	1,200	66 J	-	<0.5	<0.5	<0.5	<0.5	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-1	06/14/2012	-	5.28	-	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	1 J	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-2	09/20/1991	8.00	7.73	0.27	0.00	0.00	5,100	-	8,100	-	860	14	110	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-2	10/09/1991	8.00	6.61	1.39	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/17/1991	8.00	6.66	1.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/23/1991	8.00	6.80	1.29	0.09	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/01/1991	8.00	6.63	1.45	0.15	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/07/1991	8.00	6.64	1.45	0.21	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/15/1991	8.00	6.81	1.38	0.19	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/21/1991	8.00	6.93	1.31	0.24	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	12/12/1991	8.00	6.97	1.24	0.15	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	12/30/1991	8.00	6.54	1.70	0.24	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	01/13/1992	8.00	5.92	2.16	0.08	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	01/22/1992	8.00	6.01	2.00	0.10	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	02/12/1992	8.00	6.06	2.20	0.26	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	03/09/1992	8.00	4.93	3.11	0.04	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	04/10/1992	8.00	5.20	2.80	<0.01	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	05/18/1992	8.00	5.66	2.36	0.02	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	01/06/1993	8.00	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	02/03/1993	8.00	4.98	3.20	0.22	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	04/23/1993	11.46	5.36	6.24	0.18	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	06/11/1993	11.46	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	06/15/1993	11.46	-	-	0.00	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	06/18/1993	11.46	-	-	0.00	0.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	06/22/1993	11.46	-	-	0.00	0.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	06/29/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	07/09/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	07/15/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	07/19/1993	11.46	6.79	5.53	1.07	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	07/20/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL					METALS															
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc								
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
A-2	07/27/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
A-2	08/06/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	08/10/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	08/16/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	09/16/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	09/24/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/01/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/07/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/13/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/19/1993	11.46	6.36	6.23	1.41	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/20/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	10/28/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/12/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/19/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	11/30/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	12/10/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	12/16/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	12/23/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	12/29/1993	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	01/03/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	01/17/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	01/26/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	02/07/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	02/11/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	02/18/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	02/25/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	03/04/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	03/11/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	03/16/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A-2	03/25/1994	11.46	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS											
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GKO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc							
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
B-1	04/23/1993	12.12	5.93	6.19	0.00	0.00	8,300	-	13,000	-	4,900	22	250	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	07/19/1993	12.12	6.66	5.46	0.00	0.00	1,600	-	3,300	-	1,200	16	24	<30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	10/19/1993	12.12	7.08	5.04	0.00	0.00	550	-	2,300	-	730	18	14	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	01/17/1994	12.12	6.73	5.39	0.00	0.00	<50	-	22,000	-	6,500	170	210	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	08/18/1994	12.12	6.85	5.27	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/30/1994	12.12	6.01	6.11	0.00	0.00	3,200 ¹	-	1,500	-	250	17	7.5	19	-	-	<5.0 ²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/15/1995	12.12	5.37	6.75	0.00	0.00	1,300 ¹	-	1,000	-	160	<2.0	4.6	2.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/01/1995	12.12	5.12	7.00	0.00	0.00	2,600 ³	-	140	-	20	0.52	2.0	0.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/04/1995	12.12	5.50	6.62	0.00	0.00	4,900 ³	-	6,700	-	1,400	<20	<20	<20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/29/1995	12.12	5.85	6.27	0.00	0.00	5,000 ³	-	9,200	-	2,200	<25	<25	25	-	8,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/08/1996	12.12	4.00	8.12	0.00	0.00	1,300 ³	-	1,500	-	190	<5.0	<5.0	<5.0	-	2,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/08/1996	12.12	4.80	7.32	0.00	0.00	2,900 ³	-	3,700	-	650	<10	24	16	-	2,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/23/1996	12.12	5.54	6.58	0.00	0.00	2,600	-	3,200	-	500	<20	<20	<20	-	4,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	12/12/1996	12.12	4.90	7.22	0.00	0.00	3,400 ⁴	-	2,500	-	380	<25	<25	25	-	8,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/10/1997	12.12	4.59	7.53	0.00	0.00	2,100 ³	-	2,200	-	270	11	8.8	13	-	3,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/01/1997	12.12	5.66	6.46	0.00	0.00	1,300 ³	-	1,200	-	70	5.8	<5.0	7.2	-	2,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/05/1997	12.12	6.44	5.68	0.00	0.00	1,500 ³	-	<1,000	-	86	<10	<10	<10	-	3,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	10/28/1997	12.12	6.43	5.69	0.00	0.00	2,000 ³	-	1,400	-	73	6.5	6.8	9.0	-	2,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/04/1998	12.12	3.01	9.11	0.00	0.00	1,200 ³	-	1,500	-	4.5	1.7	<0.5	2.2	-	1,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/12/1998	12.12	3.79	8.33	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	06/03/1998	12.12	4.89	7.23	0.00	0.00	970 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	07/29/1998	12.12	5.75	6.37	0.00	0.00	1,100 ³	-	850	-	27	<0.5	4.0	2.9	-	770 / 1200 ⁶	-	-	930,000	2,000	13,000	280,000	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/30/1998	12.12	5.68	6.44	0.00	0.00	1,490	-	543	-	<5.0	<5.0	<5.0	<5.0	-	2,220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/24/1999	12.12	4.29	7.83	0.00	0.00	1,400 ³	-	390	-	1.6	0.57	2.8	2.5	-	2,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/06/1999	12.12	5.01	7.11	0.00	0.00	340 ³	-	239	-	4.02	<0.5	3.87	1.97	-	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/30/1999	12.12	6.21	5.91	0.00	0.00	1,570 ⁷	-	739	-	22.4	3.45	5.62	3.27	-	1,110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/17/1999	12.12	6.14	5.98	0.00	0.00	1,730	-	907	-	66.4	3.82	4.39	4.75	-	2,480	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/21/2000	12.12	4.59	7.53	0.00	0.00	1,000 ³	-	679	-	10.5	<1.0	3.84	3.21	-	2,330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/08/2000	12.12	5.46	6.66	0.00	0.00	870 ¹¹	-	1,000 ⁸	-	<5.0	<5.0	<5.0	<5.0	-	660	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/08/2000	12.12	5.90	6.22	0.00	0.00	520 ¹¹	-	<500	-	29	<5.0	<5.0	<5.0	-	1,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/01/2000	12.12	4.98	7.14	0.00	0.00	570 ¹⁴	-	860 ¹⁰	-	41	<5.0	8.3	13	-	2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-1	02/12/2001	12.12	5.41	6.71	0.00	0.00	940 ¹⁴	-	790 ¹⁵	-	36	<5.0	<5.0	18	-	1,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/14/2001	12.12	5.74	6.38	0.00	0.00	690 ¹¹	-	<1,000	-	<10	<10	<10	<10	-	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/12/2001	12.12	6.53	5.59	0.00	0.00	2,300	-	1,100	-	12	2.5	3.4	8.8	-	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/04/2002	12.12	5.20	6.92	0.00	0.00	1,800	-	850	-	7.5	0.66	5.3	<5.0	-	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/06/2002	12.12	5.45	6.67	0.00	0.00	440	-	350	-	<0.50	<0.50	1.7	<1.5	-	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/29/2002	12.12	6.18	5.94	0.00	0.00	3,000	-	770	-	7.3	1.1	1.5	3.1	-	330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/25/2002	12.12	6.25	5.87	0.00	0.00	3,400	-	510	-	7.7	<1.0	1.2	3.6	-	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/05/2003	12.12	5.25	6.87	0.00	0.00	1,400	-	560	-	4.8	0.55	2.4	1.9	-	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/15/2003	12.12	5.26	6.86	0.00	0.00	1,400	-	370	-	2.4	<0.5	1.9	2.0	-	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/14/2003 ²⁴	12.12	6.20	5.92	0.00	0.00	1,300 ²³	-	650	-	4	0.9	0.7	2	-	210	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/13/2003 ²⁴	12.12	6.39	5.73	0.00	0.00	720	-	210	-	0.7	<0.5	<0.5	0.9	-	200	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/12/2004 ²⁴	12.12	5.17	6.95	0.00	0.00	1,200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	53	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/13/2004 ²⁴	12.12	5.26	6.86	0.00	0.00	63 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/12/2004 ²⁴	12.12	6.01	6.11	0.00	0.00	280	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	26	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/11/2004 ²⁴	12.12	6.48	5.64	0.00	0.00	280	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	23	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/10/2005 ²⁴	12.12	5.41	6.71	0.00	0.00	420	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	41	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/12/2005 ²⁴	12.12	4.98	7.14	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/11/2005 ²⁴	12.12	5.78	6.34	0.00	0.00	260 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	17	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/10/2005 ²⁴	12.12	5.74	6.38	0.00	0.00	130 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	56	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/09/2006 ²⁴	12.12	4.86	7.26	0.00	0.00	380 ³¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	25	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/11/2006 ²⁴	12.12	4.92	7.20	0.00	0.00	580	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/10/2006 ²⁴	12.12	5.80	6.32	0.00	0.00	550	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/09/2006 ²⁴	12.12	6.15	5.97	0.00	0.00	300	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/08/2007 ²⁴	12.12	5.80	6.32	0.00	0.00	240	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/10/2007 ²⁴	12.12	5.50	6.62	0.00	0.00	140	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/08/2007 ²⁴	12.12	6.18	5.94	0.00	0.00	170	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/07/2007 ²⁴	12.12	6.31	5.81	0.00	0.00	250	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	02/13/2008 ²⁴	12.12	4.94	7.18	0.00	0.00	570	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	47	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	05/14/2008 ²⁴	12.12	5.85	6.27	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	08/13/2008 ²⁴	12.12	6.20	5.92	0.00	0.00	180	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-1	11/12/2008 ²⁴	12.12	6.11	6.01	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
B-1	02/11/2009 ²⁴	12.12	6.01	6.11	0.00	0.00	140	-	75	-	<0.5	<0.5	<0.5	<0.5	-	11	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-1	05/11/2009	12.12	6.82	5.30	0.00	0.00	1,000	-	67 J	-	<0.5	<0.5	<0.5	<0.5	-	27	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-1	08/27/2009	12.12	6.07	6.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	11/10/2009	12.12	5.95	6.17	0.00	0.00	1,500	-	220	-	<0.5	<0.5	<0.5	<0.5	-	36	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	05/19/2010	12.12	5.73	6.39	0.00	0.00	540	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	0.8 J	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	12/01/2010	12.12	6.25	5.87	0.00	0.00	540	-	55 J	-	<0.5	<0.5	<0.5	<0.5	-	18	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	05/03/2011	12.12	5.50	6.62	0.00	0.00	-	310	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	12/01/2011	12.12	6.54	5.58	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	6	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-1	06/14/2012	12.12	6.10	6.02	0.00	0.00	-	230	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-3	09/20/1991	8.01	6.94	1.08	0.01	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-3	10/09/1991	8.01	6.35	1.66	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	10/17/1991	8.01	6.44	1.57	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	11/01/1991	8.01	6.31	1.70	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	11/07/1991	8.01	6.32	1.69	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	11/15/1991	8.01	6.39	1.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	11/21/1991	8.01	6.44	1.57	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	12/12/1991	8.01	6.82	1.19	<0.01	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	12/30/1991	8.01	6.37	1.64	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	01/13/1992	8.01	5.94	2.07	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	01/22/1992	8.01	5.99	2.02	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	02/12/1992	8.01	5.82	2.19	<0.01	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	03/09/1992	8.01	5.10	2.91	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	04/10/1992	8.01	5.36	2.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	05/18/1992	8.01	5.72	2.29	0.00	0.00	250	-	6,200	-	550	58	13	51	-	-	<5,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	01/06/1993	8.01	5.50	2.51	Sheen	0.00	10,000	-	5,400	-	490	54	51	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	02/03/1993	8.01	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	04/23/1993	11.42	5.32	6.10	0.00	0.00	6,400	-	18,000	-	540	69	47	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	07/29/1993	11.42	5.94	5.48	0.00	0.00	4,000	-	40,000	-	780	69	49	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	10/19/1993	11.42	6.32	5.10	0.00	0.00	1,500	-	20,000	-	520	37	43	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	01/17/1994	11.42	6.95	4.47	0.00	0.00	<50	-	3,900	-	430	32	29	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS							
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc			
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-4	09/20/1991	8.04	6.82	1.22	0.01	0.00	1,400	-	19,000	-	710	160	650	2,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	10/09/1991	8.04	6.63	1.41	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	10/17/1991	8.04	6.84	1.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	10/23/1991	8.04	6.87	1.17	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	11/01/1991	8.04	6.70	1.34	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	11/07/1991	8.04	6.73	1.31	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	11/15/1991	8.04	6.83	1.21	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	11/21/1991	8.04	6.84	1.20	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	12/12/1991	8.04	6.87	1.17	<0.01	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	12/30/1991	8.04	6.46	1.58	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	01/13/1992	8.04	5.91	2.13	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	01/22/1992	8.04	5.95	2.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	02/12/1992	8.04	5.78	2.26	<0.01	0.00	860	-	15,000	-	920	75	520	940	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	03/09/1992	8.04	5.09	2.95	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	04/10/1992	8.04	5.39	2.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	05/18/1992	8.04	5.59	2.45	0.00	0.00	<50	-	19,000	-	2,000	97	560	1,200	-	-	<5,000	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	01/06/1993	8.04	5.50	2.54	Sheen	0.00	2,700	-	19,000	-	2,000	89	490	740	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	02/03/1993	8.04	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	04/23/1993	11.46	5.39	6.07	0.00	0.00	2,300	-	5,700	-	2,400	75	380	580	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	07/19/1993	11.46	6.13	5.33	0.00	0.00	2,400	-	19,000	-	2,400	140	440	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	10/19/1993	11.46	6.51	4.95	0.00	0.00	2,100	-	13,000	-	1,200	84	290	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-4	01/17/1994	11.46	6.18	5.28	0.00	0.00	<50	-	11,000	-	1,900	63	170	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	09/20/1991	7.73	5.53	2.20	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	10/09/1991	7.73	5.31	2.42	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	10/17/1991	7.73	5.64	2.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	10/23/1991	7.73	5.68	2.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/01/1991	7.73	5.49	2.24	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/07/1991	7.73	5.54	2.19	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/15/1991	7.73	5.63	2.10	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-5	11/21/1991	7.73	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	12/12/1991	7.73	5.68	2.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	12/30/1991	7.73	5.19	2.54	0.00	0.00	550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	01/13/1992	7.73	4.65	3.07	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	01/22/1992	7.73	4.70	3.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/12/1992	7.73	4.45	3.38	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	03/09/1992	7.73	4.05	3.68	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	04/10/1992	7.73	4.43	3.30	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/18/1992	7.73	3.79	3.94	0.00	0.00	-	-	390	-	39	1.9	11	24	-	-	<5,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	01/06/1993	7.73	4.44	3.39	Sheen	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/03/1993	7.73	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	04/23/1993	10.18	4.32	5.86	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	07/19/1993	10.18	5.03	5.15	0.00	0.00	<50	-	54	-	<0.5	0.7	<0.5	<1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	10/19/1993	10.18	5.10	5.08	0.00	0.00	<50	-	<50	-	2.0	4.1	0.6	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	01/07/1994	10.18	4.86	5.32	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/18/1994	10.18	5.14	5.04	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/30/1994	10.18	4.45	5.73	0.00	0.00	140 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/15/1995	10.18	4.15	6.03	0.00	0.00	170 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/01/1995	10.18	4.43	5.75	0.00	0.00	190 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/04/1995	10.18	4.96	5.22	0.00	0.00	250 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/29/1995	10.18	5.21	4.97	0.00	0.00	330 ³	-	140	-	1.5	<0.5	1.1	<0.5	-	800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/08/1996	10.18	3.80	6.38	0.00	0.00	250 ³	-	<200	-	2.1	<2.0	<2.0	<2.0	-	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/08/1996	10.18	4.40	5.78	0.00	0.00	350 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/23/1996	10.18	4.99	5.19	0.00	0.00	990	-	250	-	6.4	2.1	2.1	4.3	-	9,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	12/12/1996	10.18	4.28	5.90	0.00	0.00	430 ³	-	<1,000	-	<10	<10	<10	<10	-	6,700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/10/1997	10.18	3.63	6.55	0.00	0.00	340 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	930	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/01/1997	10.18	4.31	5.87	0.00	0.00	290 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	1,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/05/1997	10.18	4.89	5.29	0.00	0.00	710 ³	-	<1,000	-	<10	<10	<10	<10	-	6,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	10/28/1997	10.18	5.00	5.18	0.00	0.00	880 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	7,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/04/1998	10.18	2.53	7.65	0.00	0.00	290 ³	-	<50	-	0.51	<0.5	<0.5	<0.5	-	2,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	06/03/1998	10.18	3.85	6.33	0.00	0.00	630 ³	-	220	-	2.0	15	2.8	20	-	450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS													
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc									
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
B-5	07/29/1998	10.18	4.55	5.63	0.00	0.00	1,100 ³	-	<50	-	1.6	<0.5	<0.5	1.6	-	4600 / 6200 ⁵	-	-	280,000	1,100	<1,000	7,000	-	-	-	-	-	-	-	-	-	-	-	-		
B-5	11/30/1998	10.18	4.37	5.81	0.00	0.00	371	-	<50	-	<0.5	1.91	<0.5	1.09	-	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-5	02/24/1999	10.18	3.39	6.79	0.00	0.00	512 ³	-	<50	-	<0.5	<0.5	0.69	3.1	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	05/06/1999	10.18	4.02	6.16	0.00	0.00	790 ³	-	<50	-	2.27	<0.5	<0.5	<0.5	-	3,090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	08/30/1999	10.18	5.16	5.02	0.00	0.00	1,890 ⁷	-	<250	-	4.25	<2.5	<2.5	<2.5	-	10,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	11/17/1999	10.18	4.90	5.28	0.00	0.00	1,180 ³	-	101	-	4.95	<0.5	<0.5	<0.5	-	8,510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	02/21/2000	10.18	3.51	6.67	0.00	0.00	240 ³	-	<100	-	<1.0	<1.0	<1.0	<1.0	-	555	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/08/2000	10.18	4.30	5.88	0.00	0.00	1,200 ¹²	-	<50	-	<0.50	<0.50	<0.50	1.4	-	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/08/2000	10.18	4.63	5.55	0.00	0.00	350 ¹¹	-	<1,000	-	<10	<10	<10	<10	-	8,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/01/2000	10.18	4.65	5.53	0.00	0.00	470 ¹⁴	-	<500	-	<5.0	<5.0	<5.0	11	-	4,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/12/2001	10.18	4.05	6.13	0.00	0.00	190 ¹²	-	<50	-	<0.50	<0.50	<0.50	1.3	-	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/14/2001	10.18	4.59	5.59	0.00	0.00	<1,000	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	6,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/13/2001	10.18	5.04	5.14	0.00	0.00	2,800	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	11,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/12/2001	10.18	4.30	5.88	0.00	0.00	2,400	-	100	-	1.0	<0.50	<0.50	<1.5	-	2,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/04/2002	10.18	4.15	6.03	0.00	0.00	1,800	-	99	-	<0.50	0.63	2.2	14	-	3,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/06/2002	10.18	4.32	5.86	0.00	0.00	1,700	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	830	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/29/2002	10.18	4.98	5.20	0.00	0.00	12,000	-	<250	-	5.2	<1.0	<1.0	<3.0	-	18,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/25/2002	10.18	4.92	5.26	0.00	0.00	5,100	-	100	-	1.2	<0.50	<0.50	<1.5	-	4,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/05/2003	10.18	4.20	5.98	0.00	0.00	1,900	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	4,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/15/2003	10.18	4.23	5.95	0.00	0.00	2,600	-	53	-	0.8	0.7	<0.5	1.6	-	5,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/14/2003 ²⁴	10.18	5.01	5.17	0.00	0.00	10,000 ²³	-	320	-	<10	<10	<10	<10	-	15,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/13/2003 ²⁴	-	5.05	-	0.00	0.00	15,000	-	220	-	<3	<3	<3	<3	-	4,700	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/12/2004 ²⁴	-	4.19	-	0.00	0.00	4,900	-	120	-	<5	<5	<5	<5	-	5,200	-	<500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/13/2004 ²⁴	-	4.55	-	0.00	0.00	3,400 ²³	-	94	-	<1	<1	<1	<1	-	2,000	-	<100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/12/2004 ²⁴	-	4.84	-	0.00	0.00	4,800	-	150	-	<0.5	<0.5	<0.5	<0.5	-	300	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/11/2004 ²⁴	-	5.35	-	0.00	0.00	12,000	-	150	-	<0.5	<0.5	<0.5	<0.5	-	57	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/10/2005 ²⁴	-	4.04	-	0.00	0.00	3,500	-	70	-	<0.5	<0.5	<0.5	<0.5	-	44	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	05/12/2005 ²⁴	-	4.11	-	0.00	0.00	2,900 ²⁶	-	69	-	<0.5	<0.5	<0.5	<0.5	-	39	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	08/11/2005 ²⁴	-	4.62	-	0.00	0.00	13,000 ²⁸	-	140	-	<0.5	<0.5	<0.5	<0.5	-	83	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	11/10/2005 ²⁴	-	4.71	-	0.00	0.00	9,500 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	16	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	02/09/2006 ²⁴	-	3.90	-	0.00	0.00	1,400 ²⁷	-	61	-	<0.5	<0.5	<0.5	<0.5	-	27	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL						METALS												
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
B-5	05/11/2006 ²⁴	-	3.93	-	0.00	0.00	1,200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-5	08/10/2006 ²⁴	-	4.70	-	0.00	0.00	9,000	-	73	-	<0.5	<0.5	0.5	1	-	18	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-5	11/09/2006 ²⁴	-	4.83	-	0.00	0.00	9,200	-	50	-	<0.5	<0.5	0.5	<0.5	-	29	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	02/08/2007 ²⁴	-	4.58	-	0.00	0.00	6,600	-	56	-	<0.5	<0.5	<0.5	<0.5	-	650	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	05/10/2007 ²⁴	-	4.47	-	0.00	0.00	4,500	-	82	-	<0.5	<0.5	<0.5	<0.5	-	52	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	08/08/2007 ²⁴	-	4.93	-	0.00	0.00	13,000	-	54	-	<0.5	<0.5	<0.5	<0.5	-	32	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	11/07/2007 ²⁴	-	5.04	-	0.00	0.00	5,300	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	02/13/2008 ²⁴	-	4.43	-	0.00	0.00	2,700	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	05/14/2008 ²⁴	-	4.97	-	0.00	0.00	4,600	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	97	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	08/13/2008 ²⁴	-	4.89	-	0.00	0.00	3,900	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	22	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	11/12/2008 ²⁴	-	4.78	-	0.00	0.00	3,300	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	02/11/2009 ²⁴	-	4.70	-	0.00	0.00	6,000	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	05/11/2009	-	-	-	0.00	0.00	3,700	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	29	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	08/27/2009	-	4.90	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	11/10/2009	-	4.70	-	0.00	0.00	6,400	-	59 J	-	<0.5	<0.5	<0.5	<0.5	-	15	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	05/19/2010	-	4.72	-	0.00	0.00	6,700	-	79 J	-	<0.5	<0.5	<0.5	<0.5	-	34	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	12/01/2010	-	5.02	-	0.00	0.00	6,300	-	66 J	-	<0.5	<0.5	<0.5	<0.5	-	11	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	05/03/2011	-	4.53	-	0.00	0.00	-	4,000	320	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	12/01/2011	-	5.33	-	0.00	0.00	-	150	81 J	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-5	06/14/2012	-	4.98	-	0.00	0.00	-	130	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-6	09/20/1991	8.55	6.85	1.70	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-6	10/09/1991	8.55	6.83	1.72	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	10/17/1991	8.55	6.90	1.65	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	10/23/1991	8.55	6.93	1.62	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/01/1991	8.55	6.78	1.77	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/07/1991	8.55	6.81	1.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/15/1991	8.55	6.88	1.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/21/1991	8.55	6.95	1.60	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	12/12/1991	8.55	7.14	1.41	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	12/30/1991	8.55	6.50	2.05	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc			
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	01/13/1992	8.55	6.19	2.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	01/22/1992	8.55	6.27	2.28	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/12/1992	8.55	6.12	2.43	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	03/09/1992	8.55	5.28	3.27	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	04/10/1992	8.55	5.48	3.07	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/18/1992	8.55	5.90	2.65	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	<5,000	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	01/06/1993	8.55	5.79	2.76	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/03/1993	8.55	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	04/23/1993	11.97	5.27	6.70	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	07/19/1993	11.97	6.91	5.06	0.00	0.00	<50	-	74	-	<0.5	<0.5	<0.5	<1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	10/19/1993	11.97	6.48	5.49	0.00	0.00	<50	-	<50	-	<0.5	0.5	<0.5	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	01/07/1994	11.97	6.18	5.79	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/18/1994	11.97	6.20	5.77	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/30/1994	11.97	5.45	6.52	0.00	0.00	230 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/15/1995	11.97	4.70	7.27	0.00	0.00	130 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/01/1995	11.97	5.03	6.94	0.00	0.00	97 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/04/1995	11.97	5.82	6.15	0.00	0.00	350 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/29/1995	11.97	6.00	5.97	0.00	0.00	200 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/08/1996	11.97	4.70	7.27	0.00	0.00	210 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/08/1996	11.97	5.23	6.74	0.00	0.00	250 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/23/1996	11.97	6.05	5.92	0.00	0.00	310 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	12/12/1996	11.97	5.32	6.65	0.00	0.00	300 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/10/1997	11.97	4.37	7.60	0.00	0.00	130 ³	-	-	-	-	-	-	-	-	-	360	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/01/1997	11.97	5.23	6.74	0.00	0.00	260 ³	-	-	-	-	-	-	-	-	-	2,200	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/05/1997	11.97	5.75	6.22	0.00	0.00	260 ³	-	-	-	-	-	-	-	-	-	1,800	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	10/28/1997	11.97	6.08	5.89	0.00	0.00	340 ³	-	-	-	-	-	-	-	-	-	1,900	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/04/1998	11.97	2.71	9.26	0.00	0.00	280 ³	-	-	-	-	-	-	-	-	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	06/03/1998	11.97	4.48	7.49	0.00	0.00	130 ³	-	-	-	-	-	-	-	-	-	1,200	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	07/29/1998	11.97	5.28	6.69	0.00	0.00	340 ³	-	-	-	-	-	-	-	-	-	2700 / 3000 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/30/1998	11.97	5.49	6.48	0.00	0.00	2,740	-	655	-	<5.0	<5.0	<5.0	<5.0	-	-	2,160	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/24/1999	11.97	4.18	7.79	0.00	0.00	225 ³	-	-	-	-	-	-	-	-	-	1,500	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-6	05/06/1999	11.97	5.68	6.29	0.00	0.00	71 ³	-	-	-	-	-	-	-	-	1,010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/30/1999	11.97	5.91	6.06	0.00	0.00	356 ³	-	-	-	-	-	-	-	-	4,520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/17/1999	11.97	5.96	6.01	0.00	0.00	1,960 ³	-	-	-	-	-	-	-	-	5,160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/21/2000	11.97	4.46	7.51	0.00	0.00	180 ³	-	-	-	-	-	-	-	-	6,920	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/08/2000	11.97	5.05	6.92	0.00	0.00	420 ¹¹	-	-	-	-	-	-	-	-	6,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/08/2000	11.97	5.42	6.55	0.00	0.00	180 ¹¹	-	-	-	-	-	-	-	-	25,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/01/2000	11.97	5.73	6.24	0.00	0.00	77 ¹⁴	-	-	-	-	-	-	-	-	25,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/12/2001	11.97	5.32	6.65	0.00	0.00	62 ¹¹	-	-	-	-	-	-	-	-	16,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/14/2001	11.97	5.35	6.62	0.00	0.00	55 ¹²	-	-	-	-	-	-	-	-	9,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/13/2001	11.97	5.92	6.05	0.00	0.00	220	-	-	-	-	-	-	-	-	33,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/12/2001	11.97	6.34	5.63	0.00	0.00	550	-	-	-	-	-	-	-	-	34,000 ¹⁹	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/04/2002	11.97	4.81	7.16	0.00	0.00	290	-	-	-	-	-	-	-	-	28,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/06/2002	11.97	5.03	6.94	0.00	0.00	270	-	-	-	-	-	-	-	-	23,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/29/2002	11.97	5.68	6.29	0.00	0.00	490	-	-	-	-	-	-	-	-	29,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/25/2002	11.97	5.89	6.08	0.00	0.00	450	-	-	-	-	-	-	-	-	30,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/05/2003	11.97	4.98	6.99	0.00	0.00	260	-	-	-	-	-	-	-	-	17,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/15/2003	11.97	4.93	7.04	0.00	0.00	310	-	-	-	-	-	-	-	-	28,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/14/2003	11.97	5.65	6.32	0.00	0.00	160 ²³	-	-	-	-	-	-	-	-	31,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/13/2003	-	5.90	-	0.00	0.00	190	-	-	-	-	-	-	-	-	20,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/12/2004	-	4.79	-	0.00	0.00	400	-	-	-	-	-	-	-	-	31,000	-	<2,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/13/2004	-	4.97	-	0.00	0.00	54 ²³	-	-	-	-	-	-	-	-	13,000	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/12/2004	-	5.56	-	0.00	0.00	250	-	-	-	-	-	-	-	-	26,000	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/11/2004	-	5.97	-	0.00	0.00	250	-	460	-	-	-	-	-	-	20,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/10/2005	-	4.67	-	0.00	0.00	280	-	-	-	-	-	-	-	-	10,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/12/2005 ²⁴	-	4.61	-	0.00	0.00	210 ²⁶	-	340	-	<10	<10	<10	<10	-	15,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/11/2005	-	5.32	-	0.00	0.00	130 ²⁷	-	-	-	-	-	-	-	-	12,000 ²⁹	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/10/2005	-	5.41	-	0.00	0.00	100 ²⁷	-	-	-	<0.5	<0.5	<0.5	<1.5	-	9,300	-	<500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/09/2006	-	4.50	-	0.00	0.00	290 ³¹	-	-	-	-	-	-	-	-	2,200	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/11/2006	-	4.70	-	0.00	0.00	<50	-	-	-	-	-	-	-	-	1,000	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/10/2006	-	5.42	-	0.00	0.00	150	-	-	-	-	-	-	-	-	4,300	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/09/2006 ²⁴	-	5.80	-	0.00	0.00	240	-	-	-	<2.0	<0.5	<0.5	<1.5	-	2,200	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
B-6	02/08/2007	-	5.48	-	0.00	0.00	140	-	-	-	-	-	-	-	-	1,300	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/10/2007	-	5.17	-	0.00	0.00	120	-	-	-	<0.5	<0.5	<0.5	<0.5	-	1,500	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/08/2007	-	5.80	-	0.00	0.00	73	-	-	-	-	-	-	-	-	1,300	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/07/2007	-	5.98	-	0.00	0.00	120	-	-	-	-	-	-	-	-	100 ³⁰	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/13/2008	-	4.59	-	0.00	0.00	130	-	-	-	-	-	-	-	-	33	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/14/2008	-	5.36	-	0.00	0.00	94	-	-	-	-	-	-	-	-	680	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/13/2008 ²⁴	-	5.87	-	0.00	0.00	90	-	-	-	<0.5	<0.5	<0.5	<1.5	-	<400 ³²	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/12/2008	-	5.75	-	0.00	0.00	95	-	-	-	-	-	-	-	-	22	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	02/11/2009	-	5.70	-	0.00	0.00	<50	-	-	-	-	-	-	-	-	13	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/11/2009	-	-	-	0.00	0.00	420	-	-	-	<0.5	<0.5	<0.5	<1.5	1,100	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	08/27/2009	-	5.67	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	11/10/2009	-	5.72	-	0.00	0.00	230	-	-	-	-	-	-	-	-	850	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/19/2010	-	5.34	-	0.00	0.00	480	-	-	-	-	-	-	-	150	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	12/01/2010	-	5.97	-	0.00	0.00	110	-	-	-	<0.5	<0.5	<0.5	<0.5	-	12	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	05/03/2011	-	5.10	-	0.00	0.00	-	<50	-	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	12/01/2011	-	6.11	-	0.00	0.00	-	<50	-	-	-	-	-	9.0 J	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	06/14/2012	-	5.74	-	0.00	0.00	-	<50	-	-	-	-	-	-	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	04/23/1993	10.54	4.52	6.02	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	07/19/1993	10.54	5.04	5.50	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	10/19/1993	10.54	5.40	5.14	0.00	0.00	<50	-	<50	-	3.1	0.5	<0.5	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	01/07/1994	10.54	5.19	5.35	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/18/1994	10.54	5.26	5.28	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	1.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/30/1994	10.54	4.58	5.96	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/15/1995	10.54	4.22	6.32	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/01/1995	10.54	4.50	6.04	0.00	0.00	53 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/04/1995	10.54	4.98	5.56	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/12/1998	10.54	3.05	7.49	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	06/03/1998	10.54	3.95	6.59	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	07/29/1998	10.54	4.55	5.99	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/30/1998	10.54	4.98	5.56	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-7	02/24/1999	10.54	3.30	7.24	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/06/1999	10.54	5.75	4.79	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/30/1999	10.54	5.29	5.25	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/17/1999	10.54	5.73	4.81	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/21/2000	10.54	4.00	6.54	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/08/2000	10.54	4.40	6.14	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/08/2000	10.54	4.49	6.05	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/01/2000	10.54	4.69	5.85	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/12/2001	10.54	4.37	6.17	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/14/2001	10.54	4.45	6.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/13/2001	10.54	4.93	5.61	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/12/2001	10.54	5.27	5.27	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/04/2002	10.54	4.11	6.43	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/06/2002	10.54	4.26	6.28	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/29/2002	10.54	4.78	5.76	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	1.8	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/25/2002	10.54	4.93	5.61	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/05/2003	10.54	4.11	6.43	0.00	0.00	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/15/2003	10.54	4.09	6.45	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/14/2003 ²⁴	10.54	4.78	5.76	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/13/2003	10.54	4.69	5.85	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/12/2004 ²⁴	10.54	4.15	6.39	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/13/2004	10.54	4.30	6.24	0.00	0.00	<50 ²³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/12/2004 ²⁴	10.54	4.76	5.78	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/11/2004	10.54	5.18	5.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/10/2005 ²⁴	10.54	3.96	6.58	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/12/2005	10.54	3.87	6.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/11/2005 ²⁴	10.54	4.49	6.05	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/10/2005	10.54	4.51	6.03	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/09/2006 ²⁴	10.54	3.75	6.79	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/11/2006	10.54	3.72	6.82	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/10/2006 ²⁴	10.54	4.83	5.71	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
B-7	11/09/2006	10.54	5.12	5.42	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/08/2007 ²⁴	10.54	4.81	5.73	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/10/2007	10.54	4.65	5.89	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/08/2007 ²⁴	10.54	4.96	5.58	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/07/2007	10.54	5.21	5.33	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/13/2008 ²⁴	10.54	4.03	6.51	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/14/2008	10.54	4.46	6.08	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/13/2008 ²⁴	10.54	4.91	5.63	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/12/2008	10.54	4.85	5.69	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	02/11/2009 ²⁴	10.54	4.65	5.89	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/11/2009	10.54	6.18	4.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	08/27/2009	10.54	5.02	5.52	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	11/10/2009	10.54	4.70	5.84	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/19/2010	10.54	4.68	5.86	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	12/01/2010	10.54	5.25	5.29	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	05/03/2011	10.54	4.60	5.94	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	12/01/2011	10.54	5.52	5.02	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	06/14/2012	10.54	5.01	5.53	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	04/23/1993	11.99	5.36	6.63	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	07/19/1993	11.99	6.22	5.77	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	10/19/1993	11.99	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	01/07/1994	11.99	6.30	5.69	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	08/18/1994	11.99	6.43	5.56	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	11/30/1994	11.99	5.46	6.53	0.00	0.00	120 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	02/15/1995	11.99	4.72	7.27	0.00	0.00	120 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	05/01/1995	11.99	5.00	6.99	0.00	0.00	51 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	08/04/1995	11.99	5.92	6.07	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	11/30/1998	11.99	5.54	6.45	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	04/23/1993	10.70	4.56	6.14	0.00	0.00	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS								
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc				
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-9	07/19/1993	10.70	5.45	5.25	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	10/19/1993	10.70	5.89	4.81	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	01/07/1994	10.70	5.41	5.29	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	08/18/1994	10.70	5.55	5.15	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	11/30/1994	10.70	4.35	6.35	0.00	0.00	60 ¹	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	02/15/1995	10.70	3.65	7.05	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	05/01/1995	10.70	4.29	6.41	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	08/04/1995	10.70	5.20	5.50	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/29/1995	11.42	6.51	4.91	0.00	0.00	900 ³	-	1,700	-	95	<2.5	69	170	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/08/1996	11.42	4.55	6.87	0.00	0.00	650 ³	-	230	-	31	<0.5	7.2	6.2	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/08/1996	11.42	5.55	5.87	0.00	0.00	570 ³	-	260	-	61	0.59	37	23	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/23/1996	11.42	6.19	5.23	0.00	0.00	700 ³	-	320	-	34	<0.5	29	15	-	8.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	12/12/1996	11.42	5.83	5.59	0.00	0.00	990 ³	-	1,600	-	94	<2.5	110	27	-	<12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/10/1997	11.42	4.58	6.84	0.00	0.00	530 ³	-	2,100	-	230	5.6	130	83	-	<12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/01/1997	11.42	5.57	5.85	0.00	0.00	770 ³	-	2,300	-	110	<2.5	140	49	-	<12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/05/1997	11.42	6.30	5.12	0.00	0.00	620 ³	-	650	-	33	1.1	70	16	-	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	10/28/1997	11.42	6.18	5.24	0.00	0.00	310 ³	-	740	-	25	1.6	53	14	-	6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/04/1998	11.42	2.89	8.53	0.00	0.00	250 ³	-	950	-	23	4.5	<0.5	1.9	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	06/03/1998	11.42	4.80	6.62	0.00	0.00	490 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	07/29/1998	11.42	5.65	5.77	0.00	0.00	390 ³	-	290	-	3.9	<0.5	8.5	1.4	-	<2.5	-	-	630,000	740	34,000	16,000	-	-	-	-	-	-	-	-	-
B-10	11/30/1998	11.42	5.62	5.80	0.00	0.00	437	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/24/1999	11.42	4.23	7.19	0.00	0.00	259 ³	-	160	-	35	0.55	0.64	0.64	-	9.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/06/1999	11.42	5.11	6.31	0.00	0.00	190 ³	-	490	-	7.05	1.02	8.24	2.18	-	<5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/30/1999	11.42	6.36	5.06	0.00	0.00	330 ³	-	205	-	1.79	0.808	5.55	2.16	-	3.93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/17/1999	11.42	5.94	5.48	0.00	0.00	2,180 ³	-	108	-	1.2	<0.5	1.2	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/21/2000	11.42	4.35	7.07	0.00	0.00	360 ³	-	587	-	17.6	2.92	10.1	4.61	-	5.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/08/2000	11.42	5.43	5.99	0.00	0.00	320 ¹¹	-	380 ⁹	-	5.4	2.6	3.2	6.3	-	9.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/08/2000	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/01/2000	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/12/2001 ¹⁶	11.42	5.33	6.09	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS												
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc								
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
B-10	05/14/2001	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-10	08/13/2001	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/12/2001	11.42	-	-	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/04/2002 ²⁰	11.42	5.24	6.18	0.00	0.00	340	-	100	-	1.8	<0.50	0.57	<1.5	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/06/2002	11.42	5.42	6.00	0.00	0.00	1,000	-	86	-	1.4	<0.50	<0.50	<1.5	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/29/2002	11.42	6.63	4.79	0.00	0.00	650	-	120	-	<0.50	<0.50	<0.50	<1.5	-	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/25/2002	11.42	6.10	5.32	0.00	0.00	1,200	-	77	-	<0.50	<0.50	<0.50	<1.5	-	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/05/2003	11.42	5.23	6.19	0.00	0.00	650	-	190	-	<2.0	<0.50	<0.50	<1.5	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/15/2003	11.42	5.26	6.16	0.00	0.00	750	-	150	-	1.2	<0.5	<0.5	<1.5	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/14/2003 ²⁴	11.42	6.39	5.03	0.00	0.00	230 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	38	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/13/2003 ²⁴	11.42	6.25	5.17	0.00	0.00	1,000	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	52	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/12/2004 ²⁴	11.42	5.10	6.32	0.00	0.00	810	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	30	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/13/2004 ²⁴	11.42	5.67	5.75	0.00	0.00	71 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	33	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/12/2004 ²⁴	11.42	6.30	5.12	0.00	0.00	460	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	30	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/11/2004 ²⁴	11.42	6.77	4.65	0.00	0.00	350	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	30	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/10/2005 ²⁴	11.42	4.82	6.60	0.00	0.00	580	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	27	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/12/2005 ²⁴	11.42	5.04	6.38	0.00	0.00	160 ²⁶	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	21	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/11/2005 ²⁴	11.42	5.72	5.70	0.00	0.00	130 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	18	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/10/2005 ²⁴	11.42	5.52	5.90	0.00	0.00	89 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	22	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/09/2006 ²⁴	11.42	4.64	6.78	0.00	0.00	320 ²⁷	-	81	-	<0.5	<0.5	<0.5	<0.5	-	16	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/11/2006 ²⁴	11.42	4.98	6.44	0.00	0.00	430	-	180	-	<0.5	<0.5	<0.5	0.5	-	19	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/10/2006 ²⁴	11.42	5.78	5.64	0.00	0.00	210	-	<50	-	<0.5	<0.5	0.6	<0.5	-	12	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/09/2006 ²⁴	11.42	6.09	5.33	0.00	0.00	980	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	11	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/08/2007 ²⁴	11.42	5.65	5.77	0.00	0.00	340	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	13	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/10/2007 ²⁴	11.42	5.51	5.91	0.00	0.00	90	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/08/2007 ²⁴	11.42	6.03	5.39	0.00	0.00	120	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/07/2007 ²⁴	11.42	6.30	5.12	0.00	0.00	250	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	02/13/2008 ²⁴	11.42	4.71	6.71	0.00	0.00	510	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/14/2008 ²⁴	11.42	5.68	5.74	0.00	0.00	140	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/13/2008 ²⁴	11.42	6.01	5.41	0.00	0.00	520	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/12/2008 ²⁴	11.42	5.90	5.52	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
B-10	02/11/2009 ²⁴	11.42	5.89	5.53	0.00	0.00	85	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/11/2009	11.42	6.03	5.39	0.00	0.00	140	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	08/27/2009	11.42	6.06	5.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	11/10/2009	11.42	5.72	5.70	0.00	0.00	560	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	12	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/19/2010	11.42	5.72	5.70	0.00	0.00	580	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	12/01/2010	11.42	6.02	5.40	0.00	0.00	82 J	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	05/03/2011	11.42	5.43	5.99	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	12/01/2011	11.42	6.72	4.70	0.00	0.00	-	<160	<50	-	<0.5	<0.5	<0.5	<0.5	-	3	-	65 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	06/14/2012	11.42	5.98	5.44	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	11/29/1995	11.98	5.90	6.08	0.00	0.00	1,400 ³	-	2,800	-	38	<10	26	48	-	21,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	02/08/1996	11.98	4.44	7.54	0.00	0.00	1,100 ³	-	<5,000	-	<50	<50	<50	<50	-	38,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	05/08/1996	11.98	5.00	6.98	0.00	0.00	1,300 ³	-	4,100	-	110	<10	31	25	-	17,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	08/23/1996	11.98	5.61	6.37	0.00	0.00	820 ³	-	3,400	-	160	12	41	13	-	4,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	12/12/1996	11.98	5.13	6.85	0.00	0.00	1,300 ³	-	3,700	-	120	12	<5.0	30	-	2,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	02/10/1997	11.98	4.07	7.91	0.00	0.00	810 ³	-	2,300	-	56	17	<5.0	20	-	4,700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/01/1997	11.98	5.03	6.95	0.00	0.00	820 ³	-	<5,000	-	<50	<50	<50	<50	-	21,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	08/05/1997	11.98	5.60	6.38	0.00	0.00	900 ³	-	3,500	-	42	<10	<10	<10	-	4,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	10/28/1997	11.98	5.68	6.30	0.00	0.00	1,300 ³	-	3,000	-	39	6.2	8.0	13	-	2,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	02/04/1998	11.98	2.59	9.39	0.00	0.00	930 ³	-	1,300	-	3.2	1.4	<0.5	5.0	-	46,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	06/03/1998	11.98	4.45	7.53	0.00	0.00	740 ³	-	860	-	3.7	1.4	0.84	3.0	-	34,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	07/29/1998	11.98	5.18	6.80	0.00	0.00	1,400 ³	-	1,300	-	6.9	2.5	3.8	2.0	-	50000 / 41000 ⁶	-	-	460,000	1,100	33,000	18,000	-	-	-	-	-	-	-	-	-	-	-
B-11	11/30/1998	11.98	5.07	6.91	0.00	0.00	1,020	-	<1,000	-	<10	<10	<10	<10	-	5,370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	02/24/1999	11.98	4.19	7.79	0.00	0.00	2,290 ³	-	690	-	4.7	<0.5	2.7	3.1	-	67,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	05/06/1999	11.98	4.55	7.43	0.00	0.00	580 ³	-	423	-	4.66	0.662	<0.5	1.38	-	20,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	08/30/1999	11.98	5.80	6.18	0.00	0.00	1,120 ³	-	1,220	-	31	8.6	<5.0	14	-	10,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	11/17/1999	11.98	5.57	6.41	0.00	0.00	1,160 ³	-	2,800	-	36.6	10.6	8.41	11.6	-	12,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	02/21/2000	11.98	4.21	7.77	0.00	0.00	730 ³	-	1,570	-	12.3	2.71	3.33	12.9	-	2,980	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/08/2000	11.98	4.94	7.04	0.00	0.00	220 ¹³	-	<50	-	<5.0	<5.0	<5.0	<5.0	-	8,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	08/08/2000	11.98	5.19	6.79	0.00	0.00	660 ¹³	-	2,900 ¹⁰	-	51	<25	<25	38	-	10,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	11/01/2000	11.98	5.26	6.72	0.00	0.00	290 ¹¹	-	<5,000	-	<50	<50	<50	<50	-	29,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 90290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS												
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GKO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc								
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
B-11	02/12/2001	11.98	4.74	7.24	0.00	0.00	660 ¹³	-	1,700 ¹⁰	-	38	11	11	22	-	7,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	05/14/2001	11.98	5.14	6.84	0.00	0.00	430 ¹³	-	1,200 ¹⁰	-	29	11	<10	<10	-	35,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	08/13/2001	11.98	5.65	6.33	0.00	0.00	910	-	<5,000	-	<50	<50	<50	<50	-	140,000 ¹⁸	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	11/12/2001	11.98	5.66	6.32	0.00	0.00	1,400	-	3,100	-	14	6.1	8.7	23	-	6,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	02/04/2002	11.98	4.73	7.25	0.00	0.00	650	-	1,400	-	5.6	1.8	2.5	9.3	-	7,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	05/06/2002	11.98	4.88	7.10	0.00	0.00	880	-	480	-	1.2	0.64	1.3	1.9	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	08/29/2002	11.98	5.54	6.44	0.00	0.00	3,500	-	1,500	-	5.4	1.9	2.2	5.8	-	96,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	11/25/2002	11.98	5.54	6.44	0.00	0.00	3,700	-	1,200	-	2.7	1.0	1.4	7.0	-	45,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	02/05/2003	11.98	4.80	7.18	0.00	0.00	2,100	-	910	-	2.7	<2.5	<2.5	<7.5	-	46,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	05/15/2003	11.98	4.80	7.18	0.00	0.00	2,500	-	1,100	-	5.4	<2.5	4.5	11	-	78,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	08/14/2003 ²⁴	11.98	5.53	6.45	0.00	0.00	3,600 ²³	-	840	-	<50	<50	<50	<50	-	88,000	-	<5,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	11/13/2003 ²⁴	11.98	5.61	6.37	0.00	0.00	2,300	-	570	-	<10	<10	<10	<10	-	14,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	02/12/2004 ²⁴	11.98	4.70	7.28	0.00	0.00	4,400	-	310	-	<25	<25	<25	<25	-	29,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/13/2004 ²⁴	11.98	5.03	6.95	0.00	0.00	410 ²³	-	480	-	<13	<13	<13	<13	-	100,000	-	<1,300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	08/12/2004 ²⁴	11.98	5.42	6.56	0.00	0.00	3,600	-	850	-	<10	<10	<10	<10	-	83,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	11/11/2004 ²⁴	11.98	5.93	6.05	0.00	0.00	3,100	-	570	-	<10	<10	<10	<10	-	20,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	02/10/2005 ²⁴	11.98	4.56	7.42	0.00	0.00	12,000	-	320	-	<25	<25	<25	<25	-	49,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/12/2005 ²⁴	11.98	4.58	7.40	0.00	0.00	1,900 ²⁶	-	400	-	<25	<25	<25	<25	-	42,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	08/11/2005 ²⁴	11.98	5.16	6.82	0.00	0.00	12,000 ²⁸	-	320	-	<25	<25	<25	<25	-	36,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	11/10/2005 ²⁴	11.98	5.08	6.90	0.00	0.00	1,200 ²⁷	-	57	-	<0.5	<0.5	<0.5	<0.5	-	1,400	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	02/09/2006 ²⁴	11.98	4.36	7.62	0.00	0.00	310 ²⁷	-	70	-	<3	<3	<3	<3	-	10,000	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/11/2006 ²⁴	11.98	4.59	7.39	0.00	0.00	740	-	250	-	<5	<5	<5	<5	-	19,000	-	<500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	08/10/2006 ²⁴	11.98	6.09	5.89	0.00	0.00	6,600	-	2,000	-	<25	<25	<25	<25	-	94,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	11/09/2006 ²⁴	11.98	5.51	6.47	0.00	0.00	10,000	-	620	-	<3	<3	<3	<3	-	9,900	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	02/08/2007 ²⁴	11.98	5.22	6.76	0.00	0.00	5,100	-	1,000	-	<10	<10	<10	<10	-	47,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	05/10/2007 ²⁴	11.98	5.09	6.89	0.00	0.00	3,500	-	1,700	-	<5	<5	<5	<5	-	38,000	-	<500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	08/08/2007 ²⁴	11.98	5.55	6.43	0.00	0.00	9,800	-	730	-	<25	<25	<25	<25	-	50,000	-	<2,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	11/07/2007 ²⁴	11.98	5.82	6.16	0.00	0.00	1,700	-	340	-	<0.5	<0.5	<0.5	1	-	680 ³⁰	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	02/13/2008 ²⁴	11.98	4.48	7.50	0.00	0.00	3,100	-	760	-	<3	<3	<3	<3	-	24,000	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/14/2008 ²⁴	11.98	5.22	6.76	0.00	0.00	10,000	-	750	-	<10	<10	<10	<10	-	38,000	-	<1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-11	08/13/2008 ²⁴	11.98	5.55	6.43	0.00	0.00	5,300	-	460	-	<5	<5	<5	<5	-	14,000	-	<500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS														
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GKO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc										
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L				
B-11	11/12/2008 ²⁴	11.98	5.45	6.53	0.00	0.00	4,100	-	270	-	<0.5	<0.5	<0.5	<0.5	-	870	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
B-11	02/11/2009 ²⁴	11.98	5.36	6.62	0.00	0.00	8,800	-	520	-	<0.5	<0.5	<0.5	<0.5	-	3,000	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
B-11	05/11/2009	11.98	6.98	5.00	0.00	0.00	7,000	-	510	-	<1	<1	<1	<1	-	8,300	-	<130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	08/27/2009	11.98	5.47	6.51	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-11	11/10/2009	11.98	5.37	6.61	0.00	0.00	8,100	-	620	-	<1	<1	<1	<1	-	4,200	-	<130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/19/2010	11.98	5.26	6.72	0.00	0.00	4,000	-	610	-	<3	<3	<3	<3	-	8,700	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	12/01/2010	11.98	5.75	6.23	0.00	0.00	4,400	-	480	-	10	<0.5	<0.5	<0.5	-	4,500	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	05/03/2011	11.98	5.07	6.91	0.00	0.00	-	1,600	570	-	<0.5	<0.5	<0.5	<0.5	-	2,700	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	12/01/2011	11.98	5.98	6.00	0.00	0.00	-	93 J	420	-	0.7 J	<0.5	<0.5	<0.5	-	790	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-11	06/14/2012	11.98	5.54	6.44	0.00	0.00	-	98 J	400	-	<0.5	<0.5	<0.5	<0.5	-	770	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	11/29/1995	11.16	6.01	5.15	0.00	0.00	1,800 ³	-	1,100	-	10	<10	<10	<10	-	37,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/08/1996	11.16	4.60	6.56	0.00	0.00	1,800 ³	-	<20,000	-	<200	<200	<200	<200	-	88,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/08/1996	11.16	5.08	6.08	0.00	0.00	1,800 ³	-	<25,000	-	<250	<250	<250	<250	-	88,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/23/1996	11.16	5.65	5.51	0.00	0.00	1,500 ³	-	630	-	16	<5.0	<5.0	<5.0	-	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	12/12/1996	11.16	5.11	6.05	0.00	0.00	1,200 ³	-	<25,000	-	<250	<250	<250	<250	-	54,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/10/1997 ⁵	11.16	4.11	7.05	0.00	0.00	1,200 ³	-	<20,000	-	<500 / <200	<500 / <200	<500 / <200	<500 / <200	-	65,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/01/1997	11.16	4.99	6.17	0.00	0.00	1,100 ³	-	<12,500	-	<125	<125	<125	<125	-	64,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/05/1997	11.16	5.61	5.55	0.00	0.00	1,100 ³	-	<10,000	-	<100	<100	<100	<100	-	46,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	10/28/1997	11.16	5.76	5.40	0.00	0.00	1,100 ³	-	1,400	-	39	<5.0	7.2	6.0	-	29,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	02/04/1998	11.16	2.63	8.53	0.00	0.00	4,800 ³	-	920	-	6.9	1.1	<0.5	2.8	-	59,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	06/03/1998	11.16	4.45	6.71	0.00	0.00	2,000 ³	-	590	-	9.4	<0.5	0.93	<0.5	-	15,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	07/29/1998	11.16	5.25	5.91	0.00	0.00	2,200 ³	-	820	-	5.6	2.0	3.3	1.2	-	28000 / 33000 ⁶	-	-	700,000	450	<1,000	27,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	11/30/1998	11.16	5.13	6.03	0.00	0.00	1,060	-	2,110	-	<10	<10	<10	<10	-	5,330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	02/24/1999	11.16	4.00	7.16	0.00	0.00	2,680 ³	-	410	-	0.64	<0.5	2.2	2.3	-	15,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	05/06/1999	11.16	4.45	6.71	0.00	0.00	3,550 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	1,370	<1,000	-	-	-	-	-	-	-	<10	86.7	<75	143	185	-	-	-	-	-	-		
B-12	08/30/1999	11.16	5.84	5.32	0.00	0.00	1,310 ³	-	985	-	12.5	6.0	9.5	10.8	-	6,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	11/17/1999	11.16	5.43	5.73	0.00	0.00	1,060 ³	-	1,700	-	14.4	5.99	5.98	<5.0	-	14,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	02/21/2000	11.16	4.31	6.85	0.00	0.00	430 ³	-	595	-	3.49	<0.5	<0.5	4.26	-	5,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	05/08/2000	11.16	4.95	6.21	0.00	0.00	340 ¹³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	2,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	08/08/2000	11.16	5.15	6.01	0.00	0.00	260 ¹³	-	410 ¹⁰	-	3.9	1.5	1.8	4.8	-	2,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GKO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-12	11/01/2000	11.16	5.31	5.85	0.00	0.00	130 ¹¹	-	660 ⁹	-	6.0	1.9	2.8	2.9	-	4,600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/12/2001	11.16	4.89	6.27	0.00	0.00	280 ¹¹	-	550 ¹⁰	-	14	<5.0	5.0	<5.0	-	2,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/14/2001	11.16	5.11	6.05	0.00	0.00	280 ¹³	-	770 ¹⁰	-	7.6	5.0	0.80	4.8	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/13/2001	11.16	5.64	5.52	0.00	0.00	500	-	730 ¹⁰	-	10	<5.0	6.1	<5.0	-	2,700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/12/2001	11.16	5.76	5.40	0.00	0.00	900	-	1,700	-	2.2	1.1	7.6	9.2	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/04/2002	11.16	4.71	6.45	0.00	0.00	440	-	1,100	-	2.0	1.0	2.0	2.8	-	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/06/2002	11.16	4.88	6.28	0.00	0.00	340	-	660	-	<1.0	<1.0	<1.0	<1.0	-	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/29/2002	11.16	5.49	5.67	0.00	0.00	1,000	-	1,700	-	5.6	3.9	4.2	<15	-	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/25/2002	11.16	5.58	5.58	0.00	0.00	890	-	2,300	-	<5.0	1.8	3.5	<10	-	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/05/2003	11.16	4.76	6.40	0.00	0.00	770	-	1,600	-	<10	<2.5	<2.5	<7.5	-	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/15/2003	11.16	4.76	6.40	0.00	0.00	1,500	-	1,800	-	<2.5	<2.5	2.6	<7.5	-	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/14/2003 ²⁴	11.16	5.48	5.68	0.00	0.00	1,000 ²³	-	2,000	-	1	0.7	0.9	2	-	300	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/13/2003 ²⁴	11.16	5.68	5.48	0.00	0.00	390	-	790	-	<0.5	<0.5	1	1	-	36	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/12/2004 ²⁴	11.16	4.72	6.44	0.00	0.00	210	-	94	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/13/2004 ²⁴	11.16	4.92	6.24	0.00	0.00	60 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/12/2004 ²⁴	11.16	5.41	5.75	0.00	0.00	130	-	290	-	<0.5	<0.5	<0.5	<0.5	-	61	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/11/2004 ²⁴	11.16	5.90	5.26	0.00	0.00	160	-	180	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/10/2005 ²⁴	11.16	4.54	6.62	0.00	0.00	130	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/12/2005 ²⁴	11.16	4.57	6.59	0.00	0.00	150	-	160	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/11/2005 ²⁴	11.16	5.14	6.02	0.00	0.00	110	-	89	-	<0.5	<0.5	<0.5	<0.5	-	11	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/10/2005 ²⁴	11.16	5.11	6.05	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/09/2006 ²⁴	11.16	4.38	6.78	0.00	0.00	240 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/11/2006 ²⁴	11.16	4.57	6.59	0.00	0.00	100	-	250	-	<0.5	<0.5	<0.5	<0.5	-	3	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/10/2006 ²⁴	11.16	5.32	5.84	0.00	0.00	1,300	-	470	-	<0.5	<0.5	<0.5	0.6	-	20	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/09/2006 ²⁴	11.16	5.58	5.58	0.00	0.00	580	-	1,300	-	<0.5	<0.5	<0.5	0.5	-	17	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/08/2007 ²⁴	11.16	5.30	5.86	0.00	0.00	97	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/10/2007 ²⁴	11.16	5.08	6.08	0.00	0.00	100	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	08/08/2007 ²⁴	11.16	5.60	5.56	0.00	0.00	480	-	1,300	-	0.9	<0.5	<0.5	0.9	-	45	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	11/07/2007 ²⁴	11.16	5.71	5.45	0.00	0.00	150	-	180	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	02/13/2008 ²⁴	11.16	4.45	6.71	0.00	0.00	290	-	59	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-12	05/14/2008 ²⁴	11.16	5.20	5.96	0.00	0.00	100	-	140	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS											
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GKO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc							
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
B-12	08/13/2008 ²⁴	11.16	5.60	5.56	0.00	0.00	3,400	-	970	-	<0.5	<0.5	0.6	0.7	-	74	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-12	11/12/2008 ²⁴	11.16	5.48	5.68	0.00	0.00	79	-	190	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-12	02/11/2009 ²⁴	11.16	5.41	5.75	0.00	0.00	70	-	100	-	<0.5	<0.5	<0.5	<0.5	-	3	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-12	05/11/2009	11.16	6.20	4.96	0.00	0.00	4,300	-	750	-	<0.5	<0.5	<0.5	<0.5	-	72	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
B-12	08/27/2009	11.16	5.80	5.36	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	11/10/2009	11.16	5.87	5.29	0.00	0.00	2,600	-	700	-	<0.5	<0.5	<0.5	<0.5	-	20	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	05/19/2010	11.16	5.34	5.82	0.00	0.00	3,700	-	1,600	-	0.7 J	<0.5	<0.5	0.7 J	-	44	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	12/01/2010	11.16	5.80	5.36	0.00	0.00	4,700	-	1,100	-	0.9 J	<0.5	<0.5	<0.5	-	49	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	05/03/2011	11.16	5.07	6.09	0.00	0.00	-	1,200	870	-	2	0.6 J	0.6 J	0.7 J	-	29	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	12/01/2011	11.16	6.18	4.98	0.00	0.00	-	140	1,600	-	1	<0.5	<0.5	<0.5	-	36	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-12	06/14/2012	11.16	5.57	5.59	0.00	0.00	-	220	1,500	-	0.9 J	0.6 J	0.5 J	0.6 J	-	34	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-13	11/29/1995	11.17	5.91	5.26	0.00	0.00	3,400 ³	-	1,800	-	19	<5.0	5.5	<5.0	-	7,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/08/1996	11.17	4.45	6.72	0.00	0.00	450 ³	-	910	-	12	1.3	2.0	1.9	-	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/08/1996	11.17	4.97	6.20	0.00	0.00	560 ³	-	140	-	1.9	<0.5	0.88	2.0	-	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/23/1996	11.17	5.63	5.54	0.00	0.00	1,300 ³	-	1,300	-	<10	<10	<10	<10	-	450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	12/12/1996	11.17	5.26	5.91	0.00	0.00	1,300 ³	-	2,600	-	29	5.4	9.40	6.3	-	230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/10/1997	11.17	4.12	7.05	0.00	0.00	290 ³	-	670	-	<0.5	6.7	2.6	5.6	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/01/1997	11.17	5.00	6.17	0.00	0.00	480 ³	-	920	-	8.5	4.6	2.1	6.1	-	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/05/1997	11.17	5.65	5.52	0.00	0.00	1,300 ³	-	1,900	-	23	<5.0	<5.0	<5.0	-	860	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	10/28/1997	11.17	5.68	5.49	0.00	0.00	2,200 ³	-	2,400	-	33	14	8.4	10	-	2,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/04/1998	11.17	2.69	8.48	0.00	0.00	260 ³	-	110	-	<0.5	<0.5	<0.5	<0.5	-	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	06/03/1998	11.17	4.38	6.79	0.00	0.00	480 ³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	07/29/1998	11.17	5.05	6.12	0.00	0.00	830 ³	-	350	-	5.0	<0.5	0.67	1.2	-	730 / 980 ⁶	-	-	290,000	240	5,600	17,000	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/30/1998	11.17	5.01	6.16	0.00	0.00	741	-	168	-	0.797	<0.5	<0.5	<0.5	-	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/24/1999	11.17	4.03	7.14	0.00	0.00	670 ³	-	69	-	<0.5	<0.5	<0.5	<0.5	-	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/06/1999	11.17	4.45	6.72	0.00	0.00	540 ³	-	<500	-	<5.0	<5.0	<5.0	<5.0	-	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/30/1999	11.17	5.74	5.43	0.00	0.00	927 ³	-	748	-	13.7	<2.5	4.53	10.6	-	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/17/1999	11.17	5.59	5.58	0.00	0.00	1,310 ³	-	1,240	-	24.6	8.96	<5.0	20.2	-	1,900	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/21/2000	11.17	4.24	6.93	0.00	0.00	200 ³	-	443	-	2.11	0.908	1.89	2.89	-	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/08/2000	11.17	4.82	6.35	0.00	0.00	240 ¹¹	-	190 ¹⁰	-	<0.50	0.68	1.7	1.1	-	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GKO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-13	08/08/2000	11.17	4.99	6.18	0.00	0.00	100 ¹³	-	150 ¹⁰	-	0.84	1.2	1.3	2.6	-	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/01/2000	11.17	5.21	5.96	0.00	0.00	290 ¹⁴	-	560 ⁹	-	4.9	1.4	4.7	11	-	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/12/2001	11.17	4.76	6.41	0.00	0.00	210 ¹³	-	160 ¹⁰	-	5.4	1.3	2.1	2.5	-	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/14/2001	11.17	4.98	6.19	0.00	0.00	130 ¹¹	-	240 ¹⁰	-	3.7	2.2	0.92	3.2	-	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/13/2001	11.17	5.55	5.62	0.00	0.00	750	-	560 ¹⁰	-	13	6.4	<5.0	<5.0	-	690	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/12/2001	11.17	5.71	5.46	0.00	0.00	2,100	-	3,500	-	9.2	8.1	16	25	-	700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/04/2002	11.17	4.55	6.62	0.00	0.00	320	-	430	-	1.7	0.54	1.0	1.8	-	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/06/2002	11.17	4.73	6.44	0.00	0.00	430	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/29/2002	11.17	5.35	5.82	0.00	0.00	1,600	-	660	-	<2.0	1.1	0.82	2.2	-	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/25/2002	11.17	5.48	5.69	0.00	0.00	1,600	-	1,800	-	3.3	2.8	4.4	<10	-	520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/05/2003	11.17	4.61	6.56	0.00	0.00	550	-	410	-	1.1	0.60	<2.0	1.6	-	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/15/2003	11.17	4.58	6.59	0.00	0.00	760	-	250	-	<2.0	<0.5	0.9	<1.5	-	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/14/2003 ²⁴	11.17	5.33	5.84	0.00	0.00	1,200 ²³	-	610	-	1	0.9	1	2	-	300	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/13/2003 ²⁴	11.17	5.56	5.61	0.00	0.00	1,500	-	810	-	0.6	0.5	1	1	-	63	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/12/2004 ²⁴	11.17	4.59	6.58	0.00	0.00	180	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/13/2004 ²⁴	11.17	4.75	6.42	0.00	0.00	<50 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/12/2004 ²⁴	11.17	5.26	5.91	0.00	0.00	260	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/11/2004 ²⁴	11.17	5.65	5.52	0.00	0.00	240	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	24	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/10/2005 ²⁴	11.17	4.40	6.77	0.00	0.00	150	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/12/2005 ²⁴	11.17	4.38	6.79	0.00	0.00	730 ²⁶	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	29	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/11/2005 ²⁴	11.17	5.08	6.09	0.00	0.00	440 ²⁸	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/10/2005 ²⁴	11.17	5.09	6.08	0.00	0.00	370 ²⁷	-	170	-	<0.5	<0.5	<0.5	<0.5	-	27	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/09/2006 ²⁴	11.17	4.40	6.77	0.00	0.00	200 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	0.7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/11/2006 ²⁴	11.17	4.50	6.67	0.00	0.00	120	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/10/2006 ²⁴	11.17	5.21	5.96	0.00	0.00	1,200	-	92	-	<0.5	<0.5	<0.5	<0.5	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/09/2006 ²⁴	11.17	5.49	5.68	0.00	0.00	1,500	-	530	-	<0.5	<0.5	0.6	0.8	-	14	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/08/2007 ²⁴	11.17	5.19	5.98	0.00	0.00	790	-	68	-	<0.5	<0.5	<0.5	<0.5	-	14	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/10/2007 ²⁴	11.17	5.02	6.15	0.00	0.00	530	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	6	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/08/2007 ²⁴	11.17	5.51	5.66	0.00	0.00	330	-	140	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/07/2007 ²⁴	11.17	5.73	5.44	0.00	0.00	400	-	250	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/13/2008 ²⁴	11.17	4.33	6.84	0.00	0.00	200	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
B-13	05/14/2008 ²⁴	11.17	5.10	6.07	0.00	0.00	800	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/13/2008 ²⁴	11.17	5.49	5.68	0.00	0.00	1,700	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/12/2008 ²⁴	11.17	5.37	5.80	0.00	0.00	2,000	-	500	-	<0.5	<0.5	<0.5	1	-	13	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	02/11/2009 ²⁴	11.17	5.30	5.87	0.00	0.00	1,400	-	980	-	0.6	0.7	1	2	-	15	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/11/2009	11.17	6.37	4.80	0.00	0.00	260	-	230	-	<0.5	<0.5	<0.5	0.8 J	-	5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	08/27/2009	11.17	5.43	5.74	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	11/10/2009	11.17	5.48	5.69	0.00	0.00	1,600	-	1,900 J	-	2	2	2	4	-	46	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/19/2010	11.17	5.32	5.85	0.00	0.00	2,200	-	2,600 J	-	3	4	4	9	-	30	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	12/01/2010	11.17	5.70	5.47	0.00	0.00	3,400	-	4,100	-	5	6	6	20	-	39	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	05/03/2011	11.17	5.00	6.17	0.00	0.00	-	630	820	-	2	2	2	3	-	10	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	12/01/2011	11.17	5.91	5.26	0.00	0.00	-	180	4,500	-	3 J	5 J	4 J	9	-	29	-	<250	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-13	06/14/2012	11.17	5.47	5.70	0.00	0.00	-	250	1,900	-	2	2	4	6	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/29/2002 ²¹	9.54	4.42	5.12	0.00	0.00	930	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/25/2002	9.54	4.40	5.14	0.00	0.00	1,200	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	02/05/2003	9.54	3.98	5.56	0.00	0.00	580	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	1,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/15/2003	9.54	3.85	5.69	0.00	0.00	1,000	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	1,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/14/2003 ²⁴	9.54	4.47	5.07	0.00	0.00	<250 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/13/2003 ²⁴	9.54	4.50	5.04	0.00	0.00	1,800	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	530	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	02/12/2004 ²⁴	9.54	3.98	5.56	0.00	0.00	2,000	-	59	-	<0.5	<0.5	<0.5	<0.5	-	1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/13/2004 ²⁴	9.54	4.07	5.47	0.00	0.00	390 ²³	-	<50	-	<1	<1	<1	<1	-	1,800	-	<100	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/12/2004 ²⁴	9.54	4.28	5.26	0.00	0.00	750	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	1,100	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/11/2004 ²⁴	9.54	4.78	4.76	0.00	0.00	2,100	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	910	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	02/10/2005 ²⁴	9.54	3.72	5.82	0.00	0.00	2,500	-	78	-	<1	<1	<1	<1	-	1,600	-	<100	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/12/2005 ²⁴	9.54	3.80	5.74	0.00	0.00	700 ²⁶	-	72	-	<0.5	<0.5	<0.5	<0.5	-	1,900	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/11/2005 ²⁴	9.54	4.03	5.51	0.00	0.00	1,500 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	830	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/10/2005 ²⁴	9.54	3.98	5.56	0.00	0.00	1,200 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	480	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	02/09/2006 ²⁴	9.54	3.70	5.84	0.00	0.00	1,600 ²⁷	-	52	-	<0.5	<0.5	<0.5	<0.5	-	230	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/11/2006 ²⁴	9.54	3.77	5.77	0.00	0.00	3,400	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	190	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/10/2006 ²⁴	9.54	4.27	5.27	0.00	0.00	1,700	-	53	-	<0.5	<0.5	<0.5	<0.5	-	440	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/09/2006 ²⁴	9.54	4.20	5.34	0.00	0.00	1,400	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	84	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
B-14	02/08/2007 ²⁴	9.54	4.18	5.36	0.00	0.00	1,100	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/10/2007 ²⁴	9.54	4.09	5.45	0.00	0.00	910	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	150	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/08/2007 ²⁴	9.54	4.31	5.23	0.00	0.00	330	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	94	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/07/2007 ²⁴	9.54	4.40	5.14	0.00	0.00	240	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	50	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	02/13/2008 ²⁴	9.54	3.53	6.01	0.00	0.00	520	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	2	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/14/2008 ²⁴	9.54	4.08	5.46	0.00	0.00	280	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	20	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/13/2008 ²⁴	9.54	4.27	5.27	0.00	0.00	180	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	28	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/12/2008 ²⁴	9.54	4.18	5.36	0.00	0.00	57	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	12	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	02/11/2009 ²⁴	9.54	4.11	5.43	0.00	0.00	390	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/11/2009	9.54	5.40	4.14	0.00	0.00	980	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	19	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	08/27/2009	9.54	4.87	4.67	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	11/10/2009	9.54	4.10	5.44	0.00	0.00	430	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	21	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/19/2010	9.54	4.52	5.02	0.00	0.00	560	-	110	-	<0.5	<0.5	<0.5	<0.5	-	4	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	12/01/2010	9.54	4.60	4.94	0.00	0.00	170 J	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	16	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	05/03/2011	9.54	4.30	5.24	0.00	0.00	-	160	<50	-	<0.5	<0.5	<0.5	<0.5	-	8	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	12/01/2011	9.54	4.92	4.62	0.00	0.00	-	430	<50	-	<0.5	<0.5	<0.5	<0.5	-	7	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-14	06/14/2012	9.54	4.35	5.19	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	08/29/2002 ²¹	9.43	4.18	5.25	0.00	0.00	<130	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	11/25/2002	9.43	4.21	5.22	0.00	0.00	<50	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	02/05/2003	9.43	3.57	5.86	0.00	0.00	<50	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	05/15/2003	9.43	3.55	5.88	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	08/14/2003 ²⁴	9.43	4.13	5.30	0.00	0.00	<50 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	11/13/2003 ²⁴	9.43	4.29	5.14	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	02/12/2004 ²⁴	9.43	3.59	5.84	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	05/13/2004 ²⁴	9.43	3.81	5.62	0.00	0.00	<50 ²³	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	08/12/2004 ²⁴	9.43	4.21	5.22	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	11/11/2004 ²⁴	9.43	4.64	4.79	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	02/10/2005 ²⁴	9.43	3.41	6.02	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	05/12/2005 ²⁴	9.43	3.35	6.08	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-15	08/11/2005 ²⁴	9.43	3.87	5.56	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS										
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc						
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
B-15	11/10/2005 ²⁴	9.43	3.90	5.53	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	02/09/2006 ²⁴	9.43	3.52	5.91	0.00	0.00	150 ²⁷	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	05/11/2006 ²⁴	9.43	3.47	5.96	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	08/10/2006 ²⁴	9.43	4.12	5.31	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	11/09/2006 ²⁴	9.43	4.17	5.26	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	02/08/2007 ²⁴	9.43	4.08	5.35	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	05/10/2007 ²⁴	9.43	4.01	5.42	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	08/08/2007 ²⁴	9.43	4.15	5.28	0.00	0.00	50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	11/07/2007 ²⁴	9.43	4.33	5.10	0.00	0.00	250	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	02/13/2008 ²⁴	9.43	3.51	5.92	0.00	0.00	67	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	05/14/2008 ²⁴	9.43	3.87	5.56	0.00	0.00	110	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	08/13/2008 ²⁴	9.43	4.16	5.27	0.00	0.00	170	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	11/12/2008 ²⁴	9.43	4.10	5.33	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	02/11/2009 ²⁴	9.43	3.96	5.47	0.00	0.00	<50	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	05/11/2009	9.43	5.63	3.80	0.00	0.00	360	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	08/27/2009	9.43	4.19	5.24	0.00	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	11/10/2009	9.43	4.00	5.43	0.00	0.00	92J	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	05/19/2010	9.43	4.36	5.07	0.00	0.00	660	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	9	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	12/01/2010	9.43	4.35	5.08	0.00	0.00	<33	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	05/03/2011	9.43	3.86	5.57	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	12/01/2011	9.43	4.62	4.81	0.00	0.00	-	<160	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B-15	06/14/2012	9.43	4.24	5.19	0.00	0.00	-	<50	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
QA	11/12/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/04/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/06/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/29/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/25/2002	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/05/2003	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/15/2003	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<1.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/14/2003 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS						ADDITIONAL						METALS									
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc					
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
QA	11/13/2003 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/12/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/13/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/12/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/11/2004 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/10/2005 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/12/2005 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/11/2005 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/10/2005 ²⁴	-	-	-	-	-	-	-	<50	-	0.6 ³⁰	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/09/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/11/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/10/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/09/2006 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/08/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/10/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/08/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/07/2007 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/13/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/14/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/13/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/12/2008 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	02/11/2009 ²⁴	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/11/2009	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	11/10/2009	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/19/2010	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	12/01/2010	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	05/03/2011	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	12/01/2011	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	06/14/2012	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	01/06/1993	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 CHEVRON SERVICE STATION 90290
 1802 WEBSTER STREET
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL					METALS											
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc				
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	10/19/1993	-	-	-	-	-	-	-	<50	-	<0.5	0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	01/17/1994	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/18/1994	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/30/1994	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/15/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/01/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/04/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/29/1995	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/08/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/08/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/23/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	12/12/1996	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/10/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/01/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/05/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	10/28/1997	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/04/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/12/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	06/03/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	07/29/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/30/1998	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/24/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/06/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/30/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/17/1999	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/21/2000	-	-	-	-	-	-	-	<50	-	<0.5	<0.5	<0.5	<0.5	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/08/2000	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/08/2000	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/01/2000	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/12/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	05/14/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 90290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL					METALS											
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc				
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Trip Blank	08/13/2001	-	-	-	-	-	-	-	<50	-	<0.50	<0.50	<0.50	<0.50	-	<2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Abbreviations and Notes:

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

SPHT = Separate phase hydrocarbon thickness

(ft-amsl) = Feet above mean sea level

ft = Feet

µg/L = Micrograms per liter

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylene

MTBE = Methyl tert butyl ether

TOG = Total oil and grease

-- = Not available / not applicable

<x = Not detected at or above laboratory method detection limit

J = Estimated value (the result method result > the method detection limit < the limit of quantitation

* TOC elevations were surveyed on September 26, 2002, by Virgil Chavez Land Surveying.

The benchmark for this survey was a brass disk in a monument well at the mid return of the northwest corner of Webster St. and Buena Vista Ave., (Benchmark Elevation = 11.09 feet NGVD 29).

** GWE has been corrected due to the presence of SPH; correction factor: [(TOC - DTW) + (SPHT x 0.80)].

1 Chromatogram pattern indicates a non-diesel mix.

2 Analytical values are in parts per million (ppm).

3 Chromatogram pattern indicates an unidentified hydrocarbon.

4 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.

5 EPA Method 8240.

**GROUNDWATER MONITORING AND SAMPLING DATA
CHEVRON SERVICE STATION 90290
1802 WEBSTER STREET
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	SPHT	SPH REMOVED	HYDROCARBONS				PRIMARY VOCS				ADDITIONAL					METALS											
							TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	Motor Oil	B	T	E	X	MTBE by SW8021	MTBE by SW8260	TOG	Ethanol	Alkalinity	Ferrous Iron	Nitrate as Nitrite	Sulfate	Cadmium	Chromium	Lead	Nickel	Zinc				
	Units	ft	ft-amsl	ft	ft	gal	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

- 6 Confirmation run.
- 7 Hydrocarbon pattern appears to be weathered.
- 8 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons >C10.
- 9 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 10 Laboratory report indicates gasoline C6-C12.
- 11 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 12 Laboratory report indicates unidentified hydrocarbons >C16.
- 13 Laboratory report indicates unidentified hydrocarbons <C16.
- 14 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 15 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 16 Well obstructed by roots.
- 17 Laboratory report indicates TPH-G, B, T, E, X and MTBE was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
- 18 Laboratory report indicates sample was originally analyzed within holding time. Re-analysis for confirmation or dilution was performed past the recommended holding time.
- 19 Laboratory report indicates sample was run past holding time.
- 20 Obstruction in well at 11.46 feet.
- 21 Well development performed.
- 22 Laboratory report indicates the analysis was performed from a previously opened vial and the results are therefore estimated.
- 23 Analyzed with silica gel cleanup.
- 24 BTEX and MTBE by EPA Method 8260.
- 25 TOC has been altered due to well repair. Unable to determine an accurate GWE.
- 26 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- 27 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.
- 28 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.
- 29 Analysis by EPA Method 8260.
- 30 Laboratory confirmed analytical result.
- 31 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel, an additional pattern which elutes later in the DRO range and individual peaks eluting in the DRO range.
- 32 Laboratory report indicates due to the presence of an interferent near its retention time, the normal reporting limit was not attained for MTBE. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

ATTACHMENT A

MONITORING DATA PACKAGE



June 19, 2012

Chevron Environmental Management Company
Catalina Devine
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

Second Quarter 2012 Monitoring at
Chevron Service Station 90290
1802 Webster St.
Alameda, CA

Monitoring performed on June 14, 2012

Blaine Tech Services, Inc. Groundwater Monitoring Event 120614-DR1

This submission covers the routine monitoring of groundwater wells conducted on June 14, 2012 at this location. Eleven monitoring wells were measured for depth to groundwater (DTW). Eleven monitoring wells were sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Second Quarter Groundwater Monitoring at Chevron 90290, 1802 Webster St., Alameda, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

Second Quarter Groundwater Monitoring at Chevron 90290, 1802 Webster St., Alameda, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

www.blainetech.com

BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

WELL GAUGING DATA

Project # 120614-DRI Date 6/14/12 Client Chimney #9-0290

Site 1802 Wilbur Ave. Alameda Ca.

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOG	Notes
A-1	0922	6					5.28	10.68		
B-1	0902	2					6.10	17.06		
B-5	0917	2					4.98	18.11		
B-6	0855	2					5.74	18.03		
B-7	0842	2					5.01	13.59		
B-10	0851	2					5.98	15.59		
B-11	0912	2					5.54	14.82		
B-12	0908	2					5.57	14.88		
B-13	0905	2					5.47	13.74		
B-14	0858	2					4.35	15.24		
B-15	0846	2					4.24	14.21	✓	

6/12

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: A-1	Well Diameter: 2 3 4 <u>6</u> 8
Total Well Depth: 10.68	Depth to Water: 5.28
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.36	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

7.9	(Gals.) X	3	=	23.7	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1317	68.2	7.6	632	38	7.9	
1319	68.9	7.4	627	24	15.8	
1321	68.9	7.4	626	16	23.7	

Did well dewater? Yes No Gallons actually evacuated: 23.7

Sampling Date: 6/14/12 Sampling Time: 1330 Depth to Water: 5.31

Sample I.D.: A-1 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec Coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DRI	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-1	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 17.06	Depth to Water: 6.10
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.29	

Purge Method: Disposable Bailer Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer
Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

1.8	(Gals.) X	3	=	5.4	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1128	67.1	7.2	946	296	1.8	
1130	67.0	6.8	931	>1000	3.6	
1132	67.0	6.8	930	>1000	5.4	

Did well dewater? Yes No Gallons actually evacuated: 5.4

Sampling Date: 6/14/12 Sampling Time: 1140 Depth to Water: 8.09

Sample I.D.: B-1 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec Col

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-5	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 18.11	Depth to Water: 4.98
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.61	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

2.1	(Gals.) X	3	=	6.3	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1242	66.1	6.8	1162	71000	2.1	
* Well dewatered @ 2.3 gal.						
1345	66.3	6.9	1094	47	—	

Did well dewater? Yes No Gallons actually evacuated: 2.3

Sampling Date: 6/14/12 Sampling Time: 1345 Depth to Water: 7.24

Sample I.D.: B-5 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec CcC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
	O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-6	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 18.03	Depth to Water: 5.74
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.20	

Purge Method:

- Bailer
- (Disposable Bailer)
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- (Disposable Bailer)
- Extraction Port
- Dedicated Tubing
- Other: _____

2.0	(Gals.) X	3	=	6.0	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (μS))	Turbidity (NTUs)	Gals. Removed	Observations
1022	69.1	7.00	541	497	2.0	
1024	69.4	6.88	501	464	4.0	
1026	69.5	6.89	498	427	6.0	

Did well dewater? Yes No Gallons actually evacuated: 6.0

Sampling Date: 6/14/12 Sampling Time: 1031 Depth to Water: 6.42

Sample I.D.: B-6 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec Ccc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-7	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 13.59	Depth to Water: 5.01
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.73	

Purge Method:

- Bailer
- (Disposable Bailer)
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- (Disposable Bailer)
- Extraction Port
- Dedicated Tubing
- Other: _____

1.4	(Gals.) X	3	=	4.2	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
0940	70.4	6.4	764	71000	1.4	
* Well dewatered @ 2:1 gal						
1215	71.1	6.5	721	992	—	

Did well dewater? (Yes) No Gallons actually evacuated: 2.1

Sampling Date: 6/14/12 Sampling Time: 1215 Depth to Water: 6.29

Sample I.D.: B-7 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See CEC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-10	Well Diameter: ② 3 4 6 8 _____
Total Well Depth: 15.59	Depth to Water: 5.98
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.90	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

$1.5 \text{ (Gals.)} \times 3 = 4.5 \text{ Gals.}$
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>μS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1005	68.5	6.90	707	776	1.5	
1007	68.2	6.79	710	>1000	3.0	
1009	68.1	6.77	711	>1000	4.5	

Did well dewater? Yes No Gallons actually evacuated: 4.5

Sampling Date: 6/14/12 Sampling Time: 1014 Depth to Water: 7.36

Sample I.D.: B-10 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: SCC CcC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-11	Well Diameter: (2) 3 4 6 8
Total Well Depth: 14.82	Depth to Water: 5.54
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.40	

Purge Method:

- Bailer
- (Disposable Bailer)
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- (Disposable Bailer)
- Extraction Port
- Dedicated Tubing
- Other: _____

1.5 (Gals.) X	3	=	4.5	Gals.
I Case Volume	Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or (μS))	Turbidity (NTUs)	Gals. Removed	Observations
1221	65.9	7.0	1057	784	1.5	
1224	65.7	6.9	1048	>1000	3.0	
1226	65.7	6.9	1047	>1000	4.5	

Did well dewater? Yes No Gallons actually evacuated: 4.5

Sampling Date: 6/14/12 Sampling Time: 1235 Depth to Water: 7.39

Sample I.D.: B-11 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec CcC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DN	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-12	Well Diameter: ② 3 4 6 8 _____
Total Well Depth: 14.88	Depth to Water: 5.57
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.43	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.5	(Gals.) X	3	=	4.5	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1201	67.0	6.87	601	506	1.5	
1203	66.7	6.91	608	511	3.0	
1205	66.5	6.92	610	544	4.5	

Did well dewater? Yes No Gallons actually evacuated: 4.5

Sampling Date: 6/14/12 Sampling Time: 1210 Depth to Water: 7.19

Sample I.D.: B-12 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec Coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-13	Well Diameter: ② 3 4 6 8 _____
Total Well Depth: 13.74	Depth to Water: 5.47
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.12	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

Bailer

- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

1.3	(Gals.) X	3	=	3.9	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>μS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1145	68.8	6.8	644	518	1.3	
1147	68.1	6.7	589	>1000	2.6	
1149	68.1	6.7	584	>1000	3.9	

Did well dewater? Yes No Gallons actually evacuated: 3.9

Sampling Date: 6/14/12 Sampling Time: 1154 Depth to Water: 7.02

Sample I.D.: B-13 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec CoC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-14	Well Diameter: (2) 3 4 6 8
Total Well Depth: 15.24	Depth to Water: 4.35
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.53	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.7	(Gals.) X	3	=	5.1	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1041	68.5	6.8	1291	>1000	1.7	
1043	68.2	6.8	1268	>1000	3.4	
1045	68.1	6.9	1265	>1000	5.1	

Did well dewater? Yes No Gallons actually evacuated: 5.1

Sampling Date: 6/14/12 Sampling Time: 1055 Depth to Water: 6.42

Sample I.D.: B-14 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: Sec Coc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120614-DR1	Station #: 9-0290
Sampler: DR	Date: 6/14/12
Weather: Clear	Ambient Air Temperature: 70 °F
Well I.D.: B-15	Well Diameter: <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 6 <input type="radio"/> 8
Total Well Depth: 14.21	Depth to Water: 4.24
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="radio"/> PVC <input type="radio"/> Grade	D.O. Meter (if req'd): <input type="radio"/> YSI <input type="radio"/> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.23	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

Bailer

- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.6	(Gals.) X	3	=	4.8	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
0954	69.4	6.7	751	>1000	1.6	
1355	Well dewatered		2.2 gal.			
1355	69.7	6.6	740	679	—	

Did well dewater? Yes No Gallons actually evacuated: 2.2

Sampling Date: 6/14/12 Sampling Time: 1355 Depth to Water: 4.56

Sample I.D.: B-15 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: SeC CeC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELLHEAD INSPECTION CHECKLIST

Client Chuvon #9-0290 Date 6/14/12
 Site Address 1802 Webster Ave. Alameda Ca.
 Job Number 120614-DR1 Technician DR

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
A-1						X		
B-1						X		
B-5	X							
B-6	X							
B-7						X		
B-10						X		
B-11		X				X		
B-12						X		
B-13						X		
B-14	X							
B-15	X							

NOTES: B-7 2 1/2 tabs stripped. B-10 3/8 tabs stripped. B-1 4/4 bolts
B-9 3/3 tabs stripped. B-12 2 1/2 tabs stripped. 1/2 hole on lid is broken. Cant fasten if
tab was not stripped. B-11 2 1/2 tabs stripped. A-1 Wrong bolts for box. Do not tighten.
Tab may be stripped as well.

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

June 27, 2012

Project: 90290

Submittal Date: 06/15/2012

Group Number: 1316027

PO Number: 0015103600

Release Number: HORNE

State of Sample Origin: CA

Client Sample Description

A-1-W-120614 NA Water
B-1-W-120614 NA Water
B-5-W-120614 NA Water
B-6-W-120614 NA Water
B-7-W-120614 NA Water
B-10-W-120614 NA Water
B-11-W-120614 NA Water
B-12-W-120614 NA Water
B-13-W-120614 NA Water
B-14-W-120614 NA Water
B-15-W-120614 NA Water
QA-T-120614 NA Water

Lancaster Labs (LLD) #

6688917
6688918
6688919
6688920
6688921
6688922
6688923
6688924
6688925
6688926
6688927
6688928

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Ian Hull

ELECTRONIC CRA
COPY TO

Attn: Nathan Lee

Respectfully Submitted,



Jill M. Parker
Senior Specialist

(717) 556-7262

Sample Description: A-1-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 A-1

LLI Sample # WW 6688917
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 13:30 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WALA1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	1 J	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F121741AA	06/22/2012 06:51	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121741AA	06/22/2012 06:51	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 01:40	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 01:40	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/21/2012 21:52	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

Sample Description: B-1-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-1

LLI Sample # WW 6688918
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 11:40 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	230	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F121741AA	06/22/2012 07:13	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121741AA	06/22/2012 07:13	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 02:06	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 02:06	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/21/2012 22:15	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: B-5-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-5

LLI Sample # WW 6688919
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 13:45 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	130	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F121742AA	06/22/2012 07:23	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121742AA	06/22/2012 07:23	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12177A53A	06/26/2012 11:19	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12177A53A	06/26/2012 11:19	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/21/2012 22:38	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

Sample Description: B-6-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-6

LLI Sample # WW 668920
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 10:31 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles						
	SW-846 8260B		ug/l	ug/l	ug/l	
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1	1
GC Petroleum Hydrocarbons w/Si						
	SW-846 8015B		ug/l	ug/l	ug/l	
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1
	The reverse surrogate, capric acid, is present at <1%.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 20:27	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 20:27	Anita M Dale	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/21/2012 23:01	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

Sample Description: B-7-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-7

LLI Sample # WW 668921
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 12:15 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 10:45	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 10:45	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 02:57	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 02:57	Marie D John	1

*=This limit was used in the evaluation of the final result

Sample Description: B-10-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-10

LLI Sample # WW 6688922
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 10:14 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	5	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 11:13	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 11:13	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 03:22	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 03:22	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/21/2012 23:23	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: B-11-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-11

LLI Sample # WW 6688923
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 12:35 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	770	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	400	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	98 J	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 12:36	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 12:36	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12177A53A	06/26/2012 11:45	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12177A53A	06/26/2012 11:45	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/21/2012 23:46	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: B-12-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-12

LLI Sample # WW 6688924
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 12:10 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	0.9 J	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	0.5 J	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	34	0.5	1	1
10943	Toluene	108-88-3	0.6 J	0.5	1	1
10943	Xylene (Total)	1330-20-7	0.6 J	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	1,500	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	220	50	110	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 13:04	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 13:04	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12177A53A	06/26/2012 12:12	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12177A53A	06/26/2012 12:12	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/22/2012 00:09	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: B-13-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-13

LLI Sample # WW 6688925
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 11:54 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	2	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	4	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	8	0.5	1	1
10943	Toluene	108-88-3	2	0.5	1	1
10943	Xylene (Total)	1330-20-7	6	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	1,900	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	250	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 13:32	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 13:32	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12177A53A	06/26/2012 12:39	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12177A53A	06/26/2012 12:39	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/22/2012 00:32	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

Sample Description: B-14-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-14

LLI Sample # WW 6688926
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 10:55 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	9	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	110	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 13:59	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 13:59	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 10:26	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 10:26	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/22/2012 01:17	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: B-15-W-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 B-15

LLI Sample # WW 6688927
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 13:55 by DR

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 06/15/2012 09:50

Reported: 06/27/2012 12:21

WAL15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1
GC Petroleum SW-846 8015B						
Hydrocarbons w/Si						
06610	TPH-DRO CA C10-C28 w/ Si Gel	n.a.	N.D.	50	100	1
The reverse surrogate, capric acid, is present at <1%.						

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	P121742AA	06/22/2012 14:27	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 14:27	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 01:15	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 01:15	Marie D John	1
06610	TPH-DRO CA C10-C28 w/ Si Gel	SW-846 8015B	1	121700029A	06/22/2012 00:54	Christine E Dolman	1
11180	Low Vol Ext(W) w/SG	SW-846 3510C	1	121700029A	06/19/2012 08:15	Kerrie A Freeburn	1

*=This limit was used in the evaluation of the final result

Sample Description: QA-T-120614 NA Water
Facility# 90290 BTST
1802 Webster-Alameda T0600100307 QA

LLI Sample # WW 6688928
LLI Group # 1316027
Account # 10991

Project Name: 90290

Collected: 06/14/2012 06:30

Chevron

Submitted: 06/15/2012 09:50

6001 Bollinger Canyon Rd L4310

Reported: 06/27/2012 12:21

San Ramon CA 94583

WALQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P121742AA	06/22/2012 17:13	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P121742AA	06/22/2012 17:13	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12171A07A	06/22/2012 00:24	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12171A07A	06/22/2012 00:24	Marie D John	1

Quality Control Summary

Client Name: Chevron
Reported: 06/27/12 at 12:21 PM

Group Number: 1316027

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: F121741AA	Sample number(s): 6688917-6688918								
Benzene	N.D.	0.5	1	ug/l	88		77-121		
Ethanol	N.D.	50.	250	ug/l	98		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	86		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	79		68-121		
Toluene	N.D.	0.5	1	ug/l	90		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	87		77-120		
Batch number: F121742AA	Sample number(s): 6688919								
Benzene	N.D.	0.5	1	ug/l	95		77-121		
Ethanol	N.D.	50.	250	ug/l	95		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	94		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	83		68-121		
Toluene	N.D.	0.5	1	ug/l	111		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	99		77-120		
Batch number: P121742AA	Sample number(s): 6688920-6688928								
Benzene	N.D.	0.5	1	ug/l	96		77-121		
Ethanol	N.D.	50.	250	ug/l	102		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	93		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	100		68-121		
Toluene	N.D.	0.5	1	ug/l	96		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	96		77-120		
Batch number: 12171A07A	Sample number(s): 6688917-6688918, 6688921-6688922, 6688926-6688928								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	127	127	75-135	0	30
Batch number: 12177A53A	Sample number(s): 6688919, 6688923-6688925								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	127	127	75-135	0	30
Batch number: 121700029A	Sample number(s): 6688917-6688920, 6688922-6688927								
TPH-DRO CA C10-C28 w/ Si Gel	N.D.	32.	100	ug/l	81	81	50-118	0	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: F121741AA	Sample number(s): 6688917-6688918 UNSPK: 6688918								
Benzene	98	97	72-134	1	30				

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/27/12 at 12:21 PM

Group Number: 1316027

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Ethanol	105	107	53-146	2	30				
Ethylbenzene	95	94	71-134	1	30				
Methyl Tertiary Butyl Ether	80	78	72-126	2	30				
Toluene	106	98	80-125	8	30				
Xylene (Total)	98	90	79-125	9	30				
Batch number: F121742AA Sample number(s): 6688919 UNSPK: 6688919									
Benzene	97	97	72-134	0	30				
Ethanol	101	93	53-146	8	30				
Ethylbenzene	94	96	71-134	3	30				
Methyl Tertiary Butyl Ether	80	81	72-126	1	30				
Toluene	99	100	80-125	1	30				
Xylene (Total)	95	96	79-125	2	30				
Batch number: P121742AA Sample number(s): 6688920-6688928 UNSPK: 6688922									
Benzene	97	98	72-134	1	30				
Ethanol	94	95	53-146	1	30				
Ethylbenzene	99	98	71-134	1	30				
Methyl Tertiary Butyl Ether	102	101	72-126	0	30				
Toluene	102	101	80-125	1	30				
Xylene (Total)	100	100	79-125	0	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: F121741AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6688917	93	100	95	93
6688918	92	99	96	90
Blank	92	100	99	92
LCS	91	100	100	95
MS	93	102	113	110
MSD	92	103	99	83

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: F121742AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6688919	94	100	100	91
Blank	92	99	99	91
LCS	91	101	114*	107
MS	91	99	100	93
MSD	91	101	100	96

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/27/12 at 12:21 PM

Group Number: 1316027

Surrogate Quality Control

Limits:		80-116	77-113	80-113	78-113
Analysis Name: UST VOCs by 8260B - Water					
Batch number: P121742AA					
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene	
6688920	97	99	101	92	
6688921	99	101	98	91	
6688922	99	100	98	91	
6688923	98	98	99	94	
6688924	98	95	99	95	
6688925	98	99	100	97	
6688926	99	98	98	90	
6688927	100	98	99	92	
6688928	99	102	98	92	
Blank	99	100	100	91	
LCS	99	101	98	93	
MS	97	101	98	92	
MSD	98	101	99	94	

Limits: 80-116 77-113 80-113 78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 12171A07A
Trifluorotoluene-F

6688917	96
6688918	94
6688921	103
6688922	102
6688926	93
6688927	96
6688928	96
Blank	95
LCS	110
LCSD	109

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 12177A53A
Trifluorotoluene-F

6688919	77
6688923	77
6688924	108
6688925	115
Blank	76
LCS	81
LCSD	82

Limits: 63-135

Analysis Name: TPH-DRO CA C10-C28 w/ Si Gel
Batch number: 121700029A
Orthoterphenyl

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 06/27/12 at 12:21 PM

Group Number: 1316027

Surrogate Quality Control

6688917	85
6688918	101
6688919	92
6688920	82
6688922	80
6688923	86
6688924	77
6688925	87
6688926	79
6688927	82
Blank	91
LCS	73
LCSD	70

Limits: 50-154

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>25\%$	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.