



**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

ENVIRONMENTAL  
PROTECTION  
95 OCT -1 PM 1:36

Date September 26, 1996  
Project 20805-122.003

To:

Ms. Susan Hugo  
Alameda County Health Care Services Agency  
Department of Environmental Health  
1131 Harborbay Parkway, Suite 250  
Alameda, California 94502-6577


We are enclosing:

Copies	Description
<u>1</u>	<u>Second quarter 1996 groundwater monitoring results and</u>
<u>          </u>	<u>remediation system performance evaluation report for</u>
<u>          </u>	<u>ARCO service station 771, Livermore, California</u>

For your:	<u>  X  </u>	Use	Sent by:	<u>  X  </u>	Regular Mail
	<u>      </u>	Approval		<u>      </u>	Standard Air
	<u>      </u>	Review		<u>      </u>	Courier
	<u>      </u>	Information		<u>      </u>	Other:

Comments:

The enclosed groundwater monitoring report is being sent to you per the request of ARCO Products Company. Please call if you have questions or comments.

  
John C. Young  
Project Manager

cc: Sum Arigala, RWQCB - SFBR  
Danielle Stefani, LFD  
Paul Supple, ARCO Products Company  
File





Date: September 26, 1996

Re: ARCO Station #

771 • 899 Rincon Avenue • Livermore, CA  
Second Quarter 1996 Groundwater Monitoring Results and  
Remediation System Performance Evaluation Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached proposal or report are true and correct."

Submitted by:

A handwritten signature in black ink that reads "Paul Supple". The signature is written in a cursive style with a large initial "P".

Paul Supple  
Environmental Engineer



**EMCON**

1921 Ringwood Avenue • San Jose, California 95131-1721 • (408) 453-7300 • Fax (408) 437-9526

September 25, 1996  
Project 20805-122.003

Mr. Paul Supple  
ARCO Products Company  
P.O. Box 6549  
Moraga, California 94570

Re: Second quarter 1996 groundwater monitoring program results and remediation system performance evaluation report, ARCO service station 771, Livermore, California

Dear Mr. Supple:

This letter presents the results of the second quarter 1996 groundwater monitoring program at ARCO Products Company (ARCO) service station 771, 899 Rincon Avenue, Livermore, California (Figure 1). Operation and performance data for the site's interim soil-vapor extraction (SVE) and air-bubbling systems are also presented. The quarterly monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

### LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, such a finding should not therefore be construed as a guarantee of the absence of such conditions at the site, but rather as the result of the scope, limitations, and cost of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

EMCON

Sailaja Yelamanchili  
Staff Engineer

John C. Young, R.G. 6407  
Project Manager



**ARCO QUARTERLY REPORT**

Station No.: 771 Address: 899 Rincon Avenue, Livermore, California  
 EMCON Project No.: 20805-122.003  
 ARCO Environmental Engineer/Phone No.: Paul Supple /(510) 299-8891  
 EMCON Project Manager/Phone No.: John C. Young /(408) 453-7300  
 Primary Agency/Regulatory ID No.: ACHCSA /Susan Hugo  
 Reporting Period: April 1, 1996 to July 1, 1996

**WORK PERFORMED THIS QUARTER (Second- 1996):**

1. Conducted quarterly groundwater monitoring and sampling for second quarter 1996.
2. Operated air-bubbling system.
3. Prepared and submitted quarterly report for first quarter 1996.

**WORK PROPOSED FOR NEXT QUARTER (Third- 1996):**

1. Perform quarterly groundwater monitoring and sampling for third quarter 1996.
2. Continue pulsing air-bubbling system hourly.
3. Prepare and submit quarterly report for second quarter 1996.

**QUARTERLY MONITORING:**

Current Phase of Project: Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems  
Soil Vapor Extraction (SVE) system was shut down on 10-10-95. Air bubbling system pulses hourly.

Frequency of Sampling: Quarterly (groundwater)

Frequency of Monitoring: Quarterly (groundwater), Monthly (air-bubbling system)

Is Floating Product (FP) Present On-site:  Yes  No

Cumulative FP Recovered to Date : 3.06 gallons, Wells MW-1, MW-2, and MW-5

FP Recovered This Quarter : None (FP was last recovered in 1992.)

Bulk Soil Removed to Date : 1,700 cubic yards of TPH-impacted soil

Bulk Soil Removed This Quarter : None

Water Wells or Surface Waters  
 within 2000 ft., impacted by site: None

Current Remediation Techniques: Air-Bubbling

Approximate Depth to Groundwater: 21.03 feet

Groundwater Gradient (Average): 0.024 ft/ft toward northwest (consistent with past events)

**SVE QUARTERLY OPERATION AND PERFORMANCE:**

Equipment Inventory: King Buck, 200 cfm, Model MMC-6A/E, Catalytic Oxidizer

Operating Mode: Catalytic Oxidation

BAAQMD Permit #: 9051

TPH Conc. End of Period (lab): NA (Not Available)

Benzene Conc. End of Period (lab): NA

Flowrate End of Period: NA

HC Destroyed This Period:	0.0 pounds
HC Destroyed to Date:	56.9 pounds
Utility Usage This Period	
Electric (KWH):	1788
Gas (Therms):	NA
Operating Hours This Period:	0.0 hours
Percent Operational:	0.0%
Operating Hours to Date:	1737.5 hours
Unit Maintenance:	NA
Number of Auto Shut Downs:	0
Destruction Efficiency Permit Requirement:	90%
Percent TPH Conversion:	NA
Stack Temperature:	NA
Source Flow:	NA
Process Flow:	NA
Source Vacuum:	NA

**ATTACHED:**

- Table 1 - Groundwater Monitoring Data, Second Quarter 1996
- Table 2 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 3 - Approximate Cumulative Floating Product Recovered (Wells MW-1, MW-2, and MW-5)
- Table 4 - Soil-Vapor Extraction System Operation and Performance Data
- Table 5 - Soil-Vapor Extraction Well Data
- Table 6 - Air-Bubbling System Operation and Performance Data
- Figure 1 - Site Location
- Figure 2 - Groundwater Data, Second Quarter 1996
- Figure 3 - Soil-Vapor Extraction and Treatment System, Historical System Influent TVHG and Benzene Concentrations
- Figure 4 - Soil-Vapor Extraction and Treatment System, Historical Hydrocarbon Removal Rates
- Appendix A - Field Data Sheets, Second Quarter 1996 Groundwater Monitoring Event
- Appendix B - Analytical Results and Chain of Custody Documentation, Second Quarter 1996 Groundwater Monitoring Event
- Appendix C - SVE System Monitoring Data Log Sheets
- Appendix D - Field Data Sheets, Operation and Maintenance Visits, Second Quarter 1996

cc: Susan Hugo, ACHCSA  
Sum Arigala, RWQCB-SFBR  
Danielle Stefani, LFD

**Table 1**  
**Groundwater Monitoring Data**  
**Second Quarter 1996**

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-1	05-15-96	451.73	23.42	428.31	ND	NW	0.024	05-15-96	36000	3000	2500	960	5700	<250	--	--	--	--	--	--
MW-2	05-15-96	449.49	20.03	429.46	ND	NW	0.024	05-15-96	25000	1200	240	610	2100	<300	--	--	--	--	--	--
MW-3	05-15-96	450.28	21.03	429.25	ND	NW	0.024	05-15-96	120	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-4	05-15-96	451.09	22.18	428.91	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
MW-5	05-15-96	451.40	22.87	428.53	ND	NW	0.024	05-15-96	2200	380	17	58	84	<40	--	--	--	--	--	--
MW-6	05-15-96	451.37	23.86	427.51	ND	NW	0.024	05-15-96	2000	71	6.4	47	25	<15	--	--	--	--	--	--
MW-7	05-15-96	450.33	21.38	428.95	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
MW-8	05-15-96	449.43	21.96	427.47	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
MW-9	05-15-96	449.21	18.69	430.52	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
MW-10	05-15-96	449.22	Not surveyed: vehicle was parked on well						05-15-96	Not sampled: not scheduled for chemical analysis										
MW-11	05-15-96	448.02	23.03	424.99	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
RW-1	05-15-96	451.67	22.97	428.70	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: methyl-tert-butyl ether

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

TOG: total oil and grease

SM: standard method

mg/L: milligrams per liter

TRPH: total recoverable petroleum hydrocarbons

ND: none detected

NW: northwest

--: not analyzed or not applicable

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHC LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-1	03-26-94	451.73	28.22	423.51	ND	NR	NR	03-26-94	29000	1000	290	610	3300	--	--	--	--	--	--	--
MW-1	06-13-94	451.73	29.86	421.87	ND	NR	NR	06-13-94	25000	600	160	500	2500	--	--	--	--	--	--	--
MW-1	09-22-94	451.73	31.61	420.12	ND	NNE	0.056	09-22-94	51000	1400	280	570	2800	--	--	--	--	--	--	--
MW-1	11-25-94	451.73	29.76	421.97	ND	N	0.06	11-25-94	170000	990	1000	1700	9400	--	--	--	--	--	--	--
MW-1	03-20-95	451.73	24.50	427.23	ND	NW	0.03	03-20-95	90000	1800	1100	1000	5600	--	--	--	--	--	--	--
MW-1	06-02-95	451.73	25.60	426.13	ND	NNW	0.014	06-03-95	81000	2000	1400	990	4600	--	--	--	--	--	--	--
MW-1	08-23-95	451.73	29.04	422.69	ND	NNW	0.03	08-23-95	44000	2400	1900	670	3800	<300	--	--	--	--	--	--
MW-1	12-04-95	451.73	31.31	420.42	ND	NNW	0.03	12-04-95	22000	870	660	390	2200	--	100	--	--	--	--	--
MW-1	02-20-96	451.73	22.26	429.47	ND	NW	0.016	02-20-96	21000	1500	1200	650	3500	<300	--	--	--	--	--	--
MW-1	05-15-96	451.73	23.42	428.31	ND	NW	0.024	05-15-96	36000	3000	2500	960	5700	<250	--	--	--	--	--	--
MW-2	03-26-94	449.49	25.30	424.19	ND	NR	NR	03-26-94	22000	1100	1400	190	3700	--	--	--	--	--	--	--
MW-2	06-13-94	449.49	27.28	422.21	ND	NR	NR	06-13-94	71000	4100	4600	1700	9900	--	--	--	--	--	--	--
MW-2	09-22-94	449.49	29.54	419.95	ND	NNE	0.056	09-22-94	42000	1200	620	710	2000	--	--	--	--	--	--	--
MW-2	11-25-94	449.49	27.85	421.64	ND	N	0.06	11-25-94	60000	3900	4100	1400	7400	--	--	--	--	--	--	--
MW-2	03-20-95	449.49	20.27	429.22	ND	NW	0.03	03-20-95	54000	2600	1600	1200	7600	--	--	--	--	--	--	--
MW-2	06-02-95	449.49	22.32	427.17	ND	NNW	0.014	06-03-95	37000	2200	800	980	4800	--	--	--	--	--	--	--
MW-2	08-23-95	449.49	25.69	423.80	ND	NNW	0.03	08-23-95	65000	1100	310	840	3000	<500	--	--	--	--	--	--
MW-2	12-04-95	449.49	28.52	420.97	ND	NNW	0.03	12-04-95	19000	680	150	410	1600	--	--	--	--	--	--	--
MW-2	02-20-96	449.49	19.00	430.49	ND	NW	0.016	02-20-96	22000	1200	240	590	2200	<300	--	--	--	--	--	--
MW-2	05-15-96	449.49	20.03	429.46	ND	NW	0.024	05-15-96	25000	1200	240	610	2100	<300	--	--	--	--	--	--

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-3	03-26-94	450.28	26.97	423.31	ND	NR	NR	03-26-94	54	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	06-13-94	450.28	28.71	421.57	ND	NR	NR	06-13-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	09-22-94	450.28	32.34	417.94	ND	NNE	0.056	09-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	11-25-94	450.28	30.76	419.52	ND	N	0.06	11-25-94	54	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	03-20-95	450.28	22.19	428.09	ND	NW	0.03	03-20-95	94	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	06-02-95	450.28	23.28	427.00	ND	NNW	0.014	06-02-95	72	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	08-23-95	450.28	26.55	423.73	ND	NNW	0.03	08-23-95	98	<0.5	<0.5	<0.6	0.5	<3	--	--	--	--	--	--
MW-3	12-04-95	450.28	29.52	420.76	ND	NNW	0.03	12-04-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-3	02-20-96	450.28	19.83	430.45	ND	NW	0.016	02-20-96	130	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-3	05-15-96	450.28	21.03	429.25	ND	NW	0.024	05-15-96	120	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-4	03-26-94	451.09	26.94	424.15	ND	NR	NR	03-26-94	27000	1800	830	1300	2900	--	--	--	--	--	--	--
MW-4	06-13-94	451.09	28.88	422.21	ND	NR	NR	06-13-94	17000	1300	620	670	1600	--	--	--	--	--	--	--
MW-4	09-22-94	451.09	30.98	420.11	ND	NNE	0.056	09-22-94	10000	700	61	420	570	--	--	--	--	--	--	--
MW-4	11-25-94	451.09	29.08	422.01	ND	N	0.06	11-25-94	13000	1400	250	490	1200	--	--	--	--	--	--	--
MW-4	03-20-95	451.09	22.68	428.41	ND	NW	0.03	03-20-95	12000	1000	100	450	700	--	--	--	--	--	--	--
MW-4	06-02-95	451.09	24.41	426.68	ND	NNW	0.014	06-02-95	9000	850	56	380	430	--	--	--	--	--	--	--
MW-4	08-23-95	451.09	27.72	423.37	ND	NNW	0.03	08-23-95	5300	400	25	240	170	<100	--	--	--	--	--	--
MW-4	12-04-95	451.09	29.85	421.24	ND	NNW	0.03	12-04-95	6700	100	<10	90	38	--	--	--	--	--	--	--
MW-4	02-20-96	451.09	21.16	429.93	ND	NW	0.016	02-20-96	7000	360	22	180	160	<70	--	--	--	--	--	--
MW-4	05-15-96	451.09	22.18	428.91	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											



Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L		
MW-5	03-26-94	451.40	27.41	423.99	ND	NR	NR	03-26-94	39000	4000	2300	1600	6200	--	--	--	--	--	--	--		
MW-5	06-13-94	451.40	29.29	422.11	ND	NR	NR	06-13-94	28000	2500	1700	1100	3900	--	--	--	--	--	--	--		
MW-5	09-22-94	451.40	Not surveyed: vehicle was parked on well					NR	09-22-94	Not sampled: vehicle was parked on well												
MW-5	11-25-94	451.40	29.76	421.64	ND	N	0.06	11-25-94	31000	2400	1100	1100	4400	--	--	--	--	--	--	--		
MW-5	03-20-95	451.40	23.20	428.20	ND	NW	0.03	03-20-95	26000	1300	180	890	2900	--	--	--	--	--	--	--		
MW-5	06-02-95	451.40	24.80	426.60	ND	NNW	0.014	06-02-95	39000	940	160	740	1900	--	--	--	--	--	--	--		
MW-5	08-23-95	451.40	28.10	423.30	ND	NNW	0.03	08-23-95	14000	490	74	250	890	<300	--	--	--	--	--	--		
MW-5	12-04-95	451.40	29.83	421.57	ND	NNW	0.03	12-04-95	7600	230	13	61	80	--	--	--	--	--	--	--		
MW-5	02-20-96	451.40	21.63	429.77	ND	NW	0.016	02-20-96	4300	220	12	45	130	<50	--	--	--	--	--	--		
MW-5	05-15-96	451.40	22.87	428.53	ND	NW	0.024	05-15-96	2200	380	17	58	84	<40	--	--	--	--	--	--		
MW-6	03-26-94	451.37	28.24	423.13	ND	NR	NR	03-26-94	3100	350	99	130	340	--	--	880	--	--	--	1.5		
MW-6	06-13-94	451.37	29.20	422.17	ND	NR	NR	06-13-94	2300	250	12	130	31	--	--	350*	--	--	--	0.8		
MW-6	09-22-94	451.37	30.37	421.00	ND	NNE	0.056	09-22-94	73	2.6	<0.5	1.7	0.7	--	--	<50	<0.5	--	--	--		
MW-6	11-25-94	451.37	29.88	421.49	ND	N	0.06	11-25-94	1100	78	<2.5	46	17	--	--	<50	--	--	--	<0.5		
MW-6	03-20-95	451.37	25.19	426.18	ND	NW	0.03	03-20-95	2600	210	87	82	140	--	--	2000*	--	--	--	1.7		
MW-6	06-02-95	451.37	25.75	425.62	ND	NNW	0.014	06-02-95	1600	55	7.9	40	26	--	--	1200*	--	--	--	1		
MW-6	08-23-95	451.37	29.53	421.84	ND	NNW	0.03	08-23-95	1400	42	2.5	36	13	<20	--	530*	--	--	--	1.6		
MW-6	12-04-95	451.37	32.28	419.09	ND	NNW	0.03	12-04-95	2500	52	5.8	59	13	--	--	1100*	--	--	--	1.5		
MW-6	02-20-96	451.37	22.27	429.10	ND	NW	0.016	02-20-96	2500	120	16	73	12	<30	--	--	--	--	--	1.8		
MW-6	05-15-96	451.37	23.86	427.51	ND	NW	0.024	05-15-96	2000	71	6.4	47	25	<15	--	--	--	--	--	--		

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-7	03-26-94	450.33	26.03	424.30	ND	NR	NR	03-26-94	22000	2700	280	500	2600	--	--	--	--	--	--	--
MW-7	06-13-94	450.33	27.94	422.39	ND	NR	NR	06-13-94	21000	1500	180	360	1900	--	--	--	--	--	--	--
MW-7	09-22-94	450.33	30.46	419.87	ND	NNE	0.056	09-22-94	22000	1800	240	430	1900	--	--	--	--	--	--	--
MW-7	11-25-94	450.33	28.30	422.03	ND	N	0.06	11-25-94	29000	2600	380	640	3300	--	--	--	--	--	--	--
MW-7	03-20-95	450.33	22.07	428.26	ND	NW	0.03	03-20-95	31000	2300	400	620	2900	--	--	--	--	--	--	--
MW-7	06-02-95	450.33	23.42	426.91	ND	NNW	0.014	06-03-95	40000	1400	280	610	2400	--	--	--	--	--	--	--
MW-7	08-23-95	450.33	27.13	423.20	ND	NNW	0.03	08-23-95	25000	1400	200	600	1600	350	--	--	--	--	--	--
MW-7	12-04-95	450.33	29.45	420.88	ND	NNW	0.03	12-04-95	23000	1100	74	490	720	--	--	--	--	--	--	--
MW-7	02-20-96	450.33	20.25	430.08	ND	NW	0.016	02-20-96	39000	1200	140	640	1800	<400	--	--	--	--	--	--
MW-7	05-15-96	450.33	21.38	428.95	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
MW-8	03-26-94	449.43	31.40	418.03	ND	NR	NR	03-26-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	06-13-94	449.43	35.10	414.33	ND	NR	NR	06-13-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	09-22-94	449.43	38.77	410.66	ND	NNE	0.056	09-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	11-25-94	449.43	36.46	412.97	ND	N	0.06	11-25-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	03-20-95	449.43	24.75	424.68	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-8	06-02-95	449.43	24.95	424.48	ND	NNW	0.014	06-02-95	Not sampled: not scheduled for chemical analysis											
MW-8	08-23-95	449.43	30.94	418.49	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	∆	--	--	--	--	--	--
MW-8	12-04-95	449.43	31.99	417.44	ND	NNW	0.03	12-04-95	Not sampled: not scheduled for chemical analysis											
MW-8	02-20-96	449.43	21.13	428.30	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	∆	--	--	--	--	--	--
MW-8	05-15-96	449.43	21.96	427.47	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Groundwater Flow Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TRPH EPA 418.1 mg/L
MW-9	03-26-94	449.21	25.68	423.53	ND	NR	NR	03-26-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	06-13-94	449.21	27.69	421.52	ND	NR	NR	06-13-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	09-22-94	449.21	31.36	417.85	ND	NNE	0.056	09-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	11-25-94	449.21	29.84	419.37	ND	N	0.06	11-25-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	03-20-95	449.21	19.11	430.10	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	06-02-95	449.21	21.23	427.98	ND	NNW	0.014	06-02-95	Not sampled: not scheduled for chemical analysis											
MW-9	08-23-95	449.21	24.33	424.88	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	12-04-95	449.21	27.90	421.31	ND	NNW	0.03	12-04-95	Not sampled: not scheduled for chemical analysis											
MW-9	02-20-96	449.21	17.86	431.35	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	05-15-96	449.21	18.69	430.52	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis											
MW-10	03-26-94	449.22	26.20	423.02	ND	NR	NR	03-26-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-10	06-13-94	449.22	28.23	420.99	ND	NR	NR	06-13-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-10	09-22-94	449.22	31.79	417.43	ND	NNE	0.056	09-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-10	11-25-94	449.22	30.30	418.92	ND	N	0.06	11-25-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-10	03-20-95	449.22	20.96	428.26	ND	NW	0.03	03-20-95	Not sampled: not scheduled for chemical analysis											
MW-10	06-02-95	449.22	22.15	427.07	ND	NNW	0.014	06-02-95	Not sampled: not scheduled for chemical analysis											
MW-10	08-23-95	449.22	24.47	424.75	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	12-04-95	449.22	26.97	422.25	ND	NNW	0.03	12-04-95	Not sampled: not scheduled for chemical analysis											
MW-10	02-20-96	449.22	18.40	430.82	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	05-15-96	449.22	Not surveyed: vehicle was parked on well					05-15-96	Not sampled: not scheduled for chemical analysis											

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L
MW-11	03-26-94	448.02	30.20	417.82	ND	NR	NR	03-26-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	06-13-94	448.02	33.39	414.63	ND	NR	NR	06-13-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	09-22-94	448.02	34.75	413.27	ND	NNE	0.056	09-22-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	11-25-94	448.02	33.84	414.18	ND	N	0.06	11-25-94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	03-20-95	448.02	25.02	423.00	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	06-02-95	448.02	23.82	424.20	ND	NNW	0.014	06-02-95	Not sampled: not scheduled for chemical analysis					--	--	--	--	--	--	--
MW-11	08-23-95	448.02	30.15	417.87	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	12-04-95	448.02	31.63	416.39	ND	NNW	0.03	12-04-95	Not sampled: not scheduled for chemical analysis					--	--	--	--	--	--	
MW-11	02-20-96	448.02	20.94	427.08	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	05-15-96	448.02	23.03	424.99	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis					--	--	--	--	--	--	
RW-1	03-26-94	451.67	27.78	423.89	ND	NR	NR	03-26-94	8100	780	100	360	340	--	--	--	--	--	--	--
RW-1	06-13-94	451.67	29.48	422.19	ND	NR	NR	06-13-94	4900	510	32	150	170	--	--	--	--	--	--	--
RW-1	09-22-94	451.67	30.52	421.15	ND	NNE	0.056	09-22-94	4900	390	30	190	210	--	--	--	--	--	--	--
RW-1	11-25-94	451.67	30.89	420.78	ND	N	0.06	11-25-94	4900	550	68	200	230	--	--	--	--	--	--	--
RW-1	03-20-95	451.67	23.76	427.91	ND	NW	0.03	03-20-95	15000	1000	140	310	950	--	--	--	--	--	--	--
RW-1	06-02-95	451.67	25.12	426.55	ND	NNW	0.014	06-02-95	12000	1300	280	420	1100	--	--	--	--	--	--	--
RW-1	08-23-95	451.67	28.80	422.87	ND	NNW	0.03	08-23-95	8200	520	190	240	610	<50	--	--	--	--	--	--
RW-1	12-04-95	451.67	31.15	420.52	ND	NNW	0.03	12-04-95	2600	140	59	83	210	--	--	--	--	--	--	--
RW-1	02-20-96	451.67	21.45	430.22	ND	NW	0.016	02-20-96	6300	410	160	180	650	<40	--	--	--	--	--	--
RW-1	05-15-96	451.67	22.97	428.70	ND	NW	0.024	05-15-96	Not sampled: not scheduled for chemical analysis					--	--	--	--	--	--	

Table 2  
 Historical Groundwater Elevation and Analytical Data  
 Petroleum Hydrocarbons and Their Constituents  
 1994 - Present\*

ARCO Service Station 771  
 899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl-tert-butyl ether

TOG: total oil and grease

SM: standard method

mg/L: milligrams per liter

TRPH: total recoverable petroleum hydrocarbons

NR: not reported; data not available

ND: none detected

NNE: north-northeast

N: north

NW: northwest

NNW: north-northwest

--: not analyzed or not applicable

\*: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report*,

ARCO Service Station 771, Livermore, California, (EMCON, March 1, 1996).

Table 3  
Approximate Cumulative Floating Product Recovered

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 07-15-96

Well Designations	Date	Floating Product Recovered gallons
MW-1, MW-2, and MW-5	1991	2.77
MW-1, MW-2, and MW-5	1992	0.29
MW-1, MW-2, and MW-5	1993	0.00
MW-1, MW-2, and MW-5	1994	0.00
MW-1, MW-2, and MW-5	1995	0.00
MW-1, MW-2, and MW-5	1996	0.00
1991 to 1996 Total:		3.06

**Table 4**  
**Soil-Vapor Extraction System**  
**Operation and Performance Data**

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California		Vapor Treatment Unit: King Buck / 200 cfm Model MMC-6A/E catalytic oxidizer  Start-Up Date: 12-20-94 Operation and Performance Data From: 12-20-94 To: 07-01-96 System was shut down on 10-10-95.			
Date Begin:	12-20-94	01-01-95	02-01-95	07-01-95	08-01-95
Date End:	01-01-95	02-01-95	07-01-95	08-01-95	09-01-95
Mode of Oxidation:	Catalytic	Catalytic	Catalytic	Catalytic	Catalytic
Days of Operation:	11	11	0	8	14
Days of Downtime:	1	20	150	23	17
<b>Average Vapor Concentrations (1)</b>					
Well Field Influent: ppmv (2) as gasoline	100	<15	NA	54	33
mg/m3 (3) as gasoline	300	<60	NA	218	120
ppmv as benzene	<0.1	<0.1	NA	1.2	0.4
mg/m3 as benzene	<0.5	<0.5	NA	3.6	1.2
System Influent: ppmv as gasoline	<15	NA	NA	48	24
mg/m3 as gasoline	<60	NA	NA	200	87
ppmv as benzene	<0.1	NA	NA	1.2	0.3
mg/m3 as benzene	<0.5	NA	NA	3.8	0.8
System Effluent: ppmv as gasoline	<15	NA	NA	<15	<15
mg/m3 as gasoline	<60	NA	NA	<60	<60
ppmv as benzene	<0.1	NA	NA	<0.1	<0.1
mg/m3 as benzene	<0.5	NA	NA	<0.5	<0.5
Average Well Field Flow Rate (4), scfm (5):	27.3	13.0	0.0	83.3	104.3
Average System Influent Flow Rate (4), scfm:	201.7	180.7	0.0	163.4	170.9
Average Destruction Efficiency (6), percent (7):	NA (13)	NA	NA	70.0 (14)	31.0 (14)
<b>Average Emission Rates (8), pounds per day (9)</b>					
Gasoline:	1.09	0.97	0.00	0.88	0.92
Benzene:	0.01	0.01	0.00	0.01	0.01
Operating Hours This Period:	<u>275.50</u>	<u>269.23</u>	<u>0.00</u>	<u>195.40</u>	<u>342.12</u>
Operating Hours To Date:	275.5	544.7	544.7	740.1	1082.3
Pounds/ Hour Removal Rate, as gasoline (10):	0.03	0.00	0.00	0.07	0.05
Pounds Removed This Period, as gasoline (11):	<u>8.4</u>	<u>0.8</u>	<u>0.0</u>	<u>13.3</u>	<u>16.0</u>
Pounds Removed To Date, as gasoline:	8.4	9.2	9.2	22.5	38.5
Gallons Removed This Period, as gasoline (12):	<u>1.4</u>	<u>0.1</u>	<u>0.0</u>	<u>2.1</u>	<u>2.6</u>
Gallons Removed To Date, as gasoline:	1.4	1.5	1.5	3.6	6.2

Table 4  
Soil-Vapor Extraction System  
Operation and Performance Data

Facility Number: 771	Vapor Treatment Unit: King Buck / 200 cfm			
Location: 899 Rincon Avenue Livermore, California	Model MMC-6A/E catalytic oxidizer			
Consultant: EMCON	Start-Up Date: 12-20-94			
1921 Ringwood Avenue	Operation and Performance Data From: 12-20-94			
San Jose, California	To: 07-01-96			
	System was shut down on 10-10-95.			
<b>Date Begin:</b>	09-01-95	10-01-95	01-01-96	04-01-96
<b>Date End:</b>	10-01-95	01-01-96	04-01-96	07-01-96
<b>Mode of Oxidation:</b>	Catalytic	Catalytic	Catalytic	Catalytic
<b>Days of Operation:</b>	27	0	0	0
<b>Days of Downtime:</b>	3	92	91	91
<b><u>Average Vapor Concentrations (1)</u></b>				
Well Field Influent: ppmv (2) as gasoline	20	NA	NA	NA
mg/m3 (3) as gasoline	89	NA	NA	NA
ppmv as benzene	<0.1	NA	NA	NA
mg/m3 as benzene	<0.5	NA	NA	NA
System Influent: ppmv as gasoline	18	NA	NA	NA
mg/m3 as gasoline	79	NA	NA	NA
ppmv as benzene	<0.1	NA	NA	NA
mg/m3 as benzene	<0.5	NA	NA	NA
System Effluent: ppmv as gasoline	<15	NA	NA	NA
mg/m3 as gasoline	<60	NA	NA	NA
ppmv as benzene	<0.1	NA	NA	NA
mg/m3 as benzene	<0.5	NA	NA	NA
Average Well Field Flow Rate (4), scfm (5):	84.0	0.0	0.0	0.0
Average System Influent Flow Rate (4), scfm:	84.0	0.0	0.0	0.0
Average Destruction Efficiency (6), percent (7):	24.1 (14)	NA	NA	NA
<b><u>Average Emission Rates (8), pounds per day (9)</u></b>				
Gasoline:	0.45	0.00	0.00	0.00
Benzene:	0.00	0.00	0.00	0.00
Operating Hours This Period:	<u>654.88</u>	<u>0.00</u>	<u>0.40</u>	<u>0.00</u>
Operating Hours To Date:	1737.1	1737.1	1737.5	1737.5
Pounds/ Hour Removal Rate, as gasoline (10):	0.03	0.00	0.00	0.00
Pounds Removed This Period, as gasoline (11):	<u>18.3</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
Pounds Removed To Date, as gasoline:	56.9	56.9	56.9	56.9
Gallons Removed This Period, as gasoline (12):	<u>3.0</u>	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
Gallons Removed To Date, as gasoline:	9.2	9.2	9.2	9.2



Table 4  
Soil-Vapor Extraction System  
Operation and Performance Data

Facility Number: 771 Location: 899 Rincon Avenue Livermore, California  Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Vapor Treatment Unit: King Buck / 200 cfm Model MMC-6A/E catalytic oxidizer  Start-Up Date: 12-20-94 Operation and Performance Data From: 12-20-94 To: 07-01-96 System was shut down on 10-10-95.
---	--

CURRENT REPORTING PERIOD:	04-01-96	to	07-01-96
DAYS / HOURS IN PERIOD:	91		2184.0
DAYS / HOURS OF OPERATION:	0		0.0
DAYS / HOURS OF DOWN TIME:	91		2184.0
PERCENT OPERATIONAL:			0.0 %
PERIOD POUNDS REMOVED:	0.0		
PERIOD GALLONS REMOVED:	0.0		
AVERAGE SYSTEM INFLUENT FLOW RATE (scfm):			0.0

1. Average concentrations are based on discrete sample results reported during the month; refer to Appendix C for discrete sample results.
2. ppmv: parts per million by volume
3. mg/m3: milligrams per cubic meter
4. Average flow rates (time weighted average) are based on instantaneous flow rates recorded during the month; refer to Appendix C for instantaneous flow data.
5. scfm: flow in standard cubic feet per minute at one atmosphere and 70 degrees Fahrenheit
6. Average destruction efficiencies are calculated using monthly average concentrations; refer to Appendix C for instantaneous destruction efficiency data.
7. destruction efficiency, percent =  $\frac{(\text{system influent concentration (as gasoline in mg/m}^3) - \text{system effluent concentration (as gasoline in mg/m}^3))}{\text{system influent concentration (as gasoline in mg/m}^3)} \times 100$  percent
8. Average emission rates are calculated using monthly average concentrations and flow rates; refer to Appendix C for instantaneous emission rate data.
9. emission rates (pounds per day) = system effluent concentration (as gasoline or benzene in mg/m3) x system influent flow rate (scfm) x 0.02832 m3/ft3 x 1440 minutes/day x 1 pound/454,000 mg
10. pounds/ hour removal rate (as gasoline) = well field influent concentration (as gasoline in mg/m3) x well field influent flow rate (scfm) x 0.02832 m3/ft3 x 60 minutes/hour x 1 pound/454,000 mg
11. pounds removed this period (as gasoline) = pounds/ hour removal rate x hours of operation
12. gallons removed this period (as gasoline) = pounds removed this period (as gasoline) x 0.1613 gallons/pound of gasoline
13. NA: not analyzed, not available, or not applicable
14. Although the destruction efficiency appeared to be less than 90 percent, laboratory analytical results collected during this period indicate the effluent TVHG and benzene concentrations in off-gas discharged to the atmosphere were below laboratory detection limits, indicating compliance with BAAQMD discharge requirements.

Table 5  
Soil-Vapor Extraction Well Data

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 07-17-96

Date	Well Identification											
	VW-1			MW-1			MW-2			MW-4		
	Valve Position	TVHG ppmv	Vacuum Response in-H2O	Valve Position	TVHG ppmv	Vacuum Response in-H2O	Valve Position	TVHG ppmv	Vacuum Response in-H2O	Valve Position	TVHG ppmv	Vacuum Response in-H2O
12-20-94	open	177 LAB	32.5	passive	NA	NA	passive	NA	NA	open	53 LAB	25.0
01-17-95	System shut down											
07-12-95	System was restarted											
07-12-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
08-01-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
08-29-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
09-18-95	open	44.8 PID	53.7	open	10.7 PID	56.9	open	12.0 PID	52.8	open	13.3 PID	54.7
09-18-95	open (b)	66.8 PID	56.0	open (b)	113 PID	58.2	open (b)	25.9 PID	55.1	open (b)	21.8 PID	56.9
10-10-95	open	NA	NA	open	NA	NA	open	NA	NA	open	NA	NA
10-10-95	System shut down											
12-19-95	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
02-08-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
02-14-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
03-22-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
04-09-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
05-17-96	closed	NA	NA	closed	NA	NA	closed	NA	NA	closed	NA	NA
06-07-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA
06-25-96	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA	closed (b)	NA	NA

TVHG: concentration of total volatile hydrocarbons as gasoline  
ppmv: parts per million by volume  
in-H2O: inches of water  
open: open to the system  
open (b): open to the system and bubbling air at 1 scfm per well  
passive: open to the atmosphere  
closed: closed to the system and atmosphere  
closed (b): closed to the system and atmosphere, but bubbling air at 1 scfm per well  
NA: not analyzed or not measured  
FID: TVHG concentration was measured with a portable flame ionization detector  
LAB: TVHG concentration was analyzed in the laboratory

Table 5  
Soil-Vapor Extraction Well Data

ARCO Service Station 771  
899 Rincon Avenue, Livermore, California

Date: 07-17-96

Date	Well Identification						
	MW-5			MW-7			Bubbler-Only Well
	Valve Position	TVHG ppmv	Vacuum Response in-H2O	Valve Position	TVHG ppmv	Vacuum Response in-H2O	RW-1
12-20-94	passive	NA	NA	passive	NA	NA	
01-17-95	System shut down						
07-12-95	System was restarted						
07-12-95	open	NA	NA	open	NA	NA	
08-01-95	open	NA	NA	open	NA	NA	
08-29-95	open	NA	NA	open	NA	NA	
09-18-95	open	11.2 PID	55.9	open	19.0 PID	53.9	
09-18-95	open (b)	117 PID	58.0	open (b)	20.0 PID	56.2	
10-10-95	open	NA	NA	open	NA	NA	
10-10-95	System shut down						
12-19-96	closed (b)	NA	NA	closed (b)	NA	NA	
02-08-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
02-14-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
03-22-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
04-09-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
05-17-96	closed	NA	NA	closed	NA	NA	
06-07-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling
06-25-96	closed (b)	NA	NA	closed (b)	NA	NA	bubbling

TVHG: concentration of total volatile hydrocarbons as gasoline  
ppmv: parts per million by volume  
in-H2O: inches of water  
open: open to the system  
open (b): open to the system and bubbling air at 1 scfm per well  
passive: open to the atmosphere  
closed: closed to the system and atmosphere  
closed (b): closed to the system and atmosphere, but bubbling air at 1 scfm per well  
NA: not analyzed or not measured  
FID: TVHG concentration was measured with a portable flame ionization detector  
LAB: TVHG concentration was analyzed in the laboratory

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771	Air-Bubbling Unit:					
Location: 899 Rincon Avenue Livermore, California	3-horsepower Conde blower					
Consultant: EMCON	Start-Up Date: 07-12-96					
1921 Ringwood Avenue	Operation and Performance Data From: 07-12-96					
San Jose, California	To: 07-01-96					
Air-Bubbling system was shut down from 4-19-96 to 5-17-96 for groundwater monitoring event.						
Date:	Before start-up	07-12-95	08-29-95	09-18-95	09-18-95	10-10-95
Air-Bubbling Well Status:	off	on	on	on	off	off
Air-Bubbling Pressure (psig) (1):	0.0	10.0	8.0	8.0	0.0	0.0
Air-Bubbling Flow Rate (scfm) (2):	-- (4)	--	--	--	--	--
Dissolved Oxygen (ppm) (3):						
Air-Bubbling Wells: VW-1	1.0	--	--	--	--	7.8
MW-1	1.0	--	--	--	--	8.4
MW-2	0.9	--	--	--	--	7.9
MW-4	0.9	--	--	--	--	5.3
MW-5	1.1	--	--	--	--	8.9
MW-7	1.0	--	--	--	--	7.9
RW-1	0.8	--	--	--	--	6.4

Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771		Air-Bubbling Unit:				
Location: 899 Rincon Avenue Livermore, California		3-horsepower Conde blower				
Consultant: EMCON		Start-Up Date: 07-12-96				
1921 Ringwood Avenue		Operation and Performance Data From: 07-12-96				
San Jose, California		To: 07-01-96				
Air-Bubbling system was shut down from 4-19-96 to 5-17-96 for groundwater monitoring event.						
Date:	12-19-95	01-19-96	02-08-96	02-14-96	02-26-96	03-22-96
Air-Bubbling Well Status:	on	on	on (5)	on	on	on
Air-Bubbling Pressure (psig):	--	--	11.0	10.0	9.0	--
Air-Bubbling Flow Rate (scfm) (3):	--	--	--	--	--	--
Dissolved Oxygen (ppm) (4):						
Air-Bubbling Wells: VW-1	0.2	0.8	--	8.9	--	9.2
MW-1	0.4	0.9	--	8.8	--	9.0
MW-2	0.4	0.9	--	9.3	--	8.8
MW-4	0.4	0.9	--	8.9	--	8.6
MW-5	0.9	1.8	--	9.1	--	8.4
MW-7	0.3	1.0	--	9.0	--	8.2
RW-1	--	--	--	--	--	--


Table 6  
Air-Bubbling System  
Operation and Performance Data

Facility Number: 771					Air-Bubbling Unit:
Location: 899 Rincon Avenue Livermore, California					3-horsepower Conde blower
Consultant: EMCON					Start-Up Date: 07-12-96
1921 Ringwood Avenue					Operation and Performance Data From: 07-12-96
San Jose, California					To: 07-01-96
Air-Bubbling system was shut down from 4-19-96 to 5-17-96 for groundwater monitoring event.					
Date:	04-09-96	05-15-96	05-17-96	06-07-96	
Air-Bubbling Well Status:	on	on	on	on	
Air-Bubbling Pressure (psig):	--	--	8.0	8.0	
Air-Bubbling Flow Rate (scfm) (3):	--	--	10.9	10.9	
Dissolved Oxygen (ppm) (4):					
Air-Bubbling Wells: VW-1	8.7	1.5	--	--	
MW-1	8.7	1.0	--	--	
MW-2	8.9	1.5	--	--	
MW-4	9.0	<1.0	--	--	
MW-5	9.2	<1.0	--	--	
MW-7	9.0	1.0	--	--	
RW-1	--	<1.0	--	--	

Table 6  
Air-Bubbling System  
Operation and Performance Data


Facility Number: 771 Location: 899 Rincon Avenue Livermore, California	Air-Bubbling Unit: 3-horsepower Conde blower
Consultant: EMCON 1921 Ringwood Avenue San Jose, California	Start-Up Date: 07-12-96 Operation and Performance Data From: 07-12-96 To: 07-01-96
Air-Bubbling system was shut down from 4-19-96 to 5-17-96 for groundwater monitoring event.	
<hr/>	
CURRENT REPORTING PERIOD:	04-01-96      to      07-01-96
DAYS / HOURS IN PERIOD:	91          2184
<hr/>	

- 
1. psig: pounds per square inch gauge
  2. scfm: standard cubic feet per minute at 14.7 psi and 70° F
  3. ppm: parts per million
  4. - - : not analyzed, not applicable, or not available
  5. On February 8, 1996 a timer was installed on the air-bubbling system.  
 Since February 8, 1996, the air bubbling system has been pulsed hourly.
-



Base map from USGS 7.5' Quad. Map:  
Livermore, California. (Photorevised 1980).

Scale : 0                      2000                      4000 Feet





ARCO PRODUCTS COMPANY  
SERVICE STATION 771, 899 RINCON AVENUE  
QUARTERLY GROUNDWATER MONITORING  
LIVERMORE, CALIFORNIA

---

SITE LOCATION

FIGURE  
**1**  
PROJECT NO.  
805-122.03





**EXPLANATION**

- ⊙ Groundwater monitoring well
- Vapor extraction well
- Former underground gasoline storage tank
- Existing underground gasoline storage tank
- (430.52) Groundwater elevation (Ft.-MSL) measured 5/15/96
- ?- - - Groundwater elevation contour (Ft.-MSL)
- 36,000 / 3000 TPHG concentration in groundwater (ug/L); sampled 5/15/96
- 36,000 / 3000 Benzene concentration in groundwater (ug/L); sampled 5/15/96
- ND Not detected at or above the method reporting limit for TPHG (50 ug/L) and benzene (0.5 ug/L)
- NS Not sampled; not scheduled for chemical analysis
- (NA) Well not accessible, vehicle was parked on well




SCALE: 0 40 80 FEET  
(Approximate)

ARCO PRODUCTS COMPANY  
SERVICE STATION 771, 899 RINCON AVENUE  
QUARTERLY GROUNDWATER MONITORING  
LIVERMORE, CALIFORNIA  
GROUNDWATER DATA  
SECOND QUARTER 1996

FIGURE NO.  
**2**  
PROJECT NO.  
805-122.003

Figure 3


ARCO Service Station 771  
Soil-Vapor Extraction and Treatment System  
Historical Well Field Influent TVHG and Benzene Concentrations



TVHG: total volatile hydrocarbons as gasoline  
ppmv: parts per million by volume

Figure 4

ARCO Service Station 771  
Soil-Vapor Extraction and Treatment System  
Historical Hydrocarbon Removal Rates



**APPENDIX A**

**FIELD DATA SHEETS, SECOND QUARTER 1996  
GROUNDWATER MONITORING EVENT**

**FIELD REPORT  
DEPTH TO WATER / FLOATING PRODUCT SURVEY**

PROJECT # : 21775-213.002 STATION ADDRESS : 899 Rincon Avenue, Livermore

DATE : 5-15-96

ARCO STATION # : 771

FIELD TECHNICIAN : Joe Williams

DAY : \_\_\_\_\_

DTW Order	WELL ID	Well Box Seal	Well Lid Secure	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-8	OK	YES	YES	HECO	LWC	21.96	21.96	ND	ND	41.7	
2	MW-9	OK	YES	YES	HECO	LWC	18.69	18.69	ND	ND	40.2	
3	MW-10						NR	NR	NR	NR	NR	CAR ON WELL
4	MW-11	OK	YES	YES	ARCO	BAD LWC	23.03	23.03	ND	ND	38.6	
5	MW-3	OK	YES	YES	ARCO	LWC	21.03	21.03	ND	ND	39.6	
6	MW-6	OK	YES	YES	ARCO	BAD LWC	23.86	23.86	ND	ND	43.3	
7	MW-4	OK	YES	LID	NO LWC	LWC	22.18	22.18	ND	ND	41.1	D.O. reading- <1
8	RW-1	OK	YES	LID	NO LWC	CAP	22.97	22.97	ND	ND	39.7	D.O. reading- <1
9	MW-5	OK	YES	LID	NO LWC	LWC	22.87	22.87	ND	ND	40.2	D.O. reading- <1
10	MW-7	OK	YES	LID	NO LWC	CAP	21.38	21.38	ND	ND	39.7	D.O. reading- 1
11	MW-2	OK	YES	LID	NO LWC	LWC	20.03	20.03	ND	ND	37.9	D.O. reading- 1-2
12	MW-1	OK	YES	LID	NO LWC	LWC	23.42	23.42	ND	ND	40.6	D.O. reading- 1
13	VW-1	OK	YES	LID	NO LWC	LWC	20.38	20.38	ND	ND	28.1	D.O. reading- 1-2

**SURVEY POINTS ARE TOP OF WELL CASINGS**



EMCON ASSOCIATES

# WATER SAMPLE FIELD DATA SHEET

Rev. 3, 2/94

PROJECT NO: 21775-213-002

SAMPLE ID: MW-1 (40)

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 771

SAMPLED BY: ✓

LOCATION: LIVERMORE CA

TYPE: Ground Water  Surface Water  Treatment Effluent  Other

CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>1122</u>
DEPTH TO WATER (feet): <u>23.42</u>	CALCULATED PURGE (gal.): <u>3367</u>
DEPTH OF WELL (feet): <u>40.6</u>	ACTUAL PURGE VOL. (gal.): <u>28</u>

DATE PURGED: <u>05-15-96</u>	Start (2400 Hr) <u>1310</u>	End (2400 Hr) <u>1322</u>
DATE SAMPLED: <u>✓</u>	Start (2400 Hr) <u>---</u>	End (2400 Hr) <u>1329</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1314</u>	<u>12</u>	<u>7.29</u>	<u>1053</u>	<u>70.1</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1319</u>	<u>23</u>	<u>7.10</u>	<u>1157</u>	<u>70.2</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>DRIED 28 GALLONS TIME 1322</u>						
<u>1331</u>	<u>Recheck</u>	<u>6.97</u>	<u>1168</u>	<u>70.0</u>	<u>CLEAR</u>	<u>CLEAR</u>
D. O. (ppm): <u>0-1</u>	ODOR: <u>STRONG</u>				<u>NR</u>	<u>NR</u>
Field QC samples collected at this well: <u>NR</u>			Parameters field filtered at this well: <u>NR</u>			

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2' Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2' Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK #: NONE

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Meter Calibration: Date: 5-15-96 Time: 1106 Meter Serial #: 9704 Temperature °F: \_\_\_\_\_  
( EC 1000 \_\_\_\_\_ / \_\_\_\_\_ ) ( DI \_\_\_\_\_ ) ( pH 7 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 10 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 4 \_\_\_\_\_ / \_\_\_\_\_ )

Location of previous calibration: MW-3

Signature: [Signature] Reviewed By: [Signature] Page 1 of 5



EMCON ASSOCIATES

# WATER SAMPLE FIELD DATA SHEET

PROJECT NO: 21775-213-002

SAMPLE ID: MW-2 (37)

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 771

SAMPLED BY: J

LOCATION: LIVERMORE, CA

TYPE: Ground Water  Surface Water  Treatment Effluent  Other

CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>11.67</u>
DEPTH TO WATER (feet): <u>20.03</u>	CALCULATED PURGE (gal.): <u>35.02</u>
DEPTH OF WELL (feet): <u>37.9</u>	ACTUAL PURGE VOL. (gal.): <u>36</u>

DATE PURGED: <u>05-15-96</u>	Start (2400 Hr) <u>1351</u>	End (2400 Hr) <u>1405</u>
DATE SAMPLED: <u>J</u>	Start (2400 Hr) <input checked="" type="checkbox"/>	End (2400 Hr) <u>1410</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1357</u>	<u>12</u>	<u>7.13</u>	<u>1163</u>	<u>69.9</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1401</u>	<u>24</u>	<u>7.04</u>	<u>1212</u>	<u>69.9</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1405</u>	<u>36</u>	<u>6.95</u>	<u>1209</u>	<u>70.0</u>	<u>CLEAR</u>	<u>TRACE</u>

D. O. (ppm): 1.2      ODOR: STRONG      COLOR: NR      TURBIDITY: NR  
(COBALT 0 - 500)      (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well: NR      Parameters field filtered at this well: NR

- | PURGING EQUIPMENT                                    |   | SAMPLING EQUIPMENT                       |  |
|--|---|--|--|
| <input type="checkbox"/> 2' Bladder Pump             | <input type="checkbox"/> Bailer (Teflon®)         | <input type="checkbox"/> 2' Bladder Pump | <input checked="" type="checkbox"/> Bailer (Teflon®) |
| <input type="checkbox"/> Centrifugal Pump            | <input type="checkbox"/> Bailer (PVC)             | <input type="checkbox"/> DDL Sampler     | <input type="checkbox"/> Bailer (Stainless Steel)    |
| <input checked="" type="checkbox"/> Submersible Pump | <input type="checkbox"/> Bailer (Stainless Steel) | <input type="checkbox"/> Dipper          | <input type="checkbox"/> Submersible Pump            |
| <input type="checkbox"/> Well Wizard™                | <input type="checkbox"/> Dedicated                | <input type="checkbox"/> Well Wizard™    | <input type="checkbox"/> Dedicated                   |
| Other: _____   |   | Other: _____                             |  |

WELL INTEGRITY: OK      LOCK #: NONE

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Meter Calibration: Date: 5-15-96 Time: \_\_\_\_\_ Meter Serial #: \_\_\_\_\_ Temperature °F: \_\_\_\_\_  
( EC 1000 \_\_\_\_\_ / \_\_\_\_\_ ) ( DI \_\_\_\_\_ ) ( pH 7 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 10 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 4 \_\_\_\_\_ / \_\_\_\_\_ )

Location of previous calibration: \_\_\_\_\_  
Signature: J Williams      Reviewed By: JH      Page 2 of 5



# WATER SAMPLE FIELD DATA SHEET

Rev. 3, 2/94

(39)

PROJECT NO: 21775-213-002

SAMPLE ID: MW-3

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 771

SAMPLED BY: ↓

LOCATION: LIVERMORE, CA

TYPE: Ground Water  Surface Water  Treatment Effluent  Other

CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>12.13</u>
DEPTH TO WATER (feet): <u>21.03</u>	CALCULATED PURGE (gal.): <u>36.39</u>
DEPTH OF WELL (feet): <u>39.6</u>	ACTUAL PURGE VOL. (gal.): <u>37</u>

DATE PURGED: 05-15-96 Start (2400 Hr) 1121 End (2400 Hr) 1136  
 DATE SAMPLED: ↓ Start (2400 Hr) — End (2400 Hr) 1140

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1127</u>	<u>13</u>	<u>6.93</u>	<u>1130</u>	<u>72.5</u>	<u>CLEAR</u>	<u>TRACE</u>
<u>1131</u>	<u>25</u>	<u>7.05</u>	<u>1113</u>	<u>71.4</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1136</u>	<u>37</u>	<u>7.08</u>	<u>1113</u>	<u>71.2</u>	<u>CLEAR</u>	<u>CLEAR</u>

D. O. (ppm): NR ODOR: NONE COLOR: NR TURBIDITY: NR  
 (COBALT 0 - 500) (NTU 0 - 200 or 0 - 1000)

Field QC samples collected at this well: NR Parameters field filtered at this well: NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK #: ARCO

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Meter Calibration: Date: 5-15-96 Time: 1106 Meter Serial #: 9208 Temperature °F: 76.9  
 (EC 1000 1025/1000) (DI \_\_\_\_\_) (pH 7 6.55 200) (pH 10 10.05/10.05) (pH 4 4.00)  
 Location of previous calibration: \_\_\_\_\_

Signature: [Signature] Reviewed By: [Signature] Page 3 of 5





EMCON ASSOCIATES

# WATER SAMPLE FIELD DATA SHEET

Rev. 3, 2/94

PROJECT NO: 21775-213-002

SAMPLE ID: MW-5

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 771

SAMPLED BY: J

LOCATION: LIVERMORE CA

TYPE: Ground Water  Surface Water  Treatment Effluent  Other

CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>1132</u>
DEPTH TO WATER (feet): <u>22.87</u>	CALCULATED PURGE (gal.): <u>3396</u>
DEPTH OF WELL (feet): <u>40.2</u>	ACTUAL PURGE VOL. (gal.): <u>27</u>

DATE PURGED: <u>05-15-96</u>	Start (2400 Hr) <u>1235</u>	End (2400 Hr) <u>1245</u>
DATE SAMPLED: <u>J</u>	Start (2400 Hr) <u>---</u>	End (2400 Hr) <u>1253</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1240</u>	<u>12.0</u>	<u>8.05</u>	<u>985</u>	<u>71.1</u>	<u>CLEAR</u>	<u>TRACE</u>
<u>1244</u>	<u>23.0</u>	<u>7.59</u>	<u>1081</u>	<u>70.8</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1255</u>	<u>DRIED</u>	<u>27 GALLONS</u>	<u>---</u>	<u>---</u>	<u>---</u>	<u>---</u>
	<u>Recharge</u>	<u>7.52</u>	<u>1106</u>	<u>70.6</u>	<u>CLEAR</u>	<u>TRACE</u>
D. O. (ppm): <u>NR &lt; 1</u>	ODOR: <u>STRONG</u>				<u>NR</u>	<u>NR</u>
Field QC samples collected at this well: <u>NR</u>	Parameters field filtered at this well: <u>NR</u>				(COBALT 0 - 500)	(NTU 0 - 200 or 0 - 1000)

- | PURGING EQUIPMENT                                    |   | SAMPLING EQUIPMENT                       |  |
|--|---|--|--|
| <input type="checkbox"/> 2' Bladder Pump             | <input type="checkbox"/> Bailer (Teflon®)         | <input type="checkbox"/> 2' Bladder Pump | <input checked="" type="checkbox"/> Bailer (Teflon®) |
| <input type="checkbox"/> Centrifugal Pump            | <input type="checkbox"/> Bailer (PVC)             | <input type="checkbox"/> DDL Sampler     | <input type="checkbox"/> Bailer (Stainless Steel)    |
| <input checked="" type="checkbox"/> Submersible Pump | <input type="checkbox"/> Bailer (Stainless Steel) | <input type="checkbox"/> Dipper          | <input type="checkbox"/> Submersible Pump            |
| <input type="checkbox"/> Well Wizard™                | <input type="checkbox"/> Dedicated                | <input type="checkbox"/> Well Wizard™    | <input type="checkbox"/> Dedicated                   |
| Other: _____   |   | Other: _____                             |  |

WELL INTEGRITY: OK LOCK #: NONIEU

REMARKS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Meter Calibration: Date: 5-15-96 Time: 1106 Meter Serial #: 9208 Temperature °F: \_\_\_\_\_  
 ( EC 1000 \_\_\_\_\_ / \_\_\_\_\_ ) ( DI \_\_\_\_\_ ) ( pH 7 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 10 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 4 \_\_\_\_\_ / \_\_\_\_\_ )  
 Location of previous calibration: MW-3

Signature: [Signature] Reviewed By: [Signature] Page 4 of 5



# WATER SAMPLE FIELD DATA SHEET

**EMCON ASSOCIATES**

PROJECT NO: 21775-213-002

SAMPLE ID: MW-6 (38)

PURGED BY: J WILLIAMS

CLIENT NAME: ARCO 771

SAMPLED BY: ↓

LOCATION: LIVERMORT CA

TYPE: Ground Water  Surface Water  Treatment Effluent  Other

CASING DIAMETER (inches): 2  3  4  4.5  6  Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>12.70</u>
DEPTH TO WATER (feet): <u>23.86</u>	CALCULATED PURGE (gal.): <u>38.10</u>
DEPTH OF WELL (feet): <u>43.3</u>	ACTUAL PURGE VOL. (gal.): <u>33.0</u>

DATE PURGED: <u>05-15-96</u>	Start (2400 Hr) <u>1156</u>	End (2400 Hr) <u>1210</u>
DATE SAMPLED: <u>↓</u>	Start (2400 Hr) <u>—</u>	End (2400 Hr) <u>1218</u>

TIME (2400 Hr)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25° C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1203</u>	<u>13.5</u>	<u>7.00</u>	<u>1131</u>	<u>72.6</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>1207</u>	<u>26.5</u>	<u>7.02</u>	<u>1175</u>	<u>71.2</u>	<u>CLEAR</u>	<u>CLEAR</u>
<u>DRIED 33 GALLONS TIME 1210</u>						
<u>1220</u>	<u>Recharge</u>	<u>7.06</u>	<u>1217</u>	<u>71.3</u>	<u>CLEAR</u>	<u>TRACE</u>
D. O. (ppm): <u>NR</u>		ODOR: <u>STRONG</u>		Color: <u>NR</u>		Turbidity: <u>NR</u>
Field QC samples collected at this well: <u>NR</u>				Parameters field filtered at this well: <u>NR</u>		

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2' Bladder Pump	<input type="checkbox"/> Bailer (Teflon®)	<input type="checkbox"/> 2' Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon®)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> DDL Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK #: ARCO

REMARKS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Meter Calibration: Date: 5-15-96 Time: 110E Meter Serial #: 9208 Temperature °F: \_\_\_\_\_  
 ( EC 1000 \_\_\_\_\_ / \_\_\_\_\_ ) ( DI \_\_\_\_\_ ) ( pH 7 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 10 \_\_\_\_\_ / \_\_\_\_\_ ) ( pH 4 \_\_\_\_\_ / \_\_\_\_\_ )  
 Location of previous calibration: MW-3

Signature: Joe Smith Reviewed By: JH Page 5 of 5

**APPENDIX B**

**ANALYTICAL RESULTS AND CHAIN OF CUSTODY  
DOCUMENTATION, SECOND QUARTER 1996  
GROUNDWATER MONITORING EVENT**



April 24, 1996

Service Request No: S9600776

Mr. John Young  
EMCON  
1921 Ringwood Avenue  
San Jose, CA 95131

Re: 771 LIVERMORE/20805-122.003/TO#19350.00

Dear Mr. Young:

The following pages contain analytical results for sample(s) received by the laboratory on May 16, 1996. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. Listed above -- to help expedite our service please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 9, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

A handwritten signature in black ink, appearing to read "S. L. Green", written over the word "Sincerely,".

Steven L. Green  
Project Chemist

A handwritten signature in black ink, appearing to read "Cristina V. Rayburn for", written over the name "Cristina V. Rayburn for" in the caption below.

Greg Anderson  
Regional QA Coordinator

SLG/jk

**COLUMBIA ANALYTICAL SERVICES, Inc.**

**Acronyms**

<b>A2LA</b>	American Association for Laboratory Accreditation
<b>ASTM</b>	American Society for Testing and Materials
<b>BOD</b>	Biochemical Oxygen Demand
<b>BTEX</b>	Benzene, Toluene, Ethylbenzene, Xylenes
<b>CAM</b>	California Assessment Metals
<b>CARB</b>	California Air Resources Board
<b>CAS Number</b>	Chemical Abstract Service registry Number
<b>CFC</b>	Chlorofluorocarbon
<b>CFU</b>	Colony-Forming Unit
<b>COD</b>	Chemical Oxygen Demand
<b>DEC</b>	Department of Environmental Conservation
<b>DEQ</b>	Department of Environmental Quality
<b>DHS</b>	Department of Health Services
<b>DLCS</b>	Duplicate Laboratory Control Sample
<b>DMS</b>	Duplicate Matrix Spike
<b>DOE</b>	Department of Ecology
<b>DOH</b>	Department of Health
<b>EPA</b>	U. S. Environmental Protection Agency
<b>ELAP</b>	Environmental Laboratory Accreditation Program
<b>GC</b>	Gas Chromatography
<b>GC/MS</b>	Gas Chromatography/Mass Spectrometry
<b>IC</b>	Ion Chromatography
<b>ICB</b>	Initial Calibration Blank sample
<b>ICP</b>	Inductively Coupled Plasma atomic emission spectrometry
<b>ICV</b>	Initial Calibration Verification sample
<b>J</b>	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
<b>LCS</b>	Laboratory Control Sample
<b>LUFT</b>	Leaking Underground Fuel Tank
<b>M</b>	Modified
<b>MBAS</b>	Methylene Blue Active Substances
<b>MCL</b>	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
<b>MDL</b>	Method Detection Limit
<b>MPN</b>	Most Probable Number
<b>MRL</b>	Method Reporting Limit
<b>MS</b>	Matrix Spike
<b>MTBE</b>	Methyl tert-Butyl Ether
<b>NA</b>	Not Applicable
<b>NAN</b>	Not Analyzed
<b>NC</b>	Not Calculated
<b>NCASI</b>	National Council of the paper industry for Air and Stream Improvement
<b>ND</b>	Not Detected at or above the method reporting/detection limit (MRL/MDL)
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTU</b>	Nephelometric Turbidity Units
<b>ppb</b>	Parts Per Billion
<b>ppm</b>	Parts Per Million
<b>PQL</b>	Practical Quantitation Limit
<b>QA/QC</b>	Quality Assurance/Quality Control
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>RPD</b>	Relative Percent Difference
<b>SIM</b>	Selected Ion Monitoring
<b>SM</b>	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
<b>STLC</b>	Solubility Threshold Limit Concentration
<b>SW</b>	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>TDS</b>	Total Dissolved Solids
<b>TPH</b>	Total Petroleum Hydrocarbons
<b>tr</b>	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
<b>TRPH</b>	Total Recoverable Petroleum Hydrocarbons
<b>TSS</b>	Total Suspended Solids
<b>TTLIC</b>	Total Threshold Limit Concentration
<b>VOA</b>	Volatile Organic Analyte(s)

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 771 LIVERMORE/20805-122.003/TO#19350.00  
**Sample Matrix:** Water

**Service Request:** S9600776  
**Date Collected:** 5/15/96  
**Date Received:** 5/16/96  
**Date Extracted:** NA

BTEX, MTBE and TPH as Gasoline  
 EPA Methods 5030/8020/California DHS LUFT Method  
 Units: ug/L (ppb)

Sample Name:	<b>MW-3 (39)</b>	<b>MW-6 (38)</b>	<b>MW-5 (40)</b>
Lab Code:	S9600776-001	S9600776-002	S9600776-003
Date Analyzed:	5/21/96	5/21/96	5/21/96

Analyte	MRL			
TPH as Gasoline	50	120	2,000	2,200
Benzene	0.5	ND	71	380
Toluene	0.5	ND	6.4	17
Ethylbenzene	0.5	ND	47	58
Total Xylenes	0.5	ND	25	84
Methyl <i>tert</i> -Butyl Ether	3	ND	<15*	<40**

\* Raised MRL due to high analyte concentration requiring sample dilution.

\*\* Raised MRL due to matrix interference.

**COLUMBIA ANALYTICAL SERVICES, INC.**

Analytical Report

**Client:** ARCO Products Company  
**Project:** 771 LIVERMORE/20805-122.003/TO#19350.00  
**Sample Matrix:** Water

**Service Request:** S9600776  
**Date Collected:** 5/15/96  
**Date Received:** 5/16/96  
**Date Extracted:** NA

BTEX, MTBE and TPH as Gasoline  
 EPA Methods 5030/8020/California DHS LUFT Method  
 Units: ug/L (ppb)

Sample Name:	<b>MW-1 (40)</b>	<b>MW-2 (37)</b>	<b>Method Blank</b>
Lab Code:	S9600776-004	S9600776-005	S960521-WB1
Date Analyzed:	5/21/96	5/23/96	5/21/96

<b>Analyte</b>	<b>MRL</b>			
TPH as Gasoline	50	36,000	25,000	ND
Benzene	0.5	3,000	1,200	ND
Toluene	0.5	2,500	240	ND
Ethylbenzene	0.5	960	610	ND
Total Xylenes	0.5	5,700	2,100	ND
Methyl <i>tert</i> -Butyl Ether	3	<250*	<300**	ND

\* Raised MRL due to high analyte concentration requiring sample dilution.

\*\* Raised MRL due to matrix interference.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

**Client:** ARCO Products Company  
**Project:** 771 LIVERMORE/20805-122.003/TO#19350.00  
**Sample Matrix:** Water

**Service Request:** S9600776  
**Date Collected:** 5/15/96  
**Date Received:** 5/16/96  
**Date Extracted:** NA

BTEX, MTBE and TPH as Gasoline  
EPA Methods 5030/8020/California DHS LUFT Method  
Units: ug/L (ppb)

**Sample Name:** Method Blank  
**Lab Code:** S960523-WB1  
**Date Analyzed:** 5/23/96

Analyte	MRL	
TPH as Gasoline	50	ND
Benzene	0.5	ND
Toluene	0.5	ND
Ethylbenzene	0.5	ND
Total Xylenes	0.5	ND
Methyl <i>tert</i> -Butyl Ether	3	ND



COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company  
Project: 771 LIVERMORE/20805-122.003/TO#19350.00  
Sample Matrix: Water

Service Request: S9600776  
Date Collected: 5/15/96  
Date Received: 5/16/96  
Date Extracted: NA  
Date Analyzed: 5/21-23/96

Surrogate Recovery Summary  
BTEX, MTBE and TPH as Gasoline  
EPA Methods 5030/8020/California DHS LUFT Method

Sample Name	Lab Code	PID Detector	FID Detector
		Percent Recovery 4-Bromofluorobenzene	Percent Recovery $\alpha,\alpha,\alpha$ -Trifluorotoluene
MW-3 (39)	S9600776-001	97	102
MW-6 (38)	S9600776-002	93	96*
MW-5 (40)	S9600776-003	98	97
MW-1 (40)	S9600776-004	97	103
MW-2 (37)	S9600776-005	96	101
MW-3 (39) (MS)	S9600776-001MS	98	112
MW-3 (39) (DMS)	S9600776-001DMS	90	104
Method Blank	S960521-WB1	96	98
Method Blank	S960523-WB1	94	98

CAS Acceptance Limits: 69-116 69-116

\* The surrogate used for this sample was 4-Bromofluorobenzene.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

**Client:** ARCO Products Company  
**Project:** 771 LIVERMORE/20805-122.003/TO#19350.00  
**Sample Matrix:** Water

**Service Request:** S9600776  
**Date Collected:** 5/15/96  
**Date Received:** 5/16/96  
**Date Extracted:** NA  
**Date Analyzed:** 5/21/96

Matrix Spike/Duplicate Matrix Spike Summary  
TPH as Gasoline  
EPA Methods 5030/California DHS LUFT Method  
Units: ug/L (ppb)

**Sample Name:** MW-3(39)  
**Lab Code:** S9600776-001

Analyte	Spike Level		Sample Result	Spike Result		Percent Recovery			
	MS	DMS		MS	DMS	CAS Acceptance Limits		Relative Percent Difference	
						MS	DMS		
Gasoline	250	250	120	330	350	84	92	67-121	6

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

**Client:** ARCO Products Company  
**Project:** 771 LIVERMORE/20805-122.003/TO#19350.00

**Service Request:** S9600776  
**Date Analyzed:** 5/21/96

Initial Calibration Verification (ICV) Summary  
BTEX, MTBE and TPH as Gasoline  
EPA Methods 5030/8020/California DHS LUFT Method  
Units: ppb

Analyte	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits
Benzene	25	24.6	98	85-115
Toluene	25	25.0	100	85-115
Ethylbenzene	25	24.4	98	85-115
Xylenes, Total	75	75.4	101	85-115
Gasoline	250	248	99	90-110
Methyl <i>tert</i> -Butyl Ether	50	46	92	85-115

# ARCO Products Company

Division of AtlanticRichfieldCompany

### Task Order No. 19350.00

## Chain of Custody

ARCO Facility no. 0771 City (Facility) Livermore Project manager (Consultant) John Young  
 ARCO engineer Mike Whelan Telephone no. (ARCO) (408) 453-7300 Telephone no. (Consultant) (408) 453-7300 Fax no. (Consultant) (408) 453-0452  
 Consultant name EMCON Address (Consultant) 1971 Ringwood Ave. San Jose, CA 95131

Laboratory name CAS  
 Contract number

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH (ARCO) EPA 1631/6020/9015	TPH Modified 8015 Gas Diesel	Oil and Grease 413.1/413.2	TPH EPA 418.1/SIMS09E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TC/PC Metals	Semi VOA VOA	CAM Metals EPA 6010/7000	TLC STLC	Lead Org. DHS EPA 7420/7421	
			Soil	Water	Other	Ice	Acid																
MW-3(29) ①	2	2		X		X	HCL	5/15/96	1140		X												
MW-6(38) ②	2	2		X		X	HCL		1218		X												
MW-5(40) ③	2	2		X		X	HCL		1253		X												
MW-1(40) ④	2	2		X		X	HCL		1329		X												
MW-2(37) ⑤	2	2		X		X	HCL	↓	1410		X												

Method of shipment  
 Sampler will deliver

Special detection Limit/reporting  
 Lowest Possible

Special QA/QC  
 As Normal

Remarks  
 2-40ml HCL  
 VOAs

# 20805-122.003  
 Lab number 59600776  
 Turnaround time

Condition of sample: *ok* Temperature received: *cool*

Relinquished by sampler *Mike Whelan* Date 5/16/96 Time 955 Received by

Relinquished by Date Time Received by

Relinquished by Date Time Received by laboratory *Joanne Brown* Date 5-16-96 Time 955

Priority Rush 1 Business Day   
 Rush 2 Business Days   
 Expedited 5 Business Days   
 Standard 10 Business Days

**APPENDIX C**

**SVE SYSTEM MONITORING DATA LOG SHEETS**









**APPENDIX D**

**FIELD DATA SHEETS, OPERATION AND MAINTENANCE VISITS,  
SECOND QUARTER 1996**

Remarks: Arrived on site at 0958 HRS. SVE OFF Per V. Voruganti bubbler system on upon arrival.

Pressure gauge broken on bubbler system

Unscheduled site visit  Scheduled site visit

**SYSTEM PARAMETERS (King Buck Electric Catalytic Oxidizer MMC-6AE SN 9231)**

Arrival Time (24:00 hour)	0958	<b>SYSTEM</b>				
System Status (on or off)	Bubbler ON	Operating Set Point (°F)	OFF			
Shutdown Time (24:00 hour)	NA	High Temperature Set Point (°F)	↓			
Restart Time (24:00 hour)	NA	Fire Box Temperature (°F)	↓			
Reading Time (24:00 hour)	1000	Catalyst Temperature (°F)	↓			
Well Field I-1 (2.5")	OFF	E-1 Effluent Stack Temperature (°F)	↓			
Vacuum (in. of H <sub>2</sub> O)	↓	Total Flow from Chart Recorder (cfm)	↓			
Velocity (ft/min)	↓	Electric Meter (kwh)	25778			
Temperature (°F)	↓	<b>TOTAL HOURS</b>	01461.2			
After Blower I-2 (2.5") (after dilution)	OFF	<b>AIR MONITORING</b>				
Total Pressure (in. of H <sub>2</sub> O)	↓	<b>FID (ppm)</b>	Amb	I-1	I-2	E-1
Total Flow (in. of H <sub>2</sub> O)	↓	Date:	(WITHOUT CARBON FILTER)			
Temperature (°F)	↓		(WITH CARBON FILTER)			
Dilution Air open/closed	↓	<b>PID (ppm)</b>	CAL GAS:			
Alarm Trip? yes/no	↓	Date:				
Total Vapor Condensate on site (gal)	0	<b>Lab samples taken for analysis at:</b>				

**WELL FIELD**

SVE WELL ID	Well Diameter (feet)	Screen Interval	DTW (feet)	TD (feet)	Valve Position (% open)	Vacuum (in. of H <sub>2</sub> O)	Bubbler On/Off	PID (ppm)	DO (mg/l)	Remarks
VW-1	4"	18.5'-28.5'	20.03	NR	100	OFF	ON	NR	8.7	
MW-1	4"	32'-41'	22.89		100		ON		8.7	
MW-2	4"	30'-38'	19.77		120		ON		8.9	
MW-4	4"	26'-42'	21.61		100		ON		9.0	
MW-5	4"	31.5'-41'	22.16		100		ON	NR	9.2	
MW-7	4"	30'-40'	20.90		100	↓	ON	↓	9.0	
RW-1 (Bubbler Only)	6"	25'-40'	22.63	↓	NA	NA	ON	NA	NR	lid Broken

**Total Bubbler Data**

Total Hours = NR | Total Pressure (psi) = NR | Total Flow (in H<sub>2</sub>O) = 1.0 + | Timer Setting = 1 HR ON / 1 HR OFF

**Special Instructions:**

Use only ARCO chain-of-custody forms. Please include all analytical method numbers as requested on the chain-of-custody form. Request all TPHG, BTEX, and Benzene results in mg/m<sup>3</sup>. Report O<sub>2</sub> and CO<sub>2</sub> in % by volume.



Project # 20805-122.003 Work Authorization # 19285

Operator: L. RATH

Date: 4-9-96

ARCO 771 Soil Vapor Extraction System

Remarks: Arrived on site at 1026 HRS. Bubbler system on SVE OFF Per ARCO  
 Turn OFF Bubbler For upcoming Quarterly Sampling event  
 Per V. Voruganti

771 Sampling Scheduled For 4/25/96

Unscheduled site visit  Scheduled site visit

SYSTEM PARAMETERS (King Buck Electric Catalytic Oxidizer MMC-6A/E SN 9231)

Arrival Time (24:00 hour)	1026	SYSTEM				
System Status (on or off)	Bubbler ON	Operating Set Point (°F)	OFF			
Shutdown Time (24:00 hour)	1028	High Temperature Set Point (°F)	↓			
Restart Time (24:00 hour)	NA	Fire Box Temperature (°F)	↓			
Reading Time (24:00 hour)	1029	Catalyst Temperature (°F)	↓			
Well Field I-1 (2.5")	OFF	E-1 Effluent Stack Temperature (°F)	↓			
Vacuum (in. of H <sub>2</sub> O)	↓	Total Flow from Chart Recorder (cfm)	↓			
Velocity (ft/min)	↓	Electric Meter (kwh)	26061			
Temperature (°F)	↓	TOTAL HOURS	01461.2			
After Blower I-2 (2.5") (after dilution)	↓	AIR MONITORING				
Total Pressure (in. of H <sub>2</sub> O)	↓	FID (ppm)	Amb	I-1	I-2	E-1
Total Flow (in. of H <sub>2</sub> O)	↓	Date: (WITHOUT CARBON FILTER)				
Temperature (°F)	↓	(WITH CARBON FILTER)				NR
Dilution Air open/closed	↓	PID (ppm)	CAL GAS			
Alarm Trip? yes/no	NO	Date:				
Total Vapor Condensate on site (gal)	0	Lab samples taken for analysis at:				

WELL FIELD

SVE WELL ID	Well Diameter (feet)	Screen Interval	DTW (feet)	TD (feet)	Valve Position (% open)	Vacuum (in. of H <sub>2</sub> O)	Bubbler On/Off	PID (ppm)	DO (mg/l)	Remarks
VW-1	4"	18.5'-28.5'								
MW-1	4"	32'-41'								
MW-2	4"	30'-38'								
MW-4	4"	26'-42'								
MW-5	4"	31.5'-41'								
MW-7	4"	30'-40'								
RW-1 (Bubbler Only)	6"	25'-40'			NA	NA		NA		

Total Bubbler Data

Total Hours= NR Total Pressure (psi)= NR Total Flow (in H<sub>2</sub>O)= NR Timer Setting- 1 HR ON / 1 HR OFF

Special Instructions:

Use only ARCO chain-of-custody forms. Please include all analytical method numbers as requested on the chain-of-custody form. Request all TPHG, BTEX, and Benzene results in mg/m<sup>3</sup>. Report O<sub>2</sub> and CO<sub>2</sub> in % by volume.



Project # 20805-122.003 Work Authorization # 19285

Operator: L. RATH

Date: 4-19-96

ARCO 771 Soil Vapor Extraction System

**EMCON - Groundwater Sampling and Analysis Request Form**

PROJECT NAME : **ARCO STATION 771**  
 899 Rincon Avenue, Livermore

Project #: **20805-122.003**

DATE REQUESTED : **15-May-96**

Project Manager: **Vali Voruganti**

Groundwater Monitoring Instructions	Treatment System Instructions
<p><b><i>Additional Request- 2nd Month Of The Quarter</i></b>                      Perform a water level survey prior to any sampling (See ARCO SOP). The survey points are the tops of the well casings. Some wells are under 3' diameter lids. Bring a 3/4" socket to access these wells. All bolts must be replaced after well has been accessed. Bring air gun attachment and blow out any debris that may prevent this. <b>Take a dissolved oxygen reading prior to any purging. Be sure to lower the teflon bailer very carefully to avoid any splashing. Please charge your time spent doing this additional work to the reporting project number (20805-122.003).</b>  <b>REMEMBER TO BRING A DISSOLVED OXYGEN KIT !</b></p>	<p>There is a treatment system at this site. It is shut down for the 4th qtr. Lisle operates this unit. Similar to getting water levels on MW-2 and MW-5. The system will be back on line in the 1st qtr. 1996.                      (Soil-vapor extraction and air bubbling system)</p> <p>Van Whitten Pager # (408) 973-6800</p>

Site Contact: Jerry Shields

Site Phone: (510) 447- 1329


Well Locks: ARCO Key

Well ID or Source	Casing Diameter (inches)	Casing Length (feet)	Floating Product (feet)	Analyses Requested
VW-1	4.0	28.2	ND	Water Level
MW-1	- 1			Dissolved Oxygen (prior to purging)
MW-2	- 1-2			
MW-4	- < 1			
MW-5	- < 1	(See Page One)		
MW-7	- 1			
RW-1	- < 1			
VW-1	- 1-2			
Above wells in indicated order				

Laboratory Instructions:

ND = None Detected    IP = Intermittent Product

Remarks: Arrived on site at 0919 HRS. System OFF upon arrival Due to G.W. Sampling event. Install New 0-160 PSI gauge on Bubbler Regulator. Check 2 wells FOR AUDIBLE bubbling sound.



Unscheduled site visit  Scheduled site visit

**SYSTEM PARAMETERS (King Buck Electric Catalytic Oxidizer MMC-6A/E SN 9231)**

Arrival Time (24:00 hour)	0919	<b>SYSTEM</b>			
System Status (on or off)	OFF	Operating Set Point (°F)	OFF		
Shutdown Time (24:00 hour)	NA	High Temperature Set Point (°F)			
Restart Time (24:00 hour)	0928	Fire Box Temperature (°F)			
Reading Time (24:00 hour)	0929	Catalyst Temperature (°F)			
Well Field I-1 (2.5")	OFF	E-1 Effluent Stack Temperature (°F)			
Vacuum (in. of H <sub>2</sub> O)		Total Flow from Chart Recorder (cfm)			
Velocity (ft/min)		Electric Meter (kwh)	26079		
Temperature (°F)		TOTAL HOURS	01461.1		
After Blower I-2 (2.5") (after dilution)		<b>AIR MONITORING</b>			
Total Pressure (in. of H <sub>2</sub> O)		FID (ppm)	Amb	I-1	I-2
Total Flow (in. of H <sub>2</sub> O)		Date: (WITHOUT CARBON FILTER)			
Temperature (°F)		(WITH CARBON FILTER)			
Dilution Air open/closed		PID (ppm)	CAL GAS:		
Alarm Trip? yes/no	✓	Date:			
Total Vapor Condensate on site (gal)	0	Lab samples taken for analysis at:			

**WELL FIELD**

SVE WELL ID	Well Diameter (feet)	Screen Interval	DTW (feet)	TD (feet)	Valve Position (% open)	Vacuum (in. of H <sub>2</sub> O)	Bubbler On/Off	PID (ppm)	DO (mg/l)	Remarks
VW-1	4"	18.5'-28.5'								
MW-1	4"	32'-41'								
MW-2	4"	30'-38'								
MW-4	4"	26'-42'								
MW-5	4"	31.5'-41'								
MW-7	4"	30'-40'								
RW-1 (Bubbler Only)	6"	25'-40'			NA	NA		NA		

**Total Bubbler Data**

Total Hours = NIL    Total Pressure (psi) = 0.5    Total Flow (in H<sub>2</sub>O) = .25    Timer Setting - 1HR ON 1HR OFF

**Special Instructions:**

Use only ARCO chain-of-custody forms. Please include all analytical method numbers as requested on the chain-of-custody form. Request all TPHG, BTEX, and Benzene results in mg/m'. Report O<sub>2</sub> and CO<sub>2</sub> in % by volume.



Project # 20805-122.003    Work Authorization # 19285

Operator: L. RATH

Date: 5-17-96

ARCO 771 Soil Vapor Extraction System

Remarks: Arrived on site at 1001 HRS. SVE System OFF per W. Vorugante  
 Bubbler System OFF For G.W. Sampling event. Sampling event  
 has been completed. turn Bubbler System on at 1005 HRS.

Unscheduled site visit  Scheduled site visit

**SYSTEM PARAMETERS (King Buck Electric Catalytic Oxidizer MMC-6A/E SN 9231)**

Arrival Time (24:00 hour)	1001	<b>SYSTEM</b>				
System Status (on or off)	OFF	Operating Set Point (°F)	OFF			
Shutdown Time (24:00 hour)	NA	High Temperature Set Point (°F)				
Restart Time (24:00 hour) Bubbler	1005	Fire Box Temperature (°F)				
Reading Time (24:00 hour)	1006	Catalyst Temperature (°F)				
Well Field I-1 (2.5")	OFF	E-1 Effluent Stack Temperature (°F)				
Vacuum (in. of H <sub>2</sub> O)		Total Flow from Chart Recorder (cfm)				
Velocity (ft/min)		Electric Meter (kwh)	26676			
Temperature (°F)		TOTAL HOURS	01461.2			
After Blower I-2 (2.5") (after dilution)		<b>AIR MONITORING</b>				
Total Pressure (in. of H <sub>2</sub> O)		FID (ppm)	Amb	I-1	I-2	E-1
Total Flow (in. of H <sub>2</sub> O)		Date: (WITHOUT CARBON FILTER)				
Temperature (°F)		(WITH CARBON FILTER)				
Dilution Air open/closed		PID (ppm)	CAL GAS:			
Alarm Trip? yes/no	✓	Date:				
Total Vapor Condensate on site (gal)	0	Lab samples taken for analysis at:				

**WELL FIELD**

SVE WELL ID	Well Diameter (feet)	Screen Interval	DTW (feet)	TD (feet)	Valve Position (% open)	Vacuum (in. of H <sub>2</sub> O)	Bubbler On/Off	PID (ppm)	DO (mg/l)	Remarks
VW-1	4"	18.5'-28.5'								
MW-1	4"	32'-41'								
MW-2	4"	30'-38'								
MW-4	4"	26'-42'								
MW-5	4"	31.5'-41'								
MW-7	4"	30'-40'								
RW-1 (Bubbler Only)	6"	25'-40'			NA	NA		NA		

**Total Bubbler Data**

Total Hours=	1472	Total Pressure (psi)=	0-8	Total Flow (in H <sub>2</sub> O)=	25	Timer Setting-	1 HR OR 1 HR OF
--------------	------	-----------------------	-----	-----------------------------------	----	----------------	-----------------

**Special Instructions:**

Use only ARCO chain-of-custody forms. Please include all analytical method numbers as requested on the chain-of-custody form. Request all TPHG, BTEX, and Benzene results in mg/m<sup>3</sup>. Report O<sub>2</sub> and CO<sub>2</sub> in % by volume.



Project # 20805-122.003 Work Authorization # 19285

Operator: L. J. J. H.

Date: 6-7-96

ARCO 771 Soil Vapor Extraction System

Remarks: Arrived on site at 1140 HRS SVE OFF Bubbler on  
Scheduled For monthly maintenance. Rotate Blower For 5 min

Unscheduled site visit  Scheduled site visit

**SYSTEM PARAMETERS (King Buck Electric Catalytic Oxidizer MMC-6A/E SN 9231)**

Arrival Time (24:00 hour)	1140	<b>SYSTEM</b>			
System Status (on or off)	Sve OFF	Operating Set Point (°F)	OFF		
Shutdown Time (24:00 hour)	1150	High Temperature Set Point (°F)			
Restart Time (24:00 hour)	1145	Fire Box Temperature (°F)			
Reading Time (24:00 hour)	1151	Catalyst Temperature (°F)			
Well Field I-1 (2.5")	OFF	E-1 Effluent Stack Temperature (°F)			
Vacuum (in. of H <sub>2</sub> O)		Total Flow from Chart Recorder (cfm)			
Velocity (ft/min)		Electric Meter (kwh)			
Temperature (°F)		<b>TOTAL HOURS</b>			
After Blower I-2 (2.5") (after dilution)		<b>AIR MONITORING</b>			
Total Pressure (in. of H <sub>2</sub> O)		<b>FID (ppm)</b>	Amb	I-1	I-2
Total Flow (in. of H <sub>2</sub> O)		Date: (WITHOUT CARBON FILTER)			
Temperature (°F)		(WITH CARBON FILTER)	MR		
Dilution Air open/closed		<b>PID (ppm)</b>	CAL GAS:		
Alarm Trip ? yes/no	✓	Date:			
Total Vapor Condensate on site (gal)		<b>Lab samples taken for analysis at:</b>			

**WELL FIELD**

SVE WELL ID	Well Diameter (feet)	Screen Interval	DTW (feet)	TD (feet)	Valve Position (% open)	Vacuum (in. of H <sub>2</sub> O)	Bubbler On/Off	PID (ppm)	DO (mg/l)	Remarks
VW-1	4"	18.5'-28.5'								
MW-1	4"	32'-41'								
MW-2	4"	30'-38'								
MW-4	4"	26'-42'								
MW-5	4"	31.5'-41'								
MW-7	4"	30'-40'								
RW-1 (Bubbler Only)	6"	25'-40'			NA	NA		NA		

**Total Bubbler Data**

Total Hours=	Total Pressure (psi)=	Total Flow (in H <sub>2</sub> O)=	Timer Setting=
--------------	-----------------------	-----------------------------------	----------------

**Special Instructions:**

Use only ARCO chain-of-custody forms. Please include all analytical method numbers as requested on the chain-of-custody form. Request all TPHG, BTEX, and Benzene results in mg/m<sup>3</sup>. Report O<sub>2</sub> and CO<sub>2</sub> in % by volume.



Project # 20805-122.003 Work Authorization # 19285

Operator: L. PATH

Date: 6-25-96

ARCO 771 Soil Vapor Extraction System