



September 17, 1998
Project 20805-122.005

Mr. Paul Supple
ARCO Products Company
P.O. Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report and Remediation System Performance Evaluation Report, First Quarter 1998, for ARCO Service Station No. 0771, located at 899 Rincon Avenue, Livermore, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the first quarter 1998 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 0771, located at 899 Rincon Avenue, Livermore, California. Operation and performance data for the site's interim soil-vapor extraction (SVE) and air-bubbling systems are also presented. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle

Glen VanderVeen
Project Manager

Jay R. Johnson, R.G.
Senior Project Supervisor

Attachment: Quarterly Groundwater Monitoring Report, First Quarter 1998

cc: Susan Hugo, ACHCSA
Danielle Stefani, LFD

SACN:\PJ0\0805\08051220.5AS-98\ebell:1



September 17, 1998

ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.: 771 Address: 899 Rincon Avenue, Livermore, California
 Pinnacle Project No.: 20805-122.005
 ARCO Environmental Engineer/Phone No.: Paul Supple /(510) 299-8891
 Pinnacle Project Manager/Phone No.: Glen VanderVeen /(925) 977-9020
 Primary Agency/Regulatory ID No.: ACHCSA /Susan Hugo

WORK PERFORMED THIS QUARTER (First - 1998):

1. Prepared and submitted quarterly groundwater monitoring report for fourth quarter 1997.
2. Performed quarterly groundwater monitoring and sampling for first quarter 1998.
3. Operated air-bubbling system.

WORK PROPOSED FOR NEXT QUARTER (Second - 1998):

1. Prepare and submit quarterly groundwater monitoring report for first quarter 1998.
2. Perform quarterly groundwater monitoring and sampling for second quarter 1998.
3. Continue operating air-bubbling system.

QUARTERLY MONITORING:

Current Phase of Project	Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems Soil Vapor Extraction (SVE) system was shut down on 10-10-95 due to low hydrocarbon concentrations in extracted vapor. Air bubbling system pulses hourly at 1 to 2 scfm per well in wells MW-7, VW-1, MW-1, MW-2, MW-4, MW-5, MW-7, and RW-1.
Frequency of Sampling	Annual (1st Quarter): MW-4, MW-7, MW-9, MW-10, RW-1 Semi-Annual (1st/3rd Quarter): MW-8, MW-11 Quarterly: MW-1, MW-2, MW-3, MW-5, MW-6 Monthly (SVE)
Frequency of Monitoring	Quarterly (groundwater), Monthly (SVE and air-bubbling systems)
Is Floating Product (FP) Present On site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Cumulative FP Recovered to Date	3.06 gallons, Wells MW-1, MW-2, and MW-5
FP Recovered This Quarter	None (FP was last recovered in 1992.)
Bulk Soil Removed to Date	1,700 cubic yards of TPH-impacted soil
Bulk Soil Removed This Quarter	None
Water Wells or Surface Water within 2000 ft., impacted by site	None
Current Remediation Techniques	Air-Bubbling System
Average Depth to Groundwater	18.18 feet
Groundwater Gradient (Average)	0.01ft/ft toward northwest

SVE QUARTERLY OPERATION AND PERFORMANCE:

Equipment Inventory:	King Buck, 200 cfm, Model MMC-6A/E, Catalytic Oxidizer SVE system was shut down on 10-10-95 due to high groundwater
Operating Mode:	not operating
BAAQMD Permit #:	9051
TPH Conc. End of Period (lab):	NA (Not Applicable)
Benzene Conc. End of Period (lab):	NA
Flowrate End of Period:	NA
HC Destroyed This Period:	0.0 pounds
HC Destroyed to Date:	56.9 pounds
Utility Usage This Period	
Electric (KWH):	Not Reported
Gas (Therms):	NA
Operating Hours This Period:	0.0 hours
Percent Operational:	0.0%
Operating Hours to Date:	1737.5 hours
Unit Maintenance:	Routine maintenance of air-bubbling system.
Number of Auto Shut Downs:	0
Destruction Efficiency Permit Requirement:	90%
Percent TPH Conversion:	NA
Average Stack Temperature:	NA
Average Source Flow:	0.0 scfm
Average Process Flow:	0.0 scfm
Average Source Vacuum:	0.0 inches of water

ATTACHMENTS:

- Table 1 - Groundwater Monitoring Data, First Quarter 1998
- Table 2 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 3 - Air Bubbling Data
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets
- Appendix D - SVE System Monitoring Data Log Sheets

**Table 1
Groundwater Monitoring Data
First Quarter 1998**

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L
MW-1	02-18-98	451.73	20.46	431.27	ND	NW	0.01	02-18-98	23000	1500	610	550	3000	<120 [^]	--	--	--	--	--	--
MW-2	02-18-98	449.49	16.87	432.62	ND	NW	0.01	02-18-98	18000	710	120	480	1100	130	--	--	--	--	--	--
MW-3	02-17-98	450.28	17.82	432.46	ND	NW	0.01	02-17-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-4	02-18-98	451.09	19.30	431.79	ND	NW	0.01	02-18-98	5300	220	19	160	130	120	--	--	--	--	--	--
MW-5	02-18-98	451.40	19.99	431.41	ND	NW	0.01	02-18-98	6200	630	70	320	640	320	--	--	--	--	--	--
MW-6	02-17-98	451.37	20.09	431.28	ND	NW	0.01	02-17-98	1800	74	5	24	12	19	--	--	--	--	--	--
MW-7	02-18-98	450.33	18.10	432.23	ND	NW	0.01	02-18-98	19000	1100	120	460	1700	240	--	--	--	--	--	--
MW-8	02-18-98	449.43	18.18	431.25	ND	NW	0.01	02-18-98	<50	0.6	0.6	<0.5	1.1	<3	--	--	--	--	--	--
MW-9	02-18-98	449.21	16.03	433.18	ND	NW	0.01	02-18-98	<50	0.6	0.5	<0.5	1.0	<3	--	--	--	--	--	--
MW-10	02-18-98	449.22	NM	NM	ND	NW	0.01	02-18-98	Not sampled: car parked on well						--	--	--	--	--	--
MW-11	02-18-98	448.02	18.03	429.99	ND	NW	0.01	02-18-98	<50	<0.5	<0.5	<0.5	1.0	<3	--	--	--	--	--	--
RW-1	02-18-98	451.67	20.14	431.53	ND	NW	0.01	02-18-98	9400	200	70.0	190	710	<60 [^]	--	--	--	--	--	--

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TPHD: total petroleum hydrocarbons as diesel, California DHS LUFT Method

mg/L: milligrams per liter

TOG: total oil and grease

SM: standard method

TRPH: total recoverable petroleum hydrocarbons

ND: none detected

NW: northwest

[^]: method reporting limit was raised due to: (1) high analyte concentration requiring sample dilution, or (2) matrix interference

--: not analyzed or not applicable

NM: not measured; car parked on well

**Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHC LUFT Method	Benzenes EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
		ft-MSL	feet	ft-MSL					feet	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	03-20-95	451.73	24.50	427.23	ND	NW	0.03	03-20-95	90000	1800	1100	1000	5600	--	--	--	--	--	--	--
MW-1	06-02-95	451.73	25.60	426.13	ND	NNW	0.014	06-03-95	81000	2000	1400	990	4600	--	--	--	--	--	--	--
MW-1	08-23-95	451.73	29.04	422.69	ND	NNW	0.03	08-23-95	44000	2400	1900	670	3800	<300	--	--	--	--	--	--
MW-1	12-04-95	451.73	31.31	420.42	ND	NNW	0.03	12-04-95	22000	870	660	390	2200	--	100	--	--	--	--	--
MW-1	02-20-96	451.73	22.26	429.47	ND	NW	0.016	02-20-96	21000	1500	1200	650	3500	<300	--	--	--	--	--	--
MW-1	05-15-96	451.73	23.42	428.31	ND	NW	0.024	05-15-96	36000	3000	2500	960	5700	<250	--	--	--	--	--	--
MW-1	08-13-96	451.73	26.83	424.90	ND	NNW	0.03	08-13-96	19000	730	580	450	2500	<200*	--	--	--	--	--	--
MW-1	11-13-96	451.73	31.05	420.68	ND	NNW	0.031	11-13-96	6600	47	16	74	160	<30*	--	--	--	--	--	--
MW-1	03-26-97	451.73	26.29	425.44	ND	NNW	0.044	03-27-97	1900	100	55	37	200	<30*	--	--	--	--	--	--
MW-1	05-15-97	451.73	28.65	423.08	ND	NNW	0.031	05-15-97	16000	490	250	250	1100	<120*	--	--	--	--	--	--
MW-1	08-26-97	451.73	31.53	420.20	ND	NNW	0.042	08-26-97	190	6.7	3	6.3	25	<3	--	--	--	--	--	--
MW-1	11-05-97	451.73	33.93	417.80	ND	NNW	0.03	11-05-97	63	0.5	<0.5	0.8	2.4	29	--	--	--	--	--	--
MW-1	02-18-98	451.73	20.46	431.27	ND	NW	0.01	02-18-98	23000	1500	610	550	3000	<120*	--	--	--	--	--	--
MW-2	03-20-95	449.49	20.27	429.22	ND	NW	0.03	03-20-95	54000	2600	1600	1200	7600	--	--	--	--	--	--	--
MW-2	06-02-95	449.49	22.32	427.17	ND	NNW	0.014	06-03-95	37000	2200	800	980	4800	--	--	--	--	--	--	--
MW-2	08-23-95	449.49	25.69	423.80	ND	NNW	0.03	08-23-95	65000	1100	310	840	3000	<500	--	--	--	--	--	--
MW-2	12-04-95	449.49	28.52	420.97	ND	NNW	0.03	12-04-95	19000	680	150	410	1600	--	--	--	--	--	--	--
MW-2	02-20-96	449.49	19.00	430.49	ND	NW	0.016	02-20-96	22000	1200	240	590	2200	<300	--	--	--	--	--	--
MW-2	05-15-96	449.49	20.03	429.46	ND	NW	0.024	05-15-96	25000	1200	240	610	2100	<300	--	--	--	--	--	--
MW-2	08-13-96	449.49	24.44	425.05	ND	NNW	0.03	08-13-96	19000	640	110	420	1200	<300*	--	--	--	--	--	--
MW-2	11-13-96	449.49	28.42	421.07	ND	NNW	0.031	11-13-96	15000	260	52	220	640	<200*	--	--	--	--	--	--
MW-2	03-26-97	449.49	22.98	426.51	ND	NNW	0.044	03-27-97	17000	580	120	360	980	<120*	--	--	--	--	--	--
MW-2	05-15-97	449.49	25.40	424.09	ND	NNW	0.031	05-15-97	18000	420	63	340	730	<120*	--	--	--	--	--	--
MW-2	08-26-97	449.49	28.38	421.11	ND	NNW	0.042	08-26-97	5300	210	26	140	270	<120*	--	--	--	--	--	--
MW-2	11-05-97	449.49	31.93	417.56	ND	NNW	0.03	11-05-97	560	42	2.6	7	9	<40*	--	--	--	--	--	--
MW-2	02-18-98	449.49	16.87	432.62	ND	NW	0.01	02-18-98	18000	710	120	480	1100	130	--	--	--	--	--	--

**Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Groundwater Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHC LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TOG SM 5520F mg/L	TOG SM 5520C mg/L	TOG EPA 413.2 mg/L	TPPH EPA 418.1 mg/L
MW-3	03-20-95	450.28	22.19	428.09	ND	NW	0.03	03-20-95	94	<0.5	<0.5	<0.5	<0.5
MW-3	06-02-95	450.28	23.28	427.00	ND	NNW	0.014	06-02-95	72	<0.5	<0.5	<0.5	<0.5
MW-3	08-23-95	450.28	26.55	423.73	ND	NNW	0.03	08-23-95	98	<0.5	<0.5	<0.6	0.5	∆
MW-3	12-04-95	450.28	29.52	420.76	ND	NNW	0.03	12-04-95	∆50	<0.5	<0.5	<0.5	<0.5
MW-3	02-20-96	450.28	19.83	430.45	ND	NW	0.016	02-20-96	130	<0.5	<0.5	<0.5	<0.5	∆
MW-3	05-15-96	450.28	21.03	429.25	ND	NW	0.024	05-15-96	120	<0.5	<0.5	<0.5	<0.5	∆0.5
MW-3	08-13-96	450.28	25.67	424.61	ND	NNW	0.03	08-13-96	∆50	<0.5	<0.5	<0.5	<0.5	∆
MW-3	11-13-96	450.28	21.57	428.71	ND	NNW	0.031	11-13-96	∆50	<0.5	<0.5	<0.5	<0.5	∆
MW-3	03-26-97	450.28	24.15	426.13	ND	NNW	0.044	03-26-97	∆50	1.1	<0.5	<0.5	<0.5	∆
MW-3	05-15-97	450.28	26.85	423.43	ND	NNW	0.031	05-15-97	∆50	<0.5	<0.5	<0.5	<0.5	∆
MW-3	08-26-97	450.28	30.07	420.21	ND	NNW	0.042	08-26-97	∆50	<0.5	<0.5	<0.5	<0.5	∆
MW-3	11-05-97	450.28	32.46	417.82	ND	NNW	0.03	11-05-97	∆50	<0.5	0.7	<0.5	<0.5	∆
MW-3	02-17-98	450.28	17.82	432.46	ND	NW	0.01	02-17-98	∆50	<0.5	<0.5	<0.5	<0.5	∆
MW-4	03-20-95	451.09	22.68	428.41	ND	NW	0.03	03-20-95	12000	1000	100	450	700
MW-4	06-02-95	451.09	24.41	426.68	ND	NNW	0.014	06-02-95	9000	850	56	380	430
MW-4	08-23-95	451.09	27.72	423.37	ND	NNW	0.03	08-23-95	5300	400	25	240	170	<100
MW-4	12-04-95	451.09	29.85	421.24	ND	NNW	0.03	12-04-95	6700	100	<10	90	38
MW-4	02-20-96	451.09	21.16	429.93	ND	NW	0.016	02-20-96	7000	360	22	180	160	<70
MW-4	05-15-96	451.09	22.18	428.91	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
MW-4	08-13-96	451.09	26.20	424.89	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-4	11-13-96	451.09	29.72	421.37	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-4	03-26-97	451.09	21.86	429.23	ND	NNW	0.044	03-27-97	8900	390	33	200	250	<70*
MW-4	05-15-97	451.09	26.92	424.17	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-4	08-26-97	451.09	29.30	421.79	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-4	11-05-97	451.09	32.14	418.95	ND	NNW	0.03	11-05-97	Not sampled: well sampled annually, during the first quarter											
MW-4	02-18-98	451.09	19.30	431.79	ND	NW	0.01	02-18-98	5300	220	19	160	130	120

**Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
	ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L
MW-5	03-20-95	451.40	23.20	428.20	ND	NW	0.03	03-20-95	26000	1300	180	890	2900	--	--	--	--	--	--	--
MW-5	06-02-95	451.40	24.80	426.60	ND	NNW	0.014	06-02-95	39000	940	160	740	1900	--	--	--	--	--	--	--
MW-5	08-23-95	451.40	28.10	423.30	ND	NNW	0.03	08-23-95	14000	490	74	250	890	<300	--	--	--	--	--	--
MW-5	12-04-95	451.40	29.83	421.57	ND	NNW	0.03	12-04-95	7600	230	13	61	80	--	--	--	--	--	--	--
MW-5	02-20-96	451.40	21.63	429.77	ND	NW	0.016	02-20-96	4300	220	12	45	130	<50	--	--	--	--	--	--
MW-5	05-15-96	451.40	22.87	428.53	ND	NW	0.024	05-15-96	2200	380	17	58	84	<40	--	--	--	--	--	--
MW-5	08-13-96	451.40	26.48	424.92	ND	NNW	0.03	08-13-96	1700	150	16	24	35	47	--	--	--	--	--	--
MW-5	11-13-96	451.40	29.68	421.72	ND	NNW	0.031	11-13-96	850	150	11	19	37	66	--	--	--	--	--	--
MW-5	03-26-97	451.40	25.14	426.26	ND	NNW	0.044	03-26-97	2400	440	21	79	210	68	--	--	--	--	--	--
MW-5	05-15-97	451.40	27.38	424.02	ND	NNW	0.031	05-15-97	3900	510	19	140	240	48	--	--	--	--	--	--
MW-5	08-26-97	451.40	29.89	421.51	ND	NNW	0.042	08-26-97	76	4.9	<0.5	1.5	2	9	--	--	--	--	--	--
MW-5	11-05-97	451.40	32.57	418.83	ND	NNW	0.03	11-05-97	63	0.8	<0.5	<0.5	1.2	34	--	--	--	--	--	--
MW-5	02-18-98	451.40	19.99	431.41	ND	NW	0.01	02-18-98	6200	630	70	320	640	320	--	--	--	--	--	--
MW-6	03-20-95	451.37	25.19	426.18	ND	NW	0.03	03-20-95	2600	210	87	82	140	--	--	2000^	--	--	--	1.7
MW-6	06-02-95	451.37	25.75	425.62	ND	NNW	0.014	06-02-95	1600	55	7.9	40	26	--	--	1200^	--	--	--	1
MW-6	08-23-95	451.37	29.53	421.84	ND	NNW	0.03	08-23-95	1400	42	2.5	36	13	<20	--	530^	--	--	--	1.6
MW-6	12-04-95	451.37	32.28	419.09	ND	NNW	0.03	12-04-95	2500	52	5.8	59	13	--	--	1100^	--	--	--	1.5
MW-6	02-20-96	451.37	22.27	429.10	ND	NW	0.016	02-20-96	2500	120	16	73	12	<30	--	--	--	--	--	1.8
MW-6	05-15-96	451.37	23.86	427.51	ND	NW	0.024	05-15-96	2000	71	6.4	47	25	<15	--	--	--	--	--	--
MW-6	08-13-96	451.37	28.55	422.82	ND	NNW	0.03	08-13-96	3800	91	8.2	69	25	<20^	--	--	--	--	--	--
MW-6	11-13-96	451.37	32.04	419.33	ND	NNW	0.031	11-13-96	1900	55	3.3	55	8.5	16	--	--	--	--	--	--
MW-6	03-26-97	451.37	26.84	424.53	ND	NNW	0.044	03-26-97	1800	51	5	32	15	<30^	--	--	--	--	--	--
MW-6	05-15-97	451.37	29.58	421.79	ND	NNW	0.031	05-15-97	2400	46	3	29	9	<12^	--	--	--	--	--	--
MW-6	08-26-97	451.37	32.67	418.70	ND	NNW	0.042	08-26-97	1400	61	6	33	10	<12^	--	--	--	--	--	--
MW-6	11-05-97	451.37	34.62	416.75	ND	NNW	0.03	11-05-97	690	29	2.7	18	3.4	9	--	--	--	--	--	--
MW-6	02-17-98	451.37	20.09	431.28	ND	NW	0.01	02-17-98	1800	74	5	24	12	19	--	--	--	--	--	--

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Groundwater Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TPHD	TOG	TOG	TOG	TRPH	
									LUFT Method µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8240 µg/L	LUFT Method µg/L	SM 5520F mg/L	SM 5520C mg/L	EPA 413.2 mg/L	EPA 418.1 mg/L	
MW-7	03-20-95	450.33	22.07	428.26	ND	NW	0.03	03-20-95	31000	2300	400	620	2900	--	--	--	--	--	--	--	--
MW-7	06-02-95	450.33	23.42	426.91	ND	NNW	0.014	06-03-95	40000	1400	280	610	2400	--	--	--	--	--	--	--	--
MW-7	08-23-95	450.33	27.13	423.20	ND	NNW	0.03	08-23-95	25000	1400	200	600	1600	350	--	--	--	--	--	--	--
MW-7	12-04-95	450.33	29.45	420.88	ND	NNW	0.03	12-04-95	23000	1100	74	490	720	--	--	--	--	--	--	--	--
MW-7	02-20-96	450.33	20.25	430.08	ND	NW	0.016	02-20-96	39000	1200	140	640	1800	<400	--	--	--	--	--	--	--
MW-7	05-15-96	450.33	21.38	428.95	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter												
MW-7	08-13-96	450.33	25.52	424.81	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter												
MW-7	11-13-96	450.33	29.38	420.95	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter												
MW-7	03-26-97	450.33	24.36	425.97	ND	NNW	0.044	03-27-97	35000	1100	180	460	1700	<300*	--	--	--	--	--	--	--
MW-7	05-15-97	450.33	26.90	423.43	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter												
MW-7	08-26-97	450.33	30.21	420.12	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter												
MW-7	11-05-97	450.33	32.49	417.84	ND	NNW	0.03	11-05-97	Not sampled: well sampled annually, during the first quarter												
MW-7	02-18-98	450.33	18.10	432.23	ND	NW	0.01	02-18-98	19000	1100	120	460	1700	240	--	--	--	--	--	--	--
MW-8	03-20-95	449.43	24.75	424.68	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
MW-8	06-02-95	449.43	24.95	424.48	ND	NNW	0.014	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters												
MW-8	08-23-95	449.43	30.94	418.49	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--
MW-8	12-04-95	449.43	31.99	417.44	ND	NNW	0.03	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters												
MW-8	02-20-96	449.43	21.13	428.30	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--
MW-8	05-15-96	449.43	21.96	427.47	ND	NW	0.024	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarters												
MW-8	08-13-96	449.43	30.20	419.23	ND	NNW	0.03	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--
MW-8	11-13-96	449.43	33.24	416.19	ND	NNW	0.031	11-13-96	Not sampled: well sampled semi-annually, during the first and third quarters												
MW-8	03-26-97	449.43	26.85	422.58	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--
MW-8	05-15-97	449.43	29.69	419.74	ND	NNW	0.031	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarters												
MW-8	08-26-97	449.43	34.00	415.43	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--	--
MW-8	11-05-97	449.43	35.94	413.49	ND	NNW	0.03	11-05-97	Not sampled: well sampled semi-annually, during the first and third quarters												
MW-8	02-18-98	449.43	18.18	431.25	ND	NW	0.01	02-18-98	<50	0.6	0.6	<0.5	1.1	<3	--	--	--	--	--	--	--

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Groundwater Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TPHD	TOC	TOC	TOC	TRPH
									LUFT Method µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8240 µg/L	LUFT Method µg/L	SM 5520F mg/L	SM 5520C mg/L	EPA 413.2 mg/L	EPA 418.1 mg/L
MW-9	03-20-95	449.21	19.11	430.10	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-9	06-02-95	449.21	21.23	427.98	ND	NNW	0.014	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	08-23-95	449.21	24.33	424.88	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	12-04-95	449.21	27.90	421.31	ND	NNW	0.03	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-9	02-20-96	449.21	17.86	431.35	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	05-15-96	449.21	18.69	430.52	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
MW-9	08-13-96	449.21	24.17	425.04	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-9	11-13-96	449.21	28.01	421.20	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-9	03-26-97	449.21	22.58	426.63	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-9	05-15-97	449.21	25.12	424.09	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-9	08-26-97	449.21	28.28	420.93	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-9	11-05-97	449.21	31.18	418.03	ND	NNW	0.03	11-05-97	Not sampled: well sampled annually, during the first quarter											
MW-9	02-18-98	449.21	16.03	433.18	ND	NW	0.01	02-18-98	<50	0.6	0.5	<0.5	1	<3	--	--	--	--	--	--
MW-10	03-20-95	449.22	20.96	428.26	ND	NW	0.03	03-20-95	Not sampled: well sampled annually, during the third quarter											
MW-10	06-02-95	449.22	22.15	427.07	ND	NNW	0.014	06-02-95	Not sampled: well sampled annually, during the third quarter											
MW-10	08-23-95	449.22	24.47	424.75	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	12-04-95	449.22	26.97	422.25	ND	NNW	0.03	12-04-95	Not sampled: well sampled annually, during the third quarter											
MW-10	02-20-96	449.22	18.40	430.82	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	05-15-96	449.22	Not surveyed: vehicle was parked on well					05-15-96	Not sampled: well sampled annually, during the first quarter											
MW-10	08-13-96	449.22	23.70	425.52	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
MW-10	11-13-96	449.22	27.15	422.07	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
MW-10	03-26-97	449.22	22.23	426.99	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-10	05-15-97	449.22	24.57	424.65	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
MW-10	08-26-97	449.22	27.62	421.60	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
MW-10	11-05-97	449.22	30.79	418.43	ND	NNW	0.03	11-05-97	Not sampled: well sampled annually, during the first quarter											
MW-10	02-18-98	449.22	NM	NM	ND	NW	0.01	02-18-98	Not sampled: car parked on well											

Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Direction MWN	Hydraulic Gradient R/R	Water Sample Field Date	TPHC	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TPHD	TOG	TOG	TOG	TRPH
									LUFT Method µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8240 µg/L	LUFT Method µg/L	SM 5520F mg/L	SM 5520C mg/L	EPA 413.2 mg/L	EPA 418.1 mg/L
MW-11	03-20-95	448.02	25.02	423.00	ND	NW	0.03	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--
MW-11	06-02-95	448.02	23.82	424.20	ND	NNW	0.014	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	08-23-95	448.02	30.15	417.87	ND	NNW	0.03	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	12-04-95	448.02	31.63	416.39	ND	NNW	0.03	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	02-20-96	448.02	20.94	427.08	ND	NW	0.016	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	05-15-96	448.02	23.03	424.99	ND	NW	0.024	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	08-13-96	448.02	29.19	418.83	ND	NNW	0.03	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	11-13-96	448.02	31.96	416.06	ND	NNW	0.031	11-13-96	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	03-26-97	448.02	26.61	421.41	ND	NNW	0.044	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	05-15-97	448.02	29.39	418.63	ND	NNW	0.031	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	08-26-97	448.02	33.47	414.55	ND	NNW	0.042	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--	--
MW-11	11-05-97	448.02	35.12	412.90	ND	NNW	0.03	11-05-97	Not sampled: well sampled semi-annually, during the first and third quarters											
MW-11	02-18-98	448.02	18.03	429.99	ND	NW	0.01	02-18-98	<50	<0.5	<0.5	<0.5	1	<3	--	--	--	--	--	--
RW-1	03-20-95	451.67	23.76	427.91	ND	NW	0.03	03-20-95	15000	1000	140	310	950	--	--	--	--	--	--	--
RW-1	06-02-95	451.67	25.12	426.55	ND	NNW	0.014	06-02-95	12000	1300	280	420	1100	--	--	--	--	--	--	--
RW-1	08-23-95	451.67	28.80	422.87	ND	NNW	0.03	08-23-95	8200	520	190	240	610	<50	--	--	--	--	--	--
RW-1	12-04-95	451.67	31.15	420.52	ND	NNW	0.03	12-04-95	2600	140	59	83	210	--	--	--	--	--	--	--
RW-1	02-20-96	451.67	21.45	430.22	ND	NW	0.016	02-20-96	6300	410	160.0	180	650	<40	--	--	--	--	--	--
RW-1	05-15-96	451.67	22.97	428.70	ND	NW	0.024	05-15-96	Not sampled: well sampled annually, during the first quarter											
RW-1	08-13-96	451.67	24.74	426.93	ND	NNW	0.03	08-13-96	Not sampled: well sampled annually, during the first quarter											
RW-1	11-13-96	451.67	30.69	420.98	ND	NNW	0.031	11-13-96	Not sampled: well sampled annually, during the first quarter											
RW-1	03-26-97	451.67	25.69	425.98	ND	NNW	0.044	03-26-97	500	57	3	6.4	18	54	--	--	--	--	--	--
RW-1	05-15-97	451.67	28.19	423.48	ND	NNW	0.031	05-15-97	Not sampled: well sampled annually, during the first quarter											
RW-1	08-26-97	451.67	31.21	420.46	ND	NNW	0.042	08-26-97	Not sampled: well sampled annually, during the first quarter											
RW-1	11-05-97	451.67	33.67	418.00	ND	NNW	0.03	11-05-97	Not sampled: well sampled annually, during the first quarter											
RW-1	02-18-98	451.67	20.14	431.53	ND	NW	0.01	02-18-98	9400	200	70	190	710	<60*	--	--	--	--	--	--

**Table 2
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TOG SM 5520F	TOG SM 5520C	TOG EPA 413.2	TRPH EPA 418.1
	ft-MSL	feet	ft-MSL	feet	MWN	ft/ft		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg/L

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

TOG: total oil and grease

mg/L: milligrams per liter

SM: standard method

TRPH: total recoverable petroleum hydrocarbons

ND: none detected

NW: northwest

*: method reporting limit was raised due to: (1) high analyte concentration requiring sample dilution, or (2) matrix interference

- -: not analyzed or not applicable

NM: not measured; car parked on well

*: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 771, Livermore, California*, (EMCON, March 1, 1996).

Table 3

**Air Bubbling Data
ARCO Service Station No. 771
899 Rincon Avenue, Livermore, California**


Date								Dissolved Oxygen (ppm)				
	VW-1	MW-1	MW-2	MW-4	MW-5	MW-7	RW-1	MW-2	MW-3	MW-4	MW-6	MW-7
	psig	psig	psig	psig	psig	psig	psig					
Jul-95	not operating											
07/12/95	10 - total pressure for all wells											
08/29/95	8 - total pressure for all wells											
09/18/95	8 - total pressure for all wells											
10/10/95	not operating											
12/19/95	not reported											
01/19/96	not reported											
02/08/96	11 - total pressure for all wells											
02/14/96	10 - total pressure for all wells											
02/26/96	9 - total pressure for all wells											
03/22/96	not reported											
04/09/96	not reported											
05/15/96	not reported											
06/07/96	8- total pressure for all wells											
07/10/96	8- total pressure for all wells											
08/05/96	8- total pressure for all wells											
11/14/96	not reported											
01/17/97	not operating											
02/26/97	not operating											
03/26/97	not operating											
04/25/97	not operating											
05/19/97	not reported											
06/23/97	not reported											
07/14/97	not reported											
08/18/97	not reported											
08/27/97	not reported											
09/16/97	not reported											
10/30/97	not reported											
11/21/97	not reported											
12/31/97	not reported											
01/30/98	not reported											
02/20/98	10 - total pressure for all wells											
03/27/98	not reported											
Bubbling at approximately 1 to 2 cubic feet per minute in each well. NR = Not recorded. psig - pounds per square inch gauge ppm = parts per million (mg/l).												

Table 3

**Air Bubbling Data
ARCO Service Station No. 771
899 Rincon Avenue, Livermore, California**

Date								Dissolved Oxygen (ppm)				
	VW-1	MW-1	MW-2	MW-4	MW-5	MW-7	RW-1	MW-2	MW-3	MW-4	MW-6	MW-7
	psig	psig	psig	psig	psig	psig	psig					
Jul-95	not operating											
07/12/95	10 - total pressure for all wells											
08/29/95	8 - total pressure for all wells											
09/18/95	8 - total pressure for all wells											
10/10/95	not operating											
12/19/95	not reported											
01/19/95	not reported											
02/08/96	11 - total pressure for all wells											
02/14/96	10 - total pressure for all wells											
02/26/96	9 - total pressure for all wells											
03/22/96	not reported											
04/09/96	not reported											
05/15/96	not reported											
06/07/96	8- total pressure for all wells											
07/10/96	8- total pressure for all wells											
08/05/96	8- total pressure for all wells											
11/14/96	not reported											
01/17/97	not operating											
02/26/97	not operating											
03/26/97	not operating											
04/25/97	not operating											
05/19/97	not reported											
06/23/97	not reported											
07/14/97	not reported											
08/18/97	not reported											
08/27/97	not reported											
09/16/97	not reported											
10/30/97	not reported											
11/21/97	not reported											
12/31/97	not reported											
01/30/98	not reported											
02/20/98	10 - total pressure for all wells											
03/27/98	not reported											

Bubbling at approximately 1 to 2 cubic feet per minute in each well.
 NR = Not recorded.
 psig - pounds per square inch gauge
 ppm = parts per million (mg/l).



MW-11
(ND/ND)

MW-8
(ND/0.6)

PINE STREET


EXPLANATION



Groundwater monitoring well



Former underground gasoline storage tank



Existing underground gasoline storage tank

(1,800/74)

Concentration of total petroleum hydrocarbons, as gasoline (TPHG) and benzene in groundwater (ug/L); samples were collected on 2/17-18/98


ND

Not detected at or above the method reporting limit for TPHG (50 ug/L) or benzene (0.5 ug/L)

NS

Not sampled, car parked on well

APPROXIMATE PROPERTY LINE



RINCON AVENUE

MW-9
(ND/0.6)


MW-10
(NS)

IMAGE Files: <No Images>
XREF Files: <No Xrefs>
DIMS: 40 Ltscale: 40 Pstscale: 0
SANJOSE/CADD: N:\DWG\805122\S\SITE.DWG Thu, 27/Aug/98 04:53pm kblack





Pinnacle

ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON



DATE AUG. 1998
DWN KAB
APP _____
REV _____
PROJECT NO.
805-122.005

FIGURE 1
ARCO PRODUCTS COMPANY
SERVICE STATION 771, 899 RINCON AVE.
LIVERMORE, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
1ST QUARTER 1998




- EXPLANATION**
- ⊙ Groundwater monitoring well
 - ⋯ Former underground gasoline storage tank
 - - - Existing underground gasoline storage tank
 - (431.25) Groundwater elevation (Ft.-MSL); measured 2/17/98
 - ? - - - Groundwater elevation contour (Ft.-MSL)
 - ← Approximate direction of groundwater flow showing gradient
 - NM Not measured, car parked on well

1" 1/2" 0" 1"

IMAGE Files: <No Images>
 XREF Files: <No Xrefs>
 Dimscale: 40 Ltscale: 40 Psttscale: 0
 SANJOSE/CADD: N:\DWG\805122\SJGWELEY.DWG Thu, 27/Aug/98 04:54pm kbblack

Pinnacle
 ENVIRONMENTAL SOLUTIONS
 A DIVISION OF EMCON



DATE AUG. 1998
 DWN KAB
 APP _____
 REV _____
 PROJECT NO.
 805-122.005

FIGURE 2
 ARCO PRODUCTS COMPANY
 SERVICE STATION 771, 899 RINCON AVE.
 LIVERMORE, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
1ST QUARTER 1998

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)



OWT

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT FLOATING PRODUCT THICKNESS. DO NOT SAMPLE WELL FOR DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY USING THE FOLLOWING EQUATION:
 $P = \pi r^2 \times 7.48 \times h$
where:
P = calculated purge volume (gallons)
 $\pi = 3.14$
r = radius of well casing in feet
h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS OF DRYNESS BEFORE REMOVING CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO THE CALCULATED PURGE VOLUME WHILE MONITORING GROUNDWATER STABILIZATION INDICATOR PARAMETERS (pH, CONDUCTIVITY, TEMPERATURE) AT INTERVALS OF ONE CASING VOLUME.

NO

YES

FINAL TWO SETS OF GROUNDWATER STABILIZATION INDICATOR PARAMETER MEASUREMENTS MEET THE FOLLOWING CRITERIA:
pH = ± 0.1 pH units
COND. = ± 10 %
TEMP. = ± 1.0 °F

WELL RECHARGES TO A LEVEL SUFFICIENT FOR SAMPLE COLLECTION WITHIN 24 HOURS OF EVACUATION TO DRYNESS.

YES

NO

YES

NO

WELL PURGING CRITERIA MET; PROCEED TO WELL SAMPLING.

CONTINUE PURGING: EVACUATE ADDITIONAL CASING VOLUME OF WATER. MONITORING INDICATOR PARAMETERS FOR STABILITY.

FIELD TEST FIRST RECHARGE WATER FOR INDICATOR PARAMETERS. THEN PROCEED TO WELL SAMPLING.

RECORD WELL AS DRY FOR PURPOSES OF SAMPLING.



EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE A-1

WATER SAMPLE FIELD DATA SHEET

Rev. 5/96



OWT

PROJECT NO: _____
 PURGED BY: _____
 SAMPLED BY: _____

SAMPLE ID: _____
 CLIENT NAME: _____
 LOCATION: _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): _____ VOLUME IN CASING (gal.): _____
 DEPTH OF WELL (feet): _____ CALCULATED PURGE (gal.): _____
 DEPTH OF WATER (feet): _____ ACTUAL PURGE VOL. (gal.): _____

DATE PURGED: _____ END PURGE: _____
 DATE SAMPLED: _____ SAMPLING TIME: _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): _____

PURGING EQUIPMENT

SAMPLING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump _____ Bailer (PVC)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard™ _____ Dedicated
 Other: _____

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard™ _____ Dedicated
 Other: _____

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____

E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____

Temperature °F _____

SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____



WATER SAMPLE FIELD DATA SHEET

FIGURE
A-2



OWT

**EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM**

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

[Large empty box for special instructions]

Project Authorization: _____
EMCON Project No.: _____
OWT Project No.: _____
Task Code: _____
Originals To: _____
cc: _____

Well Lock Number (s)

CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____
Name Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Istructions:

[Empty box for laboratory and lab QC instructions]



EMCON

SAMPLING AND ANALYSIS REQUEST FORM

FIGURE

A-3

APPENDIX B
CERTIFIED ANALYTICAL REPORT
AND CHAIN OF CUSTODY DOCUMENTATION



March 3, 1998

Service Request No.: S9800335

Gary Messerotes
EMCON
1921 Ringwood Avenue
San Jose, CA 95131

RE: 20805-122.004/TO#21133.00/771 LIVERMORE

Dear Mr. Messerotes:

The following pages contain analytical results for sample(s) received by the laboratory on February 18, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 21, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

A handwritten signature in black ink, appearing to read "Steven L. Green". The signature is fluid and cursive, with the first name being the most prominent.

Steven L. Green
Project Chemist

A handwritten signature in black ink, appearing to read "Bernadette J. Cox for". The signature is cursive and includes the word "for" at the end, indicating it is a signature on behalf of another person.

Greg Anderson
Regional QA Coordinator

COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/17/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(36)
Lab Code: S9800335-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/19/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/19/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/17/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-8(38)
Lab Code: S9800335-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/21/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/21/98	0.6	
Toluene	EPA 5030	8020	0.5	1	NA	2/21/98	0.6	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/21/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/21/98	1.1	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/21/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/17/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-9(37)
Lab Code: S9800335-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/21/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/21/98	0.6	
Toluene	EPA 5030	8020	0.5	1	NA	2/21/98	0.5	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/21/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/21/98	1.0	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/21/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/17/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-11(35)
Lab Code: S9800335-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/21/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/21/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/21/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/21/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/21/98	1.0	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/21/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/17/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: RW-1(37)
Lab Code: S9800335-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	20	NA	2/22/98	9400	
Benzene	EPA 5030	8020	0.5	20	NA	2/22/98	200	
Toluene	EPA 5030	8020	0.5	20	NA	2/22/98	70	
Ethylbenzene	EPA 5030	8020	0.5	20	NA	2/22/98	190	
Xylenes, Total	EPA 5030	8020	0.5	20	NA	2/22/98	710	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	20	NA	2/22/98	<60	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/17/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(41)
Lab Code: S9800335-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	2	NA	2/21/98	1800	
Benzene	EPA 5030	8020	0.5	2	NA	2/21/98	74	
Toluene	EPA 5030	8020	0.5	2	NA	2/21/98	5	
Ethylbenzene	EPA 5030	8020	0.5	2	NA	2/21/98	24	
Xylenes, Total	EPA 5030	8020	0.5	2	NA	2/21/98	12	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	2	NA	2/21/98	19	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/18/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(38)
Lab Code: S9800335-007
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	10	NA	2/21/98	6200	
Benzene	EPA 5030	8020	0.5	10	NA	2/21/98	630	
Toluene	EPA 5030	8020	0.5	10	NA	2/21/98	70	
Ethylbenzene	EPA 5030	8020	0.5	10	NA	2/21/98	320	
Xylenes, Total	EPA 5030	8020	0.5	10	NA	2/21/98	640	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	10	NA	2/21/98	320	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/18/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-4(39)
Lab Code: S9800335-008
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	10	NA	2/19/98	5300	
Benzene	EPA 5030	8020	0.5	10	NA	2/19/98	220	
Toluene	EPA 5030	8020	0.5	10	NA	2/19/98	19	
Ethylbenzene	EPA 5030	8020	0.5	10	NA	2/19/98	160	
Xylenes, Total	EPA 5030	8020	0.5	10	NA	2/19/98	130	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	10	NA	2/19/98	120	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-122.004/TO#21133.00/771 LIVERMORE
 Sample Matrix: Water

Service Request: S9800335
 Date Collected: 2/18/98
 Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-1(34)
 Lab Code: S9800335-009
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	2/21/98	23000	
Benzene	EPA 5030	8020	0.5	40	NA	2/21/98	1500	
Toluene	EPA 5030	8020	0.5	40	NA	2/21/98	610	
Ethylbenzene	EPA 5030	8020	0.5	40	NA	2/21/98	550	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	2/21/98	3000	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	40	NA	2/21/98	<120	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: 2/18/98
Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-2(35)
Lab Code: S9800335-010
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	2/25/98	18000	
Benzene	EPA 5030	8020	0.5	40	NA	2/25/98	710	
Toluene	EPA 5030	8020	0.5	40	NA	2/25/98	120	
Ethylbenzene	EPA 5030	8020	0.5	40	NA	2/25/98	480	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	2/25/98	1100	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	40	NA	2/25/98	130	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: 20805-122.004/TO#21133.00/771 LIVERMORE
 Sample Matrix: Water

Service Request: S9800335
 Date Collected: 2/18/98
 Date Received: 2/18/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(35)
 Lab Code: S9800335-011
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	2/19/98	19000	
Benzene	EPA 5030	8020	0.5	40	NA	2/19/98	1100	
Toluene	EPA 5030	8020	0.5	40	NA	2/19/98	120	
Ethylbenzene	EPA 5030	8020	0.5	40	NA	2/19/98	460	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	2/19/98	1700	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	40	NA	2/19/98	240	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980218-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/18/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/18/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/18/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/18/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/18/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/18/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980219-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/19/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/19/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/19/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980220-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/20/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/20/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/20/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/20/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/20/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/20/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980225-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/25/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/25/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/25/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/25/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/25/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/25/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-122.004/TO#21133.00/771 LIVERMORE
Sample Matrix: Water

Service Request: S9800335
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
 BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CALUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-3(36)	S9800335-001		104	97
MW-8(38)	S9800335-002		95	85
MW-9(37)	S9800335-003		96	81
MW-11(35)	S9800335-004		99	81
RW-1(37)	S9800335-005		91	90
MW-6(41)	S9800335-006		93	100
MW-5(38)	S9800335-007		104	103
MW-4(39)	S9800335-008		92	95
MW-1(34)	S9800335-009		101	113
MW-2(35)	S9800335-010		100	92
MW-7(35)	S9800335-011		96	91
BATCH QC	S9800339-001MS		98	86
BATCH QC	S9800339-001DMS		98	87
Method Blank	S980218-WB1		98	86
Method Blank	S980219-WB1		87	85
Method Blank	S980220-WB1		97	101
Method Blank	S980225-WB1		100	81

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: 20805-122.004/TO#21133.00/771 LIVERMORE
 Sample Matrix: Water

Service Request: S9800335
 Date Collected: NA
 Date Received: NA
 Date Extracted: NA
 Date Analyzed: 2/21/98

Matrix Spike/Duplicate Matrix Spike Summary
 BTE

Sample Name: BATCH QC
 Lab Code: S9800339-001MS, S9800339-001DMS
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	Spike Level		Sample Result	Spike Result		Percent Recovery				Relative Percent Difference
			MRL	DMS		MS	DMS	MS	DMS	CAS Acceptance Limits		
Benzene	EPA 5030	8020	0.5	25	25	ND	25	26	100	104	75-135	4
Toluene	EPA 5030	8020	0.5	25	25	ND	27	27	108	108	73-136	<1
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	26	27	104	108	69-142	4

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
 Project: 20805-122.004/TO#21133.00/771 LIVERMORE

Service Request: 89800335
 Date Analyzed: 2/18/98

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV
 Lab Code: ICV1
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS	Percent Recovery	Result Notes
					Percent Recovery Acceptance Limits		
TPH as Gasoline	EPA 5030	CA/LUFT	250	230	90-110	92	
Benzene	EPA 5030	8020	25	26	85-115	104	
Toluene	EPA 5030	8020	25	25	85-115	100	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	78	85-115	104	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	23	85-115	92	

ICV/032196

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No. **21133 00**

Chain of Custody

ARCO Facility no. TTI	City (Facility) Livermore	Project manager (Consultant) Gary Messerotes	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7300	Contract Number
Consultant name EMCON	Address (Consultant)		
Fax no. (Consultant) (408) 453-0452			Method of shipment Sampler will deliver

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 8020	BTEX/TPH metals EPA 160/202/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 503E	EPA 601/6010	EPA 624/6240	EPA 625/6270	TCDF Metals <input type="checkbox"/> VOAD <input type="checkbox"/>	Semi Metals <input type="checkbox"/> VOAD <input type="checkbox"/>	Cadm Metals EPA 6010/7000 TLC <input type="checkbox"/> STLO <input type="checkbox"/>	Lead Org/DMS <input type="checkbox"/>	Lead EPA 7420/7421 <input type="checkbox"/>	Special Detection Limit/reporting Lowest Possible		
			Soil	Water	Other	Ice	Acid																		
MW-3(9) 1	2	2	X	X	X	HCL	2-17-98	1320	X																
MW-8(2) 2	2	2	X	X	X	HCL	2-17-98	1220	X																
MW-9(7) 3	2	2	X	X	X	HCL	2-17-98	1155	X																
MW-10(7) 4	2	2	X	X	X	HCL	2		X																
MW-11(3) 5	2	2	X	X	X	HCL	2-17-98	1250	X																
RW-1(37) 6	2	2	X	X	X	HCL	2-17-98	1410	X																
MW-6(4) 7	2	2	X	X	X	HCL	2-18-98	1500	X																
MW-5(38) 8	2	2	X	X	X	HCL	2-18-98	0855	X																
MW-4(39) 9	2	2	X	X	X	HCL	2-18-98	0930	X																
MW-1(34) 10	2	2	X	X	X	HCL	2-18-98	1010	X																
MW-2(35) 11	2	2	X	X	X	HCL	2-18-98	1050	X																
MW-7(35) 12	2	2	X	X	X	HCL	2-18-98	1130	X																
MW-11()	2	2	X	X	X	HCL			X																

Condition of sample:										Temperature received:																			
Relinquished by sampler <i>Mike</i>					Date 2-18-98					Time 1400					Received by <i>[Signature]</i>					Date 2/18/98					Time 14:00				
Relinquished by					Date					Time					Received by					Date					Time				
Relinquished by					Date					Time					Received by laboratory					Date					Time				

Special QA/QC
As Normal

Remarks
**2-40ml HCL
VOAS**

Lab Number
59800335

Turnaround Time:
 Priority Rush 1 Business Day
 Rush 2 Business Days
 Expedited 5 Business Days
 Standard 10 Business Days

APPENDIX C

FIELD DATA SHEETS

OWT - Groundwater Sampling and Analysis Request Form

PROJECT NAME : ARCO STATION 771
899 Rincon Avenue, Livermore

Sampling Project #: 21775-213.003
Reporting Project #: 20805-122.004

DATE REQUESTED : 17-Feb-98

Project Manager: Gary Messerotes

Groundwater Monitoring Instructions	Treatment System Instructions
<p>Quarterly Monitoring- Second Month Of The Quarter You will need a water trailer for purge water transport. Some wells are under 3' diameter lids. Bring a 3/4" socket to access these wells. All bolts must be replaced after well has been accessed. Bring air gun attachment and blow out any debris that may prevent this. Perform a water level survey prior to sampling (See ARCO SOP). The survey points are the tops of the well casings. Purge three (3) casing volumes. Sample all wells regardless of product per John Young's request. Please use the Reporting Project Number (#20805-122.004) on the chain-of-custody, sample containers, and analytical results. Sample ID's on the chain-of-custody, and the sample containers must include the depth at which the sample was collected [i.e. MW-1(30)].</p>	<p>There is a treatment system at this site. The SVE system has been shut down, but the air bubbling system is still active. Lisle operates this unit.</p>
	<p>Lisle Rath Pager # (888) 606-0933</p>

Site Contact: **Jerry Shields**

Site Phone: **(510) 447- 1329**

Well Locks: **ARCO Key**

Well ID or Source	Casing Diameter (inches)	Casing Length (feet)	Top Of Screen (feet)	Analyses Requested
MW-10	2.0	36.1		<p align="center"> Depth To Water Total Depth Dissolved Oxygen TPH- Gasoline BTEX MTBE by EPA 8020 (Fill 2- 40ml HCL VOAs) </p>
MW-9	2.0	40.2	29.5	
MW-11	2.0	38.6		
MW-8	2.0	41.7	27.5	
MW-4	4.0	41.1	26.0	
MW-7	4.0	39.7	30.0	
RW-1	6.0	39.7	25.0	
MW-3	4.0	39.6		
MW-2	4.0	37.9	30.0	
MW-6	4.0	43.3		
MW-1	4.0	40.6	32.0	
MW-5	4.0	40.2	31.5	
<p>Above wells in indicated order</p>				

Laboratory Instructions: Provide lowest detection limits possible.

Please use the EMCON Reporting Project Number (**#20805-122.004**) on the CAR.

ND = None Detected IP = Intermittent Product

**FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY**

PROJECT # : 21775-213.003 STATION ADDRESS : 899 Rincon Avenue, Livermore

DATE : 17-Feb-98

ARCO STATION # : 771

FIELD TECHNICIAN : Mike Ross

DAY : Tuesday

DTW Order	WELL ID	Well Box Seal	Well Lid Secure	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	MW-8	OK	Yes	NO	ARCO	LWC	18.18	18.18	NR	NR	41.6	
2	MW-9	OK	Yes	NO	ARCO	LWC	16.03	16.03	NR	NR	39.0	
3	MW-10	OK	Yes	YES	ARCO	LWC	IW	IW	IW	IW	IW	CAR parked in well
4	MW-11	OK	Yes	YES	ARCO	LWC	18.03	18.03	NR	NR	38.6	Needs new well box Erie/Walton - water in Box 70.C.
5	MW-3	OK	Yes	YES	ARCO	LWC	17.82	17.82	NR	NR	39.7	
6	MW-6	OK	Yes	YES	NONE	LWC	20.09	20.09	NR	NR	43.0	needs no lock cap
7	MW-5	OK	NO	NO	NONE	SLIP	19.99	19.99	NR	NR	40.2	No Bolts in lid
8	RW-1	OK	Yes	YES	NONE	SLIP	20.14	20.14	NR	NR	39.8	No Bolt in lid
9	MW-4	OK	Yes	NO	NONE	LWC	19.30	19.30	NR	NR	41.2	No Bolts in lid
10	MW-2	OK	NO	NO	NONE	LWC	16.87	16.87	NR	NR	37.5	No Bolt in lid
11	MW-1	OK	Yes	NO	NONE	LWC	20.46	20.46	NR	NR	36.4	
12	MW-7	OK	NO	NO	NONE	SLIP	18.10	18.10	NR	NR	37.0	NO BOLTS IN LID
13	VW-1	OK	NO	NO	NONE	LWC	18.50	18.50	NR	NR	28.2	NO BOLTS IN LID

SURVEY POINTS ARE TOP OF WELL CASINGS

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



PROJECT NO: 21775-213,003

SAMPLE ID: MW-1 (34)

PURGED BY: M. Ross

CLIENT NAME: ARCO 771

SAMPLED BY: M. Ross

LOCATION: Livermore Ca

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 10.06
 DEPTH OF WELL (feet): 36.4 CALCULATED PURGE (gal.): 30.20
 DEPTH OF WATER (feet): 20.99 ACTUAL PURGE VOL. (gal.): 30.5

DATE PURGED: 2-18-98 END PURGE: 0959
 DATE SAMPLED: 2-18-98 SAMPLING TIME: 1010

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>0950</u>	<u>10.5</u>	<u>7.02</u>	<u>1203</u>	<u>60.9</u>	<u>cl</u>	<u>cl</u>
<u>0954</u>	<u>20.5</u>	<u>6.99</u>	<u>1201</u>	<u>61.7</u>	<u>"</u>	<u>"</u>
<u>0959</u>	<u>30.5</u>	<u>6.97</u>	<u>1109</u>	<u>61.8</u>	<u>"</u>	<u>"</u>

OTHER: NO DO 0-1 mg/l ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon) 2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC) Bomb Sampler Bailer (Stainless Steel)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard™ Dedicated Dipper Submersible Pump
 Other: _____ Well Wizard™ Dedicated Other: DISPOSABLE

WELL INTEGRITY: OK LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-18-98 Time: 0830 Meter Serial No.: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F: See MW-5
 SIGNATURE: M. Ross REVIEWED BY: SJA PAGE 1 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-213,003
 PURGED BY: M. Ross
 SAMPLED BY: M. Ross

SAMPLE ID: MW-2 (35)
 CLIENT NAME: ARCO 771
 LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 13.10
 DEPTH OF WELL (feet): 37.5 CALCULATED PURGE (gal.): 39.31
 DEPTH OF WATER (feet): 17.44 ACTUAL PURGE VOL. (gal.): 39.5

DATE PURGED: 2-18-98 END PURGE: 1037
 DATE SAMPLED: 2-18-98 SAMPLING TIME: 1050

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1028</u>	<u>13.5</u>	<u>7.05</u>	<u>1013</u>	<u>61.8</u>	<u>clr</u>	<u>clr</u>
<u>1032</u>	<u>26.5</u>	<u>7.09</u>	<u>1130</u>	<u>62.6</u>	<u>clr</u>	<u>clr</u>
<u>1037</u>	<u>39.5</u>	<u>7.02</u>	<u>1132</u>	<u>62.9</u>	<u>clr</u>	<u>clr</u>

OTHER: AB 0.1 mg/l ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)
 FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT	SAMPLING EQUIPMENT
<input type="checkbox"/> 2" Bladder Pump <input type="checkbox"/> Centrifugal Pump <input checked="" type="checkbox"/> Submersible Pump <input type="checkbox"/> Well Wizard™ Other: _____	<input type="checkbox"/> 2" Bladder Pump <input checked="" type="checkbox"/> Bailer (Teflon) <input type="checkbox"/> Bomb Sampler <input type="checkbox"/> Bailer (Stainless Steel) <input type="checkbox"/> Dipper <input type="checkbox"/> Submersible Pump <input type="checkbox"/> Well Wizard™ <input type="checkbox"/> Dedicated Other: <u>12502206</u>

WELL INTEGRITY: OK LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-18-98 Time: 0830 Meter Serial No.: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
 Temperature °F: See MW-5
 SIGNATURE: M. Ross REVIEWED BY: GA PAGE 2 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21075-213003
 PURGED BY: M. Ross
 SAMPLED BY: M. Ross

SAMPLE ID: MW-3(36)
 CLIENT NAME: ARLD 771
 LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 35714.29
 DEPTH OF WELL (feet): 39.7 CALCULATED PURGE (gal.): 10772-42.88
 DEPTH OF WATER (feet): 17.82 ACTUAL PURGE VOL. (gal.): 43.0

DATE PURGED: 2-17-98 END PURGE: 1310
 DATE SAMPLED: 2-17-98 SAMPLING TIME: 1320

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1259</u>	<u>14.5</u>	<u>7.22</u>	<u>877</u>	<u>64.9</u>	<u>clr</u>	<u>clr</u>
<u>1304</u>	<u>29.0</u>	<u>7.24</u>	<u>1074</u>	<u>64.7</u>	<u>clr</u>	<u>clr</u>
<u>1310</u>	<u>43.0</u>	<u>7.30</u>	<u>1097</u>	<u>64.1</u>	<u>clr</u>	<u>clr</u>

OTHER: ~~0-1 msk~~ ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT	SAMPLING EQUIPMENT
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> 2" Bladder Pump
<input checked="" type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bomb Sampler
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dipper
Other: _____	<input type="checkbox"/> Bailer (Stainless Steel)
	<input type="checkbox"/> Submersible Pump
	<input type="checkbox"/> Well Wizard™
	<input type="checkbox"/> Dedicated
	Other: <u>Disposable</u>

WELL INTEGRITY: ok LOCK: Free

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: 2-17-98 Time: 1130 Meter Serial No: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
 Temperature °F See MW-9
 SIGNATURE: M. Ross REVIEWED BY: SA PAGE 3 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-213.003

PURGED BY: M. Ross

SAMPLED BY: M. Ross

SAMPLE ID: MW-4 (39)

CLIENT NAME: ARLO 721

LOCATION: Livermore CA

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 13.99
 DEPTH OF WELL (feet): 41.2 CALCULATED PURGE (gal.): 41.84
 DEPTH OF WATER (feet): 9.8 ACTUAL PURGE VOL. (gal.): 42.0

DATE PURGED: 2-18-98 END PURGE: 0916
 DATE SAMPLED: 2-18-98 SAMPLING TIME: 0930

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>0906</u>	<u>14.0</u>	<u>6.94</u>	<u>1377</u>	<u>61.9</u>	<u>clr</u>	<u>clr</u>
<u>0911</u>	<u>28.0</u>	<u>6.94</u>	<u>1387</u>	<u>62.0</u>	<u>clr</u>	<u>clr</u>
<u>0916</u>	<u>42.0</u>	<u>6.91</u>	<u>1292</u>	<u>61.4</u>	<u>"</u>	<u>"</u>

OTHER: 0-1 mg/L ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

- 2" Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Well Wizard™
- Other: _____

SAMPLING EQUIPMENT

- 2" Bladder Pump
- Bailer (Teflon)
- Bomb Sampler
- Dipper
- Well Wizard™
- Bailer (Stainless Steel)
- Submersible Pump
- Dedicated
- Other: DISPOSABLE

WELL INTEGRITY: OK LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-19-98 Time: 0930 Meter Serial No.: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
 Temperature °F See MW-5
 SIGNATURE: M. Ross REVIEWED BY: JA PAGE 4 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-213,003

PURGED BY: M. Ross

SAMPLED BY: M. Ross

SAMPLE ID: MW-5 (78)

CLIENT NAME: ARLD 771

LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water Leachate
 CASING DIAMETER (inches): 2 3 4 4.5 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 1286
 DEPTH OF WELL (feet): 40.2 CALCULATED PURGE (gal.): 38.59
 DEPTH OF WATER (feet): 20.51 ACTUAL PURGE VOL. (gal.): 26.0

DATE PURGED: 2-18-98 END PURGE: 0840
 DATE SAMPLED: 2-18-98 SAMPLING TIME: 0855

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>0835</u>	<u>13.0</u>	<u>7.18</u>	<u>1312</u>	<u>58.9</u>	<u>clr</u>	<u>clr</u>
<u>0840</u>	<u>26.0</u>	<u>7.08</u>	<u>1252</u>	<u>62.0</u>	<u>clr</u>	<u>clr</u>
<u>0855</u>	<u>DM @ Recharge</u>	<u>26.0 7.18</u>	<u>6.02 1324</u>	<u>59.5</u>	<u>clr</u>	<u>clr</u>

OTHER: 0-1 mg/l ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard™ Dedicated
 Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard™ Dedicated
 Other: DISPOSABLE

WELL INTEGRITY: OK LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-18-98 Time: 0830 Meter Serial No.: 600110
 E.C. 1000 177,1000 pH 7 715, 700 pH 10 998, 1000 pH 4 401, 400

Temperature °F 59.6
 SIGNATURE: M. Ross REVIEWED BY: GHA PAGE 5 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21275-213.003

SAMPLE ID: MW-6 (4)

PURGED BY: M. ROSS

CLIENT NAME: Area 771

SAMPLED BY: M. ROSS

LOCATION: Lawrence, Ca

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): <u>NR</u>	VOLUME IN CASING (gal.): <u>14.89</u>
DEPTH OF WELL (feet): <u>43.0</u>	CALCULATED PURGE (gal.): <u>44.68</u>
DEPTH OF WATER (feet): <u>20.20</u>	ACTUAL PURGE VOL. (gal.): <u>32.0</u>

DATE PURGED: 2-17-98 END PURGE: 1442
 DATE SAMPLED: 2-17-98 SAMPLING TIME: 1500

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1431</u>	<u>15.0</u>	<u>7.24</u>	<u>986</u>	<u>63.9</u>	<u>clr</u>	<u>clr</u>
<u>1436</u>	<u>30.0</u>	<u>7.18</u>	<u>1152</u>	<u>64.2</u>	<u>clr</u>	<u>clr</u>
<u>1442</u>	<u>DRY</u>	<u>7.0</u>	<u>outliers</u>			
<u>1500</u>	<u>Recharge</u>	<u>7.15</u>	<u>1150</u>	<u>62.5</u>	<u>clr</u>	<u>clr</u>

OTHER: 0-1 mg/L ODOR: Slight NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>DISPOSABLE</u>	

WELL INTEGRITY: NR LOCK: Area

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-17-98 Time: 1130 Meter Serial No.: 600/12
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F: See MW-9
 SIGNATURE: M. Ross REVIEWED BY: MA PAGE 6 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21725-213.003

PURGED BY: M. Ross

SAMPLED BY: M. Ross

SAMPLE ID: MW-7 (35)

CLIENT NAME: ARLO 771

LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 12.00
 DEPTH OF WELL (feet): 37.1 CALCULATED PURGE (gal.): 36.00
 DEPTH OF WATER (feet): 18.73 ACTUAL PURGE VOL. (gal.): 36.00

DATE PURGED: 2-18-98 END PURGE: 11/9
 DATE SAMPLED: 2-18-98 SAMPLING TIME: 11:30

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1111</u>	<u>12.0</u>	<u>7.05</u>	<u>1208</u>	<u>62.8</u>	<u>clr</u>	<u>clr</u>
<u>1114</u>	<u>24.0</u>	<u>6.98</u>	<u>1192</u>	<u>66.7</u>	<u>clr</u>	<u>clr</u>
<u>1119</u>	<u>36.0</u>	<u>7.03</u>	<u>1115</u>	<u>66.9</u>	<u>clr</u>	<u>clr</u>

OTHER: D.O. 1-2 mg/l ODOR: STRONG NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>D/S POSABLE</u>	

WELL INTEGRITY: OK LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-18-98 Time: 0830 Meter Serial No.: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
 Temperature °F: 62 MW-5
 SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 7 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



PROJECT NO: 21775-213.003
 PURGED BY: M. ROSS
 SAMPLED BY: M. ROSS

SAMPLE ID: MW-8 (38)
 CLIENT NAME: ARCO 771
 LOCATION: Lawrence, Ca

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 3.80
 DEPTH OF WELL (feet): 41.6 CALCULATED PURGE (gal.): 11.47
 DEPTH OF WATER (feet): 18.18 ACTUAL PURGE VOL. (gal.): 11.5

DATE PURGED: 2-17-98 END PURGE: 1210
 DATE SAMPLED: 2-17-98 SAMPLING TIME: 1220

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1203</u>	<u>4.0</u>	<u>7.29</u>	<u>919</u>	<u>65.0</u>	<u>Light Brown</u>	<u>Turbid</u>
<u>1207</u>	<u>8.0</u>	<u>7.23</u>	<u>945</u>	<u>65.3</u>	<u>"</u>	<u>"</u>
<u>1210</u>	<u>11.5</u>	<u>7.26</u>	<u>970</u>	<u>66.0</u>	<u>cldy</u>	<u>clr</u>

OTHER: 0-1 mg/L ODOR: NONE NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard™ Dedicated
 Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard™ Dedicated
 Other: Disposable

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-17-98 Time: 1130 Meter Serial No.: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
 Temperature °F See MW-9
 SIGNATURE: M. Ross REVIEWED BY: JA PAGE 8 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-213.003

PURGED BY: M. ROSS

SAMPLED BY: M. ROSS

SAMPLE ID: MW-9(37)

CLIENT NAME: ARCO 771

LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 3.75
 DEPTH OF WELL (feet): 39.0 CALCULATED PURGE (gal.): 11.25
 DEPTH OF WATER (feet): 16.03 ACTUAL PURGE VOL. (gal.): 16.5

DATE PURGED: 2-17-98 END PURGE: 1144
 DATE SAMPLED: 2-17-98 SAMPLING TIME: 1155

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1140</u>	<u>4.0</u>	<u>6.93</u>	<u>1081</u>	<u>66.0</u>	<u>dy</u>	<u>Trace</u>
<u>1142</u>	<u>8.0</u>	<u>7.09</u>	<u>1050</u>	<u>66.7</u>	<u>↓</u>	<u>↓</u>
<u>1144</u>	<u>11.5</u>	<u>7.17</u>	<u>1042</u>	<u>66.3</u>	<u>↓</u>	<u>↓</u>

OTHER: 2-1 mg/L ODOR: NR NR NR
(COBALT 0-100) (NTU 0-200)
 FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: _____		Other: <u>DISPOSABLE</u>	

WELL INTEGRITY: OK LOCK: ARCO

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date 2-17-98 Time: 1130 Meter Serial No.: 600112
 E.C. 1000 1239 1000 pH 7 712 700 pH 10 977 1000 pH 4 761 400
 Temperature °F 68.5 396
 SIGNATURE: Mike Ross REVIEWED BY: SA PAGE 9 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-213.003 SAMPLE ID: MW-10
PURGED BY: M. Ross CLIENT NAME: ARCO 771
SAMPLED BY: M. Ross LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water Leachate Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR
DEPTH OF WELL (feet): NR CALCULATED PURGE (gal.): NR
DEPTH OF WATER (feet): NR ACTUAL PURGE VOL. (gal.): NR

DATE PURGED: NR END PURGE: NR
DATE SAMPLED: NR SAMPLING TIME: NR

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>No Samples Taken - Car Parked ON WELL</u>						

OTHER: NR ODOR: NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

- 2" Bladder Pump
 - Centrifugal Pump
 - Submersible Pump
 - Well Wizard™
 - Other: _____
- Bailer (Teflon)
 - Bailer (PVC)
 - Bailer (Stainless Steel)
 - Dedicated

SAMPLING EQUIPMENT

- 2" Bladder Pump
 - Bomb Sampler
 - Dipper
 - Well Wizard™
 - Other: _____
- Bailer (Teflon)
 - Bailer (Stainless Steel)
 - Submersible Pump
 - Dedicated

WELL INTEGRITY: NR LOCK: NR

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: NR Time: _____ Meter Serial No.: _____
E.C. 1000 / pH 7 / pH 10 / pH 4 /

Temperature °F _____
SIGNATURE: M. Ross REVIEWED BY: NA PAGE 10 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



PROJECT NO: 21775-213,003

SAMPLE ID: MW-11(35)

PURGED BY: M. Ross

CLIENT NAME: ARED 771

SAMPLED BY: M. Ross

LOCATION: Livermore, Ca

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 3.35
 DEPTH OF WELL (feet): 38.6 CALCULATED PURGE (gal.): 10.07
 DEPTH OF WATER (feet): 17.03 ACTUAL PURGE VOL. (gal.): 10.5

DATE PURGED: 2-17-98 END PURGE: 1236
 DATE SAMPLED: 2-17-98 SAMPLING TIME: 1250

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1231</u>	<u>3.5</u>	<u>7.26</u>	<u>1024</u>	<u>62.6</u>	<u>clr</u>	<u>clr</u>
<u>1234</u>	<u>7.0</u>	<u>7.22</u>	<u>1027</u>	<u>64.1</u>	<u> </u>	<u> </u>
<u>1236</u>	<u>10.5</u>	<u>7.29</u>	<u>1020</u>	<u>64.0</u>	<u> </u>	<u> </u>

OTHER: 0-1 mg/L ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard™ Dedicated
 Other: _____

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard™ Dedicated
 Other: DISPOSABLE

WELL INTEGRITY: new new WELL BOX LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-17-98 Time: 1130 Meter Serial No.: 600112

E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1

Temperature °F see MW-8

SIGNATURE: M. Ross REVIEWED BY: SP PAGE 11 OF 12

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-213.003
 PURGED BY: M. Ross
 SAMPLED BY: M. Ross

SAMPLE ID: RW-1 (37)
 CLIENT NAME: ARLO 771
 LOCATION: Unermang, CA

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): 28.22
 DEPTH OF WELL (feet): 39.8 CALCULATED PURGE (gal.): 76.98
 DEPTH OF WATER (feet): 20.19 ACTUAL PURGE VOL. (gal.): 50.0

DATE PURGED: 2-17-98 END PURGE: 1355
 DATE SAMPLED: 2-17-98 SAMPLING TIME: 1410

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1347</u>	<u>29.0</u>	<u>7.12</u>	<u>1078</u>	<u>64.5</u>	<u>chr</u>	<u>chr</u>
<u>1355</u>	<u>DRY</u>	<u>DRY</u>	<u>50.0</u>	<u>62.6</u>	<u>chr</u>	<u>chr</u>
<u>1410</u>	<u>Recharge</u>	<u>6.66</u>	<u>1127</u>	<u>62.6</u>	<u>chr</u>	<u>chr</u>

OTHER: 0-1 mg/c ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)
 FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard™ Dedicated
 Other: _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard™ Dedicated
 Other: Disposable

WELL INTEGRITY: OK LOCK: None

REMARKS: _____

pH, E.C., Temp. Meter Calibration Date: 2-17-98 Time: 1130 Meter Serial No.: 600112
 E.C. 1000 1 pH 7 1 pH 10 1 pH 4 1
 Temperature °F See MW-9
 SIGNATURE: M. Ross REVIEWED BY: MA PAGE 12 OF 12

1921 Ringwood Avenue
San Jose, California

1998

ARCO 771
21775-213.003

Well ID	Quarter	Date	Purge Volume (gallons)	Did Well Dry?	Well Contained Product	Gallons			
						First	Second	Third	Fourth
						339.50	0.00	127.50	71.00
MW-1	First	02/18/98	30.50	NO	NO				
	Second								
	Third	08/26/97	7.50	YES	NO				
	Fourth	11/05/97	GRAB	NO	NO				
MW-2	First	02/18/98	39.50	NO	NO				
	Second								
	Third	08/26/97	6.50	NO	NO				
	Fourth	11/05/97	GRAB	NO	NO				
MW-3	First	02/18/98	43.00	NO	NO				
	Second								
	Third	08/26/97	15.00	YES	NO				
	Fourth	11/05/97	15.00	NO	NO				
MW-4	First	02/18/98	42.00	NO	NO				
	Second								
	Third	08/26/97	NA	NA	NA				
	Fourth	11/05/97	NA	NA	NA				
MW-5	First	02/18/98	26.00	YES	NO				
	Second								
	Third	08/26/97	15.00	YES	NO				
	Fourth	11/05/97	GRAB	NA	NA				
MW-6	First	02/18/98	39.00	YES	NO				
	Second								
	Third	08/26/97	14.00	YES	NO				
	Fourth	11/05/97	7.00	YES	NO				
MW-7	First	02/18/98	36.00	NO	NO				
	Second								
	Third	08/26/97	NA	NA	NA				
	Fourth	11/05/97	NA	NA	NA				
MW-8	First	02/18/98	11.50	NO	NO				
	Second								
	Third	08/26/97	GRAB	NA	NO				
	Fourth	11/05/97	NA	NA	NA				
MW-9	First	02/18/98	11.50	NO	NO				
	Second								
	Third	08/26/97	NA	NA	NA				
	Fourth	11/05/97	NA	NA	NA				
MW-10	First	02/18/98	NA	NA	NA				
	Second								
	Third	08/26/97	NA	NA	NA				
	Fourth	11/05/97	NA	NA	NA				

1921 Ringwood Avenue
 San Jose, California

1998

ARCO 771
 21775-213.003

Well ID	Quarter	Date	Purge Volume (gallons)	Did Well Dry?	Well Contained Product	Gallons			
						First	Second	Third	Fourth
						339.50	0.00	127.50	71.00
MW-11	First	02/18/98	10.50	NO	NO				
	Second								
	Third	08/26/97	3.00	NO	NO				
	Fourth	11/05/97	NA	NA	NA				
RW-1	First	02/18/98	50.00	YES	NO	Steam water (gal)			
	Second								
	Third	08/26/97	NA	NA	NA				
	Fourth	11/05/97	NA	NA	NA				

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No. **21133.00**

Chain of Custody

ARCO Facility no. TTI	City (Facility) Livermore	Project manager (Consultant) Gary Messerotes
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7300
Consultant name EMCON	Address (Consultant)	
		Fax no. (Consultant) (408) 453-0452

Laboratory Name: **CAS**

Contract Number:

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 900	BTEX/TPH EPA 801/802/803/804	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 4131 <input type="checkbox"/> 4132 <input type="checkbox"/>	TPH EPA 418.1/SM 806E	EPA 801/8010	EPA 8240/240	EPA 8250/250	TC/PC Metals YOAD YOAD	Cadm Metals EPA 8010/7000 TTLOC 8TLOC	Lead Org/MSD Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid														
MW-3(6)		2		X		X	HCL	2-17-98	1320		X										
MW-8(2)		2		X		X	HCL	2-17-98	1280		X										
MW-9(7)		2		X		X	HCL	2-17-98	1155		X										
MW-10(1)		2		X		X	HCL	2-17-98			X										
MW-11(3)		2		X		X	HCL	2-17-98	1250		X										
RM-10(1)		2		X		X	HCL	2-17-98	1410		X										
RM-6(1)		2		X		X	HCL	2-18-98	1500		X										
MW-5(8)		2		X		X	HCL	2-18-98	0855		X										
MW-4(9)		2		X		X	HCL	2-18-98	0930		X										
MW-1(8)		2		X		X	HCL	2-18-98	1010		X										
MW-2(5)		2		X		X	HCL	2-18-98	1050		X										
MW-7(5)		2		X		X	HCL	2-18-98	1130		X										
MW-1(1)		2		X		X	HCL				X										

Method of shipment: **Sampler will deliver**

Special Detection Limit/reporting: **Lowest Possible**

Special QA/QC: **AS**

Remarks: **2-10-98**

Remarks: **NO Samples Taken**

Condition of sample:	Temperature recorded:
Relinquished by sampler: Mike	Date: 2-18-98 Time: 1400
Relinquished by:	Date: Time: Received by: CAS Date: 2-18-98 Time: 14:00
Relinquished by:	Date: Time: Received by laboratory: Date: Time:

APPENDIX D
SVE SYSTEM MONITORING DATA LOG SHEETS

ARCO 771
SVE SYSTEM
MONITORING DATA

Reporting Period: 02/01/98 00:00 03/01/98 00:00		Hours in Period: 672.00 Days in Period: 28.00		Operation + Down Hours: 672.00 Operation + Down Days: 28.00																						
Reading Date & Time	Field Monitoring Data					Laboratory Sample Time	Laboratory Monitoring Data									Period Hours	Meter Hours	Hours of Operation	Days of Operation	Down Hours	Down Days					
	Flow Rates		FID or PID Results				Well Field Influent		System Influent		System Effluent		Destruction Efficiency	Gasoline Emission Rate	Benzene Emission Rate											
	Well Field Flow Rate	System Influent Flow Rate	Well Field	System Influent	System Effluent		Destruction Efficiency	Gasoline Emission Rate	Benzene Emission Rate	Gasoline	Benzene	Gasoline										Benzene	Gasoline	Benzene		
scfm	scfm	ppm	ppm	ppm	%	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	ppmv	mg/m3	%	lb/day	lb/day								
02/01/98 00:00	0.0	0.0																		467.00	1461.20	0.00	0.00	467.00	19.48	
02/20/98 11:00	0.0	0.0																		205.00	1461.20	0.00	0.00	205.00	8.54	
03/01/98 00:00	0.0	0.0																								
Period Totals:																			672.00		0.00	0.00	672.00	28.00		
Period Averages:		0.0	0.0																							

