



99 JAN -5 AM 9:15

LOP 38TB

December 30, 1998
Project 20805-122.005

Mr. Paul Supple
ARCO Products Company
P.O. Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report and Remediation System Performance Evaluation Report, Third Quarter 1998, for ARCO Service Station No. 0771, located at 899 Rincon Avenue, Livermore, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the third quarter 1998 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 0771, located at 899 Rincon Avenue, Livermore, California. Operation and performance data for the site's interim soil-vapor extraction (SVE) and air-bubbling systems are also presented. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS

No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle

Joel Goffman
Glen VanderVeen
Project Manager
for G.V.

J.R. Johnson
Jay R. Johnson, R.G.
Senior Project Supervisor

Attachment: Quarterly Groundwater Monitoring Report, Third Quarter 1998

cc: ~~Susan Hugo~~, ACHCSA
Danielle Stefani, LFD



December 30, 1998

ARCO QUARTERLY GROUNDWATER MONITORING REPORT

Station No.: 771 Address: 899 Rincon Avenue, Livermore, California
 Pinnacle Project No.: 20805-122.005
 ARCO Environmental Engineer/Phone No.: Paul Supple /(925) 299-8891
 Pinnacle Project Manager/Phone No.: Glen VanderVeen /(925) 977-9020
 Primary Agency/Regulatory ID No.: ACHCSA /Susan Hugo

WORK PERFORMED THIS QUARTER (THIRD - 1998):

1. Prepared and submitted quarterly groundwater monitoring report for second quarter 1998.
2. Performed quarterly groundwater monitoring and sampling for third quarter 1998.
3. Operated air-bubbling system.

WORK PROPOSED FOR NEXT QUARTER (FOURTH - 1998):

1. Prepare and submit quarterly groundwater monitoring report for third quarter 1998.
2. Perform quarterly groundwater monitoring and sampling for fourth quarter 1998.
3. Continue operating air-bubbling system.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems
Soil Vapor Extraction (SVE) system was shut down on 10-10-95 due to low hydrocarbon concentrations in extracted vapor.
Air bubbling system pulses hourly at 1 to 2 scfm per well in wells VW-1, MW-1, MW-2, MW-4, MW-5, MW-7, and RW-1.

Frequency of Sampling: Annual (1st Quarter): MW-4, MW-7, MW-9, MW-10, RW-1
Semi-Annual (1st/3rd Quarter): MW-8, MW-11
Quarterly: MW-1, MW-2, MW-3, MW-5, MW-6
Monthly (SVE)

Frequency of Monitoring: Quarterly (groundwater), Monthly (SVE and air-bubbling systems)

Is Floating Product (FP) Present On-site: Yes No

Cumulative FP Recovered to Date : 3.06 gallons, Wells MW-1, MW-2, and MW-5

FP Recovered This Quarter : None (FP was last recovered in 1992.)

Bulk Soil Removed to Date : 1,700 cubic yards of TPH-impacted soil

Bulk Soil Removed This Quarter : None

Water Wells or Surface Waters within 2000 ft., impacted by site: None

Current Remediation Techniques: Air-Bubbling System

Average Depth to Groundwater: 26.1 feet

Groundwater Flow Direction and Gradient (Average): 0.04 ft/ft toward North

SVE QUARTERLY OPERATION AND PERFORMANCE:

Equipment Inventory:	King Buck, 200 cfm, Model MMC-6A/E, Catalytic Oxidizer SVE system was shut down on 10-10-95 due to high groundwater
Operating Mode:	not operating
BAAQMD Permit #:	9051
TPH Conc. End of Period (lab):	NA (Not Applicable)
Benzene Conc. End of Period (lab):	NA
Flowrate End of Period:	NA
HC Destroyed This Period:	0.0 pounds
HC Destroyed to Date:	56.9 pounds
Utility Usage This Period	
Electric (KWH):	Not Reported
Gas (Therms):	NA
Operating Hours This Period:	0.0 hours
Percent Operational:	0.0%
Operating Hours to Date:	1737.5 hours
Unit Maintenance:	Routine maintenance of air-bubbling system.
Number of Auto Shut Downs:	0
Destruction Efficiency Permit Requirement:	90%
Percent TPH Conversion:	NA
Average Stack Temperature:	NA
Average Source Flow:	0.0 scfm
Average Process Flow:	0.0 scfm
Average Source Vacuum:	0.0 inches of water

ATTACHMENTS:

- Table 1 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Table 2 - Groundwater Flow Direction and Gradient
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TRPH EPA 418.1	Dissolved Oxygen	Purged/ Not Purged
		ft-MSL	feet	ft-MSL	feet		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	
MW-1	03-20-95	451.73	24.50	427.23	ND	03-20-95	90000	1800	1100	1000	5600	--	--	--	--		
MW-1	06-02-95	451.73	25.60	426.13	ND	06-03-95	81000	2000	1400	990	4600	--	--	--	--		
MW-1	08-23-95	451.73	29.04	422.69	ND	08-23-95	44000	2400	1900	670	3800	<300	--	--	--		
MW-1	12-04-95	451.73	31.31	420.42	ND	12-04-95	22000	870	660	390	2200	--	100	--	--		
MW-1	02-20-96	451.73	22.26	429.47	ND	02-20-96	21000	1500	1200	650	3500	<300	--	--	--		
MW-1	05-15-96	451.73	23.42	428.31	ND	05-15-96	36000	3000	2500	960	5700	<250	--	--	--		
MW-1	08-13-96	451.73	26.83	424.90	ND	08-13-96	19000	730	580	450	2500	<200	--	--	--		
MW-1	11-13-96	451.73	31.05	420.68	ND	11-13-96	6600	47	16	74	160	<30	--	--	--		
MW-1	03-26-97	451.73	26.29	425.44	ND	03-27-97	1900	100	55	37	200	<30	--	--	--		
MW-1	05-15-97	451.73	28.65	423.08	ND	05-15-97	16000	490	250	250	1100	<120	--	--	--		
MW-1	08-26-97	451.73	31.53	420.20	ND	08-26-97	190	6.7	3	6.3	25	<3	--	--	--		
MW-1	11-05-97	451.73	33.93	417.80	ND	11-05-97	63	0.5	<0.5	0.8	2.4	29	--	--	--		
MW-1	02-18-98	451.73	20.46	431.27	ND	02-18-98	23000	1500	610	550	3000	<120	--	--	--		
MW-1	05-20-98	451.73	23.84	427.89	ND	05-21-98	50000	4400	1900	1400	80000	<300	--	--	--		
MW-1	07-30-98	451.73	26.94	424.79	ND	07-30-98	150	<0.5	<0.5	<0.5	1.6	<3	--	--	--	8.74	P
MW-2	03-20-95	449.49	20.27	429.22	ND	03-20-95	54000	2600	1600	1200	7600	--	--	--	--		
MW-2	06-02-95	449.49	22.32	427.17	ND	06-03-95	37000	2200	800	980	4800	--	--	--	--		
MW-2	08-23-95	449.49	25.69	423.80	ND	08-23-95	65000	1100	310	840	3000	<500	--	--	--		
MW-2	12-04-95	449.49	28.52	420.97	ND	12-04-95	19000	680	150	410	1600	--	--	--	--		
MW-2	02-20-96	449.49	19.00	430.49	ND	02-20-96	22000	1200	240	590	2200	<300	--	--	--		
MW-2	05-15-96	449.49	20.03	429.46	ND	05-15-96	25000	1200	240	610	2100	<300	--	--	--		
MW-2	08-13-96	449.49	24.44	425.05	ND	08-13-96	19000	640	110	420	1200	<300	--	--	--		
MW-2	11-13-96	449.49	28.42	421.07	ND	11-13-96	15000	260	52	220	640	<200	--	--	--		
MW-2	03-26-97	449.49	22.98	426.51	ND	03-27-97	17000	580	120	360	980	<120	--	--	--		
MW-2	05-15-97	449.49	25.40	424.09	ND	05-15-97	18000	420	63	340	730	<120	--	--	--		
MW-2	08-26-97	449.49	28.38	421.11	ND	08-26-97	5300	210	26	140	270	<120	--	--	--		
MW-2	11-05-97	449.49	31.93	417.56	ND	11-05-97	560	42	2.6	7	9	<40	--	--	--		
MW-2	02-18-98	449.49	16.87	432.62	ND	02-18-98	18000	710	120	480	1100	130	--	--	--		

**Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Water Sample Field Date	TPHG	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TPHD	TRPH	Dissolved Oxygen mg/L	Purged/ Not Purged
							LUFT Method µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8240 µg/L	LUFT Method µg/L	EPA 418.J µg/L		
MW-2	05-20-98	449.49	20.29	429.20	ND	05-21-98	16000	480	72	440	1100	<120					
MW-2	07-30-98	449.49	23.51	425.98	ND	07-30-98	9700	240	33	210	490	<120					
MW-3	03-20-95	450.28	22.19	428.09	ND	03-20-95	94	<0.5	<0.5	<0.5	<0.5					9.21	P
MW-3	06-02-95	450.28	23.28	427.00	ND	06-02-95	72	<0.5	<0.5	<0.5	<0.5						
MW-3	08-23-95	450.28	26.55	423.73	ND	08-23-95	98	<0.5	<0.5	<0.6	0.5						
MW-3	12-04-95	450.28	29.52	420.76	ND	12-04-95	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	02-20-96	450.28	19.83	430.45	ND	02-20-96	130	<0.5	<0.5	<0.5	<0.5						
MW-3	05-15-96	450.28	21.03	429.25	ND	05-15-96	120	<0.5	<0.5	<0.5	<0.5						
MW-3	08-13-96	450.28	25.67	424.61	ND	08-13-96	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	11-13-96	450.28	21.57	428.71	ND	11-13-96	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	03-26-97	450.28	24.15	426.13	ND	03-26-97	<50	1.1	<0.5	<0.5	<0.5						
MW-3	05-15-97	450.28	26.85	423.43	ND	05-15-97	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	08-26-97	450.28	30.07	420.21	ND	08-26-97	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	11-05-97	450.28	32.46	417.82	ND	11-05-97	<50	<0.5	0.7	<0.5	<0.5						
MW-3	02-18-98	450.28	17.82	432.46	ND	02-18-98	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	05-20-98	450.28	21.41	428.87	ND	05-20-98	<50	<0.5	<0.5	<0.5	<0.5						
MW-3	07-30-98	450.28	26.41	423.87	ND	07-30-98	<50	<0.5	<0.5	<0.5	<0.5					9.56	P
MW-4	03-20-95	451.09	22.68	428.41	ND	03-20-95	12000	1000	100	450	700						
MW-4	06-02-95	451.09	24.41	426.68	ND	06-02-95	9000	850	56	380	430						
MW-4	08-23-95	451.09	27.72	423.37	ND	08-23-95	5300	400	25	240	170	<100					
MW-4	12-04-95	451.09	29.85	421.24	ND	12-04-95	6700	100	<10	90	38						
MW-4	02-20-96	451.09	21.16	429.93	ND	02-20-96	7000	360	22	180	160	<70					
MW-4	05-15-96	451.09	22.18	428.91	ND	05-15-96	Not sampled: well sampled annually, during the first quarter										
MW-4	08-13-96	451.09	26.20	424.89	ND	08-13-96	Not sampled: well sampled annually, during the first quarter										
MW-4	11-13-96	451.09	29.72	421.37	ND	11-13-96	Not sampled: well sampled annually, during the first quarter										
MW-4	03-26-97	451.09	21.86	429.23	ND	03-27-97	8900	390	33	200	250	<70					
MW-4	05-15-97	451.09	26.92	424.17	ND	05-15-97	Not sampled: well sampled annually, during the first quarter										
MW-4	08-26-97	451.09	29.30	421.79	ND	08-26-97	Not sampled: well sampled annually, during the first quarter										

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE BPA 8240	TPHD LUFT Method	TRPH EPA 418.1	Dissolved Oxygen	Purged/ Not Purged
		ft-MSL	feet	ft-MSL	feet		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	
MW-4	11-05-97	451.09	32.14	418.95	ND	11-05-97	Not sampled: well sampled annually, during the first quarter										
MW-4	02-18-98	451.09	19.30	431.79	ND	02-18-98	5300	220	19	160	130	120	--	--	--	--	
MW-4	05-20-98	451.09	22.40	428.69	ND	05-21-98	Not sampled: well sampled annually, during the first quarter										
MW-4	07-30-98	451.09	25.74	425.35	ND	07-30-98	Not sampled: well sampled annually, during the first quarter										
MW-5	03-20-95	451.40	23.20	428.20	ND	03-20-95	26000	1300	180	890	2900	--	--	--	--	--	
MW-5	06-02-95	451.40	24.80	426.60	ND	06-02-95	39000	940	160	740	1900	--	--	--	--	--	
MW-5	08-23-95	451.40	28.10	423.30	ND	08-23-95	14000	490	74	250	890	<300	--	--	--	--	
MW-5	12-04-95	451.40	29.83	421.57	ND	12-04-95	7600	230	13	61	80	--	--	--	--	--	
MW-5	02-20-96	451.40	21.63	429.77	ND	02-20-96	4300	220	12	45	130	<50	--	--	--	--	
MW-5	05-15-96	451.40	22.87	428.53	ND	05-15-96	2200	380	17	58	84	<40	--	--	--	--	
MW-5	08-13-96	451.40	26.48	424.92	ND	08-13-96	1700	150	16	24	35	47	--	--	--	--	
MW-5	11-13-96	451.40	29.68	421.72	ND	11-13-96	850	150	11	19	37	66	--	--	--	--	
MW-5	03-26-97	451.40	25.14	426.26	ND	03-26-97	2400	440	21	79	210	68	--	--	--	--	
MW-5	05-15-97	451.40	27.38	424.02	ND	05-15-97	3900	510	19	140	240	48	--	--	--	--	
MW-5	08-26-97	451.40	29.89	421.51	ND	08-26-97	76	4.9	<0.5	1.5	2	9	--	--	--	--	
MW-5	11-05-97	451.40	32.57	418.83	ND	11-05-97	63	0.8	<0.5	<0.5	1.2	34	--	--	--	--	
MW-5	02-18-98	451.40	19.99	431.41	ND	02-18-98	6200	630	70	320	640	320	--	--	--	--	
MW-5	05-20-98	451.40	23.21	428.19	ND	05-20-98	2300	340	21	110	140	62	--	--	--	--	
MW-5	07-30-98	451.40	26.19	425.21	ND	07-30-98	<50	0.8	<0.5	0.6	0.9	<3	--	--	--	8.83	P
MW-6	03-20-95	451.37	25.19	426.18	ND	03-20-95	2600	210	87	82	140	--	--	2000	1.7	--	
MW-6	06-02-95	451.37	25.75	425.62	ND	06-02-95	1600	55	7.9	40	26	--	--	1200	1	--	
MW-6	08-23-95	451.37	29.53	421.84	ND	08-23-95	1400	42	2.5	36	13	<20	--	530	1.6	--	
MW-6	12-04-95	451.37	32.28	419.09	ND	12-04-95	2500	52	5.8	59	13	--	--	1100	1.5	--	
MW-6	02-20-96	451.37	22.27	429.10	ND	02-20-96	2500	120	16	73	12	<30	--	--	1.8	--	
MW-6	05-15-96	451.37	23.86	427.51	ND	05-15-96	2000	71	6.4	47	25	<15	--	--	--	--	
MW-6	08-13-96	451.37	28.55	422.82	ND	08-13-96	3800	91	8.2	69	25	<20	--	--	--	--	
MW-6	11-13-96	451.37	32.04	419.33	ND	11-13-96	1900	55	3.3	55	8.5	16	--	--	--	--	
MW-6	03-26-97	451.37	26.84	424.53	ND	03-26-97	1800	51	5	32	15	<30	--	--	--	--	

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Water Sample Field Date	TPHG	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TPHD	TRPH	Dissolved Oxygen mg/L	Purged/ Not Purged
							LUFT Method µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8240 µg/L	LUFT Method µg/L	EPA 418.1 mg/L		
MW-6	05-15-97	451.37	29.58	421.79	ND	05-15-97	2400	46	3	29	9	<12	--	--	--		
MW-6	08-26-97	451.37	32.67	418.70	ND	08-26-97	1400	61	6	33	10	<12	--	--	--		
MW-6	11-05-97	451.37	34.62	416.75	ND	11-05-97	690	29	2.7	18	3.4	9	--	--	--		
MW-6	02-18-98	451.37	20.09	431.28	ND	02-18-98	1800	74	5	24	12	19	--	--	--		
MW-6	05-20-98	451.37	24.05	427.32	ND	05-20-98	1900	280	4	31	16	9	--	--	--		
MW-6	07-30-98	451.37	28.72	422.65	ND	07-30-98	2300	110	7	36	20	<15	--	--	--		
MW-7	03-20-95	450.33	22.07	428.26	ND	03-20-95	31000	2300	400	620	2900	--	--	--	--	NM	P
MW-7	06-02-95	450.33	23.42	426.91	ND	06-03-95	40000	1400	280	610	2400	--	--	--	--		
MW-7	08-23-95	450.33	27.13	423.20	ND	08-23-95	25000	1400	200	600	1600	350	--	--	--		
MW-7	12-04-95	450.33	29.45	420.88	ND	12-04-95	23000	1100	74	490	720	--	--	--	--		
MW-7	02-20-96	450.33	20.25	430.08	ND	02-20-96	39000	1200	140	640	1800	<400	--	--	--		
MW-7	05-15-96	450.33	21.38	428.95	ND	05-15-96	Not sampled: well sampled annually, during the first quarter										
MW-7	08-13-96	450.33	25.52	424.81	ND	08-13-96	Not sampled: well sampled annually, during the first quarter										
MW-7	11-13-96	450.33	29.38	420.95	ND	11-13-96	Not sampled: well sampled annually, during the first quarter										
MW-7	03-26-97	450.33	24.36	425.97	ND	03-27-97	35000	1100	180	460	1700	<300	--	--	--		
MW-7	05-15-97	450.33	26.90	423.43	ND	05-15-97	Not sampled: well sampled annually, during the first quarter										
MW-7	08-26-97	450.33	30.21	420.12	ND	08-26-97	Not sampled: well sampled annually, during the first quarter										
MW-7	11-05-97	450.33	32.49	417.84	ND	11-05-97	Not sampled: well sampled annually, during the first quarter										
MW-7	02-18-98	450.33	18.10	432.23	ND	02-18-98	19000	1100	120	460	1700	240	--	--	--		
MW-7	05-20-98	450.33	21.68	428.65	ND	05-21-98	Not sampled: well sampled annually, during the first quarter										
MW-7	07-30-98	450.33	26.07	424.26	ND	07-30-98	Not sampled: well sampled annually, during the first quarter										
MW-8	03-20-95	449.43	24.75	424.68	ND	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--		
MW-8	06-02-95	449.43	24.95	424.48	ND	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	08-23-95	449.43	30.94	418.49	ND	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-8	12-04-95	449.43	31.99	417.44	ND	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	02-20-96	449.43	21.13	428.30	ND	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-8	05-15-96	449.43	21.96	427.47	ND	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	08-13-96	449.43	30.20	419.23	ND	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TRPH EPA 418.1	Dissolved Oxygen	Purged/ Not Purged
		ft-MSL	feet	ft-MSL	feet		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	
MW-8	11-13-96	449.43	33.24	416.19	ND	11-13-96	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	03-26-97	449.43	26.85	422.58	ND	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-8	05-15-97	449.43	29.69	419.74	ND	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	08-26-97	449.43	34.00	415.43	ND	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-8	11-05-97	449.43	35.94	413.49	ND	11-05-97	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	02-18-98	449.43	18.18	431.25	ND	02-18-98	<50	0.6	0.6	<0.5	1.1	<3	--	--	--		
MW-8	05-20-98	449.43	22.85	426.58	ND	05-20-98	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-8	07-30-98	449.43	30.31	419.12	ND	07-30-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	8.21	NP
MW-9	03-20-95	449.21	19.11	430.10	ND	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	06-02-95	449.21	21.23	427.98	ND	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	08-23-95	449.21	24.33	424.88	ND	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	12-04-95	449.21	27.90	421.31	ND	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-9	02-20-96	449.21	17.86	431.35	ND	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-15-96	449.21	18.69	430.52	ND	05-15-96	Not sampled: well sampled annually, during the first quarter										
MW-9	08-13-96	449.21	24.17	425.04	ND	08-13-96	Not sampled: well sampled annually, during the first quarter										
MW-9	11-13-96	449.21	28.01	421.20	ND	11-13-96	Not sampled: well sampled annually, during the first quarter										
MW-9	03-26-97	449.21	22.58	426.63	ND	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-9	05-15-97	449.21	25.12	424.09	ND	05-15-97	Not sampled: well sampled annually, during the first quarter										
MW-9	08-26-97	449.21	28.28	420.93	ND	08-26-97	Not sampled: well sampled annually, during the first quarter										
MW-9	11-05-97	449.21	31.18	418.03	ND	11-05-97	Not sampled: well sampled annually, during the first quarter										
MW-9	02-18-98	449.21	16.03	433.18	ND	02-18-98	<50	0.6	0.5	<0.5	1	<3	--	--	--		
MW-9	05-20-98	449.21	19.31	429.90	ND	05-20-98	Not sampled: well sampled annually, during the first quarter										
MW-9	07-30-98	449.21	24.90	424.31	ND	07-30-98	Not sampled: well sampled annually, during the first quarter										
MW-10	03-20-95	449.22	20.96	428.26	ND	03-20-95	Not sampled: well sampled annually, during the third quarter										
MW-10	06-02-95	449.22	22.15	427.07	ND	06-02-95	Not sampled: well sampled annually, during the third quarter										
MW-10	08-23-95	449.22	24.47	424.75	ND	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		
MW-10	12-04-95	449.22	26.97	422.25	ND	12-04-95	Not sampled: well sampled annually, during the third quarter										
MW-10	02-20-96	449.22	18.40	430.82	ND	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--		

**Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present***

**ARCO Service Station 771
899 Rincon Avenue, Livermore, California**

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TPHD LUFT Method	TRPH EPA 418.1	Dissolved Oxygen	Purged/ Not Purged
		ft-MSL	feet														
MW-10	05-15-96	449.22	Not surveyed: vehicle was parked			05-15-96	Not sampled: well sampled annually, during the first quarter										
MW-10	08-13-96	449.22	23.70	425.52	ND	08-13-96	Not sampled: well sampled annually, during the first quarter										
MW-10	11-13-96	449.22	27.15	422.07	ND	11-13-96	Not sampled: well sampled annually, during the first quarter										
MW-10	03-26-97	449.22	22.23	426.99	ND	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-10	05-15-97	449.22	24.57	424.65	ND	05-15-97	Not sampled; well sampled annually, during the first quarter										
MW-10	08-26-97	449.22	27.62	421.60	ND	08-26-97	Not sampled: well sampled annually, during the first quarter										
MW-10	11-05-97	449.22	30.79	418.43	ND	11-05-97	Not sampled: well sampled annually, during the first quarter										
MW-10	02-18-98	449.22	NM	NM	ND	02-18-98	Not sampled: car parked on well										
MW-10	05-20-98	449.22	NM	NM	ND	05-20-98	Not sampled: well sampled annually, during the first quarter										
MW-10	07-30-98	449.22	23.90	425.32	ND	07-30-98	Not sampled: well sampled annually, during the first quarter										
MW-11	03-20-95	448.02	25.02	423.00	ND	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--
MW-11	06-02-95	448.02	23.82	424.20	ND	06-02-95	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	08-23-95	448.02	30.15	417.87	ND	08-23-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-11	12-04-95	448.02	31.63	416.39	ND	12-04-95	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	02-20-96	448.02	20.94	427.08	ND	02-20-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-11	05-15-96	448.02	23.03	424.99	ND	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	08-13-96	448.02	29.19	418.83	ND	08-13-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-11	11-13-96	448.02	31.96	416.06	ND	11-13-96	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	03-26-97	448.02	26.61	421.41	ND	03-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-11	05-15-97	448.02	29.39	418.63	ND	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	08-26-97	448.02	33.47	414.55	ND	08-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	--	--
MW-11	11-05-97	448.02	35.12	412.90	ND	11-05-97	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	02-18-98	448.02	18.03	429.99	ND	02-18-98	<50	<0.5	<0.5	<0.5	1	<3	--	--	--	--	--
MW-11	05-20-98	448.02	23.00	425.02	ND	05-20-98	Not sampled: well sampled semi-annually, during the first and third quarters										
MW-11	07-30-98	448.02	29.30	418.72	ND	07-30-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	--	5.59	P
RW-1	03-20-95	451.67	23.76	427.91	ND	03-20-95	15000	1000	140	310	950	--	--	--	--	--	--
RW-1	06-02-95	451.67	25.12	426.55	ND	06-02-95	12000	1300	280	420	1100	--	--	--	--	--	--
RW-1	08-23-95	451.67	28.80	422.87	ND	08-23-95	8200	520	190	240	610	<50	--	--	--	--	--

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 8240 µg/L	TPHD LUFT Method µg/L	TRPH EPA 418.1 mg/L	Dissolved Oxygen mg/L	Purged/ Not Purged
RW-1	12-04-95	451.67	31.15	420.52	ND	12-04-95	2600	140	59	83	210	--	--	--	--		
RW-1	02-20-96	451.67	21.45	430.22	ND	02-20-96	6300	410	160.0	180	650	<40	--	--	--		
RW-1	05-15-96	451.67	22.97	428.70	ND	05-15-96	Not sampled: well sampled annually, during the first quarter										
RW-1	08-13-96	451.67	24.74	426.93	ND	08-13-96	Not sampled: well sampled annually, during the first quarter										
RW-1	11-13-96	451.67	30.69	420.98	ND	11-13-96	Not sampled: well sampled annually, during the first quarter										
RW-1	03-26-97	451.67	25.69	425.98	ND	03-26-97	500	57	3	6.4	18	54	--	--	--		
RW-1	05-15-97	451.67	28.19	423.48	ND	05-15-97	Not sampled: well sampled annually, during the first quarter										
RW-1	08-26-97	451.67	31.21	420.46	ND	08-26-97	Not sampled: well sampled annually, during the first quarter										
RW-1	11-05-97	451.67	33.67	418.00	ND	11-05-97	Not sampled: well sampled annually, during the first quarter										
RW-1	02-18-98	451.67	20.14	431.53	ND	02-18-98	9400	200	70	190	710	<60	--	--	--		
RW-1	05-20-98	451.67	23.43	428.24	ND	05-20-98	Not sampled: well sampled annually, during the first quarter										
RW-1	07-30-98	451.67	27.42	424.25	ND	07-30-98	Not sampled: well sampled annually, during the first quarter										

ft-MSL: elevation in feet, relative to mean sea level

TPHG: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

MTBE: Methyl tert-butyl ether

EPA: United States Environmental Protection Agency

TRPH: total recoverable petroleum hydrocarbons

µg/L: micrograms per liter

mg/L: milligrams per liter

NR: not reported; data not available

ND: none detected

NM: not measured


--: not analyzed or not applicable

*: For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 771, Livermore, California*, (EMCON, March 1, 1996).

Table 2
Groundwater Flow Direction and Gradient
1995 - Present*

ARCO Service Station 771
899 Rincon Avenue, Livermore, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
03-20-95	Northwest	0.03
06-02-95	North-Northwest	0.014
08-23-95	North-Northwest	0.03
12-04-95	North-Northwest	0.03
02-20-96	Northwest	0.016
05-15-96	Northwest	0.024
08-13-96	North-Northwest	0.03
11-13-96	North-Northwest	0.031
03-26-97	North-Northwest	0.044
05-15-97	North-Northwest	0.031
08-26-97	North-Northwest	0.042
11-05-97	North-Northwest	0.03
02-18-98	Northwest	0.01
05-20-98	Northwest	0.03
07-30-98	North	0.04



EXPLANATION

- Groundwater monitoring well
- Former underground gasoline storage tank
- Existing underground gasoline storage tank
- (150/<0.5/<3) Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 7/30/98
- < Not detected at or above the indicated laboratory detection limit
- NS Not sampled





IMAGE Files: <No Images>
XREF Files: <No Xrefs>
DIMSCALE: 50 Ltscale: 50 Psttscale: 0
SANDWSE/CADD: N:\DWG\PINACL\771\771CHEM.DWG Mon, 23/Nov/98 12:31pm kblack

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON

DATE NOV. 1998
DWN KAB
APP
REV 0
PROJECT NO.
20805-122.005

FIGURE 1
ARCO PRODUCTS COMPANY
SERVICE STATION 771, 899 RINCON AVE.
LIVERMORE, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
THIRD QUARTER 1998



EXPLANATION

- Groundwater monitoring well
- Former underground gasoline storage tank
- Existing underground gasoline storage tank
- (425.35) Groundwater elevation (Ft.-MSL); measured 7/30/98
- ? - - - Groundwater elevation contour (Ft.-MSL)
- ← Approximate direction of groundwater flow showing gradient




IMAGE Files: <No Images>
 XREF Files: <No Xrefs>
 Dimscale: 50 Ltscale: 50 Psitscale: 0
 SANJOSE/CADD: N:\DWG\PINACL\771\771GWC.DWG Mon, 14/Dec/98 03:36pm ktroyer

ENVIRONMENTAL SOLUTIONS
 A DIVISION OF EMCON

DATE	NOV. 1998
DWN	KAB
APP	
REV	0
PROJECT NO.	20805-122.005

FIGURE 2
 ARCO PRODUCTS COMPANY
 SERVICE STATION 771, 899 RINCON AVE.
 LIVERMORE, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
THIRD QUARTER 1998

APPENDIX A
SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)



OWT

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT FLOATING PRODUCT THICKNESS. DO NOT SAMPLE WELL FOR DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY USING THE FOLLOWING EQUATION:
 $P = \pi r^2 \times 7.48 \times 3$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS OF DRYNESS BEFORE REMOVING CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO THE CALCULATED PURGE VOLUME WHILE MONITORING GROUNDWATER STABILIZATION INDICATOR PARAMETERS (pH, CONDUCTIVITY, TEMPERATURE) AT INTERVALS OF ONE CASING VOLUME.

NO

YES

FINAL TWO SETS OF GROUNDWATER STABILIZATION INDICATOR PARAMETER MEASUREMENTS MEET THE FOLLOWING CRITERIA:

pH = ± 0.1 pH units

COND. = ± 10 %

TEMP. = ± 1.0 °F

WELL RECHARGES TO A LEVEL SUFFICIENT FOR SAMPLE COLLECTION WITHIN 24 HOURS OF EVACUATION TO DRYNESS.

YES

NO

YES

NO

WELL PURGING CRITERIA MET; PROCEED TO WELL SAMPLING.

CONTINUE PURGING; EVACUATE ADDITIONAL CASING VOLUME OF WATER. MONITORING INDICATOR PARAMETERS FOR STABILITY.

FIELD TEST FIRST RECHARGE WATER FOR INDICATOR PARAMETERS, THEN PROCEED TO WELL SAMPLING.

RECORD WELL AS DRY FOR PURPOSES OF SAMPLING.



EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1

WATER SAMPLE FIELD DATA SHEET

Rev. 5/96



OWT

PROJECT NO : _____
 PURGED BY : _____
 SAMPLED BY : _____

SAMPLE ID : _____
 CLIENT NAME : _____
 LOCATION : _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) : _____ VOLUME IN CASING (gal.) : _____
 DEPTH OF WELL (feet) : _____ CALCULATED PURGE (gal.) : _____
 DEPTH OF WATER (feet) : _____ ACTUAL PURGE VOL. (gal.) : _____

DATE PURGED : _____ END PURGE : _____
 DATE SAMPLED : _____ SAMPLING TIME : _____

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1) : _____

PURGING EQUIPMENT

SAMPLING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump _____ Bailer (PVC)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard™ _____ Dedicated
 Other: _____

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard™ _____ Dedicated
 Other: _____

WELL INTEGRITY: _____ LOCK: _____
 REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No.: _____
 E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____
 Temperature °F _____

SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____



EMCON

WATER SAMPLE FIELD DATA SHEET

FIGURE
A-2



EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM

OWT

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Project Authorization: _____
 EMCON Project No.: _____
 OWT Project No.: _____
 Task Code: _____
 Originals To: _____
 cc: _____

Well Lock Number (s)

CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____

Name

Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)
-----------------------	--------------------------	----------------------	-----------------------

ANAYSES REQUESTED

Laboratory and Lab QC Istructions:



EMCON

SAMPLING AND ANALYSIS REQUEST FORM

FIGURE

A-3

APPENDIX B

**CERTIFIED ANALYTICAL REPORT
AND CHAIN OF CUSTODY DOCUMENTATION**



August 14, 1998

Service Request No.: S9802011

Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on July 31, 1998. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 15, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Steven L. Green
Project Chemist

Greg Anderson
Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

AZLA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLc	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-11(37)
Lab Code: S9802011-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/7/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/7/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-8(40)
Lab Code: S9802011-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/7/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/7/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(38)
Lab Code: S9802011-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/8/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/8/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-2(33)
Lab Code: S9802011-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	40	NA	8/8/98	9700	
Benzene	EPA 5030	8020	0.5	40	NA	8/8/98	240	
Toluene	EPA 5030	8020	0.5	40	NA	8/8/98	33	
Ethylbenzene	EPA 5030	8020	0.5	40	NA	8/8/98	210	
Xylenes, Total	EPA 5030	8020	0.5	40	NA	8/8/98	490	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	40	NA	8/8/98	<120	C1

C1

The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(42)
Lab Code: S9802011-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	5	NA	8/8/98	2300	
Benzene	EPA 5030	8020	0.5	5	NA	8/8/98	110	
Toluene	EPA 5030	8020	0.5	5	NA	8/8/98	7	
Ethylbenzene	EPA 5030	8020	0.5	5	NA	8/8/98	36	
Xylenes, Total	EPA 5030	8020	0.5	5	NA	8/8/98	20	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	5	NA	8/8/98	<15	C1

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-1(35)
Lab Code: S9802011-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/8/98	150	
Benzene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/8/98	1.6	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/8/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: 7/30/98
Date Received: 7/31/98

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(39)
Lab Code: S9802011-007
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/8/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/8/98	0.8	
Toluene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/8/98	0.6	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/8/98	0.9	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/8/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980808-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/8/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/8/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/8/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S980807-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	8/7/98	ND	
Benzene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Toluene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	8/7/98	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	8/7/98	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
 BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CA/LUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-11(37)	S9802011-001		98	94
MW-8(40)	S9802011-002		101	96
MW-3(38)	S9802011-003		102	89
MW-2(33)	S9802011-004		95	96
MW-6(42)	S9802011-005		94	104
MW-1(35)	S9802011-006		98	99
MW-5(39)	S9802011-007		99	97
MW-11(37)	S9802011-001MS		94	98
MW-11(37)	S9802011-001DMS		97	94
Method Blank	S980807-WB1		101	88
Method Blank	S980808-WB1		99	94

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE
Sample Matrix: Water

Service Request: S9802011
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 8/7/98

Matrix Spike/Duplicate Matrix Spike Summary
 TPH as Gasoline

Sample Name: MW-11(37) Units: ug/L (ppb)
Lab Code: S9802011-001MS, S9802011-001DMS Basis: NA
Test Notes:

Percent Recovery

Analyte	Prep Method	Analysis Method	Spike Level			Sample Result	Spike Result				CAS Acceptance Limits	Relative Percent Difference	Result Notes
			MRL	MS	DMS		MS	DMS	MS	DMS			
Gasoline	EPA 5030	CA/LUFT	50	250	250	ND	230	220	92	88	75-135	4	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-122.005/TO#22312.00/RAT8/771 LIVERMORE

Service Request: S9802011
Date Analyzed: 8/7/98

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV Units: ug/L (ppb)
Lab Code: ICV1 Basis: NA
Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS		Result Notes
					Percent Recovery Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	230	90-110	92	
Benzene	EPA 5030	8020	25	26	85-115	104	
Toluene	EPA 5030	8020	25	26	85-115	104	
Ethylbenzene	EPA 5030	8020	25	26	85-115	104	
Xylenes, Total	EPA 5030	8020	75	79	85-115	105	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	25	85-115	100	

APPENDIX C
FIELD DATA SHEETS

FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY

PROJECT # : 21775-213.003

STATION ADDRESS : 899 Rincon Avenue, Livermore

DATE : 30-Jul-98

ARCO STATION # : 771

FIELD TECHNICIAN : Brice Hendricks

DAY : Thursday

DTW Order	WELL ID	Well Box Seal	Type Of Well Lid	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS	
1	MW-10	✓	Emco	YES	ARCO	LWC	23.90	23.90	ND	—	36.4	1 5/16" Broken Cap 2"	
2	MW-9	✓	Emco	NO	?	LWC	24.40	24.40	↓	↓	40.2	1 5/16"	
x	3	MW-11	✓	Emco	YES	?	LWC	29.30	29.30	↓	↓	38.7	1 5/16" 5.59 / 22.4°C 110 not secure
x	4	MW-8	✓	Emco	NO	None	LWC	30.31	30.31	↓	↓	41.6	1 5/16" 8.21 / 19.8°C
5	MW-4	✓	EBW	NO	NONE	LWC	25.74	25.74	↓	↓	41.3	3/4" no bolts	
6	MW-7	✓	EBW	NO	NONE	SLIP	26.07	26.07	↓	↓	39.7	3/4" no bolts	
7	RW-1	✓	2' □	YES	NONE	SLIP	27.42	27.42	↓	↓	39.8	Broken hinges	
x	8	MW-3	✓	Emco	YES	?	LWC	26.41	26.41	↓	↓	39.7	1 5/16" 9.56 / 19.6°C
x	9	MW-2	✓	EBW	NO	NONE	LWC	23.51	23.51	↓	↓	34.4	3/4" 9.21 / 20.0°C
λ	10	MW-6	✓	Emco	YES	NONE	LWC	28.72	28.72	↓	↓	43.3	1 5/16" Broken Cap 4"
x	11	MW-1	✓	Safe-Lite	NO	NONE	LWC	26.94	26.94	↓	↓	36.8	3/4" 8.74 / 19.9°C
x	12	MW-5	✓	EBW	NO	NONE	SLIP	26.19	26.19	↓	↓	40.3	3/4" 8.83 / 20.0°C no bolts
13	VW-1	✓	EBW	NO	NONE	LWC	20.89	20.89	↓	↓	28.2	3/4" no bolts	

SURVEY POINTS ARE TOP OF WELL CASINGS



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-213.003
 PURGED BY: B. Hendricks
 SAMPLED BY: ↓

SAMPLE ID: MW-1 (35')
 CLIENT NAME: ARCO 771
 LOCATION: Livermore

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): VOLUME IN CASING (gal.): 6.4
 DEPTH OF WELL (feet): 36.8 CALCULATED PURGE (gal.): 19.3
 DEPTH TO WATER (feet): 26.94 ACTUAL PURGE VOL (gal.): 16.0

DATE PURGED: 7/30/98 END PURGE: 1611
 DATE SAMPLED: ↓ SAMPLING TIME: 1631

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1603</u>	<u>7.0</u>	<u>7.07</u>	<u>992</u>	<u>70.6</u>	<u>Brown</u>	<u>low</u>
<u>1608</u>	<u>14.0</u>	<u>7.10</u>	<u>1002</u>	<u>70.1</u>	<u>↓</u>	<u>↓</u>
<u>1624</u>	<u>after recharge</u>	<u>7.09</u>	<u>1010</u>	<u>69.8</u>	<u>↓</u>	<u>↓</u>

OTHER: / ODOR: Strong
 (COBALT 2-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT

2" Bladder Pump
 Centrifugal Pump
 Submersible Pump
 Well Wizard[®]
 Other:

Bailer (Teflon)
 Bailer (PVC)
 Bailer (Stainless Steel)
 Dedicated

SAMPLING EQUIPMENT

2" Bladder Pump
 Bailer (Teflon)
 Bomb Sampler
 Dipper
 Well Wizard[®]
 Other:

Bailer (Stainless Steel)
 Submersible Pump
 Dedicated

WELL INTEGRITY: Good 3/4" LOCK:

REMARKS: Well dried @ 16.0 gallons purged - 1611
DTW @ 1620 = 31.9'

pH, E.C., Temp. Meter Calibration: Date: See MW-11 Time: Meter Serial No.:
 E.C. 1000 pH 7 pH 10 pH 4
 Temperature °F

SIGNATURE: BH REVIEWED BY: JA PAGE 1 OF 7



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-213.003
 PURGED BY: B. Hendricks
 SAMPLED BY: ↓

SAMPLE ID: MW-2 (33')
 CLIENT NAME: Arco 711
 LOCATION: Livermore

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): VOLUME IN CASING (gal.): 7.1
 DEPTH OF WELL (feet): 34.4 CALCULATED PURGE (gal.): 21.4
 DEPTH TO WATER (feet): 23.51 ACTUAL PURGE VOL. (gal.): 15.0

DATE PURGED: 7/30/98 END PURGE: 1432
 DATE SAMPLED: ↓ SAMPLING TIME: 1449

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1427</u>	<u>8.0</u>	<u>8.42</u>	<u>936</u>	<u>70.3</u>	<u>Brown</u>	<u>low</u>
<u>1432</u>	<u>15.0</u>	<u>7.64</u>	<u>1012</u>	<u>70.3</u>	<u>↓</u>	<u>↓</u>
<u>1447</u>	<u>after recharge</u>	<u>7.79</u>	<u>1008</u>	<u>70.2</u>	<u>↓</u>	<u>↓</u>

OTHER: ODOR: slight
 (COBALT 3-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT

- 2" Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Well Wizard[®]
- Other:

- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated

SAMPLING EQUIPMENT

- 2" Bladder Pump
- Bailer (Teflon)
- Bomb Sampler
- Bailer (Stainless Steel)
- Dipper
- Submersible Pump
- Well Wizard[®]
- Dedicated
- Other:

WELL INTEGRITY: Good LOCK:

REMARKS: Well dried @ 15.0 gallons purged - 1432
DTW @ 1437 = 30.4
DTW @ 1442 = 28.9

pH, E.C., Temp. Meter Calibration: Date: See MW-11 Time: Meter Serial No.:
 E.C. 1000 pH 7 pH 10 pH 4
 Temperature °F

SIGNATURE: BH REVIEWED BY: PAGE 2 OF 7



OWT

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-213.003
PURGED BY: B. H. Jackson
SAMPLED BY: ↓

SAMPLE ID: MW-3 (38')
CLIENT NAME: Arco 771
LOCATION: Livermore

TYPE: Groundwater Surface Water Leachate Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): VOLUME IN CASING (gal.): 8.6
DEPTH OF WELL (feet): 39.7 CALCULATED PURGE (gal.): 26.0
DEPTH TO WATER (feet): 26.41 ACTUAL PURGE VOL (gal.): 26.0

DATE PURGED: 7/30/98 END PURGE: 1402
DATE SAMPLED: ↓ SAMPLING TIME: 1409

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1355</u>	<u>10.0</u>	<u>7.16</u>	<u>1066</u>	<u>70.9</u>	<u>Brown</u>	<u>low</u>
<u>1359</u>	<u>20.0</u>	<u>7.20</u>	<u>1109</u>	<u>70.1</u>	<u>↓</u>	<u>↓</u>
<u>1402</u>	<u>26.0</u>	<u>7.21</u>	<u>1064</u>	<u>69.9</u>	<u>↓</u>	<u>↓</u>

OTHER: ODOR: None
(COBAL T 3-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT

- 2" Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Well Wizard[®]
- Other:

- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated

SAMPLING EQUIPMENT

- 2" Bladder Pump
- Bomb Sampler
- Dipper
- Well Wizard[®]
- Other:

WELL INTEGRITY: Good 15/16" LOCK:

REMARKS:

pH, E.C., Temp. Meter Calibration: Date: See MW-11 Time: Meter Serial No.:
E.C. 1000 pH 7 pH 10 pH 4
Temperature °F

SIGNATURE: BH REVIEWED BY: SOA PAGE 3 OF 7



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

OWT

PROJECT NO: 21775-213.003
PURGED BY: B. Hendricks
SAMPLED BY: ↓

SAMPLE ID: MW-5 (39')
CLIENT NAME: Arco TI
LOCATION: Livermore

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): _____ VOLUME IN CASING (gal.): 9.1
DEPTH OF WELL (feet): 40.3 CALCULATED PURGE (gal.): 27.6
DEPTH TO WATER (feet): 29.19 ACTUAL PURGE VOL. (gal.): 22.0

DATE PURGED: 7/30/98 END PURGE: 1655
DATE SAMPLED: ↓ SAMPLING TIME: 1716

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1648</u>	<u>10.0</u>	<u>8.60</u>	<u>785</u>	<u>73.7</u>	<u>Clear</u>	<u>low</u>
<u>1653</u>	<u>20.0</u>	<u>8.67</u>	<u>797</u>	<u>73.3</u>	<u>↓</u>	<u>↓</u>
<u>1713</u>	<u>after recharge</u>	<u>8.67</u>	<u>772</u>	<u>73.4</u>	<u>↓</u>	<u>↓</u>
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: / ODOR: Strong
(COBALT 2-100) _____ (NTU 0-200) _____

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): _____

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: Good 3/4" LOCK: _____

REMARKS: Well dined @ 22.0 gallons purged, 1655
DTW @ 1709 = 35.3

pH, E.C., Temp. Meter Calibration: Date: See MW-11 Time: _____ Meter Serial No.: _____
E.C. 1000 _____ / pH 7 _____ / pH 10 _____ / pH 4 _____
Temperature °F _____

SIGNATURE: BH REVIEWED BY: SA PAGE 4 OF 7



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-213.003
 PURGED BY: B. H. J. J. J.
 SAMPLED BY: ↓

SAMPLE ID: MW-6 (42)
 CLIENT NAME: Arco 771
 LOCATION: Livermore

TYPE: Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): — VOLUME IN CASING (gal.): 9.5
 DEPTH OF WELL (feet): 43.3 CALCULATED PURGE (gal.): 28.6
 DEPTH TO WATER (feet): 28.72 ACTUAL PURGE VOL. (gal.): 21.0

DATE PURGED: 7/30/98 END PURGE: 1513
 DATE SAMPLED: ↓ SAMPLING TIME: 1530

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1507	10.0	7.12	1075	70.7	clear	low
1511	20.0	7.11	1100	70.2	↓	↓
1529	after recharge	6.99	1093	69.5	↓	↓

OTHER: ODOR: Strong
 (COBAL T 2-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input checked="" type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: <u> </u>		Other: <u> </u>	

WELL INTEGRITY: Good 15/16" LOCK:

REMARKS: Well dried @ 21.0 gallons purged - 1513
DTW @ 1525 = 35.3

pH, E.C., Temp. Meter Calibration: Date: See MW-4 Time: Meter Serial No.:
 E.C. 1000 pH 7 pH 10 pH 4
 Temperature °F

SIGNATURE: BH REVIEWED BY: SA PAGE 5 OF 7



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-213.003
PURGED BY: B. Headrick
SAMPLED BY: J

SAMPLE ID: MW-8 (40')
CLIENT NAME: Arco 771
LOCATION: Livermore

TYPE: Groundwater Surface Water Leachate Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): VOLUME IN CASING (gal.): 1.8
DEPTH OF WELL (feet): 41.6 CALCULATED PURGE (gal.): 5.5
DEPTH TO WATER (feet): 30-31 ACTUAL PURGE VOL. (gal.): e

DATE PURGED: No purge END PURGE:
DATE SAMPLED: 7/30/98 SAMPLING TIME: 1334

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1331	—	7.28	854	69.5	Brown	mod

OTHER: ODOR: None
(COBALT D-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard®	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard®	<input type="checkbox"/> Dedicated
Other: <u> </u>		Other: <u>Dispo bailer</u>	

WELL INTEGRITY: Good 15/16" LOCK:

REMARKS: DTW below top of screen, grab sample

pH, E.C., Temp. Meter Calibration: Date: See MW-11 Time: Meter Serial No.:
E.C. 1000 pH 7 pH 10 pH 4
Temperature °F

SIGNATURE: BH REVIEWED BY: SA PAGE 6 OF 7

Handwritten marks at bottom of page



WATER SAMPLE FIELD DATA SHEET

Rev. 1/97

PROJECT NO: 21775-213.003
PURGED BY: B. Hendricks
SAMPLED BY: ↓

SAMPLE ID: MW-11 (37')
CLIENT NAME: Arco 771
LOCATION: Livermore

TYPE: Groundwater Surface Water Leachate Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): VOLUME IN CASING (gal.): 1.5
DEPTH OF WELL (feet): 38.7 CALCULATED PURGE (gal.): 4.6
DEPTH TO WATER (feet): 29.30 ACTUAL PURGE VOL (gal.): 5.0

DATE PURGED: 7/30/98 END PURGE: 1300
DATE SAMPLED: ↓ SAMPLING TIME: 1311

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm @ 25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1300</u>	<u>2.0</u>	<u>7.13</u>	<u>982</u>	<u>70.6</u>	<u>Brown</u>	<u>High</u>
<u>1304</u>	<u>4.0</u>	<u>7.13</u>	<u>998</u>	<u>69.8</u>	<u>↓</u>	<u>↓</u>
<u>1306</u>	<u>5.0</u>	<u>7.14</u>	<u>1000</u>	<u>69.6</u>	<u>↓</u>	<u>↓</u>

OTHER: / ODOR: None
(COBALT 3-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1):

PURGING EQUIPMENT

1" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard[®] Dedicated
Other:

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard[®] Dedicated
Other:

WELL INTEGRITY: Good LOCK:

REMARKS: lid not secure, nothing to bolt onto

pH, E.C., Temp. Meter Calibration: Date: 7/30/98 Time: 1250 Meter Serial No.:
E.C. ¹⁴¹³ ~~1000~~ 1411, 1413 pH 7 6.92, 7.00 pH 10 4.91, 10.00 pH 4 3.94, 4.00
Temperature °F 60.4

SIGNATURE: BH REVIEWED BY: SA PAGE 7 OF 7

