

# Atlantic Richfield Company

**Shannon Couch**  
Project Manager

PO Box 1257  
San Ramon, CA 94583  
Phone: (925) 275-3804  
Fax: (925) 275-3815  
E-Mail: shannon.couch@bp.com

**RECEIVED**

*10:00 am, Apr 30, 2012*


Alameda County  
Environmental Health

April 13, 2012

Re: First Quarter 2012 Semi-Annual Monitoring Report  
Atlantic Richfield Company Station #771  
899 Rincon Avenue  
Livermore, California  
ACEH Case RO0000200

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Shannon Couch  
Project Manager

Attachment



**FIRST QUARTER 2012 SEMI-ANNUAL MONITORING REPORT**  
**Atlantic Richfield Company Station #771**  
**899 Rincon Avenue**  
**Livermore, Alameda County, California**

**Prepared for:**

Ms. Shannon Couch  
Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, CA 94583

**Prepared by:**

Broadbent & Associates, Inc.  
1324 Mangrove Avenue, Suite 212  
Chico, California 95926  
(530) 566-1400

April 13, 2012

No. 06-82-608



1324 Mangrove Ave., Suite 212, Chico, CA 95926

[T] 530-566-1400 [F] 530-566-1401

broadbentinc.com

**Creating Solutions. Building Trust.**

April 13, 2012

Project No. 06-82-608

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, CA 94583  
Submitted via ENFOS

Attn.: Ms. Shannon Couch

Re: First Quarter 2012 Semi-Annual Monitoring Report, Atlantic Richfield Company Station #771, 899 Rincon Avenue, Livermore, California; ACEH Case No. RO0000200


Dear Ms. Couch:

Attached is the First Quarter 2012 Monitoring Report for Atlantic Richfield Company Station #771 located at 899 Rincon Avenue, Livermore, California. Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,  
BROADBENT & ASSOCIATES, INC.

Jason Duda  
Project Scientist

Matthew G. Herrick, P.G., C.HG  
Senior Hydrogeologist



Enclosure

cc: Ms. Dilan Roe, Alameda County Environmental Health (Submitted via ACEH ftp site)  
Mr. Paul M. Smith, Livermore-Pleasanton Fire Department, 3560 Nevada St., Pleasanton, California 94566  
Mr. Chuck Headlee, California Regional Water Quality Control Board – San Francisco Region (Submitted via GeoTracker)  
Electronic copy uploaded to GeoTracker

**FIRST QUARTER 2012  
SEMI-ANNUAL MONITORING REPORT  
ARCO STATION #771, LIVERMORE, CALIFORNIA**

Broadbent & Associates, Inc. (Broadbent) is pleased to present this *First Quarter 2012 Semi-Annual Monitoring Report* on behalf of Atlantic Richfield Company (a BP affiliated company) for ARCO Station #771 located in Livermore, Alameda County, California. Reporting is being submitted to Alameda County Environmental Health (ACEH) consistent with their requirements under the legal authority of the California Regional Water Quality Control Board, as codified by the California Code of Regulations Title 23, Section 2652(d). Details of work performed, discussion of results, and recommendations are provided below.

Facility Name / Address:	<u>ARCO Station #771 / 899 Rincon Avenue</u>
Client Project Manager / Title:	<u>Ms. Shannon Couch / Project Manager</u>
Broadbent Contact:	<u>Jason Duda, (530) 566-1400</u>
Broadbent Project No.:	<u>06-82-608</u>
Primary Regulatory Agency / ID No.:	<u>ACEH / Case #RO0000200</u>
Current phase of project:	<u>Monitoring and Case Closure Evaluation</u>
List of Acronyms / Abbreviations:	<u>See end of report text for list of acronyms/abbreviations used in report.</u>

**WORK PERFORMED THIS QUARTER (First Quarter 2012):**

1. Submitted *Case Evaluation and Justification for No Further Action* (Broadbent, 1/5/2012).
2. Submitted *Fourth Quarter 2011 Status Report* (Broadbent, 1/27/2012).
3. Conducted groundwater monitoring/sampling for First Quarter 2012 on January 23, 2012.

**WORK SCHEDULED FOR NEXT QUARTER (Second Quarter 2012):**

1. Prepare and submit *First Quarter 2012 Semi-Annual Monitoring Report* (contained herein).
2. No environmental field work is presently scheduled during the Second Quarter of 2012.

**GROUNDWATER MONITORING PLAN SUMMARY:**

Groundwater level gauging:	<u>Semi-Annual (1Q &amp; 3Q): MW-1 through MW-11, RW-1, VW-1</u>	(1Q and 3Q)
Groundwater sample collection:	<u>Semi-Annual (1Q &amp; 3Q): MW-4, MW-7, RW-1</u> <u>Annual (3Q): MW-2, MW-5, MW-6, MW-11, VW-1</u>	(1Q and 3Q)
Biodegradation indicator parameter monitoring:	<u>NA</u>	

**QUARTERLY RESULTS SUMMARY:**

**LNAPL**

LNAPL observed this quarter:	<u>No</u>	(yes/no)
LNAPL recovered this quarter:	<u>None</u>	(gal)
Cumulative LNAPL recovered:	<u>Unknown</u>	(gal)

**Groundwater Elevation and Gradient:**

Depth to groundwater:	<u>27.40 (VW-1) to 35.61 (MW-6)</u>	(ft below TOC)
Gradient direction:	<u>Northwest</u>	(compass direction)
Gradient magnitude:	<u>0.02</u>	(ft/ft)
Average change in elevation:	<u>-3.33</u>	(ft since last measurement)

**Laboratory Analytical Data**

Summary:	<u>GRO were detected in each of the three wells sampled at a maximum concentration of 2,100 µg/L in MW-7. Benzene was detected in each of the three wells sampled at a maximum concentration of 330 µg/L in MW-7. MTBE was detected in each of the three wells sampled at a maximum concentration of 150 µg/L in MW-7.</u>
----------	--

## ACTIVITIES CONDUCTED & RESULTS:

First Quarter 2012 groundwater monitoring was conducted on January 23, 2012 by Broadbent personnel in accordance with the monitoring plan summary detailed above. No irregularities were noted during water level gauging. Light, Non-Aqueous Phase Liquid (LNAPL, or free product) was not noted to be present in the wells monitored during this event. Depth to water measurements ranged from 27.40 ft at VW-1 to 35.61 ft at MW-6. Resulting groundwater surface elevations ranged from 415.86 ft at MW-11 to 425.89 ft at VW-1. Groundwater elevations are summarized in Table 1. Water level elevations yielded a potentiometric groundwater gradient to the northwest at approximately 0.02 ft/ft. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B. A Site Location Map is presented as Drawing 1. Potentiometric groundwater elevation contours are presented in Drawing 2.

Groundwater samples were collected on January 23, 2012, consistent with the current monitoring schedule. No irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California) for analysis of Gasoline-Range Organics (GRO, C6-C12) by EPA Method 8015M; for Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), Methyl Tertiary Butyl Ether (MTBE), Ethyl Tertiary Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA) and Ethanol by EPA Method 8260B. The laboratory noted that the GRO concentrations detected in wells MW-4 and RW-1 were "quantitated against gasoline." No other significant irregularities were encountered during analysis of the samples. The laboratory analytical report, including chain-of-custody documentation, is provided in Appendix C.

Hydrocarbons in the GRO range were detected above the laboratory reporting limit in each of the three wells sampled at a maximum concentration of 2,100 micrograms per liter ( $\mu\text{g/L}$ ) in well MW-7. Benzene was detected above the laboratory reporting limit in each of the three wells sampled at a maximum concentration of 330  $\mu\text{g/L}$  in well MW-7. Toluene was detected above the laboratory reporting limit in two of the three wells sampled at concentrations of 2.4  $\mu\text{g/L}$  in well MW-4 and 9.4  $\mu\text{g/L}$  in well MW-7. Ethylbenzene was detected above the laboratory reporting limit in one of the three wells sampled at a concentration of 10  $\mu\text{g/L}$  in well MW-7. Total Xylenes were detected above the laboratory limit in two of the three wells sampled at concentrations of 2.4  $\mu\text{g/L}$  in well RW-1 and 24  $\mu\text{g/L}$  in well MW-7. MTBE was detected above the laboratory reporting limit in each of the three wells sampled at a maximum concentration of 150  $\mu\text{g/L}$  in well MW-7. TBA was detected above the laboratory limit in two of the three wells sampled at concentrations of 510  $\mu\text{g/L}$  in well MW-7 and 620  $\mu\text{g/L}$  in well MW-4. The remaining analytes were not detected above their laboratory reporting limits in the wells sampled this monitoring event. Groundwater monitoring laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 2. Groundwater monitoring data (GEO\_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix D.

## DISCUSSION:

Groundwater levels were between historic minimum and maximum elevations for each well gauged this quarter. Groundwater elevations yielded a potentiometric groundwater gradient to the northwest at approximately 0.02 ft/ft, generally consistent with the historic gradient data presented in Table 3.

This event's detected analytical concentrations were within the historic minimum and maximum ranges recorded for each well. Recent and historic laboratory analytical results are summarized in Table 1 and Table 2. The next semi-annual groundwater monitoring and sampling event is scheduled to be conducted during the Third Quarter 2012.

## RECOMMENDATIONS:

The *Off-Site Soil and Groundwater Investigation Report* was submitted to ACEH on April 29, 2011. Due to the results obtained during this off-site investigation and current site conditions, a *Case Evaluation and Justification for No Further Action* was prepared and submitted on January 5, 2012. As of the date of this report, a response from ACEH regarding recommendation for no further action has not been received. It is recommended that semi-annual groundwater monitoring continue at the Site for now in accordance with the plan summary detailed above. The air diffusion system equipment currently present on-site will be removed during Second Quarter 2012 in an effort to reduce potential hazards associated with outdated and unused remediation equipment. Operation of the air diffusion system was discontinued in March 2010.

## LIMITATIONS:

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California), and our understanding of SFBRWQCB requirements. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of the Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

## ATTACHMENTS:

- Drawing 1: Site Location Map
- Drawing 2: Groundwater Elevation Contour and Analytical Summary Map, January 23, 2012
  
- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
- Table 2: Summary of Fuel Additives Analytical Data
- Table 3: Historical Groundwater Gradient – Direction and Magnitude
  
- Appendix A: Field Methods
- Appendix B: Field Data Sheets and Non-Hazardous Waste Data Form
- Appendix C: Laboratory Report and Chain-of-Custody Documentation
- Appendix D: GeoTracker Upload Confirmation Receipts

## LIST OF COMMONLY USED ACCRONYMS/ABBREVIATIONS:

ACEH:	Alameda County Environmental Health	gal:	Gallons
BTEX:	Benzene, Toluene, Ethylbenzene, Total Xylenes	GRO:	Gasoline-Range Organics
1,2-DCA:	1,2-Dichloroethane	LNAPL:	Light Non-Aqueous Phase Liquid
DIPE:	Di-Isopropyl Ether	MTBE:	Methyl Tertiary Butyl Ether
DO:	Dissolved Oxygen	NO <sub>3</sub> :	Nitrate as Nitrogen
DRO:	Diesel-Range Organics	ppb:	parts per billion
EDB:	1,2-Dibromomethane	SO <sub>4</sub> :	Sulfate
Eh:	Oxidation Reduction Potential	TAME:	Tert-Amyl Methyl Ether
EPA:	Environmental Protection Agency	TBA:	Tertiary Butyl Ether
ETBE:	Ethyl Tertiary Butyl Ether	TOC:	Top of Casing
Fe <sup>2+</sup> :	Ferrous Iron	µg/L:	micrograms per liter
ft/ft:	feet per foot		






IMAGE SOURCE: DELORME



**LEGEND**

- Monitoring well location
- ⊙ Vapor extraction well location
- Well ID** — Well designation
- ELEV** — Groundwater elevation (ft above MSL)
- GRO** — GRO, Benzene & MTBE concentrations (µg/L)
- Benzene** —
- MTBE** —
- SA or A** — Sampling frequency
- < — Not detected at or above laboratory reporting limits
- \* — Not used in contouring
- NG — Not gauged
- NS — Not sampled
- A(3) — Sampled annually during 3rd quarter
- GO — Not sampled, gauged only
- SA(1,3) — Sampled semi-annually, 1st & 3rd quarters
- 425.5 — Groundwater elevation contour (ft above MSL)
- ↖ 0.02 — Approximate groundwater flow direction and gradient (ft/ft)
- Remediation piping



NOTE: SITE MAP ADAPTED FROM URS FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-1</b>															
3/20/1995	--	451.73	32.00	41.00	24.50	427.23	90,000	1,800	1,100	1,000	5,600	--	--	--	
6/2/1995	--		32.00	41.00	25.60	426.13	81,000	2,000	1,400	990	4,600	--	--	--	
8/23/1995	--		32.00	41.00	29.04	422.69	44,000	2,400	1,900	670	3,800	<300	--	--	
12/4/1995	--		32.00	41.00	31.31	420.42	22,000	870	660	390	2,200	--	--	--	
2/20/1996	--		32.00	41.00	22.26	429.47	21,000	1,500	1,200	650	3,500	<300	--	--	
5/15/1996	--		32.00	41.00	23.42	428.31	36,000	3,000	2,500	960	5,700	<250	--	--	
8/13/1996	--		32.00	41.00	26.83	424.90	19,000	730	580	450	2,500	<200	--	--	
11/13/1996	--		32.00	41.00	31.05	420.68	6,600	47	16	74	160	<30	--	--	
3/26/1997	--		32.00	41.00	26.29	425.44	1,900	100	55	37	200	<30	--	--	
5/15/1997	--		32.00	41.00	28.65	423.08	16,000	490	250	250	1,100	<120	--	--	
8/26/1997	--		32.00	41.00	31.53	420.20	190	6.7	3	6.3	25	<3	--	--	
11/5/1997	--		32.00	41.00	33.93	417.80	63	0.5	<0.5	0.8	2.4	29	--	--	
2/18/1998	--		32.00	41.00	20.46	431.27	23,000	1,500	610	550	3,000	<120	--	--	
5/20/1998	--		32.00	41.00	23.84	427.89	50,000	4,400	1,900	1,400	80,000	<300	--	--	
7/30/1998	P		32.00	41.00	26.94	424.79	150	<0.5	<0.5	<0.5	1.6	<3	8.74	--	
10/29/1998	NP		32.00	41.00	32.58	419.15	<50	<0.5	<0.5	<0.5	1.8	<3	2.0	--	
3/16/1999	P		32.00	41.00	26.20	425.53	3,200	160	32	89	390	270	2.0	--	
5/5/1999	P		32.00	41.00	27.57	424.16	3,600	140	46	76	290	170	11.65	--	
8/26/1999	P		32.00	41.00	30.25	421.48	3,200	210	29	100	220	120	1.43	--	
12/3/1999	NP		32.00	41.00	32.70	419.03	53	<0.5	<0.5	<0.5	1	<3	2.12	--	
3/13/2000	P		32.00	41.00	24.45	427.28	<50	<0.5	<0.5	<0.5	<1	<3	5.81	--	
6/20/2000	--		32.00	41.00	27.79	423.94	67.4	3.88	<0.500	1.78	1.48	<2.50	--	--	b
6/20/2000	P		32.00	41.00	27.79	423.94	356	40.1	7.17	11.9	22.7	<2.50	5.1	--	
8/31/2000	--		32.00	41.00	30.35	421.38	--	--	--	--	--	--	--	--	
2/9/2001	--		32.00	41.00	30.95	420.78	--	--	--	--	--	--	--	--	
9/17/2001	--		32.00	41.00	30.85	420.88	--	--	--	--	--	--	--	--	
1/21/2002	--		32.00	41.00	30.61	421.12	--	--	--	--	--	--	--	--	
7/19/2002	--		32.00	41.00	31.55	420.18	--	--	--	--	--	--	--	--	
1/15/2003	--		32.00	41.00	22.99	428.74	--	--	--	--	--	--	--	--	
7/9/2003	--		32.00	41.00	30.35	421.38	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-1 Cont.</b>															
02/19/2004	--	451.73	32.00	41.00	26.24	425.49	--	--	--	--	--	--	--	--	
08/04/2004	--	454.23	32.00	41.00	26.36	427.87	--	--	--	--	--	--	--	--	
01/18/2005	--		32.00	41.00	24.47	429.76	--	--	--	--	--	--	--	--	
07/15/2005	--		32.00	41.00	29.44	424.79	--	--	--	--	--	--	--	--	
01/10/2006	--		32.00	41.00	22.58	431.65	--	--	--	--	--	--	--	--	
7/21/2006	--		32.00	41.00	20.73	433.50	--	--	--	--	--	--	--	--	
1/17/2007	--		32.00	41.00	31.88	422.35	--	--	--	--	--	--	--	--	
7/18/2007	--		32.00	41.00	32.85	421.38	--	--	--	--	--	--	--	--	
1/15/2008	--		32.00	41.00	28.76	425.47	--	--	--	--	--	--	--	--	
7/7/2008	--		32.00	41.00	35.56	418.67	--	--	--	--	--	--	--	--	
1/7/2009	--		32.00	41.00	34.07	420.16	--	--	--	--	--	--	--	--	
7/22/2009	--		32.00	41.00	--	--	--	--	--	--	--	--	--	--	Dry
3/12/2010	--		32.00	41.00	27.61	426.62	--	--	--	--	--	--	--	--	
9/9/2010	--		32.00	41.00	31.72	422.51	--	--	--	--	--	--	--	--	
2/17/2011	--		32.00	41.00	32.11	422.12	--	--	--	--	--	--	--	--	
7/7/2011	--		32.00	41.00	31.12	423.11	--	--	--	--	--	--	--	--	
<b>1/23/2012</b>	--		<b>32.00</b>	<b>41.00</b>	<b>34.34</b>	<b>419.89</b>	--	--	--	--	--	--	--	--	
<b>MW-2</b>															
3/20/1995	--	449.49	30.00	38.00	20.27	429.22	54,000	2,600	1,600	1,200	7,600	--	--	--	
6/2/1995	--		30.00	38.00	22.32	427.17	37,000	2,200	800	980	4,800	--	--	--	
8/23/1995	--		30.00	38.00	25.69	423.80	65,000	1,100	310	840	3,000	<500	--	--	
12/4/1995	--		30.00	38.00	28.52	420.97	19,000	680	150	410	1,600	--	--	--	
2/20/1996	--		30.00	38.00	19.00	430.49	22,000	1,200	240	590	2,200	<300	--	--	
5/15/1996	--		30.00	38.00	20.03	429.46	25,000	1,200	240	610	2,100	<300	--	--	
8/13/1996	--		30.00	38.00	24.44	425.05	19,000	640	110	420	1,200	<300	--	--	
11/13/1996	--		30.00	38.00	28.42	421.07	15,000	260	52	220	640	<200	--	--	
3/26/1997	--		30.00	38.00	22.98	426.51	17,000	580	120	360	980	<120	--	--	
5/15/1997	--		30.00	38.00	25.40	424.09	18,000	420	63	340	730	<120	--	--	
8/26/1997	--		30.00	38.00	28.38	421.11	5,300	210	26	140	270	<120	--	--	
11/5/1997	--		30.00	38.00	31.93	417.56	560	42	2.6	7	9	<40	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-2 Cont.</b>															
2/18/1998	--	449.49	30.00	38.00	16.87	432.62	18,000	710	120	480	1,100	130	--	--	
5/20/1998	--		30.00	38.00	20.29	429.20	16,000	480	72	440	1,100	<120	--	--	
7/30/1998	P		30.00	38.00	23.51	425.98	9,700	240	33	210	490	<120	9.21	--	
10/29/1998	NP		30.00	38.00	30.08	419.41	58	<0.5	<0.5	<0.5	1.2	<3	1.0	--	
3/16/1999	P		30.00	38.00	23.22	426.27	4,700	120	13	90	220	60	2.0	--	
5/5/1999	P		30.00	38.00	24.05	425.44	5,500	58	7.1	58	98	17	9.09	--	
8/26/1999	P		30.00	38.00	26.44	423.05	3,700	55	11	60	64	26	1.9	--	
12/3/1999	NP		30.00	38.00	30.15	419.34	130	<0.5	<0.5	0.7	1.8	<3	1.96	--	
3/13/2000	P		30.00	38.00	20.68	428.81	<50	<0.5	<0.5	<0.5	<1	<3	--	--	
6/20/2000	P		30.00	38.00	23.08	426.41	226	2.2	<0.500	4.83	7.88	<2.50	4.9	--	
8/31/2000	P		30.00	38.00	26.71	422.78	87.1	1.78	<0.500	1.33	1.15	<2.50	1.59	--	
2/9/2001	--		30.00	38.00	29.65	419.84	--	--	--	--	--	--	--	--	
9/17/2001	P		30.00	38.00	27.62	421.87	3,100	300	12	8.8	18	120	1.7	--	
1/21/2002	--		30.00	38.00	27.09	422.40	--	--	--	--	--	--	--	--	
7/19/2002	P		30.00	38.00	27.82	421.67	4,700	280	13	120	19	16	0.8	7.4	a
1/15/2003	--		30.00	38.00	22.18	427.31	--	--	--	--	--	--	--	--	
7/9/2003	--		30.00	38.00	26.40	423.09	3,900	170	<5.0	100	19	39	2.5	7.0	
02/19/2004	--		30.00	38.00	23.85	425.64	--	--	--	--	--	--	--	--	
08/04/2004	P	452.05	30.00	38.00	24.71	427.34	5,400	650	21	160	56	78	0.8	7.2	
01/18/2005	--		30.00	38.00	20.86	431.19	--	--	--	--	--	--	--	--	
07/15/2005	P		30.00	38.00	25.92	426.13	5,200	160	5.3	56	10	46	3.1	6.9	
01/10/2006	--		30.00	38.00	19.25	432.80	--	--	--	--	--	--	--	--	
7/21/2006	P		30.00	38.00	25.73	426.32	120	0.90	<0.50	<0.50	<0.50	<0.50	6.08	8.3	
1/17/2007	--		30.00	38.00	28.70	423.35	--	--	--	--	--	--	--	--	
7/18/2007	P		30.00	38.00	29.07	422.98	2,300	58	2.4	9.5	3.5	45	1.19	7.51	
1/15/2008	--		30.00	38.00	24.65	427.40	--	--	--	--	--	--	--	--	
7/7/2008	NP		30.00	38.00	32.41	419.64	3,600	28	<5.0	<5.0	<5.0	19	2.81	7.24	
1/7/2009	--		30.00	38.00	31.67	420.38	--	--	--	--	--	--	--	--	
7/22/2009	--		30.00	38.00	33.48	418.57	--	--	--	--	--	--	--	--	
3/12/2010	--		30.00	38.00	23.84	428.21	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-2 Cont.</b>															
9/9/2010	P	452.05	30.00	38.00	27.84	424.21	6,200	53	3.8	18	9.5	13	--	6.8	
2/17/2011	--		30.00	38.00	27.52	424.53	--	--	--	--	--	--	--	--	
7/7/2011	P		30.00	38.00	26.62	425.43	1,600	17	0.76	1.2	1.5	6.2	1.02	7.1	g (GRO)
<b>1/23/2012</b>	<b>--</b>		<b>30.00</b>	<b>38.00</b>	<b>32.32</b>	<b>419.73</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	
<b>MW-3</b>															
3/20/1995	--	450.28	32.00	40.00	22.19	428.09	94	<0.5	<0.5	<0.5	<0.5	--	--	--	
6/2/1995	--		32.00	40.00	23.28	427.00	72	<0.5	<0.5	<0.5	<0.5	--	--	--	
8/23/1995	--		32.00	40.00	26.55	423.73	98	<0.5	<0.5	<0.6	0.5	<3	--	--	
12/4/1995	--		32.00	40.00	29.52	420.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
2/20/1996	--		32.00	40.00	19.83	430.45	130	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1996	--		32.00	40.00	21.03	429.25	120	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
8/13/1996	--		32.00	40.00	25.67	424.61	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/13/1996	--		32.00	40.00	21.57	428.71	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
3/26/1997	--		32.00	40.00	24.15	426.13	<50	1.1	<0.5	<0.5	<0.5	<3	--	--	
5/15/1997	--		32.00	40.00	26.85	423.43	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
8/26/1997	--		32.00	40.00	30.07	420.21	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/5/1997	--		32.00	40.00	32.46	417.82	<50	<0.5	0.7	<0.5	<0.5	<3	--	--	
2/18/1998	--		32.00	40.00	17.82	432.46	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/20/1998	--		32.00	40.00	21.41	428.87	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
7/30/1998	P		32.00	40.00	26.41	423.87	<50	<0.5	<0.5	<0.5	<0.5	<3	9.56	--	
10/29/1998	P		32.00	40.00	31.33	418.95	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
3/16/1999	P		32.00	40.00	24.61	425.67	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
5/5/1999	P		32.00	40.00	25.75	424.53	140	<0.5	<0.5	0.6	<0.5	<3	4.43	--	
8/26/1999	P		32.00	40.00	28.49	421.79	80	0.6	0.6	0.6	1	<3	1.69	--	
12/3/1999	P		32.00	40.00	31.45	418.83	<50	<0.5	<0.5	<0.5	<1	<3	2.26	--	
3/13/2000	P		32.00	40.00	22.18	428.10	<50	<0.5	<0.5	<0.5	<1	<3	4.41	--	
6/20/2000	P		32.00	40.00	26.03	424.25	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	2.3	--	
8/31/2000	--		32.00	40.00	28.75	421.53	--	--	--	--	--	--	--	--	
2/9/2001	--		32.00	40.00	31.04	419.24	--	--	--	--	--	--	--	--	
9/17/2001	--		32.00	40.00	29.04	421.24	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-3 Cont.</b>															
1/21/2002	--	450.28	32.00	40.00	28.81	421.47	--	--	--	--	--	--	--	--	
7/19/2002	--		32.00	40.00	28.92	421.36	--	--	--	--	--	--	--	--	
1/15/2003	--		32.00	40.00	22.88	427.40	--	--	--	--	--	--	--	--	
7/9/2003	--		32.00	40.00	28.00	422.28	--	--	--	--	--	--	--	--	
02/19/2004	--		32.00	40.00	25.29	424.99	--	--	--	--	--	--	--	--	
08/04/2004	--	452.75	32.00	40.00	27.40	425.35	--	--	--	--	--	--	--	--	
01/18/2005	--		32.00	40.00	22.76	429.99	--	--	--	--	--	--	--	--	
07/15/2005	--		32.00	40.00	25.95	426.80	--	--	--	--	--	--	--	--	
01/10/2006	--		32.00	40.00	21.18	431.57	--	--	--	--	--	--	--	--	
7/21/2006	--		32.00	40.00	25.73	427.02	--	--	--	--	--	--	--	--	
1/17/2007	--		32.00	40.00	30.51	422.24	--	--	--	--	--	--	--	--	
7/18/2007	--		32.00	40.00	29.53	423.22	--	--	--	--	--	--	--	--	
1/15/2008	--		32.00	40.00	27.65	425.10	--	--	--	--	--	--	--	--	
7/7/2008	--		32.00	40.00	33.38	419.37	--	--	--	--	--	--	--	--	
1/7/2009	--		32.00	40.00	34.09	418.66	--	--	--	--	--	--	--	--	
7/22/2009	--		32.00	40.00	34.98	417.77	--	--	--	--	--	--	--	--	
3/12/2010	--		32.00	40.00	25.89	426.86	--	--	--	--	--	--	--	--	
9/9/2010	--		32.00	40.00	31.13	421.62	--	--	--	--	--	--	--	--	
2/17/2011	--		32.00	40.00	30.28	422.47	--	--	--	--	--	--	--	--	
7/7/2011	--		32.00	40.00	30.48	422.27	--	--	--	--	--	--	--	--	
<b>1/23/2012</b>	--		<b>32.00</b>	<b>40.00</b>	<b>34.29</b>	<b>418.46</b>	--	--	--	--	--	--	--	--	
<b>MW-4</b>															
3/20/1995	--	451.09	26.00	42.00	22.68	428.41	12,000	1,000	100	450	700	--	--	--	
6/2/1995	--		26.00	42.00	24.41	426.68	9,000	850	56	380	430	--	--	--	
8/23/1995	--		26.00	42.00	27.72	423.37	5,300	400	25	240	170	<100	--	--	
12/4/1995	--		26.00	42.00	29.85	421.24	6,700	100	<10	90	38	--	--	--	
2/20/1996	--		26.00	42.00	21.16	429.93	7,000	360	22	180	160	<70	--	--	
5/15/1996	--		26.00	42.00	22.18	428.91	--	--	--	--	--	--	--	--	
8/13/1996	--		26.00	42.00	26.20	424.89	--	--	--	--	--	--	--	--	
11/13/1996	--		26.00	42.00	29.72	421.37	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-4 Cont.</b>															
3/26/1997	--	451.09	26.00	42.00	21.86	429.23	8,900	390	33	200	250	<70	--	--	
5/15/1997	--		26.00	42.00	26.92	424.17	--	--	--	--	--	--	--	--	
8/26/1997	--		26.00	42.00	29.30	421.79	--	--	--	--	--	--	--	--	
11/5/1997	--		26.00	42.00	32.14	418.95	--	--	--	--	--	--	--	--	
2/18/1998	--		26.00	42.00	19.30	431.79	5,300	220	19	160	130	120	--	--	
5/20/1998	--		26.00	42.00	22.40	428.69	--	--	--	--	--	--	--	--	
7/30/1998	--		26.00	42.00	25.74	425.35	--	--	--	--	--	--	--	--	
10/29/1998	--		26.00	42.00	31.26	419.83	--	--	--	--	--	--	--	--	
3/16/1999	P		26.00	42.00	25.05	426.04	1,900	49	<5	43	<5	82	1.5	--	
5/5/1999	--		26.00	42.00	26.15	424.94	--	--	--	--	--	--	--	--	
8/26/1999	--		26.00	42.00	28.60	422.49	--	--	--	--	--	--	1.43	--	
12/3/1999	--		26.00	42.00	31.53	419.56	--	--	--	--	--	--	--	--	
3/13/2000	P		26.00	42.00	23.61	427.48	<50	<0.5	<0.5	<0.5	<1	<3	3.82	--	
6/20/2000	--		26.00	42.00	26.38	424.71	--	--	--	--	--	--	0.4	--	
8/31/2000	NP		26.00	42.00	29.55	421.54	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.04	--	
2/9/2001	NP		26.00	42.00	30.30	420.79	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.39	--	
9/17/2001	NP		26.00	42.00	29.90	421.19	3,400	51	<5.0	16	23	360	0.92	--	
1/21/2002	NP		26.00	42.00	29.51	421.58	1,900	140	12	27	48	300	1.03	--	
7/19/2002	NP		26.00	42.00	30.77	420.32	2,700	150	9.9	<5.0	<5.0	130	1.0	7.3	a
1/15/2003	--		26.00	42.00	23.56	427.53	4,800	150	5.3	28	46	150	1.3	7.0	a
7/9/2003	--		26.00	42.00	29.50	421.59	3,000	210	9.4	6	20	150	2.0	6.9	
02/19/2004	P		26.00	42.00	26.35	424.74	4,800	270	11	25	19	180	1.8	6.2	c
08/04/2004	NP	453.80	26.00	42.00	26.48	427.32	4,200	410	13	49	59	300	0.7	6.7	
01/18/2005	P		26.00	42.00	23.15	430.65	4,500	250	9.5	62	22	160	1.2	6.9	
07/15/2005	NP		26.00	42.00	28.13	425.67	3,500	230	6.1	19	15	230	0.5	7.0	
01/10/2006	P		26.00	42.00	21.49	432.31	5,500	250	7.6	37	25	190	1.3	7.1	
7/21/2006	NP		26.00	42.00	28.88	424.92	66	0.60	<0.50	0.52	0.82	3.1	4.75	8.3	
1/17/2007	NP		26.00	42.00	30.80	423.00	<50	<0.50	<0.50	<0.50	<0.50	11	6.19	8.03	
7/18/2007	NP		26.00	42.00	32.00	421.80	2,400	140	6.8	1.3	4.1	74	5.03	7.12	
1/15/2008	NP		26.00	42.00	27.30	426.50	220	1.2	<0.50	<0.50	0.50	61	3.29	6.94	f (MTBE)

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-4 Cont.</b>															
7/7/2008	NP	453.80	26.00	42.00	34.78	419.02	<50	3.1	<0.50	<0.50	0.66	17	4.03	7.26	
1/7/2009	NP		26.00	42.00	32.59	421.21	110	1.1	<0.50	<0.50	<0.50	37	2.79	7.26	
7/22/2009	NP		26.00	42.00	36.77	417.03	3,000	320	7.8	5.3	16	63	10.82	7.45	
3/12/2010	NP		26.00	42.00	26.38	427.42	1,700	150	4.6	8.3	2.3	43	1.14	7.08	
9/9/2010	NP		26.00	42.00	28.20	425.60	3,300	70	<2.5	3.6	3.6	51	--	6.8	
2/17/2011	NP		26.00	42.00	30.62	423.18	2,300	59	2.2	2.2	5.0	33	1.03	7.8	g (GRO)
7/7/2011	NP		26.00	42.00	27.98	425.82	2,000	79	2.7	<2.5	3.3	57	0.70	6.9	g (GRO)
<b>1/23/2012</b>	<b>P</b>		<b>26.00</b>	<b>42.00</b>	<b>33.57</b>	<b>420.23</b>	<b>980</b>	<b>51</b>	<b>2.4</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>44</b>	<b>1.14</b>	<b>6.89</b>	<b>g (GRO)</b>
<b>MW-5</b>															
3/20/1995	--	451.40	31.50	41.00	23.20	428.20	26,000	1,300	180	890	2,900	--	--	--	
6/2/1995	--		31.50	41.00	24.80	426.60	39,000	940	160	740	1,900	--	--	--	
8/23/1995	--		31.50	41.00	28.10	423.30	14,000	490	74	250	890	<300	--	--	
12/4/1995	--		31.50	41.00	29.83	421.57	7,600	230	13	61	80	--	--	--	
2/20/1996	--		31.50	41.00	21.63	429.77	4,300	220	12	45	130	<50	--	--	
5/15/1996	--		31.50	41.00	22.87	428.53	2,200	380	17	58	84	<40	--	--	
8/13/1996	--		31.50	41.00	26.48	424.92	1,700	150	16	24	35	47	--	--	
11/13/1996	--		31.50	41.00	29.68	421.72	850	150	11	19	37	66	--	--	
3/26/1997	--		31.50	41.00	25.14	426.26	2,400	440	21	79	210	68	--	--	
5/15/1997	--		31.50	41.00	27.38	424.02	3,900	510	19	140	240	48	--	--	
8/26/1997	--		31.50	41.00	29.89	421.51	76	4.9	<0.5	1.5	2	9	--	--	
11/5/1997	--		31.50	41.00	32.57	418.83	63	0.8	<0.5	<0.5	1.2	34	--	--	
2/18/1998	--		31.50	41.00	19.99	431.41	6,200	630	70	320	640	320	--	--	
5/20/1998	--		31.50	41.00	23.21	428.19	2,300	340	21	110	140	62	--	--	
7/30/1998	P		31.50	41.00	26.19	425.21	<50	0.8	<0.5	0.6	0.9	<3	8.83	--	
10/29/1998	NP		31.50	41.00	31.92	419.48	<50	<0.5	<0.5	<0.5	<0.5	<3	2.0	--	
3/16/1999	P		31.50	41.00	25.80	425.60	1,300	170	8	59	65	120	2.0	--	
5/5/1999	P		31.50	41.00	27.09	424.31	320	31	1.1	13	13	19	12.09	--	
8/26/1999	P		31.50	41.00	29.67	421.73	260	13	1.7	4.2	6.3	150	1.31	--	
12/3/1999	--		31.50	41.00	--	--	--	--	--	--	--	--	--	--	d
3/13/2000	P		31.50	41.00	24.51	426.89	<50	<0.5	<0.5	<0.5	<1	<3	4.41	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-5 Cont.</b>															
6/20/2000	P	451.40	31.50	41.00	27.37	424.03	60.8	4.84	<0.500	1.9	1.59	<2.50	5.3	--	
8/31/2000	P		31.50	41.00	30.21	421.19	<50.0	1.18	<0.500	<0.500	<0.500	3.83	0.97	--	
2/9/2001	--		31.50	41.00	30.19	421.21	--	--	--	--	--	--	--	--	
9/17/2001	P		31.50	41.00	30.71	420.69	2,700	120	10	90	77	330	0.81	--	
1/21/2002	--		31.50	41.00	30.40	421.00	--	--	--	--	--	--	--	--	
7/19/2002	P		31.50	41.00	31.93	419.47	1,600	170	7	120	<5.0	180	1.7	7.2	a
1/15/2003	--		31.50	41.00	23.12	428.28	--	--	--	--	--	--	--	--	
7/9/2003	--		31.50	41.00	30.95	420.45	2,000	160	5.7	67	27	260	1.5	6.9	
02/19/2004	--		31.50	41.00	26.73	424.67	--	--	--	--	--	--	--	--	
08/04/2004	P	453.52	31.50	41.00	26.61	426.91	2,100	250	5.3	73	22	250	2.7	7.0	
01/18/2005	--		31.50	41.00	24.10	429.42	--	--	--	--	--	--	--	--	
07/15/2005	P		31.50	41.00	29.27	424.25	1,600	61	<5.0	8.7	<5.0	270	2.1	6.9	
01/10/2006	--		31.50	41.00	22.19	431.33	--	--	--	--	--	--	--	--	
7/21/2006	P		31.50	41.00	30.36	423.16	2,100	29	<5.0	7.5	11	14	2.98	7.1	
1/17/2007	--		31.50	41.00	31.77	421.75	--	--	--	--	--	--	--	--	
7/18/2007	NP		31.50	41.00	33.42	420.10	470	36	0.84	0.97	2.2	110	1.73	7.50	
1/15/2008	--		31.50	41.00	28.60	424.92	--	--	--	--	--	--	--	--	
7/7/2008	NP		31.50	41.00	35.80	417.72	<50	<0.50	<0.50	<0.50	<0.50	<0.50	7.55	7.79	
1/7/2009	--		31.50	41.00	33.14	420.38	--	--	--	--	--	--	--	--	
7/22/2009	NP		31.50	41.00	37.84	415.68	100	3.0	<0.50	<0.50	<0.50	12	12.34	7.24	
3/12/2010	--		31.50	41.00	27.29	426.23	--	--	--	--	--	--	--	--	
9/9/2010	P		31.50	41.00	28.96	424.56	1,000	18	1.4	0.55	3.2	10	--	6.9	
2/17/2011	--		31.50	41.00	31.49	422.03	--	--	--	--	--	--	--	--	
7/7/2011	P		31.50	41.00	28.72	424.80	620	9.0	0.60	<0.50	0.61	4.6	1.60	7.0	g (GRO)
<b>1/23/2012</b>	<b>--</b>		<b>31.50</b>	<b>41.00</b>	<b>33.27</b>	<b>420.25</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	
<b>MW-6</b>															
3/20/1995	--	451.37	32.00	42.00	25.19	426.18	2,600	210	87	82	140	--	--	--	
6/2/1995	--		32.00	42.00	25.75	425.62	1,600	55	7.9	40	26	--	--	--	
8/23/1995	--		32.00	42.00	29.53	421.84	1,400	42	2.5	36	13	<20	--	--	
12/4/1995	--		32.00	42.00	32.28	419.09	2,500	52	5.8	59	13	--	--	--	



**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-6 Cont.</b>															
2/20/1996	--	451.37	32.00	42.00	22.27	429.10	2,500	120	16	73	12	<30	--	--	
5/15/1996	--		32.00	42.00	23.86	427.51	2,000	71	6.4	47	25	<15	--	--	
8/13/1996	--		32.00	42.00	28.55	422.82	3,800	91	8.2	69	25	<20	--	--	
11/13/1996	--		32.00	42.00	32.04	419.33	1,900	55	3.3	55	8.5	16	--	--	
3/26/1997	--		32.00	42.00	26.84	424.53	1,800	51	5	32	15	<30	--	--	
5/15/1997	--		32.00	42.00	29.58	421.79	2,400	46	3	29	9	<12	--	--	
8/26/1997	--		32.00	42.00	32.67	418.70	1,400	61	6	33	10	<12	--	--	
11/5/1997	--		32.00	42.00	34.62	416.75	690	29	2.7	18	3.4	9	--	--	
2/18/1998	--		32.00	42.00	20.09	431.28	1,800	74	5	24	12	19	--	--	
5/20/1998	--		32.00	42.00	24.05	427.32	1,900	280	4	31	16	9	--	--	
7/30/1998	P		32.00	42.00	28.72	422.65	2,300	110	7	36	20	<15	--	--	
10/29/1998	P		32.00	42.00	32.77	418.60	2,500	14	13	17	12	<12	1.0	--	
3/16/1999	P		32.00	42.00	26.45	424.92	1,200	65	4	27	13	18	0.5	--	
5/5/1999	P		32.00	42.00	27.86	423.51	2,200	53	4	26	6	25	5.59	--	
8/26/1999	P		32.00	42.00	30.49	420.88	1,100	11	6	10	4	13	2.35	--	
12/3/1999	P		32.00	42.00	32.35	419.02	370	<0.5	<0.5	0.8	<1	4	2.36	--	
3/13/2000	P		32.00	42.00	28.36	423.01	54	2.1	0.5	0.9	1.4	<3	4.22	--	
6/20/2000	P		32.00	42.00	28.35	423.02	195	1.83	<0.500	0.528	<0.500	<2.50	3.5	--	
8/31/2000	P		32.00	42.00	30.20	421.17	276	3.52	0.788	1.15	0.621	8.73	7.0	--	
2/9/2001	--		32.00	42.00	30.70	420.67	222	4.49	2.73	0.579	0.523	57.1	--	--	b
2/9/2001	P		32.00	42.00	30.70	420.67	253	5.44	2.93	0.924	0.977	48.9	0.59	--	
9/17/2001	--		32.00	42.00	30.94	420.43	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	b
9/17/2001	P		32.00	42.00	30.94	420.43	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.79	--	
1/21/2002	P		32.00	42.00	30.55	420.82	<50	<0.50	<0.50	<0.50	<0.50	<5.0	1.9	--	
7/19/2002	P		32.00	42.00	30.27	421.10	60	2	<0.50	<0.50	<0.50	<0.50	3.5	7.9	a
1/15/2003	--		32.00	42.00	22.86	428.51	83	9.1	<0.50	3.4	4.6	1	2.5	7.2	a
7/9/2003	P		32.00	42.00	29.41	421.96	110	<0.50	<0.50	<0.50	<0.50	0.98	2.6	7.1	
02/19/2004	--		32.00	42.00	43.25	408.12	--	--	--	--	--	--	--	--	
08/04/2004	P	453.83	32.00	42.00	27.71	426.12	540	36	3.8	17	24	5.2	3.5	7.1	
01/18/2005	--		32.00	42.00	24.56	429.27	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-6 Cont.</b>															
07/15/2005	P	453.83	32.00	42.00	27.61	426.22	4,600	210	44	150	670	32	3.5	7.1	
01/10/2006	--		32.00	42.00	23.75	430.08	--	--	--	--	--	--	--	--	
7/21/2006	P		32.00	42.00	27.96	425.87	260	<0.50	<0.50	<0.50	0.86	5.1	2.60	7.2	
1/17/2007	--		32.00	42.00	30.57	423.26	--	--	--	--	--	--	--	--	
7/18/2007	P		32.00	42.00	30.96	422.87	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.95	7.57	
1/15/2008	--		32.00	42.00	28.89	424.94	--	--	--	--	--	--	--	--	
7/7/2008	NP		32.00	42.00	34.57	419.26	<50	<0.50	<0.50	<0.50	<0.50	<0.50	6.00	7.19	
1/7/2009	--		32.00	42.00	34.75	419.08	--	--	--	--	--	--	--	--	
7/22/2009	NP		32.00	42.00	35.84	417.99	<50	<0.50	<0.50	<0.50	<0.50	<0.50	16.67	7.68	
3/12/2010	--		32.00	42.00	27.89	425.94	--	--	--	--	--	--	--	--	
9/9/2010	NP		32.00	42.00	33.06	420.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.2	
2/17/2011	--		32.00	42.00	32.60	421.23	--	--	--	--	--	--	--	--	
7/7/2011	NP		32.00	42.00	32.72	421.11	430	<0.50	<0.50	<0.50	<0.50	8.0	2.04	7.1	g (GRO)
<b>1/23/2012</b>	<b>--</b>		<b>32.00</b>	<b>42.00</b>	<b>35.61</b>	<b>418.22</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	
<b>MW-7</b>															
3/20/1995	--	450.33	30.00	40.00	22.07	428.26	31,000	2,300	400	620	2,900	--	--	--	
6/2/1995	--		30.00	40.00	23.42	426.91	40,000	1,400	280	610	2,400	--	--	--	
8/23/1995	--		30.00	40.00	27.13	423.20	25,000	1,400	200	600	1,600	350	--	--	
12/4/1995	--		30.00	40.00	29.45	420.88	23,000	1,100	74	490	720	--	--	--	
2/20/1996	--		30.00	40.00	20.25	430.08	39,000	1,200	140	640	1,800	<400	--	--	
5/15/1996	--		30.00	40.00	21.38	428.95	--	--	--	--	--	--	--	--	
8/13/1996	--		30.00	40.00	25.52	424.81	--	--	--	--	--	--	--	--	
11/13/1996	--		30.00	40.00	29.38	420.95	--	--	--	--	--	--	--	--	
3/26/1997	--		30.00	40.00	24.36	425.97	35,000	1,100	180	460	1,700	<300	--	--	
5/15/1997	--		30.00	40.00	26.90	423.43	--	--	--	--	--	--	--	--	
8/26/1997	--		30.00	40.00	30.21	420.12	--	--	--	--	--	--	--	--	
11/5/1997	--		30.00	40.00	32.49	417.84	--	--	--	--	--	--	--	--	
2/18/1998	--		30.00	40.00	18.10	432.23	19,000	1,100	120	460	1,700	240	--	--	
5/20/1998	--		30.00	40.00	21.68	428.65	--	--	--	--	--	--	--	--	
7/30/1998	--		30.00	40.00	26.07	424.26	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-7 Cont.</b>															
10/29/1998	--	450.33	30.00	40.00	31.13	419.20	--	--	--	--	--	--	--	--	
3/16/1999	P		30.00	40.00	24.45	425.88	8,600	430	51	200	680	<120	1.5	--	
5/5/1999	--		30.00	40.00	25.84	424.49	--	--	--	--	--	--	--	--	
8/26/1999	--		30.00	40.00	28.28	422.05	--	--	--	--	--	--	1.51	--	
12/3/1999	--		30.00	40.00	31.57	418.76	--	--	--	--	--	--	--	--	
3/13/2000	--		30.00	40.00	--	--	--	--	--	--	--	--	--	--	d
6/20/2000	--		30.00	40.00	25.91	424.42	--	--	--	--	--	--	5.4	--	
8/31/2000	--		30.00	40.00	28.40	421.93	8,410	344	58.9	276	581	202	0.09	--	
2/9/2001	--		30.00	40.00	30.04	420.29	2,030	203	12	17.9	49.4	128	1.55	--	
9/17/2001	P		30.00	40.00	29.03	421.30	4,800	200	14	9.9	27	160	0.29	--	
1/21/2002	--		30.00	40.00	28.98	421.35	2,600	280	17	41	50	97	--	--	b
1/21/2002	P		30.00	40.00	28.98	421.35	4,200	350	20	52	63	99	0.81	--	
7/19/2002	P		30.00	40.00	28.70	421.63	5,700	630	31	330	160	64	0.7	7.3	a
1/15/2003	--		30.00	40.00	21.91	428.42	12,000	470	19	340	310	91	1.5	7.0	a
7/9/2003	P		30.00	40.00	27.88	422.45	6,700	590	23	280	92	110	1.0	6.9	
02/19/2004	P		30.00	40.00	25.12	425.21	8,900	670	24	470	120	100	0.8	6.6	c
08/04/2004	P	452.70	30.00	40.00	25.92	426.78	9,100	930	29	460	130	140	0.6	7.2	
01/18/2005	P		30.00	40.00	22.31	430.39	16,000	770	33	590	220	87	1.0	6.9	
07/15/2005	P		30.00	40.00	27.20	425.50	12,000	1,000	38	490	220	150	1.5	6.9	
01/10/2006	P		30.00	40.00	20.61	432.09	13,000	1,200	50	760	330	120	0.8	7.1	
7/21/2006	P		30.00	40.00	28.10	424.60	8,000	110	<50	380	180	54	3.20	7.8	
1/17/2007	P		30.00	40.00	29.70	423.00	5,600	16	<2.5	26	12	3.1	1.08	7.83	
7/18/2007	P		30.00	40.00	29.73	422.97	2,400	140	2.8	9.1	7.3	67	4.86	7.67	
1/15/2008	P		30.00	40.00	26.18	426.52	3,500	120	3.6	9.0	29	26	3.16	7.07	
7/7/2008	NP		30.00	40.00	33.10	419.60	70	0.76	<0.50	<0.50	<0.50	0.69	7.81	8.24	
1/7/2009	NP		30.00	40.00	33.21	419.49	<50	1.5	<0.50	<0.50	<0.50	<0.50	3.00	7.73	
7/22/2009	NP		30.00	40.00	34.54	418.16	<50	<0.50	<0.50	<0.50	<0.50	0.53	11.95	7.65	
3/12/2010	P		30.00	40.00	25.46	427.24	2,600	36	1.0	14	9.1	11	0.42	8.07	
9/9/2010	NP		30.00	40.00	30.10	422.60	2,800	430	11	32	46	110	--	--	
2/17/2011	--		30.00	40.00	29.71	422.99	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-7 Cont.</b>															
7/7/2011	NP	452.70	30.00	40.00	29.68	423.02	2,600	310	8.3	7.5	46	150	0.77	6.9	g (GRO)
<b>1/23/2012</b>	<b>P</b>		<b>30.00</b>	<b>40.00</b>	<b>34.59</b>	<b>418.11</b>	<b>2,100</b>	<b>330</b>	<b>9.4</b>	<b>10</b>	<b>24</b>	<b>150</b>	<b>0.86</b>	<b>6.76</b>	
<b>MW-8</b>															
3/20/1995	--	449.43	27.50	42.50	24.75	424.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
6/2/1995	--		27.50	42.50	24.95	424.48	--	--	--	--	--	--	--	--	
8/23/1995	--		27.50	42.50	30.94	418.49	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
12/4/1995	--		27.50	42.50	31.99	417.44	--	--	--	--	--	--	--	--	
2/20/1996	--		27.50	42.50	21.13	428.30	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1996	--		27.50	42.50	21.96	427.47	--	--	--	--	--	--	--	--	
8/13/1996	--		27.50	42.50	30.20	419.23	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/13/1996	--		27.50	42.50	33.24	416.19	--	--	--	--	--	--	--	--	
3/26/1997	--		27.50	42.50	26.85	422.58	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1997	--		27.50	42.50	29.69	419.74	--	--	--	--	--	--	--	--	
8/26/1997	--		27.50	42.50	34.00	415.43	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/5/1997	--		27.50	42.50	35.94	413.49	--	--	--	--	--	--	--	--	
2/18/1998	--		27.50	42.50	18.18	431.25	<50	0.6	0.6	<0.5	1.1	<3	--	--	
5/20/1998	--		27.50	42.50	22.85	426.58	--	--	--	--	--	--	--	--	
7/30/1998	NP		27.50	42.50	30.31	419.12	<50	<0.5	<0.5	<0.5	<0.5	<3	8.21	--	
10/29/1998	--		27.50	42.50	35.88	413.55	--	--	--	--	--	--	--	--	
3/16/1999	NP		27.50	42.50	28.50	420.93	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
5/5/1999	--		27.50	42.50	29.76	419.67	--	--	--	--	--	--	--	--	
8/26/1999	P		27.50	42.50	33.51	415.92	<50	<0.5	<0.5	<0.5	<0.5	<3	4.93	--	
12/3/1999	--		27.50	42.50	35.83	413.60	--	--	--	--	--	--	--	--	
3/13/2000	P		27.50	42.50	26.12	423.31	<50	<0.5	<0.5	<0.5	<1	<3	2.81	--	
6/20/2000	--		27.50	42.50	30.91	418.52	--	--	--	--	--	--	5.8	--	
8/31/2000	--		27.50	42.50	33.70	415.73	--	--	--	--	--	--	--	--	
2/9/2001	--		27.50	42.50	30.90	418.53	--	--	--	--	--	--	--	--	
9/17/2001	--		27.50	42.50	33.95	415.48	--	--	--	--	--	--	--	--	
1/21/2002	--		27.50	42.50	33.71	415.72	--	--	--	--	--	--	--	--	
7/19/2002	--		27.50	42.50	35.30	414.13	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-8 Cont.</b>															
1/15/2003	--	449.43	27.50	42.50	27.10	422.33	--	--	--	--	--	--	--	--	
7/9/2003	--		27.50	42.50	33.10	416.33	--	--	--	--	--	--	--	--	
02/19/2004	--		27.50	42.50	28.92	420.51	--	--	--	--	--	--	--	--	
08/04/2004	--	451.80	27.50	42.50	34.28	417.52	--	--	--	--	--	--	--	--	
01/18/2005	--		27.50	42.50	26.76	425.04	--	--	--	--	--	--	--	--	
07/15/2005	--		27.50	42.50	31.14	420.66	--	--	--	--	--	--	--	--	
01/10/2006	--		27.50	42.50	22.88	428.92	--	--	--	--	--	--	--	--	
7/21/2006	--		27.50	42.50	30.84	420.96	--	--	--	--	--	--	--	--	
1/17/2007	--		27.50	42.50	33.20	418.60	--	--	--	--	--	--	--	--	
7/18/2007	--		27.50	42.50	31.92	419.88	--	--	--	--	--	--	--	--	
1/15/2008	--		27.50	42.50	31.52	420.28	--	--	--	--	--	--	--	--	
7/7/2008	--		27.50	42.50	36.32	415.48	--	--	--	--	--	--	--	--	
1/7/2009	--		27.50	42.50	40.52	411.28	--	--	--	--	--	--	--	--	
7/22/2009	--		27.50	42.50	40.38	411.42	--	--	--	--	--	--	--	--	
3/12/2010	--		27.50	42.50	31.48	420.32	--	--	--	--	--	--	--	--	
9/9/2010	--		27.50	42.50	35.28	416.52	--	--	--	--	--	--	--	--	
2/17/2011	--		27.50	42.50	33.49	418.31	--	--	--	--	--	--	--	--	
7/7/2011	--		27.50	42.50	32.74	419.06	--	--	--	--	--	--	--	--	
<b>1/23/2012</b>	<b>--</b>		<b>27.50</b>	<b>42.50</b>	<b>32.11</b>	<b>419.69</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	
<b>MW-9</b>															
3/20/1995	--	449.21	29.50	39.50	19.11	430.10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
6/2/1995	--		29.50	39.50	21.23	427.98	--	--	--	--	--	--	--	--	
8/23/1995	--		29.50	39.50	24.33	424.88	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
12/4/1995	--		29.50	39.50	27.90	421.31	--	--	--	--	--	--	--	--	
2/20/1996	--		29.50	39.50	17.86	431.35	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1996	--		29.50	39.50	18.69	430.52	--	--	--	--	--	--	--	--	
8/13/1996	--		29.50	39.50	24.17	425.04	--	--	--	--	--	--	--	--	
11/13/1996	--		29.50	39.50	28.01	421.20	--	--	--	--	--	--	--	--	
3/26/1997	--		29.50	39.50	22.58	426.63	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1997	--		29.50	39.50	25.12	424.09	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-9 Cont.</b>															
8/26/1997	--	449.21	29.50	39.50	28.28	420.93	--	--	--	--	--	--	--	--	
11/5/1997	--		29.50	39.50	31.18	418.03	--	--	--	--	--	--	--	--	
2/18/1998	--		29.50	39.50	16.03	433.18	<50	0.6	0.5	<0.5	1	<3	--	--	
5/20/1998	--		29.50	39.50	19.31	429.90	--	--	--	--	--	--	--	--	
7/30/1998	--		29.50	39.50	24.90	424.31	--	--	--	--	--	--	--	--	
10/29/1998	--		29.50	39.50	30.08	419.13	--	--	--	--	--	--	--	--	
3/16/1999	P		29.50	39.50	22.68	426.53	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
5/5/1999	--		29.50	39.50	23.82	425.39	--	--	--	--	--	--	--	--	
8/26/1999	--		29.50	39.50	26.57	422.64	--	--	--	--	--	--	5.08	--	
12/3/1999	--		29.50	39.50	--	--	--	--	--	--	--	--	--	--	d
3/13/2000	P		29.50	39.50	25.62	423.59	<50	<0.5	<0.5	<0.5	<1	<3	5.43	--	
6/20/2000	--		29.50	39.50	23.55	425.66	--	--	--	--	--	--	6.2	--	
8/31/2000	--		29.50	39.50	27.39	421.82	--	--	--	--	--	--	--	--	
2/9/2001	--		29.50	39.50	28.65	420.56	--	--	--	--	--	--	--	--	
9/17/2001	--		29.50	39.50	27.51	421.70	--	--	--	--	--	--	--	--	
1/21/2002	--		29.50	39.50	27.09	422.12	--	--	--	--	--	--	--	--	
7/19/2002	--		29.50	39.50	27.06	422.15	--	--	--	--	--	--	--	--	
1/15/2003	--		29.50	39.50	21.78	427.43	--	--	--	--	--	--	--	--	
7/9/2003	--		29.50	39.50	26.18	423.03	--	--	--	--	--	--	--	--	
02/19/2004	--		29.50	39.50	23.45	425.76	--	--	--	--	--	--	--	--	
08/04/2004	--	451.63	29.50	39.50	29.24	422.39	--	--	--	--	--	--	--	--	
01/18/2005	--		29.50	39.50	20.64	430.99	--	--	--	--	--	--	--	--	
07/15/2005	--		29.50	39.50	25.72	425.91	--	--	--	--	--	--	--	--	
01/10/2006	--		29.50	39.50	18.86	432.77	--	--	--	--	--	--	--	--	
7/21/2006	--		29.50	39.50	25.58	426.05	--	--	--	--	--	--	--	--	
1/17/2007	--		29.50	39.50	29.11	422.52	--	--	--	--	--	--	--	--	
7/18/2007	--		29.50	39.50	--	--	--	--	--	--	--	--	--	--	d
1/15/2008	--		29.50	39.50	24.89	426.74	--	--	--	--	--	--	--	--	
7/7/2008	--		29.50	39.50	32.06	419.57	--	--	--	--	--	--	--	--	
1/7/2009	--		29.50	39.50	32.65	418.98	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-9 Cont.</b>															
7/22/2009	--	451.63	29.50	39.50	33.74	417.89	--	--	--	--	--	--	--	--	
3/12/2010	--		29.50	39.50	23.44	428.19	--	--	--	--	--	--	--	--	
9/9/2010	--		29.50	39.50	29.56	422.07	--	--	--	--	--	--	--	--	
2/17/2011	--		29.50	39.50	27.18	424.45	--	--	--	--	--	--	--	--	
7/7/2011	--		29.50	39.50	27.71	423.92	--	--	--	--	--	--	--	--	
<b>1/23/2012</b>	<b>--</b>		<b>29.50</b>	<b>39.50</b>	<b>32.04</b>	<b>419.59</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	
<b>MW-10</b>															
3/20/1995	--	449.22	29.00	37.00	20.96	428.26	--	--	--	--	--	--	--	--	
6/2/1995	--		29.00	37.00	22.15	427.07	--	--	--	--	--	--	--	--	
8/23/1995	--		29.00	37.00	24.47	424.75	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
12/4/1995	--		29.00	37.00	26.97	422.25	--	--	--	--	--	--	--	--	
2/20/1996	--		29.00	37.00	18.40	430.82	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1996	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
8/13/1996	--		29.00	37.00	23.70	425.52	--	--	--	--	--	--	--	--	
11/13/1996	--		29.00	37.00	27.15	422.07	--	--	--	--	--	--	--	--	
3/26/1997	--		29.00	37.00	22.23	426.99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1997	--		29.00	37.00	24.57	424.65	--	--	--	--	--	--	--	--	
8/26/1997	--		29.00	37.00	27.62	421.60	--	--	--	--	--	--	--	--	
11/5/1997	--		29.00	37.00	30.79	418.43	--	--	--	--	--	--	--	--	
2/18/1998	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
5/20/1998	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	
7/30/1998	--		29.00	37.00	23.90	425.32	--	--	--	--	--	--	--	--	
10/29/1998	--		29.00	37.00	30.55	418.67	--	--	--	--	--	--	--	--	
3/16/1999	P		29.00	37.00	23.05	426.17	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
5/5/1999	--		29.00	37.00	24.00	425.22	--	--	--	--	--	--	--	--	
8/26/1999	--		29.00	37.00	26.50	422.72	--	--	--	--	--	--	5.15	--	
12/3/1999	--		29.00	37.00	30.80	418.42	--	--	--	--	--	--	--	--	
3/13/2000	--		29.00	37.00	26.21	423.01	--	--	--	--	--	--	--	--	d
6/20/2000	--		29.00	37.00	23.52	425.70	--	--	--	--	--	--	5.5	--	
8/31/2000	--		29.00	37.00	27.52	421.70	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-10 Cont.</b>															
2/9/2001	--	449.22	29.00	37.00	28.71	420.51	--	--	--	--	--	--	--	--	
9/17/2001	--		29.00	37.00	27.94	421.28	--	--	--	--	--	--	--	--	
1/21/2002	--		29.00	37.00	27.44	421.78	--	--	--	--	--	--	--	--	
7/19/2002	--		29.00	37.00	27.80	421.42	--	--	--	--	--	--	--	--	
1/15/2003	--		29.00	37.00	23.09	426.13	--	--	--	--	--	--	--	--	
7/9/2003	--		29.00	37.00	26.87	422.35	--	--	--	--	--	--	--	--	
02/19/2004	--		29.00	37.00	23.39	425.83	--	--	--	--	--	--	--	--	
01/18/2005	--	451.65	29.00	37.00	21.40	430.25	--	--	--	--	--	--	--	--	
07/15/2005	--		29.00	37.00	25.37	426.28	--	--	--	--	--	--	--	--	
01/10/2006	--		29.00	37.00	19.81	431.84	--	--	--	--	--	--	--	--	
7/21/2006	--		29.00	37.00	25.16	426.49	--	--	--	--	--	--	--	--	
1/17/2007	--		29.00	37.00	28.95	422.70	--	--	--	--	--	--	--	--	
7/18/2007	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
1/15/2008	--		29.00	37.00	24.62	427.03	--	--	--	--	--	--	--	--	
7/7/2008	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
1/7/2009	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
7/22/2009	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	Dry
3/12/2010	--		29.00	37.00	24.13	427.52	--	--	--	--	--	--	--	--	
9/9/2010	--		29.00	37.00	27.91	423.74	--	--	--	--	--	--	--	--	
2/17/2011	--		29.00	37.00	27.16	424.49	--	--	--	--	--	--	--	--	
7/7/2011	--		29.00	37.00	26.38	425.27	--	--	--	--	--	--	--	--	
<b>1/23/2012</b>	--		<b>29.00</b>	<b>37.00</b>	<b>31.25</b>	<b>420.40</b>	--	--	--	--	--	--	--	--	
<b>MW-11</b>															
3/20/1995	--	448.02	29.00	39.00	25.02	423.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
6/2/1995	--		29.00	39.00	23.82	424.20	--	--	--	--	--	--	--	--	
8/23/1995	--		29.00	39.00	30.15	417.87	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
12/4/1995	--		29.00	39.00	31.63	416.39	--	--	--	--	--	--	--	--	
2/20/1996	--		29.00	39.00	20.94	427.08	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1996	--		29.00	39.00	23.03	424.99	--	--	--	--	--	--	--	--	
8/13/1996	--		29.00	39.00	29.19	418.83	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	



**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-11 Cont.</b>															
11/13/1996	--	448.02	29.00	39.00	31.96	416.06	--	--	--	--	--	--	--	--	
3/26/1997	--		29.00	39.00	26.61	421.41	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1997	--		29.00	39.00	29.39	418.63	--	--	--	--	--	--	--	--	
8/26/1997	--		29.00	39.00	33.47	414.55	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/5/1997	--		29.00	39.00	35.12	412.90	--	--	--	--	--	--	--	--	
2/18/1998	--		29.00	39.00	18.03	429.99	<50	<0.5	<0.5	<0.5	1	<3	--	--	
5/20/1998	--		29.00	39.00	23.00	425.02	--	--	--	--	--	--	--	--	
7/30/1998	P		29.00	39.00	29.30	418.72	<50	<0.5	<0.5	<0.5	<0.5	<3	5.59	--	
10/29/1998	--		29.00	39.00	34.47	413.55	--	--	--	--	--	--	--	--	
3/16/1999	P		29.00	39.00	27.88	420.14	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
5/5/1999	--		29.00	39.00	26.85	421.17	--	--	--	--	--	--	--	--	
8/26/1999	P		29.00	39.00	32.74	415.28	<50	<0.5	<0.5	<0.5	<0.5	<3	4.59	--	
12/3/1999	--		29.00	39.00	34.70	413.32	--	--	--	--	--	--	--	--	
3/13/2000	P		29.00	39.00	25.94	422.08	<50	<0.5	<0.5	<0.5	<1	<3	3.21	--	
6/20/2000	--		29.00	39.00	30.40	417.62	--	--	--	--	--	--	3.3	--	
8/31/2000	--		29.00	39.00	32.68	415.34	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	b
8/31/2000	NP		29.00	39.00	32.68	415.34	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.4	--	
2/9/2001	--		29.00	39.00	31.17	416.85	--	--	--	--	--	--	--	--	
9/17/2001	NP		29.00	39.00	32.98	415.04	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.62	--	
1/21/2002	--		29.00	39.00	31.05	416.97	--	--	--	--	--	--	--	--	
7/19/2002	P		29.00	39.00	31.67	416.35	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.7	7.7	
1/15/2003	--		29.00	39.00	23.75	424.27	--	--	--	--	--	--	--	--	
7/9/2003	P		29.00	39.00	31.06	416.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.4	6.6	
02/19/2004	--		29.00	39.00	27.21	420.81	--	--	--	--	--	--	--	--	
08/04/2004	P	450.41	29.00	39.00	31.71	418.70	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.3	7.1	
01/18/2005	--		29.00	39.00	24.80	425.61	--	--	--	--	--	--	--	--	
07/15/2005	P		29.00	39.00	29.15	421.26	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.7	7.1	
01/10/2006	--		29.00	39.00	20.87	429.54	--	--	--	--	--	--	--	--	
7/21/2006	P		29.00	39.00	29.30	421.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.7	7.2	
1/17/2007	--		29.00	39.00	31.59	418.82	--	--	--	--	--	--	--	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-11 Cont.</b>															
7/18/2007	NP	450.41	29.00	39.00	29.22	421.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.35	7.12	
1/15/2008	--		29.00	39.00	29.12	421.29	--	--	--	--	--	--	--	--	
7/7/2008	NP		29.00	39.00	34.21	416.20	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.08	7.94	
1/7/2009	--		29.00	39.00	37.45	412.96	--	--	--	--	--	--	--	--	
7/22/2009	NP		29.00	39.00	37.33	413.08	<50	<0.50	<0.50	<0.50	<0.50	<0.50	15.97	7.81	
3/12/2010	--		29.00	39.00	28.47	421.94	--	--	--	--	--	--	--	--	
9/9/2010	NP		29.00	39.00	33.03	417.38	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.2	
2/17/2011	--		29.00	39.00	31.70	418.71	--	--	--	--	--	--	--	--	
7/7/2011	NP		29.00	39.00	31.44	418.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.65	7.1	
<b>1/23/2012</b>	<b>--</b>		<b>29.00</b>	<b>39.00</b>	<b>34.55</b>	<b>415.86</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	
<b>RW-1</b>															
3/20/1995	--	451.67	25.50	40.50	23.76	427.91	15,000	1,000	140	310	950	--	--	--	
6/2/1995	--		25.50	40.50	25.12	426.55	12,000	1,300	280	420	1,100	--	--	--	
8/23/1995	--		25.50	40.50	28.80	422.87	8,200	520	190	240	610	<50	--	--	
12/4/1995	--		25.50	40.50	31.15	420.52	2,600	140	59	83	210	--	--	--	
2/20/1996	--		25.50	40.50	21.45	430.22	6,300	410	160	180	650	<40	--	--	
5/15/1996	--		25.50	40.50	22.97	428.70	--	--	--	--	--	--	--	--	
8/13/1996	--		25.50	40.50	24.74	426.93	--	--	--	--	--	--	--	--	
11/13/1996	--		25.50	40.50	30.69	420.98	--	--	--	--	--	--	--	--	
3/26/1997	--		25.50	40.50	25.69	425.98	500	57	3	6.4	18	54	--	--	
5/15/1997	--		25.50	40.50	28.19	423.48	--	--	--	--	--	--	--	--	
8/26/1997	--		25.50	40.50	31.21	420.46	--	--	--	--	--	--	--	--	
11/5/1997	--		25.50	40.50	33.67	418.00	--	--	--	--	--	--	--	--	
2/18/1998	--		25.50	40.50	20.14	431.53	9,400	200	70	190	710	<60	--	--	
5/20/1998	--		25.50	40.50	23.43	428.24	--	--	--	--	--	--	--	--	
7/30/1998	--		25.50	40.50	27.42	424.25	--	--	--	--	--	--	--	--	
10/29/1998	--		25.50	40.50	32.47	419.20	--	--	--	--	--	--	--	--	
3/16/1999	NP		25.50	40.50	25.45	426.22	1,100	140	19	45	83	530	1.0	--	
5/5/1999	--		25.50	40.50	27.23	424.44	--	--	--	--	--	--	--	--	
8/26/1999	--		25.50	40.50	29.98	421.69	--	--	--	--	--	--	1.39	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>RW-1 Cont.</b>															
12/3/1999	--	451.67	25.50	40.50	32.38	419.29	--	--	--	--	--	--	--	--	
3/13/2000	NP		25.50	40.50	25.53	426.14	1,100	130	3.5	0.7	95	230	4.43	--	
6/20/2000	--		25.50	40.50	28.31	423.36	--	--	--	--	--	--	1.9	--	
8/31/2000	NP		25.50	40.50	30.61	421.06	<50.0	<0.500	<0.500	<0.500	<0.500	82.5	3.21	--	
2/9/2001	NP		25.50	40.50	31.14	420.53	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.84	--	
9/17/2001	NP		25.50	40.50	31.70	419.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.51	--	
1/21/2002	NP		25.50	40.50	30.15	421.52	<50	7.7	<0.50	<0.50	1.5	18	0.63	--	
7/19/2002	NP		25.50	40.50	31.15	420.52	<50	<0.50	<0.50	<0.50	<0.50	13	1.4	6.6	
1/15/2003	--		25.50	40.50	22.20	429.47	860	9	1.6	17	42	1.5	2.8	7.2	a
7/9/2003	--		25.50	40.50	29.56	422.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	7.1	
02/19/2004	NP		25.50	40.50	23.53	428.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.4	6.7	c
08/04/2004	P	454.11	25.50	40.50	22.45	431.66	600	<0.50	<0.50	3.3	3.4	<0.50	4.4	7.2	
01/18/2005	P		25.50	40.50	23.57	430.54	1,400	8.0	1.9	22	68	<0.50	3.6	6.9	
07/15/2005	NP		25.50	40.50	29.02	425.09	<50	<0.50	<0.50	<0.50	<0.50	2.0	1.1	7.8	
01/10/2006	P		25.50	40.50	21.88	432.23	480	4.3	0.67	8.3	18	0.54	4.4	7.1	
7/21/2006	--		25.50	40.50	--	--	--	--	--	--	--	--	--	--	d
1/17/2007	P		25.50	40.50	31.48	422.63	6,900	17	2.8	22	31	2.6	4.08	7.74	
7/18/2007	NP		25.50	40.50	32.45	421.66	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.33	7.48	
1/15/2008	NP		25.50	40.50	28.39	425.72	<50	<0.50	<0.50	<0.50	<0.50	8.3	2.73	6.87	
7/7/2008	NP		25.50	40.50	35.19	418.92	<50	<0.50	<0.50	<0.50	<0.50	0.53	2.51	7.05	
1/7/2009	NP		25.50	40.50	33.31	420.80	120	0.96	<0.50	<0.50	<0.50	1.6	2.13	6.84	
7/22/2009	NP		25.50	40.50	36.15	417.96	<50	<0.50	<0.50	<0.50	<0.50	0.84	10.39	7.40	
3/12/2010	P		25.50	40.50	25.01	429.10	240	15	<0.50	<0.50	<0.50	2.7	0.78	7.06	
9/9/2010	NP		25.50	40.50	31.01	423.10	440	<0.50	<0.50	<0.50	0.53	1.9	--	7.3	
2/17/2011	NP		25.50	40.50	26.45	427.66	500	1.5	<0.50	<0.50	0.55	<0.50	0.98	8.0	g (GRO)
7/7/2011	NP		25.50	40.50	30.42	423.69	750	2.4	<0.50	0.64	2.2	2.2	0.82	6.7	g (GRO)
<b>1/23/2012</b>	<b>P</b>		<b>25.50</b>	<b>40.50</b>	<b>29.13</b>	<b>424.98</b>	<b>430</b>	<b>13</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>2.4</b>	<b>1.8</b>	<b>0.43</b>	<b>6.61</b>	<b>g (GRO)</b>
<b>VW-1</b>															
8/31/2000	P	NS	18.50	28.50	20.61	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	10.08	--	
2/9/2001	P		18.50	28.50	22.10	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.53	--	

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>VW-1 Cont.</b>															
9/17/2001	P	NS	18.50	28.50	21.99	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	6.59	--	
1/21/2002	P		18.50	28.50	21.50	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.7	--	
7/19/2002	P		18.50	28.50	22.42	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.9	7.1	
1/15/2003	--		18.50	28.50	22.59	--	<50	<0.50	<0.50	0.63	1.7	<0.50	5.4	7.2	
7/9/2003	--		18.50	28.50	22.50	--	<50	<0.50	<0.50	<0.50	0.61	<0.50	2.0	7.0	
02/19/2004	--		18.50	28.50	21.04	--	--	--	--	--	--	--	--	--	
08/04/2004	P	453.29	18.50	28.50	20.48	432.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.7	7.0	
01/18/2005	--		18.50	28.50	21.72	431.57	--	--	--	--	--	--	--	--	
07/15/2005	P		18.50	28.50	22.50	430.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.1	7.4	
01/10/2006	--		18.50	28.50	20.17	433.12	--	--	--	--	--	--	--	--	
7/21/2006	P		18.50	28.50	22.50	430.79	220	<0.50	<0.50	<0.50	<0.50	<0.50	5.91	7.3	e
1/17/2007	--		18.50	28.50	21.67	431.62	--	--	--	--	--	--	--	--	
7/18/2007	NP		18.50	28.50	23.58	429.71	<50	<0.50	<0.50	<0.50	<0.50	<0.50	6.45	8.52	
1/15/2008	--		18.50	28.50	21.87	431.42	--	--	--	--	--	--	--	--	
7/7/2008	NP		18.50	28.50	23.70	429.59	<50	<0.50	<0.50	<0.50	<0.50	<0.50	7.54	8.46	
1/7/2009	--		18.50	28.50	22.00	431.29	--	--	--	--	--	--	--	--	
7/22/2009	NP		18.50	28.50	23.95	429.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50	10.12	7.66	
3/12/2010	--		18.50	28.50	21.85	431.44	--	--	--	--	--	--	--	--	
9/9/2010	NP		18.50	28.50	23.65	429.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	6.93	
2/17/2011	NP		18.50	28.50	23.83	429.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.57	7.9	
7/7/2011	NP		18.50	28.50	25.17	428.12	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.85	7.2	
<b>1/23/2012</b>	<b>--</b>		<b>18.50</b>	<b>28.50</b>	<b>27.40</b>	<b>425.89</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	

Symbols & Abbreviations:

--/- - = Not analyzed/applicable/sampled/measured  
< = Not detected at or above specified laboratory reporting limit  
DO = Dissolved oxygen  
DTW = Depth to water in ft bgs  
ft bgs = Feet below ground surface  
ft MSL = Feet above mean sea level  
GRO = Gasoline range organics, range C4-C12  
GWE = Groundwater elevation in ft MSL  
g/L = Micrograms per liter  
mg/L = Milligrams per liter  
MTBE = Methyl tert-butyl ether  
NP = Not purged before sampling  
P = Purged before sampling  
TPH-g = Total petroleum hydrocarbons as gasoline  
TOC = Top of casing elevation in ft MSL

Footnotes:

a = Chromatogram Pattern: Gasoline C6-C10  
b = Duplicate sample  
c = GRO analyzed by EPA Method 8015B modified  
d = Well inaccessible  
e = Hydrocarbon result partly due to individ. peak(s) in quant. range  
f = Sample > 4x spike concentration  
g = Quantitated against gasoline

Notes:

For previous historical GWE and analytical data please refer to Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 771, Livermore, California, (EMCON, March 1, 1996)

Please note that beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported

All analytes unless otherwise notes utilized EPA Method 8260B, EPA method 8015B modified prior to 1/15/03, and EPA method 8020 prior to 12/03/99

Site wells were resurveyed to NAVD '88 datum on March 8, 2004

Top of screen and bottom of screen depths for MW-3 and MW-6 are estimated from cross-sections

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-1</b>									
8/23/1995	--	--	<300	--	--	--	--	--	
2/20/1996	--	--	<300	--	--	--	--	--	
5/15/1996	--	--	<250	--	--	--	--	--	
8/13/1996	--	--	<200	--	--	--	--	--	
11/13/1996	--	--	<30	--	--	--	--	--	
3/26/1997	--	--	<30	--	--	--	--	--	
5/15/1997	--	--	<120	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
11/5/1997	--	--	29	--	--	--	--	--	
2/18/1998	--	--	<120	--	--	--	--	--	
5/20/1998	--	--	<300	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	270	--	--	--	--	--	
5/5/1999	--	--	170	--	--	--	--	--	
8/26/1999	--	--	120	--	--	--	--	--	
12/3/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
<b>MW-2</b>									
8/23/1995	--	--	<500	--	--	--	--	--	
2/20/1996	--	--	<300	--	--	--	--	--	
5/15/1996	--	--	<300	--	--	--	--	--	
8/13/1996	--	--	<300	--	--	--	--	--	
11/13/1996	--	--	<200	--	--	--	--	--	
3/26/1997	--	--	<120	--	--	--	--	--	
5/15/1997	--	--	<120	--	--	--	--	--	
8/26/1997	--	--	<120	--	--	--	--	--	
11/5/1997	--	--	<40	--	--	--	--	--	
2/18/1998	--	--	130	--	--	--	--	--	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-2 Cont.</b>									
5/20/1998	--	--	<120	--	--	--	--	--	
7/30/1998	--	--	<120	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	60	--	--	--	--	--	
5/5/1999	--	--	17	--	--	--	--	--	
8/26/1999	--	--	26	--	--	--	--	--	
12/3/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	120	--	--	--	--	--	
7/19/2002	--	--	16	--	--	--	--	--	
7/9/2003	<1,000	<200	39	<5.0	<5.0	<5.0	<5.0	<5.0	
08/04/2004	<2,000	<400	78	<10	<10	<10	<10	<10	
07/15/2005	<500	120	46	<2.5	<2.5	<2.5	<2.5	<2.5	
7/21/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<600	89	45	<1.0	<1.0	<1.0	<1.0	<1.0	
7/7/2008	--	<100	19	<5.0	<5.0	<5.0	<5.0	--	
9/9/2010	<600	41	13	<1.0	<1.0	<1.0	<1.0	<1.0	
7/7/2011	<300	<10	6.2	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-3</b>									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
5/15/1996	--	--	<0.5	--	--	--	--	--	
8/13/1996	--	--	<3	--	--	--	--	--	
11/13/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
5/15/1997	--	--	<3	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
11/5/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-3 Cont.</b>									
5/20/1998	--	--	<3	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
5/5/1999	--	--	<3	--	--	--	--	--	
8/26/1999	--	--	<3	--	--	--	--	--	
12/3/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
<b>MW-4</b>									
8/23/1995	--	--	<100	--	--	--	--	--	
2/20/1996	--	--	<70	--	--	--	--	--	
3/26/1997	--	--	<70	--	--	--	--	--	
2/18/1998	--	--	120	--	--	--	--	--	
3/16/1999	--	--	82	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
2/9/2001	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	360	--	--	--	--	--	
1/21/2002	--	--	300	--	--	--	--	--	
7/19/2002	--	--	130	--	--	--	--	--	
1/15/2003	--	--	150	--	--	--	--	--	
7/9/2003	<1,000	750	150	<5.0	<5.0	<5.0	<5.0	<5.0	
02/19/2004	<1,000	630	180	<10	<10	<10	<5.0	<5.0	
08/04/2004	<2,000	1,300	300	<10	<10	<10	<10	<10	
01/18/2005	<1,000	630	160	<5.0	<5.0	<5.0	<5.0	<5.0	a
07/15/2005	<1,000	850	230	<5.0	<5.0	<5.0	<5.0	<5.0	
01/10/2006	<1,500	810	190	<2.5	<2.5	<2.5	<2.5	<2.5	
7/21/2006	<300	35	3.1	<0.50	<0.50	<0.50	<0.50	<0.50	
1/17/2007	<300	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	830	74	<0.50	<0.50	<0.50	0.76	<0.50	



**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-4 Cont.</b>									
1/15/2008	<300	280	61	<0.50	<0.50	<0.50	<0.50	<0.50	b (MTBE)
7/7/2008	--	19	17	<0.50	<0.50	<0.50	<0.50	--	
1/7/2009	--	74	37	<0.50	<0.50	<0.50	<0.50	<0.50	
7/22/2009	<300	580	63	0.85	<0.50	<0.50	<0.50	<0.50	
3/12/2010	<300	460	43	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<1,500	880	51	<2.5	<2.5	<2.5	<2.5	<2.5	
2/17/2011	<1200	430	33	<2.0	<2.0	<2.0	<2.0	<2.0	
7/7/2011	<1,500	580	57	<2.5	<2.5	<2.5	<2.5	<2.5	
<b>1/23/2012</b>	<b>&lt;1,200</b>	<b>620</b>	<b>44</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	<b>&lt;2.0</b>	
<b>MW-5</b>									
8/23/1995	--	--	<300	--	--	--	--	--	
2/20/1996	--	--	<50	--	--	--	--	--	
5/15/1996	--	--	<40	--	--	--	--	--	
8/13/1996	--	--	47	--	--	--	--	--	
11/13/1996	--	--	66	--	--	--	--	--	
3/26/1997	--	--	68	--	--	--	--	--	
5/15/1997	--	--	48	--	--	--	--	--	
8/26/1997	--	--	9	--	--	--	--	--	
11/5/1997	--	--	34	--	--	--	--	--	
2/18/1998	--	--	320	--	--	--	--	--	
5/20/1998	--	--	62	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	120	--	--	--	--	--	
5/5/1999	--	--	19	--	--	--	--	--	
8/26/1999	--	--	150	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	3.83	--	--	--	--	--	
9/17/2001	--	--	330	--	--	--	--	--	
7/19/2002	--	--	180	--	--	--	--	--	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-5 Cont.</b>									
7/9/2003	<1,000	1,100	260	<5.0	<5.0	<5.0	<5.0	<5.0	
08/04/2004	<1,000	850	250	<5.0	<5.0	<5.0	<5.0	<5.0	
07/15/2005	<1,000	720	270	<5.0	<5.0	<5.0	<5.0	<5.0	
7/21/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
7/18/2007	<300	260	110	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	11	12	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	420	10	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	350	4.6	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-6</b>									
8/23/1995	--	--	<20	--	--	--	--	--	
2/20/1996	--	--	<30	--	--	--	--	--	
5/15/1996	--	--	<15	--	--	--	--	--	
8/13/1996	--	--	<20	--	--	--	--	--	
11/13/1996	--	--	16	--	--	--	--	--	
3/26/1997	--	--	<30	--	--	--	--	--	
5/15/1997	--	--	<12	--	--	--	--	--	
8/26/1997	--	--	<12	--	--	--	--	--	
11/5/1997	--	--	9	--	--	--	--	--	
2/18/1998	--	--	19	--	--	--	--	--	
5/20/1998	--	--	9	--	--	--	--	--	
7/30/1998	--	--	<15	--	--	--	--	--	
10/29/1998	--	--	<12	--	--	--	--	--	
3/16/1999	--	--	18	--	--	--	--	--	
5/5/1999	--	--	25	--	--	--	--	--	
8/26/1999	--	--	13	--	--	--	--	--	
12/3/1999	--	--	4	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	8.73	--	--	--	--	--	
2/9/2001	--	--	57.1	--	--	--	--	--	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-6 Cont.</b>									
2/9/2001	--	--	48.9	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
1/21/2002	--	--	<5.0	--	--	--	--	--	
7/19/2002	--	--	<0.50	--	--	--	--	--	
1/15/2003	--	--	1	--	--	--	--	--	
7/9/2003	<100	<20	0.98	<0.50	<0.50	<0.50	<0.50	<0.50	
08/04/2004	<100	<20	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
07/15/2005	<500	110	32	<2.5	<2.5	<2.5	<2.5	<2.5	
7/21/2006	<300	<20	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	19	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>MW-7</b>									
8/23/1995	--	--	350	--	--	--	--	--	
2/20/1996	--	--	<400	--	--	--	--	--	
3/26/1997	--	--	<300	--	--	--	--	--	
2/18/1998	--	--	240	--	--	--	--	--	
3/16/1999	--	--	<120	--	--	--	--	--	
8/31/2000	--	--	202	--	--	--	--	--	
2/9/2001	--	--	128	--	--	--	--	--	
9/17/2001	--	--	160	--	--	--	--	--	
1/21/2002	--	--	97	--	--	--	--	--	
1/21/2002	--	--	99	--	--	--	--	--	
7/19/2002	--	--	64	--	--	--	--	--	
1/15/2003	--	--	91	--	--	--	--	--	
7/9/2003	<1,000	350	110	<5.0	<5.0	<5.0	<5.0	<5.0	
02/19/2004	<1,000	420	100	<10	<10	<10	<5.0	<5.0	
08/04/2004	<5,000	<1,000	140	<25	<25	<25	<25	<25	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-7 Cont.</b>									
01/18/2005	<1,000	260	87	<5.0	<5.0	<5.0	<5.0	<5.0	a
07/15/2005	<5,000	<1,000	150	<25	<25	<25	<25	<25	
01/10/2006	<30,000	<2,000	120	<50	<50	<50	<50	<50	
7/21/2006	<30,000	<2,000	54	<50	<50	<50	<50	<50	
1/17/2007	<1,500	<100	3.1	<2.5	<2.5	<2.5	<2.5	<2.5	
7/18/2007	<600	220	67	<1.0	<1.0	<1.0	<1.0	<1.0	
1/15/2008	<1,500	<100	26	<2.5	<2.5	<2.5	<2.5	<2.5	
7/7/2008	--	<10	0.69	<0.50	<0.50	<0.50	<0.50	--	
1/7/2009	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/22/2009	<300	<10	0.53	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2010	<300	51	11	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	180	110	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<3,000	390	150	<5.0	<5.0	<5.0	<5.0	<5.0	
<b>1/23/2012</b>	<b>&lt;3,000</b>	<b>510</b>	<b>150</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	<b>&lt;5.0</b>	
<b>MW-8</b>									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
8/13/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
8/26/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
<b>MW-9</b>									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-9 Cont.</b>									
3/16/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
<b>MW-10</b>									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
<b>MW-11</b>									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
8/13/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
8/26/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
7/19/2002	--	--	<0.50	--	--	--	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/15/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-11 Cont.</b>									
7/7/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>RW-1</b>									
8/23/1995	--	--	<50	--	--	--	--	--	
2/20/1996	--	--	<40	--	--	--	--	--	
3/26/1997	--	--	54	--	--	--	--	--	
2/18/1998	--	--	<60	--	--	--	--	--	
3/16/1999	--	--	530	--	--	--	--	--	
3/13/2000	--	--	230	--	--	--	--	--	
8/31/2000	--	--	82.5	--	--	--	--	--	
2/9/2001	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
1/21/2002	--	--	18	--	--	--	--	--	
7/19/2002	--	--	13	--	--	--	--	--	
1/15/2003	--	--	1.5	--	--	--	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/19/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
08/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/18/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
07/15/2005	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2006	<300	<20	0.54	<0.50	<0.50	<0.50	<0.50	<0.50	
1/17/2007	<1,500	<100	2.6	<2.5	<2.5	<2.5	<2.5	<2.5	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/15/2008	<300	<20	8.3	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	0.53	<0.50	<0.50	<0.50	<0.50	--	
1/7/2009	--	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/22/2009	<300	12	0.84	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2010	<300	13	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	<10	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>1/23/2012</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>1.8</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>VW-1</b>									
8/31/2000	--	--	<2.50	--	--	--	--	--	
2/9/2001	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
1/21/2002	--	--	<5.0	--	--	--	--	--	
7/19/2002	--	--	<0.50	--	--	--	--	--	
1/15/2003	--	--	<0.50	--	--	--	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/15/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Symbols & Abbreviations:

-- = Not analyzed/sampled

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Diisopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

µg/L = Micrograms per liter

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

Footnotes:

a = Calibration verification was within the method limits but outside the contract limits for ethanol

b = Sample >4x spike concentration

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information



**Table 3. Historical Groundwater Gradient - Direction and Magnitude**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

<b>Date Measured</b>	<b>Approximate Gradient Direction</b>	<b>Approximate Gradient Magnitude (ft/ft)</b>
3/20/1995	Northwest	0.030
6/2/1995	North-Northwest	0.014
8/23/1995	North-Northwest	0.030
12/4/1995	North-Northwest	0.030
2/20/1996	Northwest	0.016
5/15/1996	Northwest	0.024
8/13/1996	North-Northwest	0.030
11/13/1996	North-Northwest	0.031
3/26/1997	North-Northwest	0.044
5/15/1997	North-Northwest	0.031
8/26/1997	North-Northwest	0.042
11/5/1997	North-Northwest	0.030
2/18/1998	Northwest	0.010
5/20/1998	Northwest	0.030
7/30/1998	North	0.040
10/29/1998	North	0.005
3/16/1999	North-Northwest	0.030
5/5/1999	North	0.040
8/26/1999	North-Northwest	0.050
12/3/1999	North-Northeast	0.060
3/13/2000	North-Northwest	0.066
6/20/2000	North-Northwest	0.050
8/31/2000	North-Northwest	0.062
2/9/2001	North-Northeast	0.014
9/17/2001	North-Northwest	0.061
1/21/2002	North-Northwest	0.050
7/19/2002	North-Northwest	0.044
1/15/2003	Northeast to Southeast	0.038 - 0.016
7/9/2003	Northwest to North-Northwest	0.009 - 0.063
2/19/2004	North	0.044
8/4/2004	Northeast	0.071
1/18/2005	North-Northeast	0.04
7/15/2005	Northeast and Southwest	0.05 and 0.02
1/10/2006	North	0.02
7/21/2006	North and Southwest	0.05 and 0.02
1/17/2007	North-Northeast and Southwest	0.03 and 0.02
7/18/2007	North-Northeast to Southwest	0.03 and 0.04
1/15/2008	North	0.04
7/7/2008	North	0.03
1/7/2009	North	0.06
7/22/2009	North	0.04
3/12/2010	North	0.05

**Table 3. Historical Groundwater Gradient - Direction and Magnitude**  
**ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA**

<b>Date Measured</b>	<b>Approximate Gradient Direction</b>	<b>Approximate Gradient Magnitude (ft/ft)</b>
9/9/2010	North	0.04
2/17/2011	North	0.03
7/7/2011	North	0.04
<b>1/23/2012</b>	<b>Northwest</b>	<b>0.02</b>

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

**APPENDIX A**  
**FIELD METHODS**

## **QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS**

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

### **1.0 Equipment Calibration**

Equipment calibration was performed per equipment manufacturer specifications before use.

### **2.0 Depth to Groundwater and Light Non-Aqueous Phase Liquid Measurement**

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

### **3.0 Well Purging and Groundwater Sample Collection**

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

#### **3.1 Purging a Predetermined Well Volume**

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water

is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity<sup>1</sup>. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

Parameter	Stabilization Criterion
Temperature	± 0.2°C (± 0.36°F)
pH	± 0.1 standard units
Conductivity	± 3%
Dissolved oxygen	± 10%
Oxidation reduction potential	± 10 mV
Turbidity <sup>1</sup>	± 10% or 1.0 NTU (whichever is greater)

### 3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to minimize drawdown and mixing of the water column in the well casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

<sup>1</sup> As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)<sup>2</sup>, or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity<sup>1</sup>. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

### 3.3 Minimal Purge, Discrete Depth, and Passive Sampling

Per ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)<sup>2</sup>, discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

---

<sup>2</sup> According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

#### 4.0 Decontamination

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

#### 5.0 Sample Containers, Labeling, and Storage

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were properly labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

#### 6.0 Chain of Custody Record and Procedure

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

#### 7.0 Field Records

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

**APPENDIX B**

FIELD DATA SHEETS AND NON-HAZARDOUS WASTE DATA FORM



Project:  BP 771  Project No.:  06-82-608  Date:  1-23-12

Field Representative:  JR/LD  Elevation: \_\_\_\_\_

Formation recharge rate is historically: High Low *(circle one)*  
W. L. Indicator ID #: \_\_\_\_\_ Oil/Water Interface ID #: \_\_\_\_\_ *(List #s of all equip used.)*


WELL ID RECORD					WELL GAUGING RECORD					LAB ANALYSES		
Well ID	Well Sampling Order	As-Built Well Diameter (inches)	As-Built Well Screen Interval (ft)	Previous Depth to Water (ft)	Time (24:00)	Depth to LNAPL (ft)	Apparent LNAPL Thickness (ft)*	Depth to Water (ft)	Well Total Depth (ft)			
MW-1					1503			34.34	36.75			
MW-2					1916			32.32	33.82			
MW-3					1922			34.29	39.70			
MW-4					1610			33.57	41.30			
MW-5					1618			33.27	40.23			
MW-6					1457			35.61	43.40			
MW-7					1806			34.99	39.65			
MW-8					1942			19.40	32.11	41.71		
MW-9					1935			32.04	39.14			
MW-10					1933			31.25	34.15			
MW-11					1945			34.55	38.68			
RW-1					1509			29.13	39.67			
RW-1					1918			27.4	28.31			

\* Device used to measure LNAPL thickness: Bailer Oil/Water Interface Meter *(circle one)*  
If bailer used, note bailer dimensions (inches): Entry Diameter \_\_\_\_\_ Chamber Diameter \_\_\_\_\_

Signature:  James [Signature]

Project: BP 771 Project No.: 06-82-608 Date: 1-23-12  
Field Representative: JR  
Well ID: RW 4 Start Time: \_\_\_\_\_ End Time: \_\_\_\_\_ Total Time (minutes): \_\_\_\_\_

PURGE EQUIPMENT		___ Disp. Bailer	___ 120V Pump	<input checked="" type="checkbox"/> Flow Cell
___ Disp. Tubing		___ 12V Pump	___ Peristaltic Pump	Other/ID#: _____
WELL HEAD INTEGRITY (cap, lock, vault, etc.)		Comments: <u>WELLS</u> <del>XXXXXXXX</del>		
Good <input type="checkbox"/> Improvement Needed <input checked="" type="checkbox"/> (circle one)				
PURGING/SAMPLING METHOD		Predetermined Well Volume	<input checked="" type="checkbox"/> Low-Flow	Other: _____ (circle one)
PREDETERMINED WELL VOLUME		LOW-FLOW		
Casing Diameter   Unit Volume (gal/ft) (circle one)		Previous Low-Flow Purge Rate: _____ (gpm)		
1"   (0.04)	1.25"   (0.08)	2"   (0.17)	3"   (0.38)	Other: _____
<u>4"   (0.66)</u>	<del>1.5"   (0.09)</del>	8"   (2.60)	12"   (5.81)	___ "
Total Well Depth (a):	<u>41.30</u> (ft)			Initial Depth to Water (b): <u>41.30</u> (ft)
Initial Depth to Water (b):	<u>33.57</u> (ft)			Pump In-take Depth = b + (a-b)/2: <u>38.38</u> (ft)
Water Column Height (WCH) = (a - b):	<u>7.73</u> (ft)			Maximum Allowable Drawdown = (a-b)/8: <u>1.0</u> (ft)
Water Column Volume (WCV) = WCH x Unit Volume:	<u>5.10</u> (gal)			Low-Flow Purge Rate: <u>0.17</u> (gpm)*
Three Casing Volumes = WCV x 3:	<u>15.30</u> (gal)			Comments: _____
Five Casing Volumes = WCV x 5:	<u>25.50</u> (gal)			
Pump Depth (if pump used):	_____ (ft)			



\*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

GROUNDWATER STABILIZATION PARAMETER RECORD

Time (24:00)	Cumulative Volume (gal)	Temperature (°C)	pH	Conductivity (µS)	Other DO	ORP	NOTES
1726	0	18.2	6.90	1000	2.41	-37.5	Odor, color, sheen, turbidity, or other
1729	0.5	18.5	6.90	1005	1.32	-39.5	
1732	1.0	18.7	6.90	1019	1.19	-46.6	
1735	1.5	18.9	6.89	1026	1.14	-51.0	

Previous Stabilized Parameters \_\_\_\_\_

PURGE COMPLETION RECORD  Low Flow & Parameters Stable \_\_\_ 3 Casing Volumes & Parameters Stable \_\_\_ 5 Casing Volumes  
Other: \_\_\_\_\_

SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS	
Depth to Water at Sampling: _____ (ft)	Parameter	Time	Measurement
Sample Collected Via: ___ Disp. Bailer ___ Dedicated Pump Tubing	DO (mg/L)	1735	1.14
<input checked="" type="checkbox"/> Disp. Pump Tubing Other: _____	Ferrous Iron (mg/L)		
Sample ID: <u>RW-4</u> Sample Collection Time: <u>1740</u> (24:00)	Redox Potential (mV)	1735	-51.0
Containers (#): <u>2</u> VOA ( <input checked="" type="checkbox"/> preserved or ___ unpreserved) ___ Liter Amber	Alkalinity (mg/L)		
Other: _____	Other: _____		
Other: _____	Other: _____		

Signature: James Ramm

Project: BP 771 Project No.: 06-82-608 Date: 1-23-12  
 Field Representative: JR  
 Well ID: MW-7 Start Time: \_\_\_\_\_ End Time: \_\_\_\_\_ Total Time (minutes): \_\_\_\_\_

PURGE EQUIPMENT		<input type="checkbox"/> Disp. Bailer	<input type="checkbox"/> 120V Pump	<input checked="" type="checkbox"/> Flow Cell
		<input type="checkbox"/> Disp. Tubing	<input type="checkbox"/> 12V Pump	<input type="checkbox"/> Peristaltic Pump Other/ID#: _____
<b>WELL HEAD INTEGRITY</b> (cap, lock, vault, etc.) Comments: _____				
<input checked="" type="radio"/> Good		<input type="radio"/> Improvement Needed (circle one)		
<b>PURGING/SAMPLING METHOD</b>		Predetermined Well Volume <input checked="" type="radio"/> Low-Flow <input type="radio"/> Other: _____ (circle one)		
<b>PREDETERMINED WELL VOLUME</b>				
Casing Diameter   Unit Volume (gal/ft) (circle one)				
1"   (0.04)    1.25"   (0.08)    2"   (0.17)    3"   (0.38)    Other: _____ <input checked="" type="radio"/> 4"   (0.66)    6"   (1.50)    8"   (2.60)    12"   (5.81)    "   ( )				
Total Well Depth (a): <u>39.65</u> (ft)				
Initial Depth to Water (b): <u>34.59</u> (ft)				
Water Column Height (WCH) = (a - b): <u>5.06</u> (ft)				
Water Column Volume (WCV) = WCH x Unit Volume: <u>3.34</u> (gal)				
Three Casing Volumes = WCV x 3: <u>10.02</u> (gal)				
Five Casing Volumes = WCV x 5: <u>16.70</u> (gal)		Pump Depth (if pump used): _____ (ft)		
<b>LOW-FLOW</b> Previous Low-Flow Purge Rate: _____ (gpm) Total Well Depth (a): <u>39.65</u> (ft) Initial Depth to Water (b): <u>34.59</u> (ft) Pump In-take Depth = b + (a-b)/2: <u>37.12</u> (ft) Maximum Allowable Drawdown = (a-b)/8: <u>0.63</u> (ft) Low-Flow Purge Rate: <u>0.10</u> (gpm)* Comments: _____				
*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.				

GROUNDWATER STABILIZATION PARAMETER RECORD							NOTES
Time (24:00)	Cumulative Volume (gal)	Temperature (°C)	pH	Conductivity (µS)	Other	Other	Odor, color, sheen, turbidity, or other
<u>1835</u>	<u>0</u>	<u>17.63</u>	<u>6.76</u>	<u>107</u>	<u>DO9</u>	<u>ORP</u>	<u>-86.8</u>
<u>1840</u>	<u>0.5</u>	<u>17.83</u>	<u>6.76</u>	<u>110</u>	<u>1.60</u>		<u>-87.8</u>
<u>1845</u>	<u>1.0</u>	<u>17.85</u>	<u>6.76</u>	<u>109</u>	<u>1.40</u>		<u>-84.1</u>
<u>1850</u>	<u>1.5</u>	<u>17.86</u>	<u>6.76</u>	<u>110</u>	<u>1.16</u>		<u>-81.1</u>

Previous Stabilized Parameters \_\_\_\_\_

**PURGE COMPLETION RECORD**  Low Flow & Parameters Stable  3 Casing Volumes & Parameters Stable  5 Casing Volumes

Other: \_\_\_\_\_

SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS	
Depth to Water at Sampling: _____ (ft)	Parameter	Time	Measurement
Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing <input checked="" type="checkbox"/> Disp. Pump Tubing Other: _____	DO (mg/L)	<u>1850</u>	<u>0.86</u>
Sample ID: <u>MW-7</u> Sample Collection Time: <u>1855</u> (24:00)	Ferrous Iron (mg/L)		
Containers (#): <u>6</u> VOA <input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved _____ Liter Amber	Redox Potential (mV)	<u>1850</u>	<u>-81</u>
Other: _____	Alkalinity (mg/L)		
Other: _____	Other: _____		
Other: _____	Other: _____		

Signature: James Fann

Project: BP 771 Project No.: 06-02-608 Date: 1-23-12  
 Field Representative: JR  
 Well ID: RW-1 Start Time: \_\_\_\_\_ End Time: \_\_\_\_\_ Total Time (minutes): \_\_\_\_\_

**PURGE EQUIPMENT** \_\_\_\_\_ Disp. Bailer \_\_\_\_\_ 120V Pump  Flow Cell  
 \_\_\_\_\_ Disp. Tubing \_\_\_\_\_ 12V Pump \_\_\_\_\_ Peristaltic Pump Other/ID#: \_\_\_\_\_

**WELL HEAD INTEGRITY** (cap, lock, vault, etc.) \_\_\_\_\_ Comments: Hinges broken  
 Good  Improvement Needed  (circle one)

**PURGING/SAMPLING METHOD** Predetermined Well Volume  Low-Flow Other: \_\_\_\_\_ (circle one)

PREDETERMINED WELL VOLUME					LOW-FLOW	
Casing Diameter	Unit Volume (gal/ft)	(circle one)			Previous Low-Flow Purge Rate:	(gpm)
1"   (0.04)	1.25"   (0.08)	2"   (0.17)	3"   (0.38)	Other: _____	Total Well Depth (a):	<u>39.67</u> (ft)
4"   (0.66)	<u>6"   (1.50)</u>	8"   (2.60)	12"   (5.81)	"   ( )	Initial Depth to Water (b):	<u>29.13</u> (ft)
Total Well Depth (a):					Pump In-take Depth = b + (a-b)/2:	<u>35</u> (ft)
Initial Depth to Water (b):					Maximum Allowable Drawdown = (a-b)/8:	<u>1.32</u> (ft)
Water Column Height (WCH) = (a - b):					Low-Flow Purge Rate:	<u>0.17</u> (gpm)*
Water Column Volume (WCV) = WCH x Unit Volume:					Comments:	_____
Three Casing Volumes = WCV x 3:					*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.	
Five Casing Volumes = WCV x 5:						
Pump Depth (if pump used):						

**GROUNDWATER STABILIZATION PARAMETER RECORD**

Time (24:00)	Cumulative Volume (gal)	Temperature (°C)	pH	Conductivity (µS)	Other	NOTES
1536	0	19.57	6.55	614	DO 0.89	Odor, color, sheen, turbidity, or other
1539	0.5	19.83	6.61	614	1.55	36.0
1542	1.0	19.94	6.62	615	0.99	47
1545	1.5	20.00	6.61	615	0.85	38.1
1548	2.0	20.11	6.61	614	0.49	31.7
					0.43	30.1

Previous Stabilized Parameters \_\_\_\_\_

**PURGE COMPLETION RECORD**  Low Flow & Parameters Stable \_\_\_\_\_ 3 Casing Volumes & Parameters Stable \_\_\_\_\_ 5 Casing Volumes  
 Other: \_\_\_\_\_



SAMPLE COLLECTION RECORD		GEOCHEMICAL PARAMETERS	
Depth to Water at Sampling:	(ft)	Parameter	Measurement
Sample Collected Via: _____ Disp. Bailer _____ Dedicated Pump Tubing		DO (mg/L)	<u>1548</u> <u>0.43</u>
<input checked="" type="checkbox"/> Disp. Pump Tubing Other: _____		Ferrous Iron (mg/L)	
Sample ID: <u>RW-1</u> Sample Collection Time: <u>1550</u> (24:00)		Redox Potential (mV)	<u>1548</u> <u>30</u>
Containers (#): <u>6</u> VOA <input checked="" type="checkbox"/> preserved or _____ unpreserved) _____ Liter Amber		Alkalinity (mg/L)	
Other: _____ Other: _____		Other:	
Other: _____ Other: _____		Other:	

Signature: James Ram

NO. 689967

# NON-HAZARDOUS WASTE DATA FORM

BESI # \_\_\_\_\_

GENERATOR	Generator's Name and Mailing Address BP WEST COAST PRODUCTS, LLC P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92688		Generator's Site Address (if different than mailing address) BP 771 899 Rincon Ave Livermore, CA 94551																		
	Generator's Phone: 949-460-5200																				
	Container type removed from site: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____		Container type transported to receiving facility: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____																		
	Quantity <u>2</u>		Quantity _____ Volume _____																		
	WASTE DESCRIPTION <u>NON-HAZARDOUS WATER</u>		GENERATING PROCESS <u>WELL PURGING / DECON WATER</u>																		
<table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">COMPONENTS OF WASTE</th> <th style="width:10%;">PPM</th> <th style="width:10%;">%</th> <th style="width:10%;">COMPONENTS OF WASTE</th> <th style="width:10%;">PPM</th> <th style="width:10%;">%</th> </tr> </thead> <tbody> <tr> <td>1. WATER</td> <td></td> <td>99-100%</td> <td>3. _____</td> <td></td> <td></td> </tr> <tr> <td>2. TPH</td> <td></td> <td>&lt;1%</td> <td>4. _____</td> <td></td> <td></td> </tr> </tbody> </table>		COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%	1. WATER		99-100%	3. _____			2. TPH		<1%	4. _____				
COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%																
1. WATER		99-100%	3. _____																		
2. TPH		<1%	4. _____																		
Waste Profile _____ PROPERTIES: pH <u>7-10</u> <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER _____																					
HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.</u>																					
TRANSPORTER	Generator Printed/Typed Name <u>James Ramos</u>		Signature 																		
	The Generator certifies that the waste as described is 100% non-hazardous		Month Day Year <u>1</u> <u>27</u> <u>12</u>																		
	Transporter 1 Company Name BROADBENT & ASSOCIATES, INC >		Phone# 530-568-1400																		
	Transporter 1 Printed/Typed Name <u>James Ramos</u>		Signature 																		
	Transporter 2 Company Name		Month Day Year <u>1</u> <u>27</u> <u>12</u>																		
RECEIVING FACILITY	Designated Facility Name and Site Address INSTRAT, INC. 1105 AIRPORT RD. RIO VISTA, CA 94571		Phone# 530-753-1828																		
	Printed/Typed Name		Signature																		
	Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.		Month Day Year																		

**APPENDIX C**

**LABORATORY REPORT  
AND CHAIN-OF-CUSTODY DOCUMENTATION**



# CALSCIENCE

## WORK ORDER NUMBER: 12-01-1694

*The difference is service*



AIR | SOIL | WATER | MARINE CHEMISTRY

### Analytical Report For

**Client:** Broadbent & Associates, Inc.

**Client Project Name:** ARCO 771

**Attention:** Jason Duda  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Approved for release on 02/13/2012 by:  
Richard Villafania  
Project Manager

ResultLink ▶

Email your PM ▶



Calscience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety. Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.



**Analytical Report**



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: 01/28/12  
Work Order No: 12-01-1694  
Preparation: EPA 5030C  
Method: EPA 8015B (M)

Project: ARCO 771

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-4</b>	<b>12-01-1694-1-E</b>	<b>01/23/12 17:40</b>	<b>Aqueous</b>	<b>GC 42</b>	<b>01/31/12</b>	<b>01/31/12 19:27</b>	<b>120131B01</b>

Comment(s): -LW Quantitated against Gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	980	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	108	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-7</b>	<b>12-01-1694-2-E</b>	<b>01/23/12 18:55</b>	<b>Aqueous</b>	<b>GC 42</b>	<b>01/31/12</b>	<b>01/31/12 20:02</b>	<b>120131B01</b>

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	2100	100	2		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	110	38-134	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>RW-1</b>	<b>12-01-1694-3-E</b>	<b>01/23/12 15:50</b>	<b>Aqueous</b>	<b>GC 42</b>	<b>01/31/12</b>	<b>01/31/12 20:38</b>	<b>120131B01</b>

Comment(s): -LW Quantitated against Gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	430	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	112	38-134	


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>Method Blank</b>	<b>099-12-695-1,253</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC 42</b>	<b>01/31/12</b>	<b>01/31/12 13:00</b>	<b>120131B01</b>

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	107	38-134	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642

Date Received: 01/28/12  
 Work Order No: 12-01-1694  
 Preparation: EPA 5030C  
 Method: EPA 8260B  
 Units: ug/L

Project: ARCO 771

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	12-01-1694-1-A	01/23/12 17:40	Aqueous	GC/MS FFF	02/02/12	02/02/12 12:40	120202L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	51	2.0	4		Methyl-t-Butyl Ether (MTBE)	44	2.0	4	
1,2-Dibromoethane	ND	2.0	4		Tert-Butyl Alcohol (TBA)	620	40	4	
1,2-Dichloroethane	ND	2.0	4		Diisopropyl Ether (DIPE)	ND	2.0	4	
Ethylbenzene	ND	2.0	4		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	4	
Toluene	2.4	2.0	4		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	4	
Xylenes (total)	ND	2.0	4		Ethanol	ND	1200	4	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	100	68-120			Dibromofluoromethane	97	80-127		
1,2-Dichloroethane-d4	101	80-128			Toluene-d8	100	80-120		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-7	12-01-1694-2-A	01/23/12 18:55	Aqueous	GC/MS FFF	02/02/12	02/02/12 13:35	120202L01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	330	5.0	10		Methyl-t-Butyl Ether (MTBE)	150	5.0	10	
1,2-Dibromoethane	ND	5.0	10		Tert-Butyl Alcohol (TBA)	510	100	10	
1,2-Dichloroethane	ND	5.0	10		Diisopropyl Ether (DIPE)	ND	5.0	10	
Ethylbenzene	10	5.0	10		Ethyl-t-Butyl Ether (ETBE)	ND	5.0	10	
Toluene	9.4	5.0	10		Tert-Amyl-Methyl Ether (TAME)	ND	5.0	10	
Xylenes (total)	24	5.0	10		Ethanol	ND	3000	10	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	100	68-120			Dibromofluoromethane	97	80-127		
1,2-Dichloroethane-d4	100	80-128			Toluene-d8	100	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW-1	12-01-1694-3-A	01/23/12 15:50	Aqueous	GC/MS FFF	02/02/12	02/02/12 12:13	120202L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	13	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.8	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	2.4	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	99	68-120			Dibromofluoromethane	95	80-127		
1,2-Dichloroethane-d4	94	80-128			Toluene-d8	101	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642

Date Received: 01/28/12  
 Work Order No: 12-01-1694  
 Preparation: EPA 5030C  
 Method: EPA 8260B  
 Units: ug/L


Project: ARCO 771

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-2,021	N/A	Aqueous	GC/MS FFF	02/02/12	02/02/12 11:45	120202L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	98	68-120			Dibromofluoromethane	98	80-127		
1,2-Dichloroethane-d4	100	80-128			Toluene-d8	99	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642


Date Received: 01/28/12  
 Work Order No: 12-01-1694  
 Preparation: EPA 5030C  
 Method: EPA 8015B (M)

Project ARCO 771

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
12-01-1689-1	Aqueous	GC 42	01/31/12	01/31/12	120131S01

Parameter	SPIKE ADDED	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	2000	87	101	38-134	16	0-25	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642


Date Received: 01/28/12  
Work Order No: 12-01-1694  
Preparation: EPA 5030C  
Method: EPA 8260B

Project ARCO 771

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
12-02-0098-3	Aqueous	GC/MS FFF	02/02/12	02/02/12	120202S01

Parameter	SPIKE ADDED	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	10.00	116	112	76-124	4	0-20	
Carbon Tetrachloride	10.00	115	113	74-134	2	0-20	
Chlorobenzene	10.00	116	111	80-120	5	0-20	
1,2-Dibromoethane	10.00	110	106	80-120	3	0-20	
1,2-Dichlorobenzene	10.00	116	106	80-120	9	0-20	
1,2-Dichloroethane	10.00	114	111	80-120	3	0-20	
Ethylbenzene	10.00	117	112	78-126	5	0-20	
Toluene	10.00	118	113	80-120	4	0-20	
Trichloroethene	10.00	115	110	77-120	5	0-20	
Methyl-t-Butyl Ether (MTBE)	10.00	109	108	67-121	2	0-49	
Tert-Butyl Alcohol (TBA)	50.00	121	99	36-162	14	0-30	
Diisopropyl Ether (DIPE)	10.00	113	111	60-138	2	0-45	
Ethyl-t-Butyl Ether (ETBE)	10.00	106	104	69-123	2	0-30	
Tert-Amyl-Methyl Ether (TAME)	10.00	110	106	65-120	4	0-20	
Ethanol	100.0	125	114	30-180	9	0-72	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
 1324 Mangrove Ave, Ste 212  
 Chico, CA 95926-2642


Date Received: N/A  
 Work Order No: 12-01-1694  
 Preparation: EPA 5030C  
 Method: EPA 8015B (M)


Project: ARCO 771

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-1,253	Aqueous	GC 42	01/31/12	01/31/12	120131B01

Parameter	SPIKE ADDED	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	2000	106	105	78-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc.  
1324 Mangrove Ave, Ste 212  
Chico, CA 95926-2642

Date Received: N/A  
Work Order No: 12-01-1694  
Preparation: EPA 5030C  
Method: EPA 8260B

Project: ARCO 771

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number			
099-12-703-2,021	Aqueous	GC/MS FFF	02/02/12	02/02/12	120202L01			
Parameter	SPIKE ADDED	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	10.00	109	107	80-120	73-127	2	0-20	
Carbon Tetrachloride	10.00	109	108	74-134	64-144	1	0-20	
Chlorobenzene	10.00	108	106	80-120	73-127	2	0-20	
1,2-Dibromoethane	10.00	106	104	79-121	72-128	2	0-20	
1,2-Dichlorobenzene	10.00	109	103	80-120	73-127	5	0-20	
1,2-Dichloroethane	10.00	109	106	80-120	73-127	2	0-20	
Ethylbenzene	10.00	109	107	80-120	73-127	2	0-20	
Toluene	10.00	109	108	80-120	73-127	2	0-20	
Trichloroethene	10.00	108	105	79-127	71-135	3	0-20	
Methyl-t-Butyl Ether (MTBE)	10.00	106	104	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	50.00	105	98	63-123	53-133	7	0-20	
Diisopropyl Ether (DIPE)	10.00	107	106	59-137	46-150	1	0-37	
Ethyl-t-Butyl Ether (ETBE)	10.00	106	104	69-123	60-132	1	0-20	
Tert-Amyl-Methyl Ether (TAME)	10.00	106	104	70-120	62-128	3	0-20	
Ethanol	100.0	102	96	28-160	6-182	5	0-57	


Total number of LCS compounds : 15

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 12-01-1694

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
ET	Sample was extracted past end of recommended maximum holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery abovelimit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
ME	LCS/LCSD Recovery Percentage is within Marginal Exceedance (ME) Control Limit range.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed.



Qualifier

Definition

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.  
MPN - Most Probable Number







# Laboratory Management Program LaMP Chain of Custody Record

Page \_\_\_\_ of \_\_\_\_

BP/ARC Project Name: ARCO 771

Req Due Date (mm/dd/yy): STD-TAT

Rush TAT: Yes \_\_\_ No

BP/ARC Facility No: 771

Lab Work Order Number: 12-01-1694

## 12-01-1694

Lab Name: Cal Science	BP/ARC Facility Address: 899 Rincon Avenue	Consultant/Contractor: Broadbent & Associates, Inc.
Lab Address: 7440 Lincoln Way	City, State, ZIP Code: Livermore, CA 94551	Consultant/Contractor Project No: 06-82-608-616-10B1
Lab PM: Richard Villafania	Lead Regulatory Agency: ACEH	Address: 1324 Mangrove Ave. Ste. 212, Chico, CA 95926
Lab Phone: 714-895-5494 / 714-895-7501 (fax)	California Global ID No.: T0600100113	Consultant/Contractor PM: Jason Duda
Lab Shipping Acct: 9255	Enfos Proposal No/WR#: 005ZT-0002 / WR 245676	Phone: 530-566-1400 / 530-566-1401 (fax)
Lab Bottle Order No:	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU ___ OOC-RM ___	Email EDD To: jduda@broadbentinc.com
Other Info:	Stage: Execute (4) Activity: Project Spend (616)	Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor ___

BP/ARC EBM: Shannon Couch				Matrix			No. Containers / Preservative					Requested Analyses								Report Type & QC Level			
EBM Phone: 925-275-3804																					Standard <input checked="" type="checkbox"/>		
EBM Email: <a href="mailto:shannon.couch@bp.com">shannon.couch@bp.com</a>																					Total Number of Containers	Unpreserved	H <sub>2</sub> SO <sub>4</sub>
Lab No.	Sample Description	Date	Time	Soil / Solid	Water / Liquid	Air / Vapor															Comments		
1	MW-4	1-23	1740	X			6							X	X	X	X					Note: If sample not collected, indicate "No Sample" in comments and single-strike out and initial any preprinted sample description.	
2	MW-7	1-23	1855	X			6							X	X	X	X						
3	RW-1	1-23	1550	X			6							X	X	X	X						
4	TB-771-01232012			X			2																ON HOLD

Sampler's Name: <u>Lu Dannerell / JIMMERMAN</u>	Relinquished By / Affiliation: <u>Dannerell / BAI</u>	Date: <u>1-27-12</u>	Time: <u>1400</u>	Accepted By / Affiliation: <u>[Signature]</u>	Date: <u>1/28/12</u>	Time: <u>0930</u>
Sampler's Company: <u>BAI</u>	Shipment Method: <u>ASO</u>		Ship Date: <u>1-27-12</u>	Shipment Tracking No: <u>106840470</u>		

Special Instructions: Please cc results to [bpedf@broadbentinc.com](mailto:bpedf@broadbentinc.com)

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
--	----------------------	------------------------------------	----------------------	-----------------------------------

Page 1 of 14

1694



GOLDEN STATE OVERNIGHT

1-800-322-5555

WWW.GSO.COM

SHIPPING AIR BILL

- 4 PACKAGE INFORMATION
- LETTER (MAX 8 OZ)
- PACKAGE (WT) \_\_\_\_\_
- DECLARED VALUE \$ \_\_\_\_\_
- COD AMOUNT \$ \_\_\_\_\_  
(CASH NOT ACCEPTED)

PLEASE PRESS FIRMLY

<b>1</b>	DATE	
	COMPANY	BROADBENT
	ADDRESS	075 COTTAGE LANE, SUITE G
	ADDRESS	
<b>F</b>	STE/ROOM	
	CITY	VACAVILLE
<b>R</b>	ZIP CODE	95688
	SENDER'S NAME	LU DAMERELL
<b>O</b>	PHONE NUMBER	(510) 364-2079
	COMPANY	CAL SCIENCE
<b>T</b>	NAME	
	PHONE NUMBER	714) 895-5494
<b>O</b>	ADDRESS	720 LINCOLN WAY
	ADDRESS	
<b>0</b>	STE/ROOM	
	CITY	GARDEN GROVE
<b>3</b>	YOUR INTERNAL BILLING REFERENCE WILL APPEAR ON YOUR INVOICE	
	SPECIAL INSTRUCTIONS	

**5 DELIVERY SERVICE**  PRIORITY OVERNIGHT BY 10:30 AM  EARLY PRIORITY BY 8:00 AM  SAT DEL

\*DELIVERY TIMES MAY BE LATER IN SOME AREAS • CONSULT YOUR SERVICE GUIDE OR CALL GOLDEN STATE

**6 RELEASE SIGNATURE** SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

**7**

**8 PICK UP INFORMATION** TIME DRIVER # ROUTE


106840470

PEEL OFF HERE



106840470

**9 GSO TRACKING NUMBER**



WORK ORDER #: 12-01-1694

## SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Broadbent & Associates

DATE: 01/28/12

**TEMPERATURE:** Thermometer ID: SC3 (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 2.4 °C - 0.3 °C (CF) = 2.1 °C     Blank     Sample

- Sample(s) outside temperature criteria (PM/APM contacted by: \_\_\_\_\_).
- Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature:     Air     Filter

Initial: YK

**CUSTODY SEALS INTACT:**

- Cooler     \_\_\_\_\_     No (Not Intact)     Not Present     N/A
- Sample     \_\_\_\_\_     No (Not Intact)     Not Present

Initial: YK

Initial: TN

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
pH / Res. Chlorine / Diss. Sulfide / Diss. Oxygen received within 24 hours...	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**CONTAINER TYPE:**

- Solid:**     4ozCGJ     8ozCGJ     16ozCGJ     Sleeve (\_\_\_\_)     EnCores®     TerraCores®     \_\_\_\_\_
- Water:**     VOA     VOAh     VOAna<sub>2</sub>     125AGB     125AGBh     125AGBp     1AGB     1AGBna<sub>2</sub>     1AGBs
- 500AGB     500AGJ     500AGJs     250AGB     250CGB     250CGBs     1PB     1PBna     500PB
- 250PB     250PBn     125PB     125PBz<sub>na</sub>     100PJ     100PJna<sub>2</sub>     \_\_\_\_\_     \_\_\_\_\_

**Air:**     Tedlar®     Summa®    **Other:**     \_\_\_\_\_    Trip Blank Lot#: 1102A    Labeled/Checked by: TN

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope    Reviewed by: YK

Preservative: h: HCL n: HNO<sub>3</sub> na<sub>2</sub>: Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> na: NaOH p: H<sub>3</sub>PO<sub>4</sub> s: H<sub>2</sub>SO<sub>4</sub> u: Ultra-pure z<sub>na</sub>: ZnAc<sub>2</sub>+NaOH f: Filtered    Scanned by: YK

WORK ORDER #: 12-01-1694

# SAMPLE ANOMALY FORM

**SAMPLES - CONTAINERS & LABELS:**

**Comments:**

- Sample(s) NOT RECEIVED but listed on COC
- Sample(s) received but NOT LISTED on COC
- Holding time expired – list sample ID(s) and test
- Insufficient quantities for analysis – list test
- Improper container(s) used – list test
- Improper preservative used – list test
- No preservative noted on COC or label – list test & notify lab
- Sample labels illegible – note test/container type
- Sample label(s) do not match COC – Note in comments
  - Sample ID
  - Date and/or Time Collected
  - Project Information
  - # of Container(s)
  - Analysis
- Sample container(s) compromised – Note in comments
  - Water present in sample container
  - Broken
- Sample container(s) not labeled
- Air sample container(s) compromised – Note in comments
  - Flat
  - Very low in volume
  - Leaking (Not transferred - duplicate bag submitted)
  - Leaking (transferred into Calscience Tedlar® Bag\*)
  - Leaking (transferred into Client’s Tedlar® Bag\*)
- Other: \_\_\_\_\_

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

**HEADSPACE – Containers with Bubble > 6mm or 1/4 inch:**

Sample #	Container ID(s)	# of Vials Received	Sample #	Container ID(s)	# of Vials Received	Sample #	Container ID(s)	# of Cont. received	Analysis
4	B	2							

Comments: \_\_\_\_\_

\*Transferred at Client’s request. Initial / Date: TN 01/28/12

**APPENDIX D**

**GEOTRACKER UPLOAD CONFIRMATION RECEIPTS**

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A GEO\_WELL FILE

**SUCCESS**

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>GEO_WELL</b>
<b><u>Submittal Title:</u></b>	<b>1Q12 GEO_WELL 771</b>
<b><u>Facility Global ID:</u></b>	<b>T0600100113</b>
<b><u>Facility Name:</u></b>	<b>ARCO #00771</b>
<b><u>File Name:</u></b>	<b>GEO_WELL.zip</b>
<b><u>Organization Name:</u></b>	<b>Broadbent &amp; Associates, Inc.</b>
<b><u>Username:</u></b>	<b>BROADBENT-C</b>
<b><u>IP Address:</u></b>	<b>67.118.40.90</b>
<b><u>Submittal Date/Time:</u></b>	<b>3/22/2012 5:08:16 PM</b>
<b><u>Confirmation Number:</u></b>	<b>4657668352</b>

Copyright © 2012 State of California

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A EDF FILE

## SUCCESS

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>EDF - Monitoring Report - Quarterly</b>
<b><u>Submittal Title:</u></b>	<b>1Q12 GW Monitoring</b>
<b><u>Facility Global ID:</u></b>	<b>T0600100113</b>
<b><u>Facility Name:</u></b>	<b>ARCO #00771</b>
<b><u>File Name:</u></b>	<b>12011694.zip</b>
<b><u>Organization Name:</u></b>	<b>Broadbent &amp; Associates, Inc.</b>
<b><u>Username:</u></b>	<b>BROADBENT-C</b>
<b><u>IP Address:</u></b>	<b>67.118.40.90</b>
<b><u>Submittal Date/Time:</u></b>	<b>3/22/2012 5:05:57 PM</b>
<b><u>Confirmation Number:</u></b>	<b>3930201232</b>

**[VIEW QC REPORT](#)**

**[VIEW DETECTIONS REPORT](#)**

Copyright © 2012 State of California