

Atlantic Richfield Company

Shannon Couch
Project Manager

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3804
Fax: (925) 275-3815
E-Mail: shannon.couch@bp.com

April 30, 2013


RECEIVED

By Alameda County Environmental Health at 10:49 am, May 01, 2013

Re: First Quarter 2013 Monitoring Report
Atlantic Richfield Company Station #771
899 Rincon Avenue
Livermore, California
ACEH Case RO0000200

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Shannon Couch
Project Manager

Attachment



**FIRST QUARTER 2013 MONITORING REPORT
Atlantic Richfield Company Station #771
899 Rincon Avenue
Livermore, Alameda County, California**

Prepared for:

Ms. Shannon Couch
Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583

Prepared by:

Broadbent & Associates, Inc.
1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400

April 30, 2013

No. 06-82-608



BROADBENT

1370 Ridgewood Drive, Suite 5, Chico, CA 95973

[T] 530-566-1400 [F] 530-566-1401

broadbentinc.com

CREATING SOLUTIONS. BUILDING TRUST.

April 30, 2013

Project No. 06-82-608

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Ms. Shannon Couch

Re: First Quarter 2013 Monitoring Report, Atlantic Richfield Company Station #771, 899 Rincon Avenue, Livermore, California; ACEH Case No. RO0000200


Dear Ms. Couch:

Attached is the First Quarter 2013 Monitoring Report for Atlantic Richfield Company Station #771 located at 899 Rincon Avenue, Livermore, California. Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,
BROADBENT & ASSOCIATES, INC.

Jason Duda
Project Scientist

Matthew G. Herrick, P.G., C.HG
Senior Hydrogeologist



Enclosure

cc: Mr. Jerry Wickham, Alameda County Environmental Health (Submitted via ACEH ftp site)
Mr. Paul M. Smith, Livermore-Pleasanton Fire Department, 3560 Nevada St.,
Pleasanton, California 94566
Mr. Chuck Headlee, California Regional Water Quality Control Board – San Francisco
Region (Submitted via GeoTracker)
Electronic copy uploaded to GeoTracker

**FIRST QUARTER 2013
MONITORING REPORT
ARCO STATION #771, LIVERMORE, CALIFORNIA**

Broadbent & Associates, Inc. (Broadbent) is pleased to present this *First Quarter 2013 Monitoring Report* on behalf of Atlantic Richfield Company (a BP affiliated company) for ARCO Station #771 located in Livermore, Alameda County, California. Reporting is being submitted to Alameda County Environmental Health (ACEH) consistent with their requirements under the legal authority of the California Regional Water Quality Control Board, as codified by the California Code of Regulations Title 23, Section 2652(d). Details of work performed, discussion of results, and recommendations are provided below.

Facility Name / Address:	ARCO Station #771 / 899 Rincon Avenue
Client Project Manager / Title:	Ms. Shannon Couch / Project Manager
Broadbent Contact:	Jason Duda, (530) 566-1400
Broadbent Project No.:	06-82-608
Primary Regulatory Agency / ID No.:	ACEH / Case #RO0000200
Current phase of project:	Monitoring and Additional Assessment
List of Acronyms / Abbreviations:	See end of report text for list of acronyms/abbreviations used in report.

WORK PERFORMED THIS QUARTER (First Quarter 2013):

1. Submitted *Fourth Quarter 2012 Status Report* (Broadbent, 1/11/13).
2. Conducted groundwater monitoring/sampling for First Quarter 2013 on January 17, 2013.

WORK SCHEDULED FOR NEXT QUARTER (Second Quarter 2013):

1. Prepare and submit *First Quarter 2013 Semi-Annual Monitoring Report* (contained herein).
2. Continued monitoring of MW-7 and nearby wells VW-1, MW-2, and MW-4 for the presence of LNAPL.
3. Prepare and submit Site Conceptual Model, Sensitive Receptor Survey, and Additional Assessment Work Plan by May 29, 2013.

GROUNDWATER MONITORING PLAN SUMMARY:

Groundwater level gauging:	Semi-Annual (1Q & 3Q): MW-1 through MW-11, RW-1, VW-1	(1Q and 3Q)
Groundwater sample collection:	Semi-Annual (1Q & 3Q): MW-4, MW-7, RW-1 Annual (3Q): MW-2, MW-5, MW-6, MW-11, VW-1	(1Q and 3Q)
Biodegradation indicator parameter monitoring:	NA	

QUARTERLY RESULTS SUMMARY:

LNAPL

LNAPL observed this quarter:	None	(yes\no)
LNAPL recovered this quarter:	None	(gal)
Cumulative LNAPL recovered:	Unknown (1.5 gal. LNAPL/water mixture – 3Q12)	(gal)

Groundwater Elevation and Gradient:

Depth to groundwater:	24.60 (VW-1) to 32.23 (MW-8)	(ft below TOC)
Gradient direction:	North	(compass direction)
Gradient magnitude:	0.03	(ft/ft)
Average change in elevation:	7.32	(ft since last measurement)

Laboratory Analytical Data

Summary:

GRO were detected in two of the three wells sampled at a maximum concentration of 3,100 µg/L in MW-7. Benzene was detected in each of the wells sampled at a maximum concentration of 460 µg/L in MW-4. MTBE was detected in two of the three wells sampled at a maximum concentration of 120 µg/L in MW-7.

ACTIVITIES CONDUCTED & RESULTS:

First Quarter 2013 groundwater monitoring was conducted on January 17, 2013 by Broadbent personnel in accordance with the monitoring plan summary detailed above. LNAPL, or free product, was not observed in the wells gauged during this monitoring event. No irregularities were noted during water level gauging activities. Depth to water measurements ranged from 24.60 ft at VW-1 to 32.23 ft at MW-8, within the screened interval of each well. Resulting groundwater surface elevations ranged from 419.09 ft at MW-11 to 428.69 ft at VW-1. Groundwater elevations are summarized in Table 1. The water level elevation calculated for well VW-1 was not used for contouring purposes due to its construction as a vapor extraction well. Water level elevations yielded a potentiometric groundwater gradient to the north at approximately 0.03 ft/ft. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B. A Site Location Map is presented as Drawing 1. Potentiometric groundwater elevation contours are presented in Drawing 2.

Groundwater samples were collected from wells MW-4, MW-7 and RW-1 on January 17, 2012, consistent with the current monitoring schedule. Samples were submitted under chain-of-custody protocol to TestAmerica (Irvine, California) for analysis of GRO (C6-C12) by EPA Method 8015B; for BTEX, MTBE, ETBE, TAME, DIPE, EDB, 1,2-DCA, TBA and Ethanol by EPA Method 8260B. No significant irregularities were encountered during laboratory analysis of the samples. The laboratory analytical report, including chain-of-custody documentation, is provided in Appendix C.

Hydrocarbons in the GRO range were detected above the laboratory reporting limit in two of the three wells sampled at concentrations of 1,500 µg/L in well MW-4 and 3,100 µg/L in well MW-7. Benzene was detected above the laboratory reporting limit in each of the three wells sampled at a maximum concentration of 460 µg/L in well MW-4. Toluene was detected above the laboratory reporting limit in two of the three wells sampled at concentrations of 12 µg/L in well MW-4 and 10 µg/L in well MW-7. Ethylbenzene was detected above the laboratory reporting limit in two of the three wells samples at concentrations of 8.0 µg/L in well MW-4 and 10.0 µg/L in well MW-7. Total Xylenes were detected above the laboratory reporting limit in well MW-7 at a concentration of 42 µg/L. MTBE was detected above the laboratory reporting limit in each well sampled at a maximum concentration of 120 µg/L in well MW-7. TBA was detected above the laboratory reporting limit in two of the three wells sampled at concentrations of 590 µg/L in well MW-4 and 340 µg/L in well MW-7. The remaining analytes were not detected above their laboratory reporting limits in the wells sampled this monitoring event. Groundwater monitoring laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 2. Groundwater monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix D.

DISCUSSION:

Groundwater levels were between historic minimum and maximum elevations for each well gauged this quarter. Groundwater elevations yielded a potentiometric groundwater gradient to the north at approximately 0.03 ft/ft, generally consistent with the historic gradient data presented in Table 3. This

event's detected analytical concentrations were within the historic minimum and maximum ranges recorded for each well. Recent and historic laboratory analytical results are summarized in Table 1 and Table 2. The next semi-annual groundwater monitoring and sampling event is scheduled to be conducted during the Third Quarter 2013.

The concentration of GRO detected in MW-7 (3,100 µg/L) has declined an order of magnitude from the recently detected concentration of 15,000 µg/L in the Third Quarter 2012. Concentrations of MTBE and TBA in this well continue to be comparable to historical analytical data.

RECOMMENDATIONS:

Submittal of the *Case Evaluation and Justification for No Further Action* dated January 5, 2012 was retracted in a letter dated September 12, 2012 in order to re-evaluate the case. It is recommended to continue monitoring the presence of LNAPL within well MW-7 on a quarterly basis at a minimum. It is also recommended that semi-annual groundwater monitoring continue at the Site for now in accordance with the plan summary detailed above. Broadbent anticipates that a Site Conceptual Model, Sensitive Receptor Survey, and Additional Assessment Work Plan will be prepared and submitted by May 29, 2013 as requested in the ACEH directive letter dated March 18, 2013. Additionally, groundwater samples will be collected from off-Site well MW-8 and on-Site well MW-3 during the monitoring/sampling event scheduled during the Third Quarter 2013, as requested by ACEH.

LIMITATIONS:

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by TestAmerica (Irvine, California), and our understanding of ACEH requirements. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of the Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:


- Drawing 1: Site Location Map
- Drawing 2: Groundwater Elevation Contour and Analytical Summary Map, January 17, 2013

- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
- Table 2: Summary of Fuel Additives Analytical Data
- Table 3: Historical Groundwater Gradient – Direction and Magnitude

- Appendix A: Field Methods
- Appendix B: Field Data Sheets and Non-Hazardous Waste Data Form
- Appendix C: Laboratory Report and Chain-of-Custody Documentation
- Appendix D: GeoTracker Upload Confirmation Receipts

LIST OF COMMONLY USED ACCRONYMS/ABBREVIATIONS:

ACEH:	Alameda County Environmental Health	gal:	Gallons
BTEX:	Benzene, Toluene, Ethylbenzene, Total Xylenes	GRO:	Gasoline-Range Organics
1,2-DCA:	1,2-Dichloroethane	LNAPL:	Light Non-Aqueous Phase Liquid
DIPE:	Di-Isopropyl Ether	MTBE:	Methyl Tertiary Butyl Ether
DO:	Dissolved Oxygen	NO ₃ :	Nitrate as Nitrogen
DRO:	Diesel-Range Organics	ppb:	parts per billion
EDB:	1,2-Dibromomethane	SO ₄ :	Sulfate
Eh:	Oxidation Reduction Potential	TAME:	Tert-Amyl Methyl Ether
EPA:	Environmental Protection Agency	TBA:	Tertiary Butyl Ether
ETBE:	Ethyl Tertiary Butyl Ether	TOC:	Top of Casing
Fe ²⁺ :	Ferrous Iron	µg/L:	micrograms per liter
ft/ft:	feet per foot		



APPROXIMATE SCALE (mi)

IMAGE SOURCE: DELORME



2000 Kirman Ave.
Reno, Nevada 89509


Project No.: 06-82-608 Date: 9/6/2012

Station #771
899 Rincon Avenue
Livermore, California

Site Location Map


Drawing

1



LEGEND

- Monitoring well location
- ◐ Vapor extraction well location
- Well ID** — Well designation
- ELEV** — Groundwater elevation (ft above MSL)
- GRO** — GRO, Benzene & MTBE concentrations (µg/L)
- Benzene** —
- MTBE** —
- SA or A** — Sampling frequency
- < — Not detected at or above laboratory reporting limits
- * — Not used in contouring
- NG — Not gauged
- NS — Not sampled
- A(3) — Sampled annually during 3rd quarter
- GO — Not sampled, gauged only
- SA(1,3) — Sampled semi-annually, 1st & 3rd quarters
- 425.5 — Groundwater elevation contour (ft above MSL)
- ← 0.02 — Approximate groundwater flow direction and gradient (ft/ft)
- — Remediation piping



NOTE: SITE MAP ADAPTED FROM URS FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote	
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			DO (mg/L)
MW-1															
3/20/1995	--	451.73	32.00	41.00	24.50	427.23	90,000	1,800	1,100	1,000	5,600	--	--	--	
6/2/1995	--		32.00	41.00	25.60	426.13	81,000	2,000	1,400	990	4,600	--	--	--	
8/23/1995	--		32.00	41.00	29.04	422.69	44,000	2,400	1,900	670	3,800	<300	--	--	
12/4/1995	--		32.00	41.00	31.31	420.42	22,000	870	660	390	2,200	--	--	--	
2/20/1996	--		32.00	41.00	22.26	429.47	21,000	1,500	1,200	650	3,500	<300	--	--	
5/15/1996	--		32.00	41.00	23.42	428.31	36,000	3,000	2,500	960	5,700	<250	--	--	
8/13/1996	--		32.00	41.00	26.83	424.90	19,000	730	580	450	2,500	<200	--	--	
11/13/1996	--		32.00	41.00	31.05	420.68	6,600	47	16	74	160	<30	--	--	
3/26/1997	--		32.00	41.00	26.29	425.44	1,900	100	55	37	200	<30	--	--	
5/15/1997	--		32.00	41.00	28.65	423.08	16,000	490	250	250	1,100	<120	--	--	
8/26/1997	--		32.00	41.00	31.53	420.20	190	6.7	3	6.3	25	<3	--	--	
11/5/1997	--		32.00	41.00	33.93	417.80	63	0.5	<0.5	0.8	2.4	29	--	--	
2/18/1998	--		32.00	41.00	20.46	431.27	23,000	1,500	610	550	3,000	<120	--	--	
5/20/1998	--		32.00	41.00	23.84	427.89	50,000	4,400	1,900	1,400	80,000	<300	--	--	
7/30/1998	P		32.00	41.00	26.94	424.79	150	<0.5	<0.5	<0.5	1.6	<3	8.74	--	
10/29/1998	NP		32.00	41.00	32.58	419.15	<50	<0.5	<0.5	<0.5	1.8	<3	2.0	--	
3/16/1999	P		32.00	41.00	26.20	425.53	3,200	160	32	89	390	270	2.0	--	
5/5/1999	P		32.00	41.00	27.57	424.16	3,600	140	46	76	290	170	11.65	--	
8/26/1999	P		32.00	41.00	30.25	421.48	3,200	210	29	100	220	120	1.43	--	
12/3/1999	NP		32.00	41.00	32.70	419.03	53	<0.5	<0.5	<0.5	1	<3	2.12	--	
3/13/2000	P		32.00	41.00	24.45	427.28	<50	<0.5	<0.5	<0.5	<1	<3	5.81	--	
6/20/2000	--		32.00	41.00	27.79	423.94	67.4	3.88	<0.500	1.78	1.48	<2.50	--	--	b
6/20/2000	P		32.00	41.00	27.79	423.94	356	40.1	7.17	11.9	22.7	<2.50	5.1	--	
8/31/2000	--		32.00	41.00	30.35	421.38	--	--	--	--	--	--	--	--	
2/9/2001	--		32.00	41.00	30.95	420.78	--	--	--	--	--	--	--	--	
9/17/2001	--		32.00	41.00	30.85	420.88	--	--	--	--	--	--	--	--	
1/21/2002	--		32.00	41.00	30.61	421.12	--	--	--	--	--	--	--	--	
7/19/2002	--		32.00	41.00	31.55	420.18	--	--	--	--	--	--	--	--	
1/15/2003	--		32.00	41.00	22.99	428.74	--	--	--	--	--	--	--	--	
7/9/2003	--		32.00	41.00	30.35	421.38	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1 Cont.														
02/19/2004	--	451.73	32.00	41.00	26.24	425.49	--	--	--	--	--	--	--	--
08/04/2004	--	454.23	32.00	41.00	26.36	427.87	--	--	--	--	--	--	--	--
01/18/2005	--		32.00	41.00	24.47	429.76	--	--	--	--	--	--	--	--
07/15/2005	--		32.00	41.00	29.44	424.79	--	--	--	--	--	--	--	--
01/10/2006	--		32.00	41.00	22.58	431.65	--	--	--	--	--	--	--	--
7/21/2006	--		32.00	41.00	20.73	433.50	--	--	--	--	--	--	--	--
1/17/2007	--		32.00	41.00	31.88	422.35	--	--	--	--	--	--	--	--
7/18/2007	--		32.00	41.00	32.85	421.38	--	--	--	--	--	--	--	--
1/15/2008	--		32.00	41.00	28.76	425.47	--	--	--	--	--	--	--	--
7/7/2008	--		32.00	41.00	35.56	418.67	--	--	--	--	--	--	--	--
1/7/2009	--		32.00	41.00	34.07	420.16	--	--	--	--	--	--	--	--
7/22/2009	--		32.00	41.00	--	--	--	--	--	--	--	--	--	Dry
3/12/2010	--		32.00	41.00	27.61	426.62	--	--	--	--	--	--	--	--
9/9/2010	--		32.00	41.00	31.72	422.51	--	--	--	--	--	--	--	--
2/17/2011	--		32.00	41.00	32.11	422.12	--	--	--	--	--	--	--	--
7/7/2011	--		32.00	41.00	31.12	423.11	--	--	--	--	--	--	--	--
1/23/2012	--		32.00	41.00	34.34	419.89	--	--	--	--	--	--	--	--
7/25/2012	--		32.00	41.00	--	--	--	--	--	--	--	--	--	Dry
1/17/2013	--		32.00	41.00	30.14	424.09	--	--	--	--	--	--	--	--
MW-2														
3/20/1995	--	449.49	30.00	38.00	20.27	429.22	54,000	2,600	1,600	1,200	7,600	--	--	--
6/2/1995	--		30.00	38.00	22.32	427.17	37,000	2,200	800	980	4,800	--	--	--
8/23/1995	--		30.00	38.00	25.69	423.80	65,000	1,100	310	840	3,000	<500	--	--
12/4/1995	--		30.00	38.00	28.52	420.97	19,000	680	150	410	1,600	--	--	--
2/20/1996	--		30.00	38.00	19.00	430.49	22,000	1,200	240	590	2,200	<300	--	--
5/15/1996	--		30.00	38.00	20.03	429.46	25,000	1,200	240	610	2,100	<300	--	--
8/13/1996	--		30.00	38.00	24.44	425.05	19,000	640	110	420	1,200	<300	--	--
11/13/1996	--		30.00	38.00	28.42	421.07	15,000	260	52	220	640	<200	--	--
3/26/1997	--		30.00	38.00	22.98	426.51	17,000	580	120	360	980	<120	--	--
5/15/1997	--		30.00	38.00	25.40	424.09	18,000	420	63	340	730	<120	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.														
8/26/1997	--	449.49	30.00	38.00	28.38	421.11	5,300	210	26	140	270	<120	--	--
11/5/1997	--		30.00	38.00	31.93	417.56	560	42	2.6	7	9	<40	--	--
2/18/1998	--		30.00	38.00	16.87	432.62	18,000	710	120	480	1,100	130	--	--
5/20/1998	--		30.00	38.00	20.29	429.20	16,000	480	72	440	1,100	<120	--	--
7/30/1998	P		30.00	38.00	23.51	425.98	9,700	240	33	210	490	<120	9.21	--
10/29/1998	NP		30.00	38.00	30.08	419.41	58	<0.5	<0.5	<0.5	1.2	<3	1.0	--
3/16/1999	P		30.00	38.00	23.22	426.27	4,700	120	13	90	220	60	2.0	--
5/5/1999	P		30.00	38.00	24.05	425.44	5,500	58	7.1	58	98	17	9.09	--
8/26/1999	P		30.00	38.00	26.44	423.05	3,700	55	11	60	64	26	1.9	--
12/3/1999	NP		30.00	38.00	30.15	419.34	130	<0.5	<0.5	0.7	1.8	<3	1.96	--
3/13/2000	P		30.00	38.00	20.68	428.81	<50	<0.5	<0.5	<0.5	<1	<3	--	--
6/20/2000	P		30.00	38.00	23.08	426.41	226	2.2	<0.500	4.83	7.88	<2.50	4.9	--
8/31/2000	P		30.00	38.00	26.71	422.78	87.1	1.78	<0.500	1.33	1.15	<2.50	1.59	--
2/9/2001	--		30.00	38.00	29.65	419.84	--	--	--	--	--	--	--	--
9/17/2001	P		30.00	38.00	27.62	421.87	3,100	300	12	8.8	18	120	1.7	--
1/21/2002	--		30.00	38.00	27.09	422.40	--	--	--	--	--	--	--	--
7/19/2002	P		30.00	38.00	27.82	421.67	4,700	280	13	120	19	16	0.8	7.4 a
1/15/2003	--		30.00	38.00	22.18	427.31	--	--	--	--	--	--	--	--
7/9/2003	--		30.00	38.00	26.40	423.09	3,900	170	<5.0	100	19	39	2.5	7.0
02/19/2004	--		30.00	38.00	23.85	425.64	--	--	--	--	--	--	--	--
08/04/2004	P	452.05	30.00	38.00	24.71	427.34	5,400	650	21	160	56	78	0.8	7.2
01/18/2005	--		30.00	38.00	20.86	431.19	--	--	--	--	--	--	--	--
07/15/2005	P		30.00	38.00	25.92	426.13	5,200	160	5.3	56	10	46	3.1	6.9
01/10/2006	--		30.00	38.00	19.25	432.80	--	--	--	--	--	--	--	--
7/21/2006	P		30.00	38.00	25.73	426.32	120	0.90	<0.50	<0.50	<0.50	<0.50	6.08	8.3
1/17/2007	--		30.00	38.00	28.70	423.35	--	--	--	--	--	--	--	--
7/18/2007	P		30.00	38.00	29.07	422.98	2,300	58	2.4	9.5	3.5	45	1.19	7.51
1/15/2008	--		30.00	38.00	24.65	427.40	--	--	--	--	--	--	--	--
7/7/2008	NP		30.00	38.00	32.41	419.64	3,600	28	<5.0	<5.0	<5.0	19	2.81	7.24
1/7/2009	--		30.00	38.00	31.67	420.38	--	--	--	--	--	--	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.														
7/22/2009	--	452.05	30.00	38.00	33.48	418.57	--	--	--	--	--	--	--	--
3/12/2010	--		30.00	38.00	23.84	428.21	--	--	--	--	--	--	--	--
9/9/2010	P		30.00	38.00	27.84	424.21	6,200	53	3.8	18	9.5	13	--	6.8
2/17/2011	--		30.00	38.00	27.52	424.53	--	--	--	--	--	--	--	--
7/7/2011	P		30.00	38.00	26.62	425.43	1,600	17	0.76	1.2	1.5	6.2	1.02	7.1 g (GRO)
1/23/2012	--		30.00	38.00	32.32	419.73	--	--	--	--	--	--	--	--
7/25/2012	--		30.00	38.00	34.10	417.95	--	--	--	--	--	--	--	h
8/31/2012	--		30.00	38.00	--	--	--	--	--	--	--	--	--	Dry
1/17/2013	--		30.00	38.00	26.14	425.91	--	--	--	--	--	--	--	--
MW-3														
3/20/1995	--	450.28	32.00	40.00	22.19	428.09	94	<0.5	<0.5	<0.5	<0.5	--	--	--
6/2/1995	--		32.00	40.00	23.28	427.00	72	<0.5	<0.5	<0.5	<0.5	--	--	--
8/23/1995	--		32.00	40.00	26.55	423.73	98	<0.5	<0.5	<0.6	0.5	<3	--	--
12/4/1995	--		32.00	40.00	29.52	420.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
2/20/1996	--		32.00	40.00	19.83	430.45	130	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1996	--		32.00	40.00	21.03	429.25	120	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
8/13/1996	--		32.00	40.00	25.67	424.61	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/13/1996	--		32.00	40.00	21.57	428.71	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
3/26/1997	--		32.00	40.00	24.15	426.13	<50	1.1	<0.5	<0.5	<0.5	<3	--	--
5/15/1997	--		32.00	40.00	26.85	423.43	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
8/26/1997	--		32.00	40.00	30.07	420.21	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/5/1997	--		32.00	40.00	32.46	417.82	<50	<0.5	0.7	<0.5	<0.5	<3	--	--
2/18/1998	--		32.00	40.00	17.82	432.46	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/20/1998	--		32.00	40.00	21.41	428.87	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
7/30/1998	P		32.00	40.00	26.41	423.87	<50	<0.5	<0.5	<0.5	<0.5	<3	9.56	--
10/29/1998	P		32.00	40.00	31.33	418.95	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--
3/16/1999	P		32.00	40.00	24.61	425.67	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--
5/5/1999	P		32.00	40.00	25.75	424.53	140	<0.5	<0.5	0.6	<0.5	<3	4.43	--
8/26/1999	P		32.00	40.00	28.49	421.79	80	0.6	0.6	0.6	1	<3	1.69	--
12/3/1999	P		32.00	40.00	31.45	418.83	<50	<0.5	<0.5	<0.5	<1	<3	2.26	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-3 Cont.															
3/13/2000	P	450.28	32.00	40.00	22.18	428.10	<50	<0.5	<0.5	<0.5	<1	<3	4.41	--	
6/20/2000	P		32.00	40.00	26.03	424.25	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	2.3	--	
8/31/2000	--		32.00	40.00	28.75	421.53	--	--	--	--	--	--	--	--	
2/9/2001	--		32.00	40.00	31.04	419.24	--	--	--	--	--	--	--	--	
9/17/2001	--		32.00	40.00	29.04	421.24	--	--	--	--	--	--	--	--	
1/21/2002	--		32.00	40.00	28.81	421.47	--	--	--	--	--	--	--	--	
7/19/2002	--		32.00	40.00	28.92	421.36	--	--	--	--	--	--	--	--	
1/15/2003	--		32.00	40.00	22.88	427.40	--	--	--	--	--	--	--	--	
7/9/2003	--		32.00	40.00	28.00	422.28	--	--	--	--	--	--	--	--	
02/19/2004	--		32.00	40.00	25.29	424.99	--	--	--	--	--	--	--	--	
08/04/2004	--	452.75	32.00	40.00	27.40	425.35	--	--	--	--	--	--	--	--	
01/18/2005	--		32.00	40.00	22.76	429.99	--	--	--	--	--	--	--	--	
07/15/2005	--		32.00	40.00	25.95	426.80	--	--	--	--	--	--	--	--	
01/10/2006	--		32.00	40.00	21.18	431.57	--	--	--	--	--	--	--	--	
7/21/2006	--		32.00	40.00	25.73	427.02	--	--	--	--	--	--	--	--	
1/17/2007	--		32.00	40.00	30.51	422.24	--	--	--	--	--	--	--	--	
7/18/2007	--		32.00	40.00	29.53	423.22	--	--	--	--	--	--	--	--	
1/15/2008	--		32.00	40.00	27.65	425.10	--	--	--	--	--	--	--	--	
7/7/2008	--		32.00	40.00	33.38	419.37	--	--	--	--	--	--	--	--	
1/7/2009	--		32.00	40.00	34.09	418.66	--	--	--	--	--	--	--	--	
7/22/2009	--		32.00	40.00	34.98	417.77	--	--	--	--	--	--	--	--	
3/12/2010	--		32.00	40.00	25.89	426.86	--	--	--	--	--	--	--	--	
9/9/2010	--		32.00	40.00	31.13	421.62	--	--	--	--	--	--	--	--	
2/17/2011	--		32.00	40.00	30.28	422.47	--	--	--	--	--	--	--	--	
7/7/2011	--		32.00	40.00	30.48	422.27	--	--	--	--	--	--	--	--	
1/23/2012	--		32.00	40.00	34.29	418.46	--	--	--	--	--	--	--	--	
7/25/2012	--		32.00	40.00	37.39	415.36	--	--	--	--	--	--	--	--	
1/17/2013	--		32.00	40.00	29.24	423.51	--	--	--	--	--	--	--	--	
MW-4															
3/20/1995	--	451.09	26.00	42.00	22.68	428.41	12,000	1,000	100	450	700	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-4 Cont.														
6/2/1995	--	451.09	26.00	42.00	24.41	426.68	9,000	850	56	380	430	--	--	--
8/23/1995	--		26.00	42.00	27.72	423.37	5,300	400	25	240	170	<100	--	--
12/4/1995	--		26.00	42.00	29.85	421.24	6,700	100	<10	90	38	--	--	--
2/20/1996	--		26.00	42.00	21.16	429.93	7,000	360	22	180	160	<70	--	--
5/15/1996	--		26.00	42.00	22.18	428.91	--	--	--	--	--	--	--	--
8/13/1996	--		26.00	42.00	26.20	424.89	--	--	--	--	--	--	--	--
11/13/1996	--		26.00	42.00	29.72	421.37	--	--	--	--	--	--	--	--
3/26/1997	--		26.00	42.00	21.86	429.23	8,900	390	33	200	250	<70	--	--
5/15/1997	--		26.00	42.00	26.92	424.17	--	--	--	--	--	--	--	--
8/26/1997	--		26.00	42.00	29.30	421.79	--	--	--	--	--	--	--	--
11/5/1997	--		26.00	42.00	32.14	418.95	--	--	--	--	--	--	--	--
2/18/1998	--		26.00	42.00	19.30	431.79	5,300	220	19	160	130	120	--	--
5/20/1998	--		26.00	42.00	22.40	428.69	--	--	--	--	--	--	--	--
7/30/1998	--		26.00	42.00	25.74	425.35	--	--	--	--	--	--	--	--
10/29/1998	--		26.00	42.00	31.26	419.83	--	--	--	--	--	--	--	--
3/16/1999	P		26.00	42.00	25.05	426.04	1,900	49	<5	43	<5	82	1.5	--
5/5/1999	--		26.00	42.00	26.15	424.94	--	--	--	--	--	--	--	--
8/26/1999	--		26.00	42.00	28.60	422.49	--	--	--	--	--	--	1.43	--
12/3/1999	--		26.00	42.00	31.53	419.56	--	--	--	--	--	--	--	--
3/13/2000	P		26.00	42.00	23.61	427.48	<50	<0.5	<0.5	<0.5	<1	<3	3.82	--
6/20/2000	--		26.00	42.00	26.38	424.71	--	--	--	--	--	--	0.4	--
8/31/2000	NP		26.00	42.00	29.55	421.54	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.04	--
2/9/2001	NP		26.00	42.00	30.30	420.79	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	1.39	--
9/17/2001	NP		26.00	42.00	29.90	421.19	3,400	51	<5.0	16	23	360	0.92	--
1/21/2002	NP		26.00	42.00	29.51	421.58	1,900	140	12	27	48	300	1.03	--
7/19/2002	NP		26.00	42.00	30.77	420.32	2,700	150	9.9	<5.0	<5.0	130	1.0	7.3 a
1/15/2003	--		26.00	42.00	23.56	427.53	4,800	150	5.3	28	46	150	1.3	7.0 a
7/9/2003	--		26.00	42.00	29.50	421.59	3,000	210	9.4	6	20	150	2.0	6.9
02/19/2004	P		26.00	42.00	26.35	424.74	4,800	270	11	25	19	180	1.8	6.2 c
08/04/2004	NP	453.80	26.00	42.00	26.48	427.32	4,200	410	13	49	59	300	0.7	6.7

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-4 Cont.														
01/18/2005	P	453.80	26.00	42.00	23.15	430.65	4,500	250	9.5	62	22	160	1.2	6.9
07/15/2005	NP		26.00	42.00	28.13	425.67	3,500	230	6.1	19	15	230	0.5	7.0
01/10/2006	P		26.00	42.00	21.49	432.31	5,500	250	7.6	37	25	190	1.3	7.1
7/21/2006	NP		26.00	42.00	28.88	424.92	66	0.60	<0.50	0.52	0.82	3.1	4.75	8.3
1/17/2007	NP		26.00	42.00	30.80	423.00	<50	<0.50	<0.50	<0.50	<0.50	11	6.19	8.03
7/18/2007	NP		26.00	42.00	32.00	421.80	2,400	140	6.8	1.3	4.1	74	5.03	7.12
1/15/2008	NP		26.00	42.00	27.30	426.50	220	1.2	<0.50	<0.50	0.50	61	3.29	6.94 f (MTBE)
7/7/2008	NP		26.00	42.00	34.78	419.02	<50	3.1	<0.50	<0.50	0.66	17	4.03	7.26
1/7/2009	NP		26.00	42.00	32.59	421.21	110	1.1	<0.50	<0.50	<0.50	37	2.79	7.26
7/22/2009	NP		26.00	42.00	36.77	417.03	3,000	320	7.8	5.3	16	63	10.82	7.45
3/12/2010	NP		26.00	42.00	26.38	427.42	1,700	150	4.6	8.3	2.3	43	1.14	7.08
9/9/2010	NP		26.00	42.00	28.20	425.60	3,300	70	<2.5	3.6	3.6	51	--	6.8
2/17/2011	NP		26.00	42.00	30.62	423.18	2,300	59	2.2	2.2	5.0	33	1.03	7.8 g (GRO)
7/7/2011	NP		26.00	42.00	27.98	425.82	2,000	79	2.7	<2.5	3.3	57	0.70	6.9 g (GRO)
1/23/2012	P		26.00	42.00	33.57	420.23	980	51	2.4	<2.0	<2.0	44	1.14	6.89 g (GRO)
7/25/2012	P		26.00	42.00	35.81	417.99	1,700	86	4.1	1.1	4.6	49	3.45	7.23
8/31/2012	--		26.00	42.00	36.53	417.27	--	--	--	--	--	--	--	--
1/17/2013	P		26.00	42.00	28.31	425.49	1,500	460	12	8.0	<5.0	110	1.16	7.62
MW-5														
3/20/1995	--	451.40	31.50	41.00	23.20	428.20	26,000	1,300	180	890	2,900	--	--	--
6/2/1995	--		31.50	41.00	24.80	426.60	39,000	940	160	740	1,900	--	--	--
8/23/1995	--		31.50	41.00	28.10	423.30	14,000	490	74	250	890	<300	--	--
12/4/1995	--		31.50	41.00	29.83	421.57	7,600	230	13	61	80	--	--	--
2/20/1996	--		31.50	41.00	21.63	429.77	4,300	220	12	45	130	<50	--	--
5/15/1996	--		31.50	41.00	22.87	428.53	2,200	380	17	58	84	<40	--	--
8/13/1996	--		31.50	41.00	26.48	424.92	1,700	150	16	24	35	47	--	--
11/13/1996	--		31.50	41.00	29.68	421.72	850	150	11	19	37	66	--	--
3/26/1997	--		31.50	41.00	25.14	426.26	2,400	440	21	79	210	68	--	--
5/15/1997	--		31.50	41.00	27.38	424.02	3,900	510	19	140	240	48	--	--
8/26/1997	--		31.50	41.00	29.89	421.51	76	4.9	<0.5	1.5	2	9	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-5 Cont.														
11/5/1997	--	451.40	31.50	41.00	32.57	418.83	63	0.8	<0.5	<0.5	1.2	34	--	--
2/18/1998	--		31.50	41.00	19.99	431.41	6,200	630	70	320	640	320	--	--
5/20/1998	--		31.50	41.00	23.21	428.19	2,300	340	21	110	140	62	--	--
7/30/1998	P		31.50	41.00	26.19	425.21	<50	0.8	<0.5	0.6	0.9	<3	8.83	--
10/29/1998	NP		31.50	41.00	31.92	419.48	<50	<0.5	<0.5	<0.5	<0.5	<3	2.0	--
3/16/1999	P		31.50	41.00	25.80	425.60	1,300	170	8	59	65	120	2.0	--
5/5/1999	P		31.50	41.00	27.09	424.31	320	31	1.1	13	13	19	12.09	--
8/26/1999	P		31.50	41.00	29.67	421.73	260	13	1.7	4.2	6.3	150	1.31	--
12/3/1999	--		31.50	41.00	--	--	--	--	--	--	--	--	--	d
3/13/2000	P		31.50	41.00	24.51	426.89	<50	<0.5	<0.5	<0.5	<1	<3	4.41	--
6/20/2000	P		31.50	41.00	27.37	424.03	60.8	4.84	<0.500	1.9	1.59	<2.50	5.3	--
8/31/2000	P		31.50	41.00	30.21	421.19	<50.0	1.18	<0.500	<0.500	<0.500	3.83	0.97	--
2/9/2001	--		31.50	41.00	30.19	421.21	--	--	--	--	--	--	--	--
9/17/2001	P		31.50	41.00	30.71	420.69	2,700	120	10	90	77	330	0.81	--
1/21/2002	--		31.50	41.00	30.40	421.00	--	--	--	--	--	--	--	--
7/19/2002	P		31.50	41.00	31.93	419.47	1,600	170	7	120	<5.0	180	1.7	7.2 a
1/15/2003	--		31.50	41.00	23.12	428.28	--	--	--	--	--	--	--	--
7/9/2003	--		31.50	41.00	30.95	420.45	2,000	160	5.7	67	27	260	1.5	6.9
02/19/2004	--		31.50	41.00	26.73	424.67	--	--	--	--	--	--	--	--
08/04/2004	P	453.52	31.50	41.00	26.61	426.91	2,100	250	5.3	73	22	250	2.7	7.0
01/18/2005	--		31.50	41.00	24.10	429.42	--	--	--	--	--	--	--	--
07/15/2005	P		31.50	41.00	29.27	424.25	1,600	61	<5.0	8.7	<5.0	270	2.1	6.9
01/10/2006	--		31.50	41.00	22.19	431.33	--	--	--	--	--	--	--	--
7/21/2006	P		31.50	41.00	30.36	423.16	2,100	29	<5.0	7.5	11	14	2.98	7.1
1/17/2007	--		31.50	41.00	31.77	421.75	--	--	--	--	--	--	--	--
7/18/2007	NP		31.50	41.00	33.42	420.10	470	36	0.84	0.97	2.2	110	1.73	7.50
1/15/2008	--		31.50	41.00	28.60	424.92	--	--	--	--	--	--	--	--
7/7/2008	NP		31.50	41.00	35.80	417.72	<50	<0.50	<0.50	<0.50	<0.50	<0.50	7.55	7.79
1/7/2009	--		31.50	41.00	33.14	420.38	--	--	--	--	--	--	--	--
7/22/2009	NP		31.50	41.00	37.84	415.68	100	3.0	<0.50	<0.50	<0.50	12	12.34	7.24

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-5 Cont.														
3/12/2010	--	453.52	31.50	41.00	27.29	426.23	--	--	--	--	--	--	--	--
9/9/2010	P		31.50	41.00	28.96	424.56	1,000	18	1.4	0.55	3.2	10	--	6.9
2/17/2011	--		31.50	41.00	31.49	422.03	--	--	--	--	--	--	--	--
7/7/2011	P		31.50	41.00	28.72	424.80	620	9.0	0.60	<0.50	0.61	4.6	1.60	7.0 g (GRO)
1/23/2012	--		31.50	41.00	33.27	420.25	--	--	--	--	--	--	--	--
7/25/2012	P		31.50	41.00	36.29	417.23	500	11	1.1	<0.50	2.6	11	3.07	7.23
1/17/2013	--		31.50	41.00	29.11	424.41	--	--	--	--	--	--	--	--
MW-6														
3/20/1995	--	451.37	32.00	42.00	25.19	426.18	2,600	210	87	82	140	--	--	--
6/2/1995	--		32.00	42.00	25.75	425.62	1,600	55	7.9	40	26	--	--	--
8/23/1995	--		32.00	42.00	29.53	421.84	1,400	42	2.5	36	13	<20	--	--
12/4/1995	--		32.00	42.00	32.28	419.09	2,500	52	5.8	59	13	--	--	--
2/20/1996	--		32.00	42.00	22.27	429.10	2,500	120	16	73	12	<30	--	--
5/15/1996	--		32.00	42.00	23.86	427.51	2,000	71	6.4	47	25	<15	--	--
8/13/1996	--		32.00	42.00	28.55	422.82	3,800	91	8.2	69	25	<20	--	--
11/13/1996	--		32.00	42.00	32.04	419.33	1,900	55	3.3	55	8.5	16	--	--
3/26/1997	--		32.00	42.00	26.84	424.53	1,800	51	5	32	15	<30	--	--
5/15/1997	--		32.00	42.00	29.58	421.79	2,400	46	3	29	9	<12	--	--
8/26/1997	--		32.00	42.00	32.67	418.70	1,400	61	6	33	10	<12	--	--
11/5/1997	--		32.00	42.00	34.62	416.75	690	29	2.7	18	3.4	9	--	--
2/18/1998	--		32.00	42.00	20.09	431.28	1,800	74	5	24	12	19	--	--
5/20/1998	--		32.00	42.00	24.05	427.32	1,900	280	4	31	16	9	--	--
7/30/1998	P		32.00	42.00	28.72	422.65	2,300	110	7	36	20	<15	--	--
10/29/1998	P		32.00	42.00	32.77	418.60	2,500	14	13	17	12	<12	1.0	--
3/16/1999	P		32.00	42.00	26.45	424.92	1,200	65	4	27	13	18	0.5	--
5/5/1999	P		32.00	42.00	27.86	423.51	2,200	53	4	26	6	25	5.59	--
8/26/1999	P		32.00	42.00	30.49	420.88	1,100	11	6	10	4	13	2.35	--
12/3/1999	P		32.00	42.00	32.35	419.02	370	<0.5	<0.5	0.8	<1	4	2.36	--
3/13/2000	P		32.00	42.00	28.36	423.01	54	2.1	0.5	0.9	1.4	<3	4.22	--
6/20/2000	P		32.00	42.00	28.35	423.02	195	1.83	<0.500	0.528	<0.500	<2.50	3.5	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L							pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE	DO (mg/L)		
MW-6 Cont.															
8/31/2000	P	451.37	32.00	42.00	30.20	421.17	276	3.52	0.788	1.15	0.621	8.73	7.0	--	
2/9/2001	--		32.00	42.00	30.70	420.67	222	4.49	2.73	0.579	0.523	57.1	--	--	b
2/9/2001	P		32.00	42.00	30.70	420.67	253	5.44	2.93	0.924	0.977	48.9	0.59	--	
9/17/2001	P		32.00	42.00	30.94	420.43	<50	<0.50	<0.50	<0.50	<0.50	<2.5	2.79	--	
9/17/2001	--		32.00	42.00	30.94	420.43	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	b
1/21/2002	P		32.00	42.00	30.55	420.82	<50	<0.50	<0.50	<0.50	<0.50	<5.0	1.9	--	
7/19/2002	P		32.00	42.00	30.27	421.10	60	2	<0.50	<0.50	<0.50	<0.50	3.5	7.9	a
1/15/2003	--		32.00	42.00	22.86	428.51	83	9.1	<0.50	3.4	4.6	1	2.5	7.2	a
7/9/2003	P		32.00	42.00	29.41	421.96	110	<0.50	<0.50	<0.50	<0.50	0.98	2.6	7.1	
02/19/2004	--		32.00	42.00	43.25	408.12	--	--	--	--	--	--	--	--	
08/04/2004	P	453.83	32.00	42.00	27.71	426.12	540	36	3.8	17	24	5.2	3.5	7.1	
01/18/2005	--		32.00	42.00	24.56	429.27	--	--	--	--	--	--	--	--	
07/15/2005	P		32.00	42.00	27.61	426.22	4,600	210	44	150	670	32	3.5	7.1	
01/10/2006	--		32.00	42.00	23.75	430.08	--	--	--	--	--	--	--	--	
7/21/2006	P		32.00	42.00	27.96	425.87	260	<0.50	<0.50	<0.50	0.86	5.1	2.60	7.2	
1/17/2007	--		32.00	42.00	30.57	423.26	--	--	--	--	--	--	--	--	
7/18/2007	P		32.00	42.00	30.96	422.87	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.95	7.57	
1/15/2008	--		32.00	42.00	28.89	424.94	--	--	--	--	--	--	--	--	
7/7/2008	NP		32.00	42.00	34.57	419.26	<50	<0.50	<0.50	<0.50	<0.50	<0.50	6.00	7.19	
1/7/2009	--		32.00	42.00	34.75	419.08	--	--	--	--	--	--	--	--	
7/22/2009	NP		32.00	42.00	35.84	417.99	<50	<0.50	<0.50	<0.50	<0.50	<0.50	16.67	7.68	
3/12/2010	--		32.00	42.00	27.89	425.94	--	--	--	--	--	--	--	--	
9/9/2010	NP		32.00	42.00	33.06	420.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.2	
2/17/2011	--		32.00	42.00	32.60	421.23	--	--	--	--	--	--	--	--	
7/7/2011	NP		32.00	42.00	32.72	421.11	430	<0.50	<0.50	<0.50	<0.50	8.0	2.04	7.1	g (GRO)
1/23/2012	--		32.00	42.00	35.61	418.22	--	--	--	--	--	--	--	--	
7/25/2012	P		32.00	42.00	38.78	415.05	500	3.3	<0.50	<0.50	1.7	10	3.07	7.45	
1/17/2013	--		32.00	42.00	31.11	422.72	--	--	--	--	--	--	--	--	
MW-7															
3/20/1995	--	450.33	30.00	40.00	22.07	428.26	31,000	2,300	400	620	2,900	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote	
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			DO (mg/L)
MW-7 Cont.															
6/2/1995	--	450.33	30.00	40.00	23.42	426.91	40,000	1,400	280	610	2,400	--	--	--	
8/23/1995	--		30.00	40.00	27.13	423.20	25,000	1,400	200	600	1,600	350	--	--	
12/4/1995	--		30.00	40.00	29.45	420.88	23,000	1,100	74	490	720	--	--	--	
2/20/1996	--		30.00	40.00	20.25	430.08	39,000	1,200	140	640	1,800	<400	--	--	
5/15/1996	--		30.00	40.00	21.38	428.95	--	--	--	--	--	--	--	--	
8/13/1996	--		30.00	40.00	25.52	424.81	--	--	--	--	--	--	--	--	
11/13/1996	--		30.00	40.00	29.38	420.95	--	--	--	--	--	--	--	--	
3/26/1997	--		30.00	40.00	24.36	425.97	35,000	1,100	180	460	1,700	<300	--	--	
5/15/1997	--		30.00	40.00	26.90	423.43	--	--	--	--	--	--	--	--	
8/26/1997	--		30.00	40.00	30.21	420.12	--	--	--	--	--	--	--	--	
11/5/1997	--		30.00	40.00	32.49	417.84	--	--	--	--	--	--	--	--	
2/18/1998	--		30.00	40.00	18.10	432.23	19,000	1,100	120	460	1,700	240	--	--	
5/20/1998	--		30.00	40.00	21.68	428.65	--	--	--	--	--	--	--	--	
7/30/1998	--		30.00	40.00	26.07	424.26	--	--	--	--	--	--	--	--	
10/29/1998	--		30.00	40.00	31.13	419.20	--	--	--	--	--	--	--	--	
3/16/1999	P		30.00	40.00	24.45	425.88	8,600	430	51	200	680	<120	1.5	--	
5/5/1999	--		30.00	40.00	25.84	424.49	--	--	--	--	--	--	--	--	
8/26/1999	--		30.00	40.00	28.28	422.05	--	--	--	--	--	--	1.51	--	
12/3/1999	--		30.00	40.00	31.57	418.76	--	--	--	--	--	--	--	--	
3/13/2000	--		30.00	40.00	--	--	--	--	--	--	--	--	--	--	d
6/20/2000	--		30.00	40.00	25.91	424.42	--	--	--	--	--	--	5.4	--	
8/31/2000	--		30.00	40.00	28.40	421.93	8,410	344	58.9	276	581	202	0.09	--	
2/9/2001	--		30.00	40.00	30.04	420.29	2,030	203	12	17.9	49.4	128	1.55	--	
9/17/2001	P		30.00	40.00	29.03	421.30	4,800	200	14	9.9	27	160	0.29	--	
1/21/2002	--		30.00	40.00	28.98	421.35	2,600	280	17	41	50	97	--	--	b
1/21/2002	P		30.00	40.00	28.98	421.35	4,200	350	20	52	63	99	0.81	--	
7/19/2002	P		30.00	40.00	28.70	421.63	5,700	630	31	330	160	64	0.7	7.3	a
1/15/2003	--		30.00	40.00	21.91	428.42	12,000	470	19	340	310	91	1.5	7.0	a
7/9/2003	P		30.00	40.00	27.88	422.45	6,700	590	23	280	92	110	1.0	6.9	
02/19/2004	P		30.00	40.00	25.12	425.21	8,900	670	24	470	120	100	0.8	6.6	c

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-7 Cont.														
08/04/2004	P	452.70	30.00	40.00	25.92	426.78	9,100	930	29	460	130	140	0.6	7.2
01/18/2005	P		30.00	40.00	22.31	430.39	16,000	770	33	590	220	87	1.0	6.9
07/15/2005	P		30.00	40.00	27.20	425.50	12,000	1,000	38	490	220	150	1.5	6.9
01/10/2006	P		30.00	40.00	20.61	432.09	13,000	1,200	50	760	330	120	0.8	7.1
7/21/2006	P		30.00	40.00	28.10	424.60	8,000	110	<50	380	180	54	3.20	7.8
1/17/2007	P		30.00	40.00	29.70	423.00	5,600	16	<2.5	26	12	3.1	1.08	7.83
7/18/2007	P		30.00	40.00	29.73	422.97	2,400	140	2.8	9.1	7.3	67	4.86	7.67
1/15/2008	P		30.00	40.00	26.18	426.52	3,500	120	3.6	9.0	29	26	3.16	7.07
7/7/2008	NP		30.00	40.00	33.10	419.60	70	0.76	<0.50	<0.50	<0.50	0.69	7.81	8.24
1/7/2009	NP		30.00	40.00	33.21	419.49	<50	1.5	<0.50	<0.50	<0.50	<0.50	3.00	7.73
7/22/2009	NP		30.00	40.00	34.54	418.16	<50	<0.50	<0.50	<0.50	<0.50	0.53	11.95	7.65
3/12/2010	P		30.00	40.00	25.46	427.24	2,600	36	1.0	14	9.1	11	0.42	8.07
9/9/2010	NP		30.00	40.00	30.10	422.60	2,800	430	11	32	46	110	--	--
2/17/2011	--		30.00	40.00	29.71	422.99	--	--	--	--	--	--	--	--
7/7/2011	NP		30.00	40.00	29.68	423.02	2,600	310	8.3	7.5	46	150	0.77	6.9 g (GRO)
1/23/2012	P		30.00	40.00	34.59	418.11	2,100	330	9.4	10	24	150	0.86	6.76
7/25/2012	--		30.00	40.00	36.16	416.54	--	--	--	--	--	--	3.67	7.09 i
8/31/2012	P		30.00	40.00	37.08	415.62	15,000	650	16	31	51	120	2.52	7.42 k
1/17/2013	P		30.00	40.00	27.53	425.17	3,100	430	10	10	42	120	1.21	7.58
MW-8														
3/20/1995	--	449.43	27.50	42.50	24.75	424.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
6/2/1995	--		27.50	42.50	24.95	424.48	--	--	--	--	--	--	--	--
8/23/1995	--		27.50	42.50	30.94	418.49	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
12/4/1995	--		27.50	42.50	31.99	417.44	--	--	--	--	--	--	--	--
2/20/1996	--		27.50	42.50	21.13	428.30	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1996	--		27.50	42.50	21.96	427.47	--	--	--	--	--	--	--	--
8/13/1996	--		27.50	42.50	30.20	419.23	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/13/1996	--		27.50	42.50	33.24	416.19	--	--	--	--	--	--	--	--
3/26/1997	--		27.50	42.50	26.85	422.58	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1997	--		27.50	42.50	29.69	419.74	--	--	--	--	--	--	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-8 Cont.														
8/26/1997	--	449.43	27.50	42.50	34.00	415.43	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
11/5/1997	--		27.50	42.50	35.94	413.49	--	--	--	--	--	--	--	--
2/18/1998	--		27.50	42.50	18.18	431.25	<50	0.6	0.6	<0.5	1.1	<3	--	--
5/20/1998	--		27.50	42.50	22.85	426.58	--	--	--	--	--	--	--	--
7/30/1998	NP		27.50	42.50	30.31	419.12	<50	<0.5	<0.5	<0.5	<0.5	<3	8.21	--
10/29/1998	--		27.50	42.50	35.88	413.55	--	--	--	--	--	--	--	--
3/16/1999	NP		27.50	42.50	28.50	420.93	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--
5/5/1999	--		27.50	42.50	29.76	419.67	--	--	--	--	--	--	--	--
8/26/1999	P		27.50	42.50	33.51	415.92	<50	<0.5	<0.5	<0.5	<0.5	<3	4.93	--
12/3/1999	--		27.50	42.50	35.83	413.60	--	--	--	--	--	--	--	--
3/13/2000	P		27.50	42.50	26.12	423.31	<50	<0.5	<0.5	<0.5	<1	<3	2.81	--
6/20/2000	--		27.50	42.50	30.91	418.52	--	--	--	--	--	--	5.8	--
8/31/2000	--		27.50	42.50	33.70	415.73	--	--	--	--	--	--	--	--
2/9/2001	--		27.50	42.50	30.90	418.53	--	--	--	--	--	--	--	--
9/17/2001	--		27.50	42.50	33.95	415.48	--	--	--	--	--	--	--	--
1/21/2002	--		27.50	42.50	33.71	415.72	--	--	--	--	--	--	--	--
7/19/2002	--		27.50	42.50	35.30	414.13	--	--	--	--	--	--	--	--
1/15/2003	--		27.50	42.50	27.10	422.33	--	--	--	--	--	--	--	--
7/9/2003	--		27.50	42.50	33.10	416.33	--	--	--	--	--	--	--	--
02/19/2004	--		27.50	42.50	28.92	420.51	--	--	--	--	--	--	--	--
08/04/2004	--	451.80	27.50	42.50	34.28	417.52	--	--	--	--	--	--	--	--
01/18/2005	--		27.50	42.50	26.76	425.04	--	--	--	--	--	--	--	--
07/15/2005	--		27.50	42.50	31.14	420.66	--	--	--	--	--	--	--	--
01/10/2006	--		27.50	42.50	22.88	428.92	--	--	--	--	--	--	--	--
7/21/2006	--		27.50	42.50	30.84	420.96	--	--	--	--	--	--	--	--
1/17/2007	--		27.50	42.50	33.20	418.60	--	--	--	--	--	--	--	--
7/18/2007	--		27.50	42.50	31.92	419.88	--	--	--	--	--	--	--	--
1/15/2008	--		27.50	42.50	31.52	420.28	--	--	--	--	--	--	--	--
7/7/2008	--		27.50	42.50	36.32	415.48	--	--	--	--	--	--	--	--
1/7/2009	--		27.50	42.50	40.52	411.28	--	--	--	--	--	--	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-8 Cont.														
7/22/2009	--	451.80	27.50	42.50	40.38	411.42	--	--	--	--	--	--	--	--
3/12/2010	--		27.50	42.50	31.48	420.32	--	--	--	--	--	--	--	--
9/9/2010	--		27.50	42.50	35.28	416.52	--	--	--	--	--	--	--	--
2/17/2011	--		27.50	42.50	33.49	418.31	--	--	--	--	--	--	--	--
7/7/2011	--		27.50	42.50	32.74	419.06	--	--	--	--	--	--	--	--
1/23/2012	--		27.50	42.50	32.11	419.69	--	--	--	--	--	--	--	--
7/25/2012	--		27.50	42.50	40.00	411.80	--	--	--	--	--	--	--	--
1/17/2013	--		27.50	42.50	32.23	419.57	--	--	--	--	--	--	--	--
MW-9														
3/20/1995	--	449.21	29.50	39.50	19.11	430.10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
6/2/1995	--		29.50	39.50	21.23	427.98	--	--	--	--	--	--	--	--
8/23/1995	--		29.50	39.50	24.33	424.88	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
12/4/1995	--		29.50	39.50	27.90	421.31	--	--	--	--	--	--	--	--
2/20/1996	--		29.50	39.50	17.86	431.35	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1996	--		29.50	39.50	18.69	430.52	--	--	--	--	--	--	--	--
8/13/1996	--		29.50	39.50	24.17	425.04	--	--	--	--	--	--	--	--
11/13/1996	--		29.50	39.50	28.01	421.20	--	--	--	--	--	--	--	--
3/26/1997	--		29.50	39.50	22.58	426.63	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1997	--		29.50	39.50	25.12	424.09	--	--	--	--	--	--	--	--
8/26/1997	--		29.50	39.50	28.28	420.93	--	--	--	--	--	--	--	--
11/5/1997	--		29.50	39.50	31.18	418.03	--	--	--	--	--	--	--	--
2/18/1998	--		29.50	39.50	16.03	433.18	<50	0.6	0.5	<0.5	1	<3	--	--
5/20/1998	--		29.50	39.50	19.31	429.90	--	--	--	--	--	--	--	--
7/30/1998	--		29.50	39.50	24.90	424.31	--	--	--	--	--	--	--	--
10/29/1998	--		29.50	39.50	30.08	419.13	--	--	--	--	--	--	--	--
3/16/1999	P		29.50	39.50	22.68	426.53	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--
5/5/1999	--		29.50	39.50	23.82	425.39	--	--	--	--	--	--	--	--
8/26/1999	--		29.50	39.50	26.57	422.64	--	--	--	--	--	--	5.08	--
12/3/1999	--		29.50	39.50	--	--	--	--	--	--	--	--	--	d
3/13/2000	P		29.50	39.50	25.62	423.59	<50	<0.5	<0.5	<0.5	<1	<3	5.43	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-9 Cont.														
6/20/2000	--	449.21	29.50	39.50	23.55	425.66	--	--	--	--	--	--	6.2	--
8/31/2000	--		29.50	39.50	27.39	421.82	--	--	--	--	--	--	--	--
2/9/2001	--		29.50	39.50	28.65	420.56	--	--	--	--	--	--	--	--
9/17/2001	--		29.50	39.50	27.51	421.70	--	--	--	--	--	--	--	--
1/21/2002	--		29.50	39.50	27.09	422.12	--	--	--	--	--	--	--	--
7/19/2002	--		29.50	39.50	27.06	422.15	--	--	--	--	--	--	--	--
1/15/2003	--		29.50	39.50	21.78	427.43	--	--	--	--	--	--	--	--
7/9/2003	--		29.50	39.50	26.18	423.03	--	--	--	--	--	--	--	--
02/19/2004	--		29.50	39.50	23.45	425.76	--	--	--	--	--	--	--	--
08/04/2004	--	451.63	29.50	39.50	29.24	422.39	--	--	--	--	--	--	--	--
01/18/2005	--		29.50	39.50	20.64	430.99	--	--	--	--	--	--	--	--
07/15/2005	--		29.50	39.50	25.72	425.91	--	--	--	--	--	--	--	--
01/10/2006	--		29.50	39.50	18.86	432.77	--	--	--	--	--	--	--	--
7/21/2006	--		29.50	39.50	25.58	426.05	--	--	--	--	--	--	--	--
1/17/2007	--		29.50	39.50	29.11	422.52	--	--	--	--	--	--	--	--
7/18/2007	--		29.50	39.50	--	--	--	--	--	--	--	--	--	d
1/15/2008	--		29.50	39.50	24.89	426.74	--	--	--	--	--	--	--	--
7/7/2008	--		29.50	39.50	32.06	419.57	--	--	--	--	--	--	--	--
1/7/2009	--		29.50	39.50	32.65	418.98	--	--	--	--	--	--	--	--
7/22/2009	--		29.50	39.50	33.74	417.89	--	--	--	--	--	--	--	--
3/12/2010	--		29.50	39.50	23.44	428.19	--	--	--	--	--	--	--	--
9/9/2010	--		29.50	39.50	29.56	422.07	--	--	--	--	--	--	--	--
2/17/2011	--		29.50	39.50	27.18	424.45	--	--	--	--	--	--	--	--
7/7/2011	--		29.50	39.50	27.71	423.92	--	--	--	--	--	--	--	--
1/23/2012	--		29.50	39.50	32.04	419.59	--	--	--	--	--	--	--	--
7/25/2012	--		29.50	39.50	35.37	416.26	--	--	--	--	--	--	--	--
1/17/2013	--		29.50	39.50	26.89	424.74	--	--	--	--	--	--	--	--
MW-10														
3/20/1995	--	449.22	29.00	37.00	20.96	428.26	--	--	--	--	--	--	--	--
6/2/1995	--		29.00	37.00	22.15	427.07	--	--	--	--	--	--	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-10 Cont.														
8/23/1995	--	449.22	29.00	37.00	24.47	424.75	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
12/4/1995	--		29.00	37.00	26.97	422.25	--	--	--	--	--	--	--	--
2/20/1996	--		29.00	37.00	18.40	430.82	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1996	--		29.00	37.00	--	--	--	--	--	--	--	--	--	d
8/13/1996	--		29.00	37.00	23.70	425.52	--	--	--	--	--	--	--	--
11/13/1996	--		29.00	37.00	27.15	422.07	--	--	--	--	--	--	--	--
3/26/1997	--		29.00	37.00	22.23	426.99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
5/15/1997	--		29.00	37.00	24.57	424.65	--	--	--	--	--	--	--	--
8/26/1997	--		29.00	37.00	27.62	421.60	--	--	--	--	--	--	--	--
11/5/1997	--		29.00	37.00	30.79	418.43	--	--	--	--	--	--	--	--
2/18/1998	--		29.00	37.00	--	--	--	--	--	--	--	--	--	d
5/20/1998	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--
7/30/1998	--		29.00	37.00	23.90	425.32	--	--	--	--	--	--	--	--
10/29/1998	--		29.00	37.00	30.55	418.67	--	--	--	--	--	--	--	--
3/16/1999	P		29.00	37.00	23.05	426.17	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--
5/5/1999	--		29.00	37.00	24.00	425.22	--	--	--	--	--	--	--	--
8/26/1999	--		29.00	37.00	26.50	422.72	--	--	--	--	--	--	5.15	--
12/3/1999	--		29.00	37.00	30.80	418.42	--	--	--	--	--	--	--	--
3/13/2000	--		29.00	37.00	26.21	423.01	--	--	--	--	--	--	--	d
6/20/2000	--		29.00	37.00	23.52	425.70	--	--	--	--	--	--	5.5	--
8/31/2000	--		29.00	37.00	27.52	421.70	--	--	--	--	--	--	--	--
2/9/2001	--		29.00	37.00	28.71	420.51	--	--	--	--	--	--	--	--
9/17/2001	--		29.00	37.00	27.94	421.28	--	--	--	--	--	--	--	--
1/21/2002	--		29.00	37.00	27.44	421.78	--	--	--	--	--	--	--	--
7/19/2002	--		29.00	37.00	27.80	421.42	--	--	--	--	--	--	--	--
1/15/2003	--		29.00	37.00	23.09	426.13	--	--	--	--	--	--	--	--
7/9/2003	--		29.00	37.00	26.87	422.35	--	--	--	--	--	--	--	--
02/19/2004	--		29.00	37.00	23.39	425.83	--	--	--	--	--	--	--	--
01/18/2005	--	451.65	29.00	37.00	21.40	430.25	--	--	--	--	--	--	--	--
07/15/2005	--		29.00	37.00	25.37	426.28	--	--	--	--	--	--	--	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L					DO (mg/L)	pH	Footnote	
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes				MTBE
MW-10 Cont.															
01/10/2006	--	451.65	29.00	37.00	19.81	431.84	--	--	--	--	--	--	--	--	
7/21/2006	--		29.00	37.00	25.16	426.49	--	--	--	--	--	--	--	--	
1/17/2007	--		29.00	37.00	28.95	422.70	--	--	--	--	--	--	--	--	
7/18/2007	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
1/15/2008	--		29.00	37.00	24.62	427.03	--	--	--	--	--	--	--	--	
7/7/2008	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
1/7/2009	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	d
7/22/2009	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	Dry
3/12/2010	--		29.00	37.00	24.13	427.52	--	--	--	--	--	--	--	--	
9/9/2010	--		29.00	37.00	27.91	423.74	--	--	--	--	--	--	--	--	
2/17/2011	--		29.00	37.00	27.16	424.49	--	--	--	--	--	--	--	--	
7/7/2011	--		29.00	37.00	26.38	425.27	--	--	--	--	--	--	--	--	
1/23/2012	--		29.00	37.00	31.25	420.40	--	--	--	--	--	--	--	--	
7/25/2012	--		29.00	37.00	--	--	--	--	--	--	--	--	--	--	Dry
1/17/2013	--		29.00	37.00	26.00	425.65	--	--	--	--	--	--	--	--	
MW-11															
3/20/1995	--	448.02	29.00	39.00	25.02	423.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
6/2/1995	--		29.00	39.00	23.82	424.20	--	--	--	--	--	--	--	--	
8/23/1995	--		29.00	39.00	30.15	417.87	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
12/4/1995	--		29.00	39.00	31.63	416.39	--	--	--	--	--	--	--	--	
2/20/1996	--		29.00	39.00	20.94	427.08	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1996	--		29.00	39.00	23.03	424.99	--	--	--	--	--	--	--	--	
8/13/1996	--		29.00	39.00	29.19	418.83	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/13/1996	--		29.00	39.00	31.96	416.06	--	--	--	--	--	--	--	--	
3/26/1997	--		29.00	39.00	26.61	421.41	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
5/15/1997	--		29.00	39.00	29.39	418.63	--	--	--	--	--	--	--	--	
8/26/1997	--		29.00	39.00	33.47	414.55	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
11/5/1997	--		29.00	39.00	35.12	412.90	--	--	--	--	--	--	--	--	
2/18/1998	--		29.00	39.00	18.03	429.99	<50	<0.5	<0.5	<0.5	1	<3	--	--	
5/20/1998	--		29.00	39.00	23.00	425.02	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote	
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			DO (mg/L)
MW-11 Cont.															
7/30/1998	P	448.02	29.00	39.00	29.30	418.72	<50	<0.5	<0.5	<0.5	<0.5	<3	5.59	--	
10/29/1998	--		29.00	39.00	34.47	413.55	--	--	--	--	--	--	--	--	
3/16/1999	P		29.00	39.00	27.88	420.14	<50	<0.5	<0.5	<0.5	<0.5	<3	1.0	--	
5/5/1999	--		29.00	39.00	26.85	421.17	--	--	--	--	--	--	--	--	
8/26/1999	P		29.00	39.00	32.74	415.28	<50	<0.5	<0.5	<0.5	<0.5	<3	4.59	--	
12/3/1999	--		29.00	39.00	34.70	413.32	--	--	--	--	--	--	--	--	
3/13/2000	P		29.00	39.00	25.94	422.08	<50	<0.5	<0.5	<0.5	<1	<3	3.21	--	
6/20/2000	--		29.00	39.00	30.40	417.62	--	--	--	--	--	--	3.3	--	
8/31/2000	--		29.00	39.00	32.68	415.34	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	b
8/31/2000	NP		29.00	39.00	32.68	415.34	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.4	--	
2/9/2001	--		29.00	39.00	31.17	416.85	--	--	--	--	--	--	--	--	
9/17/2001	NP		29.00	39.00	32.98	415.04	<50	<0.50	<0.50	<0.50	<0.50	<2.5	0.62	--	
1/21/2002	--		29.00	39.00	31.05	416.97	--	--	--	--	--	--	--	--	
7/19/2002	P		29.00	39.00	31.67	416.35	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.7	7.7	
1/15/2003	--		29.00	39.00	23.75	424.27	--	--	--	--	--	--	--	--	
7/9/2003	P		29.00	39.00	31.06	416.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.4	6.6	
02/19/2004	--		29.00	39.00	27.21	420.81	--	--	--	--	--	--	--	--	
08/04/2004	P	450.41	29.00	39.00	31.71	418.70	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.3	7.1	
01/18/2005	--		29.00	39.00	24.80	425.61	--	--	--	--	--	--	--	--	
07/15/2005	P		29.00	39.00	29.15	421.26	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.7	7.1	
01/10/2006	--		29.00	39.00	20.87	429.54	--	--	--	--	--	--	--	--	
7/21/2006	P		29.00	39.00	29.30	421.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.7	7.2	
1/17/2007	--		29.00	39.00	31.59	418.82	--	--	--	--	--	--	--	--	
7/18/2007	NP		29.00	39.00	29.22	421.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.35	7.12	
1/15/2008	--		29.00	39.00	29.12	421.29	--	--	--	--	--	--	--	--	
7/7/2008	NP		29.00	39.00	34.21	416.20	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.08	7.94	
1/7/2009	--		29.00	39.00	37.45	412.96	--	--	--	--	--	--	--	--	
7/22/2009	NP		29.00	39.00	37.33	413.08	<50	<0.50	<0.50	<0.50	<0.50	<0.50	15.97	7.81	
3/12/2010	--		29.00	39.00	28.47	421.94	--	--	--	--	--	--	--	--	
9/9/2010	NP		29.00	39.00	33.03	417.38	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	7.2	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-11 Cont.														
2/17/2011	--	450.41	29.00	39.00	31.70	418.71	--	--	--	--	--	--	--	--
7/7/2011	NP		29.00	39.00	31.44	418.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.65	7.1
1/23/2012	--		29.00	39.00	34.55	415.86	--	--	--	--	--	--	--	--
7/25/2012	--		29.00	39.00	38.00	412.41	--	--	--	--	--	--	--	h
1/17/2013	--		29.00	39.00	31.32	419.09	--	--	--	--	--	--	--	--
RW-1														
3/20/1995	--	451.67	25.50	40.50	23.76	427.91	15,000	1,000	140	310	950	--	--	--
6/2/1995	--		25.50	40.50	25.12	426.55	12,000	1,300	280	420	1,100	--	--	--
8/23/1995	--		25.50	40.50	28.80	422.87	8,200	520	190	240	610	<50	--	--
12/4/1995	--		25.50	40.50	31.15	420.52	2,600	140	59	83	210	--	--	--
2/20/1996	--		25.50	40.50	21.45	430.22	6,300	410	160	180	650	<40	--	--
5/15/1996	--		25.50	40.50	22.97	428.70	--	--	--	--	--	--	--	--
8/13/1996	--		25.50	40.50	24.74	426.93	--	--	--	--	--	--	--	--
11/13/1996	--		25.50	40.50	30.69	420.98	--	--	--	--	--	--	--	--
3/26/1997	--		25.50	40.50	25.69	425.98	500	57	3	6.4	18	54	--	--
5/15/1997	--		25.50	40.50	28.19	423.48	--	--	--	--	--	--	--	--
8/26/1997	--		25.50	40.50	31.21	420.46	--	--	--	--	--	--	--	--
11/5/1997	--		25.50	40.50	33.67	418.00	--	--	--	--	--	--	--	--
2/18/1998	--		25.50	40.50	20.14	431.53	9,400	200	70	190	710	<60	--	--
5/20/1998	--		25.50	40.50	23.43	428.24	--	--	--	--	--	--	--	--
7/30/1998	--		25.50	40.50	27.42	424.25	--	--	--	--	--	--	--	--
10/29/1998	--		25.50	40.50	32.47	419.20	--	--	--	--	--	--	--	--
3/16/1999	NP		25.50	40.50	25.45	426.22	1,100	140	19	45	83	530	1.0	--
5/5/1999	--		25.50	40.50	27.23	424.44	--	--	--	--	--	--	--	--
8/26/1999	--		25.50	40.50	29.98	421.69	--	--	--	--	--	--	1.39	--
12/3/1999	--		25.50	40.50	32.38	419.29	--	--	--	--	--	--	--	--
3/13/2000	NP		25.50	40.50	25.53	426.14	1,100	130	3.5	0.7	95	230	4.43	--
6/20/2000	--		25.50	40.50	28.31	423.36	--	--	--	--	--	--	1.9	--
8/31/2000	NP		25.50	40.50	30.61	421.06	<50.0	<0.500	<0.500	<0.500	<0.500	82.5	3.21	--
2/9/2001	NP		25.50	40.50	31.14	420.53	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.84	--

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
RW-1 Cont.														
9/17/2001	NP	451.67	25.50	40.50	31.70	419.97	<50	<0.50	<0.50	<0.50	<0.50	<2.5	1.51	--
1/21/2002	NP		25.50	40.50	30.15	421.52	<50	7.7	<0.50	<0.50	1.5	18	0.63	--
7/19/2002	NP		25.50	40.50	31.15	420.52	<50	<0.50	<0.50	<0.50	<0.50	13	1.4	6.6
1/15/2003	--		25.50	40.50	22.20	429.47	860	9	1.6	17	42	1.5	2.8	7.2 a
7/9/2003	--		25.50	40.50	29.56	422.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.8	7.1
02/19/2004	NP		25.50	40.50	23.53	428.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.4	6.7 c
08/04/2004	P	454.11	25.50	40.50	22.45	431.66	600	<0.50	<0.50	3.3	3.4	<0.50	4.4	7.2
01/18/2005	P		25.50	40.50	23.57	430.54	1,400	8.0	1.9	22	68	<0.50	3.6	6.9
07/15/2005	NP		25.50	40.50	29.02	425.09	<50	<0.50	<0.50	<0.50	<0.50	2.0	1.1	7.8
01/10/2006	P		25.50	40.50	21.88	432.23	480	4.3	0.67	8.3	18	0.54	4.4	7.1
7/21/2006	--		25.50	40.50	--	--	--	--	--	--	--	--	--	-- d
1/17/2007	P		25.50	40.50	31.48	422.63	6,900	17	2.8	22	31	2.6	4.08	7.74
7/18/2007	NP		25.50	40.50	32.45	421.66	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.33	7.48
1/15/2008	NP		25.50	40.50	28.39	425.72	<50	<0.50	<0.50	<0.50	<0.50	8.3	2.73	6.87
7/7/2008	NP		25.50	40.50	35.19	418.92	<50	<0.50	<0.50	<0.50	<0.50	0.53	2.51	7.05
1/7/2009	NP		25.50	40.50	33.31	420.80	120	0.96	<0.50	<0.50	<0.50	1.6	2.13	6.84
7/22/2009	NP		25.50	40.50	36.15	417.96	<50	<0.50	<0.50	<0.50	<0.50	0.84	10.39	7.40
3/12/2010	P		25.50	40.50	25.01	429.10	240	15	<0.50	<0.50	<0.50	2.7	0.78	7.06
9/9/2010	NP		25.50	40.50	31.01	423.10	440	<0.50	<0.50	<0.50	0.53	1.9	--	7.3
2/17/2011	NP		25.50	40.50	26.45	427.66	500	1.5	<0.50	<0.50	0.55	<0.50	0.98	8.0 g (GRO)
7/7/2011	NP		25.50	40.50	30.42	423.69	750	2.4	<0.50	0.64	2.2	2.2	0.82	6.7 g (GRO)
1/23/2012	P		25.50	40.50	29.13	424.98	430	13	<0.50	<0.50	2.4	1.8	0.43	6.61 g (GRO)
7/25/2012	P		25.50	40.50	36.50	417.61	<50	<0.50	<0.50	<0.50	<1.0	<0.50	2.21	6.93
1/17/2013	P		25.50	40.50	28.80	425.31	<50	1.4	<0.50	<0.50	<1.0	0.85	1.49	7.65
VW-1														
8/31/2000	P	NS	18.50	28.50	20.61	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	10.08	--
2/9/2001	P		18.50	28.50	22.10	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	0.53	--
9/17/2001	P		18.50	28.50	21.99	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	6.59	--
1/21/2002	P		18.50	28.50	21.50	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0	0.7	--
7/19/2002	P		18.50	28.50	22.42	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.9	7.1

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
VW-1 Cont.														
1/15/2003	--	NS	18.50	28.50	22.59	--	<50	<0.50	<0.50	0.63	1.7	<0.50	5.4	7.2
7/9/2003	--		18.50	28.50	22.50	--	<50	<0.50	<0.50	<0.50	0.61	<0.50	2.0	7.0
02/19/2004	--		18.50	28.50	21.04	--	--	--	--	--	--	--	--	--
08/04/2004	P	453.29	18.50	28.50	20.48	432.81	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.7	7.0
01/18/2005	--		18.50	28.50	21.72	431.57	--	--	--	--	--	--	--	--
07/15/2005	P		18.50	28.50	22.50	430.79	<50	<0.50	<0.50	<0.50	<0.50	<0.50	5.1	7.4
01/10/2006	--		18.50	28.50	20.17	433.12	--	--	--	--	--	--	--	--
7/21/2006	P		18.50	28.50	22.50	430.79	220	<0.50	<0.50	<0.50	<0.50	<0.50	5.91	7.3 e
1/17/2007	--		18.50	28.50	21.67	431.62	--	--	--	--	--	--	--	--
7/18/2007	NP		18.50	28.50	23.58	429.71	<50	<0.50	<0.50	<0.50	<0.50	<0.50	6.45	8.52
1/15/2008	--		18.50	28.50	21.87	431.42	--	--	--	--	--	--	--	--
7/7/2008	NP		18.50	28.50	23.70	429.59	<50	<0.50	<0.50	<0.50	<0.50	<0.50	7.54	8.46
1/7/2009	--		18.50	28.50	22.00	431.29	--	--	--	--	--	--	--	--
7/22/2009	NP		18.50	28.50	23.95	429.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50	10.12	7.66
3/12/2010	--		18.50	28.50	21.85	431.44	--	--	--	--	--	--	--	--
9/9/2010	NP		18.50	28.50	23.65	429.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	6.93
2/17/2011	NP		18.50	28.50	23.83	429.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.57	7.9
7/7/2011	NP		18.50	28.50	25.17	428.12	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.85	7.2
1/23/2012	--		18.50	28.50	27.40	425.89	--	--	--	--	--	--	--	--
7/25/2012	NP		18.50	28.50	27.40	425.89	80	<0.50	<0.50	<0.50	<1.0	<0.50	5.12	7.39 j
8/31/2012	--		18.50	28.50	28.03	425.26	--	--	--	--	--	--	--	--
1/17/2013	--		18.50	28.50	24.60	428.69	--	--	--	--	--	--	--	--

Symbols & Abbreviations:

--/- = Not analyzed/applicable/sampled/measured
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = Feet below ground surface
ft MSL = Feet above mean sea level
GRO = Gasoline range organics, range C4-C12
GWE = Groundwater elevation in ft MSL
g/L = Micrograms per liter
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Not purged before sampling
P = Purged before sampling
TPH-g = Total petroleum hydrocarbons as gasoline
TOC = Top of casing elevation in ft MSL

Footnotes:

a = Chromatogram Pattern: Gasoline C6-C10
b = Duplicate sample
c = GRO analyzed by EPA Method 8015B modified
d = Well inaccessible
e = Hydrocarbon result partly due to individ. peak(s) in quant. range
f = Sample > 4x spike concentration
g = Quantitated against gasoline
h = Insufficient water within well to collect sample
i = Well not sampled due to the presence of Light Non-Aqueous Phase Liquid (LNAPL)
j = Insufficient water within well to purge prior to sample collection
k = Sample collected following removal of approximately 1.5 gallons of LNAPL/water mixture from well

Notes:

For previous historical GWE and analytical data please refer to Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 771, Livermore, California, (EMCON, March 1, 1996)

Please note that beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported

All analytes unless otherwise notes utilized EPA Method 8260B, EPA method 8015B modified prior to 1/15/03, and EPA method 8020 prior to 12/03/99

Site wells were resurveyed to NAVD '88 datum on March 8, 2004

Top of screen and bottom of screen depths for MW-3 and MW-6 are estimated from cross-sections

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
8/23/1995	--	--	<300	--	--	--	--	--	
2/20/1996	--	--	<300	--	--	--	--	--	
5/15/1996	--	--	<250	--	--	--	--	--	
8/13/1996	--	--	<200	--	--	--	--	--	
11/13/1996	--	--	<30	--	--	--	--	--	
3/26/1997	--	--	<30	--	--	--	--	--	
5/15/1997	--	--	<120	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
11/5/1997	--	--	29	--	--	--	--	--	
2/18/1998	--	--	<120	--	--	--	--	--	
5/20/1998	--	--	<300	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	270	--	--	--	--	--	
5/5/1999	--	--	170	--	--	--	--	--	
8/26/1999	--	--	120	--	--	--	--	--	
12/3/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
MW-2									
8/23/1995	--	--	<500	--	--	--	--	--	
2/20/1996	--	--	<300	--	--	--	--	--	
5/15/1996	--	--	<300	--	--	--	--	--	
8/13/1996	--	--	<300	--	--	--	--	--	
11/13/1996	--	--	<200	--	--	--	--	--	
3/26/1997	--	--	<120	--	--	--	--	--	
5/15/1997	--	--	<120	--	--	--	--	--	
8/26/1997	--	--	<120	--	--	--	--	--	
11/5/1997	--	--	<40	--	--	--	--	--	
2/18/1998	--	--	130	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
5/20/1998	--	--	<120	--	--	--	--	--	
7/30/1998	--	--	<120	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	60	--	--	--	--	--	
5/5/1999	--	--	17	--	--	--	--	--	
8/26/1999	--	--	26	--	--	--	--	--	
12/3/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	120	--	--	--	--	--	
7/19/2002	--	--	16	--	--	--	--	--	
7/9/2003	<1,000	<200	39	<5.0	<5.0	<5.0	<5.0	<5.0	
08/04/2004	<2,000	<400	78	<10	<10	<10	<10	<10	
07/15/2005	<500	120	46	<2.5	<2.5	<2.5	<2.5	<2.5	
7/21/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<600	89	45	<1.0	<1.0	<1.0	<1.0	<1.0	
7/7/2008	--	<100	19	<5.0	<5.0	<5.0	<5.0	--	
9/9/2010	<600	41	13	<1.0	<1.0	<1.0	<1.0	<1.0	
7/7/2011	<300	<10	6.2	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
5/15/1996	--	--	<0.5	--	--	--	--	--	
8/13/1996	--	--	<3	--	--	--	--	--	
11/13/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
5/15/1997	--	--	<3	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
11/5/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
5/20/1998	--	--	<3	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
5/5/1999	--	--	<3	--	--	--	--	--	
8/26/1999	--	--	<3	--	--	--	--	--	
12/3/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
MW-4									
8/23/1995	--	--	<100	--	--	--	--	--	
2/20/1996	--	--	<70	--	--	--	--	--	
3/26/1997	--	--	<70	--	--	--	--	--	
2/18/1998	--	--	120	--	--	--	--	--	
3/16/1999	--	--	82	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
2/9/2001	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	360	--	--	--	--	--	
1/21/2002	--	--	300	--	--	--	--	--	
7/19/2002	--	--	130	--	--	--	--	--	
1/15/2003	--	--	150	--	--	--	--	--	
7/9/2003	<1,000	750	150	<5.0	<5.0	<5.0	<5.0	<5.0	
02/19/2004	<1,000	630	180	<10	<10	<10	<5.0	<5.0	
08/04/2004	<2,000	1,300	300	<10	<10	<10	<10	<10	
01/18/2005	<1,000	630	160	<5.0	<5.0	<5.0	<5.0	<5.0	a
07/15/2005	<1,000	850	230	<5.0	<5.0	<5.0	<5.0	<5.0	
01/10/2006	<1,500	810	190	<2.5	<2.5	<2.5	<2.5	<2.5	
7/21/2006	<300	35	3.1	<0.50	<0.50	<0.50	<0.50	<0.50	
1/17/2007	<300	<20	11	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	830	74	<0.50	<0.50	<0.50	0.76	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-4 Cont.									
1/15/2008	<300	280	61	<0.50	<0.50	<0.50	<0.50	<0.50	b (MTBE)
7/7/2008	--	19	17	<0.50	<0.50	<0.50	<0.50	--	
1/7/2009	--	74	37	<0.50	<0.50	<0.50	<0.50	<0.50	
7/22/2009	<300	580	63	0.85	<0.50	<0.50	<0.50	<0.50	
3/12/2010	<300	460	43	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<1,500	880	51	<2.5	<2.5	<2.5	<2.5	<2.5	
2/17/2011	<1200	430	33	<2.0	<2.0	<2.0	<2.0	<2.0	
7/7/2011	<1,500	580	57	<2.5	<2.5	<2.5	<2.5	<2.5	
1/23/2012	<1,200	620	44	<2.0	<2.0	<2.0	<2.0	<2.0	
7/25/2012	<150	990	49	<0.50	<0.50	<0.50	<0.50	<0.50	
1/17/2013	<750	590	110	<2.5	<2.5	<2.5	<2.5	<2.5	
MW-5									
8/23/1995	--	--	<300	--	--	--	--	--	
2/20/1996	--	--	<50	--	--	--	--	--	
5/15/1996	--	--	<40	--	--	--	--	--	
8/13/1996	--	--	47	--	--	--	--	--	
11/13/1996	--	--	66	--	--	--	--	--	
3/26/1997	--	--	68	--	--	--	--	--	
5/15/1997	--	--	48	--	--	--	--	--	
8/26/1997	--	--	9	--	--	--	--	--	
11/5/1997	--	--	34	--	--	--	--	--	
2/18/1998	--	--	320	--	--	--	--	--	
5/20/1998	--	--	62	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
10/29/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	120	--	--	--	--	--	
5/5/1999	--	--	19	--	--	--	--	--	
8/26/1999	--	--	150	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
6/20/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	3.83	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
9/17/2001	--	--	330	--	--	--	--	--	
7/19/2002	--	--	180	--	--	--	--	--	
7/9/2003	<1,000	1,100	260	<5.0	<5.0	<5.0	<5.0	<5.0	
08/04/2004	<1,000	850	250	<5.0	<5.0	<5.0	<5.0	<5.0	
07/15/2005	<1,000	720	270	<5.0	<5.0	<5.0	<5.0	<5.0	
7/21/2006	<3,000	<200	14	<5.0	<5.0	<5.0	<5.0	<5.0	
7/18/2007	<300	260	110	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	11	12	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	420	10	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	350	4.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/25/2012	<150	480	11	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
8/23/1995	--	--	<20	--	--	--	--	--	
2/20/1996	--	--	<30	--	--	--	--	--	
5/15/1996	--	--	<15	--	--	--	--	--	
8/13/1996	--	--	<20	--	--	--	--	--	
11/13/1996	--	--	16	--	--	--	--	--	
3/26/1997	--	--	<30	--	--	--	--	--	
5/15/1997	--	--	<12	--	--	--	--	--	
8/26/1997	--	--	<12	--	--	--	--	--	
11/5/1997	--	--	9	--	--	--	--	--	
2/18/1998	--	--	19	--	--	--	--	--	
5/20/1998	--	--	9	--	--	--	--	--	
7/30/1998	--	--	<15	--	--	--	--	--	
10/29/1998	--	--	<12	--	--	--	--	--	
3/16/1999	--	--	18	--	--	--	--	--	
5/5/1999	--	--	25	--	--	--	--	--	
8/26/1999	--	--	13	--	--	--	--	--	
12/3/1999	--	--	4	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-6 Cont.									
6/20/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	8.73	--	--	--	--	--	
2/9/2001	--	--	57.1	--	--	--	--	--	
2/9/2001	--	--	48.9	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
1/21/2002	--	--	<5.0	--	--	--	--	--	
7/19/2002	--	--	<0.50	--	--	--	--	--	
1/15/2003	--	--	1	--	--	--	--	--	
7/9/2003	<100	<20	0.98	<0.50	<0.50	<0.50	<0.50	<0.50	
08/04/2004	<100	<20	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
07/15/2005	<500	110	32	<2.5	<2.5	<2.5	<2.5	<2.5	
7/21/2006	<300	<20	5.1	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	19	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	
7/25/2012	<150	22	10	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-7									
8/23/1995	--	--	350	--	--	--	--	--	
2/20/1996	--	--	<400	--	--	--	--	--	
3/26/1997	--	--	<300	--	--	--	--	--	
2/18/1998	--	--	240	--	--	--	--	--	
3/16/1999	--	--	<120	--	--	--	--	--	
8/31/2000	--	--	202	--	--	--	--	--	
2/9/2001	--	--	128	--	--	--	--	--	
9/17/2001	--	--	160	--	--	--	--	--	
1/21/2002	--	--	97	--	--	--	--	--	
1/21/2002	--	--	99	--	--	--	--	--	
7/19/2002	--	--	64	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-7 Cont.									
1/15/2003	--	--	91	--	--	--	--	--	
7/9/2003	<1,000	350	110	<5.0	<5.0	<5.0	<5.0	<5.0	
02/19/2004	<1,000	420	100	<10	<10	<10	<5.0	<5.0	
08/04/2004	<5,000	<1,000	140	<25	<25	<25	<25	<25	
01/18/2005	<1,000	260	87	<5.0	<5.0	<5.0	<5.0	<5.0	a
07/15/2005	<5,000	<1,000	150	<25	<25	<25	<25	<25	
01/10/2006	<30,000	<2,000	120	<50	<50	<50	<50	<50	
7/21/2006	<30,000	<2,000	54	<50	<50	<50	<50	<50	
1/17/2007	<1,500	<100	3.1	<2.5	<2.5	<2.5	<2.5	<2.5	
7/18/2007	<600	220	67	<1.0	<1.0	<1.0	<1.0	<1.0	
1/15/2008	<1,500	<100	26	<2.5	<2.5	<2.5	<2.5	<2.5	
7/7/2008	--	<10	0.69	<0.50	<0.50	<0.50	<0.50	--	
1/7/2009	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/22/2009	<300	<10	0.53	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2010	<300	51	11	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	180	110	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<3,000	390	150	<5.0	<5.0	<5.0	<5.0	<5.0	
1/23/2012	<3,000	510	150	<5.0	<5.0	<5.0	<5.0	<5.0	
8/31/2012	<3,000	510	120	<10	<10	<10	<10	<10	
1/17/2013	<750	340	120	<2.5	<2.5	<2.5	<2.5	<2.5	
MW-8									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
8/13/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
8/26/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-9									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
MW-10									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
MW-11									
8/23/1995	--	--	<3	--	--	--	--	--	
2/20/1996	--	--	<3	--	--	--	--	--	
8/13/1996	--	--	<3	--	--	--	--	--	
3/26/1997	--	--	<3	--	--	--	--	--	
8/26/1997	--	--	<3	--	--	--	--	--	
2/18/1998	--	--	<3	--	--	--	--	--	
7/30/1998	--	--	<3	--	--	--	--	--	
3/16/1999	--	--	<3	--	--	--	--	--	
8/26/1999	--	--	<3	--	--	--	--	--	
3/13/2000	--	--	<3	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
8/31/2000	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
7/19/2002	--	--	<0.50	--	--	--	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/15/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-11 Cont.									
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
RW-1									
8/23/1995	--	--	<50	--	--	--	--	--	
2/20/1996	--	--	<40	--	--	--	--	--	
3/26/1997	--	--	54	--	--	--	--	--	
2/18/1998	--	--	<60	--	--	--	--	--	
3/16/1999	--	--	530	--	--	--	--	--	
3/13/2000	--	--	230	--	--	--	--	--	
8/31/2000	--	--	82.5	--	--	--	--	--	
2/9/2001	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
1/21/2002	--	--	18	--	--	--	--	--	
7/19/2002	--	--	13	--	--	--	--	--	
1/15/2003	--	--	1.5	--	--	--	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
02/19/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	
08/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
01/18/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
07/15/2005	<100	<20	2.0	<0.50	<0.50	<0.50	<0.50	<0.50	
01/10/2006	<300	<20	0.54	<0.50	<0.50	<0.50	<0.50	<0.50	
1/17/2007	<1,500	<100	2.6	<2.5	<2.5	<2.5	<2.5	<2.5	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
1/15/2008	<300	<20	8.3	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	0.53	<0.50	<0.50	<0.50	<0.50	--	
1/7/2009	--	<10	1.6	<0.50	<0.50	<0.50	<0.50	<0.50	
7/22/2009	<300	12	0.84	<0.50	<0.50	<0.50	<0.50	<0.50	
3/12/2010	<300	13	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
RW-1 Cont.									
9/9/2010	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	<10	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
1/23/2012	<300	<10	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	
7/25/2012	<150	19	<0.50	<0.50	<0.50	0.50	<0.50	<0.50	
1/17/2013	<150	<10	0.85	<0.50	<0.50	<0.50	<0.50	<0.50	
VW-1									
8/31/2000	--	--	<2.50	--	--	--	--	--	
2/9/2001	--	--	<2.50	--	--	--	--	--	
9/17/2001	--	--	<2.5	--	--	--	--	--	
1/21/2002	--	--	<5.0	--	--	--	--	--	
7/19/2002	--	--	<0.50	--	--	--	--	--	
1/15/2003	--	--	<0.50	--	--	--	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
08/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
07/15/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/21/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/18/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2008	--	<10	<0.50	<0.50	<0.50	<0.50	<0.50	--	
7/22/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
9/9/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/17/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/7/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/25/2012	<150	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Symbols & Abbreviations:

-- = Not analyzed/sampled

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Diisopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

µg/L = Micrograms per liter

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

Footnotes:

a = Calibration verification was within the method limits but outside the contract limits for ethanol

b = Sample >4x spike concentration

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 3. Historical Groundwater Gradient - Direction and Magnitude

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
3/20/1995	Northwest	0.030
6/2/1995	North-Northwest	0.014
8/23/1995	North-Northwest	0.030
12/4/1995	North-Northwest	0.030
2/20/1996	Northwest	0.016
5/15/1996	Northwest	0.024
8/13/1996	North-Northwest	0.030
11/13/1996	North-Northwest	0.031
3/26/1997	North-Northwest	0.044
5/15/1997	North-Northwest	0.031
8/26/1997	North-Northwest	0.042
11/5/1997	North-Northwest	0.030
2/18/1998	Northwest	0.010
5/20/1998	Northwest	0.030
7/30/1998	North	0.040
10/29/1998	North	0.005
3/16/1999	North-Northwest	0.030
5/5/1999	North	0.040
8/26/1999	North-Northwest	0.050
12/3/1999	North-Northeast	0.060
3/13/2000	North-Northwest	0.066
6/20/2000	North-Northwest	0.050
8/31/2000	North-Northwest	0.062
2/9/2001	North-Northeast	0.014
9/17/2001	North-Northwest	0.061
1/21/2002	North-Northwest	0.050
7/19/2002	North-Northwest	0.044
1/15/2003	Northeast to Southeast	0.038 - 0.016
7/9/2003	Northwest to North-Northwest	0.009 - 0.063
2/19/2004	North	0.044
8/4/2004	Northeast	0.071
1/18/2005	North-Northeast	0.04
7/15/2005	Northeast and Southwest	0.05 and 0.02
1/10/2006	North	0.02
7/21/2006	North and Southwest	0.05 and 0.02
1/17/2007	North-Northeast and Southwest	0.03 and 0.02
7/18/2007	North-Northeast to Southwest	0.03 and 0.04
1/15/2008	North	0.04
7/7/2008	North	0.03
1/7/2009	North	0.06
7/22/2009	North	0.04
3/12/2010	North	0.05
9/9/2010	North	0.04
2/17/2011	North	0.03
7/7/2011	North	0.04

Table 3. Historical Groundwater Gradient - Direction and Magnitude

ARCO Service Station #0771, 899 Rincon Ave., Livermore, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
1/23/2012	Northwest	0.02
7/25/2012	North	0.03
1/17/2013	North	0.03

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

APPENDIX A

FIELD METHODS



QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

1.0 EQUIPMENT CALIBRATION

Equipment calibration was performed per equipment manufacturer specifications before use.

2.0 DEPTH TO GROUNDWATER AND LIGHT NON-AQUEOUS PHASE LIQUID MEASUREMENT

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the "apparent" thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as "apparent." If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

3.0 WELL PURGING AND GROUNDWATER SAMPLE COLLECTION

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

3.1 Purging a Predetermined Well Volume

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

Parameter	Stabilization Criterion
Temperature	± 0.2°C (± 0.36°F)
pH	± 0.1 standard units
Conductivity	± 3%
Dissolved oxygen	± 10%
Oxidation reduction potential	± 10 mV
Turbidity ¹	± 10% or 1.0 NTU (whichever is greater)

3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to minimize drawdown and mixing of the water column in the well

¹ As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)², or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity¹. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

3.3 Minimal Purge, Discrete Depth, and Passive Sampling

In accordance with ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)², discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

² According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

4.0 DECONTAMINATION

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

5.0 SAMPLE CONTAINERS, LABELING, AND STORAGE

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

6.0 CHAIN OF CUSTODY RECORD AND PROCEDURE

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

7.0 FIELD RECORDS

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

APPENDIX B

FIELD DATA SHEETS AND NON-HAZARDOUS WASTE DATA FORM



DAILY REPORT

Page 1 of 1

Project: BP 771 Project No.: 06-82-608

Field Representative(s): A. Martinez / J. Ramos Day: Thursday Date: 1/17/13

Time Onsite: From: 1000 To: 1300 ; From: To: ; From: To:

- Y Signed HASP X Safety Glasses X Hard Hat X Steel Toe Boots X Safety Vest
X UST Emergency System Shut-off Switches Located X Proper Gloves
X Proper Level of Barricading Other PPE (describe)

Weather: Sunny ; 67°F

Equipment In Use: horiba, peristaltic pump, water level indicator, interface probe

Visitors:

Table with 2 columns: TIME and WORK DESCRIPTION. Contains handwritten entries for 1000, 1030, 1115, 1200, 1230, and 1300.

Signature: [Handwritten Signature]



GROUNDWATER MONITORING SITE SHEET

Page 1 of

Project: BP 771

Project No.: 0682608 Date: 1-17-13

Field Representative: JR/AM


Elevation:

Formation recharge rate is historically: High Low (circle one)

W. L. Indicator ID #: Oil/Water Interface ID #: (List #s of all equip used.)

WELL ID RECORD					WELL GAUGING RECORD					LAB ANALYSES			
Well ID	Well Sampling Order	As-Built Well Diameter (inches)	As-Built Well Screen Interval (ft)	Previous Depth to Water (ft)	Time (24:00)	Depth to LNAPL (ft)	Apparent LNAPL Thickness (ft)*	Depth to Water (ft)	Well Total Depth (ft)				
MW-1					1039			30.14	36.83				
MW-2					1240			26.14	34.15				
MW-3					1235			29.24	39.67				
MW-4					1129			20.31	41.30				
MW-5					1127			29.11	40.23				
MW-6					1027			31.11	43.19				
MW-7					1204			27.53	39.69				
MW-8					1246			32.23	41.83				
MW-9					1244			26.89	39.08				
MW-10					1242			26.00	34.14				
MW-11					1020			31.32	38.63				
RW-1					1056			28.80	37.66				
VW-1					1159			29.66	28.20				

* Device used to measure LNAPL thickness: Bailer Oil/Water Interface Meter (circle one)
 If bailer used, note bailer dimensions (inches): Entry Diameter Chamber Diameter

Signature: 



Project: BP 771 Project No.: 06-82-608 Date: 1-17-13
 Field Representative: JR/AM
 Well ID: MW-4 Start Time: End Time: Total Time (minutes): 2

PURGE EQUIPMENT
 Disp. Bailer 120V Pump Flow Cell
 Disp. Tubing 12V Pump Peristaltic Pump Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments:
 Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD Predetermined Well Volume Low-Flow Other: (circle one)

PREDETERMINED WELL VOLUME				
Casing Diameter	Unit Volume (gal/ft)	(circle one)		
1" (0.04)	1.25" (0.08)	2" (0.17)	3" (0.38)	Other: <u> </u>
4" (0.66)	6" (1.50)	8" (2.60)	12" (5.81)	<u> </u> (<u> </u>)

Total Well Depth (a): (ft)

Initial Depth to Water (b): (ft)

Water Column Height (WCH) = (a - b): (ft)

Water Column Volume (WCV) = WCH x Unit Volume: (gal)

Three Casing Volumes = WCV x 3: (gal)

Five Casing Volumes = WCV x 5: (ft)

Pump Depth (if pump used): (ft)

LOW-FLOW

Previous Low-Flow Purge Rate: 41.30 (lpm)

Total Well Depth (a): 20.31 (ft)

Initial Depth to Water (b): 34.91 (ft)

Pump In-take Depth = b + (a-b)/2: 1.62 (ft)

Maximum Allowable Drawdown = (a-b)/8: 0.25 (Lpm)*

Low-Flow Purge Rate:

Comments:

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

GROUNDWATER STABILIZATION PARAMETER RECORD

Time (24:00)	Cumulative Volume (L)	Temperature °C	pH	Conductivity μS or mS	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
1142	0	21.03	7.68	1.06	1.67	-58	58.2	
1144	0.5	21.15	7.65	1.06	1.50	-52	54.2	
1146	1.0	21.25	7.64	1.06	1.35	-63	38.8	
1148	1.5	21.33	7.63	1.07	1.23	-71	29.9	
1150	2.0	21.37	7.62	1.03	1.16	-78	26.2	

Previous Stabilized Parameters
 PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes
 Other:

SAMPLE COLLECTION RECORD

Depth to Water at Sampling: 28.59 (ft)
 Sample Collected Via: Disp. Bailer Dedicated Pump Tubing
 Disp. Pump Tubing Other:
 Sample ID: MW-4 Sample Collection Time: 1155 (24:00)
 Containers (#): 6 VOA (preserved or unpreserved) Liter Amber
 Other:
 Other:

GEOCHEMICAL PARAMETERS

Parameter	Time	Measurement
DO (mg/L)	1150	1.16
Ferrous Iron (mg/L)		
Redox Potential (mV)	1150	-70
Alkalinity (mg/L)		
Other:		
Other:		

Signature:



GROUNDWATER SAMPLING DATA SHEET
Page 3 of 4

Project: BP 771 Project No.: 06-82-608 Date: 1-17-13
Field Representative: JR/AM
Well ID: MW-7 Start Time: _____ End Time: _____ Total Time (minutes): _____

PURGE EQUIPMENT _____ Disp. Bailer _____ 120V Pump _____ Flow Cell
 Disp. Tubing _____ 12V Pump _____ Peristaltic Pump Other/ID#: _____

WELL HEAD INTEGRITY (cap, lock, vault, etc.) _____ Comments: _____
 Good _____ Improvement Needed (circle one)

PURGING/SAMPLING METHOD _____ Predetermined Well Volume _____ Low-Flow _____ Other: _____ (circle one)

PREDETERMINED WELL VOLUME

Casing Diameter	Unit Volume (gal/ft)	(circle one)
1" (0.04)	1.25" (0.08)	2" (0.17)
3" (0.38)	Other: _____	_____ (_____)
4" (0.66)	6" (1.50)	8" (2.60)
12" (5.81)	_____ (_____)	_____ (_____)

Total Well Depth (a): _____ (ft)
 Initial Depth to Water (b): _____ (ft)
 Water Column Height (WCH) = (a - b): _____ (ft)
 Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal)
 Three Casing Volumes = WCV x 3: _____ (gal)
 Five Casing Volumes = WCV x 5: _____ (gal)
 Pump Depth (if pump used): _____ (ft)

LOW-FLOW

Previous Low-Flow Purge Rate: _____ (lpm)
 Total Well Depth (a): 39.69 (ft)
 Initial Depth to Water (b): 27.53 (ft)
 Pump In-take Depth = b + (a-b)/2: 33.61 (ft)
 Maximum Allowable Drawdown = (a-b)/8: 1.52 (ft)
 Low-Flow Purge Rate: 0.28 (lpm)*
 Comments: _____

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.

GROUNDWATER STABILIZATION PARAMETER RECORD

Time (24:00)	Cumulative Volume (L)	Temperature °C	pH	Conductivity μS or mS	DO mg/L	ORP mV	Turbidity NTU	NOTES Odor, color, sheen or other
12:17	0.0	22.00	7.81	1.07	1.82	-94	110	
12:19	0.5	22.02	7.63	1.07	1.79	-74	79.3	
12:21	1.0	22.02	7.60	1.08	1.32	-81	68.2	
12:23	1.5	22.07	7.58	1.08	1.21	-86	56.3	

Previous Stabilized Parameters _____
PURGE COMPLETION RECORD Low Flow & Parameters Stable _____ 3 Casing Volumes & Parameters Stable _____ 5 Casing Volumes
 Other: _____

SAMPLE COLLECTION RECORD

Depth to Water at Sampling: 39.91 (ft)
 Sample Collected Via: Disp. Bailer _____ Dedicated Pump Tubing
 Disp. Pump Tubing _____ Other: _____
 Sample ID: MW-7 Sample Collection Time: 1228 (24:00)
 Containers (#): 0 VOA (preserved or _____ unpreserved) _____ Liter Amber
 Other: _____
 Other: _____

GEOCHEMICAL PARAMETERS

Parameter	Time	Measurement
DO (mg/L)	1223	1.21
Ferrous Iron (mg/L)		
Redox Potential (mV)	1223	-86
Alkalinity (mg/L)		
Other:		
Other:		

Signature:



Project: BP 771 Project No.: 06-82-608 Date: 1-17-13
 Field Representative: JR/AM
 Well ID: RW-1 Start Time: _____ End Time: _____ Total Time (minutes): _____

PURGE EQUIPMENT
 Disp. Bailer 120V Pump Flow Cell
 Disp. Tubing 12V Pump Peristaltic Pump Other/ID#: _____

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments: _____
 Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD Predetermined Well Volume Low-Flow Other: _____ (circle one)

PREDETERMINED WELL VOLUME


Casing Diameter Unit Volume (gal/ft) (circle one)				Other:
1" (0.04)	1.25" (0.08)	2" (0.17)	3" (0.38)	" ()
4" (0.66)	6" (1.50)	8" (2.60)	12" (5.81)	

Total Well Depth (a): _____ (ft)
 Initial Depth to Water (b): _____ (ft)
 Water Column Height (WCH) = (a - b): _____ (ft)
 Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal)
 Three Casing Volumes = WCV x 3: _____ (gal)
 Five Casing Volumes = WCV x 5: _____ (ft)
 Pump Depth (if pump used): _____

LOW-FLOW

Previous Low-Flow Purge Rate: _____ (lpm)
 Total Well Depth (a): 39.65 (ft)
 Initial Depth to Water (b): 28.80 (ft)
 Pump In-take Depth = b + (a-b)/2: 33.72 (ft)
 Maximum Allowable Drawdown = (a-b)/8: 1.23 (ft)
 Low-Flow Purge Rate: 0.25 (Lpm)*
 Comments: _____

*Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown.



GROUNDWATER STABILIZATION PARAMETER RECORD

Time (24:00)	Cumulative Volume (L)	Temperature °C	pH	Conductivity μS or mS	DO mg/L	ORP mV -30	Turbidity NTU	NOTES Odor, color, sheen or other
1113	0	21.11	16.03	0.646	2.90	-30	15.6	
1115	0.5	21.20	8.20	0.658	2.03	-29	—	
1117	1.0	21.48	7.75	0.656	1.71	-33	—	
1119	1.5	21.61	7.67	0.655	1.54	-34	14.6	
1121	2.0	21.61	7.65	0.654	1.49			

Previous Stabilized Parameters _____
 PURGE COMPLETION RECORD Low Flow & Parameters Stable 3 Casing Volumes & Parameters Stable 5 Casing Volumes
 Other: _____

SAMPLE COLLECTION RECORD

Depth to Water at Sampling: 28.90 (ft)
 Sample Collected Via: Disp. Bailer Dedicated Pump Tubing
 Disp. Pump Tubing Other: _____
 Sample ID: RW-1 Sample Collection Time: 1125 (24:00)
 Containers (#): 6 VOA (preserved or unpreserved) Liter Amber
 Other: _____
 Other: _____

GEOCHEMICAL PARAMETERS



Parameter	Time	Measurement
DO (mg/L)	<u>1121</u>	<u>1.21</u>
Ferrous Iron (mg/L)		
Redox Potential (mV)	<u>1121</u>	<u>-86</u>
Alkalinity (mg/L)		
Other:		
Other:		

Signature: [Handwritten Signature]

NO. 689917

NON-HAZARDOUS WASTE DATA FORM

BEST # _____

GENERATOR	Generator's Name and Mailing Address BP WEST COAST PRODUCTS, LLC P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92888		Generator's Site Address (if different than mailing address) BP 771 849 Rincon Ave Livermore, CA 94551																		
	Generator's Phone: 949-460-5200																				
	Container type removed from site: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____		Container type transported to receiving facility: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____																		
	Quantity <u>1.5 g</u>		Quantity _____ Volume _____																		
	WASTE DESCRIPTION <u>NON-HAZARDOUS WATER</u>		GENERATING PROCESS <u>WELL PURGING / DECON WATER</u>																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%;">COMPONENTS OF WASTE</th> <th style="width:10%;">PPM</th> <th style="width:10%;">%</th> </tr> </thead> <tbody> <tr> <td>1. <u>WATER</u></td> <td></td> <td><u>99-100%</u></td> </tr> <tr> <td>2. <u>TPH</u></td> <td></td> <td><u><1%</u></td> </tr> </tbody> </table>		COMPONENTS OF WASTE	PPM	%	1. <u>WATER</u>		<u>99-100%</u>	2. <u>TPH</u>		<u><1%</u>	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%;">COMPONENTS OF WASTE</th> <th style="width:10%;">PPM</th> <th style="width:10%;">%</th> </tr> </thead> <tbody> <tr> <td>3. _____</td> <td></td> <td></td> </tr> <tr> <td>4. _____</td> <td></td> <td></td> </tr> </tbody> </table>		COMPONENTS OF WASTE	PPM	%	3. _____			4. _____		
COMPONENTS OF WASTE	PPM	%																			
1. <u>WATER</u>		<u>99-100%</u>																			
2. <u>TPH</u>		<u><1%</u>																			
COMPONENTS OF WASTE	PPM	%																			
3. _____																					
4. _____																					
Waste Profile _____ PROPERTIES: pH <u>7-10</u> <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER _____																					
HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.</u>																					
Generator Printed/Typed Name <u>James Ramos</u>		Signature 		Month Day Year <u>12</u> <u>8</u> <u>13</u>																	
The Generator certifies that the waste as described is 100% non-hazardous																					
TRANSPORTER	Transporter 1 Company Name BROADBENT & ASSOCIATES, INC>		Phone# 530-566-1400																		
	Transporter 1 Printed/Typed Name <u>James Ramos</u>		Signature 		Month Day Year <u>12</u> <u>8</u> <u>13</u>																
	Transporter Acknowledgment of Receipt of Materials																				
	Transporter 2 Company Name		Phone#																		
	Transporter 2 Printed/Typed Name		Signature		Month Day Year																
Transporter Acknowledgment of Receipt of Materials																					
RECEIVING FACILITY	Designated Facility Name and Site Address INSTRAT, INC. 1105 AIRPORT RD. RIO VISTA, CA 94571		Phone# 530-753-1629																		
	Printed/Typed Name		Signature		Month Day Year																
	Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.																				

APPENDIX C

LABORATORY REPORT
AND CHAIN-OF-CUSTODY DOCUMENTATION

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Irvine
17461 Derian Ave
Suite 100
Irvine, CA 92614-5817
Tel: (949)261-1022

TestAmerica Job ID: 440-35524-1
Client Project/Site: ARCO 0771, Livermore

For:
Broadbent & Associates, Inc.
1324 Mangrove Ave
Suite 212
Chico, California 95926

Attn: Mr. Jason Duda



Authorized for release by:
1/31/2013 4:58:59 PM
Kathleen Robb
Project Manager II
kathleen.robbs@testamericainc.com

Designee for
Pat Abe
Project Manager I
pat.abe@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Client Sample Results	5
Chronicle	8
QC Sample Results	9
QC Association	15
Definitions	16
Certification Summary	17
Chain of Custody	18
Receipt Checklists	20

Sample Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-35524-1	MW-4	Water	01/17/13 11:55	01/18/13 09:50
440-35524-2	MW-7	Water	01/17/13 12:28	01/18/13 09:50
440-35524-3	RW-1	Water	01/17/13 11:25	01/18/13 09:50

1

2

3

4

5

6

7

8

9

10

11

12

Case Narrative

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Job ID: 440-35524-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative 440-35524-1

Comments

No additional comments.

Receipt

The samples were received on 1/18/2013 9:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.8° C.

GC/MS VOA

Method(s) 8260B: The continuing calibration verification (CCV) for analytical batch 80511 exceeded control criteria for BP-GCLN (Ethanol). The data have been qualified and reported.

Method(s) 8260B: The continuing calibration verification (CCV) for analytical batch 80344 exceeded control criteria for BP ethanol. The data have been qualified and reported.

No other analytical or quality issues were noted.


GC VOA

Method(s) 8015B: Surrogate recovery was outside control limits for the following sample: MW-3D (440-35510-3 MSD). The TPH standard coeluted with the BFB surrogate. Data was not affected.

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.



Client Sample Results

Client: Broadbent & Associates, Inc.
 Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Client Sample ID: MW-4

Lab Sample ID: 440-35524-1

Date Collected: 01/17/13 11:55

Matrix: Water

Date Received: 01/18/13 09:50

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		2.5	ug/L			01/23/13 17:55	5
1,2-Dichloroethane	ND		2.5	ug/L			01/23/13 17:55	5
Benzene	460		2.5	ug/L			01/23/13 17:55	5
Ethanol	ND		750	ug/L			01/23/13 17:55	5
Ethylbenzene	8.0		2.5	ug/L			01/23/13 17:55	5
Ethyl-t-butyl ether (ETBE)	ND		2.5	ug/L			01/23/13 17:55	5
Isopropyl Ether (DIPE)	ND		2.5	ug/L			01/23/13 17:55	5
m,p-Xylene	ND		5.0	ug/L			01/23/13 17:55	5
Methyl-t-Butyl Ether (MTBE)	110		2.5	ug/L			01/23/13 17:55	5
o-Xylene	ND		2.5	ug/L			01/23/13 17:55	5
Tert-amyl-methyl ether (TAME)	ND		2.5	ug/L			01/23/13 17:55	5
tert-Butyl alcohol (TBA)	590		50	ug/L			01/23/13 17:55	5
Toluene	12		2.5	ug/L			01/23/13 17:55	5
Xylenes, Total	ND		5.0	ug/L			01/23/13 17:55	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		80 - 120		01/23/13 17:55	5
Dibromofluoromethane (Surr)	99		80 - 120		01/23/13 17:55	5
Toluene-d8 (Surr)	107		80 - 120		01/23/13 17:55	5

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	1500		500	ug/L			01/22/13 19:37	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		65 - 140		01/22/13 19:37	10

Client Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Client Sample ID: MW-7

Lab Sample ID: 440-35524-2

Date Collected: 01/17/13 12:28

Matrix: Water

Date Received: 01/18/13 09:50

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		2.5	ug/L			01/23/13 23:41	5
1,2-Dichloroethane	ND		2.5	ug/L			01/23/13 23:41	5
Benzene	430		2.5	ug/L			01/23/13 23:41	5
Ethanol	ND		750	ug/L			01/23/13 23:41	5
Ethylbenzene	10		2.5	ug/L			01/23/13 23:41	5
Ethyl-t-butyl ether (ETBE)	ND		2.5	ug/L			01/23/13 23:41	5
Isopropyl Ether (DIPE)	ND		2.5	ug/L			01/23/13 23:41	5
m,p-Xylene	38		5.0	ug/L			01/23/13 23:41	5
Methyl-t-Butyl Ether (MTBE)	120		2.5	ug/L			01/23/13 23:41	5
o-Xylene	3.7		2.5	ug/L			01/23/13 23:41	5
Tert-amyl-methyl ether (TAME)	ND		2.5	ug/L			01/23/13 23:41	5
tert-Butyl alcohol (TBA)	340		50	ug/L			01/23/13 23:41	5
Toluene	10		2.5	ug/L			01/23/13 23:41	5
Xylenes, Total	42		5.0	ug/L			01/23/13 23:41	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		80 - 120		01/23/13 23:41	5
Dibromofluoromethane (Surr)	99		80 - 120		01/23/13 23:41	5
Toluene-d8 (Surr)	104		80 - 120		01/23/13 23:41	5

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	3100		500	ug/L			01/22/13 20:04	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	130		65 - 140		01/22/13 20:04	10

Client Sample Results

Client: Broadbent & Associates, Inc.
 Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Client Sample ID: RW-1

Lab Sample ID: 440-35524-3

Date Collected: 01/17/13 11:25

Matrix: Water

Date Received: 01/18/13 09:50

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			01/23/13 18:53	1
1,2-Dichloroethane	ND		0.50	ug/L			01/23/13 18:53	1
Benzene	1.4		0.50	ug/L			01/23/13 18:53	1
Ethanol	ND		150	ug/L			01/23/13 18:53	1
Ethylbenzene	ND		0.50	ug/L			01/23/13 18:53	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			01/23/13 18:53	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			01/23/13 18:53	1
m,p-Xylene	ND		1.0	ug/L			01/23/13 18:53	1
Methyl-t-Butyl Ether (MTBE)	0.85		0.50	ug/L			01/23/13 18:53	1
o-Xylene	ND		0.50	ug/L			01/23/13 18:53	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			01/23/13 18:53	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			01/23/13 18:53	1
Toluene	ND		0.50	ug/L			01/23/13 18:53	1
Xylenes, Total	ND		1.0	ug/L			01/23/13 18:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		80 - 120		01/23/13 18:53	1
Dibromofluoromethane (Surr)	100		80 - 120		01/23/13 18:53	1
Toluene-d8 (Surr)	106		80 - 120		01/23/13 18:53	1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			01/21/13 17:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		65 - 140		01/21/13 17:54	1

Lab Chronicle

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Client Sample ID: MW-4

Date Collected: 01/17/13 11:55

Date Received: 01/18/13 09:50

Lab Sample ID: 440-35524-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		5	10 mL	10 mL	80344	01/23/13 17:55	BD	TAL IRV
Total/NA	Analysis	8015B/5030B		10	10 mL	10 mL	80269	01/22/13 19:37	PH	TAL IRV

Client Sample ID: MW-7

Date Collected: 01/17/13 12:28

Date Received: 01/18/13 09:50

Lab Sample ID: 440-35524-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		5	10 mL	10 mL	80511	01/23/13 23:41	BD	TAL IRV
Total/NA	Analysis	8015B/5030B		10	10 mL	10 mL	80269	01/22/13 20:04	PH	TAL IRV

Client Sample ID: RW-1

Date Collected: 01/17/13 11:25

Date Received: 01/18/13 09:50

Lab Sample ID: 440-35524-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B/5030B		1	10 mL	10 mL	80344	01/23/13 18:53	BD	TAL IRV
Total/NA	Analysis	8015B/5030B		1	10 mL	10 mL	79922	01/21/13 17:54	PH	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-80344/4

Matrix: Water

Analysis Batch: 80344

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			01/23/13 09:43	1
1,2-Dichloroethane	ND		0.50	ug/L			01/23/13 09:43	1
Benzene	ND		0.50	ug/L			01/23/13 09:43	1
Ethanol	ND		150	ug/L			01/23/13 09:43	1
Ethylbenzene	ND		0.50	ug/L			01/23/13 09:43	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			01/23/13 09:43	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			01/23/13 09:43	1
m,p-Xylene	ND		1.0	ug/L			01/23/13 09:43	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50	ug/L			01/23/13 09:43	1
o-Xylene	ND		0.50	ug/L			01/23/13 09:43	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			01/23/13 09:43	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			01/23/13 09:43	1
Toluene	ND		0.50	ug/L			01/23/13 09:43	1
Xylenes, Total	ND		1.0	ug/L			01/23/13 09:43	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		80 - 120		01/23/13 09:43	1
Dibromofluoromethane (Surr)	98		80 - 120		01/23/13 09:43	1
Toluene-d8 (Surr)	105		80 - 120		01/23/13 09:43	1

Lab Sample ID: LCS 440-80344/5

Matrix: Water

Analysis Batch: 80344

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dibromoethane (EDB)	25.0	28.3		ug/L		113	75 - 125
1,2-Dichloroethane	25.0	24.7		ug/L		99	60 - 140
Benzene	25.0	24.3		ug/L		97	70 - 120
Ethanol	250	297		ug/L		119	40 - 155
Ethylbenzene	25.0	24.4		ug/L		98	75 - 125
Ethyl-t-butyl ether (ETBE)	25.0	24.2		ug/L		97	65 - 135
Isopropyl Ether (DIPE)	25.0	26.8		ug/L		107	60 - 135
m,p-Xylene	50.0	53.0		ug/L		106	75 - 125
Methyl-t-Butyl Ether (MTBE)	25.0	26.6		ug/L		107	60 - 135
o-Xylene	25.0	26.3		ug/L		105	75 - 125
Tert-amyl-methyl ether (TAME)	25.0	25.7		ug/L		103	60 - 135
tert-Butyl alcohol (TBA)	125	115		ug/L		92	70 - 135
Toluene	25.0	25.8		ug/L		103	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	103		80 - 120
Dibromofluoromethane (Surr)	99		80 - 120
Toluene-d8 (Surr)	105		80 - 120

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-35657-A-1 MS

Matrix: Water

Analysis Batch: 80344

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
1,2-Dibromoethane (EDB)	ND		25.0	29.1		ug/L		116	70 - 130
1,2-Dichloroethane	ND		25.0	25.7		ug/L		103	60 - 140
Benzene	ND		25.0	24.5		ug/L		98	65 - 125
Ethanol	ND		250	314		ug/L		125	40 - 155
Ethylbenzene	ND		25.0	24.6		ug/L		99	65 - 130
Ethyl-t-butyl ether (ETBE)	ND		25.0	26.2		ug/L		105	60 - 135
Isopropyl Ether (DIPE)	ND		25.0	28.4		ug/L		113	60 - 140
m,p-Xylene	ND		50.0	52.8		ug/L		106	65 - 130
Methyl-t-Butyl Ether (MTBE)	ND		25.0	28.8		ug/L		115	55 - 145
o-Xylene	ND		25.0	27.2		ug/L		109	65 - 125
Tert-amyl-methyl ether (TAME)	ND		25.0	27.4		ug/L		110	60 - 140
tert-Butyl alcohol (TBA)	ND		125	117		ug/L		93	65 - 140
Toluene	ND		25.0	25.5		ug/L		102	70 - 125

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	105		80 - 120
Dibromofluoromethane (Surr)	103		80 - 120
Toluene-d8 (Surr)	103		80 - 120

Lab Sample ID: 440-35657-A-1 MSD

Matrix: Water

Analysis Batch: 80344

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						
1,2-Dibromoethane (EDB)	ND		25.0	28.1		ug/L		112	70 - 130	3	25
1,2-Dichloroethane	ND		25.0	23.7		ug/L		95	60 - 140	8	20
Benzene	ND		25.0	22.8		ug/L		91	65 - 125	7	20
Ethanol	ND		250	296		ug/L		118	40 - 155	6	30
Ethylbenzene	ND		25.0	23.6		ug/L		94	65 - 130	4	20
Ethyl-t-butyl ether (ETBE)	ND		25.0	24.3		ug/L		97	60 - 135	8	25
Isopropyl Ether (DIPE)	ND		25.0	26.8		ug/L		107	60 - 140	6	25
m,p-Xylene	ND		50.0	50.8		ug/L		102	65 - 130	4	25
Methyl-t-Butyl Ether (MTBE)	ND		25.0	27.0		ug/L		108	55 - 145	6	25
o-Xylene	ND		25.0	25.5		ug/L		102	65 - 125	6	20
Tert-amyl-methyl ether (TAME)	ND		25.0	25.9		ug/L		104	60 - 140	6	30
tert-Butyl alcohol (TBA)	ND		125	105		ug/L		84	65 - 140	10	25
Toluene	ND		25.0	24.6		ug/L		98	70 - 125	4	20

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	106		80 - 120
Dibromofluoromethane (Surr)	101		80 - 120
Toluene-d8 (Surr)	103		80 - 120

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-80511/4

Matrix: Water

Analysis Batch: 80511

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			01/23/13 18:05	1
1,2-Dichloroethane	ND		0.50	ug/L			01/23/13 18:05	1
Benzene	ND		0.50	ug/L			01/23/13 18:05	1
Ethanol	ND		150	ug/L			01/23/13 18:05	1
Ethylbenzene	ND		0.50	ug/L			01/23/13 18:05	1
Ethyl-t-butyl ether (ETBE)	ND		0.50	ug/L			01/23/13 18:05	1
Isopropyl Ether (DIPE)	ND		0.50	ug/L			01/23/13 18:05	1
m,p-Xylene	ND		1.0	ug/L			01/23/13 18:05	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50	ug/L			01/23/13 18:05	1
o-Xylene	ND		0.50	ug/L			01/23/13 18:05	1
Tert-amyl-methyl ether (TAME)	ND		0.50	ug/L			01/23/13 18:05	1
tert-Butyl alcohol (TBA)	ND		10	ug/L			01/23/13 18:05	1
Toluene	ND		0.50	ug/L			01/23/13 18:05	1
Xylenes, Total	ND		1.0	ug/L			01/23/13 18:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		80 - 120		01/23/13 18:05	1
Dibromofluoromethane (Surr)	102		80 - 120		01/23/13 18:05	1
Toluene-d8 (Surr)	100		80 - 120		01/23/13 18:05	1

Lab Sample ID: LCS 440-80511/5

Matrix: Water

Analysis Batch: 80511

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dibromoethane (EDB)	25.0	24.1		ug/L		96	75 - 125
1,2-Dichloroethane	25.0	23.6		ug/L		94	60 - 140
Benzene	25.0	22.2		ug/L		89	70 - 120
Ethanol	250	341		ug/L		136	40 - 155
Ethylbenzene	25.0	23.5		ug/L		94	75 - 125
Ethyl-t-butyl ether (ETBE)	25.0	21.1		ug/L		85	65 - 135
Isopropyl Ether (DIPE)	25.0	24.8		ug/L		99	60 - 135
m,p-Xylene	50.0	50.8		ug/L		102	75 - 125
Methyl-t-Butyl Ether (MTBE)	25.0	23.6		ug/L		94	60 - 135
o-Xylene	25.0	24.9		ug/L		100	75 - 125
Tert-amyl-methyl ether (TAME)	25.0	21.2		ug/L		85	60 - 135
tert-Butyl alcohol (TBA)	125	128		ug/L		102	70 - 135
Toluene	25.0	24.3		ug/L		97	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	102		80 - 120
Toluene-d8 (Surr)	100		80 - 120

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-35517-E-8 MS

Matrix: Water

Analysis Batch: 80511

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,2-Dibromoethane (EDB)	ND		25.0	25.3		ug/L		101	70 - 130	
1,2-Dichloroethane	ND		25.0	24.7		ug/L		99	60 - 140	
Benzene	ND		25.0	23.0		ug/L		92	65 - 125	
Ethanol	ND		250	330		ug/L		132	40 - 155	
Ethylbenzene	ND		25.0	23.3		ug/L		93	65 - 130	
Ethyl-t-butyl ether (ETBE)	ND		25.0	22.0		ug/L		88	60 - 135	
Isopropyl Ether (DIPE)	ND		25.0	26.1		ug/L		104	60 - 140	
m,p-Xylene	ND		50.0	50.1		ug/L		100	65 - 130	
Methyl-t-Butyl Ether (MTBE)	ND		25.0	25.6		ug/L		102	55 - 145	
o-Xylene	ND		25.0	24.5		ug/L		98	65 - 125	
Tert-amyl-methyl ether (TAME)	ND		25.0	22.1		ug/L		88	60 - 140	
tert-Butyl alcohol (TBA)	ND		125	121		ug/L		97	65 - 140	
Toluene	ND		25.0	25.0		ug/L		100	70 - 125	

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	105		80 - 120
Toluene-d8 (Surr)	102		80 - 120

Lab Sample ID: 440-35517-E-8 MSD

Matrix: Water

Analysis Batch: 80511

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier							
1,2-Dibromoethane (EDB)	ND		25.0	25.1		ug/L		100	70 - 130	1	25	
1,2-Dichloroethane	ND		25.0	23.9		ug/L		96	60 - 140	3	20	
Benzene	ND		25.0	21.5		ug/L		86	65 - 125	7	20	
Ethanol	ND		250	310		ug/L		124	40 - 155	6	30	
Ethylbenzene	ND		25.0	22.7		ug/L		91	65 - 130	3	20	
Ethyl-t-butyl ether (ETBE)	ND		25.0	21.1		ug/L		84	60 - 135	4	25	
Isopropyl Ether (DIPE)	ND		25.0	24.4		ug/L		98	60 - 140	6	25	
m,p-Xylene	ND		50.0	48.2		ug/L		96	65 - 130	4	25	
Methyl-t-Butyl Ether (MTBE)	ND		25.0	24.5		ug/L		98	55 - 145	4	25	
o-Xylene	ND		25.0	23.7		ug/L		95	65 - 125	3	20	
Tert-amyl-methyl ether (TAME)	ND		25.0	20.9		ug/L		84	60 - 140	5	30	
tert-Butyl alcohol (TBA)	ND		125	119		ug/L		95	65 - 140	1	25	
Toluene	ND		25.0	23.4		ug/L		94	70 - 125	7	20	

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	96		80 - 120
Dibromofluoromethane (Surr)	102		80 - 120
Toluene-d8 (Surr)	102		80 - 120

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Method: 8015B/5030B - Gasoline Range Organics (GC)

Lab Sample ID: MB 440-79922/3

Matrix: Water

Analysis Batch: 79922

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			01/21/13 07:05	1
Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac		
4-Bromofluorobenzene (Surr)	92		65 - 140		01/21/13 07:05	1		

Lab Sample ID: LCS 440-79922/2

Matrix: Water

Analysis Batch: 79922

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C4-C12)	800	880		ug/L		110	80 - 120
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	120		65 - 140				

Lab Sample ID: 440-35510-A-3 MS

Matrix: Water

Analysis Batch: 79922

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C4-C12)	ND		800	576		ug/L		72	65 - 140
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	122		65 - 140						

Lab Sample ID: 440-35510-A-3 MSD

Matrix: Water

Analysis Batch: 79922

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
GRO (C4-C12)	ND		800	588		ug/L		73	65 - 140	2	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	141	LH	65 - 140								

Lab Sample ID: MB 440-80269/3

Matrix: Water

Analysis Batch: 80269

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	ND		50	ug/L			01/22/13 16:29	1
Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac		
4-Bromofluorobenzene (Surr)	87		65 - 140		01/22/13 16:29	1		

TestAmerica Irvine

QC Sample Results

Client: Broadbent & Associates, Inc.
 Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Method: 8015B/5030B - Gasoline Range Organics (GC) (Continued)

Lab Sample ID: LCS 440-80269/2

Matrix: Water

Analysis Batch: 80269

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C4-C12)	800	786		ug/L		98	80 - 120
Surrogate		LCS %Recovery	LCS Qualifier				Limits
4-Bromofluorobenzene (Surr)		105					65 - 140

Lab Sample ID: 440-35510-B-5 MS

Matrix: Water

Analysis Batch: 80269

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C4-C12)	4000		8000	12000		ug/L		99	65 - 140
Surrogate		MS %Recovery		MS Qualifier					Limits
4-Bromofluorobenzene (Surr)		98							65 - 140

Lab Sample ID: 440-35510-B-5 MSD

Matrix: Water

Analysis Batch: 80269

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
GRO (C4-C12)	4000		8000	11400		ug/L		91	65 - 140	5	20
Surrogate		MSD %Recovery		MSD Qualifier					Limits		
4-Bromofluorobenzene (Surr)		91							65 - 140		

QC Association Summary

Client: Broadbent & Associates, Inc.
 Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

GC/MS VOA

Analysis Batch: 80344

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-35524-1	MW-4	Total/NA	Water	8260B/5030B	
440-35524-3	RW-1	Total/NA	Water	8260B/5030B	
440-35657-A-1 MS	Matrix Spike	Total/NA	Water	8260B/5030B	
440-35657-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/5030B	
LCS 440-80344/5	Lab Control Sample	Total/NA	Water	8260B/5030B	
MB 440-80344/4	Method Blank	Total/NA	Water	8260B/5030B	

Analysis Batch: 80511

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-35517-E-8 MS	Matrix Spike	Total/NA	Water	8260B/5030B	
440-35517-E-8 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/5030B	
440-35524-2	MW-7	Total/NA	Water	8260B/5030B	
LCS 440-80511/5	Lab Control Sample	Total/NA	Water	8260B/5030B	
MB 440-80511/4	Method Blank	Total/NA	Water	8260B/5030B	

GC VOA

Analysis Batch: 79922

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-35510-A-3 MS	Matrix Spike	Total/NA	Water	8015B/5030B	
440-35510-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B/5030B	
440-35524-3	RW-1	Total/NA	Water	8015B/5030B	
LCS 440-79922/2	Lab Control Sample	Total/NA	Water	8015B/5030B	
MB 440-79922/3	Method Blank	Total/NA	Water	8015B/5030B	

Analysis Batch: 80269

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-35510-B-5 MS	Matrix Spike	Total/NA	Water	8015B/5030B	
440-35510-B-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B/5030B	
440-35524-1	MW-4	Total/NA	Water	8015B/5030B	
440-35524-2	MW-7	Total/NA	Water	8015B/5030B	
LCS 440-80269/2	Lab Control Sample	Total/NA	Water	8015B/5030B	
MB 440-80269/3	Method Blank	Total/NA	Water	8015B/5030B	

Definitions/Glossary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
LH	Surrogate Recoveries were higher than QC limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDA	Minimum detectable activity
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Certification Summary

Client: Broadbent & Associates, Inc.
Project/Site: ARCO 0771, Livermore

TestAmerica Job ID: 440-35524-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alaska	State Program	10	CA01531	06-30-13
Arizona	State Program	9	AZ0671	10-13-13
California	LA Cty Sanitation Districts	9	10256	01-31-14
California	NELAP	9	1108CA	02-28-13
California	State Program	9	2706	06-30-14
Guam	State Program	9	Cert. No. 12.002r	02-28-13
Hawaii	State Program	9	N/A	02-28-13
Nevada	State Program	9	CA015312007A	07-31-13
New Mexico	State Program	6	N/A	02-28-13
Northern Mariana Islands	State Program	9	MP0002	02-28-13
Oregon	NELAP	10	4005	09-12-13
USDA	Federal		P330-09-00080	06-06-14
USEPA UCMR	Federal	1	CA01531	01-31-15



Laboratory Management Program LaMP Chain of Custody Record

BP Site Node Path: BP 771
BP Facility No: 771

Req Due Date (mm/dd/yy):
Rush TAT: Yes No
Lab Work Order Number: 440-35524 REV

Lab Name: TestAmerica
Facility Address: 899 Rincon Avenue
Consultant/Contractor: Broadbent and Associates
Lab Address: 17461 Derian Ave, Suite #100
City, State, ZIP Code: Livermore, California
Consultant/Contractor Project No: 06-82-608
Lab PM: Pat Abe
Lead Regulatory Agency: ACEH
Address: 1324 Mangrove Ave., Chico, California
Lab Phone: 949-261-1022
California Global ID No.: T0600100113
Consultant/Contractor PM: Jason Duda
Lab Shipping Acct: Fed Ex#: 1103-6633-7
Enfos Proposal No: 00527-0003/WR#260693
Phone: 530-566-1400
Email: jduda@broadbentinc.com
Lab Bottle Order No:
Accounting Mode: Provision X OOC-BU OOC-EM
Email EDD To: jduda@broadbentinc.com and to lab.enfosdoc@bp.com
Other Info:
Stage: Executive(4) Activity: GWM(616) OMEM Spend(82)

Table with columns: Lab No., Sample Description, Date, Time, Matrix, No. Containers / Preservative, Requested Analyses, Report Type & QC Level, Comments. Includes handwritten entries for MW-4, MW-7, RW-1, and TB-77(01172013).

Sampler's Name: James Rains/Alex Martin
Relinquished By / Affiliation: [Signature]
Date: 1/17/13 Time: 1700
Accepted By / Affiliation: [Signature]
Date: 1/18/13 Time: 9:50
Special Instructions: THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes/No

Page 18 of 20

1/31/2013

TS 119113 1315





Laboratory Management Program LaMP Chain of Custody Record

BP Site Node Path: BP 771

Req Due Date (mm/dd/yy): Rush TAT: Yes No

BP Facility No: 771

Lab Work Order Number: 440-35524

Table with lab details: Lab Name: TestAmerica, Facility Address: 899 Rincon Avenue, Consultant/Contractor: Broadbent and Associates, etc.

Main data table with columns: Lab No., Sample Description, Date, Time, Matrix, No. Containers / Preservative, Requested Analyses, Report Type & QC Level, Comments.

Table for sampler and acceptor information: Sampler's Name: James Rawns/Alex Martin, Relinquished By / Affiliation, Date, Time, Accepted By / Affiliation, Date, Time.

Special Instructions section: THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes/No, Temp Blank: Yes/No, Cooler Temp on Receipt: 38 °F/C, Trip Blank: Yes/No, MS/MSD Sample Submitted: Yes/No.



Page 19 of 20

1/31/2013

Login Sample Receipt Checklist

Client: Broadbent & Associates, Inc.

Job Number: 440-35524-1

Login Number: 35524

List Number: 1

Creator: Perez, Angel

List Source: TestAmerica Irvine

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	James Ramus/Alex Martinez
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

APPENDIX D

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

<u>Submittal Type:</u>	EDF
<u>Report Title:</u>	1Q13 GW Monitoring
<u>Report Type:</u>	Monitoring Report - Semi-Annually
<u>Facility Global ID:</u>	T0600100113
<u>Facility Name:</u>	ARCO #00771
<u>File Name:</u>	440-35524-1_31 Jan 13 1800_EDF.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	4/26/2013 10:49:22 AM
<u>Confirmation Number:</u>	3903882861

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2013 State of California

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

**Processing is complete. No errors were found!
Your file has been successfully submitted!**

<u>Submittal Type:</u>	GEO_WELL
<u>Report Title:</u>	1Q13 GEO_WELL 771
<u>Facility Global ID:</u>	T0600100113
<u>Facility Name:</u>	ARCO #00771
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	4/26/2013 10:53:59 AM
<u>Confirmation Number:</u>	6607881069

Copyright © 2013 State of California