

Wickham, Jerry, Env. Health

From: Wickham, Jerry, Env. Health
Sent: Thursday, April 09, 2009 7:47 AM
To: 'Regina Bussard'
Subject: RO0213 RE: Shell Station @ 11989 Dublin Blvd, Dublin

Regina,

A due date 15 days after the end of the quarter is correct. If you need to revise this, please go ahead and propose a new date.

Regards,

Jerry Wickham

Senior Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502-6577
phone: 510-567-6791
Fax: 510-337-9335
jerry.wickham@acgov.org

Online case files are available at the following website <http://www.acgov.org/aceh/index.htm>

Confidentiality Notice: This email and any attachments thereto may contain private, confidential, and privileged material for the sole use of the intended recipient. Any review, copying, or distribution of this email (or any attachments thereto) by other than the County of Alameda or the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments thereto.

From: Regina Bussard [mailto:RBussard@deltaenv.com]
Sent: Wednesday, April 08, 2009 1:01 PM
To: Wickham, Jerry, Env. Health
Subject: Shell Station @ 11989 Dublin Blvd, Dublin

Mr. Wickham,

The last letter I have from you for the referenced site is dated August 30, 2006. The letter suggests the groundwater monitoring reports are due on the 15th of the month following the end of the quarter. Is this the correct schedule for these reports?

Thank you,
Regina Bussard, P.G.
Project Manager
Delta Consultants
312 Piercy Rd.
San Jose, CA 95138
Office: (408) 826-1876
Cell: (510) 813-1594

Confidentiality Notice: If you are not the intended recipient of this e-mail, please delete it. Thank you.