

✓R0216



TESORO

Tesoro Petroleum Companies, Inc.
3450 South 344th Way, Suite 201
Auburn, WA 98001-5931
253 896 8700
253 896 8887 Fax

November 24, 2004

✓Mr. Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, room 250
Alameda, California 94502

Case Worker
Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Mr. John Camp
Environmental Services Division
City of San Leandro
835 East 14th Street
San Leandro, CA 94577

DEC 03 2004

**RE: Quarterly Groundwater Monitoring and Remediation System Status Report
Third Quarter 2004
1088 Marina Blvd. San Leandro, California,
Former Tesoro Station No. 67106**

Dear Mr. Seery, Mr. Camp, et al:


Tesoro Petroleum Companies, Inc., on behalf of Tesoro Environmental Resources Company (Tesoro) submits the referenced Quarterly Monitoring Report for your review. Groundwater monitoring data were collected on July 16, 2004. Groundwater flow direction continues to be southwesterly.

The on-site remediation systems consist of soil vapor extraction and treatment (SVE), coupled with air sparging (AS). The SVE/AS systems operated intermittently throughout the quarter. The SVE system is not recovering significant mass (24 pounds of vapor equivalent gasoline during the 3rd Quarter) however, it will continue to be operated in conjunction with the AS and ozone-enhanced AS system during the remainder of 2004 and as needed in 2005. Concentration of TPHg, BTEX and MTBE continue to decrease, but remain above actionable levels in on-site monitoring wells. Therefore, Tesoro recommends:

- Implementation of ozone augmented air sparging to mitigate groundwater impacts. Tesoro will implement ozone injection pilot-testing in the fourth quarter 2004.
- Continued monitoring of groundwater quality and remediation systems performance.

Please review the report and recommendations above and provide project direction. Unless Tesoro is otherwise directed, ozone injection pilot testing will be implemented. Please contact me with any questions or concerns regarding this project at (253) 896-8708. Thank you for your continued cooperation concerning this project.

Sincerely,




Jeffrey M. Baker, P.E.
Supervisor, Environmental
Compliance & Remediation
Tesoro Petroleum Companies, Inc.

Attachment

CC: RDM – Richard Munsch (w/o attachment)
Brian Kelleher – Kelleher & Associates
File – Remediation, San Leandro

Hirbod Enterprises – Owner
Sam Hirbod
111 Deerwood Road, Suite 110
San Ramon, CA 94583



Environmental

1704 Via Riata, Roseville, CA 95747

Tel: (916) 771-7098, FAX : (916) 771-4584

November 5, 2004

Mr. Jeff Baker
Tesoro Environmental Resources Company
3450 S. 344th Way Suite 100
Auburn, WA 98001-5931

Subject: *Quarterly Ground Water Monitoring and
Remediation System Status Report, Third Quarter 2004*
Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California
RDM Project No. 00-67106

DEC 03 2004
Environmental Resources

Dear Mr. Baker:

On Behalf of Tesoro Environmental Resources Company, RDM Environmental (RDM) has prepared the following quarterly ground water monitoring and remediation system status report for the subject site. This report describes quarterly ground water monitoring and remediation system status for the **Third Quarter 2004**.

Work Performed During the Third Quarter 2004:

- RDM performed ground water sampling on **July 16, 2004**.
- RDM continued operation and maintenance on the remediation system.
- The vapor phase SVE carbon was changed out **July 26, 2004**.

STATUS OF GROUND WATER MONITORING

Cumulative ground water sampling information is tabulated in Table 1. A site topographic map, site map, and ground water elevation contour map are shown as Figures 1 through 3, respectively. Analytical isoconcentration maps are presented as Figures 4 through 6. The site history is included in Enclosure A, the quarterly monitoring data sheets are included in Enclosure B and the ground water analytical results are included in Enclosure C. Historical ground water monitoring data is included in Enclosure D.

- Historical ground water flow direction is to the southwest.

STATUS OF REMEDIATION SYSTEM

Operation and maintenance is performed bi-monthly by RDM on a remediation system consisting of soil vapor extraction (SVE) and air sparging components. The ground water extraction system was removed during the system upgrade (November 2003). The process flow diagram for the newly modified remediation system is shown as Figure 7.

Cost Effective Solutions

Operation & Maintenance Site Visits:

- Operation and maintenance site visits were conducted for the **Third Quarter 2004** on:
 - **July 7, 12, and 26, 2004**
 - **August 16 and 30, 2004**
 - **September 11 and 19, 2004**

Ground Water Extraction System Performance:

- The ground water treatment system was shut off on October 11, 2003.
- The former ground water treatment system processed approximately **228,500** gallons.

Soil Vapor Extraction System Performance:

- The SVE system operated intermittently during the **Third Quarter 2004**.
- During the **Third Quarter 2004**, the SVE system removed approximately **24** pounds of vapor equivalent gasoline.
- As of **September 19, 2004**, the SVE system has removed approximately **2,973** pounds (**487** gallons) of vapor equivalent gasoline.
- Soil vapor extraction is conducted on MW-1 through MW-5, MW-8, MW-9 and vapor well VW-1.
- The SVE analytical results are included in Table 2 and the SVE performance data is included in Table 3. Remediation system analytical results are included in Enclosure E.
- The manufacturer of the Tedlar bags used in vapor sampling indicated that they had supplied RDM with contaminated Tedlar sample bags. Some of these contaminated bags were used during the third quarter sampling events. All PID readings were reported as non-detect for all effluent sampling during the **Third Quarter 2004**.

Air Sparging System Performance:

- The air sparge system operated intermittently during the **Third Quarter 2004**. The air sparge system is shut off when the SVE system is non-operational.
- The air sparging system is connected to sparge points SP-1 through SP-6.

CONCLUSIONS/RECOMMENDATIONS

RDM recommends continued operation of the SVE and air sparge systems and quarterly ground water monitoring. RDM is adding ozone technology to the existing remediation system during the Fourth Quarter 2004. Ozone sparge system is proposed for monitoring wells MW-1, MW-4 and MW-5.

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeologic and engineering practices at this time and location. Other than this, no warranty is implied or intended.

Mr. Jeff Baker
Tesoro Petroleum
November 5, 2004
Page 3

RDM recommends a copy of this report be forwarded to the following people.

Mr. Scott Seery
Alameda County Health Care Agency
Department of Environmental Health
1131 Harbor Parkway, Room 250
Alameda, CA 94502-6577


Mr. John Camp
Environmental Service Division
City of San Leandro
835 East 14th Street
San Leandro, CA 94577

Case Worker
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, CA 94612

If you have any questions concerning this project, please contact Richard Munsch at (916) 771-7098.

RDM ENVIRONMENTAL


Richard D. Munsch
Project Manager


Michael G. Lee, P.E.
California Registered Civil Engineer No.C055795



RDM (67106 3Q GWM 7-16-04.doc)

Enclosures:

- Enclosure A: Site Background Information
- Enclosure B: Ground Water Sampling Information
- Enclosure C: Ground Water Analytical Results
- Enclosure D: Historical Ground Water Monitoring Data
- Enclosure E: Remediation System Analytical Results

TABLE 1

GROUND WATER MONITORING DATA

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft) ^a	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenates (µg/L)	Comments
MW-1	03/12/98	33.10	11.09	22.01	<0.5	<0.5	5.0	2.8	100	<5.0	NA	No sheen
	05/28/98		11.36	21.74	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	08/31/98		12.61	20.49	<0.5	<0.5	6.4	1.4	130	<5.0	NA	No sheen
	11/19/98		13.84	19.26	0.75	<0.5	<0.5	3.0	120	<5.0	NA	No sheen
	03/15/99		11.95	21.15	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	06/07/99		13.45	19.65	1.6	1.9	230	110	5,200	<5.0	NA	No sheen
	09/07/99		13.10	20.00	1.0	<0.5	22	15	490	<5.0	NA	No sheen
	12/13/99		14.29	18.81	<2.5	<2.5	170	110	4,100	<2.5	NA	No sheen
	03/08/00		11.22	21.88	<0.5	<0.5	21	7.7	1,200	150	NA	No sheen
	06/12/00		12.85	20.25	1.5	0.9	160	98	3,000	34	NA	No sheen
	11/15/00		14.19	18.91	<20	<20	470	390	8,500	14,000	NA	No sheen
	02/27/01		12.35	20.75	5.4	2.6	260	190	6,100	4,300	NA	No sheen
	05/22/01	14.18	18.92	8.9	13	1,100	1,300	21,000	2,300	NA	No sheen	
	09/05/01	13.70	19.10	<2.0	3.6	600	850	12,000	93	NA	No sheen	
	11/07/01	14.25	18.85	<5.0	<5.0	1,300	1,600	23,000	87	NA	No sheen	
	02/11/02	35.47	13.05	22.42	<0.5	<0.5	140	150	4,500	18	NA	No sheen
	06/03/02		13.31	22.16	<2.5	<2.5	520	460	12,000	12	NA	No sheen
	08/06/02		13.75	21.72	<0.5	<0.5	710	580	22,000	15	NA	No sheen
	11/14/02		14.10	21.37	<5.0	<5.0	300	250	16,000	8.1	ND	No sheen
	02/20/03		12.80	22.67	<1.5	<1.5	130	89	7,300	9.3	ND	No sheen
	05/15/03		12.90	22.57	<2.5	<2.5	270	120	14,000	4.7	ND	No sheen
	07/31/03		13.50	21.97	<5.0	<5.0	380	230	18,000	5.2	ND	No sheen
	10/28/03		14.42	21.05	<5.0	<5.0	340	210	17,000	<5.0	ND	No sheen
	02/28/04		12.72	22.75	<2.0	<2.0	140	48	10,000	4.8	ND	No sheen
04/16/04	13.52		21.95	<0.5	<0.5	29	11	2,800	2.1	ND	No sheen	
07/16/04	14.04		21.43	<0.5	0.57	130	74	5,500	1.4	ND	No sheen	
MW-2	03/12/98		32.80	10.92	21.88	32	1.0	12	6.5	440	20	NA
	05/28/98	10.41		22.39	<0.5	<0.5	<0.5	<0.5	<50	27	NA	No sheen
	08/31/98	12.29		20.51	9.3	0.95	4.9	8.8	270	20	NA	No sheen
	11/19/98	13.47		19.33	16	0.72	<0.5	4.3	180	7.4	NA	No sheen
	03/15/99	11.95		20.85	12	3.5	59	840	2,400	10	NA	No sheen
	06/07/99	13.11		19.69	21	0.99	6.9	10	690	6.1	NA	No sheen
	09/07/99	12.92		19.88	7.8	1.2	42	100	610	<5.0	NA	No sheen
	12/13/99	13.96		18.84	26	0.93	52	96	3,000	<5.0	NA	No sheen
	03/08/00	10.87		21.93	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	06/12/00	12.53		20.27	51	17	170	320	5,500	18	NA	No sheen
	11/15/00	13.96		18.84	75	48	1,200	2,800	16,000	19,000	NA	No sheen
	02/27/01	12.29		20.51	54	24	320	870	10,000	6,000	NA	No sheen
	05/22/01	15.51	17.29	12	5.0	79	100	2,400	3,500	NA	No sheen	
	09/05/01	13.75	19.05	120	180	1,500	5,100	34,000	400	NA	No sheen	
	11/07/01	13.99	18.81	87	170	1,400	3,700	32,000	870	NA	No sheen	
	02/11/02	35.11	12.98	22.13	170	250	1,600	4,700	34,000	390	NA	No sheen
	06/03/02		13.24	21.87	130	260	1,700	5,100	29,000	110	NA	No sheen
	08/06/02		13.73	21.38	110	240	1,700	4,700	34,000	84	NA	No sheen
	11/14/02		13.55	21.56	51	150	1,300	3,600	35,000	39	ND	No sheen
	02/20/03		11.80	23.31	67	130	1,100	2,800	23,000	71	ND	No sheen
	05/15/03		12.27	22.84	57	110	840	2,300	19,000	43	ND	No sheen
	07/31/03		13.46	21.65	78	210	2,000	5,000	31,000	36	ND	No sheen
	10/28/03		14.09	21.02	59	120	2,000	3,600	32,000	19	ND	No sheen
	02/28/04		12.27	22.84	21	26	520	980	10,000	35	ND	No sheen
04/16/04	13.22		21.89	30	30	540	890	11,000	30	23 ^c	No sheen	
07/16/04	13.76		21.35	42	36	1,200	2,300	21,000	17	ND	No sheen	

TABLE 1

GROUND WATER MONITORING DATA

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft) ^a	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenates (µg/L)	Comments
MW-3	03/12/98	32.30	10.81	21.49	0.67	<0.5	7.1	3.4	1,200	7.3	NA	No sheen
	05/28/98		11.45	20.85	<0.5	0.5	<0.5	<0.5	350	<5.0	NA	No sheen
	08/31/98		12.21	20.09	<0.5	0.89	0.69	<0.5	240	<5.0	NA	No sheen
	11/19/98		13.26	19.04	5.3	0.72	0.86	4.2	440	<5.0	NA	No sheen
	03/15/99		11.89	20.41	3.3	1.3	0.77	<0.5	410	<5.0	NA	No sheen
	06/07/99		12.91	19.39	<0.5	2.0	<0.5	0.66	680	<5.0	NA	No sheen
	09/07/99		12.81	19.49	<0.5	0.62	<0.5	8.7	150	12	NA	No sheen
	12/13/99		13.75	18.55	<0.5	0.52	<0.5	1.0	830	<5.0	NA	No sheen
	03/08/00		11.39	20.91	0.58	<0.5	0.77	<0.5	960	<5.0	NA	No sheen
	06/12/00		12.58	19.72	1.7	<0.5	46	6.3	1,700	<5.0	NA	No sheen
	11/15/00		13.85	18.45	<200	<200	<200	<200	<20,000	84,000	NA	No sheen
	02/27/01		12.22	20.08	98	<20	130	30	3,500	16,000	NA	No sheen
	05/22/01		13.66	18.64	41	<20	20	<20	<2,000	5,800	NA	No sheen
	09/05/01	13.41	18.89	9.9	1.5	49	8.2	5,300	430	NA	No sheen	
	11/07/01	13.85	18.45	9.4	1.8	47	8.8	6,500	1,600	NA	No sheen	
	02/11/02	34.84	12.86	21.98	8.9	<2.0	14	<2.0	2,400	530	NA	No sheen
	06/03/02		13.10	21.74	13	0.77	19	0.94	2,100	110	NA	No sheen
	08/06/02		13.52	21.32	25	2.5	12	1.1	2,800	120	NA	No sheen
	11/14/02		13.49	21.35	29	0.89	3.7	<0.5	2,200	420	1.1 ^b , 19 ^c	No sheen
	02/20/03		12.92	21.92	2.5	<0.5	<0.5	<0.5	2,400	340	13 ^c	No sheen
	05/15/03		12.83	22.01	2.0	<0.5	1.2	<0.5	2,100	200	0.85 ^b , 15 ^c	No sheen
	07/31/03		13.44	21.40	1.2	<0.5	<0.5	<0.5	1,600	330	0.81 ^b , 15 ^c	No sheen
	10/28/03		13.92	20.92	1.0	<0.5	<0.5	<0.5	1,600	160	7.1 ^e	No sheen
02/28/04	12.50		22.34	1.2	<0.5	0.74	<0.5	1,400	58	74 ^e	No sheen	
04/16/04	13.07		21.77	1.2	<0.5	<0.5	<0.5	1,400	45	95 ^e	No sheen	
07/16/04	13.62	21.22	6.1	1.1	<0.5	0.83	1,900	43	21 ^e	No sheen		
MW-4	03/12/98	32.90	11.31	21.59	2,200	1,500	630	3,000	14,000	440	NA	No sheen
	05/28/98		10.40	22.50	<0.5	0.75	0.68	6.9	67	26	NA	No sheen
	08/31/98		12.54	20.36	1.8	2.5	0.65	3.4	<50	<5.0	NA	No sheen
	11/19/98		13.99	18.91	<0.5	<0.5	<0.5	0.61	<50	17	NA	No sheen
	03/15/99		12.06	20.84	1.2	1.6	0.76	4.5	160	9.3	NA	No sheen
	06/07/99		13.57	19.33	210	370	350	2,000	5,800	<20	NA	No sheen
	09/07/99		10.30	22.60	2.2	2.8	4.8	25	130	12	NA	No sheen
	12/13/99		14.18	18.72	1.3	1.0	1.2	4.8	<50	12	NA	No sheen
	03/08/00		11.77	21.13	78	200	160	750	3,700	11	NA	No sheen
	06/12/00		13.47	19.43	<0.5	<0.5	<0.5	<0.5	<50	24	NA	No sheen
	11/15/00		14.33	18.57	12	38	28	130	710	1,300	NA	No sheen
	02/27/01		14.25	18.65	67	300	310	1,400	6,500	1,000	NA	No sheen
	05/22/01		13.99	18.91	2.1	5.6	4.8	20	130	350	NA	No sheen
	09/05/01	15.75	17.15	110	670	250	1,300	6,200	600	NA	No sheen	
	11/07/01	16.10	16.80	40	270	180	940	4,100	110	NA	No sheen	
	02/11/02	35.33	15.04	20.29	91	590	620	3,000	14,000	350	NA	No sheen
	06/03/02		13.61	21.72	69	390	190	1,100	4,300	240	NA	No sheen
	08/06/02		15.01	20.32	100	690	570	2,900	13,000	170	NA	No sheen
	11/14/02		13.98	21.35	65	380	550	3,400	20,000	130	ND	No sheen
	02/20/03		13.33	22.00	57	240	650	3,700	18,000	98	ND	No sheen
	05/15/03		13.29	22.04	44	100	200	1,200	8,500	120	21 ^f	No sheen
	07/31/03		13.76	21.57	42	59	250	1,400	11,000	87	ND	No sheen
	10/28/03		14.48	20.85	80	40	130	650	8,100	130	20 ^e	No sheen
02/28/04	12.96		22.37	85	430	570	3,700	17,000	67	ND	No sheen	
04/16/04	13.57		21.76	72	420	570	3,800	19,000	60	ND	No sheen	
07/16/04	14.16	21.17	46	330	360	2,200	10,000	58	28 ^e	No sheen		

TABLE 1

GROUND WATER MONITORING DATA

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft) ^a	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenates (µg/L)	Comments
MW-5	03/12/98	32.70	11.11	21.59	2,600	160	470	2,200	12,000	<250	NA	No sheen
	05/28/98		10.92	21.78	480	99	160	730	4,700	<250	NA	No sheen
	08/31/98		12.79	19.91	200	14	55	220	1,400	180	NA	No sheen
	11/19/98		13.39	19.31	1.4	<0.5	<0.5	<0.5	<50	39	NA	No sheen
	03/15/99		11.71	20.99	320	17	290	780	3,400	33	NA	No sheen
	06/07/99		13.26	19.44	220	8.9	240	290	3,200	<25	NA	No sheen
	09/07/99		9.70	23.00	8.5	<0.5	8.5	12	140	38	NA	No sheen
	12/13/99		14.06	18.64	<0.5	<0.5	<0.5	13	140	<5.0	NA	No sheen
	03/08/00		11.80	20.90	0.66	<0.5	2.5	30	280	<5.0	NA	No sheen
	06/12/00		12.99	19.71	22	1.2	79	170	2,700	6.4	NA	No sheen
	11/15/00	14.23	18.47	36	1.6	180	180	4,500	10	NA	No sheen	
	02/27/01	12.66	20.04	33	1.6	160	220	2,800	110	NA	No sheen	
	05/22/01	13.58	19.12	49	2.2	180	230	3,200	240	NA	No sheen	
	09/05/01	14.05	18.65	28	1.0	100	100	2,400	560	NA	No sheen	
	11/07/01	14.32	18.38	<2.0	<2.0	2.1	20	390	590	NA	No sheen	
	02/11/02	35.09	13.31	21.78	19	<5.0	59	52	1,200	1,800	NA	No sheen
	06/03/02		13.55	21.54	44	<2.0	150	210	3,200	610	NA	No sheen
	08/06/02		14.10	20.99	42	<2.0	140	150	3,200	820	NA	No sheen
	11/14/02		14.03	21.06	29	1.3	94	100	2,900	560	100 ^c	No sheen
	02/20/03		13.35	21.74	22	<1.0	81	77	2,900	270	170 ^c	No sheen
	05/15/03		13.11	21.98	55	1.8	94	85	3,700	220	0.64 ^b , 170 ^c	No sheen
	07/31/03		13.88	21.21	45	1.1	26	19	2,400	200	180 ^c	No sheen
	10/28/03		14.41	20.68	6.8	<0.5	4.4	1.1	570	77	8.0 ^c	No sheen
	02/28/04		12.89	22.20	37	1.4	130	120	3,400	72	32 ^c	No sheen
	04/16/04		13.41	21.68	26	0.73	45	53	2,400	81	130 ^c	No sheen
07/16/04	13.92	21.17	24	0.85	36	20	2,100	71	46 ^c	No sheen		
MW-6	03/12/98	30.40	10.49	19.91	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	05/28/98		10.58	19.82	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	08/31/98		10.85	19.55	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	11/19/98		10.88	19.52	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	03/15/99		10.83	19.57	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	06/07/99		11.01	19.39	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	09/07/99		11.89	18.51	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	12/13/99		12.09	18.31	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	03/08/00		10.02	20.38	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	06/12/00		11.07	19.33	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	11/15/00	12.34	18.06	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	02/27/01	10.75	19.65	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	05/22/01	11.55	18.85	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	09/05/01	12.10	18.30	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	11/07/01	12.31	18.09	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	02/11/02	32.74	11.05	21.69	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen
	06/03/02		11.70	21.40	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen
	08/06/02		12.28	20.46	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen
	11/14/02		12.46	20.28	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	02/20/03		11.26	21.48	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	05/15/03		11.85	20.89	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	07/31/03		11.73	21.01	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	10/28/03		12.38	20.36	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	02/28/04		11.88	20.86	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	04/16/04		11.85	20.89	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
07/16/04	12.84	19.90	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen		

TABLE 1

GROUND WATER MONITORING DATA

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft) ^a	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenates (µg/L)	Comments	
MW-7	03/12/98	31.20	10.14	21.06	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	05/28/98		10.93	20.27	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	08/31/98		12.01	19.19	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	11/19/98		12.54	18.66	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	03/15/99		10.94	20.26	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	06/07/99		12.05	19.15	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	09/07/99		12.67	18.53	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	12/13/99		12.73	18.47	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	03/08/00		10.90	20.30	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	06/12/00		12.61	18.59	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	11/15/00		13.06	18.14	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	02/27/01		11.85	19.35	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	05/22/01		12.31	18.89	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	09/05/01		12.85	18.35	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	11/07/01		12.75	18.45	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	02/11/02		33.64	NM	NC	NS	NS	NS	NS	NS	NS	NS	
	06/03/02		12.58	21.06	<0.5	<0.5	<0.5	<0.5	<50	0.95	NA	No sheen	
	08/06/02		12.93	20.71	<0.5	<0.5	<0.5	<0.5	<50	<0.5	NA	No sheen	
	11/14/02		13.04	20.60	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen	
	02/20/03	12.75	20.89	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen		
	05/15/03	12.45	21.19	<0.5	<0.5	<0.5	<0.5	<50	0.69	ND	No sheen		
	07/31/03	12.80	20.84	<0.5	<0.5	<0.5	<0.5	<50	0.65	ND	No sheen		
	10/28/03	NM	NC	NS	NS	NS	NS	NS	NS	NS	NS	No sheen	
02/28/04	12.21	21.43	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen			
04/16/04	12.26	21.38	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen			
07/16/04	12.85	20.79	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen			
MW-8	03/12/98	33.80	11.81	21.99	1.4	<0.5	<0.5	<0.5	72	<5.0	NA	No sheen	
	05/28/98		12.14	21.66	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	08/31/98		13.16	20.64	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	11/19/98		14.56	19.24	510	24	1,200	2,800	14,000	<5.0	NA	No sheen	
	03/15/99		12.40	21.40	160	16	910	2,100	14,000	<50	NA	No sheen	
	06/07/99		14.06	19.74	330	14	470	880	7,800	<50	NA	No sheen	
	09/07/99		14.01	19.79	150	2.6	260	370	3,200	<5.0	NA	No sheen	
	12/13/99		14.91	18.89	35	<5.0	280	730	6,700	<50	NA	No sheen	
	03/08/00		11.85	21.95	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen	
	06/12/00		13.59	20.21	4.0	<0.5	4.9	2.1	140	<5.0	NA	No sheen	
	11/15/00		14.94	18.86	2.0	<0.5	3.1	2.6	100	110	NA	No sheen	
	02/27/01		NM	NC	NS	NS	NS	NS	NS	NS	NA	Tank Over Well	
	05/22/01		NM	NC	NS	NS	NS	NS	NS	NS	NA	Tank Over Well	
	09/05/01		14.68	19.12	160	<2.0	200	330	4,800	850	NA	No sheen	
	11/07/01		15.10	18.70	1.1	<1.0	2.0	6.1	<100	590	NA	No sheen	
	02/11/02		36.08	14.06	22.02	7.9	<5.0	16	22	<500	1,700	NA	No sheen
	06/03/02		14.25	21.83	20.0	<2.0	19	35	550	650	NA	No sheen	
	08/06/02		14.55	21.53	220	<2.0	170	280	4,800	1,000	NA	No sheen	
	11/14/02		14.73	21.35	250	<2.5	160	220	4,800	1,200	47 ^c	No sheen	
	02/20/03	13.81	22.27	17	<1.0	19	42	760	520	16 ^c	No sheen		
	05/15/03	13.68	22.40	14	<0.5	16	23	690	370	0.79 ^b , 10 ^c	No sheen		
	07/31/03	14.54	21.54	29	<1.0	15	18	700	380	36 ^c	No sheen		
	10/28/03	15.09	20.99	87	<1.0	34	40	2,000	490	130 ^c	No sheen		
02/28/04	13.45	22.63	21	<0.5	15	49	1,100	200	110 ^c	No sheen			
04/16/04	14.19	21.89	57	<0.5	52	75	2,900	300	140 ^c	No sheen			
07/16/04	14.76	21.32	32	<0.5	34	51	2,000	92	67 ^c	No sheen			

TABLE 1

GROUND WATER MONITORING DATA

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Monitoring Well	Date	Reference Elevation (ft) ^a	Depth to Ground Water (ft)	Ground Water Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as gasoline (µg/L)	MTBE (µg/L)	Oxygenates (µg/L)	Comments
MW-9	03/12/98	32.56	10.93	21.63	320	23	180	720	3,700	190	NA	No sheen
	05/28/98		11.31	21.25	110	6.4	87	300	2,200	220	NA	No sheen
	08/31/98		12.16	20.40	240	23	690	1,900	11,000	<50	NA	No sheen
	11/19/98		11.04	21.52	7.7	<0.5	10	22	280	67	NA	No sheen
	03/15/99		11.81	20.75	<0.5	<0.5	<0.5	1.2	<50	<5.0	NA	No sheen
	06/07/99		12.21	20.35	9.3	0.86	9.7	12	340	<5.0	NA	No sheen
	09/07/99		10.10	22.46	0.76	<0.5	1.9	0.8	72	9.9	NA	No sheen
	12/13/99		13.64	18.92	<0.5	<0.5	<0.5	<0.5	60	<5.0	NA	No sheen
	03/08/00		10.88	21.68	<0.5	<0.5	<0.5	<0.5	<50	<5.0	NA	No sheen
	06/12/00		12.50	20.06	0.9	<0.5	2.7	1.3	640	10	NA	No sheen
	11/15/00		13.60	18.96	<0.5	<0.5	0.69	<0.5	200	12	NA	No sheen
	02/27/01		12.15	20.41	0.61	<0.5	2.2	1.2	360	42	NA	No sheen
	05/22/01		13.20	19.36	0.57	<0.5	2.1	0.61	330	290	NA	No sheen
	09/05/01		13.10	19.46	<2.0	<2.0	<2.0	<2.0	<200	1,100	NA	No sheen
	11/07/01		13.85	18.71	1.0	<1.0	<1.0	<1.0	230	510	NA	No sheen
	02/11/02	34.63	12.98	21.65	<0.5	<0.5	<0.5	<0.5	<50	41	NA	No sheen
	06/03/02		12.48	22.15	<0.5	<0.5	<0.5	<0.5	<50	55	NA	No sheen
	08/06/02		13.16	21.47	<0.5	<0.5	<0.5	<0.5	<50	65	NA	No sheen
	11/14/02		13.15	21.48	<0.5	<0.5	<0.5	<0.5	<50	47	ND	No sheen
	02/20/03		12.46	22.17	<0.5	<0.5	<0.5	<0.5	<50	28	ND	No sheen
	05/15/03		12.26	22.37	<0.5	<0.5	<0.5	<0.5	<50	8.9	ND	No sheen
	07/31/03		12.94	21.69	<0.5	<0.5	<0.5	<0.5	<50	0.85	ND	No sheen
	10/28/03		13.83	20.80	<0.5	<0.5	<0.5	<0.5	<50	0.76	ND	No sheen
	02/28/04		12.59	22.04	<0.5	<0.5	<0.5	<0.5	<50	<0.5	ND	No sheen
	04/16/04		13.04	21.59	<0.5	<0.5	<0.5	<0.5	53	<0.5	ND	No sheen
	07/16/04		13.52	21.11	<0.5	<0.5	<0.5	<0.5	56	<0.5	ND	No sheen

a =Referenced to mean sea level.

b =tert-amyl methyl ether

c = tert-butanol

TPH = Total petroleum hydrocarbons.

MTBE = Methyl tertiary butyl ether.

µg/L = Micrograms per liter.

Oxygenates = methyl-t-butyl ether, diisopropyl ether, ethyl-t-butyl ether, tert-amyl methyl ether, tert-butanol, 1,2-dichloroethane, 1,2-dibromoethane

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
 Former Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl-benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	06/05/97	3.2	0.72	1.2	2.5	220	NA
Effluent	06/05/97	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	07/03/97	0.30	0.67	0.23	1.8	86	NA
Effluent	07/03/97	<0.05	0.054	<0.05	0.13	<5.0	NA
Influent	07/22/97	0.76	1.6	0.92	5.3	270	NA
Effluent	07/22/97	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	08/07/97	2.0	1.3	0.53	2.7	130	NA
Effluent	08/07/97	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	09/04/97	1.8	0.73	1.3	5.9	190	NA
Effluent	09/04/97	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	10/24/97	0.49	0.52	0.35	2.3	54	NA
Effluent	10/24/97	<0.05	<0.05	<0.05	0.057	<5.0	NA
Effluent	11/26/97	0.094	0.089	<0.05	0.062	5.3	NA
Influent	12/10/97	<0.05	0.44	0.076	0.37	5.8	NA
Effluent	12/10/97	<0.05	0.062	<0.05	<0.05	<5.0	NA
Influent	12/12/97	0.59	0.17	0.49	2.0	26	NA
Effluent	12/12/97	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/12/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/12/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	04/23/98	0.18	0.32	0.072	0.47	18	NA
Mid-Carbon	04/23/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	04/23/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	06/09/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	07/07/98	0.067	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	07/07/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	07/07/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	07/21/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	08/11/98	<0.05	0.06	<0.05	0.071	<5.0	NA
Mid-Carbon	08/11/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	08/11/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	09/10/98	0.16	0.46	0.062	0.20	16	NA
Mid-Carbon	09/10/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	09/10/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	09/23/98	0.16	0.32	<0.05	0.20	9.4	NA
Mid-Carbon	09/23/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	10/20/98	0.63	0.19	0.062	0.17	28	NA
Mid-Carbon	10/20/98	0.79	0.37	<0.05	0.088	48	NA
Effluent	10/20/98	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	11/26/97	0.13	0.43	0.072	0.35	9.2	NA
Influent	12/08/99	0.73	2.2	0.15	0.71	43	NA
Mid-Carbon	12/08/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	12/08/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/13/99	0.068	0.057	<0.05	0.095	6.5	NA
Mid-Carbon	01/13/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/13/99	<0.05	<0.05	<0.05	<0.05	5.4	NA
Effluent	01/28/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	02/10/99	1.1	1.2	0.071	0.28	56	NA
Mid-Carbon	02/10/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	02/10/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	03/10/99	0.070	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	03/10/99	0.069	<0.05	<0.05	<0.05	28	NA
Effluent	03/10/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	04/07/99	0.22	0.078	<0.05	0.060	17	NA
Influent	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	06/08/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	07/12/99	0.16	0.77	<0.05	0.18	11	NA
Mid-Carbon	07/12/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	07/12/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	08/09/99	0.092	1.0	0.20	0.94	12	NA
Mid-Carbon	08/09/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	08/09/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	09/07/99	0.069	0.41	0.07	0.38	16	NA
Mid-Carbon	09/07/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	09/07/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	10/12/99	0.96	8.6	1.1	4.7	150	NA
Mid-Carbon	10/12/99	<0.05	<0.05	<0.05	0.064	<5.0	NA
Effluent	10/12/99	<0.05	<0.05	<0.05	0.063	<5.0	NA
Influent	11/17/99	0.22	1.9	0.32	1.7	21	NA
Mid-Carbon	11/17/99	0.067	<0.05	<0.05	<0.05	<5.0	NA
Effluent	11/17/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	12/28/99	1.2	22	2.4	12	570	NA
Mid-Carbon	12/28/99	0.052	<0.05	<0.05	<0.05	<5.0	NA
Effluent	12/28/99	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/12/00	0.45	1.7	0.18	1.0	110	NA
Mid-Carbon	01/12/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/12/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/26/00	0.059	0.77	0.19	1.1	14	NA
Mid-Carbon	01/26/00	0.20	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/26/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	02/06/00	0.095	1.4	0.18	0.87	22	NA
Mid-Carbon	02/06/00	0.20	<0.05	<0.05	<0.05	<5.0	NA
Effluent	02/06/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	02/09/00	0.45	3.1	0.52	2.8	59	NA
Mid-Carbon	02/09/00	0.18	<0.05	<0.05	<0.05	<5.0	NA
Effluent	02/09/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	03/16/00	0.10	3.5	0.54	4.1	46	NA
Mid-Carbon	03/16/00	0.83	0.31	<0.05	<0.05	22	NA
Effluent	03/16/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	04/04/00	0.17	1.9	0.29	2.0	23	NA
Mid	04/04/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	04/04/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
 Former Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl-benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	05/12/00	<0.05	0.059	<0.05	0.091	<5.0	NA
Mid	05/12/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	05/12/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	06/19/00	<0.05	0.12	<0.05	<0.05	<5.0	NA
Mid	06/19/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	06/19/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	07/25/00	2.4	8.1	0.80	3.5	140	NA
Mid	07/25/00	<0.050	0.07	<0.050	<0.050	12	NA
Effluent	07/25/00	<0.05	<0.05	<0.05	<0.05	5.4	NA
Influent	07/25/00	2.4	8.1	0.80	3.5	140	NA
Mid	07/25/00	<0.050	0.07	<0.050	<0.050	12	NA
Effluent	07/25/00	<0.05	<0.05	<0.05	<0.05	5.4	NA
Influent	08/09/00	2.4	8.1	0.80	3.5	140	NA
Mid	08/09/00	<0.050	0.07	<0.050	<0.050	12	NA
Effluent	08/09/00	<0.05	<0.05	<0.05	<0.05	5.4	NA
Influent	09/06/00	2.4	8.1	0.80	3.5	140	NA
Mid	09/06/00	<0.050	0.07	<0.050	<0.050	12	NA
Effluent	09/06/00	<0.05	<0.05	<0.05	<0.05	5.4	NA
Influent	10/17/00	<0.05	0.075	<0.05	0.14	<5.0	NA
Mid	10/17/00	<0.050	0.07	<0.050	<0.050	<5.0	NA
Effluent	10/17/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	11/29/00	<0.05	0.24	0.08	0.29	<5.0	NA
Mid	11/29/00	<0.05	0.07	<0.05	0.18	<5.0	NA
Effluent	11/29/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	12/07/00	<0.05	0.13	<0.05	0.064	<5.0	NA
Mid	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/07/01	0.12	0.85	0.16	0.92	17	NA
Mid	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	02/23/01	0.19	1.6	0.19	1.1	32	NA
Mid	02/23/01	<0.05	0.07	<0.05	<0.05	<5.0	NA
Effluent	02/23/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
 Former Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl-benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	03/01/01	0.97	1.2	0.13	0.64	18	NA
Mid	03/01/01	<0.05	0.053	<0.05	<0.098	<5.0	NA
Effluent	03/01/01	<0.05	0.053	<0.05	0.13	<5.0	NA
Influent	10/17/2000	<0.05	0.075	<0.05	0.14	<5.0	NA
Mid-Carbon	10/17/2000	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	10/17/2000	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	11/29/2000	<0.05	0.24	0.08	0.29	<5.0	NA
Mid-Carbon	11/29/2000	<0.05	0.07	<0.05	0.18	<5.0	NA
Effluent	11/29/2000	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	12/07/00	<0.05	0.13	<0.05	0.064	<5.0	NA
Mid-Carbon	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	12/07/00	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/07/01	0.12	0.85	0.16	0.92	17	NA
Mid-Carbon	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/07/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	02/23/01	0.19	1.6	0.19	1.1	32	NA
Mid-Carbon	02/23/01	<0.05	0.07	<0.05	<0.05	<5.0	NA
Effluent	02/23/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	03/01/01	0.97	1.2	0.13	0.64	18	NA
Mid-Carbon	03/01/01	<0.05	0.053	<0.05	0.098	<5.0	NA
Effluent	03/01/01	<0.05	0.11	<0.05	0.13	<5.0	NA
Influent	04/18/01	0.1	0.63	0.12	0.56	18	NA
Mid-Carbon	04/18/01	<0.05	<0.05	<0.05	0.078	<5.0	NA
Effluent	04/18/01	<0.05	<0.05	<0.05	0.11	<5.0	NA
Influent	05/21/01	0.088	1.0	0.31	1.5	20	NA
Mid-Carbon	05/21/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	05/21/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	06/05/01	0.15	1.5	0.36	1.6	24	NA
Mid-Carbon	06/05/01	<0.05	0.053	<0.05	0.098	9.1	NA
Effluent	06/05/01	<0.05	<0.05	<0.05	<0.05	5.6	NA
Influent	07/16/01	<0.05	0.11	<0.05	0.14	<5.0	NA
Mid-Carbon	07/16/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	07/16/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
 Former Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl-benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	08/24/01	0.15	1.1	0.16	0.71	19	NA
Mid-Carbon	08/24/01	<0.05	0.055	<0.05	<0.05	<5.0	NA
Effluent	08/24/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	09/06/01	0.28	1.8	0.38	1.6	37	NA
Mid-Carbon	09/06/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	09/06/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	11/23/01	0.11	0.17	<0.05	0.10	<5.0	NA
Mid-Carbon	11/23/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	11/23/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	12/13/01	0.076	0.16	<0.05	0.063	<5.0	NA
Mid-Carbon	12/13/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	12/13/01	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	01/29/02	<0.05	0.12	<0.05	0.067	<5.0	NA
Mid-Carbon	01/29/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/29/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	03/20/02	0.054	0.12	<0.05	<0.05	<5.0	NA
Mid-Carbon	03/20/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	03/20/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	04/18/02	<0.05	0.076	<0.05	0.092	<5.0	0.16
Mid-Carbon	04/18/02	<0.05	<0.05	<0.05	<0.05	<5.0	2.1
Effluent	04/18/02	<0.05	<0.05	<0.05	<0.05	<5.0	0.32
Influent	05/13/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	05/13/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	05/13/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	06/13/02	<0.05	0.07	<0.05	<0.05	<5.0	NA
Mid-Carbon	06/13/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	06/13/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	07/22/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Mid-Carbon	07/22/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	07/22/02	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	08/21/02	<0.05	<0.05	<0.05	<0.05	<5.0	0.2
Mid-Carbon	08/21/02	<0.05	<0.05	<0.05	<0.05	<5.0	0.94
Effluent	08/21/02	<0.05	<0.05	<0.05	<0.05	<5.0	1.5

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
 Former Beacon Station No. 3720
 1088 Marina Boulevard
 San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl-benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	09/23/02	<0.05	0.19	<0.05	0.12	<5.0	1.2
Mid-Carbon	09/23/02	<0.05	<0.05	<0.05	<0.05	<5.0	1.9
Effluent	09/23/02	<0.05	<0.05	<0.05	<0.05	<5.0	2.0
Influent	10/21/02	<0.05	0.46	0.068	0.33	7.3	0.93
Mid-Carbon	10/21/02	<0.05	<0.05	<0.05	<0.05	<5.0	<0.1
Effluent	10/21/02	<0.05	<0.05	<0.05	<0.05	<5.0	<0.1
Influent	11/24/02	0.064	0.8	0.11	0.56	12	2.3
Mid-Carbon	11/24/02	<0.05	<0.05	<0.05	<0.05	<5.0	<0.1
Effluent	11/24/02	<0.05	<0.05	<0.05	<0.05	<5.0	<0.1
Influent	12/20/02	0.18	2.6	0.34	1.4	27	4.7
Mid-Carbon	12/20/02	<0.05	<0.05	<0.05	<0.05	<5.0	0.63
Effluent	12/20/02	<0.05	0.13	<0.05	0.052	<5.0	0.24
Influent	01/29/03	<0.05	0.11	<0.05	0.071	<5.0	NA
Mid-Carbon	01/29/03	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Effluent	01/29/03	<0.05	<0.05	<0.05	<0.05	<5.0	NA
Influent	02/20/03	<0.05	0.19	<0.05	0.17	<5.0	0.61
Mid-Carbon	02/20/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Effluent	02/20/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Influent	03/20/03	<0.05	0.12	<0.05	0.11	<5.0	0.59
Mid-Carbon	03/20/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Effluent	03/20/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Influent	04/22/03	<0.05	0.15	0.067	0.44	5.6	1.1
Mid-Carbon	04/22/03	<0.05	<0.05	<0.05	<0.05	<5.0	1.6
Effluent	04/22/03	<0.05	<0.05	<0.05	<0.05	<5.0	0.91
Influent	05/29/03	<0.05	0.094	<0.05	0.084	<5.0	0.96
Mid-Carbon	05/29/03	<0.05	<0.05	<0.05	<0.05	<5.0	3.3
Effluent	05/29/03	<0.05	<0.05	<0.05	<0.05	<5.0	0.85
Influent	06/10/03	<0.05	<0.05	<0.05	<0.05	<5.0	2.2
Mid-Carbon	06/10/03	<0.05	<0.05	<0.05	<0.05	<5.0	0.55
Effluent	06/10/03	<0.05	<0.05	<0.05	<0.05	<5.0	0.50
Influent	07/21/03	<0.05	0.077	<0.05	<0.05	<5.0	3.2
Mid-Carbon	07/21/03	0.064	<0.05	<0.05	<0.05	<5.0	1.2
Effluent	07/21/03	<0.05	<0.05	<0.05	<0.05	<5.0	2.0
Influent	08/20/03	0.18	1.0	0.095	0.58	23	2.3
Mid-Carbon	08/20/03	0.058	<0.05	<0.05	<0.05	<5.0	1.9
Effluent	08/20/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.05
Influent	11/26/03	0.86	9.5	1.2	5.4	210	4.9
Mid-Carbon	11/26/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Effluent	11/26/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10

TABLE 2

SVE SYSTEM ANALYTICAL RESULTS

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Sample ID	Date	Benzene (ppmv)	Toluene (ppmv)	Ethyl- benzene (ppmv)	Total Xylenes (ppmv)	TPH as gasoline (ppmv)	MTBE (ppmv)
Influent	12/29/03	0.21	4.1	0.68	4.1	69	<0.05
Mid-Carbon	12/29/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.05
Effluent	12/29/03	<0.05	<0.05	<0.05	<0.05	<5.0	<0.05
Influent	01/28/04	0.13	1.7	0.31	1.4	29	<0.10
Mid-Carbon	01/28/04	<0.05	0.078	<0.05	0.36	<5.0	<0.10
Effluent	01/28/04	<0.05	0.092	0.061	0.49	<5.0	<0.10
Influent	02/29/04	0.12	0.91	0.29	2.0	24	<0.10
Mid-Carbon	02/29/04	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Effluent	02/29/04	<0.05	<0.05	<0.05	<0.05	<5.0	<0.10
Influent	03/15/04	0.13	0.72	0.15	0.88	15	<0.05
Mid-Carbon	03/15/04	<0.05	<0.05	<0.05	0.056	<5.0	<0.05
Effluent	03/15/04	<0.05	<0.05	<0.05	0.38	<5.0	<0.05
Influent	05/26/04	0.13	0.88	0.24	1.3	19	<0.05
Mid-Carbon	05/26/04	<0.05	<0.05	<0.05	0.15	<5.0	<0.05
Effluent	05/26/04	<0.05	0.07	0.066	0.51	7.2	<0.05
Influent	06/30/04	0.15	0.83	0.30	1.7	33	<0.05
Mid-Carbon	06/30/04	<0.05	<0.05	<0.05	<0.05	16	<0.05
Effluent	06/30/04	<0.05	<0.05	<0.05	<0.05	5.2	<0.05
Influent	08/30/04	<0.05	0.05	<0.05	0.14	<5.0	<0.05
Mid-Carbon	08/30/04	<0.05	<0.05	<0.05	<0.05	<5.0	<0.05
Effluent	08/30/04	<0.05	<0.05	<0.05	<0.05	<5.0	<0.05
Influent	09/19/04	<0.05	<0.05	<0.05	<0.05	<5.0	<0.05
Mid-Carbon	09/19/04	<0.05	<0.05	<0.05	<0.05	6.2*	<0.05
Effluent	09/19/04	<0.05	<0.05	<0.05	<0.05	5.6*	<0.05

TPH = Total petroleum hydrocarbons.

MTBE = methyl -t-butyl ether

mg/L = Micrograms per liter.

ppmv = parts per million by volume.

* = It was determined the tedlar bag manufacture had produced and shipped contaminated bags.

TABLE 3
SVE SYSTEM THROUGHPUT CALCULATIONS

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Date	Influent	Effluent	TPH Influent (ppmv)	TPH Effluent (ppmv)	Benzene Influent (ppmv)	Benzene Effluent (ppmv)	TPH Removal (%)	Benzene Removal (%)	TPH	TPH	Benzene	Benzene	FID or LAB	Cumulative	Cumulative	Total Hours	Change in hours of operation
	Flow Rate (ft ³ /min)	Flow Rate (ft ³ /min)							Extraction Rate (lbs/day)	Mass Emission (lbs/day)	Extraction Rate (lbs/day)	Emission Rate (lbs/day)		TPH Extraction (lbs)	TPH Extraction (gallons)		
08/18/98	---	---	---	---	---	---	---	---	---	---	---	---	---	1,715	---	---	---
09/10/98	98	98	16	<5.0	0.16	<0.05	NC	NC	0.50	< 0.16	0.005	< 0.002	LAB	1,721	282	2,587	552
09/23/98	98	98	9.4	<5.0	0.16	<0.05	NC	NC	0.29	< 0.16	0.005	< 0.002	LAB	1,726	283	2,907	320
10/20/98	59	59	28	<5.0	0.63	<0.05	NC	NC	0.53	< 0.09	0.012	< 0.001	LAB	1,727	283	2,962	55
12/08/98	49	49	43	<5.0	0.73	<0.05	NC	NC	0.67	< 0.08	0.011	< 0.001	LAB	1,727	283	3,803	0*
01/13/99	49	49	6.5	5.4	0.068	<0.05	16.9	NC	0.10	0.08	0.001	< 0.001	LAB	1,738	285	4,495	692
02/10/99	44	44	56	<5.0	1.1	<0.05	NC	NC	0.79	< 0.07	0.016	< 0.001	LAB	1,738	285	4,496	1
03/10/99	15	15	<5.0	<5.0	0.07	<0.05	NC	NC	< 0.02	< 0.02	0.001	< 0.001	LAB	1,750	287	5,172	676
06/08/99	35	35	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	1,750	287	5,173	1
07/12/99	39	39	11	<5.0	0.16	<0.05	NC	NC	0.14	< 0.06	0.002	< 0.001	LAB	1,753	287	5,982	809
08/04/99	39	39	12	<5.0	0.092	<0.05	NC	NC	0.15	< 0.06	0.001	< 0.001	LAB	1,756	288	6,534	552
09/07/99	39	39	16	<5.0	0.069	<0.05	NC	NC	0.20	< 0.06	0.001	< 0.001	LAB	1,762	289	7,351	817
10/12/99	54	54	150	<5.0	0.96	<0.05	NC	NC	2.59	< 0.09	0.015	< 0.001	LAB	1,772	290	7,998	167**
11/17/99	49	49	21	<5.0	0.22	<0.05	NC	NC	0.33	< 0.08	0.003	< 0.001	LAB	1,825	299	8,866	868
12/28/00	49	49	570	<5.0	1.2	<0.05	NC	NC	8.96	< 0.08	0.017	< 0.001	LAB	1,825	299	8,867	1
01/12/00	79	79	110	<5.0	0.45	<0.05	NC	NC	2.77	< 0.13	0.010	< 0.001	LAB	1,907	313	9,202	335
01/26/00	79	79	14	<5.0	0.059	<0.05	NC	NC	0.35	< 0.13	0.001	< 0.001	LAB	1,929	316	9,540	338
02/09/00	79	79	59	<5.0	0.45	<0.05	NC	NC	1.48	< 0.13	0.010	< 0.001	LAB	1,933	317	9,662	122
03/16/00	79	79	46	<5.0	0.1	<0.05	NC	NC	1.16	< 0.13	0.002	< 0.001	LAB	1,981	325	10,525	863
04/04/00	41	41	23	<5.0	0.17	<0.05	NC	NC	0.30	< 0.07	0.002	< 0.001	LAB	1,981	325	10,526	2
05/12/00	41	41	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.07	< 0.07	< 0.001	< 0.001	LAB	1,986	326	11,164	638
06/19/00	41	41	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.07	< 0.07	< 0.001	< 0.001	LAB	1,988	326	12,071	907
07/11/00	41	41	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.07	< 0.07	< 0.001	< 0.001	LAB	1,990	326	12,601	530
07/25/00	41	41	140	< 5.4	2.4	<0.05	96.1	NC	1.85	0.07	0.029	< 0.001	LAB	2,003	328	12,937	336
08/09/00	41	41	2200	<5.0	25	<0.05	NC	NC	29.05	< 0.07	0.299	< 0.001	LAB	2,004	329	12,938	1
09/06/00	41	41	6.8	<5.0	<0.05	<0.05	NC	NC	0.09	< 0.07	< 0.001	< 0.001	LAB	2,409	395	13,606	668

**TABLE 3
SVE SYSTEM THROUGHPUT CALCULATIONS**

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Date	Influent	Effluent	TPH Influent (ppmv)	TPH Effluent (ppmv)	Benzene Influent (ppmv)	Benzene Effluent (ppmv)	TPH Removal (%)	Benzene Removal (%)	TPH	TPH	Benzene	Benzene	FID or LAB	Cumulative	Cumulative	Total Hours	Change in hours of operation
	Flow Rate (ft ³ /min)	Flow Rate (ft ³ /min)							Extraction Rate (lbs/day)	Mass Emission (lbs/day)	Extraction Rate (lbs/day)	Emission Rate (lbs/day)		TPH Extraction (lbs)	TPH Extraction (gallons)		
10/17/00	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,411	395	14,054	448
11/29/00	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,414	396	15,062	1,008
12/07/00	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,414	396	16,259	266
01/19/01	87	87	17.0	<5.0	0.12	<0.05	NC	NC	0.47	< 0.14	0.003	< 0.001	LAB	2,425	397	16,259	931
02/23/01	67	67	32.0	<5.0	0.19	<0.05	NC	NC	0.69	< 0.11	0.004	< 0.001	LAB	2,445	401	17,096	837
03/01/01	60	60	18.0	<5.0	0.097	<0.05	NC	NC	0.35	< 0.10	0.002	< 0.001	LAB	2,448	401	17,247	151
04/18/01	62	62	18.0	<5.0	0.1	<0.05	NC	NC	0.36	< 0.10	0.002	< 0.001	LAB	2,465	404	18,396	1,149
05/21/01	65	65	20.0	<5.0	0.088	<0.05	NC	NC	0.42	< 0.10	0.002	< 0.001	LAB	2,477	406	19,160	764
06/05/01	78	78	24.0	<5.0	0.15	<0.05	NC	NC	0.60	< 0.12	0.003	< 0.001	LAB	2,485	407	19,514	354
07/16/01	40	40	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.06	< 0.06	< 0.001	< 0.001	LAB	2,494	409	20,157	643
08/24/01	45	45	19.0	<5.0	0.15	<0.05	NC	NC	0.27	< 0.07	0.002	< 0.001	LAB	2,500	410	21,098	941
09/06/01	50	50	37.0	<5.0	0.28	<0.05	NC	NC	0.59	< 0.08	0.004	< 0.001	LAB	2,506	411	21,406	308
11/23/01	60	60	<5.0	<5.0	0.11	<0.05	NC	NC	< 0.10	< 0.10	0.002	< 0.001	LAB	2,518	413	22,246	840
12/13/01	65	65	<5.0	<5.0	0.076	<0.05	NC	NC	< 0.10	< 0.10	0.001	< 0.001	LAB	2,520	413	22,728	482
01/29/02	62	62	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,525	414	23,850	1,122
03/20/02	65	65	<5.0	<5.0	0.054	<0.05	NC	NC	< 0.10	< 0.10	0.001	< 0.001	LAB	2,530	415	25,054	1,204
04/18/02	65	65	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,533	415	25,743	689
05/13/02	64	65	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,535	416	26,358	615
06/13/02	65	65	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,538	416	27,071	713
07/22/02	68	68	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.11	< 0.11	< 0.001	< 0.001	LAB	2,543	417	28,027	956
08/21/02	68	68	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.11	< 0.11	< 0.001	< 0.001	LAB	2,546	417	28,750	722
09/23/02	65	65	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,549	418	29,536	787
10/21/02	69	69	7.3	<5.0	<0.05	<0.05	NC	NC	0.16	< 0.11	< 0.001	< 0.001	LAB	2,553	419	30,212	676
11/24/02	70	70	12.0	<5.0	0.064	<0.05	NC	NC	0.27	< 0.11	0.001	< 0.001	LAB	2,560	420	31,024	812
12/20/02	62	62	27.0	<5.0	0.18	<0.05	NC	NC	0.54	< 0.10	0.003	< 0.001	LAB	2,571	421	31,654	630
01/29/03	65	65	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,584	424	32,613	959
02/20/03	68	68	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.11	< 0.11	< 0.001	< 0.001	LAB	2,586	424	33,138	525
03/20/03	62	62	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,587	424	33,426	288
04/22/03	65	65	5.6	<5.0	<0.05	<0.05	NC	NC	0.12	< 0.10	< 0.001	< 0.001	LAB	2,593	425	34,600	1,175

**TABLE 3
SVE SYSTEM THROUGHPUT CALCULATIONS**


Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

Date	Influent	Effluent	TPH Influent (ppmv)	TPH Effluent (ppmv)	Benzene Influent (ppmv)	Benzene Effluent (ppmv)	TPH Removal (%)	Benzene Removal (%)	TPH	TPH	Benzene	Benzene	FID or LAB	Cumulative	Cumulative	Total Hours	Change in hours of operation
	Flow Rate (ft ³ /min)	Flow Rate (ft ³ /min)							Extraction Rate (lbs/day)	Mass Emission (lbs/day)	Extraction Rate (lbs/day)	Emission Rate (lbs/day)		TPH Extraction (lbs)	TPH Extraction (gallons)		
05/29/03	65	65	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,597	426	35,480	880
06/10/03	64	64	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,598	426	35,776	296
07/21/03	62	62	<5.0	<5.0	<0.05	<0.05	NC	NC	< 0.10	< 0.10	< 0.001	< 0.001	LAB	2,602	427	36,760	984
08/20/03	61	61	23.0	<5.0	0.18	<0.05	NC	NC	0.45	< 0.10	0.003	< 0.001	LAB	2,610	428	37,485	726
11/26/03	82	82	210.0	<5.0	0.86	<0.05	NC	NC	5.51	< 0.13	0.020	< 0.001	LAB	2,664	437	37,916	431
12/29/03	118	118	69.0	<5.0	0.21	<0.05	NC	NC	2.61	< 0.19	0.007	< 0.002	LAB	2,802	459	38,732	816
01/28/04	120	120	29.0	<5.0	0.13	<0.05	NC	NC	1.11	< 0.19	0.005	< 0.002	LAB	2,858	469	39,452	720
02/29/04	119	119	24.0	<5.0	0.12	<0.05	NC	NC	0.91	< 0.19	0.004	< 0.002	LAB	2,890	474	40,220	768
03/15/04	121	121	15.0	<5.0	0.13	<0.05	NC	NC	0.58	< 0.19	0.005	< 0.002	LAB	2,902	476	40,580	360
05/26/04	75	75	19.0	<5.0	0.13	<0.05	NC	NC	0.46	< 0.12	0.003	< 0.001	LAB	2,925	479	41,660	1,080
06/30/04	85	85	33.0	<5.0	0.15	<0.05	NC	NC	0.90	< 0.14	0.004	< 0.001	LAB	2,949	483	42,500	840
08/30/04	68	68	<5.0	<5.0	<0.05	<0.05	NC	NC	0.11	< 0.11	0.001	< 0.001	LAB	2,971	487	43,580	1,080
09/19/04	72	72	<5.0	<5.0	<0.05	<0.05	NC	NC	0.12	< 0.12	0.001	< 0.001	LAB	2,973	487	44,060	480

* The system was running on ambient air, thus change in hours are zero.

** The system was running on ambient air from 9/22/99 to 10/12/99, the change in hours only represents time the system was extracting soil vapor.

NC = Not Calculated



GENERAL NOTES:
 BASE MAP FROM U.S.G.S.
 SAN LEANDRO, CA
 7.5 MINUTE TOPOGRAPHIC
 PHOTOREVISED 1980





FIGURE 1
SITE LOCATION MAP
 TESORO STATION NO. 67106
 (FORMER BEACON STATION NO. 3720)
 1088 MARINA BOULEVARD
 SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 12/18/01
FILE NO. 00-3720-1A	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY



R D M
Environmental





LEGEND:

- PROPERTY LINE
- x-x- FENCE
- MW-1 MONITORING WELL LOCATION
- ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
- ⊗ SP-1 AIR SPARGING WELL LOCATION
- (21.43) GROUND WATER ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL
- 21.4— WATER ELEVATION CONTOUR IN FEET RELATIVE TO MEAN SEA LEVEL

NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.




FIGURE 3
GROUND WATER ELEVATION CONTOUR MAP
7/16/04

TESORO STATION NO. 67106
(FORMER BEACON STATION NO. 3720)
1088 MARINA BOULEVARD
SAN LEANDRO, CA.


PROJECT NO. 00-3720	DRAWN BY M.L. 10/22/04
FILE NO. 00-3720-6	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY



WAYNE AVENUE



(<0.5)
MW-7




MARINA BOULEVARD

MW-6
(<0.5)

LEGEND:

- PROPERTY LINE
- - - FENCE
- MW-1 MONITORING WELL LOCATION
- ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
- ⊗ SP-1 AIR SPARGING WELL LOCATION
- (48) BENZENE CONCENTRATION IN MICROGRAMS PER LITER (ug/L)
- 5.0 — BENZENE ISOCONCENTRATION CONTOUR



NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.



FIGURE 4
BENZENE ISO-CONCENTRATION MAP
7/16/04
TESORO STATION NO. 67106
(FORMER BEACON STATION NO. 3720)
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M. L. 10/22/04
FILE NO. 00-3720-6	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY



WAYNE AVENUE

(<50)
 MW-7



MARINA BOULEVARD

MW-6
 (<50)

LEGEND:

- PROPERTY LINE
- - - FENCE
- MW-1 MONITORING WELL LOCATION
- ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
- ⊗ SP-1 AIR SPARGING WELL LOCATION
- (21,000) TPHg CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g/L}$)
- 500— TPHg ISOCONCENTRATION CONTOUR





FIGURE 5
TPHg ISO-CONCENTRATION MAP
 7/16/04

TESORO STATION NO. 67106
 (FORMER BEACON STATION NO. 3720)
 1088 MARINA BOULEVARD
 SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 10/22/04	
FILE NO. 00-3720-6	PREPARED BY RDM	
REVISION NO. 1	REVIEWED BY	


NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.



WAYNE AVENUE

(<0.5)
MW-7



MARINA BOULEVARD

MW-6
(<0.5)



LEGEND:

- PROPERTY LINE
- x-x- FENCE
- MW-1 MONITORING WELL LOCATION
- ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
- ⊗ SP-1 AIR SPARGING WELL LOCATION
- (92) MTBE CONCENTRATION IN MICROGRAMS PER LITER (ug/L)
- 5.0— MTBE ISOCONCENTRATION CONTOUR




FIGURE 6
MTBE ISO-CONCENTRATION MAP
7/16/04



TESORO STATION NO. 67106
(FORMER BEACON STATION NO. 3720)
1088 MARINA BOULEVARD
SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 10/22/04	
FILE NO. 00-3720-6	PREPARED BY RDM	
REVISION NO. 1	REVIEWED BY	

NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

AIR SPARGE SYSTEM



SOIL VAPOR EXTRACTION SYSTEM

FIGURE 7
SOIL VAPOR EXTRACTION & AIR SPARGE FLOW DIAGRAM
TESORO STATION NO. 67106
(FORMER BEACON STATION NO. 3720)
1088 MARINA BLVD.
SAN LEANDRO, CA.

PROJECT NO. 00-3720	DRAWN BY M.L. 2/18/04	 Environmental
FILE NO. 00-3720-10	PREPARED BY RDM	
REVISION NO. 1	REVIEWED BY	

HISTORICAL BACKGROUND INFORMATION

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

PREVIOUS OWNER

- January 1987 - Three underground gasoline storage tanks and one waste oil tank were excavated and removed from two tank cavities. Samples collected from beneath the former tanks indicated that hydrocarbons were present in the soil.
- March 1987 - Five monitoring wells (MW-1 through MW-5) were installed by Conoco. Hydrocarbons were detected in soil and ground-water samples collected from the wells with the highest concentrations being detected in the area of MW-4.
- July 1987 - Four soil borings were drilled in the vicinity of MW-4 to further characterize the soil contamination in that area. TPH concentrations above 100 ppm were detected in each boring. The site has been on a monitoring program since June 1987.

ULTRAMAR INC.

- July 1990 - The site was purchased by Ultramar Inc. from Conoco. The monitoring program has continued.
- August 1991 - A shallow ground water study was performed as a screening tool to locate wells.
- October 1991 - Three additional wells were installed to further define the extent of the dissolved hydrocarbon plume.
- October 1993 - Performed a ground-water pump test, a vapor extraction test, and an air-sparging test.
- May 1994 - A Problem Assessment Report/Remedial Action Plan was submitted.
- December 1994 - One additional monitoring well, six air sparging points and one vapor extraction well were installed.
- June 1997 - Began operation of vapor extraction system.
- July 1997 - The ground water recovery system and the air sparging system began operation.
- September 7, 1999 - Performed quarterly monitoring. Continued to operate the vapor extraction and air sparging systems. The ground-water system did not operate during the quarter.
- As of March 1998, the ground water extraction system has processed approximately 228,850 gallons of water.
- On October 4, 2000, 1,500 gallons of ground water were over purged from Monitoring wells MW-2 and MW-3 using a vacuum truck. Analytical results are included in Table 2.
- On October 17, 2000, 1,200 gallons of ground water were over purged from Monitoring wells MW-2 and MW-3 using a vacuum truck. Analytical results are included in Table 2.

HISTORICAL BACKGROUND INFORMATION

Tesoro Station No. 67106
Former Beacon Station No. 3720
1088 Marina Boulevard
San Leandro, California

- On November 29, 2000, approximately 1,800 gallons of ground water were extracted during the dual phased extraction (DPE) test from MW-1 and MW-2.
- On December 4, 2000, approximately 1,600 gallons of ground water were extracted during the DPE test.
- On January 4, 2001, approximately 1,000 gallons of ground water were extracted during the DPE test.
- The evaluation of these interim remediation events is included in the Doulos report entitled *Evaluation of Interim Remediation with Vacuum Truck/Dual Phase Extraction Events*.
- On May 17, 2002, Tesoro Petroleum purchased the facility from Ultramar.
- The ground water extraction system was removed during the system upgrade (November 2003).
- The soil vapor extraction and air sparging system was upgraded in November 2003.

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>						
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>						
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-1</u>						
Signature: <u>[Signature]</u>							
Well Box Condition/Traffic							
Traffic Control Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Time: <u>1550</u> hours						
Standing water Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	above or below casing						
Top of well level <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Remark: _____						
Well cap & locked <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Remark: _____						
Height of Riser <u>7"</u>							
Well Box <input checked="" type="checkbox"/> 8" 12" 24" Type of well box <u>CMI</u>							
Purging/Sampling Equipment							
Purging -							
2" Disposable Bailer <input checked="" type="checkbox"/>	Submersible Pump _____						
2" PVC Bailer _____	Dedicated Bailer _____						
4" PVC Bailer _____	Centrifugal Pump _____						
Sampling -							
Disposable Bailer <input checked="" type="checkbox"/>	Teflon Bailer _____ Disposable Tubing _____						
Well Purging							
Well Diameter: 2" <input checked="" type="checkbox"/> 4" _____ 6" _____ 8" _____							
Purge Vol. Multiplier <u>0.16</u> 0.65 1.47 2.61							
Initial Measurement _____ Recharge Measurement _____ Calculated Purge <u>1.78</u>							
Time: <u>1358</u> _____ Time: _____ Actual Purge <u>2.0</u>							
Depth of Well <u>17.74</u> _____ Depth to Water _____							
Depth to Water <u>14.04</u> _____							
Sample							
Start Purge <u>1555</u>	Sample Time <u>1608</u>						
Time	Temperature	E.C.	pH	ORP	Turbidity		Volume
<u>1557</u>	<u>67.0</u>	<u>213</u>	<u>6.78</u>				<u>1</u>
<u>1602</u>	<u>68.4</u>	<u>213</u>	<u>6.82</u>				<u>2</u>
<u>1605</u>	<u>66.2</u>	<u>215</u>	<u>6.63</u>				<u>3</u>
Sample Appearance <u>CLEAR</u>		Lock <u>04</u>					
Equipment Replacement							
Lock <u>04</u>	Well Cap <u>04</u>	Bolts <u>Need 2</u>	Box <u>04</u>				
Remarks:							

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>						
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>						
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-2</u>						
Signature: <u>[Signature]</u>							
Well Box Condition/Traffic							
Traffic Control <input checked="" type="radio"/> Yes <input type="radio"/> No	Time: <u>1756</u> hours						
Standing water <input type="radio"/> Yes <input checked="" type="radio"/> No	above or below casing						
Top of well level <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____						
Well cap & locked <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____						
Height of Riser <u>2"</u>							
Well Box 8" <input checked="" type="radio"/> 12" <input type="radio"/> 24"	Type of well box <u>POMERO</u>						
Purging/Sampling Equipment							
Purging -							
2" Disposable Bailer <input checked="" type="checkbox"/>	Submersible Pump _____						
2" PVC Bailer _____	Dedicated Bailer _____						
4" PVC Bailer _____	Centrifugal Pump _____						
Sampling -							
Disposable Bailer <input checked="" type="checkbox"/>	Teflon Bailer _____ Disposable Tubing _____						
Well Purging							
Well Diameter: 2" <input checked="" type="checkbox"/> 4" _____ 6" _____ 8" _____							
Purge Vol. Multiplier <u>0.16</u> 0.65 1.47 2.61							
Initial Measurement _____ Recharge Measurement _____ Calculated Purge <u>4.10</u>							
Time: <u>1403</u> _____ Time: _____ Actual Purge <u>4.1</u>							
Depth of Well <u>22.31</u> _____ Depth to Water _____							
Depth to Water <u>13.76</u> _____							
Sample							
Start Purge <u>1758</u>	Sample Time <u>1818</u>						
Time	Temperature	E.C.	pH	ORP	Turbidity		Volume
<u>1807</u>	<u>66.5</u>	<u>275</u>	<u>6.77</u>				<u>1</u>
<u>1810</u>	<u>66.9</u>	<u>261</u>	<u>6.72</u>				<u>2</u>
<u>1815</u>	<u>67.2</u>	<u>261</u>	<u>6.76</u>				<u>3</u>
Sample Appearance <u>CLOUDY</u>		Lock <u>04</u>					
Equipment Replacement							
Lock <u>04</u>	Well Cap <u>04</u>	Bolts <u>Need 1</u>	Box <u>1 bit screw off in threads</u>				
Remarks:							

Client: Tesoro Sample Data: 7/16/2004
 Site: Tesoro Station 67106 Project Number: 02-67106
1088 Marina Blvd., San Leandro, CA Well Designation: MW-3
 Signature: [Signature]

Well Box Condition/Traffic

Traffic Control Yes No Time: 1625 hours
 Standing water Yes No above or below casing
 Top of well level Yes No Remark: _____
 Well cap & locked Yes No Remark: _____
 Height of Riser 2"
 Well Box 8" 12" 24" Type of well box CNE

Purging/Sampling Equipment

Purging -

2" Disposable Bailer _____ Submersible Pump X
 2" PVC Bailer _____ Dedicated Bailer _____
 4" PVC Bailer _____ Centrifugal Pump _____

Sampling -

Disposable Bailer X Teflon Bailer _____ Disposable Tubing _____

Well Purging

Well Diameter: 2" X 4" _____ 6" _____ 8" _____
 Purge Vol. Multiplier 0.16 0.65 1.47 2.61

Initial Measurement _____ Recharge Measurement _____ Calculated Purge 7.09
 Time: 1359 Time: _____ Actual Purge 7.5
 Depth of Well 284 Depth to Water _____
 Depth to Water 1360

Sample

Start Purge 1637 Sample Time 1649

Time	Temperature	E.C.	pH	ORP	Turbidity	Volume
<u>1640</u>	<u>67.5</u>	<u>332</u>	<u>6.58</u>			<u>1</u>
<u>1643</u>	<u>67.4</u>	<u>331</u>	<u>6.49</u>			<u>2</u>
<u>1642</u>	<u>67.4</u>	<u>332</u>	<u>6.47</u>			<u>3</u>

Sample Appearance CLEAR Lock 04

Equipment Replacement

Lock 04 Well Cap 04 Bolts 04 Box 04

Remarks:

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>					
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>					
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-4</u>					
Signature: <u>[Signature]</u>						
Well Box Condition/Traffic						
Traffic Control <input checked="" type="radio"/> Yes <input type="radio"/> No	Time: <u>1825</u> hours					
Standing water <input type="radio"/> Yes <input checked="" type="radio"/> No	above or below casing					
Top of well level <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____					
Well cap & locked <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____					
Height of Riser <u>1"</u>						
Well Box 8" 12" <input checked="" type="radio"/> 24" Type of well box <u>Not marked</u>						
Purging/Sampling Equipment						
Purging -						
2" Disposable Bailer _____	Submersible Pump <input checked="" type="checkbox"/>					
2" PVC Bailer _____	Dedicated Bailer _____					
4" PVC Bailer _____	Centrifugal Pump _____					
Sampling -						
Disposable Bailer <input checked="" type="checkbox"/>	Teflon Bailer _____ Disposable Tubing _____					
Well Purging						
Well Diameter: 2" <input checked="" type="checkbox"/> 4" _____ 6" _____ 8" _____						
Purge Vol. Multiplier 0.16 0.65 1.47 2.61						
Initial Measurement _____ Recharge Measurement _____	Calculated Purge <u>6.38</u>					
Time: <u>1404</u>	Time: _____ Actual Purge <u>8.5</u>					
Depth of Well <u>27.45</u>	Depth to Water _____					
Depth to Water <u>14.16</u>						
Sample						
Start Purge <u>1830</u>	Sample Time <u>1850</u>					
Time	Temperature	E.C.	pH	ORP	Turbidity	Volume
<u>1834</u>	<u>66.7</u>	<u>438</u>	<u>7.23</u>			<u>1</u>
<u>1837</u>	<u>66.7</u>	<u>335</u>	<u>7.10</u>			<u>2</u>
<u>1840</u>	<u>66.8</u>	<u>380</u>	<u>6.92</u>			<u>3</u>
<u>1847</u>	<u>66.8</u>	<u>395</u>	<u>6.74</u>			<u>4</u>
Sample Appearance <u>Cloudy</u>	Lock <u>OK</u>					
Equipment Replacement						
Lock <u>OK</u>	Well Cap <u>OK</u>	Bolts <u>Need</u>	Box <u>OK</u>			
Remarks:						

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-5</u>
Signature: <u>[Signature]</u>	

Well Box Condition/Traffic

Traffic Control	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Time: <u>1723</u> hours
Standing water	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	above or below casing
Top of well level	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Remark:
Well cap & locked	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Remark: <u>Air space line</u>
Height of Riser	<u>1"</u>	
Well Box	8" 12" <input checked="" type="checkbox"/> 24" Type of well box	<u>Not marked</u>

Purging/Sampling Equipment

Purging -

2" Disposable Bailer	<input type="checkbox"/>	Submersible Pump	<input checked="" type="checkbox"/>
2" PVC Bailer	<input type="checkbox"/>	Dedicated Bailer	<input type="checkbox"/>
4" PVC Bailleurs	<input type="checkbox"/>	Centrifugal Pump	<input type="checkbox"/>

Sampling -

Disposable Bailer	<input checked="" type="checkbox"/>	Teflon Bailer	<input type="checkbox"/>	Disposable Tubing	<input type="checkbox"/>
-------------------	-------------------------------------	---------------	--------------------------	-------------------	--------------------------

Well Purging

Well Diameter:	2" <input checked="" type="checkbox"/>	4" <input type="checkbox"/>	6" <input type="checkbox"/>	8" <input type="checkbox"/>
Purge Vol. Multiplier	0.16	0.65	1.47	2.61
Initial Measurement		Recharge Measurement		Calculated Purge <u>7.14</u>
Time: <u>1402</u>		Time:		Actual Purge <u>9.0</u>
Depth of Well <u>28.8</u>		Depth to Water		
Depth to Water <u>13.92</u>				

Sample

Start Purge	<u>1725</u>	Sample Time	<u>1742</u>
-------------	-------------	-------------	-------------

Time	Temperature	E.C.	pH	ORP	Turbidity	Volume
<u>1728</u>	<u>65.5</u>	<u>845</u>	<u>6.60</u>			<u>1</u>
<u>1731</u>	<u>65.9</u>	<u>849</u>	<u>6.60</u>			<u>2</u>
<u>1736</u>	<u>65.7</u>	<u>784</u>	<u>6.49</u>			<u>3</u>
<u>1739</u>	<u>65.6</u>	<u>771</u>	<u>6.54</u>			<u>4</u>

Sample Appearance	<u>CLOUDY</u>	Lock	<u>N/A</u>
-------------------	---------------	------	------------

Equipment Replacement

Lock	<u>N/A</u>	Well Cap	<u>04</u>	Bolts	<u>Need 4</u>	Box	<u>OK</u>
------	------------	----------	-----------	-------	---------------	-----	-----------

Remarks:

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>					
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>					
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-6</u>					
Signature: <u>[Signature]</u>						
Well Box Condition/Traffic						
Traffic Control <input checked="" type="radio"/> Yes <input type="radio"/> No	Time: <u>1445</u> hours					
Standing water <input checked="" type="radio"/> Yes <input type="radio"/> No	above <input checked="" type="radio"/> below casing					
Top of well level <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____					
Well cap & locked <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____					
Height of Riser <u>6"</u>						
Well Box <u>8" (12") 24"</u> Type of well box <u>Pomelo</u>						
Purging/Sampling Equipment						
Purging -						
2" Disposable Bailer <input checked="" type="checkbox"/>	Submersible Pump _____					
2" PVC Bailer _____	Dedicated Bailer _____					
4" PVC Bailer _____	Centrifugal Pump _____					
Sampling -						
Disposable Bailer <input checked="" type="checkbox"/>	Teflon Bailer _____ Disposable Tubing _____					
Well Purging						
Well Diameter: 2" <input checked="" type="checkbox"/> 4" _____ 6" _____ 8" _____						
Purge Vol. Multiplier 0.16 0.65 1.47 2.61						
Initial Measurement _____ Recharge Measurement _____	Calculated Purge <u>0.97</u>					
Time: <u>1354</u>	Time: _____ Actual Purge <u>1.0</u>					
Depth of Well <u>14.86</u>	Depth to Water _____					
Depth to Water <u>12.84</u>						
Sample						
Start Purge <u>1448</u>	Sample Time <u>1500</u>					
Time	Temperature	E.C.	pH	ORP	Turbidity	Volume
<u>1451</u>	<u>70.1</u>	<u>868</u>	<u>6.93</u>			<u>1</u>
<u>1453</u>	<u>69.5</u>	<u>891</u>	<u>6.97</u>			<u>2</u>
<u>1457</u>	<u>70.0</u>	<u>879</u>	<u>7.00</u>			<u>3</u>
Sample Appearance <u>CLEAR</u>		Lock <u>ON</u>				
Equipment Replacement						
Lock <u>ON</u>	Well Cap <u>ON</u>	Bolts <u>Need 3</u>	Box <u>OK</u>			
Remarks:						

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>						
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>						
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-7</u>						
Signature: <u>[Signature]</u>							
Well Box Condition/Traffic							
Traffic Control <input checked="" type="radio"/> Yes <input type="radio"/> No	Time: <u>1420</u> hours						
Standing water <input type="radio"/> Yes <input checked="" type="radio"/> No	above or below casing						
Top of well level <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____						
Well cap & locked <input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____						
Height of Riser <u>12"</u>							
Well Box <u>8" (12") 24"</u> Type of well box <u>Pomelo</u>							
Purging/Sampling Equipment							
Purging -							
2" Disposable Bailer _____	Submersible Pump <u>X</u>						
2" PVC Bailer _____	Dedicated Bailer _____						
4" PVC Bailer _____	Centrifugal Pump _____						
Sampling -							
Disposable Bailer <u>X</u>	Teflon Bailer _____ Disposable Tubing _____						
Well Purging							
Well Diameter: 2" <u>X</u> 4" _____ 6" _____ 8" _____							
Purge Vol. Multiplier 0.16 0.65 1.47 2.61							
Initial Measurement _____ Recharge Measurement _____	Calculated Purge <u>6.05</u>						
Time: <u>1352</u> _____	Time: _____ Actual Purge <u>7.0</u>						
Depth of Well <u>25.45</u> _____	Depth to Water _____						
Depth to Water <u>12.85</u> _____							
Sample							
Start Purge <u>1425</u> _____	Sample Time <u>1440</u> _____						
Time	Temperature	E.C.	pH	ORP	Turbidity		Volume
<u>1428</u>	<u>65.8</u>	<u>420</u>	<u>7.00</u>				<u>1</u>
<u>1429</u>	<u>65.5</u>	<u>440</u>	<u>6.87</u>				<u>2</u>
<u>1431</u>	<u>65.2</u>	<u>441</u>	<u>6.78</u>				<u>3</u>
Sample Appearance <u>CLEAR</u>	Lock <u>04</u>						
Equipment Replacement							
Lock <u>04</u>	Well Cap <u>04</u>	Bolts <u>Need 3</u>	Box <u>04</u>				
Remarks:							

Client: Tesoro Sample Data: 7/16/2004
 Site: Tesoro Station 67106 Project Number: 02-67106
1088 Marina Blvd., San Leandro, CA Well Designation: MW-8
 Signature: [Signature]

Well Box Condition/Traffic

Traffic Control Yes No Time: 1655 hours
 Standing water Yes No above or below casing
 Top of well level Yes No Remark: _____
 Well cap & locked Yes No Remark: _____
 Height of Riser 5"
 Well Box 8" 24" Type of well box CNI

Purging/Sampling Equipment

Purging -

2" Disposable Bailer _____ Submersible Pump
 2" PVC Bailer _____ Dedicated Bailer _____
 4" PVC Bailers _____ Centrifugal Pump _____

Sampling -

Disposable Bailer Teflon Bailer _____ Disposable Tubing _____

Well Purging

Well Diameter: 2" 4" _____ 6" _____ 8" _____
 Purge Vol. Multiplier 0.16 0.65 1.47 2.61
 Initial Measurement _____ Recharge Measurement _____ Calculated Purge 6.38
 Time: 1400 Time: _____ Actual Purge 7.0
 Depth of Well 28.05 Depth to Water _____
 Depth to Water 14.76

Sample

Start Purge 1700 Sample Time 1710

Time	Temperature	E.C.	pH	ORP	Turbidity	Volume
<u>1703</u>	<u>64.3</u>	<u>821</u>	<u>6.52</u>			<u>1</u>
<u>1705</u>	<u>64.4</u>	<u>843</u>	<u>6.54</u>			<u>2</u>
<u>1707</u>	<u>64.1</u>	<u>856</u>	<u>6.47</u>			<u>3</u>

Sample Appearance CLEAR Lock OK

Equipment Replacement

Lock OK Well Cap OK Bolts OK Box OK

Remarks:

Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: <u>MW-9</u>
Signature: <u>[Signature]</u>	

Well Box Condition/Traffic

Traffic Control	<input checked="" type="radio"/> Yes <input type="radio"/> No	Time: <u>1505</u> hours
Standing water	<input type="radio"/> Yes <input checked="" type="radio"/> No	above or below casing
Top of well level	<input checked="" type="radio"/> Yes <input type="radio"/> No	Remark: _____
Well cap & locked	<input type="radio"/> Yes <input checked="" type="radio"/> No	Remark: <u>1/2" air hose through PVC end well cap</u>
Height of Riser	<u>6"</u>	
Well Box 8" 12" <input checked="" type="radio"/> 24"	Type of well box	<u>Not marked</u>

Purging/Sampling Equipment

Purging -

2" Disposable Bailer	_____	Submersible Pump	<input checked="" type="checkbox"/>
2" PVC Bailer	_____	Dedicated Bailer	_____
4" PVC Bailleurs	_____	Centrifugal Pump	_____

Sampling -

Disposable Bailer	<input checked="" type="checkbox"/>	Teflon Bailer	_____	Disposable Tubing	_____
-------------------	-------------------------------------	---------------	-------	-------------------	-------

Well Purging

Well Diameter: 2"	_____	4" <input checked="" type="checkbox"/>	6"	_____	8"	_____
Purge Vol. Multiplier	0.16	0.65	1.47	2.61		
Initial Measurement	_____	Recharge Measurement	_____	Calculated Purge	<u>21.61</u>	
Time: <u>1357</u>		Time: _____		Actual Purge	<u>22.0</u>	
Depth of Well	<u>24.6</u>	Depth to Water	_____			
Depth to Water	<u>13.52</u>					

Sample

Start Purge	<u>1514</u>	Sample Time	<u>1531</u>
-------------	-------------	-------------	-------------


Time	Temperature	E.C.	pH	ORP	Turbidity	Volume
<u>1517</u>	<u>67.0</u>	<u>488</u>	<u>7.33</u>			<u>1</u>
<u>1523</u>	<u>66.8</u>	<u>484</u>	<u>7.16</u>			<u>2</u>
<u>1529</u>	<u>66.8</u>	<u>484</u>	<u>7.07</u>			<u>3</u>

Sample Appearance	<u>CLEAR</u>	Lock	<u>N/A</u>
-------------------	--------------	------	------------


Equipment Replacement

Lock	<u>N/A</u>	Well Cap	<u>04</u>	Bolts	<u>Need 2</u>	Box	<u>1 bit screw in threads</u>
------	------------	----------	-----------	-------	---------------	-----	-------------------------------

Remarks: _____



MARINA BOULEVARD



LEGEND:

- PROPERTY LINE
- FENCE
- MW-1 MONITORING WELL LOCATION
- ⊙ VW-1 VAPOR EXTRACTION WELL LOCATION
- ⊗ SP-1 AIR SPARGING WELL LOCATION




FIGURE 2

SITE MAP

TESORO STATION NO. 67106
 (FORMER BEACON STATION NO. 3720)
 1088 MARINA BOULEVARD
 SAN LEANDRO, CA.

NOTES:

1. BASE MAP ADAPTED FROM FUGRO FIGURE DATED 10/24/95
 SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.
2. MONITORING WELLS MW-6 AND MW-7 ARE OFF-SITE.

PROJECT NO. 00-3720	DRAWN BY M.L. 12/18/01
FILE NO. 00-3720-6	PREPARED BY RDM
REVISION NO. 1	REVIEWED BY



Client: <u>Tesoro</u>	Sample Data: <u>7/16/2004</u>
Site: <u>Tesoro Station 67106</u>	Project Number: <u>02-67106</u>
<u>1088 Marina Blvd., San Leandro, CA</u>	Well Designation: _____
Signature: _____	

Well Box Condition/Traffic

Traffic Control	Yes No	Time: _____ hours
Standing water	Yes No	above or below casing
Top of well level	Yes No	Remark: _____
Well cap & locked	Yes No	Remark: _____
Height of Riser	_____	
Well Box	8" 12" 24"	Type of well box _____

Purging/Sampling Equipment

Purging -

2" Disposable Bailer	_____	Submersible Pump	_____
2" PVC Bailer	_____	Dedicated Bailer	_____
4" PVC Bailleurs	_____	Centrifugal Pump	_____

Sampling -

Disposable Bailer	_____	Teflon Bailer	_____	Disposable Tubing	_____
-------------------	-------	---------------	-------	-------------------	-------

Well Purging

Well Diameter:	2" _____	4" _____	6" _____	8" _____	
Purge Vol. Multiplier	0.16	0.65	1.47	2.61	
Initial Measurement	_____	Recharge Measurement	_____	Calculated Purge	_____
Time:	_____	Time:	_____	Actual Purge	_____
Depth of Well	_____	Depth to Water	_____		
Depth to Water	_____				

Sample

Start Purge	_____	Sample Time	_____
-------------	-------	-------------	-------

Time	Temperature	E.C.	pH	ORP	Turbidity			Volume

Sample Appearance	_____	Lock	_____
-------------------	-------	------	-------

Equipment Replacement

Lock	_____	Well Cap	_____	Bolts	_____	Box	_____
------	-------	----------	-------	-------	-------	-----	-------

Remarks:



Report Number : 39266

Date : 7/27/2004

Richard Munsch
RDM Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 9 Water Samples
Project Name : Tesoro Station 67106
Project Number : 67106

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink, appearing to read "Joel Kiff".

Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Sample : **MW-1**


Matrix : Water

Lab Number : 39266-01

Sample Date : 7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	0.57	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	130	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	74	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	1.4	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	5500	250	ug/L	EPA 8260B	7/27/2004
Toluene - d8 (Surr)	94.0		% Recovery	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	7/23/2004

Approved By:


Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-2

Matrix : Water

Lab Number : 39266-02

Sample Date :7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	42	9.0	ug/L	EPA 8260B	7/22/2004
Toluene	36	9.0	ug/L	EPA 8260B	7/22/2004
Ethylbenzene	1200	9.0	ug/L	EPA 8260B	7/22/2004
Total Xylenes	2300	9.0	ug/L	EPA 8260B	7/22/2004
Methyl-t-butyl ether (MTBE)	17	9.0	ug/L	EPA 8260B	7/22/2004
Diisopropyl ether (DIPE)	< 5.0	5.0	ug/L	EPA 8260B	7/27/2004
Ethyl-t-butyl ether (ETBE)	< 5.0	5.0	ug/L	EPA 8260B	7/27/2004
Tert-amyl methyl ether (TAME)	< 5.0	5.0	ug/L	EPA 8260B	7/27/2004
Tert-Butanol	< 25	25	ug/L	EPA 8260B	7/27/2004
TPH as Gasoline	21000	900	ug/L	EPA 8260B	7/22/2004
Toluene - d8 (Surr)	87.2		% Recovery	EPA 8260B	7/22/2004
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	7/22/2004

Approved By:

Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-3

Matrix : Water

Lab Number : 39266-03

Sample Date : 7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	6.1	0.50	ug/L	EPA 8260B	7/20/2004
Toluene	1.1	0.50	ug/L	EPA 8260B	7/20/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Total Xylenes	0.83	0.50	ug/L	EPA 8260B	7/20/2004
Methyl-t-butyl ether (MTBE)	43	0.50	ug/L	EPA 8260B	7/20/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Tert-Butanol	21	5.0	ug/L	EPA 8260B	7/20/2004
TPH as Gasoline	1900	50	ug/L	EPA 8260B	7/20/2004
Toluene - d8 (Surr)	105		% Recovery	EPA 8260B	7/20/2004
4-Bromofluorobenzene (Surr)	97.3		% Recovery	EPA 8260B	7/20/2004

Approved By:

Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-4

Matrix : Water

Lab Number : 39266-04

Sample Date : 7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	46	4.0	ug/L	EPA 8260B	7/27/2004
Toluene	330	4.0	ug/L	EPA 8260B	7/27/2004
Ethylbenzene	360	4.0	ug/L	EPA 8260B	7/27/2004
Total Xylenes	2200	4.0	ug/L	EPA 8260B	7/27/2004
Methyl-t-butyl ether (MTBE)	58	4.0	ug/L	EPA 8260B	7/27/2004
Diisopropyl ether (DIPE)	< 4.0	4.0	ug/L	EPA 8260B	7/27/2004
Ethyl-t-butyl ether (ETBE)	< 4.0	4.0	ug/L	EPA 8260B	7/27/2004
Tert-amyl methyl ether (TAME)	< 4.0	4.0	ug/L	EPA 8260B	7/27/2004
Tert-Butanol	28	20	ug/L	EPA 8260B	7/27/2004
TPH as Gasoline	10000	400	ug/L	EPA 8260B	7/27/2004
Toluene - d8 (Surr)	97.6		% Recovery	EPA 8260B	7/27/2004
4-Bromofluorobenzene (Surr)	103		% Recovery	EPA 8260B	7/27/2004

Approved By:


Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-5

Matrix : Water

Lab Number : 39266-05

Sample Date :7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	24	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	0.85	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	36	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	20	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	71	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	46	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	2100	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	95.2		% Recovery	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	98.0		% Recovery	EPA 8260B	7/23/2004

Approved By:


Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-6

Matrix : Water

Lab Number : 39266-06

Sample Date : 7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	95.9		% Recovery	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	99.9		% Recovery	EPA 8260B	7/23/2004

Approved By:


Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-7

Matrix : Water

Lab Number : 39266-07

Sample Date : 7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	99.6		% Recovery	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	7/23/2004

Approved By:

Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-8

Matrix : Water

Lab Number : 39266-08

Sample Date :7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	32	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	34	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	51	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	92	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	67	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	2000	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	96.0		% Recovery	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	98.7		% Recovery	EPA 8260B	7/23/2004

Approved By:


Joel Kiff



Report Number : 39266

Date : 7/27/2004

Project Name : Tesoro Station 67106

Project Number : 67106

Sample : MW-9

Matrix : Water

Lab Number : 39266-09

Sample Date :7/16/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	56	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	95.7		% Recovery	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	7/23/2004

Approved By:

Joel Kiff

Report Number : 39266

Date : 7/27/2004

QC Report : Method Blank Data

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/21/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/21/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/21/2004
Toluene - d8 (Surr)	101		%	EPA 8260B	7/21/2004
4-Bromofluorobenzene (Surr)	98.6		%	EPA 8260B	7/21/2004
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/26/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/26/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/26/2004
Toluene - d8 (Surr)	97.5		%	EPA 8260B	7/26/2004
4-Bromofluorobenzene (Surr)	89.8		%	EPA 8260B	7/26/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/20/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/20/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/20/2004
Toluene - d8 (Surr)	102		%	EPA 8260B	7/20/2004
4-Bromofluorobenzene (Surr)	97.2		%	EPA 8260B	7/20/2004
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	99.6		%	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	97.4		%	EPA 8260B	7/23/2004

Approved By:  Joel Kiff

Report Number : 39266

Date : 7/27/2004

QC Report : Method Blank Data

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/22/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/22/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/22/2004
Toluene - d8 (Surr)	95.0		%	EPA 8260B	7/22/2004
4-Bromofluorobenzene (Surr)	97.9		%	EPA 8260B	7/22/2004
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/23/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/23/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/23/2004
Toluene - d8 (Surr)	95.6		%	EPA 8260B	7/23/2004
4-Bromofluorobenzene (Surr)	99.3		%	EPA 8260B	7/23/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Toluene	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	7/27/2004
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	7/27/2004
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	7/27/2004
Toluene - d8 (Surr)	98.1		%	EPA 8260B	7/27/2004
4-Bromofluorobenzene (Surr)	100		%	EPA 8260B	7/27/2004

Approved By:  _____
 Approved By: Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 39266


Date : 7/27/2004

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : Tesoro Station 67106

Project Number : 67106

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Recov. Limit	Relative Percent Diff. Limit
Benzene	39267-06	0.58	39.4	37.4	38.8	36.3	ug/L	EPA 8260B	7/22/04	97.2	95.6	1.65	70-130	25
Toluene	39267-06	<0.50	39.4	37.4	37.8	35.4	ug/L	EPA 8260B	7/22/04	96.0	94.6	1.48	70-130	25
Tert-Butanol	39267-06	7.7	197	187	189	184	ug/L	EPA 8260B	7/22/04	92.3	94.0	1.87	70-130	25
Methyl-t-Butyl Ether	39267-06	85	39.4	37.4	122	116	ug/L	EPA 8260B	7/22/04	91.8	83.2	9.75	70-130	25
Benzene	39314-01	<0.50	40.0	39.9	34.8	34.7	ug/L	EPA 8260B	7/26/04	86.9	86.9	0.0296	70-130	25
Toluene	39314-01	<0.50	40.0	39.9	37.4	37.2	ug/L	EPA 8260B	7/26/04	93.6	93.3	0.314	70-130	25
Tert-Butanol	39314-01	<5.0	200	200	190	206	ug/L	EPA 8260B	7/26/04	94.8	103	8.31	70-130	25
Methyl-t-Butyl Ether	39314-01	<0.50	40.0	39.9	43.2	43.1	ug/L	EPA 8260B	7/26/04	108	108	0.126	70-130	25
Benzene	39266-03	6.1	40.0	40.0	46.6	46.2	ug/L	EPA 8260B	7/20/04	101	100	1.12	70-130	25
Toluene	39266-03	1.1	40.0	40.0	41.3	41.1	ug/L	EPA 8260B	7/20/04	100	100	0.390	70-130	25
Tert-Butanol	39266-03	21	200	200	223	217	ug/L	EPA 8260B	7/20/04	101	98.3	2.85	70-130	25
Methyl-t-Butyl Ether	39266-03	42	40.0	40.0	88.2	88.8	ug/L	EPA 8260B	7/20/04	114	116	1.41	70-130	25
Benzene	39266-07	<0.50	40.0	40.0	40.5	40.4	ug/L	EPA 8260B	7/23/04	101	101	0.275	70-130	25
Toluene	39266-07	<0.50	40.0	40.0	39.6	39.5	ug/L	EPA 8260B	7/23/04	99.0	98.8	0.182	70-130	25
Tert-Butanol	39266-07	<5.0	200	200	202	207	ug/L	EPA 8260B	7/23/04	101	104	2.74	70-130	25
Methyl-t-Butyl Ether	39266-07	<0.50	40.0	40.0	40.5	39.4	ug/L	EPA 8260B	7/23/04	101	98.6	2.60	70-130	25
Benzene	39246-02	<0.50	40.0	40.0	42.3	41.7	ug/L	EPA 8260B	7/23/04	106	104	1.46	70-130	25
Toluene	39246-02	<0.50	40.0	40.0	39.7	39.1	ug/L	EPA 8260B	7/23/04	99.2	97.8	1.47	70-130	25

Approved By:  Joe Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 39266


Date : 7/27/2004

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : Tesoro Station 67106

Project Number : 67106

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Tert-Butanol	39246-02	6.3	200	200	214	218	ug/L	EPA 8260B	7/23/04	104	106	1.98	70-130	25
Methyl-t-Butyl Ether	39246-02	0.67	40.0	40.0	41.3	41.1	ug/L	EPA 8260B	7/23/04	102	101	0.540	70-130	25
Benzene	39282-05	2.6	40.0	40.0	44.8	44.2	ug/L	EPA 8260B	7/23/04	106	104	1.45	70-130	25
Toluene	39282-05	<0.50	40.0	40.0	41.3	40.5	ug/L	EPA 8260B	7/23/04	103	101	1.81	70-130	25
Tert-Butanol	39282-05	140	200	200	354	358	ug/L	EPA 8260B	7/23/04	105	107	1.76	70-130	25
Methyl-t-Butyl Ether	39282-05	15	40.0	40.0	57.1	56.4	ug/L	EPA 8260B	7/23/04	105	104	1.64	70-130	25
Benzene	39354-20	<0.50	40.0	40.0	35.0	34.0	ug/L	EPA 8260B	7/27/04	87.6	84.9	3.07	70-130	25
Toluene	39354-20	<0.50	40.0	40.0	37.7	36.7	ug/L	EPA 8260B	7/27/04	94.3	91.7	2.78	70-130	25
Tert-Butanol	39354-20	<5.0	200	200	212	213	ug/L	EPA 8260B	7/27/04	106	106	0.484	70-130	25
Methyl-t-Butyl Ether	39354-20	<0.50	40.0	40.0	47.0	47.0	ug/L	EPA 8260B	7/27/04	117	118	0.111	70-130	25

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 39266

Date : 7/27/2004

QC Report : Laboratory Control Sample (LCS)


Project Name : **Tesoro Station 67106**

Project Number : **67106**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	7/21/04	95.8	70-130
Toluene	40.0	ug/L	EPA 8260B	7/21/04	94.1	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/21/04	98.5	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/21/04	96.8	70-130
Benzene	40.0	ug/L	EPA 8260B	7/26/04	84.9	70-130
Toluene	40.0	ug/L	EPA 8260B	7/26/04	91.5	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/26/04	101	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/26/04	108	70-130
Benzene	40.0	ug/L	EPA 8260B	7/20/04	95.6	70-130
Toluene	40.0	ug/L	EPA 8260B	7/20/04	97.3	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/20/04	92.9	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/20/04	103	70-130
Benzene	40.0	ug/L	EPA 8260B	7/23/04	96.9	70-130
Toluene	40.0	ug/L	EPA 8260B	7/23/04	99.6	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/23/04	96.0	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/23/04	102	70-130
Benzene	40.0	ug/L	EPA 8260B	7/22/04	102	70-130

KIFF ANALYTICAL, LLC

Approved By:



 Joel Kiff

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 39266

Date : 7/27/2004

QC Report : Laboratory Control Sample (LCS)

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Toluene	40.0	ug/L	EPA 8260B	7/22/04	94.7	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/22/04	102	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/22/04	98.9	70-130
Benzene	40.0	ug/L	EPA 8260B	7/23/04	103	70-130
Toluene	40.0	ug/L	EPA 8260B	7/23/04	102	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/23/04	102	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/23/04	104	70-130
Benzene	40.0	ug/L	EPA 8260B	7/27/04	86.9	70-130
Toluene	40.0	ug/L	EPA 8260B	7/27/04	94.4	70-130
Tert-Butanol	200	ug/L	EPA 8260B	7/27/04	104	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	7/27/04	120	70-130

KIFF ANALYTICAL, LLC

Approved By:


Joel Kiff

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800



Analysis Summary

Report Number : 39266

Date : 7/27/2004

Attention : Richard Munsch
 RDM Environmental
 1704 Via Riata
 Roseville, CA 95747

Project Name : Tesoro Station 67106
 Project Number : 67106

Sample Name		MW-1		MW-2		MW-3		MW-4		MW-5		MW-6		MW-7		MW-8		
Sample Date		7/16/2004		7/16/2004		7/16/2004		7/16/2004		7/16/2004		7/16/2004		7/16/2004		7/16/2004		
Analyte	Method	Units	MRL	Results	MRL	Results	MRL	Results	MRL	Results	MRL	Results	MRL	Results	MRL	Results	MRL	Results
Benzene	EPA 8260B	ug/L	0.50	ND	9.0	42	0.50	6.1	4.0	46	0.50	24	0.50	ND	0.50	ND	0.50	32
Toluene	EPA 8260B	ug/L	0.50	0.57	9.0	36	0.50	1.1	4.0	330	0.50	0.85	0.50	ND	0.50	ND	0.50	ND
Ethylbenzene	EPA 8260B	ug/L	0.50	130	9.0	1200	0.50	ND	4.0	360	0.50	36	0.50	ND	0.50	ND	0.50	34
Total Xylenes	EPA 8260B	ug/L	0.50	74	9.0	2300	0.50	0.83	4.0	2200	0.50	20	0.50	ND	0.50	ND	0.50	51
Methyl-t-butyl ether (MTBE)	EPA 8260B	ug/L	0.50	1.4	9.0	17	0.50	43	4.0	58	0.50	71	0.50	ND	0.50	ND	0.50	92
Diisopropyl ether (DiPE)	EPA 8260B	ug/L	0.50	ND	5.0	ND	0.50	ND	4.0	ND	0.50	ND	0.50	ND	0.50	ND	0.50	ND
Ethyl-t-butyl ether (ETBE)	EPA 8260B	ug/L	0.50	ND	5.0	ND	0.50	ND	4.0	ND	0.50	ND	0.50	ND	0.50	ND	0.50	ND
Tert-amyl methyl ether (TAME)	EPA 8260B	ug/L	0.50	ND	5.0	ND	0.50	ND	4.0	ND	0.50	ND	0.50	ND	0.50	ND	0.50	ND
Tert-Butanol	EPA 8260B	ug/L	5.0	ND	25	ND	5.0	21	20	28	5.0	46	5.0	ND	5.0	ND	5.0	67
TPH as Gasoline	EPA 8260B	ug/L	250	5500	900	21000	50	1900	400	10000	50	2100	50	ND	50	ND	50	2000
Toluene - d8 (Surr)	EPA 8260B	%		94.0		87.2		105		97.6		95.2		95.9		99.6		96.0
4-Bromofluorobenzene (Surr)	EPA 8260B	%		100		100		97.3		103		98.0		99.9		100		98.7

MRL = Method Reporting Limit
 ND = Not Detected

Approved By,

Joel Kiff



Analysis Summary

Report Number : 39266

Date : 7/27/2004

Attention : Richard Munsch
RDM Environmental
1704 Via Riata
Roseville, CA 95747

Project Name : Tesoro Station 67106
Project Number : 67106

Sample Name		MW-9		
Sample Date		7/16/2004		
Analyte	Method	Units	MRL	Results
Benzene	EPA 8260B	ug/L	0.50	ND
Toluene	EPA 8260B	ug/L	0.50	ND
Ethylbenzene	EPA 8260B	ug/L	0.50	ND
Total Xylenes	EPA 8260B	ug/L	0.50	ND
Methyl-t-butyl ether (MTBE)	EPA 8260B	ug/L	0.50	ND
Diisopropyl ether (DIPE)	EPA 8260B	ug/L	0.50	ND
Ethyl-t-butyl ether (ETBE)	EPA 8260B	ug/L	0.50	ND
Tert-amyl methyl ether (TAME)	EPA 8260B	ug/L	0.50	ND
Tert-Butanol	EPA 8260B	ug/L	5.0	ND
TPH as Gasoline	EPA 8260B	ug/L	50	56
Toluene - d8 (Surr)	EPA 8260B	%		95.7
4-Bromofluorobenzene (Surr)	EPA 8260B	%		100

MRL = Method Reporting Limit
ND = Not Detected

Approved By,



Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800
ELAP # 2236



2795 2nd Street, Suite 300
 Davis, CA 95616
 Lab: 530.297.4800
 Fax: 530.297.4808

Lab No. 39266 Page 1 of 1

Project Contact (Hardcopy or PDF To):
Richard Munsob

Company/Address:
*1704 Via Rinto
 Roseville CA 95747*

Phone No.: *916 771 7098* FAX No.: *916 771 4584*

Project Number:
67106 P.O. No.:

California EDF Report? Yes No

Recommended but not mandatory to complete this section:
 Sampling Company Log Code: *RDMR*

Global ID:
T-0-6-0-0-1-0-1-4-0-9

EDF Deliverable To (Email Address):

Chain-of-Custody Record and Analysis Request

Project Name:
Tesoro Station 67106

Project Address:
*1089 Marina Blvd
 San Leandro CA*

Sampler Signature:
[Signature]

Analysis Request

Sample Designation	Date	Time	40 ml VOA	SLEEVE	Container				Preservative				Matrix		BTEX (8021B)	BTEX/TPH Gas/MTBE (8021B/MB015)	TPH as Diesel (M8015)	TPH as Motor Oil (MB015)	TPH Gas/BTEX/MTBE (8260B)	5 Oxygenates/TPH Gas/BTEX (8260B)	7 Oxygenates/TPH Gas/BTEX (8260B)	5 Oxygenates (8260B)	7 Oxygenates (8260B)	Lead Scav. (1,2 DCA & 1,2 EDB - 8260B)	EPA 8260B (Full List)	Volatile Halocarbons (EPA 8260B)	Lead (7421/239.2) TOTAL (X) W.E.T. (X)	TAT	12 hr/24 hr/48 hr/72 hr/1 wk	For Lab Use Only		
					HCl	HNO ₃	ICE	NONE	WATER	SOIL																						
<i>MW-1</i>	<i>7/16/04</i>	<i>1608</i>	<i>3</i>							X	X								X													<i>01</i>
<i>MW-2</i>	<i>7/16/04</i>	<i>1508</i>	<i>3</i>							X	X								X													<i>02</i>
<i>MW-3</i>	<i>7/16/04</i>	<i>1649</i>	<i>3</i>							X	X								X													<i>03</i>
<i>MW-4</i>	<i>7/16/04</i>	<i>1850</i>	<i>3</i>							X	X								X													<i>04</i>
<i>MW-5</i>	<i>7/16/04</i>	<i>1742</i>	<i>3</i>							X	X								X													<i>05</i>
<i>MW-6</i>	<i>7/16/04</i>	<i>1500</i>	<i>3</i>							X	X								X													<i>06</i>
<i>MW-7</i>	<i>7/16/04</i>	<i>1440</i>	<i>3</i>							X	X								X													<i>07</i>
<i>MW-8</i>	<i>7/16/04</i>	<i>1710</i>	<i>3</i>							X	X								X													<i>08</i>
<i>MW-9</i>	<i>7/16/04</i>	<i>1531</i>	<i>3</i>							X	X								X													<i>09</i>

Relinquished by: *[Signature]* Date: _____ Time: _____ Received by: _____

Relinquished by: _____ Date: _____ Time: _____ Received by: _____

Relinquished by: _____ Date: *07/16/04* Time: *1528* Received by Laboratory: *N. C. [Signature]*

Remarks: *STAT*

Bill to: *Tesoro Petroleum / Rob Donavos*

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-1	03/30/92	33.10	13.58	19.52	---	
	07/01/92		14.80	18.30	---	
	09/30/92		16.12	16.98	---	
	11/19/92		16.34	16.76	27.76	
	02/03/93		12.61	20.49	27.72	
	05/25/93		13.12	19.98	27.70	
	09/22/93		14.18	18.92	27.73	
	12/21/93		14.36	18.74	27.70	
	03/18/94		13.64	19.46	27.67	
	06/15/94		14.30	18.80	27.69	
	09/14/94		15.18	17.92	27.66	
	12/19/94		13.79	19.31	27.70	
	12/21/95		13.86	19.24	---	
	03/07/95		12.74	20.36	29.51	
	06/08/95		12.95	20.15	29.54	
	09/22/95		13.94	19.16	29.54	
	12/27/95		13.57	19.53	29.92	
	03/26/96		12.13	20.97	29.90	
	06/13/96		13.10	20.00	17.02	
	09/10/96		14.08	19.02	17.03	
12/05/96	13.41	19.69	17.05			
03/10/97	12.70	20.40	17.04			
06/12/97	13.68	19.42	17.04			
08/19/97	14.31	18.79	17.01			
12/13/97	13.19	19.91	17.01			
MW-2	03/30/92	32.80	13.32	19.48	---	
	07/01/92		14.42	18.38	---	
	09/30/92		15.78	17.02	---	
	11/19/92		15.99	16.81	24.56	
	02/03/93		12.31	20.49	25.37	
	05/25/93		12.97	19.83	25.31	
	09/22/93		14.32	18.48	25.34	
	12/21/93		14.52	18.28	25.31	
	03/18/94		13.45	19.35	25.49	
	06/15/94		14.07	18.73	25.50	
	09/14/94		14.96	17.84	25.50	
	12/19/94		13.64	19.16	25.52	
	12/21/95		13.71	19.09	---	
	03/07/95		12.54	20.26	25.87	
	06/08/95		12.81	19.99	25.86	
	09/22/95		13.66	19.14	25.80	
	12/27/95		13.42	19.38	25.83	
	03/26/96		12.05	20.75	25.83	
	06/13/96		12.79	20.01	26.39	
	09/10/96		13.73	19.07	26.43	
12/05/96	13.29	19.51	26.45			
03/10/97	12.42	20.38	26.48			
06/12/97	13.18	19.62	26.50			
08/19/97	13.94	18.86	26.52			
12/13/97	12.91	19.89	19.02			

NOTES: 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
 2 = Elevation referenced to mean sea level.
Well Depth = Measurement from top of casing to bottom of well.
 --- = Not measured.
 * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-3	03/30/92	32.30	12.96	19.34	---	
	07/01/92		14.00	18.30	---	
	09/30/92		15.36	16.94	---	
	11/19/92		15.57	16.73	24.45	
	02/03/93		11.96	20.34	24.54	
	05/25/93		14.12	18.18	24.50	
	09/22/93		13.88	18.42	24.50	
	12/21/93		14.12	18.18	24.50	
	03/18/94		13.04	19.26	24.57	
	06/15/94		13.65	18.65	24.78	
	09/14/94		14.54	17.76	24.59	
	12/19/94		13.28	19.02	24.71	
	12/21/95		13.30	19.00	---	
	03/07/95		12.26	20.04	26.03	
	06/08/95		12.42	19.88	26.02	
	09/22/95		13.25	19.05	26.00	
	12/27/95		13.04	19.26	26.00	
	03/26/96		11.62	20.68	26.01	
	06/13/96		12.61	19.69	28.45	
	09/10/96		13.49	18.81	28.42	
12/05/96	13.07	19.23	28.42			
03/10/97	12.23	20.07	28.41			
06/12/97	12.94	19.36	28.44			
08/19/97	12.85	19.45	28.45			
12/13/97	12.45	19.85	28.43			
MW-4	03/30/92	32.90	13.60	19.30	---	
	07/01/92		15.72	17.18	---	
	09/30/92		16.04	16.86	---	
	11/19/92		16.21	16.69	26.92	
	02/03/93		12.70	20.20	27.00	
	05/25/93		12.97	19.93	26.88	
	09/22/93		14.51	18.39	26.90	
	12/21/93		14.75	18.15	26.90	
	03/18/94		13.68	19.22	27.24	
	06/15/94		14.37	18.53	28.54	
	09/14/94		15.23	17.67	27.25	
	12/19/94		13.93	18.97	28.61	
	12/21/95		13.99	18.91	---	
	03/07/95		12.86	20.04	28.64	
	06/08/95		13.10	19.80	28.68	
	09/22/95		13.98	18.92	28.71	
	12/27/95		13.74	19.16	28.71	
	03/26/96		12.30	20.60	28.70	
	06/13/96		13.18	19.72	27.86	
	09/10/96		14.22	18.68	27.40	
12/05/96	13.65	19.25	27.40			
03/10/97	12.79	20.11	27.42			
06/12/97	13.51	19.39	27.40			
08/19/97	14.29	18.61	27.40			
12/13/97	13.43	19.47	27.43			

NOTES:

- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
- 2 = Elevation referenced to mean sea level.
- Well Depth = Measurement from top of casing to bottom of well.
- = Not measured.
- * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-5	03/30/92	32.70	13.48	19.22	---	
	07/01/92		14.58	18.12	---	
	09/30/92		15.82	16.88	---	
	11/19/92		16.00	16.70	27.56	
	02/03/93		12.40	20.30	27.61	
	05/25/93		13.01	19.69	27.61	
	09/22/93		14.37	18.33	27.64	
	12/21/93		14.58	18.12	27.01	
	03/18/94		13.53	19.17	28.70	
	06/15/94		14.18	18.52	28.74	
	09/14/94		15.07	17.63	28.70	
	12/19/94		13.74	18.96	28.76	
	12/21/95		13.84	18.86	---	
	03/07/95		12.73	19.97	28.88	
	06/08/95		12.99	19.71	28.87	
	09/22/95		13.83	18.87	28.85	
	12/27/95		13.59	19.11	28.85	
	03/26/96		12.20	20.50	28.84	
	06/13/96		12.98	19.72	28.84	
	09/10/96		13.96	18.74	28.87	
12/05/96	13.36	19.34	28.87			
03/10/97	12.74	19.96	28.86			
06/12/97	13.06	19.64	28.83			
08/19/97	14.21	18.49	28.82			
12/13/97	13.51	19.19	28.85			
MW-6	03/30/92	30.40	12.62	17.78	---	
	07/01/92		12.70	17.70	---	
	09/30/92		13.40	17.00	---	
	11/19/92		13.59	16.81	15.10	
	02/03/93		12.43	17.97	15.01	
	05/25/93		---	---	---	
	10/11/93		12.82	17.58	15.10	
	12/21/93		13.06	17.34	15.10	
	03/18/94		12.16	18.24	15.16	
	06/15/94		12.59	17.81	15.17	
	09/14/94		12.86	17.54	14.97	
	12/19/94		12.48	17.92	15.19	
	12/21/95		11.61	18.79	---	
	03/07/95		12.37	18.03	14.98	
	06/08/95		11.14	19.26	15.00	
	09/22/95		12.44	17.96	15.00	
	12/27/95		12.21	18.19	14.98	
	03/26/96		12.26	18.14	14.97	
	06/13/96		12.55	17.85	14.98	
	09/10/96		12.31	18.09	15.01	
12/05/96	12.22	18.18	15.00			
03/10/97	12.19	18.21	15.01			
06/12/97	12.28	18.12	14.97			
08/19/97	12.30	18.10	14.98			
12/13/97	11.93	18.47	14.93			

NOTES: 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
2 = Elevation referenced to mean sea level.
Well Depth = Measurement from top of casing to bottom of well.
--- = Not measured.
* = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-7	03/30/92	31.20	12.34	18.86	---	*
	07/01/92		15.54	15.66	---	
	09/30/92		14.64	16.56	---	
	11/19/92		14.80	16.40	25.10	
	02/03/93		11.36	19.84	25.02	
	05/25/93		---	---	---	
	09/22/93		13.18	18.02	25.01	
	12/21/93		13.42	17.78	25.02	
	03/18/94		12.36	18.84	25.13	
	06/15/94		13.01	18.19	25.21	
	09/14/94		13.88	17.32	25.13	
	12/19/94		12.61	18.59	25.23	
	12/21/95		12.38	18.82	---	
	03/07/95		11.56	19.64	25.22	
	06/08/95		11.82	19.38	25.20	
	09/22/95		12.67	18.53	25.23	
	12/27/95		12.34	18.86	25.23	
	03/26/96		11.03	20.17	25.21	
	06/13/96		11.76	19.44	25.20	
	09/10/96		12.71	18.49	24.56	
12/05/96	12.32	18.88	24.56			
03/10/97	11.38	19.82	24.53			
06/12/97	12.28	18.92	24.52			
08/19/97	12.92	18.28	24.52			
12/13/97	11.69	19.51	24.50			
MW-8	03/30/92	33.80	14.66	19.14	---	
	07/01/92		15.74	18.06	---	
	09/30/92		17.00	16.80	---	
	11/19/92		17.01	16.79	29.75	
	02/03/93		13.83	19.97	29.88	
	05/25/93		13.01	20.79	29.86	
	09/22/93		15.81	17.99	24.52	
	12/21/93		16.05	17.75	29.86	
	03/18/94		14.62	19.18	29.87	
	06/15/94		15.29	18.51	30.07	
	09/14/94		16.22	17.58	29.87	
	12/19/94		14.81	18.99	30.05	
	12/21/95		14.89	18.91	---	
	03/07/95		13.75	20.05	29.94	
	06/08/95		13.98	19.82	29.93	
	09/22/95		14.92	18.88	29.95	
	12/27/95		14.61	19.19	29.92	
	03/26/96		13.09	20.71	29.73	
	06/13/96		13.81	19.99	27.92	
	09/10/96		14.80	19.00	27.95	
12/05/96	14.05	19.75	27.96			
03/10/97	13.40	20.40	27.98			
06/12/97	14.31	19.49	27.95			
08/19/97	13.85	19.95	27.94			
12/13/97	13.92	19.88	27.93			

NOTES: 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
 2 = Elevation referenced to mean sea level.
Well Depth = Measurement from top of casing to bottom of well.
 --- = Not measured.
 * = Well paved over.

TABLE 1
GROUND WATER ELEVATION DATA
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(Measurements in feet)

Monitoring Well	Date	Reference Elevation (top of casing) ¹	Depth to Ground Water ¹	Ground Water Elevation ²	Well Depth	Comments
MW-9	12/21/95	32.56	13.76	18.80	---	
	03/07/95		12.79	19.77	24.71	
	06/08/95		12.96	19.60	24.70	
	09/22/95		13.73	18.83	24.72	
	12/27/95		13.53	19.03	24.71	
	03/26/96		12.27	20.29	24.70	
	06/13/96		12.84	19.72	24.53	
	09/10/96		13.49	19.07	24.58	
	12/05/96		13.18	19.38	24.60	
	03/10/97		12.25	20.31	24.66	
	06/12/97		12.70	19.86	24.66	
	08/19/97		17.89	14.67	24.68	
	12/13/97		15.79	16.77	24.68	

- NOTES:
- 1 = Measurement and reference elevation taken from notch/mark on top north side of well casing.
 - 2 = Elevation referenced to mean sea level.
 - Well Depth = Measurement from top of casing to bottom of well.
 - = Not measured.
 - * = Well paved over.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-1	03/30/92	27,000		630	550	540	1,900
	07/01/92	55,000		840	1,000	830	3,600
	09/30/92	6,400		150	95	120	470
	11/19/92	1,300		90	11	50	87
	02/03/93	53,000		750	560	950	5,700
	05/25/93	9,400		200	86	470	1,500
	09/22/93	41,000		1,000	510	850	1,100
	12/21/93	41,000		1,000	490	2,700	13,000
	03/18/94	9,500		320	160	830	2,900
	06/15/94	8,000		310	80	990	2,300
	09/14/94	3,600		130	31	390	630
	12/19/94	17,000		350	150	1,500	5,200
	03/07/95	12,000		180	62	1,200	3,200
	06/08/95	6,300		76	8	560	860
	09/22/95	12,000		140	55	1,500	2,500
	12/27/95	3,900		60	13	480	870
	03/26/96	6,400		42	4.9	560	600
	06/13/96	9,600	<50	86	39	1,100	1,700
	09/10/96	16,000	<50	65	35	1,500	2,700
	12/05/96	6,400	<25	25	11	570	930
03/10/97	15,000	<50	42	<5.0	1,400	1,500	
06/12/97	16,000	<100	33	34	1,100	1,700	
08/19/97	17,000	<100	47	14	1,300	2,200	
12/13/97	5,800	<100	20	35	360	470	
MW-2	03/30/92	52,000		2,300	1,700	940	3,300
	07/01/92	130,000		3,500	2,900	1,900	7,900
	09/30/92	24,000		890	350	500	1,700
	11/19/92	32,000		1,900	1,700	870	3,400
	02/03/93	64,000		1,900	2,200	860	4,100
	05/25/93	34,000		3,300	1,500	1,300	5,900
	09/22/93	8,000		640	150	270	2,000
	12/21/93	18,000		1,500	410	1,300	5,000
	03/18/94	14,000		1,600	790	1,100	3,700
	06/15/94	13,000		1,600	580	1,200	4,100
	09/14/94	20,000		1,600	560	1,800	6,400
	12/19/94	19,000		1,700	750	1,600	5,800
	03/07/95	17,000		1,900	980	1,300	5,100
	06/08/95	19,000		2,100	740	1,500	4,900
	09/22/95	12,000		840	170	1,100	3,400
	12/27/95	16,000		1,100	540	1,400	5,100
	03/26/96	11,000		930	520	970	3,000
	06/13/96	11,000	1,200	1,800	1,400	1,500	4,500
	09/10/96	19,000	1,100	1,600	600	1,600	5,000
	12/05/96	12,000	180	650	180	1,000	2,800
03/10/97	6,800	69	430	95	590	1,800	
06/12/97	20,000	100	610	140	1,500	4,300	
08/19/97	3,600	<100	250	10	250	250	
12/13/97	8,300	75	370	150	450	1,600	

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics					
		Gasoline	MTBE ¹	Benzene	Toluene	Ethylbenzene	Total Xylenes	
MW-3	03/30/92	21,000		560	50	630	980	
	07/01/92	13,000		150	20	22	300	
	09/30/92	4,500		53	2.6	84	96	
	11/19/92	4,700		73	6.2	140	120	
	02/03/93	23,000		220	40	430	740	
	05/25/93	9,900		120	26	370	520	
	09/22/93	10,000		370	71	320	640	
	12/21/93	7,800		130	8.5	430	380	
	03/18/94	3,100		22	1.3	78	41	
	06/15/94	1,700		8.6	1.4	22	15	
	09/14/94	1,400		3.8	<1.3	13	18	
	12/19/94	3,800		70	1.7	140	110	
	03/07/95	2,200		9.4	<1.3	30	21	
	06/08/95	1,700		5.8	<1.3	2.3	14	
	09/22/95	1,200		<1.3	<1.3	1.3	<1.3	
	12/27/95	1,300		2.4	<1.3	3.3	3.6	
	03/26/96	1,200		4.3	<1.3	4.2	2	
	06/13/96	1,300		28	5.1	<0.50	21	6.5
	09/10/96	810		<5.0	1.4	4.8	1.6	2.1
	12/05/96	590		<5.0	<0.50	3.2	0.79	0.52
03/10/97	650		<5.0	0.73	3.8	2.4	1.6	
06/12/97	710		<5.0	<0.50	3.5	2.9	3.6	
08/19/97	1,400		13	2.2	0.58	11	34	
12/13/97	810		<5.0	0.96	<0.50	0.54	1.8	
MW-4	03/30/92	76,000		8,000	4,400	730	2,500	
	07/01/92	95,000		6,900	2,200	70	880	
	09/30/92	58,000		7,100	1,500	650	2,700	
	11/19/92	33,000		5,500	840	400	1,400	
	02/03/93	130,000		8,200	6,700	940	4,400	
	05/25/93	63,000		16,000	6,600	1,700	8,100	
	09/22/93	23,000		6,900	940	150	3,000	
	12/21/93	28,000		6,900	1,900	1,100	5,500	
	03/18/94	58,000		17,000	6,300	2,500	10,000	
	06/15/94	59,000		20,000	4,900	2,500	9,100	
	09/14/94	73,000		22,000	6,800	2,700	10,000	
	12/19/94	67,000		20,000	8,300	2,300	9,100	
	03/07/95	57,000		19,000	7,900	2,200	8,700	
	06/08/95	61,000		17,000	6,300	2,700	9,000	
	09/22/95	37,000		12,000	2,200	1,400	3,500	
	12/27/95	39,000		12,000	6,000	1,800	5,800	
	03/26/96	31,000		9,600	3,700	2,300	6,200	
	06/13/96	240		89	64	0.93	1.8	2.7
	09/10/96	91,000		2,900	13,000	20,000	3,200	16,000
	12/05/96	16,000		1,200	3,700	3,100	580	2,800
03/10/97	630		530	91	<0.50	<0.50	0.8	
06/12/97	36,000		1,100	4,600	5,300	1,200	5,500	
08/19/97	12,000		390	420	88	61	520	
12/13/97	4,800		360	560	740	130	1,100	

NOTES: < = Below indicated detection limit
ND = Reported as "nondetect" by previous consultant.
NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-5	03/30/92	29,000		2,600	980	390	1,100
	07/01/92	52,000		2,400	1,000	5,200	2,000
	09/30/92	32,000		1,800	780	370	1,700
	11/19/92	7,800		1,000	280	120	370
	02/03/93	74,000		3,500	3,000	780	3,200
	05/25/93	57,000		7,900	4,700	1,900	7,800
	09/22/93	52,000		7,600	2,400	1,200	8,800
	12/21/93	23,000		3,600	1,200	970	3,600
	03/18/94	47,000		8,200	5,000	1,400	6,100
	06/15/94	28,000		7,900	4,000	1,200	5,200
	09/14/94	32,000		8,000	5,100	1,400	5,600
	12/19/94	29,000		7,000	3,400	1,200	5,200
	03/07/95	36,000		9,800	5,800	1,800	7,800
	06/08/95	33,000		7,700	3,800	1,500	6,200
	09/22/95	39,000		9,500	3,800	1,900	7,000
	12/27/95	42,000		9,700	5,000	2,200	8,800
	03/26/96	37,000		9,800	4,900	2,300	8,800
	06/13/96	18,000	1,400	5,500	2,200	1,500	5,300
	09/10/96	22,000	860	5,600	1,400	1,100	3,500
	12/05/96	24,000	650	5,100	2,500	1,400	4,700
03/10/97	28,000	760	6,800	2,700	1,300	5,700	
06/12/97	49,000	700	7,500	3,200	2,300	9,200	
08/19/97	24,000	1,600	4,700	990	1,400	4,500	
12/13/97	18,000	360	2,700	760	630	4,200	
MW-6	03/30/92	73		2.1	1.1	ND	0.6
	07/01/92	ND		ND	ND	ND	ND
	09/30/92	ND		0.73	ND	ND	0.58
	11/19/92	96		1.5	<0.5	<0.5	0.9
	02/03/93	73		0.6	<0.5	<0.5	<0.5
	05/25/93	NS		NS	NS	NS	NS
	10/11/93	<50		<0.5	<0.5	<0.5	<0.5
	12/21/93	<50		<0.5	<0.5	<0.5	<0.5
	03/18/94	<50		<0.5	<0.5	<0.5	<0.5
	06/15/94	<50		<0.5	<0.5	<0.5	<0.5
	09/14/94	<50		<0.5	<0.5	<0.5	<0.5
	12/19/94	<50		<0.5	<0.5	<0.5	<0.5
	03/07/95	<50		<0.5	<0.5	<0.5	<0.5
	06/08/95	<50		<0.5	<0.5	<0.5	<0.5
	09/22/95	<50		<0.50	<0.50	<0.50	<0.50
	12/27/95	<50		<0.50	<0.50	<0.50	<0.50
	03/26/96	<50		<0.50	<0.50	<0.50	<0.50
	06/13/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	09/10/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/05/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
03/10/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
06/12/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
08/19/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
12/13/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	

NOTES: < = Below indicated detection limit
ND = Reported as "nondetect" by previous consultant.
NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethylbenzene	Total Xylenes
MW-7	03/30/92	ND		ND	ND	ND	ND
	07/01/92	ND		ND	ND	ND	ND
	09/30/92	ND		ND	ND	ND	ND
	11/19/92	<50		<0.5	<0.5	<0.5	<0.5
	02/03/93	<50		<0.5	<0.5	<0.5	<0.5
	05/25/93	NS		NS	NS	NS	NS
	09/22/93	<50		0.51	0.82	<0.5	0.81
	12/21/93	<50		<0.5	<0.5	<0.5	<0.5
	03/18/94	<50		<0.5	<0.5	<0.5	<0.5
	06/15/94	<50		<0.5	<0.5	<0.5	<0.5
	09/14/94	<50		<0.5	<0.5	<0.5	<0.5
	12/19/94	<50		<0.5	<0.5	<0.5	<0.5
	03/07/95	<50		<0.5	<0.5	<0.5	<0.5
	06/08/95	<50		<0.5	<0.5	<0.5	<0.5
	09/22/95	<50		<0.50	<0.50	<0.50	<0.50
	12/27/95	<50		<0.50	<0.50	<0.50	<0.50
	03/26/96	<50		<0.50	<0.50	<0.50	<0.50
	06/13/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	09/10/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
	12/05/96	<50	<5.0	<0.50	<0.50	<0.50	<0.50
03/07/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
06/12/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
08/19/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
12/13/97	<50	<5.0	<0.50	<0.50	<0.50	<0.50	
MW-8	03/30/92	3,000		1,700	880	970	1,900
	07/01/92	72,000		1,800	550	520	2,200
	09/30/92	12,000		680	140	140	560
	11/19/92	9,600		530	310	130	560
	02/03/93	44,000		1,500	1,300	490	2,300
	05/25/93	7,400		580	160	170	480
	09/22/93	2,400		490	45	37	140
	12/21/93	1,400		240	7.5	<2.5	82
	03/18/94	8,600		1,600	680	470	1,900
	06/15/94	4,800		980	380	260	1,200
	09/14/94	6,600		1,200	280	330	1,100
	12/19/94	8,400		1,800	390	500	2,000
	03/07/95	7,400		1,400	370	440	2,000
	06/08/95	6,000		790	220	290	1,400
	09/22/95	4,100		750	93	230	860
	12/27/95	5,400		860	140	350	1,400
	03/26/96	1,700		180	27	100	370
	06/13/96	2,400	42	500	67	220	850
	09/10/96	7,000	<50	1,300	100	410	1,600
	12/05/96	6,300	<50	1,100	78	410	1,600
03/07/97	6,500	<130	840	67	330	1,500	
06/12/97	7,500	<50	1,000	79	390	1,400	
08/19/97	1,100	<20	170	14	38	220	
12/13/97	4,100	24	300	29	190	860	

NOTES: < = Below indicated detection limit
ND = Reported as "nondetect" by previous consultant.
NS = Not sampled.

TABLE 2
GROUND WATER ANALYTICAL RESULTS
BEACON STATION #720
1088 MARINA BOULEVARD, SAN LEANDRO, CALIFORNIA
(All results in micrograms per Liter)

Monitoring Well	Date Collected	Total Petroleum Hydrocarbons	Aromatic Volatile Organics				
		Gasoline	MTBE ¹	Benzene	Toluene	Ethyl-benzene	Total Xylenes
MW-9	12/20/94	16,000		2,500	1,400	690	2,800
	03/07/95	5,200		1,600	250	320	520
	06/08/95	4,900		1,000	98	300	200
	09/22/95	4,000		1,100	82	190	200
	12/27/95	2,800		960	100	200	250
	03/26/96	1,600		380	44	96	110
	06/13/96	1,800	750	540	71	140	180
	09/10/96	2,400	810	860	70	190	210
	12/05/96	5,500	960	2,100	420	380	720
	03/07/97	4,200	720	1,300	170	260	440
	06/12/97	11,000	1,000	2,500	490	560	1,300
	08/19/97	42,000	<1,000	7,700	3,500	2,000	8,300
	12/13/97	13,000	710	1,300	280	960	3,100

NOTES: < = Below indicated detection limit
 ND = Reported as "nondetect" by previous consultant.
 NS = Not sampled.

ENCLOSURE E

Remediation System Analytical Results



Report Number : 39898

Date : 9/2/2004

Richard Munsch
RDM Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 3 Vapor Samples
Project Name : Tesoro Station 67106
Project Number : 67106
P.O. Number : 67106

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff



Report Number : 39898

Date : 9/2/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Sample : **SVE-INF**

Matrix : Air

Lab Number : 39898-01

Sample Date :8/30/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Toluene	0.050	0.050	ppmv	EPA 8260B	9/1/2004
Ethylbenzene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Total Xylenes	0.14	0.050	ppmv	EPA 8260B	9/1/2004
Methyl-t-butyl ether (MTBE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Diisopropyl ether (DIPE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Ethyl-t-butyl ether (ETBE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Tert-amyl methyl ether (TAME)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Tert-Butanol	< 0.50	0.50	ppmv	EPA 8260B	9/1/2004
TPH as Gasoline	< 5.0	5.0	ppmv	EPA 8260B	9/1/2004
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	9/1/2004
Toluene - d8 (Surr)	103		% Recovery	EPA 8260B	9/1/2004

Approved By:

Joel Kiff



Report Number : 39898

Date : 9/2/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Sample : **SVE-MID**

Matrix : Air

Lab Number : 39898-02

Sample Date :8/30/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Toluene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Ethylbenzene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Total Xylenes	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Methyl-t-butyl ether (MTBE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Diisopropyl ether (DIPE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Ethyl-t-butyl ether (ETBE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Tert-amyl methyl ether (TAME)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Tert-Butanol	< 0.50	0.50	ppmv	EPA 8260B	9/1/2004
TPH as Gasoline	< 5.0	5.0	ppmv	EPA 8260B	9/1/2004
4-Bromofluorobenzene (Surr)	100		% Recovery	EPA 8260B	9/1/2004
Toluene - d8 (Surr)	103		% Recovery	EPA 8260B	9/1/2004

Approved By:  Joel Kiff



Report Number : 39898

Date : 9/2/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Sample : **SVE-EFF**

Matrix : Air

Lab Number : 39898-03

Sample Date :8/30/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Toluene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Ethylbenzene	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Total Xylenes	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Methyl-t-butyl ether (MTBE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Diisopropyl ether (DIPE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Ethyl-t-butyl ether (ETBE)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Tert-amyl methyl ether (TAME)	< 0.050	0.050	ppmv	EPA 8260B	9/1/2004
Tert-Butanol	< 0.50	0.50	ppmv	EPA 8260B	9/1/2004
TPH as Gasoline	< 5.0	5.0	ppmv	EPA 8260B	9/1/2004
4-Bromofluorobenzene (Surr)	97.1		% Recovery	EPA 8260B	9/1/2004
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	9/1/2004

Approved By:

Joel Kiff



Analysis Summary

Report Number : 39898

Date : 9/2/2004

Attention : Richard Munsch
RDM Environmental
1704 Via Riata
Roseville, CA 95747

Project Name : Tesoro Station 67106
Project Number : 67106

Sample Name			SVE-INF		SVE-MID		SVE-EFF	
Sample Date			8/30/2004		8/30/2004		8/30/2004	
Analyte	Method	Units	MRL	Results	MRL	Results	MRL	Results
Benzene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Toluene	EPA 8260B	ppmv	0.050	0.050	0.050	ND	0.050	ND
Ethylbenzene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Total Xylenes	EPA 8260B	ppmv	0.050	0.14	0.050	ND	0.050	ND
Methyl-t-butyl ether (MTBE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Diisopropyl ether (DIPE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Ethyl-t-butyl ether (ETBE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Tert-amyl methyl ether (TAME)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Tert-Butanol	EPA 8260B	ppmv	0.50	ND	0.50	ND	0.50	ND
TPH as Gasoline	EPA 8260B	ppmv	5.0	ND	5.0	ND	5.0	ND
Toluene - d8 (Surr)	EPA 8260B	%		103		103		102
4-Bromofluorobenzene (Surr)	EPA 8260B	%		100		100		97.1

MRL = Method Reporting Limit

ND = Not Detected

Approved By,



Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800
ELAP # 2236



Report Number : 40221

Date : 9/25/2004

Richard Munsch
RDM Environmental
1704 Via Riata
Roseville, CA 95747

Subject : 3 Vapor Samples
Project Name : Tesoro Station 67106
Project Number : 67106
P.O. Number : 67106

Dear Mr. Munsch,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff



Report Number : 40221

Date : 9/25/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**


Sample : **SVE-Inf**

Matrix : Air

Lab Number : 40221-01

Sample Date :9/19/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Toluene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Ethylbenzene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Total Xylenes	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Methyl-t-butyl ether (MTBE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Diisopropyl ether (DIPE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Ethyl-t-butyl ether (ETBE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Tert-amyl methyl ether (TAME)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Tert-Butanol	< 0.50	0.50	ppmv	EPA 8260B	9/21/2004
TPH as Gasoline	< 5.0	5.0	ppmv	EPA 8260B	9/21/2004
4-Bromofluorobenzene (Surr)	95.4		% Recovery	EPA 8260B	9/21/2004
Toluene - d8 (Surr)	97.9		% Recovery	EPA 8260B	9/21/2004

Approved By:  Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800



Report Number : 40221

Date : 9/25/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Sample : **SVE-MID**

Matrix : Air

Lab Number : 40221-02

Sample Date :9/19/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Toluene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Ethylbenzene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Total Xylenes	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Methyl-t-butyl ether (MTBE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Diisopropyl ether (DIPE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Ethyl-t-butyl ether (ETBE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Tert-amyl methyl ether (TAME)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Tert-Butanol	< 0.50	0.50	ppmv	EPA 8260B	9/21/2004
TPH as Gasoline	6.2	5.0	ppmv	EPA 8260B	9/21/2004
4-Bromofluorobenzene (Surr)	97.2		% Recovery	EPA 8260B	9/21/2004
Toluene - d8 (Surr)	98.0		% Recovery	EPA 8260B	9/21/2004

Approved By:

Joel Kiff



Report Number : 40221

Date : 9/25/2004

Project Name : **Tesoro Station 67106**

Project Number : **67106**

Sample : **SVE-Eff**

Matrix : Air

Lab Number : 40221-03

Sample Date :9/19/2004

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Toluene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Ethylbenzene	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Total Xylenes	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Methyl-t-butyl ether (MTBE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Diisopropyl ether (DIPE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Ethyl-t-butyl ether (ETBE)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Tert-amyl methyl ether (TAME)	< 0.050	0.050	ppmv	EPA 8260B	9/21/2004
Tert-Butanol	< 0.50	0.50	ppmv	EPA 8260B	9/21/2004
TPH as Gasoline	5.6	5.0	ppmv	EPA 8260B	9/21/2004
4-Bromofluorobenzene (Surr)	96.6		% Recovery	EPA 8260B	9/21/2004
Toluene - d8 (Surr)	98.8		% Recovery	EPA 8260B	9/21/2004

Approved By:


Joel Kiff



Analysis Summary

Report Number : 40221

Date : 9/25/2004

Attention : Richard Munsch
 RDM Environmental
 1704 Via Riata
 Roseville, CA 95747

Project Name : Tesoro Station 67106
 Project Number : 67106

Sample Name			SVE-Inf		SVE-MID		SVE-Eff	
Sample Date			9/19/2004		9/19/2004		9/19/2004	
Analyte	Method	Units	MRL	Results	MRL	Results	MRL	Results
Benzene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Toluene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Ethylbenzene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Total Xylenes	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Methyl-t-butyl ether (MTBE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Diisopropyl ether (DIPE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Ethyl-t-butyl ether (ETBE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Tert-amyl methyl ether (TAME)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Tert-Butanol	EPA 8260B	ppmv	0.50	ND	0.50	ND	0.50	ND
TPH as Gasoline	EPA 8260B	ppmv	5.0	ND	5.0	6.2	5.0	5.6
Toluene - d8 (Surr)	EPA 8260B	%		97.9		98.0		98.8
4-Bromofluorobenzene (Surr)	EPA 8260B	%		95.4		97.2		96.6

MRL = Method Reporting Limit
 ND = Not Detected

Approved By,


 Joel Kiff



Analysis Summary

Report Number : 40221

Date : 9/25/2004

Attention : Richard Munsch
 RDM Environmental
 1704 Via Riata
 Roseville, CA 95747

Project Name : Tesoro Station 67106
 Project Number : 67106

Sample Name			SVE-Inf		SVE-MID		SVE-Eff	
Sample Date			9/19/2004		9/19/2004		9/19/2004	
Analyte	Method	Units	MRL	Results	MRL	Results	MRL	Results
Benzene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Toluene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Ethylbenzene	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Total Xylenes	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Methyl-t-butyl ether (MTBE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Diisopropyl ether (DIPE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Ethyl-t-butyl ether (ETBE)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Tert-aryl methyl ether (TAME)	EPA 8260B	ppmv	0.050	ND	0.050	ND	0.050	ND
Tert-Butanol	EPA 8260B	ppmv	0.50	ND	0.50	ND	0.50	ND
TPH as Gasoline	EPA 8260B	ppmv	5.0	ND	5.0	6.2	5.0	5.6
Toluene - d8 (Surr)	EPA 8260B	%		97.9		98.0		98.8
4-Bromofluorobenzene (Surr)	EPA 8260B	%		95.4		97.2		96.6

MRL = Method Reporting Limit
 ND = Not Detected

Approved By,


 Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800
 ELAP # 2236



2795 2nd Street, Suite 300
 Davis, CA 95616
 Lab: 530.297.4800
 Fax: 530.297.4808

Lab No. 40221 Page 1 of 1

Print Contact (Hardcopy or PDF To):
Richard Alvarez
 Company/Address:
San Bernardino

California EDF Report? Yes No

Chain-of-Custody Record and Analysis Request

Phone No.: (910) 771-7891 FAX No.: (910) 771-4884
 Project Number: 67106 P.O. No.: 67106

Not required but not mandatory to complete this section:
 Sampling Company Log Code: _____

Global ID: _____
 EDF Deliverable To (Email Address): _____

Project Name:
Terow Station 67106

Sampler Signature:

Project Address:
San Leandro, CA

Sampling	Container	Preservative				Matrix			
		40 ml VOA	SLEEVE	HCl	HNO ₃	ICE	NONE	WATER	SOIL
	<u>Sealed</u>								<u>Air</u>

Sample Designation

Date	Time	40 ml VOA	SLEEVE	HCl	HNO ₃	ICE	NONE	WATER	SOIL
<u>9/17/04</u>	<u>4:20</u>		<u>X</u>						<u>X</u>
<u>9/17/04</u>	<u>4:10</u>		<u>X</u>						<u>X</u>
<u>9/17/04</u>	<u>4:00</u>		<u>X</u>						<u>X</u>

Analysis Request											TAT	
<input type="checkbox"/>	12 hr / 24 hr / 48 hr / 72 hr / 1 wk											
<input type="checkbox"/>	For Lab Use Only											
<input type="checkbox"/>												

Relinquished by:

Date: _____ Time: _____ Received by: _____

Remarks: STAT

Relinquished by: _____

Date: _____ Time: _____ Received by: _____

Relinquished by: _____

Date: 092104 Time: 1156 Received by Laboratory: Richard C. Patten KIFF ANALYTICAL

Bill to: Terow Petroleum