



**RECEIVED**

1:00 pm, Apr 30, 2009

Alameda County  
Environmental Health

WESTERN REGION BOX:

#9538

2 December, 1999

Doug Lee  
Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin, CA 94568

Store #	255043	Date:	12/2/99
Unit #	5043	Code:	LAP
Description:	LAP RESULTS		

RE: Tosco

Enclosed are the results of analyses for samples received by the laboratory on 24-Nov-99 08:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Julianne Fegley  
Project Manager



**CRUZ BROTHERS**

SUB-SURFACE LOCATORS, INC.  
1-888-CRUZ-BRO  
(278-9276)

#5043

SECOND SAMPLE  
— FROM BAKER TANK  
Submit to Marliza






Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

**Reported:**  
02-Dec-99 12:26

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BT-1	W911608-01	Water	23-Nov-99 00:00	24-Nov-99 08:30
BT-1	W911608-01	Water	23-Nov-99 00:00	24-Nov-99 08:30

  
Julianne Fegley, Project Manager






Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

**Reported:**  
02-Dec-99 12:26

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT  
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>BT-1 (W911608-01) Water</b> <b>Sampled: 23-Nov-99 00:00</b> <b>Received: 24-Nov-99 08:30</b> <b>P-01</b>									
<b>Purgeable Hydrocarbons</b>	<b>1300</b>	200	ug/l	4	9K24001	24-Nov-99	24-Nov-99	EPA	
Benzene	2.0	2.0	"	"	"	"	"	8015M/8020	
Toluene	7.7	2.0	"	"	"	"	"	"	
Ethylbenzene	2.5	2.0	"	"	"	"	"	"	
Xylenes (total)	12	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	10	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		103 %		70-130	"	"	"	"	

  
Julianne Pegley, Project Manager






Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA. 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

**Reported:**  
02-Dec-99 12:26

**Conventional Chemistry Parameters by APHA/EPA Methods  
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BT-1 (W911608-01) Water    Sampled: 23-Nov-99 00:00    Received: 24-Nov-99 08:30									
pH	9.1	0.10	pH Units	1	9K29010	24-Nov-99	24-Nov-99	EPA 9040B	1-02

  
Julianne Fegley, Project Manager






Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

**Reported:**  
02-Dec-99 12:26

**Physical Parameters by APHA/ASTM/EPA Methods  
Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BT-1 (W911608-01) Water    Sampled: 23-Nov-99 00:00    Received: 24-Nov-99 08:30									
Ignitability by Flashpoint	ND	10	°C	1	9K24004	24-Nov-99	24-Nov-99	EPA 1010	F-01

  
Julianne Fegley, Project Manager





Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA. 94568


Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

Reported:  
02-Dec-99 12:26

**Polynuclear Aromatic Hydrocarbons by EPA Method 610 (HPLC)**

**Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BT-1 (W911608-01/BT-1) Water Sampled: 23-Nov-99 00:00 Received: 24-Nov-99 08:30									
Acenaphthene	ND	5.00	ug/l	10	9110667	29-Nov-99	02-Dec-99	EPA 610	
Acenaphthylene	ND	10.0	"	"	"	"	"	"	
Anthracene	2.11	0.500	"	"	"	"	"	"	
Benzo (a) anthracene	3.05	0.500	"	"	"	"	"	"	
Benzo (b) fluoranthene	1.48	0.500	"	"	"	"	"	"	
Benzo (k) fluoranthene	0.737	0.500	"	"	"	"	"	"	
Benzo (g,h,i) perylene	ND	1.00	"	"	"	"	"	"	
Benzo (a) pyrene	1.30	0.500	"	"	"	"	"	"	
Chrysene	6.42	0.500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	3.91	2.00	"	"	"	"	"	"	QR-06
Fluoranthene	12.9	0.500	"	"	"	"	"	"	
Fluorene	1.01	1.00	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.500	"	"	"	"	"	"	
Naphthalene	ND	5.00	"	"	"	"	"	"	
Phenanthrene	8.14	0.500	"	"	"	"	"	"	
Pyrene	16.9	0.500	"	"	"	"	"	"	
Surrogate: Carbazole		137 %	42.0-144	"	"	"	"	"	
Surrogate: Terphenyl-d14		285 %	2.00-146	"	"	"	"	"	S-04

  
Julianne Fegley, Project Manager






Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA, 94568	Project: Tosco Project Number: Tosco # 5043 Project Manager: Doug Lee	Reported: 02-Dec-99 12:26
--	---	------------------------------

**Physical Parameters by APHA/ASTM/EPA Methods**

**Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
BT-1 (W911608-01/BT-1) Water Sampled: 23-Nov-99 00:00 Received: 24-Nov-99 08:30									
Reactivity in Water	ND		N/A	1	9110719	30-Nov-99	30-Nov-99	EPA Chapter	
Reactive Cyanide	ND	10.0	mg/l	"	"	"	"	SW846 Ch.	
Reactive Sulfide	ND	50.0	"	"	"	"	"	SW846 Ch 7.3	

  
Julianne Pegley, Project Manager





Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

Reported:  
02-Dec-99 12:26

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control**  
**Sequoia Analytical - Walnut Creek**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 9K24001: Prepared 24-Nov-99 Using EPA 5030B [P/T]**

**Blank (9K24001-BLK1)**

Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>34.0</i>		"	<i>30.0</i>		<i>113</i>	<i>70-130</i>			

**LCS (9K24001-BS1)**

Benzene	21.2	0.50	ug/l	20.0		106	70-130			
Toluene	21.2	0.50	"	20.0		106	70-130			
Ethylbenzene	20.8	0.50	"	20.0		104	70-130			
Xylenes (total)	64.2	0.50	"	60.0		107	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>30.7</i>		"	<i>30.0</i>		<i>102</i>	<i>70-130</i>			

**Matrix Spike (9K24001-MS1)**

Source: W911548-05

Q-01

Benzene	26.3	0.50	ug/l	20.0	ND	131	70-130			
Toluene	21.2	0.50	"	20.0	ND	106	70-130			
Ethylbenzene	20.6	0.50	"	20.0	ND	103	70-130			
Xylenes (total)	64.5	0.50	"	60.0	ND	108	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>30.6</i>		"	<i>30.0</i>		<i>102</i>	<i>70-130</i>			

**Matrix Spike Dup (9K24001-MSD1)**

Source: W911548-05

Q-01

Benzene	26.3	0.50	ug/l	20.0	ND	131	70-130	0	20	
Toluene	21.8	0.50	"	20.0	ND	109	70-130	2.79	20	
Ethylbenzene	21.0	0.50	"	20.0	ND	105	70-130	1.92	20	
Xylenes (total)	66.1	0.50	"	60.0	ND	110	70-130	2.45	20	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	<i>31.3</i>		"	<i>30.0</i>		<i>104</i>	<i>70-130</i>			

Julianne Fegley, Project Manager







Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

Reported:  
02-Dec-99 12:26

## Conventional Chemistry Parameters by APHA/EPA Methods - Quality Control Sequoia Analytical - Walnut Creek


Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9K29010: Prepared 24-Nov-99 Using General Preparation

Duplicate (9K29010-DUP1)

Source: W911608-01

pH	9.1	0.10	pH Units		9.1			0	30	
----	-----	------	----------	--	-----	--	--	---	----	--

  
Julianne Fegley, Project Manager





Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

**Reported:**  
02-Dec-99 12:26

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control  
Sequoia Analytical - Walnut Creek**


Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	--------------	----------------	-----	--------------	-------

**Batch 9K24004: Prepared 24-Nov-99 Using General Prep**

**Duplicate (9K24004-DUP1)**

**Source: W911608-01**

Ignitability by Flashpoint	ND	10	°C		ND				30	
----------------------------	----	----	----	--	----	--	--	--	----	--

  
Julianne Pegley, Project Manager





Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

Reported:  
02-Dec-99 12:26

**Polynuclear Aromatic Hydrocarbons by EPA Method 610 (HPLC) - Quality Control**  
**Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 9110667: Prepared 29-Nov-99 Using EPA 3520B**

**Blank (9110667-BLK1)**

Acenaphthene	ND	0.500	ug/l							
Acenaphthylene	ND	1.00	"							
Anthracene	ND	0.0500	"							
Benzo (a) anthracene	ND	0.0500	"							
Benzo (h) fluoranthene	ND	0.0500	"							
Benzo (k) fluoranthene	ND	0.0500	"							
Benzo (g,h,i) perylene	ND	0.100	"							
Benzo (a) pyrene	ND	0.0500	"							
Chrysene	ND	0.0500	"							
Dibenz (a,h) anthracene	ND	0.200	"							
Fluoranthene	ND	0.0500	"							
Fluorene	ND	0.100	"							
Indeno (1.2.3-cd) pyrene	ND	0.0500	"							
Naphthalene	ND	0.500	"							
Phenanthrene	ND	0.0500	"							
Pyrene	ND	0.0500	"							


<i>Surrogate: Carbazole</i>	0.758		"	1.00		75.8	42.0-144			
<i>Surrogate: Terphenyl-d14</i>	1.75		"	2.00		87.5	2.00-146			

**LCS (9110667-BS1)**

Acenaphthene	7.12	0.500	ug/l	10.0		71.2	1.30-124			
Acenaphthylene	13.9	1.00	"	20.0		69.5	1.70-139			
Anthracene	0.800	0.0500	"	1.00		80.0	1.00-126			
Benzo (a) anthracene	0.930	0.0500	"	1.00		93.0	1.00-135			
Benzo (b) fluoranthene	1.84	0.0500	"	2.00		92.0	1.00-150			
Benzo (k) fluoranthene	0.944	0.0500	"	1.00		94.4	1.00-159			
Benzo (g,h,i) perylene	1.83	0.100	"	2.00		91.5	1.00-116			
Benzo (a) pyrene	0.923	0.0500	"	1.00		92.3	1.00-128			
Chrysene	0.951	0.0500	"	1.00		95.1	1.00-199			
Dibenz (a,h) anthracene	1.75	0.200	"	2.00		87.5	2.00-110			
Fluoranthene	1.66	0.0500	"	2.00		83.0	1.50-123			
Fluorene	1.49	0.100	"	2.00		74.5	2.50-142			

Sequoia Analytical - Walnut Creek

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

  
Julianne Fegley, Project Manager





Gettler Ryan, Inc. - Dublin  
6747 Sierra Court Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

Reported:  
02-Dec-99 12:26

**Polynuclear Aromatic Hydrocarbons by EPA Method 610 (HPLC) - Quality Control**  
**Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 9110667: Prepared 29-Nov-99 Using EPA 3520B**

**LCS (9110667-BS1)**

Indeno (1,2,3-cd) pyrene	0.894	0.0500	ug/l	1.00		89.4	1.00-116			
Naphthalene	6.14	0.500	"	10.0		61.4	1.30-122			
Phenanthrene	0.820	0.0500	"	1.00		82.0	1.00-155			
Pyrene	0.819	0.0500	"	1.00		81.9	1.00-140			
<i>Surrogate: Carbazole</i>	<i>0.883</i>		"	<i>1.00</i>		<i>88.3</i>	<i>42.0-144</i>			
<i>Surrogate: Terphenyl-d14</i>	<i>1.88</i>		"	<i>2.00</i>		<i>94.0</i>	<i>2.00-146</i>			

**LCS Dup (9110667-BSD1)**

Acenaphthene	7.05	0.500	ug/l	10.0		70.5	1.30-124	0.988	35.0	
Acenaphthylene	14.0	1.00	"	20.0		70.0	1.70-139	0.717	35.0	
Anthracene	0.809	0.0500	"	1.00		80.9	1.00-126	1.12	35.0	
Benzo (a) anthracene	0.985	0.0500	"	1.00		98.5	1.00-135	5.74	35.0	
Benzo (b) fluoranthene	1.93	0.0500	"	2.00		96.5	1.00-150	4.77	35.0	
Benzo (k) fluoranthene	0.990	0.0500	"	1.00		99.0	1.00-159	4.76	35.0	
Benzo (g,h,i) perylene	1.91	0.100	"	2.00		95.5	1.00-116	4.28	35.0	
Benzo (a) pyrene	0.988	0.0500	"	1.00		98.8	1.00-128	6.80	35.0	
Chrysene	0.996	0.0500	"	1.00		99.6	1.00-199	4.62	35.0	
Dibenz (a,h) anthracene	1.84	0.200	"	2.00		92.0	2.00-110	5.01	35.0	
Fluoranthene	1.72	0.0500	"	2.00		86.0	1.50-123	3.55	35.0	
Fluorene	1.46	0.100	"	2.00		73.0	2.50-142	2.03	35.0	
Indeno (1,2,3-cd) pyrene	0.941	0.0500	"	1.00		94.1	1.00-116	5.12	35.0	
Naphthalene	5.94	0.500	"	10.0		59.4	1.30-122	3.31	35.0	
Phenanthrene	0.818	0.0500	"	1.00		81.8	1.00-155	0.244	35.0	
Pyrene	0.606	0.0500	"	1.00		60.6	1.00-140	29.9	35.0	
<i>Surrogate: Carbazole</i>	<i>0.855</i>		"	<i>1.00</i>		<i>85.5</i>	<i>42.0-144</i>			
<i>Surrogate: Terphenyl-d14</i>	<i>1.91</i>		"	<i>2.00</i>		<i>95.5</i>	<i>2.00-146</i>			

*Julianne Fegley*  
Julianne Fegley, Project Manager






Gettler Ryan, Inc. - Dublin 6747 Sierra Court Suite J Dublin CA. 94568	Project: Tosco Project Number: Tosco # 5043 Project Manager: Doug Lee	Reported: 02-Dec-99 12:26
--	---	------------------------------

**Physical Parameters by APHA/ASTM/EPA Methods - Quality Control  
Sequoia Analytical - Petaluma**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 9110719: Prepared 30-Nov-99 Using General Preparation</b>										
<b>Blank (9110719-BLK1)</b>										
Reactive Cyanide	ND	10.0	mg/l							
Reactive Sulfide	ND	50.0	"							
<b>LCS (9110719-BS1)</b>										
Reactive Sulfide	620	50.0	mg/l	1350		45.9	10.0-120			
<b>LCS (9110719-BS2)</b>										
Reactive Cyanide	94.9	10.0	mg/l	500		19.0	5.00-120			

  
Julianne Fegley, Project Manager






Gettler Ryan, Inc. - Dublin  
6747 Sierra Court, Suite J  
Dublin CA, 94568

Project: Tosco  
Project Number: Tosco # 5043  
Project Manager: Doug Lee

Reported:  
02-Dec-99 12:26

### Notes and Definitions

- QR-06 Results between the primary and confirmation detectors varied by greater than 40% RPD.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- F-01 No flash detected up to °C
- I-02 This sample was analyzed outside of the EPA recommended holding time.
- P-01 Chromatogram Pattern: Gasoline C6-C12
- Q-01 The spike recovery for this QC sample is outside of established control limits. Review of associated batch QC indicates the recovery for this analyte does not represent an out-of-control condition for the batch.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

  
Julianne Fegley, Project Manager





42 Hangar Way • Watsonville, CA 95076-2404 • (831) 724-4522 • FAX (831) 724-3188

November 29, 1999

ToxScan Number: T-17901

Sequoia Analytical  
404 N. Wiget Lane  
Walnut Creek, CA 94598

Attn: Julianne Fegley

Project Name: None  
Project Number: W911112  
Date Sampled: November 02, 1999  
Date Received: November 08, 1999  
Matrix: Water

Please find the enclosed test results for the parameters requested for analysis. The sample was analyzed within holding time using the following method:

Tributyltin in water by Gas Chromatography with a Flame Photometric Detector, (GC/FPD).

The sample was received intact and was handled with the proper chain-of-custody procedures. Appropriate QA/QC guidelines were employed during the analyses on a minimum of a 5% basis. QC results were within limits and are reported with or following the data for each analysis.

If you have any questions or require any additional information, please feel free to call.

Sincerely,

A handwritten signature in cursive script that reads "Philip D. Carpenter".

Philip D. Carpenter, Ph.D.  
President

Enclosures

*This cover letter is an integral part of the report.*

Client: Sequoia Analytical  
Method: EPA Method(s) GC/FPD  
Date Completed: 11/23/99  
Matrix: Water  
Units: ng/L

ToxScan Number: T-17901

<u>Client</u> <u>Sample ID</u>	<u>ToxScan</u> <u>Lab ID</u>	<u>Analyte</u>	<u>Sample</u> <u>Value</u>	<u>Reporting</u> <u>Limit</u>
W911112-01	17901-01	Tributyltin	ND	2



QC FOR PROJECT # 17901

Concentrations of the following are in ng/L

MATRIX SPIKE / MATRIX SPIKE DUPLICATE SUMMARY:

Matrix: Water

<u>Analyte</u>	<u>Sample Amount</u>	<u>Amount of Spike</u>	<u>Matrix Spike</u>	<u>MS % Rec</u>	<u>Matrix Spike Dup</u>	<u>MSD % Rec</u>	<u>RPD</u>
Tributyltin 17910-01	3.56	50	47.1	87	53.2	99	13

## EXPLANATION OF ACRONYMS FOR PROJECT # T-17901

The following is a glossary for acronyms that may be used in this report.

<u>Abbreviation</u>	<u>Definition</u>
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NA	Not Applicable
ND	None Detected
REP	Replicate
RPD	Relative Percent Difference
SRM	Standard Reference Material
TOC	Total Organic Carbon

QC FOR PROJECT # T-17901

LABORATORY METHOD BLANK SUMMARY

Applicable Matrix: Water

<u>Analyte</u>	<u>Amount</u>	<u>Reporting Limit ng/L</u>	<u>EPA Method Number</u>
Tributyltin	ND	2.0	GC/FPD

QC FOR PROJECT # T-17901

LABORATORY CONTROL SPIKE

Concentrations of the following are in ng/L

Matrix: Water

<u>Analyte</u>	<u>Amount of Spike</u>	<u>LCS Amount</u>	<u>LCS % Rec</u>
Tributyltin	50	40	80

QC FOR PROJECT # 17901

SURROGATE RECOVERY

<u>Surrogate</u>	<u>Sample</u>	<u>% Recovery</u>	<u>QC Limits</u>
Tripropyltin	Laboratory Control Spike	118%	50 - 140
Tripropyltin	Method Blank	94%	50 - 140
Tripropyltin	17901-1	127%	50 - 140
Tripropyltin	17910-1 MS	113%	50 - 140
Tripropyltin	17910-1 MSD	102%	50 - 140

No 000525

# TOSCO

- 885 Jarvis Drive • Morgan Hill, CA 95037 • (408) 776-3000 • FAX (408) 762-3333
- 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
- 404 N. Wiget Lane • Walnut Creek, CA 94598 • (925) 988-9600 FAX (925) 988-9673
- 1455 McDowell Blvd. North, Suite D • Petaluma, CA 94954 • (707) 792-1865 FAX (707) 792-0342
- 1551 Industrial Road • San Carlos, CA 94070 • (650) 232-9600 FAX (650) 232-9612

Consultant Company: <b>GETTLER-RYAN INC. CR#: 140091.02</b>		Project Name: <b>449 HEGENBERGER ROAD</b>	
Address: <b>6747 SIERRA COURT, SUITE J</b>		TOSCO Engineer (required) <b>DAVE DE WITT</b>	
City: <b>DUBLIN</b>	State: <b>CA</b>	Zip Code: <b>94510</b>	<b>W911608</b>
Telephone: <b>(925) 551-7555</b>		FAX #: <b>(925) 551-7898</b>	
Report To: <b>DOUG LEE</b>		Site #, City, State: <b>5043, OAKLAND, CA</b>	
Sampler: <b>DOUG LEE</b>		QC Data: <input checked="" type="checkbox"/> Level D (Standard) <input type="checkbox"/> Level C <input type="checkbox"/> Level B <input type="checkbox"/> Level A	

Turnaround Time: <input type="checkbox"/> 10 Work Days <input type="checkbox"/> 5 Work Days <input type="checkbox"/> 3 Work Days <input type="checkbox"/> 2-8 Hours	<input type="checkbox"/> Drinking Water	<b>Analyses Requested</b>
<input type="checkbox"/> 2 Work Days <input checked="" type="checkbox"/> 1 Work Day	<input type="checkbox"/> Waste Water	
CODE: <input type="checkbox"/> Misc. <input type="checkbox"/> Detect. <input type="checkbox"/> Eval. <input checked="" type="checkbox"/> Remed. <input type="checkbox"/> Demol. <input type="checkbox"/> Closure		<input checked="" type="checkbox"/> Other

Client Sample I.D.	Date/Time Sampled	Matrix Desc.	# of Cont.	Cont. Type	Sequoia's Sample #	Analyses Requested										Comments
						TPH (EPA 8015 Mod. Gas)	BTEX (EPA 8020)	MTBE (EPA 8020)	TPH (EPA 8015 Mod. Diesel)	Volatile Organics (EPA 8260)	MTBE Confirmation (EPA 8260)	R.C.I.	TRIBUTYLIN	EPA 610		
1. <b>BT-1</b>	<b>11-23-99</b>	<b>H<sub>2</sub>O</b>	<b>6</b>	<b>NON/L</b>	<b>-01</b>	<b>X</b>	<b>X</b>	<b>X</b>					<b>X</b>	<b>X</b>	<b>X</b>	<b>TRIBUTYLIN ON REGULAR T.A.T.</b>
2.																<b>2 APP DETECTION</b>
3.																<b>LIMIT FOR ALL</b>
4.																<b>EPA 610 ANALYTES</b>
5.																
6.																
7.																
8.																
9.																
10.																

Relinquished By:	Date: <b>11-24-99</b>	Time: <b>8:30</b>	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date: <b>11/24</b>	Time: <b>0830</b>

Were Samples Received in Good Condition?  Yes  No      Samples on Ice?  Yes  No      Method of Shipment \_\_\_\_\_      Page \_\_\_ of \_\_\_

To be completed upon receipt of report:

1) Were the analyses requested on the Chain of Custody reported?  Yes  No      If no, what analyses are still needed? \_\_\_\_\_

2) Was the report issued within the requested turnaround time?  Yes  No      If no, what was the turnaround time? \_\_\_\_\_

Approved by: \_\_\_\_\_ Signature: \_\_\_\_\_ Company: \_\_\_\_\_ Date: \_\_\_\_\_

Pink - Client

Yellow - Sequoia

White - Sequoia