#### RECEIVED

2:04 pm, Apr 20, 2009

Alameda County Environmental Health



76 Broadway Sacramento, California 95818

April 16, 2009

Barbara Jakub Alameda County Health Agency 1131 Harbor Bay parkway, Suite250 Alameda, California 94502-577

#### Re: Quarterly Summary Report—First Quarter 2009 76 Service Station # 5043 RO # 0219 449 Hegenberger Road Oakland, CA

Dear Ms. Jakub:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7666.

Sincerely

Terry L. Grayson Site Manager Risk Management & Remediation

April 15, 2009

Ms. Barbara Jakub Hazardous Materials Specialist Alameda County Health Care Services 1131 Harbor Bay Parkway Alameda, CA 94502-6577

#### **Re: Quarterly Summary Report - First Quarter 2009**

76 Service Station No. 5043, RO#0219 449 Hegenberger Road Oakland, California

Dear Ms. Jakub,

On behalf of ConocoPhillips Company (ConocoPhillips), Delta Consultants (Delta) is submitting the subject report and forwarding a copy of TRC's *Quarterly Monitoring Report January through March 2009*, dated April 15, 2009 for the above site. TRC has uploaded a copy of their report to the GeoTracker database.

Please contact me at (916) 503-1260 if you have questions.

JOHN R. REAN

NO. 4716

Sincerely,

Delta Consultants

John Reay, P.G. Senior Project Manager

Enclosure

cc: Mr. Terry Grayson – ConocoPhillips (electronic copy only)





#### QUARTERLY SUMMARY REPORT First Quarter 2009

76 Service Station No. 5043, RO#0219 449 Hegenberger Road Oakland, California

County: Alameda

#### SITE DESCRIPTION

The subject site is an operating 76 service station located on the southwestern corner of Hegenberger Road and Edgewater Drive in Oakland, California. Station facilities include three underground storage tanks (USTs), four dispenser islands, and a station building. A total of six groundwater-monitoring wells are located at or near the site.

#### SITE BACKGROUND AND ACTIVITY

<u>October 1991</u> Four soil samples were collected from the product pipe trenches at depths of approximately 3 feet below ground surface (bgs) during a dispenser island modification. The product pipe trenches were subsequently excavated to the groundwater depth at 4 to 4.5 bgs.

<u>February 1992</u> Three monitoring wells were installed at the site to depths ranging from 13.5 to 15 feet bgs.

<u>August 1992</u> Three additional monitoring wells were installed at the site to depths of 13.5 feet bgs.

<u>September 1994</u> One 280-gallon waste oil UST was removed from the site. The tank was made of steel, and no apparent holes or cracks were observed in the tank. One soil sample was collected from beneath the former tank at a depth of approximately 9 feet bgs. No petroleum hydrocarbons were detected.

<u>January 1995</u> Two additional monitoring wells were installed at the site to a depth of 13 feet bgs. In addition, two existing monitoring wells were destroyed in order to accommodate the construction of a car wash at the subject site. Wells MW-4 and MW-5 were fully drilled out and backfilled with neat cement.

<u>March 1995</u> Two 10,000-gallon gasoline USTs and one 10,000-gallon diesel UST were removed from the site. Groundwater was encountered in the tank cavity at a depth of approximately 8.5 feet bgs. Soil samples contained low levels of total petroleum hydrocarbons as diesel (TPH-D) and benzene, and moderate levels of total petroleum hydrocarbons as gasoline (TPH-G). Approximately 125,000 gallons of groundwater were pumped from the site for remediation and properly disposed offsite. Four dispenser islands and associated product piping were also removed. Based on detections in confirmation samples, the product dispenser islands were over excavated to approximately 6 feet bgs.

<u>March-April 1995</u> During demolition activities of the former station building, soil samples were collected from two excavations, which were subsequently over excavated. Confirmation samples contained low petroleum hydrocarbons. An additional area on the south side of the former station building was excavated based on photoionization detector (PID) readings. Two monitoring wells were destroyed in order to allow for over excavation activities to extend to an area adjacent to the dispenser islands in the southeastern quadrant of the site. The excavated areas were subsequently backfilled with clean-engineered fill.

<u>April 1997</u> Two additional monitoring wells were installed in the vicinity of the site to depths of 13 to 15 feet bgs. In addition, well MW-3, which was damaged during the UST cavity over excavation in 1995, was fully drilled out and reconstructed in the same borehole.

October 2003 Site environmental consulting responsibilities were transferred to TRC.

<u>April 8-9, 2005</u> TRC conducted a 24-hour dual phase extraction (DPE) event at the site on monitoring well MW-6. The 24-hour DPE event was moderately successful at removing vaporphase petroleum hydrocarbons from the subsurface; therefore, TRC recommended DPE no longer be considered a viable remedial alternative for the site.

<u>October 2007</u> Site environmental consulting responsibilities were transferred to Delta Consultants.

#### SENSITIVE RECEPTORS

<u>April 24, 2006</u> TRC completed a sensitive receptor survey for the site. According to the Department of Water Resources (DWR) records, three water supply wells are located within a one-half mile of the Site. In addition, two surface water bodies were observed within a one-half mile radius of the Site. San Leandro Creek is located approximately 1,400 feet southwest of the Site and flows into San Leandro Bay. Elmhurst Creek is located approximately 2,220 feet north of the Site and also flows into San Leandro Bay.

#### GROUNDWATER MONITORING AND SAMPLING

The groundwater monitoring well network, consisting of three onsite and three offsite monitoring wells, has been monitored and sampled on a quarterly basis since February 1992. During the most recent groundwater sampling event conducted on March 27, 2008, reported depth to groundwater ranged from 2.01 feet (MW-9) to 4.0 feet (MW-7) below top of casing (TOC).

The groundwater flow was reported southeast at a gradient of 0.006 ft/ft. This is consistent with a gradient of 0.005 southeast during the previous sampling event on December 31, 2008. Reported historical groundwater flow has been primarily to the south and south-southwest.

Dissolved groundwater concentrations are reported as follows.

**TPH-G** was detected in three of the six sampled wells with a maximum concentration of 150,000  $\mu$ g/L in well MW-6. This is an increase from a maximum concentration of 91,000  $\mu$ g/L in well MW-6 during the previous sampling event. MW-3 and MW-10 showed levels of 150  $\mu$ g/L and 210  $\mu$ g/L respectively during the current sampling event.

**TPH-D** was detected in four of the six wells with a maximum concentration of 170,000  $\mu$ g/L in MW-6. This is an increase from a maximum concentration of 68,000  $\mu$ g/L in the same well during the previous sampling event. MW-3, MW-8, and MW-10 showed concentrations of 130  $\mu$ g/L, 89  $\mu$ g/L, and 730  $\mu$ g/L respectively during current sampling event.

**Benzene** was detected in two of the six sampled wells with a maximum concentration of 1,300  $\mu$ g/L in well MW-6. This is a decrease from the maximum concentration of 2,000 in this well during the previous sampling event. MW-10 showed a level of 28  $\mu$ g/L during the current sampling event.

**Toluene** was detected in one of the six wells at a maximum concentration of 240  $\mu$ g/L in MW-6. This is a decrease from the maximum concentration of 320  $\mu$ g/L in this well during the previous sampling event. MW-10 showed a concentration of 1.4  $\mu$ g/L during the current sampling event.

**Ethylbenzene** was detected in two of the six wells at a maximum concentration of 2,800  $\mu$ g/L in MW-6. This is a decrease from the maximum concentration of 5,300  $\mu$ g/L in this well during the previous sampling event. MW-10 showed a concentration of 1.2  $\mu$ g/L during the current sampling period.

**Total Xylenes** were detected in two of the six wells with a maximum concentration of 7,200  $\mu$ g/L in MW-6. This is a decrease from the maximum concentration of 13,000  $\mu$ g/L in this well during the previous sampling event. MW-10 showed a concentration of 3.9  $\mu$ g/L during the current sampling event.

**MTBE** Detected in one of the six sampled wells with a maximum concentration of 50  $\mu$ g/L in well MW-3. This is an increase from a concentration of 38  $\mu$ g/L in this well during the previous sampling event.

#### **REMEDIATION STATUS**

Hydrogen Peroxide feasibility testing will be proposed for the site.

#### CHARACTERIZATION STATUS

No activities during this quarter.

#### RECENT CORRESPONDENCE

No regulatory correspondence were received or sent during the third quarter 2008.

#### THIS QUARTER ACTIVITIES (First Quarter 2009)

- TRC conducted monitoring and smpling at the site on March 27, 2009
- TRC prepared the *Quarterly Monitoring Report, January through March 2009*, dated April 15, 2009.
- Delta prepared and submitted Work Plan for Hydrogen Peroxide Injection, dated 1/6/09

#### NEXT QUARTER ACTIVITIES (Second Quarter 2009)

• TRC will perform the Second Quarter 2008 groundwater monitoring and sampling event and will prepare a quarterly monitoring report.

**CONSULTANT:** Delta Consultants



21 Technology Drive Irvine, CA 92618 949.727.9336 PHONE 949.727.7399 FAX

www.TRCsolutions.com

- DATE: April 15, 2009
- TO: Delta Consultants 11050 White Rock Road, Suite 110 Rancho Cordova, CA 95670

ATTN: MR JOHN REAY

- SITE: 76 STATION 5043 449 HEGENBERGER ROAD OAKLAND, CALIFORNIA
- RE: QUARTERLY MONITORING REPORT JANUARY THROUGH MARCH 2009

This Quarterly Monitoring Report for 76 Station 5043 is being sent to you for your review and comment. If no comments are received by April 22, 2009, copies of this report will be sent to you for distribution.

Please send all comments to me at <u>cherrera@trcsolutions.com</u>. If you have any questions regarding this report, please call me at (949) 727-7345.

Sincerely,

Christina Carrillo Technical Writer



21 Technology Drive Irvine, CA 92618

949.727.9336 PHONE 949.727.7399 FAX

www.TRCsolutions.com

DATE: April 15, 2009

TO: ConocoPhillips Company 76 Broadway Sacramento, CA 95818

ATTN: MR TERRY GRAYSON

SITE: 76 STATION 5043 449 HEGENBERGER ROAD OAKLAND, CALIFORNIA

#### RE: QUARTERLY MONITORING REPORT JANUARY THROUGH MARCH 2009

Dear Mr. Grayson:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5043, located at 449 Hegenberger Road, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan Groundwater Program Operations Manager

CC: Mr. John Reay, Delta Consultants (3 copies)

Enclosures 20-0400/5043R22.QMS

# QUARTERLY MONITORING REPORT JANUARY THROUGH MARCH 2009

76 STATION 5043 449 Hegenberger Road Oakland, California

Prepared For:

Mr. Terry Grayson CONOCOPHILLIPS COMPANY 76 Broadway Sacramento, California 95818

By:

ROFESSIONAL G ENNISE ¢ IENSEN STATE ī, No CALIFOR

Senior Project Geologist, Irvine Operations

14/09 Date: <u>4</u>



LIST OF ATTACHMENTS									
Summary Sheet	Summary of Gauging and Sampling Activities								
Tables	Table Key								
	Contents of Tables								
	Table 1: Current Fluid Levels and Selected Analytical Results								
	Table 1a: Additional Current Analytical Results								
	Table 2: Historic Fluid Levels and Selected Analytical Results								
	Table 2a: Additional Historic Analytical Results								
Figures	Figure 1: Vicinity Map								
	Figure 2: Groundwater Elevation Contour Map								
	Figure 3: Dissolved-Phase TPH-G (GC/MS) Contour Map								
	Figure 4: Dissolved-Phase Benzene Contour Map								
	Figure 5: Dissolved-Phase MTBE Contour Map								
Graphs	Groundwater Elevations vs. Time								
	TPH-G Concentrations vs. Time								
	Benzene Concentrations vs. Time								
	MTBE Concentrations vs. Time								
Field Activities	General Field Procedures								
	Field Monitoring Data Sheet – 03/27/09								
	Groundwater Sampling Field Notes – 03/27/09								
Laboratory	Official Laboratory Reports								
Reports	Quality Control Reports								
	Chain of Custody Records								
Statements	Purge Water Disposal								
	Limitations								

# Summary of Gauging and Sampling Activities January 2009 through March 2009 76 Station 5043 449 Hegenberger Road Oakland, CA

Project Coordinator: Telephone:	Terry Grayson 916-558-7666		Water Sampling Contractor: <b>TRC</b> Compiled by: <b>Christina Carrillo</b>
Date(s) of Gauging/S	Sampling Event: (	03/27/0	9
Sample Points			
Groundwater wells: Purging method: <b>Ba</b> Purge water disposal Other Sample Points	3 onsite, 3 ailer/diaphragm : Veolia/Rodeo : 0 Type:	offsite pump Unit 100	Points gauged: 6 Points sampled: 6
Liquid Phase Hydr	ocarbons (LPH)		
Sample Points with L LPH removal frequer Treatment or dispos	PH: <b>0</b> Maximu hcy: al of water/LPH:	um thickn 	ess (feet): Method:
Hydrogeologic Par	ametérs		
Depth to groundwate Average groundwate Average change in g Interpreted groundw Current event: Previous event:	er (below TOC): r elevation (relativ roundwater elevati ater gradient and 0.006 ft/ft, sout 0.005 ft/ft, sout	Minimu e to avail ion since flow direc theast theast (1	Im: 2.01 feet Maximum: 4 feet able local datum): 5.58 feet previous event: 0.30 feet ction: .2/31/08)
Selected Laborato	ry Results		
Sample Points with d Maximum reporte	etected <b>Benzene</b> d benzene concen	e <b>: 2</b> etration:	Sample Points above MCL (1.0 µg/l): 2 1,300 µg/l (MW-6)
Sample Points with Sample Points with	TPH-G by GC/M MTBE 8260B	S 3 1	Maximum: <b>150,000 μg/l (MW-6)</b> Maximum: <b>50 μg/l (MW-3)</b>

Notes:

This report presents the results of groundwater monitoring and sampling activities performed by TRC. Please contact the primary consultant for other specific information on this site

# TABLES

#### STANDARD ABBREVIATIONS

STANDARD		BREVIATIONS
	-	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace		less than 0.01 foot of LPH in well
μg/l	=	micrograms per liter (approx equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)
D	=	duplicate
Р	=	no-purge sample

#### ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
ICA	=	trichloroethane
ICE	=	trichloroethene
IPH-G	=	total petroleum hydrocarbons with gasoline distinction
IPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
IPH-D	=	total petroleum hydrocarbons with diesel distinction
IRPH	==	total recoverable petroleum hydrocarbons
TAME		tertiary amyl methyl ether
1,1-DCA	==	1,1-dichloroethane
1,2-DCA	==	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

#### NOTES

- 1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
- 2. Groundwater elevations for wells with LPH are calculated as: <u>Surface Elevation Measured Depth to Water +</u> (Dp x LPH Thickness), where Dp is the density of the LPH, if known A value of 0.75 is used for gasoline and when the density is not known A value of 0.83 is used for diesel
- 3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
- 4. Comments shown on tables are general Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
- 5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
- 6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
- 7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.

#### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5043 in October 2003 Historical data compiled prior to that time were provided by Gettler-Ryan Inc

# Contents of Tables 1 and 2 Site: 76 Station 5043

#### Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 1a	Well/ Date	TPH-D	Ethanol (8260B)										
Historic	Data												
Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 2a	Well/ Date	TPH-D	ТВА	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease			

# Table 1 CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS March 27, 2009 76 Station 5043

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luff)	TPH-G	Renzene	Toluene	Ethyl-	Total	MTBE	MTBE	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(Lull) (µg/l)	(ug/l)	(µg/l)	(μg/l)	ug/l)	(µg/l)	(8021B) (μg/l)	(8200B) (μg/l)	
MW-3			(Scree	n Interval	in feet: 2.5	-14.0)								
03/27/09	9 8.04	2.37	0.00	5.67	0.18		150	ND<0.50	ND<0.50	ND<0.50	ND<1.0		50	
MW-6			(Scree	n Interval	in feet: 2.5	-13.5)								
03/27/09	8.87	3.09	0.00	5.78	0.36		150000	1300	240	2800	7200		ND<50	
MW-7			(Scree	n Interval	in feet: 3.0	-13.0)								
03/27/09	8.83	4.00	0.00	4.83	0.17		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-8			(Scree	n Interval	in feet: 3.0	-15.0)								
03/27/09	8.52	2.49	0.00	6.03	0.49		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-9			(Scree	n Interval	in feet: 3.0	-13.0)								
03/27/09	8.29	2.01	0.00	6.28	0.65		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-10			(Scree	n Interval	in feet: 3.0-	-13.0)								
03/27/09	8.62	3.75	0.00	4.87	-0.06		210	28	1.4	1.2	3.9		ND<0.50	

#### Table 1 a ADDITIONAL CURRENT ANALYTICAL RESULTS 76 Station 5043

Date Sampled	TPH-D (µg/l)	Ethanol (8260B) (µg/l)
<b>MW-3</b> 03/27/09	130	ND<250
<b>MW-6</b> 03/27/09	170000	ND<25000
<b>MW-7</b> 03/27/09	ND<50	ND<250
<b>MW-8</b> 03/27/09	89	ND<250
<b>MW-9</b> 03/27/09	ND<50	ND<250
<b>MW-10</b> 03/27/09	730	ND<250

11

......



Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethy1- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1			(Scre	en Interval	l in feet:)									
02/18/9						150000		17000	26000	5200	26000			
05/20/9	2													
08/31/9	2					64000		13000	12000	2500	22000			
11/30/9	2													
02/04/9														
05/04/9	3 8.96	2.13	0.10	6.90										LPH in well
08/04/9	3 8.96	2.92	0.03	6.06	-0.84									LPH in well
11/03/9	3 7.38	3.04	0.00	4.34	-1.72									Not sampled; Presence of free product
02/07/9	4 7.38	2.55	0.03	4.85	0.51									LPH in well
05/19/9	4 7.38	2.23	0.01	5.16	0.31									LPH in well
06/25/9	4 7.38	2.49	0.01	4.90	-0.26									LPH in well
07/27/9	4 7.38	3.10	0.00	4.28	-0.62									
08/1 <i>5</i> /9	4 7.38	2.85	0.11	4.61	0.33									LPH in well
11/14/9	4 7.38	2.97	0.12	4.50	-0.11									LPH in well
02/21/9	5 7.38	1.53	0.02	5.87	1.37									LPH in well
05/18/9	5													Destroyed
MW-2			(Scre	en Interval	in feet:)									
02/18/9	2		`		`	29000		1000	5300	260	7900			
05/20/9	2					24000		2200	7600	630	11000			
08/31/9	2					9000		1800	640	140	2000			
11/30/9	2					29000		2000	3400	1200	6900			
02/04/9	3					18000		1600	3000	ND	6900			

5043

Page 1 of 20

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Flevation	TPH-G 8015	TPH-G			Ethyl-	Total	MTBE	MTBE	Comments
	<i>(</i> <b>2</b> )			Lievation	Lievation	(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021 <b>B</b> )	(8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-2	continued													
05/04/9	93 8.96	2.48	0.00	6.48		63000		3200	17000	470	17000			
08/04/9	8.96	3.20	0.00	5.76	-0.72	45000		2100	6600	1400	12000			
11/03/9	8.58	3.37	0.00	5.21	-0.55	72000		3700	16000	3700	20000			
02/07/9	94 8.58	2.40	0.00	6.18	0.97									Not sampled; Presence of free product
05/19/9	4 8.58	2.13	0.00	6.45	0.27	42000		2500	1300	2300	13000			
06/25/9	4 8.58	2.65	0.00	5.93	-0.52									
07/27/9	4 8.58	3.44	0.00	5.14	-0.79									
08/15/9	4 8.58	3.25	0.00	5.33	0.19	35000		2400	850	1700	15000			
11/14/9	4 8.58	2.13	0.00	6.45	1.12	43000		2200	6500	1800	14000			
02/21/9	95 8.58	1.65	0.00	6.93	0.48	44000		2200	3200	1300	1500			
05/18/9	95													Destroyed
MW-3			(Scre	en Interval	in feet: 2.5	-14.0)								
02/18/9	20					230		4.8	22	1.8	33			
05/20/9	92													Inaccessible
08/31/9	20					210		1	ND	ND	ND			
11/30/9	92					790		ND	ND	ND	ND			
02/04/9	93					3300		320	ND	96	6. i			
05/04/9	7.84	4.32	0.00	3.52		1800		95	ND	ND	ND			
08/04/9	7.84	4.94	0.00	2.90	-0.62	210		ND	ND	ND	ND			
11/03/9	3 7.42	4.53	0.00	2.89	-0.01	640		ND	ND	ND	ND			
02/07/9	4 7.42	2.40	0.00	5.02	2.13	2700		110	ND	17	ND			
05/19/9	4 7.42	3.60	0.00	3.82	-1.20	1800		83	ND	6.2	9.1			

Page 2 of 20



Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change m Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-	Total Xvienes	MTBE (8021B)	MTBE	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(μg/l)	(µg/l)	(μg/l)	(µg/l)	(μg/l)	(3021B) (μg/l)	(8200B) (μg/l)	
MW-3	continued													
06/25/9	04 7.42	4.58	0.00	2.84	-0.98									
07/27/9	94 7.42	4.58	0.00	2.84	0.00									
08/15/9	94 7.42	4.65	0.00	2.77	-0.07	130		1.1	0.54	ND	0.97			
11/14/9	94 7.42	3.18	0.00	4.24	i.47	1600		ND	ND	ND	ND			
02/21/9	95 7.42	1.81	0.00	5.61	1.37	3800		350	ND	130	22			
05/18/9	5 7.42	4.56	0.00	2.86	-2.75	1300		42	ND	ND	ND			
08/17/9	5 7.42													Inaccessible
07/26/9	6 7.42													Inaccessible
10/28/9	6 7.42													Obstructed at 0.55 feet
01/29/9	7.42													Inaccessible
04/15/9	7.42													Inaccessible
05/27/9	7.42	3.45	0.00	3.97		670		6.5	ND	ND	ND	250		
06/01/9	7.42	3.50	0.00	3.92	-0.05									
07/15/9	8.04	3.71	0.00	4.33	0.41	240		ND	ND	ND	ND	490		
10/09/9	7 8.04	3.70	0.00	4.34	0.01	270		Í.1	ND	2.4	i <b>.4</b>	910		
01/14/9	8 8.04	2.16	0.00	5.88	1.54	310		ND	ND	0.62	0.65	140		
04/01/9	8 8.04	2.20	0.00	5.84	-0.04	370		5.7	ND	ND	ND	93		
07/15/9	8 8.04	3.38	0.00	4.66	-1.18	460		ND	ND	ND	ND	230		
10/16/9	8 8.04	2.30	0.00	5.74	1.08	330		4.7	ND	ND	ND	60		
01/25/9	9 8.04	2.42	0.00	5.62	-0.12	420		i.5	ND	ND	ND	180		
04/15/9	9 8.04	2.16	0.00	5.88	0.26	290		0.54	ND	ND	ND	160		
07/14/9	9 8.04	2.35	0.00	5.69	-0.19	290		3.2	ND	ND	ND	160		
10/21/9	9 8.04	2.49	0.00	5.55	-0.14	360		0.77	ND	ND	ND	82		

Page 3 of 20



Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change 1n Elevation	TPH-G 8015	TPH-G	D	11°	Ethyi-	Total	MTBE	MTBE	Com	nents
	(feet)	(feet)	(feet)	(feet)	(feet)	(Luit) (ug/l)	(UC/MS) (ug/l)	(ug/l)	(ug/l)	benzene (ug/l)	(ug/l)	(8021B) (ug/l)	(8260B) (ug/l)		
MW-3	continued					(1.8.7	(-8-)	(1-8)	(1-8/-)	(PB-1)	(#8/1)	(#8.1)	(#8/1)		
01/20/0	0 8.04	2.38	0.00	5.66	0.11	ND		0.81	ND	ND	ND	54			
04/13/0	0 8.04	2.76	0.00	5.28	-0.38	250		0.69	ND	ND	ND	91	150		
07/14/0	0 8.04	3.26	0.00	4.78	-0.50	345		ND	ND	ND	ND	94.7			
10/26/0	0 8.04	3.12	0.00	4.92	0.14	480		6.0	ND	ND	ND	120			
01/03/0	1 8.04	3.65	0.00	4.39	-0.53	364		1.59	ND	ND	ND	118			
04/04/0	1 8.04	3.98	0.00	4.06	-0.33	417		1.24	ND	ND	0.802	237			
07/17/0	8.04	3.12	0.00	4.92	0.86	480		ND	ND	ND	ND	150			
10/01/0	1 8.04	3.25	0.00	4.79	-0.13	310		1.0	ND<0.50	ND<0.50	ND<0.50	53		н Н	
01/31/0	2 8.04	2.27	0.00	5.77	0.98	250		3.5	ND<1.0	ND<1.0	ND<1.0	110			
04/18/0	2 8.04	3.55	0.00	4.49	-1.28	300		ND<2.0	ND<2.0	ND<2.0	ND<2.0		59		
07/28/0	2 8.04	2.55	0.00	5.49	1.00		500	ND<0.50	ND<0.50	ND<0.50	ND<1.0		130		
10/09/0	2 8.04	2.47	0.00	5.57	0.08		690	ND<5	ND<5	ND<5	ND<10		120		
01/02/0	3 8.04	1.70	0.00	6.34	0.77		310	ND<0.50	ND<0.50	ND<0.50	ND<1.0		110		
04/01/0	3 8.04	3.48	0.00	4.56	-1.78		250	ND<1.0	ND<1.0	ND<1.0	ND<2.0		210		
07/01/0	3 8.04	2.65	0.00	5.39	0.83		450	ND<2.5	ND<2.5	ND<2.5	ND<5.0		70		
10/02/0	3 8.04	3.12	0.00	4.92	-0.47		ND<250	ND<2.5	ND<2.5	ND<2.5	ND<5.0		210		
01/09/0	4 8.04	2.39	0.00	5.65	0.73		300	ND<0.50	0.53	0.53	i.5		66		
04/26/0	4 8.04	3.11	0.00	4.93	-0.72		440	2.5	5.5	2.9	9.4		81		
07/22/0	4 8.04	2.51	0.00	5.53	0.60		420	ND<0.5	ND<0.5	ND<0.5	ND<1		72		
10/29/0	4 8.04	2.00	0.00	6.04	0.51		460	5.6	15	10	46		48		
01/10/0	5 8.04	1.52	0.00	6.52	0.48		280	ND<0.50	0.62	ND<0.50	2.4		64		
06/15/0	5 8.04	2.00	0.00	6.04	-0.48		460	ND<0.50	0.70	0.56	i.9		110		
09/27/0	5 8.04	1.90	0.00	6.14	0.10		210	ND<0.50	0.60	ND<0.50	ND<1.0		100		

Page 4 of 20

**©**TRC

Date	TOC	Depth to	LPH Thickness	Ground-	Change	TPH-G								Comments
Sampled	Elevation	w aler	Inickness	Elevation	n Elevation	8015	TPH-G	_		Ethyl-	Total	MTBE	MTBE	
	(C ))	(0 )	(0)	(2)		(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021B)	(8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-3	continued	0.05	0.00	5.40										
12/13/0	15 8.04	2.35	0.00	5.69	-0.45		230	ND<0.50	ND<0.50	ND<0.50	ND<1.0		92	
03/23/0	6 8.04	1.84	0.00	6.20	0.51		290	ND<0.50	ND<0.50	ND<0.50	ND<1.0		88	
06/23/0	6 8.04	2.26	0.00	5.78	-0.42		500	ND<0.50	ND<0.50	ND<0.50	ND<1.0		75	
09/26/0	6 8.04	2.08	0.00	5.96	0.18		270	ND<0.50	ND<0.50	ND<0.50	ND<0.50		73	
12/22/0	6 8.04	1.88	0.00	6.16	0.20		260	ND<0.50	ND<0.50	ND<0.50	1.2		71	
03/30/0	8.04	2.47	0.00	5.57	-0.59		390	ND<0.50	ND<0.50	ND<0.50	ND<0.50		120	
06/28/0	8.04	2.54	0.00	5.50	-0.07		370	ND<0.50	ND<0.50	ND<0.50	ND<0.50		55	
09/25/0	8.04	2.56	0.00	5.48	-0.02		350	ND<0.50	ND<0.50	ND<0.50	ND<0.50		61	
12/28/0	8.04	2.29	0.00	5.75	0.27		260	ND<0.50	ND<0.50	ND<0.50	ND<1.0		66	
03/22/0	8.04	3.26	0.00	4.78	-0.97		390	ND<0.50	ND<0.50	ND<0.50	ND<1.0		39	
06/23/0	8.04	2.60	0.00	5.44	0.66		200	ND<0.50	ND<0.50	ND<0.50	ND<1.0		46	
09/19/0	8.04	3.45	0.00	4.59	-0.85		180	ND<0.50	ND<0.50	ND<0.50	ND<1.0		120	
12/31/0	8.04	2.55	0.00	5.49	0.90		190	ND<0.50	ND<0.50	ND<0.50	ND<1.0		38	
03/27/0	9 8.04	2.37	0.00	5.67	0.18		150	ND<0.50	ND<0.50	ND<0.50	ND<1.0		50	
MW-4			(Scree	en Interval	in feet:)									
08/31/9	2		`			240		ND	ND	ND	0.54			
11/30/9	2					420		ND	ND	ND	ND			
02/04/9	3					ND		ND	ND	ND	ND			
05/04/9	9.00	4.09	0.00	4.91		110		0.95	ND	ND	ND			
08/04/9	9.00	5.01	0.00	3.99	-0.92	250		ND	3.5	ND	4.1			
11/03/9	3 8.41	4.23	0.00	4.18	0.19	130		ND	ND	ND	ND			
02/07/9	4 8.41	3.35	0.00	5.06	0.88	56		ND	ND	ND	ND			
05/19/9	4 8.41	3,92	0.00	4.49	-0.57	140		ND	ND	ND	ND			

Page 5 of 20



Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water	Change 1n	TPH-G 8015	TPH-G			Ethyl-	Total	MTRE	MTRE	Comments
				Elevation	Elevation	(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021B)	(8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-4	continued													
06/25/9	4 8.41	4.35	0.00	4.06	-0.43									
07/27/9	4 8.41	4.28	0.00	4.13	0.07									
08/15/9	4 8.41	4.27	0.00	4.14	0.01	59		ND	0.6	ND	ND			
11/14/9	4 8.41	4.05	0.00	4.36	0.22	130		ND	ND	ND	ND			
02/21/9	5										·			Destroyed
MW-5			(Scre	en Interval	l in feet:)									
08/31/9						78		0.89	ND	ND	13			
11/30/9	2					930		70	290	0.79	14		<del></del>	
02/04/9	3					5700		38	ND	620	170			
05/04/9	3 8.95	4.37	0.00	4.58		7400		41	ND	1000	35			
08/04/9	3 8.95	5.81	0.00	3.14	-i.44	1500		130	i	460	11			
11/03/9	3 8.95	5.68	0.00	3.27	0.13	13000		350	ND	3500	530			
02/07/9	4 8.95	5.11	0.00	3.84	0.57	2000		87	ND	370	110			
05/19/9	4 8.95	5.09	0.00	3.86	0.02	260		44	ND	32	4.1			
06/25/9	4 8.95	4.55	0.00	4.40	0.54									
07/27/9	4 8.95	5.72	0.00	3.23	-i.17									
08/15/9	4 8.95	5.68	0.00	3.27	0.04	1600		110	ND	340	72			
11/14/9	4 8.95	5.63	0.00	3.32	0.05	250		40	ND	ND	5			
02/21/9	5													Destroyed
MW-6			(Scree	en Interval	in feet: 2.5	-13.5)								
08/31/9	2					ND		ND	ND	ND	ND			
11/30/9	2					9200		550	ND	740	1600			
02/04/9	3					3600		340	ND	290	550			
5043								Page 6	of 20					
														<b>UIRC</b>

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water	Change	TPH-G								Comments
		ii ator	1 MOMICOS	Elevation	Elevation	8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-	Total Xylenes	MTBE	MTBE	
	(feet)	(feet)	(feet)	(feet)	(feet)	(μg/l)	(μg/l)	(µg/l)	(µg/l)	(µg/l)	μg/l)	(3021D) (μg/l)	(8200 <b>B</b> ) (μg/l)	
MW-6	continued													
05/04/9	3 9.12	3.72	0.00	5.40		4900		360	18	450	430			
08/04/9	3 9.12	5.15	0.00	3.97	-1.43	3400		390	ND	440	190			
11/03/9	3 8.87	5.25	0.00	3.62	-0.35	1400		320	ND	200	7.7			
02/07/9	4 8.87	4.55	0.00	4.32	0.70	4900		650	ND	250	35			
05/19/9	4 8.87	4.62	0.00	4.25	-0.07	3600		300	1.7	210	41			
08/1 <i>5</i> /9	4 8.87	5.08	0.00	3.79	-0.46	1300		130	6.7	54	57			
11/14/9	4 8.87	5.30	0.00	3.57	-0.22	730		50	ND	ND	39			
02/21/9	5 8.87	5.37	0.00	3.50	-0.07	2000		250	4.6	25	30			
05/18/9	5 8.87													Inaccessible
08/17/9	5 8.87													Inaccessible
07/26/9	6 8.87	6.40	3.33	4.97										LPH in well
10/28/9	6 8.87	4.10	0.21	4.93	-0.04									LPH in well
11/13/9	6 8.87	4.02	0.25	5.04	0.11									LPH in well
11/25/9	6 8.87	4.01	0.75	5.42	0.38									LPH in well
12/04/9	6 8.87	3.65	0.50	5.59	0.17									LPH in well
12/19/9	6 8.87	4.80	2.20	5.72	0.13									LPH in well
01/08/9	7 8.87	4.84	1.75	5.34	-0.38									LPH in well
01/14/9	7 8.87	4.51	1.15	5.22	-0.12									LPH in well
01/27/9	7 8.87	4.00	1.75	6.18	0.96									LPH in well
01/29/9	7 8.87	3.24	0.31	5.86	-0.32									LPH in well
02/11/9	7 8.87	4.65	1.20	5.12	-0.74									LPH in well
02/24/9	7 8.87	4.81	1.10	4.89	-0.23									LPH in well
03/10/9	7 8.87	4.60	0.95	4.98	0.10									LPH in well

Page 7 of 20

**CTRC** 

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water	Change	TPH-G	TDU O			19-4	<b>m</b> .			Comments
1				Elevation	Elevation	8015 (Luft)	(GC/MS)	Benzene	Toluene	Ethyl-	Total Xvienes	MTBE (8021B)	MTBE (8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(μg/l)	(μg/l)	(μg/l)	(μg/l)	(0021D) (μg/l)	(0200D) (μg/l)	
MW-6	continued													
03/17/9	7 8.87	4.50	0.89	5.04	0.05									LPH in well
03/31/9	7 8.87	4.65	1.00	4.97	-0.07									LPH in well
04/15/9	7 8.87	4.90	1.03	4.74	-0.23									LPH in well
04/28/9	7 8.87	4.78	0.03	4.11	-0.63									LPH in well
05/15/9	7 8.87	4.60	0.25	4.46	0.35									LPH in well
05/27/9	7 8.87	4.50	0.25	4.56	0.10									LPH in well
06/09/9	7 8.87	4.60	0.20	4.42	-0.14									LPH in well
06/24/9	7 8.87	4.50	0.25	4.56	0.14									LPH in well
07/09/9	7 8.87	4.80	0.60	4.52	-0.04									LPH in well
07/15/9	7 8.87	4.63	0.42	4.55	0.04									LPH in well
07/21/9	7 8.87	4.75	0.25	4.31	-0.25									LPH in well
08/06/9	7 8.87	4.50	0.10	4.44	0.14		-							LPH in well
08/20/9	7 8.87	4.55	0.10	4.39	-0.05									LPH in well
09/02/9	7 8.87	4.75	0.05	4.16	-0.24									LPH in well
10/09/9	7 8.87	4.84	0.04	4.06	-0.10									LPH in well
01/14/9	8 8.87	3.90	0.94	5.67	i.61									LPH in well
02/12/9	8 8.87	3.35	0.64	6.00	0.33									LPH in well
03/03/9	8 8.87	4.51	0.02	4.37	-1.63									LPH in well
04/01/9	8 8.87	3.67	i.60	6.40	2.03									LPH in well
05/26/9	8 8.87	4.11	0.50	5.13	-1.26									LPH in well
06/15/9	8 8.87	5.03	0.30	4.06	-1.07									LPH in well
07/15/9	8 8.87	4.56	0.05	4.35	0.28									LPH in well
08/21/9	8 8.87	4.77	0.02	4.11	-0.23									LPH in well

Page 8 of 20



Date	TOC Flocation	Depth to	LPH Thislmass	Ground-	Change	TPH-G								Comments
Sampled	Elevation	w aler	Thickness	Elevation	in Elevation	8015	TPH-G	D	<b>T</b> .	Ethyl-	Total	MTBE	MTBE	
	(feet)	(feet)	(feet)	(feet)	(feet)	(Luff)	(GC/MS)	Benzene	l oluene	benzene	Xylenes	(8021B)	(8260B)	
	(1001)	(1000)	(1001)	(1001)	(100)	(#8/1)	(μβ/1)	(µg/1)	(μg/1)	(µg/1)	(µg/1)	(µg/1)	(µg/I)	
<b>MW-6</b> 09/30/9	continued 8 8.87	5.08	0.03	3.81	-0.30									I PH in well
10/16/9	8 8.87	4.31	2.40	6.36	2.55									I PH in well
11/06/9	8 8.87	3.98	0.17	5.02	-1.34									L PH in well
11/25/9	8 8.87	3.92	0.10	5.02	0.01									L PH in well
12/28/9	8 8.87	3.90	0.20	5.12	0.10									
01/25/9	9 8.87	4.18	0.60	5.14	0.02									
02/22/9	9 8.87	4.07	0.22	4 96	-0.18									
03/22/9	9 8.87	4 32	0.15	4.66	-0.30									
04/15/0	0.07	4.02	0.05	5.25	-0.50	~~								LPH in well
05/20/0	0.07	4.23	0.95	5.55	0.09									LPH in well
05/28/9	9 8.87	4,38	0.39	4.78	-0.57									LPH in well
06/29/9	9 8.87	4.12	0.02	4.76	-0.02									LPH in well
07/14/9	9 8.87	4.20	0.03	4.69	-0.07									Not sampled - presence of free product
08/23/9	9 8.87	4.51	0.24	4.54	-0.15									LPH in well
09/30/9	9 8.87	4.17	0.17	4.83	0.29									LPH in well
10/21/9	9 8.87	4.27	0.12	4.69	-0.14									LPH in well
11/29/9	9 8.87	4.18	0.00	4.69	0.00									
12/20/9	9 8.87	4.26	0.01	4.62	-0.07									LPH in well
01/20/0	0 8.87	4.31	0.00	4.56	-0.06	130000		2900	8600	2000	16000	ND		
02/26/0	0 8.87	3.98	0.00	4.89	0.33									
03/31/0	0 8.87	4.14	0.00	4.73	-0.16									
04/13/0	0 8.87	4.04	0.00	4.83	0.10	140000		5000	14000	3600	27000	7700		
05/26/0	0 8.87	4.41	0.00	4.46	-0.37									



Page 9 of 20

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change 1n Elevation	TPH-G 8015	TPH-G	Bongono	Taluara	Ethyi-	Total	MTBE	MTBE	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(Lult) (μg/l)	(GC/MS) (μg/l)	ug/l)	(μg/l)	ug/l)	xyienes (μg/l)	(8021B) (μg/l)	(8260B) (µg/l)	
MW-6	continued													
06/17/0	0 8.87	4.35	0.00	4.52	0.06									
07/14/0	0 8.87	4.47	0.00	4.40	-0.12	259000		7670	13700	6860	40700	ND	ND	
08/24/0	0 8.87	3.71	0.00	5.16	0.76									
09/27/0	0 8.87	4.33	0.00	4.54	-0.62									
10/26/0	0 8.87	4.32	0.00	4.55	0.01	110000		7000	6200	3700	12000	670	43	
01/03/0	1 8.87	4.52	0.00	4.35	-0.20	84700		3950	4130	3650	11800	ND	ND	
04/04/0	1 8.87	4.29	0.00	4.58	0.23	69800		2060	2840	3650	10900	ND	47.8	
07/17/0	1 8.87	4.37	0.00	4.50	-0.08	100000		3200	3300	3400	12000	ND		
10/01/0	1 8.87	4.45	0.00	4.42	-0.08	110000		3200	2400	4500	13000	ND<1000		
01/31/0	2 8.87	4.03	0.00	4.84	0.42	230000		2400	1800	5400	16000	ND<2500		
04/18/0	2 8.87	3.45	0.00	5.42	0.58	94000		6800	13000	3000	19000	ND<500		
07/28/0	2 8.87	2.24	0.00	6.63	1.21		110000	530	170	3200	7300		ND<100	
10/09/0	2 8.87	3.53	0.00	5.34	-1.29		970000	10000	39000	13000	94000		ND<2000	
01/02/0	3 8.87	2.34	0.00	6.53	1.19		270000	6100	15000	5400	37000		ND<200	
04/01/0	3 8.87	3.17	0.00	5.70	-0.83		3000000	8000	39000	37000	260000		ND<2000	
07/01/0	3 8.87	3.55	0.00	5.32	-0.38		38000	2100	990	2700	6500		ND<100	
10/02/0	3 8.87	3.82	0.00	5.05	-0.27		100000	5600	6900	4700	18000		ND<800	
01/09/0	4 8.87	2.80	0.00	6.07	1.02		170000	2800	3300	4700	16000		ND<200	
04/26/04	4 8.87	3.40	0.00	5.47	-0.60		97000	5900	9000	5100	23000		ND<50	
07/22/04	4 8.87	3.54	0.00	5.33	-0.14		110000	4100	5100	4000	16000		ND<200	
10/29/04	4 8.87	3.03	0.00	5.84	0.51		100000	5200	6100	4200	15000		ND<50	
01/10/0:	5 8.87	2.35	0.00	6.52	0.68	-	71000	1600	3700	2100	9900		ND<50	
06/15/0:	5 8.87	2.47	0.00	6.40	-0.12		130000	800	1800	2200	9300		ND<50	

5043

11

Page 10 of 20

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change 1n Elevation	TPH-G 8015	TPH-G	Porgona	Taluana	Ethyl-	Total	MTBE	MTBE	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(Luit) (µg/l)	(ug/l)	(µg/l)	(ug/l)	(ug/l)	(ug/l)	(8021B) (ug/l)	(8200B) (ug/l)	
MW-6	continued							(1-0)	(18-)		(#8-7)		(#6/1)	
09/27/0	5 8.87	2.55	0.00	6.32	-0.08		13000	82	120	430	990		0.56	
12/13/0	5 8.87	3.28	0.00	5.59	-0.73		68000	1500	1100	2200	7700		ND<50	
03/23/0	6 8.87	2.87	0.00	6.00	0.41		41000	290	140	1500	2700		ND<50	
06/23/0	6 8.87	3.15	0.00	5.72	-0.28		50000	2200	1400	1900	5700		ND<12	
09/26/0	6 8.87	3.08	0.00	5.79	0.07		130000	2200	1000	2900	8800		ND<50	
12/22/0	6 8.87	2.90	0.00	5.97	0.18		90000	940	610	1900	4700		ND<50	
03/30/0	7 8.87	3.26	0.00	5.61	-0.36		210000	1100	560	3400	12000		ND<10	
06/28/0	7 8.87	3.46	0.00	5.41	-0.20		67000	2200	1300	2700	10000		ND<25	
09/25/0	7 8.87	3.52	0.00	5.35	-0.06		56000	2900	720	2400	9000		ND<25	
12/28/0	7 8.87	3.27	0.00	5.60	0.25		78000	28000	2700	4000	8100		16000	
03/22/0	8 8.87	2.48	0.00	6.39	0.79		66000	380	150	1500	2400		ND<25	
06/23/0	8 8.87	3.54	0.00	5.33	-1.06		59000	1600	130	1800	4100		25	
09/19/0	8 8.87	4.06	0.00	4.81	-0.52		65000	2000	230	2000	4500		ND<12	
12/31/0	8 8.87	3.45	0.00	5.42	0.61		91000	2000	320	5300	13000		ND<50	
03/27/0	9 8.87	3.09	0.00	5.78	0.36		150000	1300	240	2800	7200		ND<50	
<b>MW-7</b>			(Scree	en Interval	in feet: 3.0	-13.0)								
05/27/9	7 8.83	4.50	0.00	4.33		68		ND	ND	ND	ND	ND		
06/01/9	7 8.83	4.54	0.00	4.29	-0.04									
07/15/9	7 8.83	4.70	0.00	4.13	-0.16	ND		ND	ND	ND	ND	ND		
10/09/9	7 8.83	4.30	0.00	4.53	0.40	ND		ND	ND	ND	ND	ND		
01/14/9	8 8.83	2.88	0.00	5.95	1.42	ND		ND	ND	ND	ND	36		
04/01/9	8 8.83	3.13	0.00	5.70	-0.25	ND		ND	ND	ND	ND	ND		
07/15/9	8 8.83	4.45	0.00	4.38	-1.32	ND		ND	ND	ND	ND	ND		
5043								Page 11	of 20					

Page 11 of 20

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water	Change in	TPH-G 8015	TPH-G			Ethyl-	Total	MTBE	MTBE	Comments
				Elevation	Elevation	(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021B)	(8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-7	continued													
10/16/9	8 8.83	3.45	0.00	5.38	1.00	ND		ND	ND	ND	ND	ND		
01/25/9	9 8.83	3.22	0.00	5.61	0.23	ND		ND	ND	ND	ND	ND		
04/15/9	9 8.83	3.11	0.00	5.72	0.11	ND		ND	ND	ND	ND	ND		
07/14/9	9 8.83	3.34	0.00	5.49	-0.23	ND		ND	ND	ND	ND	ND		
10/21/9	9 8.83	3.43	0.00	5.40	-0.09	ND		ND	ND	ND	ND	ND		
01/20/0	8.83	3.29	0.00	5.54	0.14	ND		ND	ND	ND	ND	4.2		
04/13/0	8.83	3.39	0.00	5.44	-0.10	ND		ND	ND	ND	ND	ND		
07/14/0	0 8.83	4.42	0.00	4.41	-1.03	ND		ND	ND	ND	ND	7.83		
07/17/0	8.83	5.06	0.00	3.77	-0.64	ND		ND	ND	ND	ND	ND		
10/01/0	8.83	4.98	0.00	3.85	0.08	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0		
01/31/0	8.83	3.88	0.00	4.95	1.10	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5		
04/18/0	8.83	4.03	0.00	4.80	-0.15	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.7		
07/28/0	8.83	3.59	0.00	5.24	0.44		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.9	
10/09/0	8.83	4.53	0.00	4.30	-0.94		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.9	
01/03/0	8.83	3.36	0.00	5.47	i.17		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
04/01/0	8.83	3.94	0.00	4.89	-0.58		71	ND<0.50	ND<0.50	0.71	ND<1.0		3.4	
07/01/0	8.83	4.60	0.00	4.23	-0.66		64	ND<0.50	ND<0.50	0.77	2.0		35	
10/02/0	8.83	5.46	0.00	3.37	-0.86		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		4.9	
01/09/0	4 8.83	3.55	0.00	5.28	1.91		54	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.4	
04/26/0	4 8.83	4.49	0.00	4.34	-0.94		ND<50	ND<0.50	ND<0,50	ND<0.50	1.5		2.3	
07/22/0	4 8.83	4.93	0.00	3.90	-0.44		82	0.90	2.0	3.5	9.9		1.4	
10/29/0	4 8.83	3.71	0.00	5.12	1.22		210	0.67	1.6	1.7	5.8		ND<0.50	
01/10/0	5 8.83	2.77	0.00	6.06	0.94		74	0.51	2.2	1.7	7.0		ND<0.50	

5043

Page 12 of 20

**©TRC** 

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change 1n Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
·	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(μg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(μg/l)	(µg/l)	
MW-7	continued													,
06/15/0	5 8.83	3.40	0.00	5.43	-0.63		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		0.88	
09/27/0	5 8.83	3.44	0.00	5.39	-0.04		ND<50	0.59	1.2	ND<0.50	ND<1.0		0.96	
12/13/0	5 8.83	3.98	0.00	4.85	-0.54		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		0.65	
03/23/0	6 8.83	3.37	0.00	5.46	0.61		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/23/0	6 8.83	5.25	0.00	3.58	-1.88		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/26/0	6 8.83	4.13	0.00	4.70	1.12		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		0.77	
12/22/0	6 8.83	3.63	0.00	5.20	0.50		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
03/30/0	7 8.83	4.31	0.00	4.52	-0.68		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
06/28/0	7 8.83	4.62	0.00	4.21	-0.31		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		0.54	
09/25/0	7 8.83	4.65	0.00	4.18	-0.03		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/28/0	7 8.83	3.99	0.00	4.84	0.66		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/22/0	8 8.83	4.08	0.00	4.75	-0.09		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/23/0	8 8.83	4.10	0.00	4.73	-0.02		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/19/0	8 8.83	4.86	0.00	3.97	-0.76		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
12/31/0	8 8.83	4.17	0.00	4.66	0.69		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/27/0	9 8.83	4.00	0.00	4.83	0.17		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-8			(Scree	en Interval	in feet: 3.0-	-15.0)								
05/27/9	7 8.52	3.42	0.00	5.10		310		0.88	0.67	15	70	ND		
06/01/9	7 8.52	3.46	0.00	5.06	-0.04									
07/15/9	7 8.52	3.49	0.00	5.03	-0.03	ND		ND	ND	2.7	3.8	ND		
10/09/9	7 8.52	3.73	0.00	4.79	-0.24	590		1.4	ND	32	4.1	ND		
01/14/9	8 8.52	i.92	0.00	6.60	1.81	ND		ND	ND	ND	ND	ND		
04/01/9	8 8.52	2.38	0.00	6.14	-0.46	ND		ND	ND	ND	ND	4.7		

5043

Page 13 of 20

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water	Change in	TPH-G 8015	TPH-G			Ethyl-	Total	MTBE	MTBE	Comments
				Lievation	Elevation	(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021B)	(8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>MW-8</b>	continued													
07/15/9	8 8.52	3.53	0.00	4.99	-1.15	ND		ND	ND	0.56	1.1	ND		
10/16/9	8 8.52	3.04	0.00	5.48	0.49	ND		ND	ND	ND	ND	ND		
01/25/9	9 8.52	2.92	0.00	5.60	0.12	ND		ND	ND	ND	ND	ND		
04/15/9	9 8.52	2.40	0.00	6.12	0.52	ND		ND	ND	ND	ND	ND		
07/14/9	9 8.52	3.03	0.00	5.49	-0.63	ND		ND	ND	ND	ND	ND		
10/21/9	9 8.52	3.11	0.00	5.41	-0.08	ND		ND	ND	ND	ND	ND		
01/20/0	0 8.52	3.06	0.00	5.46	0.05	ND		ND	ND	ND	ND	ND		
04/13/0	0 8.52	2.84	0.00	5.68	0.22	ND		ND	ND	ND	ND	ND		
07/14/0	0 8.52	3.39	0.00	5.13	-0.55	ND		ND	ND	ND	ND	ND		
07/17/0	1 8.52	3.46	0.00	5.06	-0.07	ND		ND	ND	ND	ND	ND		
10/01/0	1 8.52	3.51	0.00	5.01	-0.05	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0		
01/31/0	2 8.52	2.75	0.00	5.77	0.76	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5		
04/18/0	2 8.52	2.98	0.00	5.54	-0.23	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5		
07/28/0	2 8.52	2.41	0.00	6.11	0.57		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
10/09/0	2 8.52	2.09	0.00	6.43	0.32		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
01/02/0	3 8.52	1.98	0.00	6.54	0.11		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
04/01/0	3 8.52	2.66	0.00	5.86	-0.68		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
07/01/0	3 8.52	3.08	0.00	5.44	-0.42		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
10/02/0	3 8.52	3.89	0.00	4.63	-0.81		540	3.9	15	29	80		ND<2.0	
01/09/0	4 8.52	2.38	0.00	6.14	1.51		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
04/26/0	4 8.52	2.89	0.00	5.63	-0.51		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
07/22/0	4 8.52	3.25	0.00	5.27	-0.36		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1		ND<0.5	
10/29/0	4 8.52	3.06	0.00	5.46	0.19		ND<50	ND<0.50	ND<0.50	0.82	2.5		ND<0.50	

Page 14 of 20



Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(μg/l)	(µg/l)	(µg/l)	(μg/l)	(μg/l)	(θ200 <b>Β</b> ) (μg/l)	
MW-8	continued												·	······
01/10/0	5 8.52	1.92	0.00	6.60	1.14		58	ND<0.50	0.61	1.2	4.0		ND<0.50	
06/15/0	5 8.52	2.22	0.00	6.30	-0.30		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/27/0	5 8.52	2.43	0.00	6.09	-0.21		ND<50	ND<0.50	ND<0.50	1.2	ND<1.0		ND<0.50	
12/13/0	5 8.52	2.89	0.00	5.63	-0.46		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/23/0	6 8.52	2.12	0.00	6.40	0.77		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/23/0	6 8.52	2.65	0.00	5.87	-0.53		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/26/0	6 8.52	2.75	0.00	5.77	-0.10		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/22/0	6 8.52	2.58	0.00	5.94	0.17		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
03/30/0	7 8.52	2.74	0.00	5.78	-0.16		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
06/28/0	7 8.52	2.90	0.00	5.62	-0.16		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
09/25/0	7 8.52	3.26	0.00	5.26	-0.36		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/28/0	7 8.52	2.64	0.00	5.88	0.62		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/22/0	8 8.52	2.31	0.00	6.21	0.33		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/23/0	8 8.52	3.13	0.00	5.39	-0.82		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/19/0	8 8.52	3.72	0.00	4.80	-0.59		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
12/31/0	8 8.52	2.98	0.00	5.54	0.74		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/27/0	9 8.52	2.49	0.00	6.03	0.49		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-9			(Scre	en Interval	l in feet: 3.0-	-13.0)								
02/21/9	5 8.29	1.98	0.00	6.31		70		ND	ND	ND	ND			
05/18/9	5 8.29	3.47	0.00	4.82	-1.49	52		ND	1.1	ND	1.9			
08/17/9	5 8.29	1.49	0.00	6.80	1.98	ND		ND	ND	ND	ND			
07/26/9	6 8.29	0.28	0.00	8.01	1.21	ND		ND	ND	ND	ND	ND		
10/28/9	6 8.29	i.15	0.00	7.14	-0.87	ND		ND	ND	ND	ND	7.6		
5043								Page 1:	5 of 20					

Page 15 of 20

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015	TPH-G		<b>—</b>	Ethyl-	Total	MTBE	MTBE	Comments
	(feat)	(feet)	(feat)	(foot)	(faat)	(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021B)	(8260B)	
	(1001)		(Teet)	(leet)	(leet)	(µg/1)	(µg/I)	(µg/I)	(µg/1)	(µg/1)	(µg/l)	(µg/I)	(µg/l)	
<b>MW-9</b> 01/29/9	continued	1.05	0.00	7 74	0.10	ND			NEN	ND	ND	5.4		
04/15/0	7 8 20	1.05	0.00	6.41	0.10				ND	ND	ND	5.4		
05/27/9	7 8 2 9	1.00	0.00	7.24	-0.83	ND		ND	ND	ND	ND	5.4		
07/15/0	7 8 20	1.00	0.00	6 20	0.05	 NID								
10/00/0	7 820	1.90	0.00	0.39	-0.85			ND	ND	ND	ND	ND		
01/14/0	0.29 0 0.29	1.70 i 26	0.00	0.55	0.14	ND		ND	ND	NÐ	ND	ND		
04/01/0	0 0.29 0 0.0	1.20	0.00	7.05	0.50	ND		ND	ND	ND	ND	3.0		
04/01/9	0 0.29 P 0.00	0.85	0.00	/.44	0.41	ND		ND	ND	ND	ND	ND		
07/15/9	8 8.29	1.52	0.00	6.77	-0.67	ND		ND	ND	ND	ND	ND		
10/16/9	8 8.29	0.81	0.00	7.48	0.71	ND		ND	ND	ND	ND	ND		
01/25/9	9 8.29	0.92	0.00	7.37	-0.11	ND		ND	ND	ND	ND	ND		
04/15/9	9 8.29	0.90	0.00	7.39	0.02	75		21	ND	ND	1.1	680		
07/14/9	9 8.29	1.04	0.00	7.25	-0.14	ND		1.9	ND	ND	ND	260		
10/21/9	9 8.29	1,23	0.00	7.06	-0.19	ND		ND	ND	ND	ND	170		
01/20/0	0 8.29	1.18	0.00	7.11	0.05	ND		i.i	ND	ND	ND	35		
04/13/0	0 8.29	1.08	0.00	7.21	0.10	160		0.64	ND	ND	ND	53		
07/14/0	0 8.29	i.43	0.00	6.86	-0.35	ND		ND	ND	ND	ND	20.2		
10/26/0	0 8.29	1.38	0.00	6.91	0.05	240		2.9	ND	ND	ND	56		
01/03/0	1 8.29	1.66	0.00	6.63	-0.28	166		0.763	0.776	ND	1.28	50.2		
04/04/0	1 8.29	1.27	0.00	7.02	0.39	296		0.738	ND	ND	0.907	135		
07/17/0	1 8.29	1.38	0.00	6.91	-0.11	ND		ND	ND	ND	ND	13		
10/01/0	1 8.29	i.93	0.00	6.36	-0.55	51		ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.0		
01/31/0	2 8.29	2.08	0.00	6.21	-0.15	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.8		
04/18/0	2 8.29	1.76	0.00	6.53	0.32	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<0.50	5.1		
043								Page 1	6 of 20					

**©**TRC

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyı- benzene	Total Xvienes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-9	continued													, , , , , , , , , , , , , , , , , , ,
07/28/0	2 8.29	1.57	0.00	6.72	0.19		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.5	
10/09/0	2 8.29	1.45	0.00	6.84	0.12		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		17	
01/02/0	3 8.29	1.18	0.00	7.11	0.27		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		8.6	
04/01/0	3 8.29	2.04	0.00	6.25	-0.86		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		9.4	
07/01/0	3 8.29	2.80	0.00	5.49	-0.76		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.2	
10/02/0	3 8.29	2.70	0.00	5.59	0.10		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
01/09/0	4 8.29	1.90	0.00	6.39	0.80		74	ND<0.50	0.98	2.3	6.2		ND<2.0	
04/26/0	4 8.29	1.62	0.00	6.67	0.28		51	ND<0.50	ND<0.50	ND<0.50	ND<1.0		0.51	
07/22/0	4 8.29	1.88	0.00	6.41	-0.26		ND<50	ND<0.5	ND<0.5	ND<0.5	ND <i< td=""><td></td><td>0.78</td><td></td></i<>		0.78	
10/29/0	4 8.29	1.28	0.00	7.01	0.60		ND<50	ND<0.50	ND<0.50	ND<0.50	i.0		ND<0.50	
01/10/0	5 8.29	0.07	0.00	8.22	1.21		93	0.60	2.3	2.4	9.0		ND<0.50	
06/15/0	5 8.29	1.70	0.00	6.59	-1.63		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		6.6	
09/27/0	5 8.29	1.98	0.00	6.31	-0.28		ND<50	ND<0.50	0.73	ND<0.50	ND<1.0		2.3	
12/13/0	5 8.29	2.26	0.00	6.03	-0.28		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.9	
03/23/0	6 8.29	1.32	0.00	6.97	0.94		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		2.7	
06/23/0	6 8.29	i.98	0.00	6.31	-0.66		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		i.9	
09/26/0	6 8.29	2.52	0.00	5.77	-0.54		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/22/0	6 8.29	1.98	0.00	6.31	0.54		ND<50	ND<0.50	0.57	1.8	4.6		İ.6	
03/30/0	7 8.29	2.01	0.00	6.28	-0.03		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		3.4	
06/28/0	7 8.29	1.90	0.00	6.39	0.11		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		4.9	
09/25/0	7 8.29	1.57	0.00	6.72	0.33	<sup>.</sup>	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/28/0	7 8.29	1.98	0.00	6.31	-0.41		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/22/0	8 8.29	0.80	0.00	7.49	1.18		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		0.61	

Page 17 of 20

**CTRC** 

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyı- benzene	Totai Xvienes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(μg/l)	(μg/l)	
MW-9	continued													
06/23/0	8 8.29	1.80	0.00	6.49	-1.00		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/19/0	8 8.29	2.43	0.00	5.86	-0.63		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		3.9	
12/31/0	8 8.29	2.66	0.00	5.63	-0.23		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/27/0	9 8.29	2.01	0.00	6.28	0.65		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
MW-10			(Scree	en Interval	in feet: 3.0	-13.0)								
02/21/9	5 8.62	4.69	0.00	3.93		1500		250	26	9.1	160			
05/18/9	5 8.62	4.92	0.00	3.70	-0.23	810		520	ND	18	23			
08/17/9	5 8.62	4.05	0.00	4.57	0.87	67		25	ND	2.4	ND			
07/26/9	6 8.62	4.08	0.00	4.54	-0.03	ND		3.7	ND	ND	ND	ND		
10/28/9	6 8.62	4.09	0.00	4.53	-0.01	ND		1.1	ND	ND	ND	ND		
01/29/9	7 8.62	2.94	0.00	5.68	1.15	210		41	0.67	7.2	4.8	11		
04/15/9	7 8.62	4.07	0.00	4.55	-1.13	110		12	ND	0.77	ND	9.7		
05/27/9	7 8.62	4.40	0.00	4.22	-0.33									
07/15/9	7 8.62	4.19	0.00	4.43	0.21	ND		2.1	ND	0.67	0.73	ND		
10/09/9	7 8.62	4.75	0.00	3.87	-0.56	190		38	0.92	6.6	7.6	ND		
01/14/9	8 8.62	2.66	0.00	5.96	2.09	59		9.5	0.85	1.2	i.7	4.5		
04/01/9	8 8.62	3.45	0.00	5.17	-0.79	230		66	1.7	12	17	6.4		
07/15/9	8 8.62	4.21	0.00	4.41	-0.76	290	'	98	45	21	38	21		
10/16/9	8 8.62	4.11	0.00	4.51	0.10	160		44	0.96	2.5	10	17		
01/25/9	9 8.62	3.26	0.00	5.36	0.85	140		27	ND	2.8	6.8	23		
04/15/9	9 8.62	3.63	0.00	4.99	-0.37	120		18	ND	1.8	5.1	14		
07/14/9	8.62	3.89	0.00	4.73	-0.26	280		55	3.2	11	31	6.1		
10/21/9	8.62	4.09	0.00	4.53	-0.20	140		22	0.59	1.7	7.7	5.3		
5043								Page 18	8 of 20					

Page 18 of 20



Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015 (Luft)	TPH-G (GC/MS)	Benzene	Toluene	Ethyi- benzene	Totai Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-10	continue	d												
01/20/0	0 8.62	3.92	0.00	4.70	0.17	ND		0.73	0.86	ND	ND	5.2		
04/13/0	0 8.62	3.85	0.00	4.77	0.07	67		54	ND	2.6	ND	3.8		
07/14/0	8.62	4.18	0.00	4.44	-0.33	ND		0.547	ND	ND	ND	ND		
10/26/0	0 8.62	3.96	0.00	4.66	0.22	ND		3.3	ND	0.83	1.5	ND		
01/03/0	8.62	4.14	0.00	4.48	-0.18	52.7		5.15	ND	0.823	1.57	ND		
04/04/0	8.62	3.88	0.00	4.74	0.26	129		28.1	1.67	4.97	10.1	ND		
07/17/0	8.62	4.08	0.00	4.54	-0.20	ND		4.1	ND	1.0	1.8	ND		
10/01/0	8.62	4.22	0.00	4.40	-0.14	140		30	0.51	4.0	12	ND<5.0		
01/31/02	2 8.62	3.68	0.00	4.94	0.54	110		16	ND<0.50	2.3	5.6	ND<2.5		
04/18/02	2 8.62	4.01	0.00	4.61	-0.33	ND<50		11	ND<0.50	1.4	4.5	ND<2.5		
07/28/0	2 8.62	4.11	0.00	4.51	-0.10		67	15	ND<0.50	0.94	7.3		ND<2.0	
10/09/02	2 8.62	3.97	0.00	4.65	0.14		ND<50	0.67	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
01/02/03	8.62	3.03	0.00	5.59	0.94		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
04/01/03	8.62	3.83	0.00	4.79	-0.80		ND<50	11	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
07/01/0	8.62	4.13	0.00	4.49	-0.30		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<2.0	
10/02/03	8.62	4.05	0.00	4.57	0.08		77	9.9	0.78	2.3	4.9		ND<2.0	
01/09/04	4 8.62	3.40	0.00	5.22	0.65		53	1.2	ND<0.50	0.70	1.6		ND<2.0	
04/26/04	4 8.62	3.89	0.00	4.73	-0.49		ND<50	2.8	1.3	1.0	2.9		ND<0.50	
07/22/04	4 8.62	3.73	0.00	4.89	0.16		ND<50	ND<0.5	ND<0.5	ND<0.5	ND<1		ND<0.5	
10/29/04	4 8.62	3.41	0.00	5.21	0.32		100	2.0	i.2	İ.İ	3.6		ND<0.50	
01/10/03	5 8.62	2.68	0.00	5.94	0.73		84	7.8	2.7	2.2	8.9		ND<0.50	
06/15/0	5 8.62	4.63	0.00	3.99	-1.95		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/27/0	5 8.62	3.96	0.00	4.66	0.67		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	

5043

Page 19 of 20

Date	TOC	Depth to	LPH	Ground-	Change	TPH-G								Comments
Sampled	Elevation	water	Inickness	Water	In Elevation	8015	TPH-G			Ethyl-	Total	MTBE	MTBE	
				Lievation	Lievation	(Luft)	(GC/MS)	Benzene	Toluene	benzene	Xylenes	(8021B)	(8260B)	
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-10	continue	đ												
12/13/0	5 8.62	3.75	0.00	4.87	0.21		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/23/0	6 8.62	3.13	0.00	5.49	0.62		50	13	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/23/0	6 8.62	3.90	0.00	4.72	-0.77		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
09/26/0	6 8.62	3.66	0.00	4.96	0.24		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/22/0	6 8.62	3.56	0.00	5.06	0.10		ND<50	ND<0.50	ND<0.50	ND<0.50	i.8		ND<0.50	
03/30/0	7 8.62	3.93	0.00	4.69	-0.37		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
06/28/0	7 8.62	4.03	0.00	4.59	-0.10		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
09/25/0	7 8.62	3.91	0.00	<b>4.7</b> 1	0.12		ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50	
12/28/0	7 8.62	3.64	0.00	4.98	0.27		ND<50	2.1	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
03/22/0	8 8.62	4.00	0.00	4.62	-0.36		64	13	ND<0.50	ND<0.50	ND<1.0		ND<0.50	
06/23/0	8 8.62	3.90	0.00	4.72	0.10		94	30	0.53	3.4	3.5		ND<0.50	
09/19/0	8 8.62	3.85	0.00	4.77	0.05		130	15	1.7	5.7	11		ND<0.50	
12/31/0	8 8.62	3.69	0.00	4.93	0.16		82	11	ND<0.50	0.81	1.7		ND<0.50	
03/27/0	9 8.62	3.75	0.00	4.87	-0.06		210	28	1.4	i.2	3.9		ND<0.50	

Date Sampled			Ethonet	Ethylene-							
	TDU D		emanor	aibromide	I,Z-DCA	5155			Total Oil		
	IPH-D		(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease		
	(µg/1)	(µg/I)	(µg/1)	(µg/I)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	 	
MW-1											
02/18/92	13000										
08/31/92	8900										
MW-2											
02/18/92	4300										
05/20/92	4300										
08/31/92	1600										
11/30/92	5700										
02/04/93	6100										
05/04/93	7100										
08/04/93	1800										
11/03/93	2600										
05/19/94	3000										
08/15/94	2800			. •••							
11/14/94	10000										
02/21/95	2000										
MIN 2											
02/18/92	ND										
08/31/92	92										
11/30/92	94					~					
02/04/93	550										
05/04/93	250										
08/04/93	100			~=							
11/03/93	160										
02/07/94	620										
0	020										

# Table 2 aADDITIONAL HISTORIC ANALYTICAL RESULTS76 Station 5043


Date				Ethylene-					
Sampled			Ethanol	dibromide	1,2-DCA				Total Oil
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-3 c	ontinued								
05/19/94	480								
08/15/94	110								
11/14/94	150								
02/21/95	850								
05/18/95	150								
06/01/97	610								
07/15/97	240								
10/09/97	500								
01/14/98	340								
04/01/98	320								
07/15/98	510								
10/16/98	67								
01/25/99	120								
04/15/99	170								
07/14/99	420								
10/21/99	350								
01/20/00	2060								
04/13/00	200	ND	ND	ND	ND	ND	ND	ND	
07/14/00	423							- 122	
10/26/00	330								
01/03/01	287								
04/04/01	360								
07/17/01	270								
10/01/01	270					_			
01/31/02	250								

5043

------

Page 2 of 14



Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	i,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-3	continued								
04/18/02	320								
07/28/02	310								
10/09/02	700							~=	
01/02/03	210	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	
04/01/03	200								
07/01/03	380		ND<2500						
10/02/03	300		ND<2500						
01/09/04	200		ND<500						
04/26/04	160		ND<50						
07/22/04	330		ND<1000						
10/29/04	200		ND<50						
01/10/05	250		ND<50						
06/15/05	360		ND<50						
09/27/05	ND<200	79	ND<250			ND<0.50	ND<0.50	ND<0.50	
12/13/05	230		ND<250						
03/23/06	260		ND<250						
06/23/06	330		ND<250						
09/26/06	260		ND<250			-			
12/22/06	250		ND<250			-			
03/30/07	210		ND<250						
06/28/07	290		ND<250						
09/25/07	210		ND<250						
12/28/07	150		ND<250						
03/22/08	230		ND<250						
06/23/08	130		ND<250						

5043

'n

-1---

Page 3 of 14

**©**TRC

Date Sampled	TPH-D (µg/l)	TBA (μg/l)	Ethanol (8260B) (μg/l)	Ethylene- dibromide (EDB) (µg/l)	i,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	
MW-3 c	ontinued									
09/19/08	93		ND<250							
12/31/08	110		ND<250							
03/27/09	130		ND<250							
MW-4										
08/31/92	90									
11/30/92	61									
02/04/93	ND									
05/04/93	ND									
08/04/93	81									
11/03/93	68									
02/07/94	ND									
05/19/94	90									
08/15/94	72									
11/14/94	ND									
MW-5										
08/31/92	690									
11/30/92	470							~~	ND	
02/04/93	5500								ND	
05/04/93	4600								ND	
08/04/93	970								ND	
11/03/93	2100									
02/07/94	830									
05/19/94	600									
08/15/94	860									
11/14/94	290									
5043					F	Page 4 of 14				

Page 4 of 14

1.



Date Sampled	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease		
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)		
MW-6										, <del>, , , , , , , , , , , , , , , , , , </del>	
08/31/92	750										
11/30/92	1400										
02/04/93	890										
05/04/93	1800										
08/04/93	1100										
11/03/93	390										
02/07/94	970										
05/19/94	1400				·						
08/15/94	790				·						
11/14/94	800										
02/21/95	730										
01/20/00	67600										
04/13/00	8700										
07/14/00	133000										
10/26/00	61000										
01/03/01	929										
04/04/01	18000	ND	ND	ND	ND	ND	ND	ND			
07/17/01	20000										
10/01/01	24000										
01/31/02	11000										
04/18/02	3500										
07/28/02	27000										
10/09/02	170000										
01/02/03	66000										
04/01/03	35000										

5043

Page 5 of 14



					76	Station 5043	5			
Date Sampled			Ethanol	Ethylene- dibromide	1,2-DCA				Total Oil	
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease	
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	
MW-6 co	ontinued									
07/01/03	11000		ND<25000							
10/02/03	ND<50		ND<200000							
01/09/04	20000		ND<50000							
04/26/04	13000		ND<5000							
07/22/04	33000		ND<300000							
10/29/04	78000		ND<5000						17	
01/10/05	12000		ND<5000							
06/15/05	16000		ND<5000							
09/27/05	2500	ND<10	ND<250			1.8	ND<0.50	ND<0.50		
12/13/05	18000		ND<25000							
03/23/06	73000		ND<25000							
06/23/06	35000		ND<6200							
09/26/06	22000		ND<25000							
12/22/06	62000		ND<25000							
03/30/07	62000		ND<5000							
06/28/07	71000		ND<12000							
09/25/07	58000		ND<12000							
12/28/07	18000		ND<12000							
03/22/08	68000		ND<12000							
06/23/08	68000		ND<12000							
09/19/08	180000		ND<6200							
12/31/08	68000		ND<25000							
03/27/09	170000		ND<25000							
<b>MW-7</b>	(0)									
00/01/97	69								-	
5043					F	Page 6 of 14				<b>ATDO</b>

#### Table 2 a ADDITIONAL HISTORIC ANALYTICAL RESULTS EC 04 11 E0 40

----



Date				Ethylene-						
Sampled			Ethanol	dibromide	i,2-DCA				Total Oil	
	TPH-D		(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease	
	(µg/I)	(µg/1)	(µg/I)	(µg/I)	(µg/1)	(µg/I)	(µg/l)	(µg/l)	(mg/l)	
MW-7 cc	ontinued									
10/00/07	ND 100									
10/09/97	190									
01/14/98	65									
04/01/98	ND									
07/15/98	74									
10/16/98	ND									
01/25/99	ND									
04/15/99	ND									
07/14/99	69									
10/21/99	ND									
01/20/00	ND									
04/13/00	ND									
07/14/00	68.0									
07/17/01	ND									
10/01/01	ND<51									
01/31/02	90									
04/18/02	78									
07/28/02	ND<50									
10/09/02	ND<96									
01/03/03	78									
04/01/03	67									
07/01/03	68		ND<500							
10/02/03	82		ND<500							
01/09/04	75		ND<500						-	
04/26/04	ND<50		ND<50							

5043



					76	Station 5043					
Date Sampled			Ethanol	Ethylene- dibromide	1,2-DCA				Total Oil		
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease		
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)		
MW-7 c	ontinued										 
07/22/04	ND<200		ND<1000								
10/29/04	54		ND<50								
01/10/05	ND<50		ND<50								
06/15/05	ND<50		ND<50								
09/27/05	ND<200	ND<10	ND<250			ND<0.50	ND<0.50	ND<0.50			
12/13/05	ND<200		ND<250								
03/23/06	ND<200		ND<250								
06/23/06	ND<200		ND<250								
09/26/06	ND<50		ND<250								
12/22/06	630		ND<250								
03/30/07	94		ND<250								
06/28/07	ND<50		ND<250								
09/25/07	ND<50		ND<250								
12/28/07	75		ND<250								
03/22/08	ND<50		ND<250								
06/23/08	ND<50		ND<250								
09/19/08	ND<50		ND<250								
12/31/08	ND<50		ND<250								
03/27/09	ND<50		ND<250								
MW-8											
06/01/97	320										
07/15/97	ND										
10/09/97	390										
01/14/98	230						<b></b> .				
04/01/98	510	57									

5043

-11

1

Page 8 of 14

**©**TRC

							·			
Date Sampled			Ethanol	Ethylene- dibromide	1.2-DCA				Total Oil	
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease	
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	
MW-8 co	ontinued									 
07/15/98	140									
10/16/98	170									
01/25/99	ND									
04/15/99	91									
07/14/99	120									
10/21/99	110									
01/20/00	583					·				
04/13/00	80									
07/14/00	113									
07/17/01	ND									
10/01/01	ND<50									
01/31/02	260									
04/18/02	160									
07/28/02	140									
10/09/02	120				<b>**</b> **					
01/02/03	210									
04/01/03	220									
07/01/03	170		ND<500							
10/02/03	350		ND<500					~~		
01/09/04	180		ND<500							
04/26/04	100		ND<50							
07/22/04	250		ND<1000							
10/29/04	120		ND<50							
01/10/05	140		ND<50							
06/15/05	140		ND<50							

Page 9 of 14



5043

Date				Ethylene-					
Sampled			Ethanol	dibromide	1,2-DCA				Total Oil
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-8 cc	ontinued								
09/27/05	ND<200	ND<10	ND<250			ND<0.50	ND<0.50	ND<0.50	
12/13/05	ND<200		ND<250						
03/23/06	ND<200		ND<250						
06/23/06	ND<230		ND<250						
09/26/06	110		ND<250						
12/22/06	100		ND<250						
03/30/07	120		ND<250						
06/28/07	140		ND<250						
09/25/07	110		ND<250						
12/28/07	110		ND<250						
03/22/08	ND<50		ND<250						
06/23/08	ND<58		ND<250						
09/19/08	79		ND<250						
12/31/08	110		ND<250						
03/27/09	89		ND<250						
MW-9									
02/21/95	71								
05/18/95	ND								
08/17/95	ND								
07/26/96	98								
10/28/96	99								
01/29/97	54								
04/15/97	94					-			
07/15/97	ND								
10/09/97	160								

5043

T

Page 10 of 14

- II

**©**TRC

Date				Ethylene-					
Sampled			Ethanol	dibromide	i,2-DCA				Total Oil
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(μg/l)	(µg/l)	(µg/l)	(mg/l)
MW-9 co	ntinued								
01/14/98	110								
04/01/98	110								
07/15/98	200								
10/16/98	ND								
01/25/99	ND								
04/15/99	ND								
07/14/99	140								
10/21/99	210								
01/20/00	519								
04/13/00	81								
07/14/00	107								
10/26/00	240								
01/03/01	164								
04/04/01	240								
07/17/01	ND								
10/01/01	ND<52								
01/31/02	200								
04/18/02	ND<50								
07/28/02	ND<50								
10/09/02	100								
01/02/03	ND<50								
04/01/03	56								
07/01/03	ND<50		ND<500						
10/02/03	ND<50		ND<500						
01/09/04	91		ND<500						

5043

-11-

Page 11 of 14



					76	Station 5043	1				
Date Sampled			Ethanol	Ethylene- dibromide	i,2-DCA				Total Oil		
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease		
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)		
MW-9 co	ontinued									 	
04/26/04	ND<50		ND<50					<u>-</u>			
07/22/04	ND<200		ND<1000								
10/29/04	76		ND<50								
01/10/05	77		ND<50								
06/15/05	67		ND<50								
09/27/05	ND<200	ND<10	ND<250	· ·		ND<0.50	ND<0.50	ND<0.50			
12/13/05	ND<200		ND<250								
03/23/06	ND<200		ND<250								
06/23/06	ND<200		ND<250								
09/26/06	ND<50		ND<250								
12/22/06	150		ND<250						~~		
03/30/07	72		ND<250								
06/28/07	1000		ND<250								
09/25/07	100		ND<250								
12/28/07	56		ND<250								
03/22/08	ND<50		ND<250								
06/23/08	ND<50		ND<250								
09/19/08	56		ND<250								
12/31/08	ND<50		ND<250								
03/27/09	ND<50		ND<250								
MW-10											
02/21/95	270				·						
05/18/95	75				-						
08/17/95	ND										
07/26/96	ND										
<b>7040</b>					п	bass 10 of 14					

5043

Page 12 of 14



Date				Ethylene-							
Sampled			Ethanol	dibromide	1,2-DCA				Total Oil		
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease		
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	 	
MW-10	continued										
10/28/96	ND										
01/29/97	ND										
04/15/97	ND										
07/15/97	ND										
10/09/97	ND										
04/01/98	62										
07/15/98	78										
10/16/98	ND										
01/25/99	ND		·								
04/15/99	ND										
07/14/99	180										
10/21/99	96										
01/20/00	252										
04/13/00	69										
07/14/00	149										
10/26/00	83										
01/03/01	126										
04/04/01	75										
07/17/01	ND										
10/01/01	100		·								
01/31/02	170										
04/18/02	130										
07/28/02	58										
10/09/02	ND<94										
01/02/03	64										

5043

Page 13 of 14

---- P



					/0	Station 5045			
Date				Ethylene-					
Sampled	TRUE		Ethanol	dibromide	1,2-DCA				Total Oil
	TPH-D	TBA	(8260B)	(EDB)	(EDC)	DIPE	ETBE	TAME	and Grease
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)
MW-10	continued								
04/01/03	76								
07/01/03	87		ND<500						
10/02/03	160		ND<500					**	
01/09/04	74		ND<500						
04/26/04	ND<50		ND<50	<u> </u>					
07/22/04	ND<200		ND<1000						
10/29/04	ND<50		ND<50						
01/10/05	94		ND<50						
06/15/05	62		ND<50						
09/27/05	ND<200	ND<10	ND<250			ND<0.50	ND<0.50	ND<0.50	
12/13/05	ND<200		ND<250						
03/23/06	ND<200		ND<250						
06/23/06	ND<200		ND<250						
09/26/06	ND<50	<del></del> .	ND<250						
12/22/06	81		ND<250						
03/30/07	82		ND<250						
06/28/07	57		ND<250						
09/25/07	82		ND<250						
12/28/07	62		ND<250	-					
03/22/08	ND<50		ND<250						
06/23/08	ND<50		ND<250						
09/19/08	ND<50		ND<250						
12/31/08	ND<50		ND<250						~-
03/27/09	730		ND<250						
	/20		112 -200						

5043



### FIGURES



PS=1:1 L:\QMS V | C | N | T Y M A P S\5043vm.DWG Jan 20, 2009 - 12:11pm aakers



L:IGraphicsIQMS NORTH-SOUTHIx-6000I6043+I5043QMS(NEW).DWG Apr 10, 2009 - 11:59am bschmidt

MS=1:60 5043-003 L:\Graphics



L:IGraphicsIQMS NORTH-SOUTHIx-5000I5043+I5043QMS(NEW).DWG Apr 10, 2009 - 12:06pm bschmidt

MS=1:60 5043-003



MS=1:60 5043-003



L:\GraphicsIQMS NORTH-SOUTHIx-5000\5043+\5043QMS(NEW).DWG Apr 10, 2009 - 12:27pm bschmidt

MS=1:60 5043-003

### GRAPHS

### Groundwater Elevations vs. Time 76 Station 5043



Elevations may have been corrected for apparent changes due to resurvey

.....

#### Groundwater Elevations vs. Time 76 Station 5043



Elevations may have been corrected for apparent changes due to resurvey

#### Groundwater Elevations vs. Time 76 Station 5043



Elevations may have been corrected for apparent changes due to resurvey

#### TPH-G Concentrations vs Time 76 Station 5043



#### **TPH-G Concentrations vs Time** 76 Station 5043



#### Benzene Concentrations vs Time 76 Station 5043



\_\_\_\_\_

#### Benzene Concentrations vs Time 76 Station 5043



#### MTBE Concentrations vs Time 76 Station 5043



#### GENERAL FIELD PROCEDURES

#### Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

#### Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed Bailed fluids are placed in a container separate from normal purge water, and properly disposed

#### Purging and Groundwater Parameter Measurement

ISR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rat e. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

#### **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, <sup>1</sup>/<sub>2</sub>-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

#### Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

#### Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

#### Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages

3/7/08 version

### FIELD MONITORING DATA SHEET

Technician:JOEJob #/Task #: 165521/77420Date: 03-27-09Site # 5013Project Manager A: CollinSPage 1 of 1

		]		Depth	Depth	Product		
Well#	тос	Gauged	Total Depth	to Water	to Product	Thickness (feet)	Time Sampled	Misc. Well Notes
MW-9	V	0651	12.69	2.01			1048	2"
MW-7	$\frac{\lambda}{\chi}$	0659	12.34	4.00			1101	2"
mw-8	X	0707	14.52	2.49	~		1113	211
MW-3	X	0712	14.04	2.37			1033	Z"
MW-10	X	0717	12.79	3.75		······································	0926	211
mw-6	X	0725	12.38	3.09			1145	211
	ļ							
			 			<u> </u>		
			 	<u> </u>				
	L				<u></u>	ļ	 	
	<b></b>	ļ		ļ	<u> </u>			
	<u> </u>		ļ					
			<u> </u>					
	ļ					:	l	
	ļ	<u> </u>	'					
			<u> </u>					
	<u> </u>			<u> </u>			<u> </u>	
FIELD DATA	COMPL	ETE		<u>.</u>	୍ରେଟ୍	W	ELL BOX CO	ONDITION SHEETS
		<u> </u>				<u> </u>	/	······································
MANIFEST		DRUM IN	VENTOR	<u>Ý</u>	TRAFFIC (	CONTROL		
			1					



#### **GROUNDWATER SAMPLING FIELD NOTES**

Т	echnician:	JOE	
Site: <u>5043</u> P	roject No :	16552/ Date: 03-27-0	29
Well NoMW-9		Purge Method: 5 ++B D-FA	
Depth to Water (feet): 2.01		Depth to Product (feet):	
Total Depth (feet) 12.69		LPH & Water Recovered (gallons):	
Water Column (feet): 10.68		Casing Diameter (Inches):″	
80% Recharge Depth(feet): 4.14		1 Well Volume (gallons):	
12. 12. 11. 1915. 1			

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F,	pН	D O (mg/L)	ORP	Turbidity
Pre-	Purge								**********
0826			2	1614	17.9	7.72			
			4	5162	18.4	7.45			
	0828		6	3310	18.3	8.13			
Stat	ic at Time Sa	ampled	Tota	al Gallons Pur	ged		Sample	Time	
	5.84		Q			10	748		
Comments	Dry A	T 2 Ga	15, Cont	inned "	TO Purse	well	slow.		
Dry	AT E	ach will	when	DDN	T recha	rse J	In 2	HS,	

MW-7 Well No. 4.00 Depth to Water (feet):\_\_\_ 12.84 Total Depth (feet) Water Column (feet): 8,84 80% Recharge Depth(feet): 5.76

. . .

DIA Purge Method: Depth to Product (feet):\_\_\_ LPH & Water Recovered (gallons):\_ Casing Diameter (Inches): 2"

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (FC)	рН	D O (mg/L)	ORP	Turbidity
Pre-l	Purge								
0341			2	2547	17.7	7.77			
			4	9203	17.8	7.50			
	0943		6	3768	18.3	8,02			
Stat	ic at Time S	l ampled	Tota	al Gallons Pur	ged		Sample	Time	
	4.04		6				1101		
Comments	: Dry 1	AT 2 gai	5. Ping.	e siou	TO GET	other	4 99	ίς	
0~>	AT G	gals		· · · · · · · · · · · · · · · · · · ·				-	



#### **GROUNDWATER SAMPLING FIELD NOTES**

	Technician: _	Joz					
Site: 5043	Project No :/	65521	<u></u>		Date:_	03-2	9-09
Well No. MW-8		Purge Method	I: <u>D.Z</u>	A			
Depth to Water (feet): 2,4 9	7	Depth to Prod	uct (feet):				
Total Depth (feet) 14:82		LPH & Water	Recovered (g	allons):		_	
Water Column (feet): 12.3	3	Casing Diame	eter (Inches):_	<u>Z''</u>			
80% Recharge Depth(feet): <u>4. 6</u>	<i>]5</i>	1 Well Volume	e (gallons):	3			
Time Time Depth Start Stop (fee	to Volume er Purged t) (gallons)	Conductivity (µS/cm)	Temperature (FC	Hq	D O (mg/L)	ORP	Turbidity
Pre-Purge					i		

Fie-	ruige								
0855			3	1644	18.2	6.91			
			6	12.02	18.6	7,25			
	0858		9	10.97	18.4	7.47			
Stat	ic at Time S	ampled	Tota	al Gallons Pur	ged		Sample	Time	
	3,00		9			ふ	++011	13	
Comments	Dry 1	47 3 Gal	B. purs	red well	5100	TO GET	othe	569	gals.
Dvx	AT 4	gabs	/						

Well No.MW-3Depth to Water (feet):2.37Total Depth (feet)14:04Water Column (feet):11.6780% Recharge Depth(feet):4.70

Purge Method: <u>HB</u> Depth to Product (feet):

LPH & Water Recovered (gallons):

Casing Diameter (Inches):

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (FO)	рН	DO (mg/L)	ORP	Turbidity
Pre-l	<sup>D</sup> urge								
0754			2	2225	18,2	7.79			
			4	2628	18.4	7.46			
			6	2591	13.3	7.33			
	0806		8	2564	18.8	7.26			
Stat	l ic at Time Sa	ampled	Tota	l al Gallons Pur	ged		Sample	Time	[
	8,07	?	B				1033		
Comments	DiD	NOT NO	charge	e In	2 1+15.				



		GROUN		SAMPLIN	g field no	TES			
		Tech	nician:	JOE		-			
Site: <u>504</u>	3	Ргоје	ect No.: 14	,5521			Date:	<u>3-2</u>	<u>, 109</u>
Nell No	MW-	10		Purge Metho	d:	1			
Depth to Wa	ater (feet):	3.75		Depth to Pro	duct (feet):	allons):		-	
Total Depth Water Colui 80% Recha	(feet) mn (feet): Irge Depth(fee	9.04 et): 5.55		Casing Diam 1 Well Volum	eter (Inches): ne (gallons):	2"		-	
Time Start	Time Stop	Depth to Water	Volume Purged	Conduc- tivity	Temperature (FC)	рН	D.O. (mg/L)	ORP	Turbidity
0909		(1661)	2 ( <u>J</u>	3048	17.3	7,50			
	0911		9 6	2184	17.7	7.32	<u> </u>		
0914	0915		8	1351	18.1	7,43			
Sta	tic at Time Sa	ampled	Tol	al Gallons Pu	rged	C	Sample	Time	
Comment	<u>s:</u>		ی بازی برداند مرکز میکند. بازی برداند مرکز میکند است.						
Well No.	MW-	6	· · · · · · · · · · · · · · · · · · ·	Purge Meth	od:	4			

3,09 Depth to Water (feet): Total Depth (feet) 12.88 9 9. Water Column (feet):\_ 80% Recharge Depth(feet): 5.04

Depth to Product (feet):\_\_\_\_\_

LPH & Water Recovered (gallons):

1 Well Volume (gallons):\_

Time Start	Timë Stop	Depth to Water (feet)	Volume Purged (gallons)	Conduc- tivity (uS/cm)	Temperature (FO)	pН	D.O. (mg/L)	ORP	Turbidity
0939	· · · · · · · · · · · · · · · · · · ·	· ····································	2	FFT 1768	17.6	7.54			
	0942		- <del>7</del> - 6	3636	18.1	8.09			
						<b> </b>			
Sta	tic at Time S	ampled	Tot	al Gallons Pu	rged		Sample	Time	
	5.89		6		I chance of	00-	1145	47-	02<
Comments: DVX A1 2 Jais. purged well slow 10 get crow 10 cs									



Date of Report: 04/08/2009

Anju Farfan

TRC

21 Technology Drive Irvine, CA 92618

RE.	5043
BC Work Order:	0904119
Invoice ID:	B059973

Enclosed are the results of analyses for samples received by the laboratory on 3/30/2009. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers Client Service Rep

Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratones, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



#### TRC 21 Technology Drive

Irvine, CA 92618

Project: 5043

Project Number: 4511016814

Project Manager: Anju Fartan

Reported: 04/08/2009 10:28

### Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Informati	0 <b>n</b>	······································	·	·····
0904119-01	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	 5043  MW-9 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	03/30/2009 22:15 03/27/2009 10:48 — Water	Delivery Work Order: Global ID: T0600101476 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0904119-02	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	 5043  MW-7 TRCJ	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	03/30/2009 22:15 03/27/2009 11:01  Water	Delivery Work Order: Global ID: T0600101476 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0904119-03	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	 5043  MW-8 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	03/30/2009 22:15 03/27/2009 11:13  Water	Delivery Work Order: Global ID: T0600101476 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0904119-04	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:		Receive Date: Sampling Date: Sample Depth: Sample Matrix:	03/30/2009 22:15 03/27/2009 10:33  Water	Delivery Work Order: Global ID: T0600101476 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratones, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 2 of 22
Laboratories, Inc.	
Environmental Testing Laboratory Since 1949	

TRC

21 Technology Drive Irvine, CA 92618 Project: 5043 Project Number: 4511016814

Project Manager: Anju Farfan

Reported: 04/08/2009 10:28

# Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information	מו			
0904119-05	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	5043  MVV-10 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	03/30/2009 22:15 03/27/2009 09:26  Water	Delivery Work Order: Global ID: T0600101476 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID:
0904119-06	COC Number: Project Number: Sampling Location: Sampling Point: Sampled By:	 5043  MVV-6 TRCI	Receive Date: Sampling Date: Sample Depth: Sample Matrix:	03/30/2009 22:15 03/27/2009 11:45  Water	Delivery Work Order: Global ID: T0600101476 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirely. All results listed in this report are for the exclusive use of the submitting party. BC Laboratones, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 3 of 22



Irvine, CA 92618

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

## Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0904119-01	Client Sample	e Name:	5043, MW-9, 3/27/2009 10:48:00AM			-						
Constituent	Result	Units	PQL MDI	_ Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260	ND	
Ethylbenzene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	í	BSD0260	ND	
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260	ND	
Toluene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260	ND	
Total Xylenes	ND	ug/L	1.0	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260	ND	
Ethanol	ND	ug/L	250	EPA-8260	04/05/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	04/06/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	i	BSD0260		
Toluene-d8 (Surrogate)	89.1	%	88 - 110 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	1	BSD0260		
4-Bromofluorobenzene (Surrogate)	104	%	86 - 115 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 20:11	KEA	MS-V12	i	BSD0260		



Irvine, CA 92618

Project: 5043

Reported: 04/08/2009 10:28

Project Number: 4511016814 Project Manager: Anju Fartan

# **Total Petroleum Hydrocarbons (Silica Gel Treated)**

BCL Sample ID:	0904119-01	Client Sampl	e Name:	5043, MV	V-9, 3/27/2	009 10:48:00	MAM							
							Prep	Run		Instru-		QC	МВ	Lab
Constituent		Result	Units	PQL	MDL	Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Diesel Range Organic	cs (C12 - C24)	ND	ug/L	50		Luft/TPHd	04/03/09	04/06/09 21:55	CKD	GC-5	i	BSD0356	ND	M02
Tetracosane (Surroga	ite)	91.4	%	28 - 139 (LC	L - UCL)	Luft/TPHd	04/03/09	04/06/09 21:55	СКD	GC-5	1	BSD0356		



Irvine, CA 92618

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

### Project Manager: Anju Fartan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 09041	19-02	Client Sample	e Name:	5043, MW-7, 3/2	27/2009 11:01:00	AM							
Constituent		Result	Units	PQL MI	DL Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene		ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	i	BSD0260	ND	
Ethylbenzene		ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260	ND	
Methyl t-butyl ether		ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260	ND	
Toluene		ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260	ND	
Total Xylenes		NÐ	ug/L	1.0	EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260	ND	
Ethanol		ND	ug/L,	250	EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260	ND	
Total Purgeable Petroleum Hvdrocarbons		ND	ug/L	50	Luft-GC/MS	04/06/09	04/06/09 19:47	KEA	MS-V12	i	BSD0260	ND	
1,2-Dichloroethane-d4 (Surrogate)	1	108	%	76 - 114 (LCL - UCL	.) EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260		
Toluene-d8 (Surrogate)		102	%	88 - 110 (LCL - UCL	) EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260		
4-Bromofluorobenzene (Surrogate	)	101	%	86 - 115 (LCL - UCL	) EPA-8260	04/06/09	04/06/09 19:47	KEA	MS-V12	1	BSD0260		

Page 6 of 22



TRC

21 Technology Drive Irvine, CA 92618

Project: 5043

Reported: 04/08/2009 10:28

Project Number: 4511016814 Project Manager: Anju Farfan

# **Total Petroleum Hydrocarbons (Silica Gel Treated)**

BCL Sample ID:	0904119-02	Client Sample	e Name:	5043, MW	1-7, 3/27/2	009 11:01:00	AM							
							Prep	Run		Instru-		QC	MB	Lab
Constituent	······	Result	Units	PQL	MDL	Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Diesel Range Organics	s (C12 - C24)	ND	ug/L	50		Luft/TPHd	04/03/09	04/06/09 22:10	CKD	GC-5	0.950	BSD0356	ND	M02
Tetracosane (Surrogat	e)	104	%	28 - 139 (LCI	L - UCL)	Luft/TPHd	04/03/09	04/06/09 22:10	CKD	GC-5	0.950	8SD0356		



Irvine. CA 92618

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

### Project Manager: Anju Fartan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0904119-03	Client Sampl	e Name:	5043, MW-8, 3/27	2009 11:13:00	AM							
Constituent	Result	Units	PQL MDL	Method	Prep Date	Run Date/Time	Analyst	instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260	ND	4,000
Ethylbenzene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260	ND	
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	i	BSD0260	ND	
Toluene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260	ND	
Total Xvlenes	ND	ug/L	1.0	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260	ND	
Ethanol	ND	ug/L	250	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260	ND	
Total Purgeable Petroleum Hvdrocarbons	ND	ug/L	50	Luft-GC/MS	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260	ND	
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12		BSD0260		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260		
4-Bromofluorobenzene (Surrogate)	99.8	%	86 - 115 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 19:24	KEA	MS-V12	1	BSD0260		



Irvine, CA 92618

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

Project Manager: Anju Farfan

# **Total Petroleum Hydrocarbons (Silica Gel Treated)**

BCL Sample ID: 0904119-03	Client Samp	le Name:	5043, MV	V-8, 3/27/2	009 11:13:00	)AM							
						Prep	Run		Instru-		QC	MB	Lab
Constituent	Result	Units	PQL	MDL	Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Diesel Range Organics (C12 - C24)	89	ug/L	50		Luft/TPHd	04/03/09	04/06/09 23:06	СКD	GC-5	1	BSD0356	ND	M02
Tetracosane (Surrogate)	93.8	%	28 - 139 (LC	L - UCL)	Luft/TPHd	04/03/09	04/06/09 23:06	СКD	GC-5	i	BSD0356		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 9 of 22



Irvine, CA 92618

11

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

### Project Manager: Anju Fartan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0904119-04	Client Sampl	e Name:	5043, MW-3, 3/27/	2009 10:33:00	AM		h					
Constituent	Result	Units	PQL MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/∟	0.50	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	i	BSD0260	ND	
Ethvlbenzene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260	ND	
Methyl t-butyl ether	50	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260	ND	
Toluene	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260	ND	
Total Xylenes	ND	ug/L	1.0	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260	ND	
Ethanol	ND	ug/L	250	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	i	BSD0260	ND	
Total Purgeable Petroleum Hydrocarbons	150	ug/L	50	Luft-GC/MS	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260	ND	
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260		
Toluene-d8 (Surrogate)	99.1	%	88 - 110 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260		
4-Bromofluorobenzene (Surrogate)	96.8	%	86 - 115 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 19:00	KEA	MS-V12	1	BSD0260		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 10 of 22



Irvine, CA 92618

Project: 5043

Reported: 04/08/2009 10:28

Project Number: 4511016814 Project Manager: Anju Farfan

# **Total Petroleum Hydrocarbons (Silica Gel Treated)**

BCL Sample ID: 090	04119-04	Client Sampl	e Name:	5043, MW-	3, 3/27/2	009 10:33:00	AM	· · · · · · · · · · · · · · · · · · ·						
							Prep	Run		Instru-		QC	MB	Lab
Constituent		Result	Units	PQL	MDL	Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Diesel Range Organics (C12 -	- C24)	130	ug/L	50		Luft/TPHd	04/03/09	04/06/09 23:21	CKD	GC-5	0.980	BSD0356	ND	M02
Tetracosane (Surrogate)		95.4	%	28 - 139 (LCL	- UCL)	Luft/TPHd	04/03/09	04/06/09 23:21	CKD	GC-5	0.980	BSD0356		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 11 of 22



Irvine, CA 92618

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

### Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0904119-05	Client Sample	Name:	5043, MW-10, 3/2	7/2009 9:26:00	DAM							
Constituent	Result	Units	PQL MD	_ Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quais
Benzene	28	ug/L	0.50	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
Ethylbenzene	1.2	ug/L	0.50	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
Toluene	1.4	ug/L	0.50	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
Total Xylenes	3.9	ug/L	1.0	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
Ethanol	ND	ug/L	250	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
Total Purgeable Petroleum Hydrocarbons	210	ug/L	50	Luft-GC/MS	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260		
Toluene-d8 (Surrogate)	108	%	88 - 110 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	1	BSD0260		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)	EPA-8260	04/06/09	04/06/09 18:37	KEA	MS-V12	í	BSD0260		

Page 12 of 22



TRC 21 Technole

21 Technology Drive Irvine, CA 92618 Project: 5043

Reported: 04/08/2009 10:28

Project Number: 4511016814 Project Manager: Anju Farfan

# Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID: 09	04119-05	Client Sampl	e Name:	5043, MW	-10, 3/27/2	2009 9:26:0	0AM							
							Prep	Run		Instru-		QC	MB	Lab
Constituent		Result	Units	PQL	MDL	Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Diesel Range Organics (C12	- C24)	730	ug/L	50		Luft/TPHd	04/03/09	04/06/09 23:35	CKD	GC-5	1	BSD0356	ND	M02
Tetracosane (Surrogate)		102	%	28 - 139 (LCI	UCL)	Luft/TPHd	04/03/09	04/06/09 23:35	CKD	GC-5	i	BSD0356	·	

Page 13 of 22



#### TRC

21 Technology Drive Irvine, CA 92618 Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

### Project Manager: Anju Farfan Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0904119-06	Client Sampl	e Name:	5043, MW-6, 3/27	/2009 11:45:00	AM							
Constituent	Result	Units	PQL MDI	. Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	1300	ug/L	50	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
Ethylbenzene	2800	ug/L	50	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
Methvi t-butvi ether	ND	ug/L	50	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
Toluene	240	ug/L	50	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
Total Xylenes	7200	ug/L	100	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
Ethanol	ND	ug/L	25000	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
Total Purgeable Petroleum Hydrocarbons	150000	ug/L	5000	Luft-GC/MS	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	91.6	%	76 - 114 (LCL - UCL)	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260		
4-Bromofluorobenzene (Surrogate)	98.7	%	86 - 115 (LCL - UCL)	EPA-8260	04/06/09	04/07/09 05:46	KEA	MS-V12	100	BSD0260		



TRC

21 Technology Drive Irvine, CA 92618 Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

Project Manager: Anju Farfan Total Petroleum Hydrocarbons (Silica Gel Treated)

BCL Sample ID:	0904119-06	Client Sampl	e Name:	5043, MW	-6, 3/27/2	009 11:45:00	AM							
							Prep	Run	·	Instru-		QC	MB	Lab
Constituent		Result	Units	PQL	MDL	Method	Date	Date/Time	Analyst	ment ID	Dilution	Batch ID	Bias	Quals
Diesel Range Organics (	C12 - C24)	170000	ug/L	12000		Luft/TPHd	04/03/09	04/07/09 10:46	CKD	GC-5	250	BSD0356	ND	A01
Tetracosane (Surrogate)		0	%	28 - 139 (LCL	UCL)	Luft/TPHd	04/03/09	04/07/09 10:46	CKD	GC-5	250	BSD0356	••	A01,A17



Project: 5043 Project Number: 4511016814

Project Manager: Anju Farfan

Reported: 04/08/2009 10:28

# Volatile Organic Analysis (EPA Method 8260)

### **Quality Control Report - Precision & Accuracy**

										Contr	ol Limits
Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BSD0260	Matrix Spike Matrix Spike Duplicate	0903406-52 0903406-52	0 0	23.890 23.530	25.000 25.000	ug/L ug/L	1.6	95.6 94.1	20	70 - 130 70 - 130
Toluene	BSD0260	Matrix Spike Matrix Spike Duplicate	0903406-52 0903406-52	0 0	23.460 22,280	25.000 25.000	ug/L ug/L	5.1	93.8 89.1	20	70 - 130 70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BSD0260	Matrix Spike Matrix Spike Duplicate	0903406-52 0903406-52	ND ND	10.370 10.560	10.000 10.000	ug/L ug/L		104 106		76 - 114 76 - 114
Toluene-d8 (Surrogate)	BSD0260	Matrix Spike Matrix Spike Duplicate	0903406-52 0903406-52	ND ND	10.530 10.010	10.000 10.000	ug/L ug/L		105 100		88 - 110 88 - 110
4-Bromofluorobenzene (Surrogate)	BSD0260	Matrix Spike Matrix Spike Duplicate	0903406-52 0903406-52	ND ND	10.140 10.200	10.000 10.000	ug/L ug/L		101 102		86 - 115 86 - 115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratones, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 16 of 22



Protect: 5043

Project Number: 4511016814 Project Manager: Anju Farfan Reported: 04/08/2009 10:28

# **Total Petroleum Hydrocarbons (Silica Gel Treated)**

### **Quality Control Report - Precision & Accuracy**

										Contr	ol Limits
			Source	Source		Spike			Percent		Percent
Constituent	Batch ID	QC Sample Type	Sample ID	Result	Result	Added	Units	RPD	Recovery	RPD	Recovery Lab Quals
Diesel Range Organics (C12 - C24)	BSD0356	Matrix Spike	0814857-93	29.928	445.58	500.00	ug/L		83.1		36 - 130
		Matrix Spike Duplicate	0814857-93	29.928	454.76	500.00	ug/L	2.3	85.0	30	36 - 130
Tetracosane (Surrogate)	BSD0356	Matrix Spike	0814857-93	ND	20,770	20.000	ug/L		104		28 - 139
		Matrix Spike Duplicate	0814857-93	ND	20.854	20,000	ug/L		104		28 - 139



Project: 5043 Project Number: 4511016814

Project Manager: Anju Fartan

Reported: 04/08/2009 10:28

# Volatile Organic Analysis (EPA Method 8260)

### **Quality Control Report - Laboratory Control Sample**

										Control	Limits	
Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Percent Recovery	RPD	Lab Quals
Benzene	BSD0260	BSD0260-B\$1	LCS	28.970	25.000	0.50	ug/L	116		70 - 130		
Toluene	BSD0260	BSD0260-BS1	LCS	27,870	25.000	0,50	ug/L	111		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BSD0260	BSD0260-BS1	LCS	10.140	10.000		ug/Ł	101		76 - 114		
Toluene-d8 (Surrogate)	BSD0260	BSD0260-BS1	LCS	10,120	10.000		ug/L	101		88 - 110		
4-Bromofluorobenzene (Surrogate)	BSD0260	BSD0260-BS1	LCS	9.9700	10.000		ug/L	99.7		86 - 115		



Project: 5043 Project Number: 4511016814

Project Manager: Anju Farfan

Reported: 04/08/2009 10:28

# **Total Petroleum Hydrocarbons (Silica Gel Treated)**

### **Quality Control Report - Laboratory Control Sample**

										Control	<u>Limits</u>		
Constituent	Batch ID	QC Sample ID	QC Type	Resuit	Spike Level	PQL	Units	Percent Recovery	RPD	Percent Recovery	RPD	Lab Quais	
Diesel Range Organics (C12 - C24)	BSD0356	BSD0356-BS1	LCS	233.18	500.00	50	ug/L	46.6		48 - 125		L01,L02	
Tetracosane (Surrogate)	BSD0356	BSD0356-BS1	LCS	17.174	20,000		ug/L	85.9		28 - 139			



Project: 5043 Project Number: 4511016814

Protect Manager: Aniu Farfan

Reported: 04/08/2009 10:28

# Volatile Organic Analysis (EPA Method 8260)

### **Quality Control Report - Method Blank Analysis**

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BSD0260	BSD0260-BLK1	ND	ug/L	0.50		
Ethylbenzene	BSD0260	BSD0260-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BSD0260	BSD0260-BLK1	ND	ug/L	0.50		
Toluene	BSD0260	BSD0260-BLK1	ND	ug/L	0.50		
Total Xylenes	BSD0260	BSD0260-BLK1	ND	ug/L	1.0		
Ethanol	BSD0260	BSD0260-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BSD0260	BSD0260-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BSD0260	BSD0260-BLK1	98,6	%	76 - 114 (LCL -	UCL)	
Toluene-d8 (Surrogate)	BSD0260	BSD0260-BLK1	102	%	88 - 110 (LCL -	UCL)	
4-Bromofluorobenzene (Surrogate)	BSD0260	BSD0260-BLK1	98.7	%	86 - 115 (LCL -	UCL)	



Irvine, CA 92618

Project: 5043 Project Number: 4511016814

Reported: 04/08/2009 10:28

Project Manager: Anju Farfan
Total Petroleum Hydrocarbons (Silica Gel Treated)

**Quality Control Report - Method Blank Analysis** 

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Diesel Range Organics (C12 - C24)	BSD0356	BSD0356-BLK1	ND	ug/Ł	50		M02
Tetracosane (Surrogate)	BSD0356	BSD0356-BLK1	101	%	28 - 139	(LCL - UCL)	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Page 21 of 22



TRC 21 Technol Irvine, CA	logy Drive Pro 92618 Proj	Project: pject Number: ject Manager:	5043 4511016814 Anju Fartan	Reported:	04/08/2009 10:28
Notes An	d Definitions				
MDL	Method Detection Limit				
ND	Analyte Not Detected at or above the reporting limit				
PQL	Practical Quantitation Limit				
RPD	Relative Percent Difference				
A01	PQL's and MDL's are raised due to sample dilution.				
A17	Surrogate not reportable due to sample dilution.				
L01	The Laboratory Control Sample Water (LCSW) recovery is not within laboratory establish	ed control limits			
L02	The Laboratory Control Sample Water (LCSW) recovery is not within method established	I control limits.			
M02	Analyte detected in the Method Blank at a level between the PQL and 1/2 the PQL.				

		SAMPLE	RECEIP	FORM	Rev	. No. 12	06/24/08	Page-	Of ]	
BULLED ALLING										
Submission#: U IU III I					-		IG CONT	LAINER		
	Hand Deliv	ery 🗆		ŀ	ce Chest 🛛	⊴	None			
BC Lab Field Service D	r 🗆 (Specify)				Bóx (	3	Other	r 🗆 (Spec	ify)	
<b>/</b>										
Refrigerant: Ice 🗹 Blue Ice	🗆 None	D Oth	ner□ C	omment	s:					
Custody Seals Joe Chest	Containe	SEA	None 🖓	Comme	nts:					
intari YesteriNo.	Intact2 Yes:	D. NO E	/.							
All samples received? Yes X No D	All samples	containers	intact? Ye	SX NOE	3	Descripti	on(s) mate	h COC? Ye		J
COC Received	Smissivity	0.98 c	ontainer: \	$\frac{1}{1}$	hemomot		102	Dete/Jime	2-20-0	
AVES DNO	Elinssivity.	<u> </u>			nermonieu		<u></u>	Daterrane		, '
AIES LINO	Temperature:	<u>a</u>	<u></u> "(	с / С	0,5	°C		Analyst In	It JUK	·
						HILIDEDS				
SAMPLE CONTAINERS	1	2	. 3	4	5	6	7	8.	9	10
QT GENERAL MINERALJ GENERAL PHYSIC	AL									
PT PE UNPRESERVED								ļ		I
OT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS						· · · ·				
PT CYANDE										
PT NITROGEN FORMS					· · ·	<u> </u>				
PT TOTAL SULFIDE					·	<u></u>			·	
202 NITRATE / NITRITE				······						
PT-TOTAL ORGANIC CARBON	<u> </u>								·د	
PT TOX			<u> </u>		<u>, 1 - 1</u>				<u></u>	
PT CHEMICAL OXYGEN DEMAND			·	· · · · · · · · · · · · · · · · · · ·			9 <u> </u>	So frateria	· · · · · · · · · · · · · · · · · · ·	
PLA PHENOLICS						۰ (۲۰۰۰ - ۲۰۰۰) مرکز ۲۰۰۰ - ۲۰۰۰			,	
40mJ VOA VIAL TRAVEL BLANK		<u>10 2</u>	10 7	~ ~		0.0				
40 rdl VOA VIAL	<u> H</u>			H O	H D	HO.	<u>, ()</u>			( )
OT EPA 413.1.413.2, 418.1						an an an an anna An an	<u>= = 7 _</u>			
PTODOR					<u> </u>	<u> 19 88. 19</u>				┝
RADIOLOGICAL										
BACTERIOLOGICAL			<u> </u>		- <u> </u>	and the second second second second second second second second second second second second second second second		Aber 1 191		
40 mi VOA VIAL- 504		<u> </u>		<u> </u>		· · · · · · · · · · · · · · · · · · ·	<u> </u>			
OT EPA 508/603/8080									<u> </u>	
OT EPA 515.1/8150										
OT EPA 52.5		<u>!</u>			<u> </u>			<u> </u>	<u> </u>	
OT EPA 52.5 TRAVEL BLANK			<u> </u>		<u>†</u>			<u> </u>		<b> </b>
100ml EPA 547		<u> </u>	<u>+</u>	L	<del> </del>	<u> </u>	<u> </u>			
100ml EPA 531.1			<u> </u>				· · · · ·			<u> </u>
QT EPA 548		t			+					t
<u>QIEPA549</u>			<u>}</u>			<u> </u>			-	<b>i</b>
<u>QT EPA 632</u>		<u> </u>			<u> </u>					
OT EFA 8015M	RC	20	RI	2	120	BO	+	1		t
UT AMBER				LL_	1- <b>i</b> t	1 th				1
8 OZ. JAR				<u> </u>		1				†
32 OZ. JAR				<u> </u>	<u>+</u>	+		1		1
SOIL SLEEVE		†	1	<u> </u>	<u>+</u>	<u> </u>				1
PLACTIC DAC		<u> </u>	1	<u> </u>	· [			·	· · ·	1
TLASHU BAG						+		1	1	
		1		<u> </u>	+	1	1		1	T.
I SUCORE	<u></u>		. t	L					<u> </u>	

Comments: Sample Numbering Completed By: <u>AMD</u> A = Actual / C = Corrected Date/Time: 331 09- 850

[H:\DOCS\WP80\LAB\_DOCS\FORMS\SAMREC2\_WPD]

·					СНКВУ	SUB		N	1							
BC LA	BORATORIES, INC.		4100 Atlas Court (661) 327-491	: Bak 1 FAX	ersfield, CA 933 ( (661) 327-1918	08 1		С⊦	IAI		= cu	ST	ODY	,		
								An	aly	/sis	Re	que	este	ed .		
Bill to: C	Conoco Phillips/ TRC	Cons	ultant Firm: TR	C		MATRIX	5									
Address	Address: 449 Hegenberger RD. Irvine, CA 92618-2302 Attn: Anju Farfan					(GW) Ground- water (S)	Gas by 801			lates	8260B			mener w		lested
City:00	akland	4-digi Work	t site#: 5 order # <i>0134</i> ~	043 7-45	11016814	(WW) Waste-	y 8021B,	015M	y 8015	// oxygen	<del>ХҮЗ</del> ВҮ	8260B	s/MS	clean-ing		ime Requ
State: C	A Zip:	Proje	rt#: 1455	2/		(SL)	а Ш В	by 8	ц Ц Ц	ist w	3E/G	a d	/ GC	5 55		T pt
Conoco	Phillips Mgr: Emyson	Samp	ler Name: <i>To</i>	ΰĒ		Sludge	/MTB	SAS	OIES	IIII	/MTE	NOL	G þ	M/		rour
Lab#	Sample Description	Field P	oint Name	D	ate & Time Sampled		BTEX	ТРН (	1 HdT	82601	BTEX	ETHA	- HdT	a-+1d1		Turna
-		Mu	-9	03-:	27-09 1048	Gu					X	X	Х	Х		STD
-2		MW	-7	_	1101											
-3		Miv-	-8		1113											
<u>-4</u>		mw-	_3		1033											
-5		mw-	10		0926									$\mathbf{A}$		
-4		min	6		/ 1145	$\bigvee$					$\mathbb{W}$	$\mathbb{V}$	$\mathbb{V}$	$\mathbb{V}$		V
																_
Comments	5:	F	telinquished by: (S	Signature	Roma	,		Rec	eiver Eciv	d by: Jaeu			Date	& Ti	me	2.50
GLOBAL	ID: TOGOOINI 476	ſ	clinquished by: (5	Henafur				Red //		d ball	da	1	Date 3/	/& Ti 30/0	me 19 13	38
Relinquisted by (Signature)				3/30/0	9	1	Rec RC	reived Ru	d by: مداسط	S		Date 3.3	* & Ti O- 0	me 4 1 0	121	
		Y	KKuy"	w	23.30 0	れ 221	J	æ	5	re) zecer	~	3	30-	69	221	Ś

#### **STATEMENTS**

#### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003 Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

#### Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.