

C A M B R I A

#530

ENVIRONMENTAL
PROTECTION

March 17, 2000

Barney Chan
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

00 MAR 27 AM 10:45

*Case
Can Do. I need app*

Re: **Fourth Quarter 1999 Monitoring Report**
Shell-branded Service Station
285 Hegenberger Road
Oakland, California
Incident #98995749
Cambria Project #242-0734-002



Dear Mr. Chan:

On behalf of Equiva Services LLC, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d.

HISTORICAL HYDROCARBON REMOVAL SUMMARY

| Historical Hydrocarbon Removal | Cumulative (lbs) |
|--------------------------------|------------------|
| Vapor-Phase | 707 |
| Total | 707 |

The table above summarizes the historical vapor-phase hydrocarbons removal by soil vapor extraction (SVE). Soil vapor extraction operation was discontinued on February 9, 1995.

Oakland, CA
Sonoma, CA
Portland, OR
Seattle, WA

**Cambria
Environmental
Technology, Inc.**

1144 65th Street
Suite B
Oakland, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170

FOURTH QUARTER 1999 ACTIVITIES

Groundwater Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California collected dissolved oxygen (DO) measurements, gauged water levels, and sampled all wells. Blaine calculated groundwater elevations and compiled the gasoline constituents analytical data. Cambria compiled the non-gasoline constituents analytical data (Table 1) and prepared a groundwater elevation contour map (Figure 1). The Blaine report, presenting the laboratory report and supporting field documents, is included as Attachment A.

Soil and Groundwater Investigation: On March 18, 1999, Cambria conducted the soil and groundwater investigation proposed in the February 4, 1999 work plan. The objective of the investigation was to evaluate the migration of petroleum hydrocarbons and MTBE in conduit trenches towards the open channel located southwest of the site. Results of the investigation will be reported in a forthcoming report.

Bio-Sparge System Installation: As proposed in Cambria's February 4, 1999 work plan, Cambria will install a low flow air compressor that will inject filtered air through diffusers into wells VEW-1, VEW-2, VEW-3 and VEW-4. We will perform initial startup testing of the system and adjust the system pressure in each well to allow an approximate air flow of 1-2 cfm per well. Cambria is currently preparing design drawings necessary to obtain building permits for the installation of the proposed bio-sparge system.

Vapor Extraction Test (VET): Cambria proposed conducting a five-day soil VET to evaluate current vadose zone vapor concentrations and determine the effectiveness of restarting an SVE system. Cambria conducted the VET in the first week of November of 1999. Results of the VET will be reported in a forthcoming report.

No
activity
since
11/99

no
report
as of 4/00

ANTICIPATED FUTURE 2000 ACTIVITIES

Groundwater Monitoring: The next sampling event is scheduled for the second quarter of 2000. At that time, Blaine will collect DO measurements, gauge water levels, sample selected site wells and tabulate the data. Cambria will prepare a monitoring report.

CLOSING

We appreciate the opportunity to work with you on this project. Please call Darryk Ataide at (510) 420-3339 if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc



Darryk Ataide, REA I
Project Manager

Ailsa S. Le May, R.G.
Senior Geologist











Figure: 1 - Groundwater Elevation Contour Map
Table: 1 - Groundwater Analytical Data - Other Constituents
Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Ms. Karen Petryna, Equiva Services LLC, P.O. Box 7869, Burbank, California 91501-7869

g:\oak285\qm\4q99qm.doc

EXPLANATION

- MW-1  Monitoring well location
 - VEW-1  Soil vapor extraction well
 - VEW-5  Dual completion air sparging / soil vapor extraction well
 - MW-5  Abandoned well
 -  Storm drain line
 -  Groundwater flow direction
 -  XX.XX
Groundwater elevation contour, in feet above mean sea level (msl), approximately located, dashed where inferred
-
- | | |
|----------------|---|
| Well | Well designation |
| ELEV | Groundwater elevation, in feet above msl |
| Benzene | Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8020; MTBE results in parentheses are analyzed by EPA Method 8260 |
| MTBE | |

Basemap from Pacific Environmental Group, Inc.




FIGURE
1

Shell-branded Service Station
 285 Hegenberger Road
 Oakland, California
 Incident #98995749



CAMBRIA

Groundwater Elevation Contour Map

December 28, 1999

G:\OAKLAND 285 HEGENBERGER\FIGURES\40M99-MP.A1

Table 1. Ground Water Analytical Data - Other Constituents - Shell-branded Service Station - Incident #98995749, 285 Hegenberger Road, Oakland, California

| Well ID | Date | Motor Oil | Nitrate as Nitrate | Sulfate | Ferrous Iron | DO | ORP |
|---------|-------------------------|-------------------------|--------------------|-----------------|-------------------|----------------|------------------|
| | | (Concentrations in ppm) | | | | | (millivolts) |
| MW-1 | 06/10/98 | --- | <1.0 | 3.3 | 14 | 0.5/0.5 | -163/-178 |
| | 06/10/98 ^{dup} | --- | <1.0 | 5.1 | 14 | 0.5/0.5 | -163/-178 |
| | 12/30/98 | <0.250 | <1.0 | 6.8 | 9.2 | 1.6/1.4 | -119/-107 |
| | 06/25/99 | --- | 0.0800 | 1.39 | 11.40 | 1.2/2.1 | -150/-148 |
| | 12/28/99 | <0.507 | <5.00 | <5.00 | 3.80 | 1.4/1.8 | -156/-152 |
| MW-2 | 06/10/98 | --- | <1.0 | 47 | 5.1 | 0.7/0.6 | -155/-161 |
| | 12/30/98 | <0.250 | <1.0 | 84 | 7.6 | 1.3/1.2 | -96/-107 |
| | 06/25/99 | --- | <0.0500 | 126 | 7.97 | 2.3/2.5 | -101/-106 |
| | 12/28/99 | <0.500 | <5.00 | 98.8 | 0.380 | 2.1/2.4 | -112/-120 |
| MW-3 | 06/10/98 | --- | <1.0 | 15 | 3.5 | 0.8/0.9 | -101/-149 |
| | 12/30/98 | <0.250 | <1.0 | 21 | 2.1 | 1.3/1.4 | -84/-76 |
| | 06/25/99 | --- | <0.0500 | 4.74 | 8.73 | 1.4/1.9 | -138/-148 |
| | 12/28/99 | <0.500 | <5.00 | 5.10 | 0.260 | 1.3/1.5 | -86/-74 |
| MW-4 | 12/30/98 | <0.250 | <1.0 | 9.6 | 1.6 | 1.7/1.6 | -118/-111 |
| | 12/28/99 | <0.500 | <5.00 | <5.00 | <0.0100 | 1.4/1.5 | -121/-117 |
| MW-6 | 06/10/98 | --- | <1.0 | 7.4 | 1.8 | 0.4/0.4 | -159/-155 |
| | 12/30/98 | <0.250 | <1.0 | 120 | 0.46 | 2.1/1.6 | -98/-107 |
| | 06/25/99 | --- | 0.101 | 22.1 | 12.80 | 1.4/3.6 | -143/-136 |
| | 12/28/99 | 0.568 | <5.00 | 147 | 0.320 | 1.8/2.0 | -108/-96 |
| MW-8 | 12/30/98 | <0.250 | 12 | 54 | 0.031 | 0.8/0.9 | -128/-121 |
| | 12/28/99 | <0.500 | <5.00 | <5.00 | <0.0100 | 1.0/0.9 | -136/-121 |
| MW-9 | 06/10/98 | --- | <1.0 | 6.6 | 21 | 0.3/0.4 | -169/-188 |
| | 12/30/98 | <0.250 | <1.0 | 6.4 | 9.3 | 1.1/1.2 | -107/-111 |
| | 06/25/99 | --- | 0.0900 | 1.25 | 19.80 | 1.2/2.4 | -164/-153 |
| | 12/28/99 | <0.500 | <5.00 | <5.00 | 0.660 | 1.0/1.1 | -111/-115 |

Table 1. Ground Water Analytical Data - Other Constituents - Shell-branded Service Station - Incident #98995749, 285 Hegenberger Road, Oakland, California

| Well ID | Date | Motor Oil | Nitrate as Nitrate | Sulfate | Ferrous Iron | DO | ORP |
|---------|----------|-------------------------|--------------------|---------|--------------|---------|--------------|
| | | (Concentrations in ppm) | | | | | (millivolts) |
| MW-10 | 06/10/98 | --- | <1.0 | 6.3 | 17 | 0.7/0.5 | -149/-162 |
| | 12/30/98 | <0.250 | <1.0 | 8.0 | 17 | 1.0/0.7 | -72/-89 |
| | 06/25/99 | --- | 0.134 | <1.00 | 15.80 | 0.9/2.5 | -139/-119 |
| | 12/28/99 | 0.604 | 0.998 | <5.00 | 2.20 | 1.2/1.4 | -87/-92 |
| MW-11 | 12/30/98 | <0.250 | <1.0 | 1,000 | 0.21 | 0.7/0.6 | -86/-74 |
| | 12/28/99 | <0.500 | <5.00 | <5.00 | <0.0100 | 0.8/1.0 | -94/-67 |
| MW-12 | 12/30/98 | <0.250 | 6.1 | 1,500 | 0.06 | 1.3/0.9 | -119/-106 |
| | 12/28/99 | <0.500 | <5.00 | <5.00 | <0.0100 | 1.0/1.2 | -120/-110 |
| MW-13 | 12/30/98 | <0.250 | 7.2 | 230 | 0.031 | 1.1/0.8 | -111/-104 |
| | 12/28/99 | <0.500 | <5.00 | <5.00 | <0.0100 | 0.8/1.0 | -117/-115 |

Abbreviations:

ppm = Parts per million
 DO = Dissolved oxygen, reported as pre-purge/post-purge
 ORP = Oxidation reduction potential, reported as pre-purge/post-purge

Notes:

--- = Not analyzed
 <n = Below detection limit of n ppm
 Motor oil by DHS LUFT
 Ferrous iron by EPA Method 200.7
 Nitrate as nitrate and sulfate by EPA Method 300.0

ATTACHMENT A

Blaine Groundwater Monitoring Report
and Field Notes

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE

March 14, 2000

Karen Petryna
Equiva Services LLC
P.O. Box 7869
Burbank, CA 91510-7869

Fourth Quarter 1999 Groundwater Monitoring at
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

Monitoring performed on December 28, 1999

Groundwater Monitoring Report **991228-P-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, appropriate calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink that reads "Deidre Kerwin". The signature is written in a cursive, flowing style.

Deidre Kerwin
Operations Manager

DK/jh

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Anni Kreml
Cambria Environmental Technology, Inc.
114 65th Street, Suite C
Oakland, CA 94608-2411

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-1 | 02/16/1989 | 99,000 | NA | 20,000 | 23,000 | 5,700 | 2,300 | NA | NA | 6.64 | 3.83 | 2.81 | NA |
| MW-1 | 05/23/1989 | 48,000 | 11,000 | 4,200 | 5,200 | 1,200 | 7,700 | NA | NA | 6.64 | 3.59 | 3.05 | NA |
| MW-1 | 08/03/1989 | 63,000 | 11,000 | 5,500 | 5,500 | 3,200 | 9,500 | NA | NA | 6.64 | 4.04 | 2.60 | NA |
| MW-1 | 12/15/1989 | 30,000 | 11,000 | ND | ND | ND | ND | NA | NA | 6.64 | 4.22 | 2.42 | NA |
| MW-1 | 02/07/1990 | 93,000 | 10,000 | 13,000 | 9,600 | 2,400 | 14,000 | NA | NA | 6.64 | 4.60 | 2.04 | NA |
| MW-1 | 04/18/1990 | 55,000 | 8,700 | 14,000 | 8,400 | 3,200 | 13,000 | NA | NA | 6.64 | 4.02 | 2.62 | NA |
| MW-1 | 07/23/1990 | 73,000 | 3,600 | 16,000 | 7,400 | 2,800 | 15,000 | NA | NA | 6.64 | 4.17 | 2.47 | NA |
| MW-1 | 09/27/1990 | 45,000 | 1,700 | 8,000 | 4,300 | 2,000 | 11,000 | NA | NA | 6.64 | 4.60 | 2.04 | NA |
| MW-1 | 01/03/1991 | 43,000 | 3,100 | 10,000 | 3,400 | 1,900 | 11,000 | NA | NA | 6.64 | 4.88 | 1.76 | NA |
| MW-1 | 04/10/1991 | 57,000 | 1,800 | 20,000 | 9,600 | 3,500 | 16,000 | NA | NA | 6.64 | 3.55 | 3.09 | NA |
| MW-1 | 07/12/1991 | NA | NA | NA | NA | NA | NA | NA | NA | 6.64 | 3.97 | 2.67 | NA |
| MW-1 | 10/08/1991 | 55,000 | 7,400 | 18,000 | 3,500 | 2,300 | 8,600 | NA | NA | 6.64 | 4.26 | 2.38 | NA |
| MW-1 | 02/06/1992 | 48,000 | 15,000a | 12,000 | 2,800 | 1,900 | 7,400 | NA | NA | 6.64 | 4.94 | 1.70 | NA |
| MW-1 | 05/04/1992 | 71,000 | 10,000a | 16,000 | 6,000 | 3,100 | 14,000 | NA | NA | 6.64 | 3.58 | 3.06 | NA |
| MW-1 | 07/28/1992 | 68,000 | 18,000a | 21,000 | 5,500 | 3,400 | 15,000 | NA | NA | 6.64 | 3.91 | 2.73 | NA |
| MW-1 (D) | 07/28/1992 | 70,000 | 19,000a | 17,000 | 5,000 | 2,700 | 13,000 | NA | NA | 6.64 | 3.91 | 2.73 | NA |
| MW-1 | 10/27/1992 | 53,000 | 1,300 | 18,000 | 3,700 | 3,400 | 11,000 | NA | NA | 6.64 | 4.79 | 1.85 | NA |
| MW-1 (D) | 10/27/1992 | 48,000 | 2,500a | 17,000 | 3,600 | 3,100 | 9,900 | NA | NA | 6.64 | 4.79 | 1.85 | NA |
| MW-1 | 01/14/1993 | 84,000 | 2,200a | 17,000 | 5,400 | 3,000 | 13,000 | NA | NA | 6.64 | 3.39 | 3.25 | NA |
| MW-1 | 04/23/1993 | 100,000 | 2,300a | 18,000 | 7,800 | 4,700 | 20,000 | NA | NA | 6.64 | 2.67 | 3.97 | NA |
| MW-1 | 07/20/1993 | 41a | 3,100a | 12,000 | 870 | 1,500 | 4,400 | NA | NA | 9.50 | 3.48 | 6.02 | NA |
| MW-1 | 10/18/1993 | 33,000 | 8,100a | 14,000 | 1,200 | 2,000 | 4,900 | NA | NA | 9.50 | 4.20 | 5.30 | NA |
| MW-1 (D) | 10/18/1993 | 44,000 | 3,700a | 14,000 | 1,200 | 2,000 | 4,900 | NA | NA | 9.50 | 4.20 | 5.30 | NA |
| MW-1 | 01/06/1994 | 71,000 | 9,000a | 9,000 | 870 | 1,600 | 5,100 | NA | NA | 9.50 | 4.13 | 5.37 | NA |
| MW-1 | 04/12/1994 | 42,000 | 5,900 | 6,600 | 170 | 2,300 | 4,700 | NA | NA | 9.50 | 2.42 | 7.08 | NA |
| MW-1 (D) | 04/12/1994 | 40,000 | 4,700 | 6,300 | 180 | 2,000 | 4,400 | NA | NA | 9.50 | 2.42 | 7.08 | NA |
| MW-1 | 07/25/1994 | 13,000 | 7,000a | 4,400 | 110 | 460 | 1,400 | NA | NA | 9.50 | 3.37 | 6.13 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|

| | | | | | | | | | | | | | |
|----------|------------|--------|--------|-------|------|-------|--------|--------|--------|------|------|------|---------|
| MW-1 | 10/25/1994 | 19,000 | 3,900 | 5,500 | 210 | 880 | 2,000 | NA | NA | 9.50 | 4.07 | 5.43 | NA |
| MW-1 | 01/09/1995 | 37,000 | 8,600a | 6,700 | 800 | 2,800 | 8,900 | NA | NA | 9.50 | 2.65 | 6.85 | NA |
| MW-1 | 04/11/1995 | 26,000 | 5,500 | 4,700 | 270 | 1,800 | 3,400 | NA | NA | 9.50 | 2.38 | 7.12 | NA |
| MW-1 | 07/18/1995 | 57,000 | 7,000 | 7,500 | 880 | 4,100 | 11,000 | NA | NA | 9.50 | 3.49 | 6.01 | NA |
| MW-1 (D) | 07/19/1995 | 46,000 | 6,600 | 6,000 | 670 | 3,200 | 7,500 | NA | NA | 9.50 | 3.49 | 6.01 | NA |
| MW-1 | 10/18/95b | 37,000 | 3,200 | 5,400 | 450 | 2,600 | 7,400 | 10,000 | NA | 9.50 | NA | NA | NA |
| MW-1 | 01/09/1996 | 32,000 | NA | 3,000 | 240 | 1,900 | 3,500 | 6,100 | NA | 9.50 | 2.95 | 6.55 | NA |
| MW-1 | 04/02/1996 | 30,000 | NA | 3,100 | 260 | 2.0 | 3,900 | 8.0 | NA | 9.50 | 2.00 | 7.50 | NA |
| MW-1 | 10/03/1996 | 18,000 | 2,800 | 3,000 | 120 | 1,200 | 1,700 | 7,500 | NA | 9.50 | 3.21 | 6.29 | 2.2 |
| MW-1 | 04/03/1997 | 29,000 | 3,000 | 2,300 | 170 | 2,300 | 2,900 | 4,300 | NA | 9.50 | 2.84 | 6.66 | 2.2 |
| MW-1 | 10/08/1997 | 22,000 | 3,600 | 920 | 71 | 2,400 | 2,200 | 820 | NA | 9.50 | 2.58 | 6.92 | 1.5 |
| MW-1 | 06/10/1998 | 13,000 | 2,900 | 860 | <100 | 1,300 | 500 | 29,000 | 32,000 | 9.50 | 2.67 | 6.83 | 0.5/0.5 |
| MW-1 (D) | 06/10/1998 | 9,400 | 2,100 | 870 | <50 | 1,300 | 520 | 28,000 | NA | 9.50 | 2.67 | 6.83 | 0.5/0.5 |
| MW-1 | 12/30/1998 | 6,930 | 1,540 | 714 | 52.7 | 243 | <25.0 | 9,000 | NA | 9.50 | 4.68 | 4.82 | 1.6/1.4 |
| MW-1 * | 06/25/1999 | 12,600 | NA | 1,110 | 44.7 | 1,340 | 710 | 6,080 | NA | 9.50 | 2.86 | 6.64 | 1.2/2.1 |
| MW-1 | 12/28/1999 | 3,260 | 1,170 | 527 | 14.0 | 507 | 40.3 | 5,430 | 7,060b | 9.50 | 3.28 | 6.27 | 1.2/1.8 |

| | | | | | | | | | | | | | |
|------|------------|--------|-------|-----|-----|-------|-------|----|----|------|------|------|----|
| MW-2 | 02/16/1989 | 20,000 | NA | 200 | 900 | 2,700 | 9,600 | NA | NA | 7.68 | 5.33 | 2.35 | NA |
| MW-2 | 05/23/1989 | 1,500 | 1,600 | 4.3 | 2.9 | 11 | 150 | NA | NA | 7.68 | 5.23 | 2.45 | NA |
| MW-2 | 08/03/1989 | 15,000 | 7,400 | 75 | 120 | 850 | 2,200 | NA | NA | 7.68 | 6.03 | 1.65 | NA |
| MW-2 | 12/15/1989 | 5,000 | 2,600 | 52 | 13 | 4.1 | 290 | NA | NA | 7.68 | 6.43 | 1.25 | NA |
| MW-2 | 02/07/1990 | 13,000 | 4,800 | 32 | 34 | 230 | 640 | NA | NA | 7.68 | 5.82 | 1.86 | NA |
| MW-2 | 04/18/1990 | 9,800 | 3,200 | 33 | 19 | 460 | 1,700 | NA | NA | 7.68 | 5.88 | 1.80 | NA |
| MW-2 | 07/23/1990 | 9,600 | 2,700 | 41 | 27 | 540 | 940 | NA | NA | 7.68 | 6.05 | 1.63 | NA |
| MW-2 | 10/01/1990 | 390 | 1,600 | 3.4 | 15 | 8.5 | 25 | NA | NA | 7.68 | NA | NA | NA |
| MW-2 | 01/03/1991 | 1,800 | 830 | 56 | 4.4 | 4.8 | 92 | NA | NA | 7.68 | 6.82 | 0.86 | NA |
| MW-2 | 04/10/1991 | 1,900 | 280 | ND | 28 | 140 | 490 | NA | NA | 7.68 | 4.80 | 2.88 | NA |
| MW-2 | 07/12/1991 | 8,100 | 1,100 | 89 | 66 | 350 | 930 | NA | NA | 7.68 | 5.70 | 1.98 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-2 | 10/08/1991 | 1,400 | 2,600 | 5.1 | 1.5 | 36 | 270 | NA | NA | 7.68 | 6.40 | 1.28 | NA |
| MW-2 | 02/06/1992 | 2,000 | 5,400a | 7.8 | 2.5 | 130 | 210 | NA | NA | 7.68 | 6.40 | 1.28 | NA |
| MW-2 | 05/04/1992 | 21 | 1,000 | ND | ND | 300 | 960 | NA | NA | 7.68 | 4.68 | 3.00 | NA |
| MW-2 | 07/28/1992 | 2,100 | 830a | 7.7 | 3.3 | 130 | 310 | NA | NA | 7.68 | 5.86 | 1.82 | NA |
| MW-2 | 10/27/1992 | 1,100 | 530 | 16 | 3.1 | 4.5 | 25 | NA | NA | 7.68 | 6.96 | 0.72 | NA |
| MW-2 | 01/14/1993 | 290 | 170a | 5.2 | 3.1 | 8.4 | 21 | NA | NA | 7.68 | 4.12 | 3.56 | NA |
| MW-2 | 04/23/1993 | 2,400 | 1,200a | ND | ND | 210 | 610 | NA | NA | 7.68 | 3.84 | 3.84 | NA |
| MW-2 | 07/20/1993 | 440 | 130 | 1.7 | 1.7 | 15 | 38 | NA | NA | 10.55 | 5.17 | 5.38 | NA |
| MW-2 | 10/18/1993 | 2,100 | 1,600a | ND | ND | 90 | 110 | NA | NA | 10.55 | 6.20 | 4.35 | NA |
| MW-2 | 01/06/1994 | 1.9a | 130 | ND | 6.7 | 7.1 | 12 | NA | NA | 10.55 | 5.39 | 5.16 | NA |
| MW-2 | 04/12/1994 | 120 | 130 | ND | ND | 3.4 | 4.3 | NA | NA | 10.55 | 4.72 | 5.83 | NA |
| MW-2 | 07/25/1994 | 0.18a | 280a | 5.3 | ND | 6.2 | 8.2 | NA | NA | 10.55 | 5.44 | 5.11 | NA |
| MW-2 | 10/25/1994 | 170 | 400 | ND | ND | ND | ND | NA | NA | 10.55 | 6.73 | 3.82 | NA |
| MW-2 | 01/09/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 10.55 | 4.34 | 6.21 | NA |
| MW-2 | 04/11/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 10.55 | 3.72 | 6.83 | NA |
| MW-2 | 07/18/1995 | 250 | 160 | 2.8 | 0.5 | 12 | 13 | NA | NA | 10.55 | 4.91 | 5.64 | NA |
| MW-2 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.55 | 5.88 | 4.67 | NA |
| MW-2 | 01/09/1996 | 790 | 130 | 5.1 | 1.5 | 2.4 | 4.6 | 1,400 | NA | 10.55 | 4.75 | 5.80 | NA |
| MW-2 | 04/02/1996 | 260 | NA | <2 | <2 | 13 | 6.9 | 540 | NA | 10.55 | 3.25 | 7.30 | NA |
| MW-2 | 10/03/1996 | <2,000 | 620 | <20 | <20 | <20 | <20 | 13,000 | NA | 10.55 | 5.27 | 5.28 | 2.3 |
| MW-2 | 04/03/1997 | <1,000 | 190 | <10 | <10 | <10 | <10 | 2,800 | NA | 10.55 | 3.99 | 6.56 | 2.2 |
| MW-2 | 10/08/1997 | <5,000 | 1,100 | <50 | <50 | <50 | <50 | a | NA | 10.55 | 5.03 | 5.52 | 1.6 |
| MW-2 | 06/10/1998 | 120 | 310 | 1.7 | <1.0 | <1.0 | <1.0 | 3,800 | NA | 10.55 | 4.11 | 6.44 | 0.7/0.6 |
| MW-2 | 12/30/1998 | <5,000 | 1,050 | <50.0 | <50.0 | <50.0 | <50.0 | 12,100 | 15,300 | 10.55 | 4.76 | 5.79 | 1.3/1.2 |
| MW-2 * | 06/25/1999 | <1,000 | NA | <10.0 | <10.0 | <10.0 | <10.0 | 7,570 | NA | 10.55 | 4.63 | 5.92 | 2.3/2.5 |
| MW-2 | 12/28/1999 | 228 | 446 | 4.54 | <0.500 | <0.500 | <0.500 | 4,260 | NA | 10.55 | 4.95 | 5.60 | 2.1/2.4 |
| MW-3 | 02/16/1989 | 60,000 | NA | 5,500 | 0 | 3,200 | 5,200 | NA | NA | 7.81 | 5.17 | 2.64 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-3 | 05/23/1989 | ND | 1,500 | ND | 200 | ND | ND | NA | NA | 7.81 | 5.09 | 2.72 | NA |
| MW-3 | 08/03/1989 | 2,000 | 1,200 | 120 | ND | ND | 86 | NA | NA | 7.81 | 5.34 | 2.47 | NA |
| MW-3 | 12/15/1989 | 5,200 | 1,700 | 380 | 12 | 17 | 410 | NA | NA | 7.81 | 6.02 | 1.79 | NA |
| MW-3 | 02/07/1990 | 260 | 230 | 17 | 47 | 5.4 | 2.5 | NA | NA | 7.81 | 4.95 | 2.86 | NA |
| MW-3 | 04/18/1990 | 260 | ND | ND | ND | ND | 9.4 | NA | NA | 7.81 | 5.55 | 2.26 | NA |
| MW-3 | 07/23/1990 | 510 | 210 | 46 | ND | ND | 9.3 | NA | NA | 7.81 | 5.81 | 2.00 | NA |
| MW-3 | 09/27/1990 | 460 | 350 | 6.3 | 1.2 | ND | 15 | NA | NA | 7.81 | 6.86 | 0.95 | NA |
| MW-3 | 01/03/1991 | 4,800 | 630 | 920 | 1.7 | ND | 190 | NA | NA | 7.81 | 6.84 | 0.97 | NA |
| MW-3 | 04/10/1991 | 120 | 60 | 1.2 | 8.8 | 3.5 | 21 | NA | NA | 7.81 | 4.93 | 2.88 | NA |
| MW-3 | 07/12/1991 | 430 | ND | 12 | 0.8 | ND | 7.7 | NA | NA | 7.81 | 5.56 | 2.25 | NA |
| MW-3 | 10/08/1991 | 770 | 560 | 140 | ND | ND | 53 | NA | NA | 7.81 | 6.62 | 1.19 | NA |
| MW-3 | 02/06/1992 | 500 | 340a | 74 | 0.7 | 5.2 | 5.3 | NA | NA | 7.81 | 6.28 | 1.53 | NA |
| MW-3 | 05/04/1992 | 310 | 290a | 47 | 0.9 | 17 | 16 | NA | NA | 7.81 | 4.65 | 3.16 | NA |
| MW-3 | 07/28/1992 | 780 | 100a | 130 | ND | 13 | 4.2 | NA | NA | 7.81 | 5.56 | 2.25 | NA |
| MW-3 | 10/27/1992 | 740 | 69a | 92 | ND | 7.8 | 9.6 | NA | NA | 7.81 | 6.65 | 1.16 | NA |
| MW-3 | 01/14/1993 | ND | ND | 2.4 | 2.8 | ND | ND | NA | NA | 7.81 | 3.88 | 3.93 | NA |
| MW-3 | 04/23/93b | NA | NA | NA | NA | NA | NA | NA | NA | 7.81 | NA | NA | NA |
| MW-3 | 07/20/93b | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | NA | NA | NA |
| MW-3 | 10/18/93b | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | NA | NA | NA |
| MW-3 | 01/06/1994 | 130 | 64 | 1.7 | 0 | ND | 0.93 | NA | NA | 11.25 (TOB) | 5.54 | NA | NA |
| MW-3 | 04/12/1994 | ND | 75 | 0.82 | ND | ND | 0.7 | NA | NA | 11.25 (TOB) | 4.82 | NA | NA |
| MW-3 | 07/25/1994 | 0.06a | ND | 2.8 | ND | ND | 0.7 | NA | NA | 11.25 (TOB) | 6.03 (TOB) | 5.22 | NA |
| MW-3 | 10/25/1994 | 70 | 100 | ND | ND | ND | ND | NA | NA | 11.25 (TOB) | 6.48 | NA | NA |
| MW-3 | 01/09/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 11.25 (TOB) | 4.86 (TOB) | 6.39 | NA |
| MW-3 | 04/11/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 11.25 (TOB) | 4.22 (TOB) | 7.03 | NA |
| MW-3 | 07/18/1995 | ND | 90 | 2.8 | ND | ND | ND | NA | NA | 11.25 (TOB) | 5.44 (TOB) | 5.81 | NA |
| MW-3 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.72 | NA | NA |
| MW-3 | 01/09/1996 | 90 | 90 | 1.7 | ND | <0.5 | <0.5 | 61 | NA | 11.25 (TOB) | 4.96 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-3 | 04/02/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | 24 | NA | 11.25 (TOB) | 3.43 | NA | NA |
| MW-3 | 10/03/1996 | <500 | 180 | <5 | <5 | <5 | <5 | 1,200 | NA | 11.25 (TOB) | 5.39 | NA | 2.4 |
| MW-3 | 04/03/1997 | 150 | 83 | 3.2 | <0.50 | <0.50 | 0.81 | 280 | NA | 11.25 (TOB) | 4.20 | NA | 2.0 |
| MW-3 | 10/08/1997 | 180 | 120 | 7.3 | 0.68 | 0.54 | 3.9 | 1,700 | NA | 11.25 (TOB) | 5.51(TOB) | 5.74 | 2.1 |
| MW-3 | 06/10/1998 | 130 | 120 | 12 | 0.85 | <0.50 | 2.1 | 600 | NA | 11.25 (TOB) | 3.91(TOB) | 7.34 | 0.8/0.9 |
| MW-3 | 12/30/1998 | <250 | 108 | <2.50 | <2.50 | <2.50 | <2.50 | 1,010 | NA | 11.25 (TOB) | 5.76 (TOB) | 5.49 | 1.3/1.4 |
| MW-3 * | 06/25/1999 | 269 | NA | 4.24 | <2.50 | <2.50 | <2.50 | 1,180 | NA | 11.25 (TOB) | 4.73 | NA | 1.4/1.9 |
| MW-3 | 12/28/1999 | 333 | 122 | 4.14 | 6.48 | 0.57 | 2.3 | 2,680 | NA | 11.25 (TOB) | 5.75 (TOB) | 5.50 | 1.3/1.5 |
| MW-4 | 05/23/1989 | ND | ND | ND | 0 | ND | ND | NA | NA | 7.38 | 5.60 | 1.78 | NA |
| MW-4 | 08/03/1989 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 6.37 | 1.01 | NA |
| MW-4 | 12/15/1989 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 6.91 | 0.47 | NA |
| MW-4 | 03/08/1990 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 6.06 | 1.32 | NA |
| MW-4 | 04/18/1990 | NA | NA | NA | NA | NA | NA | NA | NA | 7.38 | 5.84 | 1.54 | NA |
| MW-4 | 07/23/1990 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 6.92 | 0.46 | NA |
| MW-4 | 09/27/1991 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 8.03 | 0.65 | NA |
| MW-4 | 01/03/1991 | NA | NA | NA | NA | NA | NA | NA | NA | 7.38 | 7.54 | -0.16 | NA |
| MW-4 | 04/10/1991 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 5.06 | 2.32 | NA |
| MW-4 | 07/12/1991 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 6.86 | 0.52 | NA |
| MW-4 | 10/08/1991 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 7.44 | -0.06 | NA |
| MW-4 | 02/06/1992 | 120 | 2,500a | ND | ND | ND | ND | NA | NA | 7.38 | 7.29 | 0.09 | NA |
| MW-4 | 05/04/1992 | ND | 53 | ND | ND | ND | ND | NA | NA | 7.38 | 5.33 | 2.05 | NA |
| MW-4 | 07/28/1992 | ND | 60 | ND | ND | ND | ND | NA | NA | 7.38 | 6.95 | 0.43 | NA |
| MW-4 | 10/27/1992 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 7.65 | -0.27 | NA |
| MW-4 | 01/14/1993 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 4.84 | 2.54 | NA |
| MW-4 | 04/23/1993 | ND | ND | ND | ND | ND | ND | NA | NA | 7.38 | 4.84 | 2.54 | NA |
| MW-4 | 07/20/1993 | ND | ND | 2.2 | ND | 1.1 | 7.7 | NA | NA | 10.28 | 6.47 | 3.81 | NA |
| MW-4 | 10/18/1993 | ND | ND | ND | 1.2 | ND | ND | NA | NA | 10.28 | 7.35 | 2.93 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-4 | 01/06/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.28 | 7.64 | 2.64 | NA |
| MW-4 | 04/12/1994 | ND | 76 | ND | ND | ND | ND | NA | NA | 10.28 | 6.39 | 3.89 | NA |
| MW-4 | 07/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.28 | 7.00 | 3.28 | NA |
| MW-4 | 10/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.28 | 7.53 | 2.75 | NA |
| MW-4 | 01/09/1995 | ND | 70a | ND | ND | ND | ND | NA | NA | 10.28 | 4.90 | 5.38 | NA |
| MW-4 | 04/11/1995 | ND | 140 | 1.5 | ND | 0.6 | 3.4 | NA | NA | 10.28 | 5.04 | 5.24 | NA |
| MW-4 | 07/18/1995 | ND | 180 | 13 | 3.4 | ND | ND | NA | NA | 10.28 | 6.18 | 4.10 | NA |
| MW-4 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 6.63 | 3.65 | NA |
| MW-4 | 01/09/1996 | <50 | ND | <0.5 | ND | <0.5 | <0.5 | ND | NA | 10.28 | 3.82 | 6.46 | NA |
| MW-4 | 04/02/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.28 | 3.97 | 6.31 | NA |
| MW-4 | 10/03/1996 | <50 | 81 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.28 | 3.74 | 6.54 | NA |
| MW-4 | 04/03/1997 | <50 | 69 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.28 | 3.74 | 6.54 | 1.8 |
| MW-4 | 10/08/1997 | <50 | 75 | <0.50 | <0.50 | <0.50 | <0.50 | 13 | NA | 10.28 | 4.89 | 5.39 | 2.0 |
| MW-4 (D) | 10/08/1997 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.28 | 4.89 | 5.39 | 2.0 |
| MW-4 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 4.39 | 5.89 | NA |
| MW-4 | 12/30/1998 | <50.0 | 94.1 | <0.500 | <0.500 | <0.500 | 0.580 | 7.33 | NA | 10.28 | 5.58 | 4.70 | 1.7/1.6 |
| MW-4 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 4.17 | 6.11 | NA |
| MW-4 | 12/28/1999 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | 10.28 | 7.54 | 5.71 | 1.1/0.5 |
| MW-5 | 05/23/1989 | 26,000 | 7,000 | 1,500 | 280 | ND | 8,100 | NA | NA | 8.18 | 5.47 | 2.71 | NA |
| MW-5 | 08/03/1989 | 12,000 | 8,700 | 860 | 94 | ND | 2,600 | NA | NA | 8.18 | 5.94 | 2.24 | NA |
| MW-5 | 12/15/1989 | 1,000 | 710 | 22 | 35 | 18 | 44 | NA | NA | 8.18 | 6.75 | 1.43 | NA |
| MW-5 | 02/07/1990 | ND | 620 | 0.8 | ND | ND | ND | NA | NA | 8.18 | 6.03 | 2.15 | NA |
| MW-5 | 04/18/1990 | 19,000 | 5,000 | 4,500 | 850 | 97 | 8,000 | NA | NA | 8.18 | 5.80 | 2.38 | NA |
| MW-5 | 07/23/1990 | 23,000 | 2,700 | 3,600 | 400 | 160 | 6,500 | NA | NA | 8.18 | 6.00 | 2.18 | NA |
| MW-5 | 09/23/1990 | 5,400 | 550 | 1,400 | 26 | 13 | 1,300 | NA | NA | 8.18 | 7.18 | 1.00 | NA |
| MW-5 | 01/03/1991 | 860 | 560 | 280 | 2.8 | 0.8 | 45 | NA | NA | 8.18 | 7.17 | 1.01 | NA |
| MW-5 | 04/10/1991 | 12,000 | 1,800 | 710 | 130 | 500 | 2,400 | NA | NA | 8.18 | 5.25 | 2.93 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-5 | 07/12/1991 | 24,000 | 1,700 | 2,200 | 280 | 430 | 5,700 | NA | NA | 8.18 | 5.70 | 2.48 | NA |
| MW-5 | 10/08/1991 | 2,800 | 1,400 | 860 | 13 | ND | 580 | NA | NA | 8.18 | 6.50 | 1.68 | NA |
| MW-5 | 02/06/1992 | 1,000 | 1,200 | 300 | ND | 14 | 62 | NA | NA | 8.18 | 6.35 | 1.83 | NA |
| MW-5 | 05/04/1992 | 10,000 | 4,100a | 1,500 | 350 | 710 | 2,300 | NA | NA | 8.18 | 4.87 | 3.31 | NA |
| MW-5 | 07/28/1992 | 12,000 | 3,800a | 2,200 | 63 | 1,400 | 3,500 | NA | NA | 8.18 | 5.73 | 2.45 | NA |
| MW-5 | 10/27/1992 | 7,500 | 480a | 1,100 | 59 | 230 | 900 | NA | NA | 8.18 | 6.98 | 1.20 | NA |
| MW-5 | 01/14/1993 | 7,700 | 1,100a | 420 | 49 | 570 | 840 | NA | NA | 8.18 | 4.70 | 3.48 | NA |
| MW-5 | 04/23/1993 | 110,000 | 1,600a | 2,900 | 2,500 | 3,400 | 12,000 | NA | NA | 8.18 | 4.19 | 3.99 | NA |
| MW-5 | 07/20/1993 | 18a | 1,200a | 1,400 | 84 | 1,500 | 3,200 | NA | NA | 10.87 | 5.10 | 5.77 | NA |
| MW-5 | 10/18/1993 | 14,000 | 5,800a | 2,000 | 100 | 2,300 | 5,100 | NA | NA | 10.87 | 5.79 | 5.08 | NA |
| MW-5 | 01/06/1994 | 81,000 | 1,100a | 11,000 | 9,300 | 3,600 | 12,000 | NA | NA | 10.87 | 5.56 | 5.31 | NA |
| MW-5 | 04/12/1994 | 17,000 | 4,100 | 2,900 | 380 | 430 | 1,300 | NA | NA | 10.87 | 4.90 | 5.97 | NA |
| MW-5 | 07/25/1994 | 5,900 | 5,400a | 1,500 | 42 | 34 | 170 | NA | NA | 10.87 | 5.38 | 5.49 | NA |
| MW-5 | 10/25/1994 | 2,300 | 1,900a | 35 | 3 | ND | 8 | NA | NA | 10.87 | 6.16 | 4.71 | NA |
| MW-5 | 01/09/1995 | 8,300 | 3,700a | 1,500 | 95 | 330 | 1,900 | NA | NA | 10.87 | 4.60 | 6.27 | NA |
| MW-5 | 04/11/1995 | 7,300 | 9,800 | 1,200 | 230 | 600 | 550 | NA | NA | 10.87 | 3.74 | 7.13 | NA |
| MW-5 | 07/18/1995 | 17,000 | 5,100 | 2,300 | 730 | 770 | 2,500 | NA | NA | 10.87 | 4.97 | 5.90 | NA |
| MW-5 | 10/18/1995 | Well abandoned | | NA | NA | NA | NA | NA | NA | 10.87 | 5.67 | 5.20 | NA |
| MW-6 | 05/23/1989 | 22,000 | 7,000 | 16 | 6.5 | 7 | 3,400 | NA | NA | 8.21 | 5.47 | 2.74 | NA |
| MW-6 | 08/03/1989 | 28,000 | 8,800 | 1,200 | 130 | 2,100 | 2,800 | NA | NA | 8.21 | 5.91 | 2.30 | NA |
| MW-6 | 12/15/1989 | 16,000 | 5,500 | 370 | 92 | 200 | 180 | NA | NA | 8.21 | 5.98 | 2.23 | NA |
| MW-6 | 02/07/1990 | 22,000 | 2,600 | 520 | 85 | 630 | 770 | NA | NA | 8.21 | 5.47 | 2.74 | NA |
| MW-6 | 04/18/1990 | 21,000 | 5,700 | 900 | 77 | 2,700 | 2,700 | NA | NA | 8.21 | 5.80 | 2.41 | NA |
| MW-6 | 07/23/1990 | 24,000 | 3,000 | 1,000 | 94 | 3,400 | 2,700 | NA | NA | 8.21 | 5.85 | 2.36 | NA |
| MW-6 | 09/27/1990 | 22,000 | ND | 700 | 93 | 2,500 | 2,400 | NA | NA | 8.21 | 6.42 | 1.79 | NA |
| MW-6 | 01/03/1991 | 25,000 | 960 | 1,000 | 88 | 2,600 | 3,700 | NA | NA | 8.21 | 6.73 | 1.48 | NA |
| MW-6 | 04/10/1991 | 18,000 | 920 | 560 | 190 | 480 | 830 | NA | NA | 8.21 | 5.24 | 2.97 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-6 | 07/12/1991 | 9,500 | 1,900 | 670 | 51 | 1,100 | 920 | NA | NA | 8.21 | 5.78 | 2.43 | NA |
| MW-6 | 10/08/1991 | 11,000 | 5,100 | 1,000 | 43 | ND | ND | NA | NA | 8.21 | 6.36 | 1.85 | NA |
| MW-6 | 02/06/1992 | 7,200 | 1,500a | 560 | 8 | 720 | 160 | NA | NA | 8.21 | 6.15 | 2.06 | NA |
| MW-6 | 05/04/1992 | 7,900 | 2,900a | 610 | ND | 1,500 | 240 | NA | NA | 8.21 | 5.07 | 3.14 | NA |
| MW-6 | 07/28/1992 | 17,000 | 3,200a | 1,200 | ND | 3,000 | 610 | NA | NA | 8.21 | 5.85 | 2.36 | NA |
| MW-6 | 10/27/1992 | 15,000 | 1,300a | 1,300 | 130 | 1,700 | 490 | NA | NA | 8.21 | 6.69 | 1.52 | NA |
| MW-6 | 01/14/1993 | 4,900 | 1,600a | 80 | 31 | 330 | 37 | NA | NA | 8.21 | 4.52 | 3.69 | NA |
| MW-6 | 04/23/1993 | 4,800 | 1,800a | 120 | ND | 780 | 73 | NA | NA | 8.21 | 4.32 | 3.89 | NA |
| MW-6 | 07/20/1993 | 19a | 910a | 570 | 18 | 1,100 | 130 | NA | NA | 11.04 | 5.39 | 5.65 | NA |
| MW-6 | 10/18/1993 | 24,000 | 2,500a | 770 | 440 | 1,600 | 830 | NA | NA | 11.04 | 6.67 | 4.37 | NA |
| MW-6 | 01/06/1994 | 20a | 2,300a | 450 | 30 | 530 | 52 | NA | NA | 11.04 | 5.66 | 5.38 | NA |
| MW-6 | 04/12/1994 | 3,600 | 1,600 | 150 | ND | 340 | 21 | NA | NA | 11.04 | 4.91 | 6.13 | NA |
| MW-6 | 07/25/1994 | 1,600 | 2,200a | 160 | ND | ND | 10 | NA | NA | 11.04 | 5.55 | 5.49 | NA |
| MW-6 (D) | 07/25/1994 | 1,000 | 2,400a | 160 | ND | ND | 18 | NA | NA | 11.04 | 5.55 | 5.49 | NA |
| MW-6 | 10/25/1994 | 9,800 | 3,000a | 390 | 22 | 300 | 57 | NA | NA | 11.04 | 6.24 | 4.80 | NA |
| MW-6 | 01/09/1995 | 2,200 | 800a | 74 | 12 | 400 | 39 | NA | NA | 11.04 | 4.58 | 6.46 | NA |
| MW-6 | 04/11/1995 | 5,000 | 7,700 | 330 | 15 | 760 | 85 | NA | NA | 11.04 | 4.04 | 7.00 | NA |
| MW-6 | 07/18/1995 | 4,200 | 1,700 | 320 | 11 | 490 | 22 | NA | NA | 11.04 | 5.01 | 6.03 | NA |
| MW-6 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 11.04 | 5.86 | 5.18 | NA |
| MW-6 | 01/09/1996 | 5,600 | 790 | 59 | <5 | 180 | 12 | 14,000 | NA | 11.04 | 4.75 | 6.29 | NA |
| MW-6 | 04/02/1996 | 1,500 | NA | 12 | <5 | 170 | 9 | 1,900 | NA | 11.04 | 3.82 | 7.22 | NA |
| MW-6 | 10/03/1996 | 2,600 | 1,800 | 110 | <25 | <25 | <25 | 11,000 | NA | 11.04 | 5.27 | 5.77 | 2.2 |
| MW-6 | 04/03/1997 | <2,500 | 650 | 30 | <25 | 32 | <25 | 10,000 | NA | 11.04 | 4.42 | 6.62 | 2.0 |
| MW-6 | 10/08/1997 | 1,900 | 1,100 | 31 | <5.0 | 6.1 | <5.0 | 2,600 | NA | 11.04 | 4.70 | 6.34 | 1.0 |
| MW-6 | 06/10/1998 | <1,000 | 1,500 | 17 | 12 | 14 | 88 | 14,000 | NA | 11.04 | 4.36 | 6.68 | 0.4/0.4 |
| MW-6 | 12/30/1998 | 260 | 528 | <2.50 | <2.50 | <2.50 | <2.50 | 909 | NA | 11.04 | 4.98 | 6.06 | 2.1/1.6 |
| MW-6 * | 06/25/1999 | <2,500 | NA | <25.0 | <25.0 | <25.0 | <25.0 | 8,850 | 7,630 | 11.04 | 4.81 | 6.23 | 1.4/3.6 |
| MW-6 | 12/28/1999 | 526 | 416 | 7.60 | <1.00 | <1.00 | <1.00 | 1,510 | NA | 11.04 | 5.70 | 5.87 | 1.8/2.0 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-7 | 05/23/1989 | 47,000 | 11,000 | 3,500 | 5,000 | 1,500 | 7,800 | NA | NA | 7.44 | 5.48 | 1.96 | NA |
| MW-7 | 08/03/1989 | 68,000 | 22,000 | 6,200 | 6,600 | 3,600 | 8,800 | NA | NA | 7.44 | 4.22 | 3.22 | NA |
| MW-7 | 12/15/1989 | 100,000 | 12,000 | 4,500 | 5,300 | 1,300 | 5,300 | NA | NA | 7.44 | 4.58 | 2.86 | NA |
| MW-7 | 02/07/1990 | 96,000 | 8,100 | 15,000 | 15,000 | 2,500 | 14,000 | NA | NA | 7.44 | 5.34 | 2.10 | NA |
| MW-7 | 04/18/1990 | 94,000 | 10,000 | 25,000 | 13,000 | 3,300 | 13,000 | NA | NA | 7.44 | 4.92 | 2.52 | NA |
| MW-7 | 07/23/1990 | 84,000 | 12,000 | 3,800 | 26,000 | 13,000 | 3,000 | NA | NA | 7.44 | 4.99 | 2.45 | NA |
| MW-7 | 09/27/1990 | 43,000 | ND | 25,000 | 6,100 | 2,400 | 9,000 | NA | NA | 7.44 | 6.16 | 1.28 | NA |
| MW-7 | 01/03/1991 | 78,000 | 3,100 | 26,000 | 16,000 | 3,000 | 14,000 | NA | NA | 7.44 | 4.96 | 2.48 | NA |
| MW-7 | 04/10/1991 | 140,000 | 1,800 | 26,000 | 16,000 | 2,200 | 14,000 | NA | NA | 7.44 | 4.13 | 3.31 | NA |
| MW-7 | 07/12/1991 | 79,000 | 1,100 | 7,700 | 7,200 | 2,300 | 10,000 | NA | NA | 7.44 | 4.98 | 2.46 | NA |
| MW-7 | 10/08/1991 | 55,000 | 390a | 29,000 | 7,500 | 1,800 | 9,300 | NA | NA | 7.44 | 5.48 | 1.96 | NA |
| MW-7 | 02/06/1992 | 63,000 | 9,600a | 16,000 | 8,700 | 1,600 | 7,400 | NA | NA | 7.44 | 5.05 | 2.39 | NA |
| MW-7 | 05/04/1992 | 67,000 | 9,800a | 22,000 | 13,000 | 1,800 | 9,400 | NA | NA | 7.44 | 4.43 | 3.01 | NA |
| MW-7 | 07/28/1992 | 65,000 | 13,000a | 26,000 | 17,000 | 2,900 | 15,000 | NA | NA | 7.44 | 4.88 | 2.56 | NA |
| MW-7 | 10/27/1992 | 63,000 | 1,900a | 21,000 | 11,000 | 3,000 | 11,000 | NA | NA | 7.44 | 5.39 | 2.05 | NA |
| MW-7 | 01/14/1993 | 120,000 | 2,300a | 28,000 | 21,000 | 1,600 | 15,000 | NA | NA | 7.44 | 4.26 | 3.18 | NA |
| MW-7 | 04/23/1993 | 60,000 | 12,000a | 17,000 | 3,700 | 2,200 | 11,000 | NA | NA | 7.44 | 4.04 | 3.40 | NA |
| MW-7 (D) | 04/23/1993 | 50,000 | 14,000a | 17,000 | 4,200 | 2,200 | 11,000 | NA | NA | 7.44 | 4.04 | 3.40 | NA |
| MW-7 | 07/20/1993 | 47,000 | 13,000 | 23,000 | 9,900 | 2,200 | 12,000 | NA | NA | 10.28 | 4.36 | 5.92 | NA |
| MW-7 | 10/18/1993 | 44,000 | 10,000a | 22,000 | 3,800 | 2,600 | 10,000 | NA | NA | 10.28 | 5.14 | 5.14 | NA |
| MW-7 | 01/06/1994 | 65,000 | 5,200a | 16,000 | 4,900 | 1,900 | 8,500 | NA | NA | 10.28 | 4.83 | 5.45 | NA |
| MW-7 | 04/12/1994 | 68,000 | 3,400 | 12,000 | 2,000 | 580 | 6,400 | NA | NA | 10.28 | 4.24 | 6.04 | NA |
| MW-7 | 07/25/1994 | 63,000 | 4,200a | 16,000 | 5,800 | 300 | 8,300 | NA | NA | 10.28 | 4.58 | 5.70 | NA |
| MW-7 | 10/25/1994 | 46,000 | 3,800a | 16,000 | 3,700 | 1,200 | 7,300 | NA | NA | 10.28 | 5.07 | 5.21 | NA |
| MW-7 | 01/09/1995 | 62,000 | 3,300a | 24,000 | 8,500 | 1,100 | 9,400 | NA | NA | 10.28 | 3.38 | 6.90 | NA |
| MW-7 (D) | 01/11/1995 | 57,000 | 3,200a | 9,500 | 7,900 | 620 | 8,000 | NA | NA | 10.28 | 3.38 | 6.90 | NA |
| MW-7 | 04/11/1995 | 53,000 | 7,000 | 13,000 | 4,200 | 1,500 | 7,700 | NA | NA | 10.28 | 3.52 | 6.76 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-7 (D) | 04/12/1995 | 55,000 | 7,600 | 11,000 | 3,700 | 1,300 | 6,400 | NA | NA | 10.28 | 3.52 | 6.76 | NA |
| MW-7 | 07/18/1995 | 95,000 | 2,700 | 24,000 | 8,000 | 2,100 | 12,000 | NA | NA | 10.28 | 4.70 | 5.58 | NA |
| MW-7 | 10/18/1995 | Well abandoned | | NA | NA | NA | NA | NA | NA | 10.28 | 5.25 | 5.03 | NA |
| MW-8 | 05/23/1989 | ND | 100 | ND | ND | ND | ND | NA | NA | 7.79 | 6.62 | 1.17 | NA |
| MW-8 | 08/03/1989 | ND | 75 | ND | ND | ND | ND | NA | NA | 7.79 | 6.62 | 1.17 | NA |
| MW-8 | 12/15/1989 | ND | ND | ND | ND | ND | ND | NA | NA | 7.79 | 6.71 | 1.08 | NA |
| MW-8 | 03/08/1990 | ND | ND | ND | ND | ND | ND | NA | NA | 7.79 | 4.95 | 2.84 | NA |
| MW-8 | 04/18/1990 | NA | NA | NA | NA | NA | NA | NA | NA | 7.79 | 6.40 | 1.89 | NA |
| MW-8 | 07/23/1990 | ND | ND | ND | ND | ND | ND | NA | NA | 7.79 | 6.62 | 1.17 | NA |
| MW-8 | 09/27/1990 | ND | 1,100 | ND | ND | ND | ND | NA | NA | 7.79 | 6.98 | 0.81 | NA |
| MW-8 | 01/03/1991 | ND | ND | 1.3 | ND | ND | ND | NA | NA | 7.79 | 7.03 | 0.76 | NA |
| MW-8 | 04/10/1991 | 50 | ND | 0.7 | 1.1 | 0.8 | 1 | NA | NA | 7.79 | 4.40 | 3.39 | NA |
| MW-8 | 07/12/1991 | ND | ND | ND | ND | ND | ND | NA | NA | 7.79 | 6.80 | 0.99 | NA |
| MW-8 | 10/08/1991 | ND | ND | 1.4 | ND | ND | ND | NA | NA | 7.79 | 7.56 | 0.23 | NA |
| MW-8 | 02/06/1992 | ND | 60a | ND | 0.7 | ND | ND | NA | NA | 7.79 | 6.94 | 0.85 | NA |
| MW-8 | 05/04/1992 | ND | 210a | ND | ND | ND | ND | NA | NA | 7.79 | 5.86 | 1.93 | NA |
| MW-8 | 07/28/1992 | 51 | ND | ND | ND | 1 | 0.6 | NA | NA | 7.79 | 6.94 | 0.85 | NA |
| MW-8 | 10/27/1992 | ND | ND | ND | 6.6 | ND | ND | NA | NA | 7.79 | 7.83 | -0.04 | NA |
| MW-8 | 01/14/1993 | ND | 64a | ND | ND | ND | ND | NA | NA | 7.79 | 3.60 | 4.19 | NA |
| MW-8 (D) | 01/14/1993 | ND | NA | ND | ND | ND | ND | NA | NA | 7.79 | 3.60 | 4.19 | NA |
| MW-8 | 04/23/1993 | ND | ND | ND | ND | ND | ND | NA | NA | 7.79 | 4.12 | 3.67 | NA |
| MW-8 | 07/20/1993 | ND | ND | 0.7 | 0.7 | 0.8 | 4.1 | NA | NA | 10.61 | 6.38 | 4.23 | NA |
| MW-8 | 10/18/1993 | ND | ND | ND | 800 | ND | ND | NA | NA | 10.61 | 7.47 | 3.14 | NA |
| MW-8 | 01/06/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.61 | 7.20 | 3.41 | NA |
| MW-8 | 04/12/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.61 | 6.16 | 4.45 | NA |
| MW-8 | 07/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.61 | 6.94 | 3.67 | NA |
| MW-8 | 10/25/1994 | ND | ND | ND | 1 | ND | ND | NA | NA | 10.61 | 7.43 | 3.18 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|

| | | | | | | | | | | | | | |
|------|------------|-------|-------|--------|--------|--------|--------|-------|----|-------|------|------|---------|
| MW-8 | 01/09/1995 | ND | 70a | ND | ND | ND | ND | NA | NA | 10.61 | 3.98 | 6.63 | NA |
| MW-8 | 04/11/1995 | ND | 78 | 0.63 | 1.3 | ND | 0.75 | NA | NA | 10.61 | 4.12 | 6.49 | NA |
| MW-8 | 07/18/1995 | ND | 130 | ND | ND | ND | ND | NA | NA | 10.61 | 5.21 | 5.40 | NA |
| MW-8 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 5.58 | 5.03 | NA |
| MW-8 | 01/09/1996 | <50 | ND | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | 10.61 | 5.09 | 5.52 | NA |
| MW-8 | 04/02/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.61 | 3.42 | 7.19 | NA |
| MW-8 | 10/03/1996 | <50 | <69 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.61 | 4.30 | 6.31 | NA |
| MW-8 | 04/03/1997 | <50 | 62 | <0.50 | <0.50 | <0.50 | 0.91 | <2.5 | NA | 10.61 | 4.58 | 6.03 | 2.6 |
| MW-8 | 10/08/1997 | <50 | 57 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.61 | 3.00 | 7.61 | 3.6 |
| MW-8 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 2.88 | 7.73 | NA |
| MW-8 | 12/30/1998 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | 10.61 | 5.38 | 5.23 | 0.8/0.9 |
| MW-8 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 4.53 | 6.08 | NA |
| MW-8 | 12/28/1999 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | 10.61 | 4.93 | 5.68 | 1.0/0.9 |

| | | | | | | | | | | | | | |
|------|------------|--------|--------|--------|--------|-------|--------|----|----|------|------|------|----|
| MW-9 | 08/03/1989 | 47,000 | 12,000 | 5,600 | 6,600 | 1,500 | 8,500 | NA | NA | 7.63 | 5.78 | 1.85 | NA |
| MW-9 | 12/15/1989 | 88,000 | 9,200 | 4,300 | 5,400 | 140 | 5,600 | NA | NA | 7.63 | 5.24 | 2.39 | NA |
| MW-9 | 02/07/1990 | 50,000 | 7,400 | 1,800 | 1,400 | 3,200 | 1,800 | NA | NA | 7.63 | 5.23 | 2.40 | NA |
| MW-9 | 04/18/1990 | 50,000 | 7,500 | 14,000 | 11,000 | 730 | 10,000 | NA | NA | 7.63 | 5.34 | 2.29 | NA |
| MW-9 | 07/23/1990 | 62,000 | 3,200 | 19,000 | 16,000 | 950 | 15,000 | NA | NA | 7.63 | 5.65 | 1.98 | NA |
| MW-9 | 09/27/1990 | 30,000 | 2,700 | 16,000 | 6,500 | 980 | 11,000 | NA | NA | 7.63 | 5.96 | 1.67 | NA |
| MW-9 | 01/03/1991 | 34,000 | 2,500 | 9,200 | 3,200 | 770 | 7,000 | NA | NA | 7.63 | 6.23 | 1.40 | NA |
| MW-9 | 04/10/1991 | 66,000 | 2,200 | 17,000 | 13,000 | 1,400 | 14,000 | NA | NA | 7.63 | 4.65 | 2.98 | NA |
| MW-9 | 07/12/1991 | 40,000 | 2,000 | 7,700 | 3,200 | 1,100 | 9,400 | NA | NA | 7.63 | 5.65 | 1.98 | NA |
| MW-9 | 10/08/1991 | 20,000 | 4,700a | 11,000 | 640 | 240 | 6,000 | NA | NA | 7.63 | 6.08 | 1.55 | NA |
| MW-9 | 02/06/1992 | 36,000 | 6,600a | 11,000 | 490 | 1,100 | 6,700 | NA | NA | 7.63 | 5.92 | 1.71 | NA |
| MW-9 | 05/04/1992 | 31,000 | 5,800a | 11,000 | 1,700 | 1,200 | 8,700 | NA | NA | 7.63 | 4.80 | 2.83 | NA |
| MW-9 | 07/28/1992 | 50,000 | 14,000 | 17,000 | 1,200 | 1,500 | 12,000 | NA | NA | 7.63 | 5.61 | 2.02 | NA |
| MW-9 | 10/27/1992 | 43,000 | 880a | 15,000 | 680 | 1,700 | 8,100 | NA | NA | 7.63 | 6.24 | 1.39 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-9 | 01/14/1993 | 52,000 | 730a | 9,600 | 1,100 | 1,100 | 7,000 | NA | NA | 7.63 | 4.95 | 2.68 | NA |
| MW-9 | 04/23/1993 | 45,000 | 8,000a | 11,000 | 1,400 | 1,500 | 10,000 | NA | NA | 7.63 | 4.54 | 3.09 | NA |
| MW-9 | 07/20/1993 | 25,000 | 5,100 | 10,000 | 320 | 1,100 | 7,100 | NA | NA | 10.48 | 5.25 | 5.23 | NA |
| MW-9 | 10/18/1993 | 32,000 | 4,900a | 14,000 | 530 | 2,000 | 10,000 | NA | NA | 10.48 | 6.00 | 4.48 | NA |
| MW-9 | 01/06/1994 | 41,000 | 7,700a | 15,000 | 810 | 1,400 | 9,000 | NA | NA | 10.48 | 5.62 | 4.86 | NA |
| MW-9 (D) | 01/06/1994 | 43,000 | 8,300a | 15,000 | 920 | 1,300 | 8,000 | NA | NA | 10.48 | 5.62 | 4.86 | NA |
| MW-9 | 04/12/1994 | 39,000 | 2,000 | 8,300 | ND | ND | 4,000 | NA | NA | 10.48 | 4.31 | 6.17 | NA |
| MW-9 | 07/25/1994 | 22,000 | 3,600a | 7,500 | 150 | ND | 4,100 | NA | NA | 10.48 | 5.43 | 5.05 | NA |
| MW-9 | 10/25/1994 | 31,000 | 3,200a | 13,000 | 240 | 1,000 | 8,500 | NA | NA | 10.48 | 6.00 | 4.48 | NA |
| MW-9 (D) | 10/26/1994 | 31,000 | 3,500a | 13,000 | 220 | 1,100 | 8,300 | NA | NA | 10.48 | 6.00 | 4.48 | NA |
| MW-9 | 01/09/1995 | 4,800 | 2,300a | 1,200 | 510 | 42 | 1,400 | NA | NA | 10.48 | 4.26 | 6.22 | NA |
| MW-9 | 04/11/1995 | 20,000 | 3,400 | 5,100 | 460 | 400 | 3,400 | NA | NA | 10.48 | 4.08 | 6.40 | NA |
| MW-9 | 07/18/1995 | 43,000 | 2,900 | 12,000 | 1,800 | 960 | 9,100 | NA | NA | 10.48 | 5.07 | 5.41 | NA |
| MW-9 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.48 | 5.82 | 4.66 | NA |
| MW-9 | 01/09/1996 | 64,000 | 2,800 | 12,000 | 5,400 | 1,800 | 10,000 | 2100 | NA | 10.48 | 4.36 | 6.12 | NA |
| MW-9 | 04/02/1996 | 39,000 | NA | 10,000 | 100 | 520 | 4,100 | <500 | NA | 10.48 | 3.86 | 6.62 | NA |
| MW-9 | 10/03/1996 | 46,000 | 3,100 | 12,000 | 180 | 1,400 | 6,700 | 2,300 | NA | 10.48 | 4.90 | 5.58 | 1.4 |
| MW-9 | 04/03/1997 | 36,000 | 2,300 | 9,700 | 140 | 580 | 3,900 | <500 | NA | 10.48 | 3.98 | 6.50 | 1.8 |
| MW-9 | 10/08/1997 | 34,000 | 3,500 | 6,900 | <100 | 830 | 4,500 | <125 | NA | 10.48 | 4.17 | 6.31 | 0.8 |
| MW-9 | 06/10/1998 | 20,000 | 2,500 | 9,900 | 250 | 3,100 | 170 | 460 | NA | 10.48 | 3.84 | 6.64 | 0.3/0.4 |
| MW-9 | 12/30/1998 | 30,100 | 1,900 | 8,500 | 166 | 603 | 3,340 | <100 | NA | 10.48 | 4.72 | 5.76 | 1.1/1.2 |
| MW-9 * | 06/25/1999 | 26,300 | NA | 8,090 | 73.5 | 409 | 2,730 | <100 | NA | 10.48 | 4.47 | 6.01 | 1.2/2.4 |
| MW-9 | 12/28/1999 | 4,130 | 839 | 1,260 | 57.9 | 103 | 213 | 1470 | NA | 10.48 | 4.32 | 5.66 | 1.0/1.1 |
| MW-10 | 12/15/1989 | ND | 3,100 | 1,500 | ND | ND | ND | NA | NA | 7.45 | 6.33 | 0.82 | NA |
| MW-10 | 03/08/1990 | 25,000 | 1,800 | 17,000 | 330 | 2,100 | 1,400 | NA | NA | 7.45 | 5.41 | 2.00 | NA |
| MW-10 | 04/18/1990 | 23,000 | 3,600 | 15,000 | 1,200 | 190 | 3,300 | NA | NA | 7.45 | 5.60 | 1.85 | NA |
| MW-10 | 07/23/1990 | 18,000 | 1,900 | 12,000 | 380 | ND | 1,400 | NA | NA | 7.45 | 5.81 | 1.64 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-10 | 09/27/1990 | 9,500 | 430 | 13,000 | 100 | 1,800 | 230 | NA | NA | 7.45 | 6.64 | 0.81 | NA |
| MW-10 | 01/03/1991 | 4,300 | 630 | 3,700 | 10 | ND | 110 | NA | NA | 7.45 | 6.96 | 0.49 | NA |
| MW-10 | 04/10/1991 | 45,000 | 1,400 | 16,000 | 4,600 | 3,000 | 6,900 | NA | NA | 7.45 | 4.70 | 2.75 | NA |
| MW-10 | 07/12/1991 | ND | ND | ND | ND | ND | ND | NA | NA | 7.45 | 5.90 | 1.55 | NA |
| MW-10 | 10/08/1991 | 3,800 | 1,500a | 13,000 | 82 | 9 | 500 | NA | NA | 7.45 | 6.68 | 0.77 | NA |
| MW-10 | 02/06/1992 | 22,000 | 1,600a | 12,000 | ND | 600 | 170 | NA | NA | 7.45 | 7.04 | 0.41 | NA |
| MW-10 | 05/04/1992 | 39,000 | 8,000a | 14,000 | 5,000 | 1,800 | 5,000 | NA | NA | 7.45 | 4.69 | 2.76 | NA |
| MW-10 | 07/28/1992 | 38,000 | 8,700a | 17,000 | 2,800 | 1,500 | 4,000 | NA | NA | 7.45 | 6.00 | 1.45 | NA |
| MW-10 | 10/27/92b | NA | NA | NA | NA | NA | NA | NA | NA | 7.45 | NA | NA | NA |
| MW-10 | 01/14/1993 | 26,000 | 950a | 10,000 | ND | ND | 160 | NA | NA | 7.45 | 6.07 | 1.38 | NA |
| MW-10 | 04/23/1993 | 80,000 | 1,900a | 21,000 | 13,000 | 3,400 | 12,000 | NA | NA | 7.45 | 4.14 | 3.31 | NA |
| MW-10 | 07/20/1993 | 31,000 | 4,800 | 14,000 | 4,200 | 1,700 | 5,500 | NA | NA | 10.61 | 5.62 | 4.99 | NA |
| MW-10 | 10/18/1993 | 13,000 | 1,200a | 8,600 | 220 | ND | 450 | NA | NA | 10.61 | 6.43 | 4.18 | NA |
| MW-10 | 01/06/1994 | 16,000 | 670a | 9,700 | <125 | <125 | 210 | NA | NA | 10.61 | 6.74 | 3.87 | NA |
| MW-10 | 04/12/1994 | 16,000 | 860 | 5,800 | ND | ND | ND | NA | NA | 10.61 | 5.98 | 4.63 | NA |
| MW-10 | 07/25/1994 | 2,300 | 2,100a | 1,400 | 26 | 25 | 51 | NA | NA | 10.61 | 6.31 | 4.30 | NA |
| MW-10 | 10/25/1994 | 1,400 | 1,000a | 290 | 5 | 2 | 38 | NA | NA | 10.61 | 6.64 | 3.97 | NA |
| MW-10 | 01/09/1995 | 16,000 | 2,300a | 7,500 | 1,400 | 230 | 1,500 | NA | NA | 10.61 | 5.70 | 4.91 | NA |
| MW-10 | 04/11/1995 | 54,000 | 5,000 | 13,000 | 4,500 | 1,500 | 4,500 | NA | NA | 10.61 | 5.82 | 4.79 | NA |
| MW-10 | 07/18/1995 | 72,000 | 2,600 | 20,000 | 7,200 | 2,800 | 9,000 | NA | NA | 10.61 | 6.79 | 3.82 | NA |
| MW-10 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 5.31 | 5.30 | NA |
| MW-10 | 01/09/1996 | 32,000 | 2,100 | 8,000 | 1,600 | 880 | 3,200 | 12,000 | NA | 10.61 | 5.92 | 4.69 | NA |
| MW-10 | 04/02/1996 | 68,000 | NA | 9,100 | 2,300 | 1,100 | 3,700 | 3,300 | NA | 10.61 | 5.43 | 5.18 | NA |
| MW-10 | 10/03/1996 | 33,000 | 2,900 | 11,000 | 1,300 | 830 | 2,400 | 7,300 | NA | 10.61 | 6.07 | 4.54 | 1.7 |
| MW-10 (D) | 10/03/1996 | 40,000 | 3,300 | 12,000 | 1,700 | 1,100 | 3,100 | 6,500 | NA | 10.61 | 6.07 | 4.54 | 1.7 |
| MW-10 | 04/03/1997 | 36,000 | 3,400 | 12,000 | 2,300 | 1,400 | 4,500 | 2,300 | NA | 10.61 | 3.45 | 7.16 | 1.8 |
| MW-10 (D) | 04/03/1997 | 52,000 | 3,000 | 12,000 | 2,300 | 1,400 | 4,500 | 2,100 | NA | 10.61 | 3.45 | 7.16 | 1.8 |
| MW-10 | 10/08/1997 | 20,000 | 3,100 | 7,500 | 420 | 470 | 1,300 | 1,500 | NA | 10.61 | 3.72 | 6.89 | 1.2 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-10 | 06/10/1998 | 48,000 | 2,500 | 14,000 | 2,600 | 1,500 | 4,800 | 1,800 | NA | 10.61 | 4.00 | 6.61 | 0.7/0.5 |
| MW-10 | 12/30/1998 | 17,800 | 2,820 | 6,000 | 136 | 344 | 639 | 1,250 | NA | 10.61 | 5.26 | 5.35 | 1.0/0.7 |
| MW-10 * | 06/25/1999 | 17,600 | NA | 6,150 | 212 | 287 | 687 | 1,740 | NA | 10.61 | 4.49 | 6.12 | 0.9/2.5 |
| MW-10 | 12/28/1999 | 10,800 | 1,400 | 6,370 | 155 | 327 | 626 | 3,740 | NA | 10.61 | 4.37 | 5.74 | 0.2/0.4 |
| MW-11 | 07/20/1993 | 50 | ND | 2.5 | 1.9 | 3.9 | 18 | NA | NA | 10.56 | 8.08 | 2.48 | NA |
| MW-11 | 10/18/1993 | ND | 65 | ND | ND | ND | ND | NA | NA | 10.56 | 8.24 | 2.32 | NA |
| MW-11 | 01/06/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.56 | 8.47 | 2.09 | NA |
| MW-11 | 04/12/1994 | ND | ND | 1.1 | 0.87 | ND | 1.5 | NA | NA | 10.56 | 8.44 | 2.12 | NA |
| MW-11 | 07/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.56 | 8.20 | 2.36 | NA |
| MW-11 | 10/25/1994 | ND | 100 | ND | ND | ND | ND | NA | NA | 10.56 | 8.67 | 1.89 | NA |
| MW-11 | 01/09/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 10.56 | 7.63 | 2.93 | NA |
| MW-11 | 04/11/1995 | ND | 140 | ND | 0.7 | ND | 0.5 | NA | NA | 10.56 | 8.06 | 2.50 | NA |
| MW-11 | 07/18/1995 | ND | 50 | ND | ND | ND | ND | NA | NA | 10.56 | 9.31 | 1.25 | NA |
| MW-11 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 8.34 | 2.22 | NA |
| MW-11 | 01/09/1996 | <50 | ND | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | 10.56 | 8.22 | 2.34 | NA |
| MW-11 | 04/02/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.56 | 7.97 | 2.59 | NA |
| MW-11 | 10/03/1996 | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.56 | 8.37 | 2.19 | 3.6 |
| MW-11 | 04/03/1997 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.56 | 8.31 | 2.25 | 2.2 |
| MW-11 | 10/08/1997 | <50 | 54 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.56 | 8.56 | 2.00 | 1.2 |
| MW-11 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 7.85 | 2.71 | NA |
| MW-11 | 12/30/1998 | <50.0 | 66.2 | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | 10.56 | 8.51 | 2.05 | 0.7/0.6 |
| MW-11 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 8.01 | 2.55 | NA |
| MW-11 | 12/28/1999 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <3.00 | NA | 10.56 | 8.39 | 2.17 | 0.8/1.0 |
| MW-12 | 07/20/1993 | ND | 1,500 | 2.8 | 1.9 | 3.2 | ND | NA | NA | 9.56 | 6.76 | 2.80 | NA |
| MW-12 | 10/18/1993 | ND | ND | ND | ND | ND | ND | NA | NA | 9.56 | 7.12 | 2.44 | NA |
| MW-12 | 01/06/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 9.56 | 7.15 | 2.41 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-----------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-12 | 04/12/1994 | ND | ND | 0.61 | ND | ND | 1.1 | NA | NA | 9.56 | 6.68 | 2.88 | NA |
| MW-12 | 07/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 9.56 | 6.83 | 2.73 | NA |
| MW-12 | 10/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 9.56 | 7.34 | 2.22 | NA |
| MW-12 | 01/09/1995 | ND | 80a | ND | ND | ND | ND | NA | NA | 9.56 | 5.02 | 4.54 | NA |
| MW-12 | 04/11/1995 | ND | 200 | ND | ND | ND | ND | NA | NA | 9.56 | 7.38 | 2.18 | NA |
| MW-12 | 07/18/1995 | ND | 90 | ND | ND | ND | ND | NA | NA | 9.56 | 8.50 | 1.06 | NA |
| MW-12 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 6.63 | 2.93 | NA |
| MW-12 | 01/09/1996 | <50 | ND | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | 9.56 | 6.32 | 3.24 | NA |
| MW-12 | 04/02/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 9.56 | 5.60 | 3.96 | NA |
| MW-12 | 10/03/1996 | <50 | 72 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 9.56 | 3.30 | 6.26 | 2.5 |
| MW-12 | 04/03/1997 | <50 | 74 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 9.56 | 6.13 | 3.43 | 2.2 |
| MW-12 | 10/08/1997 | <50 | 73 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 9.56 | 6.49 | 3.07 | 3.0 |
| MW-12 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 5.85 | 3.71 | NA |
| MW-12 | 12/30/1998 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | 9.56 | 8.42 | 1.14 | 1.3/0.9 |
| MW-12 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 7.89 | 1.67 | NA |
| MW-12 | 12/28/1999 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | 9.56 | 8.26 | 1.30 | 1.0/1.2 |
| MW-13 | 07/20/1993 | ND | 1,500 | ND | ND | ND | ND | NA | NA | 10.10 | 8.32 | 1.78 | NA |
| MW-13 (D) | 07/21/1993 | ND | 1,000 | ND | ND | ND | ND | NA | NA | 10.10 | 8.32 | 1.78 | NA |
| MW-13 | 10/18/1993 | ND | ND | ND | ND | ND | ND | NA | NA | 10.10 | 8.66 | 1.44 | NA |
| MW-13 | 01/06/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.10 | 8.70 | 1.40 | NA |
| MW-13 | 04/12/1994 | ND | 100 | 1.7 | 1.2 | 0.59 | 2.4 | NA | NA | 10.10 | 8.20 | 1.90 | NA |
| MW-13 | 07/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.10 | 8.39 | 1.71 | NA |
| MW-13 | 10/25/1994 | ND | ND | ND | ND | ND | ND | NA | NA | 10.10 | 8.70 | 1.40 | NA |
| MW-13 | 01/09/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 10.10 | 7.35 | 2.75 | NA |
| MW-13 | 04/11/1995 | ND | 320 | ND | ND | ND | ND | NA | NA | 10.10 | 5.50 | 4.60 | NA |
| MW-13 | 07/18/1995 | ND | ND | ND | ND | ND | ND | NA | NA | 10.10 | 6.63 | 3.47 | NA |
| MW-13 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 8.12 | 1.98 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
| MW-13 | 01/09/1996 | <50 | ND | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | 10.10 | 7.74 | 2.36 | NA |
| MW-13 | 04/02/1996 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.10 | 6.30 | 3.80 | NA |
| MW-13 | 10/03/1996 | <50 | <50 | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | 10.10 | 6.50 | 3.60 | 3.0 |
| MW-13 | 04/03/1997 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.10 | 7.58 | 2.52 | 2.0 |
| MW-13 | 10/08/1997 | <50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | 10.10 | 8.17 | 1.93 | 1.0 |
| MW-13 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 7.54 | 2.56 | NA |
| MW-13 | 12/30/1998 | <50.0 | 69.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | 10.10 | 6.91 | 3.19 | 1.1/0.8 |
| MW-13 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 6.31 | 3.79 | NA |
| MW-13 | 12/28/1999 | <50.0 | <50.0 | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | 10.10 | 6.65 | 3.45 | 0.8/1.0 |

Abbreviations:

TPPH= Total petroleum hydrocarbons as gasoline by modified EPA Method 8015

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015

BTEX = benzene, toluene, ethylbenzene, xylenes by EPA Method 8020

MTBE = methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

TOB = Top of Wellbox

GW = Groundwater

DO = Dissolved Oxygen

ug/L = parts per billion

msl = Mean sea level

ft = Feet

<n = Below detection limit

D = Duplicate sample

n/n = Dissolved oxygen reading; pre-purge/post-purge.

NA = Not applicable

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA
Wic #204-5508-5504

| Well ID | Date | TPPH (ug/L) | TEPH (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|
|---------|------|----------------|----------------|-------------|-------------|-------------|-------------|------------------------|------------------------|--------------|----------------------------|--------------------------|------------------------|

Notes:

a = Chromatogram pattern indicates an unidentified hydrocarbon.

b = Sample was analyzed outside of EPA recommended holding time.

* All diesel and motor oil samples for this event were lost in laboratory fire.



Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308

January 19, 2000

Leah Davis
Blaine Tech Services (Shell)
1680 Rogers Avenue
San Jose, CA 95112

RE: Equiva 285 Hegenberger Road, Oakland/M912939

Dear Leah Davis

Enclosed are the results of analyses for sample(s) received by the laboratory on December 29, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kayvan Kimyai
Project Manager D.M.

CA ELAP Certificate Number 1210





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

ANALYTICAL REPORT FOR M912939

| Sample Description | Laboratory Sample Number | Sample Matrix | Date Sampled |
|--------------------|--------------------------|---------------|--------------|
| MW-13 | M912939-01 | Water | 12/28/99 |
| MW-12 | M912939-02 | Water | 12/28/99 |
| MW-11 | M912939-03 | Water | 12/28/99 |
| MW-4 | M912939-04 | Water | 12/28/99 |
| MW-8 | M912939-05 | Water | 12/28/99 |
| MW-2 | M912939-06 | Water | 12/28/99 |
| MW-6 | M912939-07 | Water | 12/28/99 |
| MW-1 | M912939-08 | Water | 12/28/99 |
| MW-3 | M912939-09 | Water | 12/28/99 |
| MW-9 | M912939-10 | Water | 12/28/99 |
| MW-10 | M912939-11 | Water | 12/28/99 |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Hydrocarbons as Motor Oil by DHS LUFT
Sequoia Analytical - Morgan Hill**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Surrogate Limits | Reporting Limit | Result | Units | Notes* |
|--|--------------|---------------|---------------|--------------------------|-----------------|--------------|-----------------------------|--------|
| | | | | <u>M912939-01</u> | | | | |
| <u>MW-13</u> Motor Oil (C16-C36) | 0010171 | 1/6/00 | 1/10/00 | | 0.500 | ND | <u>Water</u> mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | ND | " | |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 95.8 | % | |
| | | | | <u>M912939-02</u> | | | | |
| <u>MW-12</u> Motor Oil (C16-C36) | 0010171 | 1/6/00 | 1/10/00 | | 0.500 | ND | <u>Water</u> mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | ND | " | |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 90.4 | % | |
| | | | | <u>M912939-03</u> | | | | |
| <u>MW-11</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | ND | <u>Water</u> mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | ND | " | |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 89.4 | % | |
| | | | | <u>M912939-04</u> | | | | |
| <u>MW-4</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | ND | <u>Water</u> mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | ND | " | |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 84.4 | % | |
| | | | | <u>M912939-05</u> | | | | |
| <u>MW-8</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | ND | <u>Water</u> mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | ND | " | |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 91.4 | % | |
| | | | | <u>M912939-06</u> | | | | |
| <u>MW-2</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | ND | <u>Water</u> mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | 0.446 | " | 1 |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 98.6 | % | |
| | | | | <u>M912939-07</u> | | | | |
| <u>MW-6</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | 0.568 | <u>Water</u> mg/l | 2 |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | 0.416 | " | 1 |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 96.2 | % | |
| | | | | <u>M912939-08</u> | | | | |
| <u>MW-1</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | 0.507 | <u>Water</u> mg/l | 2 |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | 1.17 | " | 1 |
| Surrogate: n-Pentacosane | " | " | " | 50.0-150 | | 96.4 | % | |
| | | | | <u>M912939-09</u> | | | | |
| <u>MW-3</u> Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | ND | <u>Water</u> mg/l | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Hydrocarbons as Motor Oil by DHS LUFT
Sequoia Analytical - Morgan Hill**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Surrogate Limits | Reporting Limit | Result | Units | Notes* |
|----------------------------------|--------------|---------------|---------------|------------------|-----------------|--------------|--------------|--------|
| MW-3 (continued) | | | | | | | | |
| | | | | | | | Water | |
| Diesel Range Hydrocarbons | 0010199 | 1/10/00 | 1/12/00 | | 0.0500 | 0.122 | mg/l | 1 |
| <i>Surrogate: n-Pentacosane</i> | " | " | " | 50.0-150 | | 94.6 | % | |
| MW-9 | | | | | | | | |
| | | | | | | | Water | |
| Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | ND | mg/l | |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | 0.839 | " | 1 |
| <i>Surrogate: n-Pentacosane</i> | " | " | " | 50.0-150 | | 92.2 | % | |
| MW-10 | | | | | | | | |
| | | | | | | | Water | |
| Motor Oil (C16-C36) | 0010199 | 1/10/00 | 1/12/00 | | 0.500 | 0.604 | mg/l | 2 |
| Diesel Range Hydrocarbons | " | " | " | | 0.0500 | 1.40 | " | 1 |
| <i>Surrogate: n-Pentacosane</i> | " | " | " | 50.0-150 | | 95.0 | % | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Metals by EPA 6000/7000 Series Methods
Sequoia Analytical - Morgan Hill**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Specific Method | Reporting Limit | Result | Units | Notes* |
|------------------------------|--------------|---------------|---------------|--------------------------------|-----------------|--------|----------------------|--------|
| <u>MW-13</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-01</u> EPA 6010A | 0.0100 | ND | <u>Water</u> mg/l | |
| <u>MW-12</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-02</u> EPA 6010A | 0.0100 | ND | <u>Water</u> mg/l | |
| <u>MW-11</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-03</u> EPA 6010A | 0.0100 | ND | <u>Water</u> mg/l | |
| <u>MW-4</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-04</u> EPA 6010A | 0.0100 | ND | <u>Water</u> mg/l | |
| <u>MW-8</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-05</u> EPA 6010A | 0.0100 | ND | <u>Water</u> mg/l | |
| <u>MW-2</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-06</u> EPA 6010A | 0.0100 | 0.380 | <u>Water</u> mg/l | |
| <u>MW-6</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-07</u> EPA 6010A | 0.0100 | 0.320 | <u>Water</u> mg/l | |
| <u>MW-1</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-08</u> EPA 6010A | 0.0100 | 3.80 | <u>Water</u> mg/l | |
| <u>MW-3</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-09</u> EPA 6010A | 0.0100 | 0.260 | <u>Water</u> mg/l | |
| <u>MW-9</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-10</u> EPA 6010A | 0.0100 | 0.660 | <u>Water</u> mg/l | |
| <u>MW-10</u> Ferrous Iron | 9120963 | 12/29/99 | 1/5/00 | <u>M912939-11</u> EPA 6010A | 0.0100 | 2.20 | <u>Water</u> mg/l | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Anions by EPA Method 300.0
Sequoia Analytical - Morgan Hill**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Specific Method | Reporting Limit | Result | Units | Notes* |
|----------------|--------------|---------------|---------------|-------------------|-----------------|--------|--------------|--------|
| MW-13 | | | | M912939-01 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-12 | | | | M912939-02 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-11 | | | | M912939-03 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-4 | | | | M912939-04 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-8 | | | | M912939-05 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-2 | | | | M912939-06 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | 98.8 | " | D |
| MW-6 | | | | M912939-07 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | 147 | " | D |
| MW-1 | | | | M912939-08 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-3 | | | | M912939-09 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | 5.10 | " | D |
| MW-9 | | | | M912939-10 | | | Water | |
| Nitrate as NO3 | 0010070 | 12/30/99 | 12/30/99 | EPA 300.0 | 5.00 | ND | mg/l | D |
| Sulfate as SO4 | " | " | " | EPA 300.0 | 5.00 | ND | " | D |
| MW-10 | | | | M912939-11 | | | Water | |
| Nitrate as N | 0010069 | 12/30/99 | 12/30/99 | EPA 300.0 | 0.226 | 0.998 | mg/l | D |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Anions by EPA Method 300.0
Sequoia Analytical - Morgan Hill**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Specific Method | Reporting Limit | Result | Units | Notes* |
|--|--------------|---------------|---------------|--------------------------------|-----------------|--------|----------------------|--------|
| <u>MW-10 (continued)</u> Sulfate as SO4 | 0010069 | 12/30/99 | 12/30/99 | <u>M912939-11</u> EPA 300.0 | 5.00 | ND | <u>Water</u> mg/l | D |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - San Carlos**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Surrogate Limits | Reporting Limit | Result | Units | Notes* |
|--|--------------|---------------|-------------------|------------------|-----------------|--------------|-------|--------|
| MW-13 | | | M912939-01 | | | Water | | |
| Purgeable Hydrocarbons as Gasoline | 0010034 | 1/7/00 | 1/7/00 | | 50.0 | ND | ug/l | |
| Benzene | " | " | " | | 0.500 | ND | " | |
| Toluene | " | " | " | | 0.500 | ND | " | |
| Ethylbenzene | " | " | " | | 0.500 | ND | " | |
| Xylenes (total) | " | " | " | | 0.500 | ND | " | |
| Methyl tert-butyl ether | " | " | " | | 5.00 | ND | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | " | " | " | 70.0-130 | | 80.2 | % | |
| MW-12 | | | M912939-02 | | | Water | | |
| Purgeable Hydrocarbons as Gasoline | 0010034 | 1/7/00 | 1/7/00 | | 50.0 | ND | ug/l | |
| Benzene | " | " | " | | 0.500 | ND | " | |
| Toluene | " | " | " | | 0.500 | ND | " | |
| Ethylbenzene | " | " | " | | 0.500 | ND | " | |
| Xylenes (total) | " | " | " | | 0.500 | ND | " | |
| Methyl tert-butyl ether | " | " | " | | 5.00 | ND | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | " | " | " | 70.0-130 | | 79.4 | % | |
| MW-11 | | | M912939-03 | | | Water | | |
| Purgeable Hydrocarbons as Gasoline | 0010034 | 1/7/00 | 1/7/00 | | 50.0 | ND | ug/l | |
| Benzene | " | " | " | | 0.500 | ND | " | |
| Toluene | " | " | " | | 0.500 | ND | " | |
| Ethylbenzene | " | " | " | | 0.500 | ND | " | |
| Xylenes (total) | " | " | " | | 0.500 | ND | " | |
| Methyl tert-butyl ether | " | " | " | | 5.00 | ND | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | " | " | " | 70.0-130 | | 88.5 | % | |
| MW-4 | | | M912939-04 | | | Water | | |
| Purgeable Hydrocarbons as Gasoline | 0010034 | 1/7/00 | 1/7/00 | | 50.0 | ND | ug/l | |
| Benzene | " | " | " | | 0.500 | ND | " | |
| Toluene | " | " | " | | 0.500 | ND | " | |
| Ethylbenzene | " | " | " | | 0.500 | ND | " | |
| Xylenes (total) | " | " | " | | 0.500 | ND | " | |
| Methyl tert-butyl ether | " | " | " | | 5.00 | ND | " | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | " | " | " | 70.0-130 | | 80.3 | % | |
| MW-8 | | | M912939-05 | | | Water | | |
| Purgeable Hydrocarbons as Gasoline | 0010036 | 1/7/00 | 1/7/00 | | 50.0 | ND | ug/l | |
| Benzene | " | " | " | | 0.500 | ND | " | |
| Toluene | " | " | " | | 0.500 | ND | " | |
| Ethylbenzene | " | " | " | | 0.500 | ND | " | |
| Xylenes (total) | " | " | " | | 0.500 | ND | " | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - San Carlos**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Surrogate Limits | Reporting Limit | Result | Units | Notes* |
|------------------------------------|--------------|---------------|---------------|-------------------|-----------------|--------|--------------|--------|
| MW-8 (continued) | | | | M912939-05 | | | Water | |
| Methyl tert-butyl ether | 0010036 | 1/7/00 | 1/7/00 | | 5.00 | ND | ug/l | |
| Surrogate: a,a,a-Trifluorotoluene | " | " | " | 70.0-130 | | 85.5 | % | |
| MW-2 | | | | M912939-06 | | | Water | |
| Purgeable Hydrocarbons as Gasoline | 0010035 | 1/7/00 | 1/8/00 | | 50.0 | 228 | ug/l | 3 |
| Benzene | " | " | " | | 0.500 | 4.54 | " | 4 |
| Toluene | " | " | " | | 0.500 | ND | " | |
| Ethylbenzene | " | " | " | | 0.500 | ND | " | |
| Xylenes (total) | " | " | " | | 0.500 | ND | " | |
| Methyl tert-butyl ether | " | " | " | | 250 | 4260 | " | D |
| Surrogate: a,a,a-Trifluorotoluene | " | " | " | 70.0-130 | | 113 | % | |
| MW-6 | | | | M912939-07 | | | Water | |
| Purgeable Hydrocarbons as Gasoline | 0010042 | 1/10/00 | 1/11/00 | | 100 | 526 | ug/l | 5,D |
| Benzene | " | " | " | | 1.00 | 7.60 | " | D |
| Toluene | " | " | " | | 1.00 | ND | " | D |
| Ethylbenzene | " | " | " | | 1.00 | ND | " | D |
| Xylenes (total) | " | " | " | | 1.00 | ND | " | D |
| Methyl tert-butyl ether | " | " | 1/7/00 | | 50.0 | 1510 | " | 3,D |
| Surrogate: a,a,a-Trifluorotoluene | " | " | 1/11/00 | 70.0-130 | | 84.3 | % | |
| MW-1 | | | | M912939-08 | | | Water | |
| Purgeable Hydrocarbons as Gasoline | 0010042 | 1/10/00 | 1/11/00 | | 1250 | 3260 | ug/l | 5,D |
| Benzene | " | " | " | | 12.5 | 527 | " | D |
| Toluene | " | " | " | | 12.5 | 14.0 | " | D |
| Ethylbenzene | " | " | " | | 12.5 | 50.7 | " | D |
| Xylenes (total) | " | " | " | | 12.5 | 40.3 | " | D |
| Methyl tert-butyl ether | " | " | " | | 125 | 5430 | " | D |
| Surrogate: a,a,a-Trifluorotoluene | " | " | " | 70.0-130 | | 97.6 | % | |
| MW-3 | | | | M912939-09 | | | Water | |
| Purgeable Hydrocarbons as Gasoline | 0010035 | 1/7/00 | 1/8/00 | | 50.0 | 333 | ug/l | 3 |
| Benzene | " | " | " | | 0.500 | 41.4 | " | 6 |
| Toluene | " | " | " | | 0.500 | 6.48 | " | |
| Ethylbenzene | " | " | " | | 0.500 | 6.57 | " | |
| Xylenes (total) | " | " | " | | 0.500 | 21.3 | " | |
| Methyl tert-butyl ether | " | " | 1/10/00 | | 100 | 2680 | " | D |
| Surrogate: a,a,a-Trifluorotoluene | " | " | 1/8/00 | 70.0-130 | | 84.9 | % | |
| MW-9 | | | | M912939-10 | | | Water | |
| Purgeable Hydrocarbons as Gasoline | 0010034 | 1/7/00 | 1/7/00 | | 2500 | 4130 | ug/l | 6,D |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT
Sequoia Analytical - San Carlos**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Surrogate Limits | Reporting Limit | Result | Units | Notes* |
|------------------------------------|--------------|---------------|---------------|-------------------|-----------------|--------|--------------|--------|
| MW-9 (continued) | | | | M912939-10 | | | Water | |
| Benzene | 0010034 | 1/7/00 | 1/7/00 | | 25.0 | 1260 | ug/l | D |
| Toluene | " | " | " | | 25.0 | 57.9 | " | D |
| Ethylbenzene | " | " | " | | 25.0 | 103 | " | D |
| Xylenes (total) | " | " | " | | 25.0 | 213 | " | D |
| Methyl tert-butyl ether | " | " | " | | 250 | 1470 | " | D |
| Surrogate: a,a,a-Trifluorotoluene | " | " | " | 70.0-130 | | 96.3 | % | |
| MW-10 | | | | M912939-11 | | | Water | |
| Purgeable Hydrocarbons as Gasoline | 0010042 | 1/10/00 | 1/11/00 | | 5000 | 10800 | ug/l | 6,D |
| Benzene | " | " | " | | 50.0 | 3370 | " | D |
| Toluene | " | " | " | | 50.0 | 155 | " | D |
| Ethylbenzene | " | " | " | | 50.0 | 321 | " | D |
| Xylenes (total) | " | " | " | | 50.0 | 626 | " | D |
| Methyl tert-butyl ether | " | " | " | | 500 | 3740 | " | D |
| Surrogate: a,a,a-Trifluorotoluene | " | " | " | 70.0-130 | | 94.6 | % | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**MTBE by EPA Method 8260A
Sequoia Analytical - San Carlos**

| Analyte | Batch Number | Date Prepared | Date Analyzed | Surrogate Limits | Reporting Limit | Result | Units | Notes* |
|----------------------------------|--------------|---------------|---------------|-------------------|-----------------|--------|--------------|----------|
| <u>MW-1</u> | | | | <u>M912939-08</u> | | | <u>Water</u> | <u>7</u> |
| Methyl tert-butyl ether | 0010069 | 1/13/00 | 1/13/00 | | 100 | 7060 | ug/l | D |
| Surrogate: 1,2-Dichloroethane-d4 | " | " | " | 76.0-114 | | 106 | % | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Hydrocarbons as Motor Oil by DHS LUFT/Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|---------------------------|---------------|-------------------------------|---------------|-----------|-------------------------------------|----------------------------------|-------------|--------------|----------|--------|
| Batch: 0010171 | | Date Prepared: 1/6/00 | | | Extraction Method: EPA 3510B | | | | | |
| Blank | | 0010171-BLK1 | | | | | | | | |
| Motor Oil (C16-C36) | 1/10/00 | | | ND | mg/l | 0.500 | | | | |
| Diesel Range Hydrocarbons | " | | | ND | " | 0.0500 | | | | |
| Surrogate: n-Pentacosane | " | 0.100 | | 0.0912 | " | 50.0-150 | 91.2 | | | |
| LCS | | 0010171-BS1 | | | | | | | | |
| Diesel Range Hydrocarbons | 1/10/00 | 1.00 | | 0.695 | mg/l | 60.0-140 | 69.5 | | | |
| Surrogate: n-Pentacosane | " | 0.100 | | 0.0894 | " | 50.0-150 | 89.4 | | | |
| LCS Dup | | 0010171-BSD1 | | | | | | | | |
| Diesel Range Hydrocarbons | 1/7/00 | 1.00 | | 0.814 | mg/l | 60.0-140 | 81.4 | 50.0 | 15.8 | |
| Surrogate: n-Pentacosane | " | 0.100 | | 0.0878 | " | 50.0-150 | 87.8 | | | |
| Batch: 0010199 | | Date Prepared: 1/10/00 | | | Extraction Method: EPA 3510B | | | | | |
| Blank | | 0010199-BLK1 | | | | | | | | |
| Motor Oil (C16-C36) | 1/11/00 | | | ND | mg/l | 0.500 | | | | |
| Diesel Range Hydrocarbons | " | | | ND | " | 0.0500 | | | | |
| Surrogate: n-Pentacosane | " | 0.100 | | 0.0940 | " | 50.0-150 | 94.0 | | | |
| LCS | | 0010199-BS1 | | | | | | | | |
| Diesel Range Hydrocarbons | 1/11/00 | 1.00 | | 0.721 | mg/l | 60.0-140 | 72.1 | | | |
| Surrogate: n-Pentacosane | " | 0.100 | | 0.0884 | " | 50.0-150 | 88.4 | | | |
| LCS Dup | | 0010199-BSD1 | | | | | | | | |
| Diesel Range Hydrocarbons | 1/11/00 | 1.00 | | 0.736 | mg/l | 60.0-140 | 73.6 | 50.0 | 2.06 | |
| Surrogate: n-Pentacosane | " | 0.100 | | 0.0888 | " | 50.0-150 | 88.8 | | | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Metals by EPA 6000/7000 Series Methods/Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|-------------------------|--------------------------------|-------------|-------------------|-------------------------------------|-------|----------------------------------|-------------|--------------|----------|--------|
| Batch: 9120963 | Date Prepared: 12/29/99 | | | Extraction Method: EPA 3020A | | | | | | |
| Blank | 9120963-BLK1 | | | | | | | | | |
| Ferrous Iron | 12/30/99 | | | ND | mg/l | 0.0100 | | | | |
| LCS | 9120963-BS1 | | | | | | | | | |
| Ferrous Iron | 12/30/99 | 1.00 | | 1.00 | mg/l | 80.0-120 | 100 | | | |
| Matrix Spike | 9120963-MS1 | | M912927-03 | | | | | | | |
| Ferrous Iron | 12/30/99 | 1.00 | ND | 1.00 | mg/l | 80.0-120 | 100 | | | |
| Matrix Spike Dup | 9120963-MSD1 | | M912927-03 | | | | | | | |
| Ferrous Iron | 12/30/99 | 1.00 | ND | 1.00 | mg/l | 80.0-120 | 100 | 20.0 | 0 | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Anions by EPA Method 300.0/Quality Control
Sequoia Analytical - Morgan Hill**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|-------------------------|---------------|-------------|--------------------------------|-----------|-------|---|----------|-----------|-------|--------|
| Batch: 0010069 | | | Date Prepared: 12/30/99 | | | Extraction Method: General Preparation | | | | |
| Blank | | | 0010069-BLK1 | | | | | | | |
| Nitrate as N | 12/30/99 | | | ND | mg/l | 0.0226 | | | | |
| Sulfate as SO4 | " | | | ND | " | 0.500 | | | | |
| LCS | | | 0010069-BS1 | | | | | | | |
| Nitrate as N | 12/30/99 | 2.26 | | 2.19 | mg/l | 80.0-120 | 96.9 | | | |
| Sulfate as SO4 | " | 10.0 | | 9.52 | " | 80.0-120 | 95.2 | | | |
| Matrix Spike | | | 0010069-MS1 M912867-01 | | | | | | | |
| Sulfate as SO4 | 12/30/99 | 10.0 | 6.96 | 16.7 | mg/l | 75.0-125 | 97.4 | | | |
| Matrix Spike Dup | | | 0010069-MSD1 M912867-01 | | | | | | | |
| Sulfate as SO4 | 12/30/99 | 10.0 | 6.96 | 17.0 | mg/l | 75.0-125 | 100 | 20.0 | 2.63 | |
| Batch: 0010070 | | | Date Prepared: 12/30/99 | | | Extraction Method: General Preparation | | | | |
| Blank | | | 0010070-BLK1 | | | | | | | |
| Nitrate as NO3 | 12/30/99 | | | ND | mg/l | 0.500 | | | | |
| Sulfate as SO4 | " | | | ND | " | 0.500 | | | | |
| LCS | | | 0010070-BS1 | | | | | | | |
| Nitrate as NO3 | 12/30/99 | 10.0 | | 9.84 | mg/l | 80.0-120 | 98.4 | | | |
| Sulfate as SO4 | " | 10.0 | | 9.61 | " | 80.0-120 | 96.1 | | | |
| Matrix Spike | | | 0010070-MS1 M912939-01 | | | | | | | |
| Nitrate as NO3 | 12/30/99 | 100 | ND | 103 | mg/l | 75.0-125 | 103 | | | |
| Sulfate as SO4 | " | 100 | ND | 98.6 | " | 75.0-125 | 98.6 | | | |
| Matrix Spike Dup | | | 0010070-MSD1 M912939-01 | | | | | | | |
| Nitrate as NO3 | 12/30/99 | 100 | ND | 102 | mg/l | 75.0-125 | 102 | 20.0 | 0.976 | |
| Sulfate as SO4 | " | 100 | ND | 97.9 | " | 75.0-125 | 97.9 | 20.0 | 0.712 | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - San Carlos**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|------------------------------------|---------------|------------------------------|---------------|---|-------|----------------------------------|-------------|--------------|----------|--------|
| Batch: 0010034 | | Date Prepared: 1/7/00 | | Extraction Method: EPA 5030B [P/T] | | | | | | |
| Blank | | 0010034-BLK1 | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/7/00 | | | ND | ug/l | 50.0 | | | | |
| Benzene | " | | | ND | " | 0.500 | | | | |
| Toluene | " | | | ND | " | 0.500 | | | | |
| Ethylbenzene | " | | | ND | " | 0.500 | | | | |
| Xylenes (total) | " | | | ND | " | 0.500 | | | | |
| Methyl tert-butyl ether | " | | | ND | " | 5.00 | | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 8.02 | " | 70.0-130 | 80.2 | | | |
| LCS | | 0010034-BS1 | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | | 8.22 | ug/l | 70.0-130 | 82.2 | | | |
| Toluene | " | 10.0 | | 7.74 | " | 70.0-130 | 77.4 | | | |
| Ethylbenzene | " | 10.0 | | 7.90 | " | 70.0-130 | 79.0 | | | |
| Xylenes (total) | " | 30.0 | | 24.4 | " | 70.0-130 | 81.3 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.28 | " | 70.0-130 | 92.8 | | | |
| LCS | | 0010034-BS2 | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/7/00 | 250 | | 253 | ug/l | 70.0-130 | 101 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 8.59 | " | 70.0-130 | 85.9 | | | |
| Matrix Spike | | 0010034-MS1 | | M912939-02 | | | | | | |
| Benzene | 1/7/00 | 10.0 | ND | 8.99 | ug/l | 60.0-140 | 89.9 | | | |
| Toluene | " | 10.0 | ND | 8.60 | " | 60.0-140 | 86.0 | | | |
| Ethylbenzene | " | 10.0 | ND | 8.74 | " | 60.0-140 | 87.4 | | | |
| Xylenes (total) | " | 30.0 | ND | 26.4 | " | 60.0-140 | 88.0 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.38 | " | 70.0-130 | 93.8 | | | |
| Matrix Spike Dup | | 0010034-MSD1 | | M912939-02 | | | | | | |
| Benzene | 1/7/00 | 10.0 | ND | 10.0 | ug/l | 60.0-140 | 100 | 25.0 | 10.6 | |
| Toluene | " | 10.0 | ND | 9.51 | " | 60.0-140 | 95.1 | 25.0 | 10.0 | |
| Ethylbenzene | " | 10.0 | ND | 9.64 | " | 60.0-140 | 96.4 | 25.0 | 9.79 | |
| Xylenes (total) | " | 30.0 | ND | 29.1 | " | 60.0-140 | 97.0 | 25.0 | 9.73 | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.33 | " | 70.0-130 | 93.3 | | | |
| Batch: 0010035 | | Date Prepared: 1/7/00 | | Extraction Method: EPA 5030B [P/T] | | | | | | |
| Blank | | 0010035-BLK1 | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/7/00 | | | ND | ug/l | 50.0 | | | | |
| Benzene | " | | | ND | " | 0.500 | | | | |
| Toluene | " | | | ND | " | 0.500 | | | | |
| Ethylbenzene | " | | | ND | " | 0.500 | | | | |
| Xylenes (total) | " | | | ND | " | 0.500 | | | | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - San Carlos

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|---|---------------|-------------|---------------|-----------|-------|-------------------------------|----------|-----------|-------|--------|
| Blank (continued) | | | | | | | | | | |
| 0010035-BLK1 | | | | | | | | | | |
| Methyl tert-butyl ether | 1/7/00 | | | ND | ug/l | 5.00 | | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.75 | " | 70.0-130 | 97.5 | | | |
| LCS | | | | | | | | | | |
| 0010035-BS1 | | | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | | 8.21 | ug/l | 70.0-130 | 82.1 | | | |
| Toluene | " | 10.0 | | 8.07 | " | 70.0-130 | 80.7 | | | |
| Ethylbenzene | " | 10.0 | | 8.31 | " | 70.0-130 | 83.1 | | | |
| Xylenes (total) | " | 30.0 | | 24.6 | " | 70.0-130 | 82.0 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.37 | " | 70.0-130 | 93.7 | | | |
| LCS | | | | | | | | | | |
| 0010035-BS2 | | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/7/00 | 250 | | 267 | ug/l | 70.0-130 | 107 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 10.0 | " | 70.0-130 | 100 | | | |
| Matrix Spike | | | | | | | | | | |
| 0010035-MS1 L912251-09 | | | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | ND | 9.20 | ug/l | 60.0-140 | 92.0 | | | |
| Toluene | " | 10.0 | ND | 9.28 | " | 60.0-140 | 92.8 | | | |
| Ethylbenzene | " | 10.0 | ND | 9.24 | " | 60.0-140 | 92.4 | | | |
| Xylenes (total) | " | 30.0 | ND | 27.6 | " | 60.0-140 | 92.0 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.08 | " | 70.0-130 | 90.8 | | | |
| Matrix Spike Dup | | | | | | | | | | |
| 0010035-MSD1 L912251-09 | | | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | ND | 8.88 | ug/l | 60.0-140 | 88.8 | 25.0 | 3.54 | |
| Toluene | " | 10.0 | ND | 9.01 | " | 60.0-140 | 90.1 | 25.0 | 2.95 | |
| Ethylbenzene | " | 10.0 | ND | 8.95 | " | 60.0-140 | 89.5 | 25.0 | 3.19 | |
| Xylenes (total) | " | 30.0 | ND | 27.1 | " | 60.0-140 | 90.3 | 25.0 | 1.87 | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 8.71 | " | 70.0-130 | 87.1 | | | |
| Batch: 0010036 | | | | | | | | | | |
| Date Prepared: 1/7/00 | | | | | | | | | | |
| Extraction Method: EPA 5030B [P/T] | | | | | | | | | | |
| Blank | | | | | | | | | | |
| 0010036-BLK1 | | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/7/00 | | | ND | ug/l | 5.00 | | | | |
| Benzene | " | | | ND | " | 0.500 | | | | |
| Toluene | " | | | ND | " | 0.500 | | | | |
| Ethylbenzene | " | | | ND | " | 0.500 | | | | |
| Xylenes (total) | " | | | ND | " | 0.500 | | | | |
| Methyl tert-butyl ether | " | | | ND | " | 5.00 | | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.25 | " | 70.0-130 | 92.5 | | | |
| LCS | | | | | | | | | | |
| 0010036-BS1 | | | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | | 11.0 | ug/l | 70.0-130 | 110 | | | |
| Toluene | " | 10.0 | | 10.6 | " | 70.0-130 | 106 | | | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - San Carlos**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|------------------------------------|--------------------------------|-------------|-------------------------------|-----------|-------|---|----------|-----------|-------|--------|
| LCS (continued) | | | | | | | | | | |
| | 0010036-BS1 | | | | | | | | | |
| Ethylbenzene | 1/7/00 | 10.0 | | 10.6 | ug/l | 70.0-130 | 106 | | | |
| Xylenes (total) | " | 30.0 | | 31.7 | " | 70.0-130 | 106 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.68 | " | 70.0-130 | 96.8 | | | |
| LCS | | | | | | | | | | |
| | 0010036-BS2 | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/7/00 | 250 | | 262 | ug/l | 70.0-130 | 105 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 9.87 | " | 70.0-130 | 98.7 | | | |
| Matrix Spike | | | | | | | | | | |
| | 0010036-MS1 M912939-05 | | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | ND | 10.5 | ug/l | 60.0-140 | 105 | | | |
| Toluene | " | 10.0 | ND | 10.2 | " | 60.0-140 | 102 | | | |
| Ethylbenzene | " | 10.0 | ND | 10.2 | " | 60.0-140 | 102 | | | |
| Xylenes (total) | " | 30.0 | ND | 29.9 | " | 60.0-140 | 99.7 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 10.6 | " | 70.0-130 | 106 | | | |
| Matrix Spike Dup | | | | | | | | | | |
| | 0010036-MSD1 M912939-05 | | | | | | | | | |
| Benzene | 1/7/00 | 10.0 | ND | 10.8 | ug/l | 60.0-140 | 108 | 25.0 | 2.82 | |
| Toluene | " | 10.0 | ND | 10.5 | " | 60.0-140 | 105 | 25.0 | 2.90 | |
| Ethylbenzene | " | 10.0 | ND | 10.4 | " | 60.0-140 | 104 | 25.0 | 1.94 | |
| Xylenes (total) | " | 30.0 | ND | 31.0 | " | 60.0-140 | 103 | 25.0 | 3.26 | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 10.8 | " | 70.0-130 | 108 | | | |
| Batch: 0010042 | | | | | | | | | | |
| Blank | | | Date Prepared: 1/10/00 | | | Extraction Method: EPA 5030B [P/T] | | | | |
| | 0010042-BLK1 | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/10/00 | | | ND | ug/l | 50.0 | | | | |
| Benzene | " | | | ND | " | 0.500 | | | | |
| Toluene | " | | | ND | " | 0.500 | | | | |
| Ethylbenzene | " | | | ND | " | 0.500 | | | | |
| Xylenes (total) | " | | | ND | " | 0.500 | | | | |
| Methyl tert-butyl ether | " | | | ND | " | 5.00 | | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 10.1 | " | 70.0-130 | 101 | | | |
| LCS | | | | | | | | | | |
| | 0010042-BS1 | | | | | | | | | |
| Benzene | 1/10/00 | 10.0 | | 8.63 | ug/l | 70.0-130 | 86.3 | | | |
| Toluene | " | 10.0 | | 8.51 | " | 70.0-130 | 85.1 | | | |
| Ethylbenzene | " | 10.0 | | 8.75 | " | 70.0-130 | 87.5 | | | |
| Xylenes (total) | " | 30.0 | | 26.0 | " | 70.0-130 | 86.7 | | | |
| Surrogate: a,a,a-Trifluorotoluene | " | 10.0 | | 10.3 | " | 70.0-130 | 103 | | | |
| LCS | | | | | | | | | | |
| | 0010042-BS2 | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/10/00 | 250 | | 208 | ug/l | 70.0-130 | 83.2 | | | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT/Quality Control
Sequoia Analytical - San Carlos**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|--|---------------|-------------|---------------|-----------|-------|----------------------------------|-------------|--------------|----------|--------|
| <u>LCS (continued)</u> | | | | | | | | | | |
| <u>0010042-BS2</u> | | | | | | | | | | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | 1/10/00 | 10.0 | | 9.86 | ug/l | 70.0-130 | 98.6 | | | |
| <u>Matrix Spike</u> | | | | | | | | | | |
| <u>0010042-MS1 L001019-01</u> | | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/10/00 | 250 | ND | 243 | ug/l | 60.0-140 | 97.2 | | | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | " | 10.0 | | 9.92 | " | 70.0-130 | 99.2 | | | |
| <u>Matrix Spike Dup</u> | | | | | | | | | | |
| <u>0010042-MSD1 L001019-01</u> | | | | | | | | | | |
| Purgeable Hydrocarbons as Gasoline | 1/10/00 | 250 | ND | 242 | ug/l | 60.0-140 | 96.8 | 25.0 | 0.412 | |
| <i>Surrogate: a,a,a-Trifluorotoluene</i> | " | 10.0 | | 9.60 | " | 70.0-130 | 96.0 | | | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

**MTBE by EPA Method 8260A/Quality Control
Sequoia Analytical - San Carlos**

| Analyte | Date Analyzed | Spike Level | Sample Result | QC Result | Units | Reporting Limit Recov. Limits | Recov. % | RPD Limit | RPD % | Notes* |
|----------------------------------|---------------|-------------|-------------------------------|-----------|-------------------|---|----------|-----------|-------|--------|
| Batch: 0010069 | | | Date Prepared: 1/13/00 | | | Extraction Method: EPA 5030B [P/T] | | | | |
| Blank | | | 0010069-BLK1 | | | | | | | |
| Methyl tert-butyl ether | 1/13/00 | | | ND | ug/l | 2.00 | | | | |
| Surrogate: 1,2-Dichloroethane-d4 | " | 50.0 | | 50.3 | " | 76.0-114 | 101 | | | |
| Blank | | | 0010069-BLK2 | | | | | | | |
| Methyl tert-butyl ether | 1/14/00 | | | ND | ug/l | 2.00 | | | | |
| Surrogate: 1,2-Dichloroethane-d4 | " | 50.0 | | 44.8 | " | 76.0-114 | 89.6 | | | |
| LCS | | | 0010069-BS1 | | | | | | | |
| Methyl tert-butyl ether | 1/13/00 | 50.0 | | 46.4 | ug/l | 70.0-130 | 92.8 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | " | 50.0 | | 50.1 | " | 76.0-114 | 100 | | | |
| LCS | | | 0010069-BS2 | | | | | | | |
| Methyl tert-butyl ether | 1/14/00 | 50.0 | | 50.2 | ug/l | 70.0-130 | 100 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | " | 50.0 | | 54.7 | " | 76.0-114 | 109 | | | |
| Matrix Spike | | | 0010069-MS1 | | L001065-32 | | | | | |
| Methyl tert-butyl ether | 1/13/00 | 50.0 | ND | 46.3 | ug/l | 60.0-140 | 92.6 | | | |
| Surrogate: 1,2-Dichloroethane-d4 | " | 50.0 | | 52.6 | " | 76.0-114 | 105 | | | |
| Matrix Spike Dup | | | 0010069-MSD1 | | L001065-32 | | | | | |
| Methyl tert-butyl ether | 1/13/00 | 50.0 | ND | 47.1 | ug/l | 60.0-140 | 94.2 | 25.0 | 1.71 | |
| Surrogate: 1,2-Dichloroethane-d4 | " | 50.0 | | 52.2 | " | 76.0-114 | 104 | | | |





| | | |
|--|--|--|
| Blaine Tech Services (Shell) 1680 Rogers Avenue San Jose, CA 95112 | Project: Equiva Project Number: 285 Hegenberger Road Project Manager: Leah Davis | Sampled: 12/28/99 Received: 12/29/99 Reported: 1/19/00 |
|--|--|--|

Notes and Definitions

| # | Note |
|---|------|
|---|------|

- D Data reported from a dilution.
- 1 Chromatogram Pattern: Unidentified Hydrocarbons C9-C24
- 2 Chromatogram pattern: Unidentified Hydrocarbons C16-C36.
- 3 Sample was analyzed at second dilution per Client's request.
- 4 Chromatogram Pattern: Unidentified Hydrocarbons C6-C12
- 5 Chromatogram Pattern: Weathered Gasoline C6-C12
- 6 Chromatogram Pattern: Gasoline C6-C12
- 7 This sample was analyzed outside of the EPA recommended holding time.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- Recov. Recovery
- RPD Relative Percent Difference



CONDUCT ANALYSIS TO DETECT

LAB Sequoia DHS # _____
ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND
 EPA RWQCB REGION _____
 LA
 OTHER

CHAIN OF CUSTODY
991228-P1
CLIENT
Equiva - Karen Petryna
SITE
.285 Hegenberger Road
Oakland, CA

M912 939

| SAMPLE I.D. | IS - SOIL W - H ₂ O | MATRIX | CONTAINERS |
|-------------|--------------------------------|--------|------------|
|-------------|--------------------------------|--------|------------|

C = COMPOSITE ALL CONTAINERS

| | | | | | | | |
|-----------------|--------------|--------------|--------------------------|--------------------|-----------------------|-----------------------|--------------------|
| TPH - Gas, BTEX | MTBE by 8020 | MTBE by 8260 | TPH - diesel / motor oil | Oxygenates by 8260 | 1,2-DCA & EDB by 8010 | Sulfate / Ferric Iron | Nitrate & Ammonium |
|-----------------|--------------|--------------|--------------------------|--------------------|-----------------------|-----------------------|--------------------|

SPECIAL INSTRUCTIONS
Send invoice to Equiva
Incident # 98995749
Send report to Blaine Tech Services
Attn: Ann Pember

| SAMPLE I.D. | DATE | TIME | IS - SOIL W - H ₂ O | TOTAL | TPH - Gas, BTEX | MTBE by 8020 | MTBE by 8260 | TPH - diesel / motor oil | Oxygenates by 8260 | 1,2-DCA & EDB by 8010 | Sulfate / Ferric Iron | Nitrate & Ammonium | ADD'L INFORMATION | STATUS | CONDITION | LAB SAMPLE # |
|-------------|-------|------|--------------------------------|-------|-----------------|--------------|--------------|--------------------------|--------------------|-----------------------|-----------------------|--------------------|-------------------|--------|-----------|--------------|
| X MW-13 | 12/28 | 915 | W | 8 | X | X | X | | | | X | X | Confirm | | | 01 |
| X MW-12 | | 935 | | | | | | | | | | | Highest | | | 02 |
| X MW-11 | | 950 | | | | | | | | | | | MTBE by | | | 03 |
| X MW-4 | | 1020 | | | | | | | | | | | 8260 | | | 04 |
| X MW-8 | | 1038 | | | | | | | | | | | | | | 05 |
| X MW-2 | | 1100 | | | | | | | | | | | | | | 06 |
| X MW-6 | | 1130 | | | | | | | | | | | Revised COC | | | 07 |
| X MW-1 | | 1150 | | | | | | | | | | | JA 12/29/99 | | | 08 |
| X MW-3 | | 1210 | | | | | | | | | | | | | | 09 |
| X MW-9 | | 1234 | | | | | | | | | | | | | | 10 |

SAMPLING COMPLETED DATE 12/28/99 TIME 13:00
SAMPLING PERFORMED BY Paul Sanna

RESULTS NEEDED NO LATER THAN
RECEIVED BY [Signature] DATE 12/29/99 TIME 16:12
RECEIVED BY [Signature] DATE 12/29/99 TIME 16:15
RECEIVED BY _____ DATE _____ TIME _____
RECEIVED BY _____ DATE _____ TIME _____

RELEASED BY [Signature]
RELEASED BY _____ DATE _____ TIME _____
RELEASED BY _____ DATE _____ TIME _____

SHIPPED VIA _____ DATE SENT _____ TIME SENT _____ COOLER # _____

CONDUCT ANALYSIS TO DETECT

LAB Sequoia DHS # _____
ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND
 EPA RWQCB REGION _____
 LIA
 OTHER

CHAIN OF CUSTODY 991228-P1
CLIENT Equiva - Karen Petryna
SITE 285 Hegenberger Road
Oakland, CA

C-COMPOSITE ALL CONTAINERS

TPH - Gab, BTEX
MTBE by 8020
MTBE by 8260
TPH - diesel / Motor Oil
Oxygenates by 8260
1,2-DCA & EDB by 8010
Sulfate
Nitrate as Nitrogen
Ferrus Iron

SPECIAL INSTRUCTIONS
Send invoice to Equiva
Incident # 98995749
Send report to Blaine Tech Services
Attn: Ann Pember

2

| SAMPLE I.D. | S-SOIL W-H ₂ O | MATRIX | CONTAINERS | TOTAL | C-COMPOSITE ALL CONTAINERS | TPH - Gab, BTEX | MTBE by 8020 | MTBE by 8260 | TPH - diesel / Motor Oil | Oxygenates by 8260 | 1,2-DCA & EDB by 8010 | Sulfate | Nitrate as Nitrogen | Ferrus Iron | ADD'L INFORMATION | STATUS | CONDITION | LAB SAMPLE # |
|-------------|------------------------------|--------|------------|-------|----------------------------|-----------------|--------------|--------------|--------------------------|--------------------|-----------------------|---------|---------------------|-------------|-------------------|--------|-----------|--------------|
| | | | | | | | | | | | | | | | | | | |
| MW-10 | 12/28 | 1300 | W | 8 | | X | X | | X | | | | | X | Confirm | | | 11 |
| | | | | | | | | | | | | | | X | Highest | | | |
| | | | | | | | | | | | | | | X | MTBE by | | | |
| | | | | | | | | | | | | | | X | 8260 | | | |

SAMPLING COMPLETED 12/28/99 13:00
SAMPLING PERFORMED BY Paul Samra
RELEASED BY [Signature]
RESULTS NEEDED NO LATER THAN _____

RECEIVED BY [Signature] DATE 12/28/99 TIME 16:12
RECEIVED BY _____ DATE _____ TIME _____
RECEIVED BY _____ DATE _____ TIME _____

SHIPPED VIA _____ DATE SENT _____ TIME SENT _____ COOLER # _____

BLAINE

TECH SERVICES INC.

1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
FAX (408) 573-7771
PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB

Sequoia

DHS #

ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND

- EPA
- LIA
- OTHER

RWOCB REGION

CHAIN OF CUSTODY

991228-01

CLIENT

Equiva - Karen Petryna

SITE

285 Hegenberger Road

Oakland, CA

M912939

C = COMPOSITE ALL CONTAINERS

TPH - gas, BTEX

MTBE by 8020

MTBE by 8260

TPH - diesel / motor oil

Oxygenates by 8260

1,2-DCA & EDB by 8010

Sulfate / Ferras Iron

Nitrate & Nitrogen

SPECIAL INSTRUCTIONS

Send invoice to Equiva

Incident # 98995749

Send report to Blaine Tech Services

Attn: Ann Pember

| SAMPLE I.D. | | | MATRIX S = SOIL W = H2O | TOTAL | | | | | | | ADD'L INFORMATION | STATUS | CONDITION | LAB SAMPLE # |
|----------------|--------------|-------------|-------------------------------|----------|--|----------|----------|----------|----------|----------|-------------------|--------|-----------|--------------|
| <i>X</i> MW-13 | <i>12/28</i> | <i>915</i> | <i>W</i> | <i>8</i> | | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>X</i> | <i>Confirm</i> | | | |
| <i>X</i> MW-12 | | <i>935</i> | | | | | | | | | <i>Highest</i> | | | |
| <i>X</i> MW-11 | | <i>950</i> | | | | | | | | | <i>MTBE by</i> | | | |
| <i>X</i> MW-4 | | <i>1020</i> | | | | | | | | | <i>8260</i> | | | |
| <i>X</i> MW-8 | | <i>1038</i> | | | | | | | | | | | | |
| <i>X</i> MW-2 | | <i>1100</i> | | | | | | | | | | | | |
| <i>X</i> MW-6 | | <i>1030</i> | | | | | | | | | | | | |
| <i>X</i> MW-1 | | <i>1150</i> | | | | | | | | | | | | |
| <i>X</i> MW-3 | | <i>1210</i> | | | | | | | | | | | | |
| <i>X</i> MW-9 | | <i>1234</i> | | | | | | | | | | | | |

SAMPLING COMPLETED *12/28/99* TIME *13:00*

SAMPLING PERFORMED BY *Paul Sama*

RESULTS NEEDED NO LATER THAN

RELEASED BY *[Signature]* DATE *12/28/99* TIME *16:12*

RECEIVED BY *[Signature]* DATE *12/27/99* TIME *16:15*

RELEASED BY *[Signature]* DATE *12/28* TIME *17:25*

RECEIVED BY *[Signature]* DATE *12/28* TIME *17:25*

RELEASED BY

RECEIVED BY

SHIPPED VIA

DATE SENT

TIME SENT

COOLER #

BLAINE

TECH SERVICES INC.

1680 ROGERS AVENUE
 SAN JOSE, CALIFORNIA 95112-1105
 FAX (408) 573-7771
 PHONE (408) 573-0555

CONDUCT ANALYSIS TO DETECT

LAB Sequoia DHS # _____
 ALL ANALYSES MUST MEET SPECIFICATIONS AND DETECTION LIMITS SET BY CALIFORNIA DHS AND
 EPA RWQCB REGION _____
 LIA
 OTHER
 11 28 5 25

CHAIN OF CUSTODY 991228-P1
 CLIENT Equiva - Karen Petryna
 SITE 285 Hegenberger Road
Oakland, CA

C = COMPOSITE ALL CONTAINERS

TPH - gas, BTEX
 MTBE by 8020
 MTBE by 8260
 TPH - diesel / Motor Oil
 Oxygenates by 8260
 1,2-DCA & EDB by 8010
 Sulfate
 Nitrate as Nitrogen
 Ferrous Iron

SPECIAL INSTRUCTIONS
 Send invoice to Equiva
 Incident # 98995749
 Send report to Blaine Tech Services
 Attn: Ann Pember

| SAMPLE I.D. | MATRIX | | TOTAL | C | TPH - gas, BTEX | MTBE by 8020 | MTBE by 8260 | TPH - diesel / Motor Oil | Oxygenates by 8260 | 1,2-DCA & EDB by 8010 | Sulfate | Nitrate as Nitrogen | Ferrous Iron | ADD'L INFORMATION | STATUS | CONDITION | LAB SAMPLE # |
|----------------|--------------|-------------|------------|---|-----------------|--------------|--------------|--------------------------|--------------------|-----------------------|---------|---------------------|--------------|-------------------|--------|-----------|--------------|
| | S = SOIL | W = H2O | | | | | | | | | | | | | | | |
| <u>R MW-10</u> | <u>12/28</u> | <u>1300</u> | <u>W 8</u> | | <u>X</u> | <u>X</u> | | <u>X</u> | | | | | | <u>Contin</u> | | | |
| | | | | | | | | | | | | | | <u>Highest</u> | | | |
| | | | | | | | | | | | | | | <u>MTBE by</u> | | | |
| | | | | | | | | | | | | | | <u>8260</u> | | | |

SAMPLING COMPLETED 12/28/99 DATE 12/28/99 TIME 13:00 SAMPLING PERFORMED BY Paul Sanna RESULTS NEEDED NO LATER THAN _____

RELEASED BY [Signature] DATE 12/28/99 TIME 16:12 RECEIVED BY [Signature] DATE 12/28 TIME 16:17

RELEASED BY [Signature] DATE _____ TIME _____ RECEIVED BY [Signature] DATE 12/28 TIME 17:25

RELEASED BY _____ DATE _____ TIME _____ RECEIVED BY _____ DATE _____ TIME _____

SHIPPED VIA _____ DATE SENT _____ TIME SENT _____ COOLER # _____

SHELL WELL MONITORING DATA SHEET

| | |
|-----------------------------------|---|
| Project #: 991228-P1 | WIC #: 204-5508-5504 |
| Sampler: PA1 | Date: 12-28-99 |
| Well I.D.: MW-2 | Well Diameter: 2 3 (4) 6 8 <u> </u> |
| Total Well Depth: 9.55 | Depth to Water: 4.95 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: **Bailer** **Middleburg**
Electric Submersible
Extraction Pump

Other: _____

Sampling Method: **Bailer** **Extraction Port**
Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| 2.9 | x | 3 | = | 8.9 | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|-------|-----------|-----|-------|-----------|---------------|--------------|
| 10:47 | 68.4 | 6.7 | 2176 | 43.6 | 3 | odor |
| 10:50 | 67.6 | 6.6 | 2043 | 37.2 | 6 | ↓ |
| 10:55 | 67.4 | 6.6 | 1986 | 32.4 | 9 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes **No** Gallons actually evacuated: **9**

Sampling Time: **11:00** Sampling Date: **12-28-99**

Sample I.D.: **MW-2** Laboratory: **(Sequoia)** Crosby

Analyzed for: ~~TPH-G BTEX MTBE TPH-D Other~~ **See Scope**

Equipment Blank I.D.: @ Time Duplicate I.D.:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): **(Pre-purge): 2.1 mg/L** **(Post-purge): 2.4 mg/L**

ORP

(Pre-purge) -112 **(Post-purge) -120**

SHELL WELL MONITORING DATA SHEET

| | |
|---|--|
| Project #: <u>991228-P1</u> | WIC #: <u>204-5508-5504</u> |
| Sampler: <u>PA1</u> | Date: <u>12-28-99</u> |
| Well I.D.: <u>MW-3</u> | Well Diameter: 2 3 <u>(4)</u> 6 8 |
| Total Well Depth: <u>10.08 / 9.40</u> <small>TOC TOC</small> | Depth to Water: <u>5.07 / 5.75</u> <small>TOC TOC</small> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> <u>Grade</u> | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Middleburg Electric Submersible Extraction Pump

Sampling Method: Bailer Extraction Port Other: _____

Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>2.8</u> | x | <u>3</u> | = | <u>8.4</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|--------------|-------------|------------|---------------|-----------|---------------|--------------|
| <u>12:02</u> | <u>69.8</u> | <u>7.2</u> | <u>26,876</u> | <u>10</u> | <u>3</u> | |
| <u>12:03</u> | <u>69.6</u> | <u>7.1</u> | <u>24,600</u> | <u>10</u> | <u>6</u> | |
| <u>12:04</u> | <u>68.8</u> | <u>7.1</u> | <u>23,830</u> | <u>10</u> | <u>9</u> | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No

Gallons actually evacuated: 9

Sampling Time: 12:10 Sampling Date: 12-28-99

Sample I.D.: MW-3 Laboratory: Sequoia Crosby

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See Scope

Equipment Blank I.D.: @ _____ Duplicate I.D.: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge: 1.3 mg/L Post-purge: 1.5 mg/L

ORP Pre -86 Post -74

EQUIVA WELL MONITORING DATA SHEET

| | |
|-----------------------------------|--|
| Project #: <u>991228-P1</u> | Job # <u>204-5508-5504</u> |
| Sampler: <u>PA-1</u> | Date: <u>12-28-99</u> |
| Well I.D.: <u>MW-4</u> | Well Diameter: 2 3 <u>(4)</u> 6 8 <u> </u> |
| Total Well Depth: <u>10.16</u> | Depth to Water: <u>4.54</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>(PVC)</u> Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Middleburg Electric Submersible Extraction Pump

Other: _____

Sampling Method: Bailer Extraction Port Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>3.6</u> | x | <u>3</u> | = | <u>10.9</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|--------------|-------------|------------|-------------|-----------|---------------|--------------|
| <u>10:12</u> | <u>67.2</u> | <u>7.0</u> | <u>2769</u> | <u>12</u> | <u>4</u> | |
| <u>10:13</u> | <u>66.5</u> | <u>6.7</u> | <u>2654</u> | <u>10</u> | <u>8</u> | |
| <u>10:14</u> | <u>66.4</u> | <u>6.7</u> | <u>2526</u> | <u>10</u> | <u>12</u> | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes (No) Gallons actually evacuated: 12

Sampling Time: 10:20 Sampling Date: 12-28-99

Sample I.D.: MW-4 Laboratory: (Sequoia) BC Other: _____

Analyzed for: (TPH-G) (BTEX) (MTBE) (TPH-D) Other: See Scope

| | | | | | |
|--------------------|--------------------|-----------------|---------------------|-------------|------|
| D.O. (if req'd): | <u>(Pre-purge)</u> | <u>1.4</u> mg/L | <u>(Post-purge)</u> | <u>1.5</u> | mg/L |
| O.R.P. (if req'd): | <u>(Pre-purge)</u> | <u>-121</u> mV | <u>(Post-purge)</u> | <u>-117</u> | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|----------------------------|-----------------------------------|
| Project #: 991228-P1 | WIC #: 204-5508-5504 |
| Sampler: PA1 | Date: 12-28-99 |
| Well I.D.: MW-6 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth: 10.95 | Depth to Water: 5.17 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Middleburg
 Electric Submersible Extraction Pump
 Other: _____

Sampling Method: Bailer Extraction Port
 Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>3.7</u> | x | <u>3</u> | = | <u>11.2</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|-------|-----------|-----|--------|-----------|---------------|--------------|
| 11:12 | 68.8 | 7.2 | 18,767 | 76 | 4 | |
| 11:17 | 69.2 | 7.1 | 18,667 | 54 | 8 | |
| 11:23 | 68.6 | 7.1 | 18,579 | 43 | 12 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 12

Sampling Time: 11:30 Sampling Date: 12-28-99

Sample I.D.: MW-6 Laboratory: (Sequoia) Crosby

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See scope

Equipment Blank I.D.: @ Time Duplicate I.D.:

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: 1.8 mg/L Post-purge: 2.0 mg/L

ORD (Pre) - 108 (Post) - 96

SHELL WELL MONITORING DATA SHEET

| | |
|---------------------------------|---|
| Project #: <u>091228-P1</u> | WIC #: <u>204-5508-5504</u> |
| Sampler: <u>PA1</u> | Date: <u>12-28-99</u> |
| Well I.D.: <u>MW-8</u> | Well Diameter: 2 3 <u>(4)</u> 6 8 <u> </u> |
| Total Well Depth: <u>9.90</u> | Depth to Water: <u>4.93</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Sampling Method: Bailer ✓
Middleburg Extraction Port
Electric Submersible ✓ Other: _____
Extraction Pump
Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>3.2</u> | x | <u>3</u> | = | <u>9.6</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|--------------|-------------|------------|---------------|-----------|---------------|--------------|
| <u>10:31</u> | <u>69.8</u> | <u>7.1</u> | <u>22,821</u> | <u>17</u> | <u>3</u> | |
| <u>10:32</u> | <u>68.6</u> | <u>7.1</u> | <u>20,767</u> | <u>12</u> | <u>6</u> | |
| <u>10:33</u> | <u>67.4</u> | <u>7.0</u> | <u>19,668</u> | <u>10</u> | <u>10</u> | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes (No) Gallons actually evacuated: 10

Sampling Time: 10:38 Sampling Date: 12-28-99

Sample I.D.: MW-8 Laboratory: Sequoia Crosby

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See Scope

Equipment Blank I.D.: @ _____ Time Duplicate I.D.: _____

Analyzed for: TPH-G BTEX MTBE TPH-D . . . Other: _____

| | |
|---|----------------------------------|
| D.O. (if req'd): <u>Pre-purge</u> <u>1.0</u> mg/L | <u>Post-purge</u> <u>.9</u> mg/L |
|---|----------------------------------|

ORD-

Pre - 136

Post - 121

SHELL WELL MONITORING DATA SHEET

| | |
|-----------------------------------|-----------------------------------|
| Project #: 991228-P1 | WIC #: 204-5508-5504 |
| Sampler: PA1 | Date: 12-28-99 |
| Well I.D.: MW-10 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth: 10.05 | Depth to Water: 4.87 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Middleburg Electric Submersible Extraction Pump Other: _____

Sampling Method: Bailer Extraction Port Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>3.3</u> | X | <u>3</u> | = | <u>10.1</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|-------|-----------|-----|--------|-----------|---------------|--------------|
| 12:50 | 69.8 | 7.1 | 19,700 | 12 | 4 | |
| 12:51 | 69.6 | 7.1 | 19,500 | 10 | 8 | |
| 12:52 | 68.4 | 7.0 | 18,800 | 10 | 11 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes **(No)** Gallons actually evacuated: **11**

Sampling Time: **13:00** Sampling Date: **12-28-99**

Sample I.D.: **MW-10** Laboratory: **(Sequon)** Crosby

Analyzed for: **(TPH-G BTEX MTBE TPH-D)** Other: **See Scope**

Equipment Blank I.D.: @ _____ Time Duplicate I.D.: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): **(Pre-purge)** **1.2** mg/L **(Post-purge)** **1.4** mg/L

ORP

(Pre) **-87** **(Post)** **-92**

EQUIVA WELL MONITORING DATA SHEET

| | |
|---------------------------------|-----------------------------------|
| Project #: 991228-P1 | Job # 204-5508-5504 |
| Sampler: PA1 | Date: 12-28-99 |
| Well I.D.: MW-11 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth: 13.85 | Depth to Water: 8.39 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Middleburg Electric Submersible Extraction Pump

Other: _____

Sampling Method: Bailer Extraction Port

Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>3.5</u> | x | <u>3</u> | = | <u>10.5</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|------|-----------|-----|--------|-----------|---------------|--------------|
| 9:43 | 67.6 | 6.9 | 24,739 | 89 | 4 | |
| 9:44 | 67.4 | 6.8 | 19,267 | 56 | 8 | |
| 9:45 | 67.2 | 6.8 | 17,454 | 28 | 12 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 10.5

Sampling Time: 9:50 Sampling Date: 12-28-99

Sample I.D.: MW-11 Laboratory: Sequoia BC Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Bio Parameters

| | | | | |
|--------------------|------------------|----------------|-------------------|-----------------|
| D.O. (if req'd): | <u>Pre-purge</u> | <u>.8</u> mg/L | <u>Post-purge</u> | <u>1.0</u> mg/L |
| O.R.P. (if req'd): | <u>Pre-purge</u> | <u>-94</u> mV | <u>Post-purge</u> | <u>-67</u> mV |

EQUIVA WELL MONITORING DATA SHEET

| | |
|---------------------------------|-----------------------------------|
| Project #: 991228-P1 | Job #: 204-5508-5504 |
| Sampler: Paul | Date: 12-28-99 |
| Well I.D.: MW-12 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth: 14.45 | Depth to Water: 8.26 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 2" | 0.16 | 5" | 1.02 |
| 3" | 0.37 | 6" | 1.47 |
| 4" | 0.65 | Other | radius ² * 0.163 |

Purge Method: Bailer Middleburg Electric Submersible Extraction Pump Other: _____

Sampling Method: Bailer Extraction Port Other: _____

| | | | | | |
|-----------------------|---|-------------------|---|-------------------|-------|
| <u>4</u> | x | <u>3</u> | = | <u>12</u> | Gals. |
| 1 Case Volume (Gals.) | | Specified Volumes | | Calculated Volume | |

| Time | Temp (°F) | pH | Cond. | Turbidity | Gals. Removed | Observations |
|------|-----------|-----|--------|-----------|---------------|--------------|
| 9:26 | 67.6 | 7.0 | 10,868 | 26 | 4 | |
| 9:27 | 67.4 | 6.9 | 9972 | 18 | 8 | |
| 9:28 | 66.2 | 6.8 | 9967 | 12 | 12 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 12

Sampling Time: 9:35 Sampling Date: 12-28-99

Sample I.D.: MW-12 Laboratory: Sequoia BC Other: _____

Analyzed for: ~~TPH-G BTEX MTBE TPH-D~~ Other: Bio Parameters

| | | | | |
|--------------------|-------------------|----------|--------------------|----------|
| D.O. (if req'd): | <u>Pre-purge:</u> | 1.0 mg/L | <u>Post-purge:</u> | 1.2 mg/L |
| O.R.P. (if req'd): | <u>Pre-purge:</u> | -120 mV | <u>Post-purge:</u> | -110 mV |

