



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
www.CRAworld.com

TRANSMITTAL

DATE: September 8, 2009 REFERENCE NO.: 240734
PROJECT NAME: 285 Hegenberger Road, Oakland

TO: Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

RECEIVED

10:35 am, Sep 10, 2009

Alameda County
Environmental Health

Please find enclosed: Draft Final
 Originals Other
 Prints

Sent via: Mail Same Day Courier
 Overnight Courier Other GeoTracker and Alameda County FTP


| QUANTITY | DESCRIPTION |
|----------|----------------------------------------------------|
| 1 | Groundwater Monitoring Report - Third Quarter 2009 |
| | |
| | |

As Requested For Review and Comment
 For Your Use

COMMENTS:

If you have any questions regarding the contents of this document, please call Peter Schaefer at (510) 420-3319.

Copy to: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Avenue, Carson, CA 90810
SF Data Room (electronic copy)

Completed by: Peter Schaefer Signed: 

Filing: Correspondence File



Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Denis L. Brown
Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Shell-branded Service Station
285 Hegenberger Road
Oakland, California
SAP Code 135691
Incident No. 98995749
ACHCSA Case No. RO0000220

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink, appearing to read "Denis L. Brown", is written over a horizontal line.

Denis L. Brown
Project Manager



GROUNDWATER MONITORING REPORT - THIRD QUARTER 2009

**SHELL-BRANDED SERVICE STATION
285 HEGENBERGER ROAD
OAKLAND, CALIFORNIA**

**SAP CODE 135691
INCIDENT NO. 98995749
AGENCY NO. RO0000220**

**SEPTEMBER 8, 2009
REF. NO. 240734 (3)**

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: (510) 420-0700
Fax: (510) 420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

| | <u>Page</u> |
|----------------------------------------------------|-------------|
| 1.0 INTRODUCTION..... | 1 |
| 1.1 SITE INFORMATION | 1 |
| 2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION..... | 2 |
| 2.1 CURRENT QUARTER'S ACTIVITIES..... | 2 |
| 2.2 CURRENT QUARTER'S FINDINGS | 2 |
| 2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER | 2 |

LIST OF FIGURES
(Following Text)

- FIGURE 1 VICINITY MAP
- FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF APPENDICES

- APPENDIX A BLAINE TECH SERVICES, INC. - GROUNDWATER MONITORING
REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the reporting requirements of 23 CCR 2652d.

1.1 SITE INFORMATION

| | |
|-------------------------|-------------------------------|
| Site Address | 285 Hegenberger Road, Oakland |
| Site Use | Shell-branded Service Station |
| Shell Project Manager | Denis Brown |
| CRA Project Manager | Peter Schaefer |
| Lead Agency and Contact | ACEH, Jerry Wickham |
| Agency Case No. | RO0000220 |
| Shell SAP Code | 135691 |
| Shell Incident No. | 98995749 |

Date of most recent agency correspondence was July 24, 2009.

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). Blaine's report, presenting the analytical data, is included in Appendix A.

2.2 CURRENT QUARTER'S FINDINGS

| | |
|----------------------------|--------------------------------------------|
| Groundwater Flow Direction | Variable |
| Hydraulic Gradient | Variable |
| Depth to Water | 3.63 to 7.62 feet below top of well casing |


2.3 PROPOSED ACTIVITIES FOR NEXT QUARTER

Blaine will gauge and sample wells according to the established monitoring program for the site. This site is monitored semiannually during the first and third quarters.


All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES

Peter Schaefer
Peter Schaefer, CHG, CEG

Aubrey K. Cool
Aubrey K. Cool, PG



FIGURES



I:\Shell\6-chars\2407--\240734-Oakland 285 Hegenberger\240734-FIGURES\240734 VICINITY.A1


Shell-branded Service Station
 285 Hegenberger Road
 Oakland, California



**CONESTOGA-ROVERS
 & ASSOCIATES**

Vicinity Map

I:\Shell\6-chars\240734--\240734-Oakland 285 Hegenberger\240734-REPORTS\240734-RPT3-3Q09\240734-3Q09-GW.DWG



EXPLANATION

- VEW-5/
AS-1 Co-axial vapor and sparge well; air-sparge well not monitored or sampled
- MW-1 Groundwater monitoring well location
- VEW-1 Soil vapor extraction well
- VEW-2 Dual completion air sparging/soil vapor extraction well
- VEW-5 Abandoned well location
- Product dispenser number
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl)
- Well designation
- ELEV. Groundwater elevation, in feet above msl
- Benzene
MTBE Benzene and MTBE concentrations are in micrograms per liter

Notes:
 ND = Not detected
 NDa = Elevated reporting limit, see laboratory report for details




FIGURE 2

Groundwater Contour and Chemical Concentration Map



Shell-branded Service Station
 285 Hegenberger Road
 Oakland, California

July 1, 2009

APPENDIX A

BLAINE TECH SERVICES, INC. -
GROUNDWATER MONITORING REPORT

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

July 20, 2009

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Third Quarter 2009 Groundwater Monitoring at
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

Monitoring performed on July 1, 2009

Groundwater Monitoring Report **090701-DR-1**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purge water (if applicable) is, likewise, collected and transported to the Martinez Refining Company.


Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,



Mike Ninokata
Project Manager

MN/jb

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Anni Kreml
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|-------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-1 | 02/16/1989 | 99,000 | NA | NA | 20,000 | 23,000 | 5,700 | 2,300 | NA | NA | NA | NA | NA | NA | 6.64 | 3.83 | 2.81 | NA |
| MW-1 | 05/23/1989 | 48,000 | 11,000 | NA | 4,200 | 5,200 | 1,200 | 7,700 | NA | NA | NA | NA | NA | NA | 6.64 | 3.59 | 3.05 | NA |
| MW-1 | 08/03/1989 | 63,000 | 11,000 | NA | 5,500 | 5,500 | 3,200 | 9,500 | NA | NA | NA | NA | NA | NA | 6.64 | 4.04 | 2.60 | NA |
| MW-1 | 12/15/1989 | 30,000 | 11,000 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 6.64 | 4.22 | 2.42 | NA |
| MW-1 | 02/07/1990 | 93,000 | 10,000 | NA | 13,000 | 9,600 | 2,400 | 14,000 | NA | NA | NA | NA | NA | NA | 6.64 | 4.60 | 2.04 | NA |
| MW-1 | 04/18/1990 | 55,000 | 8,700 | NA | 14,000 | 8,400 | 3,200 | 13,000 | NA | NA | NA | NA | NA | NA | 6.64 | 4.02 | 2.62 | NA |
| MW-1 | 07/23/1990 | 73,000 | 3,600 | NA | 16,000 | 7,400 | 2,800 | 15,000 | NA | NA | NA | NA | NA | NA | 6.64 | 4.17 | 2.47 | NA |
| MW-1 | 09/27/1990 | 45,000 | 1,700 | NA | 8,000 | 4,300 | 2,000 | 11,000 | NA | NA | NA | NA | NA | NA | 6.64 | 4.60 | 2.04 | NA |
| MW-1 | 01/03/1991 | 43,000 | 3,100 | NA | 10,000 | 3,400 | 1,900 | 11,000 | NA | NA | NA | NA | NA | NA | 6.64 | 4.88 | 1.76 | NA |
| MW-1 | 04/10/1991 | 67,000 | 1,800 | NA | 20,000 | 9,600 | 3,500 | 16,000 | NA | NA | NA | NA | NA | NA | 6.64 | 3.55 | 3.09 | NA |
| MW-1 | 07/12/1991 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.64 | 3.97 | 2.67 | NA |
| MW-1 | 10/08/1991 | 55,000 | 7,400 | NA | 18,000 | 3,500 | 2,300 | 8,600 | NA | NA | NA | NA | NA | NA | 6.64 | 4.26 | 2.38 | NA |
| MW-1 | 02/06/1992 | 48,000 | 15,000 a | NA | 12,000 | 2,800 | 1,900 | 7,400 | NA | NA | NA | NA | NA | NA | 6.64 | 4.94 | 1.70 | NA |
| MW-1 | 05/04/1992 | 71,000 | 10,000 a | NA | 16,000 | 6,000 | 3,100 | 14,000 | NA | NA | NA | NA | NA | NA | 6.64 | 3.58 | 3.06 | NA |
| MW-1 | 07/28/1992 | 68,000 | 18,000 a | NA | 21,000 | 5,500 | 3,400 | 15,000 | NA | NA | NA | NA | NA | NA | 6.64 | 3.91 | 2.73 | NA |
| MW-1 (D) | 07/28/1992 | 70,000 | 19,000 a | NA | 17,000 | 5,000 | 2,700 | 13,000 | NA | NA | NA | NA | NA | NA | 6.64 | 3.91 | 2.73 | NA |
| MW-1 | 10/27/1992 | 53,000 | 1,300 | NA | 18,000 | 3,700 | 3,400 | 11,000 | NA | NA | NA | NA | NA | NA | 6.64 | 4.79 | 1.85 | NA |
| MW-1 (D) | 10/27/1992 | 48,000 | 2,500 a | NA | 17,000 | 3,600 | 3,100 | 9,900 | NA | NA | NA | NA | NA | NA | 6.64 | 4.79 | 1.85 | NA |
| MW-1 | 01/14/1993 | 84,000 | 2,200 a | NA | 17,000 | 5,400 | 3,000 | 13,000 | NA | NA | NA | NA | NA | NA | 6.64 | 3.39 | 3.25 | NA |
| MW-1 | 04/23/1993 | 100,000 | 2,300 a | NA | 18,000 | 7,800 | 4,700 | 20,000 | NA | NA | NA | NA | NA | NA | 6.64 | 2.67 | 3.97 | NA |
| MW-1 | 07/20/1993 | 41 a | 3,100 a | NA | 12,000 | 870 | 1,500 | 4,400 | NA | NA | NA | NA | NA | NA | 9.50 | 3.48 | 6.02 | NA |
| MW-1 | 10/18/1993 | 33,000 | 8,100 a | NA | 14,000 | 1,200 | 2,000 | 4,900 | NA | NA | NA | NA | NA | NA | 9.50 | 4.20 | 5.30 | NA |
| MW-1 (D) | 10/18/1993 | 44,000 | 3,700 a | NA | 14,000 | 1,200 | 2,000 | 4,900 | NA | NA | NA | NA | NA | NA | 9.50 | 4.20 | 5.30 | NA |
| MW-1 | 01/06/1994 | 71,000 | 9,000 a | NA | 9,000 | 870 | 1,600 | 5,100 | NA | NA | NA | NA | NA | NA | 9.50 | 4.13 | 5.37 | NA |
| MW-1 | 04/12/1994 | 42,000 | 5,900 | NA | 6,600 | 170 | 2,300 | 4,700 | NA | NA | NA | NA | NA | NA | 9.50 | 2.42 | 7.08 | NA |
| MW-1 (D) | 04/12/1994 | 40,000 | 4,700 | NA | 6,300 | 180 | 2,000 | 4,400 | NA | NA | NA | NA | NA | NA | 9.50 | 2.42 | 7.08 | NA |
| MW-1 | 07/25/1994 | 13,000 | 7,000 a | NA | 4,400 | 110 | 460 | 1,400 | NA | NA | NA | NA | NA | NA | 9.50 | 3.37 | 6.13 | NA |
| MW-1 | 10/25/1994 | 19,000 | 3,900 | NA | 5,500 | 210 | 880 | 2,000 | NA | NA | NA | NA | NA | NA | 9.50 | 4.07 | 5.43 | NA |
| MW-1 | 01/09/1995 | 37,000 | 8,600 a | NA | 6,700 | 800 | 2,800 | 8,900 | NA | NA | NA | NA | NA | NA | 9.50 | 2.65 | 6.85 | NA |
| MW-1 | 04/11/1995 | 26,000 | 5,500 | NA | 4,700 | 270 | 1,800 | 3,400 | NA | NA | NA | NA | NA | NA | 9.50 | 2.38 | 7.12 | NA |
| MW-1 | 07/18/1995 | 57,000 | 7,000 | NA | 7,500 | 880 | 4,100 | 11,000 | NA | NA | NA | NA | NA | NA | 9.50 | 3.49 | 6.01 | NA |
| MW-1 (D) | 07/19/1995 | 46,000 | 6,600 | NA | 6,000 | 670 | 3,200 | 7,500 | NA | NA | NA | NA | NA | NA | 9.50 | 3.49 | 6.01 | NA |
| MW-1 | 10/18/1995b | 37,000 | 3,200 | NA | 5,400 | 450 | 2,600 | 7,400 | 10,000 | NA | NA | NA | NA | NA | 9.50 | NA | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|-------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-1 | 01/09/1996 | 32,000 | NA | NA | 3,000 | 240 | 1,900 | 3,500 | 6,100 | NA | NA | NA | NA | NA | 9.50 | 2.95 | 6.55 | NA |
| MW-1 | 04/02/1996 | 30,000 | NA | NA | 3,100 | 260 | 2.0 | 3,900 | 8.0 | NA | NA | NA | NA | NA | 9.50 | 2.00 | 7.50 | NA |
| MW-1 | 10/03/1996 | 18,000 | 2,800 | NA | 3,000 | 120 | 1,200 | 1,700 | 7,500 | NA | NA | NA | NA | NA | 9.50 | 3.21 | 6.29 | 2.2 |
| MW-1 | 04/03/1997 | 29,000 | 3,000 | NA | 2,300 | 170 | 2,300 | 2,900 | 4,300 | NA | NA | NA | NA | NA | 9.50 | 2.84 | 6.66 | 2.2 |
| MW-1 | 10/08/1997 | 22,000 | 3,600 | NA | 920 | 71 | 2,400 | 2,200 | 820 | NA | NA | NA | NA | NA | 9.50 | 2.58 | 6.92 | 1.5 |
| MW-1 | 06/10/1998 | 13,000 | 2,900 | NA | 860 | <100 | 1,300 | 500 | 29,000 | 32,000 | NA | NA | NA | NA | 9.50 | 2.67 | 6.83 | 0.5/0.5 |
| MW-1 (D) | 06/10/1998 | 9,400 | 2,100 | NA | 870 | <50 | 1,300 | 520 | 28,000 | NA | NA | NA | NA | NA | 9.50 | 4.68 | 4.82 | 1.6/1.4 |
| MW-1 | 12/30/1998 | 6,930 | 1,540 | NA | 714 | 52.7 | 243 | <25.0 | 9,000 | NA | NA | NA | NA | NA | 9.50 | 2.86 | 6.64 | 1.2/2.1 |
| MW-1 * | 06/25/1999 | 12,600 | NA | NA | 1,110 | 44.7 | 1,340 | 710 | 6,080 | NA | NA | NA | NA | NA | 9.50 | 3.23 | 6.27 | 1.4/1.8 |
| MW-1 | 12/28/1999 | 3,260 | 1,170 | NA | 527 | 14.0 | 50.7 | 40.3 | 5,430 | 7,060 b | NA | NA | NA | NA | 9.50 | 2.39 | 7.11 | 0.98/2.27 |
| MW-1 | 05/31/2000 | 6,820 | 2,050 | NA | 1,620 | <50.0 | 116 | <50.0 | 6,070 | 4,710 | NA | NA | NA | NA | 9.50 | 2.05 | 7.45 | 4.0/3.1 |
| MW-1 | 10/17/2000 | 2,530 | 995 a | NA | 388 | <10.0 | 16.4 | 22.1 | 917 | NA | NA | NA | NA | NA | 9.50 | 3.55 | 5.95 | 1.6/1.3 |
| MW-1 | 05/01/2001 | 12,300 | 1,510 | NA | 1,480 | 19.5 | 205 | 111 | 4,160 | NA | NA | NA | NA | NA | 9.50 | 3.55 | 5.95 | 1.6/1.3 |
| MW-1 | 11/05/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.85 e | 4.43 | 5.42 | 0.4 |
| MW-1 | 11/07/2001 | 3,000 | <1,000 | NA | 290 | 6.0 | 11 | 15 | NA | 870 | NA | NA | NA | NA | 9.85 | 4.00 | 5.85 | 2.1/1.4 |
| MW-1 | 05/01/2002 | 11,000 | <2,000 | NA | 2,100 | 29 | 180 | 68 | NA | 1,500 | NA | NA | NA | NA | 9.85 | 3.14 | 6.71 | 3.4/2.3 |
| MW-1 | 07/16/2002 | 7,400 | <1,500 | NA | 1,200 | 22 | 37 | 24 | NA | 1,900 | NA | NA | NA | NA | 9.85 | 3.69 | 6.16 | 0.9/0.8 |
| MW-1 | 10/17/2002 | 4,600 | <2,000 | NA | 810 | 16 | 68 | 31 | NA | 1,600 | NA | NA | NA | NA | 9.44 | 4.76 | 4.68 | 0.8/1.2 |
| MW-1 | 01/21/2003 | 11,000 | <7,000 | NA | 1,100 | 28 | 210 | 53 | NA | 1,100 | NA | NA | NA | NA | 9.44 | 3.50 | 5.94 | 0.3/0.7 |
| MW-1 | 05/01/2003 | 13,000 | 4,900 a | NA | 1,500 | 33 | 260 | 68 | NA | 1,700 | NA | NA | NA | NA | 9.44 | 3.04 | 6.40 | NA |
| MW-1 | 07/17/2003 | 10,000 | 3,200 a,f | NA | 2,400 | <50 | 250 | <100 | NA | 3,100 | NA | NA | NA | NA | 9.44 | 3.92 | 5.52 | NA |
| MW-1 | 10/02/2003 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.44 | NA | NA | NA |
| MW-1 | 10/16/2003 | 8,500 | 3,700 a | NA | 1,100 | 26 | 140 | 41 | NA | 1,700 | NA | NA | NA | NA | 9.44 | 4.65 | 4.79 | NA |
| MW-1 | 01/05/2004 | 11,000 | 4,300 a | NA | 1,600 | 29 | 200 | 45 | NA | 1,400 | NA | NA | NA | NA | 9.44 | 2.39 | 7.05 | NA |
| MW-1 | 04/01/2004 | 10,000 | 3,700 a | NA | 1,500 | 28 | 330 | 59 | NA | 630 | NA | NA | NA | NA | 9.44 | 3.06 | 6.38 | NA |
| MW-1 | 08/02/2004 | 9,100 | 4,600 a | <1,000 | 1,700 | 17 | 200 | 24 | NA | 1,700 | <40 | <40 | <40 | 2,900 | 9.44 | 4.50 | 4.94 | NA |
| MW-1 | 11/02/2004 | 9,100 | 3,100 g | <500 | 2,100 | 50 | 140 | 70 | NA | 680 | NA | NA | NA | NA | 9.44 | 3.08 | 6.36 | NA |
| MW-1 | 01/10/2005 | 21,000 | 3,600 g | <500 | 2,700 | 31 | 1,000 | 880 | NA | 1,000 | NA | NA | NA | NA | 9.44 | 2.43 | 7.01 | NA |
| MW-1 | 04/13/2005 | 8,800 | 2,500 a | 740 | 1,500 | 20 | 180 | 130 | NA | 430 | NA | NA | NA | NA | 9.44 | 2.44 | 7.00 | NA |
| MW-1 | 07/20/2005 | 11,000 | 5,900 g | 530 | 880 | 23 | 150 | 99 | NA | 570 | <40 | <40 | <40 | 2,100 | 9.44 | 4.65 | 4.79 | NA |
| MW-1 | 10/24/2005 | 8,900 | 5,100 a | 1,100 l | 2,100 | 23 | 68 | 37 | NA | 780 | NA | NA | NA | 760 | 9.37 | 3.70 | 5.67 | NA |
| MW-1 | 01/04/2006 | 11,800 | 2,830 f | 279 f | 562 | 12.6 | 35.0 | 24.4 | NA | 99.2 | NA | NA | NA | 90.7 | 9.37 | 1.92 | 7.45 | NA |
| MW-1 | 07/26/2006 | 12,700 | 5,100 | 690 | 389 | 15.9 | 55.5 | 40.1 | NA | 727 | <0.500 | <0.500 | <0.500 | 841 | 9.37 | 3.18 | 6.19 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-------------|-------------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-1 | 01/02/2007 | 8,700 | 1,200 f | <100 f | 1,000 | 23 | 59 | 32 | NA | 230 | NA | NA | NA | <5.0 | 9.37 | 3.21 | 6.16 | NA |
| MW-1 | 07/12/2007 | 6,600 m | 2,500 f | <250 f | 1,400 | 22 n | 47 | 28.0 n | NA | 390 | <50 | <50 | <50 | 310 | 9.37 | 3.91 | 5.46 | NA |
| MW-1 | 01/10/2008 | 7,100 m | 1,400 f,o | <250 f | 1,500 | 25 | 39 | 34 | NA | 190 | NA | NA | NA | 840 | 9.37 | 3.03 | 6.34 | NA |
| MW-1 | 07/31/2008 | 12,000 | 2,500 f,o | <250 f | 930 | 26 | 33 | 29 | NA | 86 | <40 | <40 | <40 | <200 | 9.37 | 3.72 | 5.65 | NA |
| MW-1 | 01/06/2009 | 6,200 | 2,600 f,o | <250 f | 840 | 29 | 72 | 41 | NA | 180 | NA | NA | NA | 260 | 9.37 | 3.73 | 5.64 | NA |
| MW-1 | 07/01/2009 | 710 | 95 f | <250 f | 110 | 7.7 | 3.8 | 4.1 | NA | 37 | <2.0 | <2.0 | <2.0 | 110 | 9.37 | 3.92 | 5.45 | NA |
| MW-2 | 02/16/1989 | 20,000 | NA | NA | 200 | 900 | 2,700 | 9,600 | NA | NA | NA | NA | NA | NA | 7.68 | 5.33 | 2.35 | NA |
| MW-2 | 05/23/1989 | 1,500 | 1,600 | NA | 4.3 | 2.9 | 11 | 150 | NA | NA | NA | NA | NA | NA | 7.68 | 5.23 | 2.45 | NA |
| MW-2 | 08/03/1989 | 15,000 | 7,400 | NA | 75 | 120 | 850 | 2,200 | NA | NA | NA | NA | NA | NA | 7.68 | 6.03 | 1.65 | NA |
| MW-2 | 12/15/1989 | 5,000 | 2,600 | NA | 52 | 13 | 4.1 | 290 | NA | NA | NA | NA | NA | NA | 7.68 | 6.43 | 1.25 | NA |
| MW-2 | 02/07/1990 | 13,000 | 4,800 | NA | 32 | 34 | 230 | 640 | NA | NA | NA | NA | NA | NA | 7.68 | 5.88 | 1.80 | NA |
| MW-2 | 04/18/1990 | 9,800 | 3,200 | NA | 33 | 19 | 460 | 1,700 | NA | NA | NA | NA | NA | NA | 7.68 | 6.05 | 1.63 | NA |
| MW-2 | 07/23/1990 | 9,600 | 2,700 | NA | 41 | 27 | 540 | 940 | NA | NA | NA | NA | NA | NA | 7.68 | NA | NA | NA |
| MW-2 | 10/01/1990 | 390 | 1,600 | NA | 3.4 | 15 | 8.5 | 25 | NA | NA | NA | NA | NA | NA | 7.68 | 6.82 | 0.86 | NA |
| MW-2 | 01/03/1991 | 1,800 | 830 | NA | 56 | 4.4 | 4.8 | 92 | NA | NA | NA | NA | NA | NA | 7.68 | 4.80 | 2.88 | NA |
| MW-2 | 04/10/1991 | 1,900 | 280 | NA | ND | 28 | 140 | 490 | NA | NA | NA | NA | NA | NA | 7.68 | 5.70 | 1.98 | NA |
| MW-2 | 07/12/1991 | 8,100 | 1,100 | NA | 89 | 66 | 350 | 930 | NA | NA | NA | NA | NA | NA | 7.68 | 6.40 | 1.28 | NA |
| MW-2 | 10/08/1991 | 1,400 | 2,600 | NA | 5.1 | 1.5 | 36 | 270 | NA | NA | NA | NA | NA | NA | 7.68 | 6.40 | 1.28 | NA |
| MW-2 | 02/06/1992 | 2,000 | 5,400 a | NA | 7.8 | 2.5 | 130 | 210 | NA | NA | NA | NA | NA | NA | 7.68 | 4.68 | 3.00 | NA |
| MW-2 | 05/04/1992 | 21 | 1,000 | NA | ND | ND | 300 | 960 | NA | NA | NA | NA | NA | NA | 7.68 | 5.86 | 1.82 | NA |
| MW-2 | 07/28/1992 | 2,100 | 830 a | NA | 7.7 | 3.3 | 130 | 310 | NA | NA | NA | NA | NA | NA | 7.68 | 5.86 | 0.72 | NA |
| MW-2 | 10/27/1992 | 1,100 | 530 | NA | 16 | 3.1 | 4.5 | 25 | NA | NA | NA | NA | NA | NA | 7.68 | 6.96 | 0.72 | NA |
| MW-2 | 01/14/1993 | 290 | 170 a | NA | 5.2 | 3.1 | 8.4 | 21 | NA | NA | NA | NA | NA | NA | 7.68 | 4.12 | 3.56 | NA |
| MW-2 | 04/23/1993 | 2,400 | 1,200 a | NA | ND | ND | 210 | 610 | NA | NA | NA | NA | NA | NA | 7.68 | 3.84 | 3.84 | NA |
| MW-2 | 07/20/1993 | 440 | 130 | NA | 1.7 | 1.7 | 15 | 38 | NA | NA | NA | NA | NA | NA | 10.55 | 5.17 | 5.38 | NA |
| MW-2 | 10/18/1993 | 2,100 | 1,600 a | NA | ND | ND | 90 | 110 | NA | NA | NA | NA | NA | NA | 10.55 | 6.20 | 4.35 | NA |
| MW-2 | 01/06/1994 | 1.9 a | 130 | NA | ND | 6.7 | 7.1 | 12 | NA | NA | NA | NA | NA | NA | 10.55 | 4.72 | 5.83 | NA |
| MW-2 | 04/12/1994 | 120 | 130 | NA | ND | ND | 3.4 | 4.3 | NA | NA | NA | NA | NA | NA | 10.55 | 5.44 | 5.11 | NA |
| MW-2 | 07/25/1994 | 0.18 a | 280 a | NA | 5.3 | ND | 6.2 | 8.2 | NA | NA | NA | NA | NA | NA | 10.55 | 6.73 | 3.82 | NA |
| MW-2 | 10/25/1994 | 170 | 400 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.55 | 4.34 | 6.21 | NA |
| MW-2 | 01/09/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.55 | 3.72 | 6.83 | NA |
| MW-2 | 04/11/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.55 | 3.72 | 6.83 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|-------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-2 | 07/18/1995 | 250 | 160 | NA | 2.8 | 0.5 | 12 | 13 | NA | NA | NA | NA | NA | NA | 10.55 | 4.91 | 5.64 | NA |
| MW-2 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.55 | 5.88 | 4.67 | NA |
| MW-2 | 01/09/1996 | 790 | 130 | NA | 5.1 | 1.5 | 2.4 | 4.6 | 1,400 | NA | NA | NA | NA | NA | 10.55 | 4.75 | 5.80 | NA |
| MW-2 | 04/02/1996 | 260 | NA | NA | <2 | <2 | 13 | 6.9 | 540 | NA | NA | NA | NA | NA | 10.55 | 3.25 | 7.30 | NA |
| MW-2 | 10/03/1996 | <2,000 | 620 | NA | <20 | <20 | <20 | <20 | 13,000 | NA | NA | NA | NA | NA | 10.55 | 5.27 | 5.28 | 2.3 |
| MW-2 | 04/03/1997 | <1,000 | 190 | NA | <10 | <10 | <10 | <10 | 2,800 | NA | NA | NA | NA | NA | 10.55 | 3.99 | 6.56 | 2.2 |
| MW-2 | 10/08/1997 | <5,000 | 1,100 | NA | <50 | <50 | <50 | <50 | d | NA | NA | NA | NA | NA | 10.55 | 5.03 | 5.52 | 1.6 |
| MW-2 | 06/10/1998 | 120 | 310 | NA | 1.7 | <1.0 | <1.0 | <1.0 | 3,800 | NA | NA | NA | NA | NA | 10.55 | 4.11 | 6.44 | 0.7/0.6 |
| MW-2 | 12/30/1998 | <5,000 | 1,050 | NA | <50.0 | <50.0 | <50.0 | <50.0 | 12,100 | 15,300 | NA | NA | NA | NA | 10.55 | 4.76 | 5.79 | 1.3/1.2 |
| MW-2 * | 06/25/1999 | <1,000 | NA | NA | <10.0 | <10.0 | <10.0 | <10.0 | 7,570 | NA | NA | NA | NA | NA | 10.55 | 4.63 | 5.92 | 2.3/2.5 |
| MW-2 | 12/28/1999 | 228 | 446 | NA | 4.54 | <0.500 | <0.500 | <0.500 | 4,260 | NA | NA | NA | NA | NA | 10.55 | 4.95 | 5.60 | 2.1/2.4 |
| MW-2 | 05/31/2000 | 597 | 187 | NA | 19.3 | <0.500 | 0.860 | <0.500 | 2,480 | NA | NA | NA | NA | NA | 10.55 | 4.06 | 6.49 | 1.8/2.7 |
| MW-2 | 10/17/2000 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.55 | NA | NA | NA |
| MW-2 | 05/01/2001 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.55 | NA | NA | NA |
| MW-2 | 11/05/2001 | <500 | 610 | NA | <5.0 | <5.0 | <5.0 | <5.0 | NA | 1,800 | NA | NA | NA | NA | 10.55 | 6.12 | 4.43 | 0.6/1.1 |
| MW-2 | 05/01/2002 | 440 | <50 | NA | <2.5 | <2.5 | <2.5 | <2.5 | NA | 1,300 | NA | NA | NA | NA | 10.55 | 3.85 | 6.70 | 6.2/0.9 |
| MW-2 | 07/16/2002 | <500 | 250 | NA | <5.0 | <5.0 | <5.0 | <5.0 | NA | 2,100 | NA | NA | NA | NA | 10.55 | 4.56 | 5.99 | 0.9/1.3 |
| MW-2 | 10/17/2002 | 280 | 240 | NA | <1.0 | <1.0 | <1.0 | <1.0 | NA | 270 | NA | NA | NA | NA | 10.10 | 5.90 | 4.20 | 0.6/2.2 |
| MW-2 | 01/21/2003 | 160 | 72 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | 380 | NA | NA | NA | NA | 10.10 | 4.11 | 5.99 | 0.5/1.0 |
| MW-2 | 05/01/2003 | 350 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 110 | NA | NA | NA | NA | 10.10 | 4.18 | 5.92 | NA |
| MW-2 | 07/17/2003 | 120 | 61 a,f | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 14 | NA | NA | NA | NA | 10.10 | 4.72 | 5.38 | NA |
| MW-2 | 10/02/2003 | 190 | 200 a | NA | 1.6 | <0.50 | <0.50 | <1.0 | NA | 17 | NA | NA | NA | NA | 10.10 | 5.76 | 4.34 | NA |
| MW-2 | 01/05/2004 | 77 | <50 | NA | <0.50 | 0.86 | <0.50 | <1.0 | NA | 1.3 | NA | NA | NA | NA | 10.10 | 3.28 | 6.82 | NA |
| MW-2 | 04/01/2004 | 450 a | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 1.6 | NA | NA | NA | NA | 10.10 | 3.71 | 6.39 | NA |
| MW-2 | 08/02/2004 | 110 | 130 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 3.9 | <2.0 | <2.0 | <2.0 | 150 | 10.10 | 5.50 | 4.60 | NA |
| MW-2 | 11/02/2004 | 130 | 55 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 1.7 | NA | NA | NA | NA | 10.10 | 4.37 | 5.73 | NA |
| MW-2 | 01/10/2005 | 81 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 0.65 | NA | NA | NA | NA | 10.10 | 3.70 | 6.40 | NA |
| MW-2 | 04/13/2005 | 500 | <50 j,k | <500 j,k | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.10 | 3.13 | 6.97 | NA |
| MW-2 | 07/20/2005 | 810 | 330 a | <500 | 11 | <5.0 | <5.0 | <10 | NA | 11 | <20 | <20 | <20 | 1,800 | 10.10 | 5.75 | 4.35 | NA |
| MW-2 | 10/24/2005 | 320 | 100 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 4.7 | NA | NA | NA | 570 | 10.07 | 5.30 | 4.77 | NA |
| MW-2 | 01/04/2006 | <50.0 | <100 f | <100 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | <10.0 | 10.07 | 2.35 | 7.72 | NA |
| MW-2 | 07/26/2006 | 402 | <93.9 | 295 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 2.11 | <0.500 | <0.500 | <0.500 | 19.4 | 10.07 | 4.40 | 5.67 | NA |
| MW-2 | 01/02/2007 | 210 | <50 f | <100 f | <0.50 | <0.50 | <0.50 | <1.0 | NA | 1.7 | NA | NA | NA | <5.0 | 10.07 | 4.37 | 5.70 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-------------|-------------------|-------------------|-----------------------|--------------------------|-----------------|----------------|----------------|----------------|------------------|------------------|----------------|----------------|----------------|------------|--------------|----------------------|--------------------|------------------|
| MW-2 | 07/12/2007 | 140 m | 85 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 2.9 | <2.0 | <2.0 | <2.0 | 150 | 10.07 | 5.12 | 4.95 | NA |
| MW-2 | 01/10/2008 | 110 m | 54 f,o | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 2.0 | NA | NA | NA | 45 | 10.07 | 3.81 | 6.26 | NA |
| MW-2 | 07/31/2008 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.07 | NA | NA | NA |
| MW-2 | 08/07/2008 | 68 | 56 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 4.8 | <2.0 | <2.0 | <2.0 | 290 | 10.07 | 5.30 | 4.77 | NA |
| MW-2 | 01/06/2009 | 80 | 66 f | 290 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 4.1 | NA | NA | NA | 330 | 10.07 | 4.78 | 5.29 | NA |
| MW-2 | 07/01/2009 | 310 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 2.9 | <2.0 | <2.0 | <2.0 | 180 | 10.07 | 4.74 | 5.33 | NA |
| MW-3 | 02/16/1989 | 60,000 | NA | NA | 5,500 | ND | 3,200 | 5,200 | NA | NA | NA | NA | NA | NA | 7.81 | 5.17 | 2.64 | NA |
| MW-3 | 05/23/1989 | ND | 1,500 | NA | ND | 200 | ND | ND | NA | NA | NA | NA | NA | NA | 7.81 | 5.09 | 2.72 | NA |
| MW-3 | 08/03/1989 | 2,000 | 1,200 | NA | 120 | ND | ND | 86 | NA | NA | NA | NA | NA | NA | 7.81 | 5.34 | 2.47 | NA |
| MW-3 | 12/15/1989 | 5,200 | 1,700 | NA | 380 | 12 | 17 | 410 | NA | NA | NA | NA | NA | NA | 7.81 | 6.02 | 1.79 | NA |
| MW-3 | 02/07/1990 | 260 | 230 | NA | 17 | 47 | 5.4 | 2.5 | NA | NA | NA | NA | NA | NA | 7.81 | 4.95 | 2.86 | NA |
| MW-3 | 04/18/1990 | 260 | ND | NA | ND | ND | ND | 9.4 | NA | NA | NA | NA | NA | NA | 7.81 | 5.55 | 2.26 | NA |
| MW-3 | 07/23/1990 | 510 | 210 | NA | 46 | ND | ND | 9.3 | NA | NA | NA | NA | NA | NA | 7.81 | 5.81 | 2.00 | NA |
| MW-3 | 09/27/1990 | 460 | 350 | NA | 6.3 | 1.2 | ND | 15 | NA | NA | NA | NA | NA | NA | 7.81 | 6.86 | 0.95 | NA |
| MW-3 | 01/03/1991 | 4,800 | 630 | NA | 920 | 1.7 | ND | 190 | NA | NA | NA | NA | NA | NA | 7.81 | 6.84 | 0.97 | NA |
| MW-3 | 04/10/1991 | 120 | 60 | NA | 1.2 | 8.8 | 3.5 | 21 | NA | NA | NA | NA | NA | NA | 7.81 | 4.93 | 2.88 | NA |
| MW-3 | 07/12/1991 | 430 | ND | NA | 12 | 0.8 | ND | 7.7 | NA | NA | NA | NA | NA | NA | 7.81 | 5.56 | 2.25 | NA |
| MW-3 | 10/08/1991 | 770 | 560 | NA | 140 | ND | ND | 53 | NA | NA | NA | NA | NA | NA | 7.81 | 6.62 | 1.19 | NA |
| MW-3 | 02/06/1992 | 500 | 340 a | NA | 74 | 0.7 | 5.2 | 5.3 | NA | NA | NA | NA | NA | NA | 7.81 | 6.28 | 1.53 | NA |
| MW-3 | 05/04/1992 | 310 | 290 a | NA | 47 | 0.9 | 17 | 16 | NA | NA | NA | NA | NA | NA | 7.81 | 4.65 | 3.16 | NA |
| MW-3 | 07/28/1992 | 780 | 100 a | NA | 130 | ND | 13 | 4.2 | NA | NA | NA | NA | NA | NA | 7.81 | 5.56 | 2.25 | NA |
| MW-3 | 10/27/1992 | 740 | 69 a | NA | 92 | ND | 7.8 | 9.6 | NA | NA | NA | NA | NA | NA | 7.81 | 6.65 | 1.16 | NA |
| MW-3 | 01/14/1993 | ND | ND | NA | 2.4 | 2.8 | ND | ND | NA | NA | NA | NA | NA | NA | 7.81 | 3.88 | 3.93 | NA |
| MW-3 | 04/23/1993b | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.81 | NA | NA | NA |
| MW-3 | 07/20/1993b | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | NA | NA | NA |
| MW-3 | 10/18/1993b | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.54 | NA | NA |
| MW-3 | 01/06/1994 | 130 | 64 | NA | 1.7 | ND | ND | 0.93 | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.82 | NA | NA |
| MW-3 | 04/12/1994 | ND | 75 | NA | 0.82 | ND | ND | 0.7 | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 6.03 (TOB) | 5.22 | NA |
| MW-3 | 07/25/1994 | 0.06 a | ND | NA | 2.8 | ND | ND | 0.7 | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 6.48 | NA | NA |
| MW-3 | 10/25/1994 | 70 | 100 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.86 (TOB) | 6.39 | NA |
| MW-3 | 01/09/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.22 (TOB) | 7.03 | NA |
| MW-3 | 04/11/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.22 (TOB) | 7.03 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-3 | 07/18/1995 | ND | 90 | NA | 2.8 | ND | ND | ND | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.44 (TOB) | 5.81 | NA |
| MW-3 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.72 | NA | NA |
| MW-3 | 01/09/1996 | 90 | 90 | NA | 1.7 | ND | <0.5 | <0.5 | 61 | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.96 | NA | NA |
| MW-3 | 04/02/1996 | <50 | NA | NA | <0.5 | <0.5 | <0.5 | <0.5 | 24 | NA | NA | NA | NA | NA | 11.25 (TOB) | 3.43 | NA | NA |
| MW-3 | 10/03/1996 | <500 | 180 | NA | <5 | <5 | <5 | <5 | 1,200 | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.39 | NA | 2.4 |
| MW-3 | 04/03/1997 | 150 | 83 | NA | 3.2 | <0.50 | <0.50 | 0.81 | 280 | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.20 | NA | 2.0 |
| MW-3 | 10/08/1997 | 180 | 120 | NA | 7.3 | 0.68 | 0.54 | 3.9 | 1,700 | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.51(TOB) | 5.74 | 2.1 |
| MW-3 | 06/10/1998 | 130 | 120 | NA | 12 | 0.85 | <0.50 | 2.1 | 600 | NA | NA | NA | NA | NA | 11.25 (TOB) | 3.91(TOB) | 7.34 | 0.8/0.9 |
| MW-3 | 12/30/1998 | <250 | 108 | NA | <2.50 | <2.50 | <2.50 | <2.50 | 1,010 | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.76 (TOB) | 5.49 | 1.3/1.4 |
| MW-3 * | 06/25/1999 | 269 | NA | NA | 4.24 | <2.50 | <2.50 | <2.50 | 1,180 | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.73 | NA | 1.4/1.9 |
| MW-3 | 12/28/1999 | 333 | 122 | NA | 41.4 | 6.48 | 6.57 | 21.3 | 2,680 | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.75 (TOB) | 5.50 | 1.3/1.5 |
| MW-3 | 05/31/2000 | 1,180 | 89.2 | NA | 19.1 | 1.92 | 3.26 | <1.00 | 2,130 | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.96 (TOB) | 6.29 | 1.2/2.2 |
| MW-3 | 10/17/2000 | 156 | 183 a | NA | 5.22 | 0.819 | <0.500 | 1.53 | 2,250 | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.70 (TOB) | 5.55 | 2.0/2.1 |
| MW-3 | 05/01/2001 | 286 | 95.9 | NA | <2.50 | <2.50 | <2.50 | <2.50 | 1,470 | NA | NA | NA | NA | NA | 11.25 (TOB) | 4.88 (TOB) | 6.37 | 1.9/2.7 |
| MW-3 | 05/29/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.25 (TOB) | 5.25 (TOB) | 6.00 | 3.0/1.9 |
| MW-3 | 11/05/2001 | <500 | <50 | NA | <5.0 | <5.0 | <5.0 | <5.0 | NA | 2,100 | NA | NA | NA | NA | 11.25 (TOB) | 6.25 (TOB) | 5.00 | 0.5/1.9 |
| MW-3 | 05/01/2002 | <100 | 80 | NA | <1.0 | <1.0 | <1.0 | <1.0 | NA | 430 | NA | NA | NA | NA | 11.25 (TOB) | 4.77 (TOB) | 6.48 | 4.1/0.7 |
| MW-3 | 07/16/2002 | 410 | 340 | NA | 12 | 2.0 | <2.0 | 3.5 | NA | 530 | NA | NA | NA | NA | 11.25 (TOB) | 5.44 (TOB) | 5.81 | 0.3/1.7 |
| MW-3 | 10/17/2002 | 220 | 82 | NA | 2.5 | <2.0 | <2.0 | 2.3 | NA | 25 | NA | NA | NA | NA | 10.58 | 6.03 | 4.55 | 0.8/2.4 |
| MW-3 | 01/21/2003 | <50 | 150 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | 28 | NA | NA | NA | NA | 10.58 | 4.30 | 6.28 | 1.2/1.0 |
| MW-3 | 05/01/2003 | 60 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 16 | NA | NA | NA | NA | 10.58 | 4.30 | 6.28 | NA |
| MW-3 | 07/17/2003 | 120 | <50 | NA | 1.2 | <0.50 | <0.50 | <1.0 | NA | 11 | NA | NA | NA | NA | 10.58 | 5.36 | 5.22 | NA |
| MW-3 | 10/02/2003 | 160 | 56 a | NA | 3.1 | 1.1 | <0.50 | 2.1 | NA | 8.2 | NA | NA | NA | NA | 10.58 | 6.00 | 4.58 | NA |
| MW-3 | 01/05/2004 | 54 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 15 | NA | NA | NA | NA | 10.58 | 4.44 | 6.14 | NA |
| MW-3 | 04/01/2004 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 4.2 | NA | NA | NA | NA | 10.58 | 4.29 | 6.29 | NA |
| MW-3 | 08/02/2004 | 300 | <50 | <500 | <2.5 | <2.5 | <2.5 | <5.0 | NA | 17 | <10 | <10 | <10 | 1,900 | 10.58 | 5.80 | 4.78 | NA |
| MW-3 | 11/02/2004 | 72 | <50 | <500 | 0.51 | <0.50 | <0.50 | <1.0 | NA | 3.0 | NA | NA | NA | NA | 10.58 | 5.00 | 5.58 | NA |
| MW-3 | 01/10/2005 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.58 | 3.01 | 7.57 | NA |
| MW-3 | 04/13/2005 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 0.69 | NA | NA | NA | NA | 10.58 | 2.89 | 7.69 | NA |
| MW-3 | 07/20/2005 | 300 | 60 g | <500 | 1.3 | 0.61 | <0.50 | 1.2 | NA | 4.7 | <2.0 | <2.0 | <2.0 | 780 | 10.58 | 5.10 | 5.48 | NA |
| MW-3 | 10/24/2005 | 210 | 57 a | <500 | 1.2 | <1.0 | <1.0 | <2.0 | NA | 6.3 | NA | NA | NA | 1,300 | 10.58 | 5.68 | 4.90 | NA |
| MW-3 | 01/04/2006 | <50.0 | <100 f | <100 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | <10.0 | 10.58 | 2.80 | 7.78 | NA |
| MW-3 | 07/26/2006 | 681 | 94.6 | 264 | 1.67 | 1.04 | <0.500 | 1.75 | NA | 13.4 | <0.500 | <0.500 | <0.500 | 1,500 | 10.58 | 4.70 | 5.88 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-------------|-------------------|----------------|-----------------------------|--------------------------------|-------------|----------------|----------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-3 | 01/02/2007 | 150 | <50 f | <100 f | <0.50 | <0.50 | <0.50 | <1.0 | NA | 3.7 | NA | NA | NA | 600 | 10.58 | 4.96 | 5.62 | NA |
| MW-3 | 07/12/2007 | 240 m | <50 f | <250 f | 0.28 n | 0.45 n | <1.0 | 0.93 n | NA | 9.6 | <2.0 | 0.48 n | <2.0 | 1,000 | 10.58 | 5.50 | 5.08 | NA |
| MW-3 | 01/10/2008 | 160 m | 82 f, e | <250 f | <1.0 | <2.0 | <2.0 | <2.0 | NA | 4.2 | NA | NA | NA | 940 | 10.58 | 4.72 | 5.86 | NA |
| MW-3 | 07/31/2008 | 160 | <50 f | <250 f | <1.0 | <2.0 | <2.0 | <2.0 | NA | 11 | <4.0 | <4.0 | <4.0 | 1,300 | 10.58 | 5.63 | 4.95 | NA |
| MW-3 | 01/06/2009 | 130 | 220 f | 310 f | <1.0 | <2.0 | <2.0 | <2.0 | NA | 8.9 | NA | NA | NA | 870 | 10.58 | 5.48 | 5.10 | NA |
| MW-3 | 07/01/2009 | 170 | 260 f | <250 f | 6.7 | <1.0 | <1.0 | 1.4 | NA | 16 | <2.0 | <2.0 | <2.0 | 640 | 10.58 | 5.31 | 5.27 | NA |
| MW-4 | 05/23/1989 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 5.60 | 1.78 | NA |
| MW-4 | 08/03/1989 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 6.37 | 1.01 | NA |
| MW-4 | 12/15/1989 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 6.91 | 0.47 | NA |
| MW-4 | 03/08/1990 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 6.06 | 1.32 | NA |
| MW-4 | 04/18/1990 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.38 | 5.84 | 1.54 | NA |
| MW-4 | 07/23/1990 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 6.92 | 0.46 | NA |
| MW-4 | 09/27/1991 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 8.03 | 0.65 | NA |
| MW-4 | 01/03/1991 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.38 | 7.54 | -0.16 | NA |
| MW-4 | 04/10/1991 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 5.06 | 2.32 | NA |
| MW-4 | 07/12/1991 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 6.86 | 0.52 | NA |
| MW-4 | 10/08/1991 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 7.44 | -0.06 | NA |
| MW-4 | 02/06/1992 | 120 | 2,500 a | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 7.29 | 0.09 | NA |
| MW-4 | 05/04/1992 | ND | 53 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 5.33 | 2.05 | NA |
| MW-4 | 07/28/1992 | ND | 60 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 6.95 | 0.43 | NA |
| MW-4 | 10/27/1992 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 7.65 | -0.27 | NA |
| MW-4 | 01/14/1993 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 4.84 | 2.54 | NA |
| MW-4 | 04/23/1993 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.38 | 4.84 | 2.54 | NA |
| MW-4 | 07/20/1993 | ND | ND | NA | 2.2 | ND | 1.1 | 7.7 | NA | NA | NA | NA | NA | NA | 10.28 | 6.47 | 3.81 | NA |
| MW-4 | 10/18/1993 | ND | ND | NA | ND | 1.2 | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 7.35 | 2.93 | NA |
| MW-4 | 01/06/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 7.64 | 2.64 | NA |
| MW-4 | 04/12/1994 | ND | 76 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 6.39 | 3.89 | NA |
| MW-4 | 07/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 7.00 | 3.28 | NA |
| MW-4 | 10/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 7.53 | 2.75 | NA |
| MW-4 | 01/09/1995 | ND | 70 a | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 4.90 | 5.38 | NA |
| MW-4 | 04/11/1995 | ND | 140 | NA | 1.5 | ND | 0.6 | 3.4 | NA | NA | NA | NA | NA | NA | 10.28 | 5.04 | 5.24 | NA |
| MW-4 | 07/18/1995 | ND | 160 | NA | 13 | 3.4 | ND | ND | NA | NA | NA | NA | NA | NA | 10.28 | 6.18 | 4.10 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-4 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 6.63 | 3.65 | NA |
| MW-4 | 01/09/1996 | <50 | ND | NA | <0.5 | ND | <0.5 | <0.5 | ND | NA | NA | NA | NA | NA | 10.28 | 3.82 | 6.46 | NA |
| MW-4 | 04/02/1996 | <50 | NA | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.28 | 3.97 | 6.31 | NA |
| MW-4 | 10/03/1996 | <50 | 81 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.28 | 3.74 | 6.54 | NA |
| MW-4 | 04/03/1997 | <50 | 69 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.28 | 3.74 | 6.54 | 1.8 |
| MW-4 | 10/08/1997 | <50 | 75 | NA | <0.50 | <0.50 | <0.50 | <0.50 | 13 | NA | NA | NA | NA | NA | 10.28 | 4.89 | 5.39 | 2.0 |
| MW-4 (D) | 10/08/1997 | <50 | NA | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.28 | 4.89 | 5.39 | 2.0 |
| MW-4 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 4.39 | 5.89 | NA |
| MW-4 | 12/30/1998 | <50.0 | 94.1 | NA | <0.500 | <0.500 | <0.500 | 0.580 | 7.33 | NA | NA | NA | NA | NA | 10.28 | 5.58 | 4.70 | 1.7/1.6 |
| MW-4 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 4.17 | 6.11 | NA |
| MW-4 | 12/28/1999 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | NA | NA | NA | NA | 10.28 | 4.54 | 5.74 | 1.4/1.5 |
| MW-4 | 05/31/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 3.85 | 6.43 | NA |
| MW-4 | 10/17/2000 | <50.0 | 274 a | NA | <0.500 | <0.500 | <0.500 | <0.500 | 9.40 | NA | NA | NA | NA | NA | 10.28 | 3.50 | 6.78 | 3.8/4.0 |
| MW-4 | 05/01/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 4.10 | 6.18 | NA |
| MW-4 | 11/05/2001 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | 8.4 | NA | NA | NA | NA | 10.28 | 5.21 | 5.07 | 1.3/1.5 |
| MW-4 | 05/01/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.28 | 4.28 | 6.00 | 2.6/1.1 |
| MW-4 | 07/16/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 3.87 | 6.41 | NA |
| MW-4 | 10/17/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 9.83 | 4.66 | 5.17 | 1.4/2.4 |
| MW-4 | 01/21/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.83 | 3.87 | 5.96 | NA |
| MW-4 | 05/01/2003 | <50 | 57 a | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <5.0 | NA | NA | NA | NA | 9.83 | 4.49 | 5.34 | NA |
| MW-4 | 07/17/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.83 | 5.46 | 4.37 | NA |
| MW-4 | 10/02/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 5.9 | NA | NA | NA | NA | 9.83 | 5.51 | 4.32 | NA |
| MW-4 | 01/05/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.83 | 3.83 | 6.00 | NA |
| MW-4 | 04/01/2004 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 3.0 | NA | NA | NA | NA | 9.83 | 4.43 | 5.40 | NA |
| MW-4 | 08/02/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.83 | 5.05 | 4.78 | NA |
| MW-4 | 11/02/2004 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 3.8 | NA | NA | NA | NA | 9.83 | 4.31 | 5.52 | NA |
| MW-4 | 01/10/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.83 | 3.51 | 6.32 | NA |
| MW-4 | 04/13/2005 | <50 | 83 a,j,k | <500 j,k | <0.50 | <0.50 | <0.50 | <1.0 | NA | 5.1 | NA | NA | NA | NA | 9.83 | 3.77 | 6.06 | NA |
| MW-4 | 07/20/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.83 | 5.91 | 3.92 | NA |
| MW-4 | 10/24/2005 | <50 | 92 g | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 3.9 | NA | NA | NA | NA | 9.83 | 3.98 | 5.85 | NA |
| MW-4 | 01/04/2006 | <50.0 | <100 f | <100 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | 2.90 | NA | NA | NA | <10.0 | 9.83 | 3.45 | 6.38 | NA |
| MW-4 | 07/26/2006 | <50.0 | <93.9 | 364 | <0.500 | <0.500 | <0.500 | <0.500 | NA | 2.39 | <0.500 | <0.500 | <0.500 | 55.5 | 9.83 | 3.65 | 6.18 | NA |
| MW-4 | 01/02/2007 | <50 | <50 f | <100 f | <0.50 | <0.50 | <0.50 | <1.0 | NA | 1.6 | NA | NA | NA | NA | 9.83 | 4.15 | 5.68 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-------------|-------------------|----------------|-----------------------------|--------------------------------|-----------------|----------------|----------------|----------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-4 | 07/12/2007 | <50 m | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 2.0 | <2.0 | <2.0 | <2.0 | <10 | 9.83 | 4.40 | 5.43 | NA |
| MW-4 | 01/10/2008 | <50 m | 76 f,o | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 2.0 | NA | NA | NA | NA | 9.83 | 4.27 | 5.56 | NA |
| MW-4 | 07/31/2008 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 1.9 | <2.0 | <2.0 | <2.0 | <10 | 9.83 | 4.00 | 5.83 | NA |
| MW-4 | 01/06/2009 | <50 | 96 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 1.8 | NA | NA | NA | NA | 9.83 | 4.73 | 5.10 | NA |
| MW-4 | 07/01/2009 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 2.0 | <2.0 | <2.0 | <2.0 | <10 | 9.83 | 4.70 | 5.13 | NA |
| MW-5 | 05/23/1989 | 26,000 | 7,000 | NA | 1,500 | 280 | ND | 8,100 | NA | NA | NA | NA | NA | NA | 8.18 | 5.47 | 2.71 | NA |
| MW-5 | 08/03/1989 | 12,000 | 8,700 | NA | 860 | 94 | ND | 2,600 | NA | NA | NA | NA | NA | NA | 8.18 | 5.94 | 2.24 | NA |
| MW-5 | 12/15/1989 | 1,000 | 710 | NA | 22 | 35 | 18 | 44 | NA | NA | NA | NA | NA | NA | 8.18 | 6.75 | 1.43 | NA |
| MW-5 | 02/07/1990 | ND | 620 | NA | 0.8 | ND | ND | ND | NA | NA | NA | NA | NA | NA | 8.18 | 6.03 | 2.15 | NA |
| MW-5 | 04/18/1990 | 19,000 | 5,000 | NA | 4,500 | 850 | 97 | 8,000 | NA | NA | NA | NA | NA | NA | 8.18 | 5.80 | 2.38 | NA |
| MW-5 | 07/23/1990 | 23,000 | 2,700 | NA | 3,600 | 400 | 160 | 6,500 | NA | NA | NA | NA | NA | NA | 8.18 | 6.00 | 2.18 | NA |
| MW-5 | 09/23/1990 | 5,400 | 550 | NA | 1,400 | 26 | 13 | 1,300 | NA | NA | NA | NA | NA | NA | 8.18 | 7.18 | 1.00 | NA |
| MW-5 | 01/03/1991 | 860 | 560 | NA | 280 | 2.8 | 0.8 | 45 | NA | NA | NA | NA | NA | NA | 8.18 | 7.17 | 1.01 | NA |
| MW-5 | 04/10/1991 | 12,000 | 1,800 | NA | 710 | 130 | 500 | 2,400 | NA | NA | NA | NA | NA | NA | 8.18 | 5.25 | 2.93 | NA |
| MW-5 | 07/12/1991 | 24,000 | 1,700 | NA | 2,200 | 280 | 430 | 5,700 | NA | NA | NA | NA | NA | NA | 8.18 | 5.70 | 2.48 | NA |
| MW-5 | 10/08/1991 | 2,800 | 1,400 | NA | 860 | 13 | ND | 580 | NA | NA | NA | NA | NA | NA | 8.18 | 6.50 | 1.68 | NA |
| MW-5 | 02/06/1992 | 1,000 | 1,200 | NA | 300 | ND | 14 | 62 | NA | NA | NA | NA | NA | NA | 8.18 | 6.35 | 1.83 | NA |
| MW-5 | 05/04/1992 | 10,000 | 4,100 a | NA | 1,500 | 350 | 710 | 2,300 | NA | NA | NA | NA | NA | NA | 8.18 | 4.87 | 3.31 | NA |
| MW-5 | 07/28/1992 | 12,000 | 3,800 a | NA | 2,200 | 63 | 1,400 | 3,500 | NA | NA | NA | NA | NA | NA | 8.18 | 5.73 | 2.45 | NA |
| MW-5 | 10/27/1992 | 7,500 | 480 a | NA | 1,100 | 59 | 230 | 900 | NA | NA | NA | NA | NA | NA | 8.18 | 6.98 | 1.20 | NA |
| MW-5 | 01/14/1993 | 7,700 | 1,100 a | NA | 420 | 49 | 570 | 840 | NA | NA | NA | NA | NA | NA | 8.18 | 4.70 | 3.48 | NA |
| MW-5 | 04/23/1993 | 110,000 | 1,600 a | NA | 2,900 | 2,500 | 3,400 | 12,000 | NA | NA | NA | NA | NA | NA | 8.18 | 4.19 | 3.99 | NA |
| MW-5 | 07/20/1993 | 18a | 1,200 a | NA | 1,400 | 84 | 1,500 | 3,200 | NA | NA | NA | NA | NA | NA | 10.87 | 5.10 | 5.77 | NA |
| MW-5 | 10/18/1993 | 14,000 | 5,800 a | NA | 2,000 | 100 | 2,300 | 5,100 | NA | NA | NA | NA | NA | NA | 10.87 | 5.79 | 5.08 | NA |
| MW-5 | 01/06/1994 | 81,000 | 1,100 a | NA | 11,000 | 9,300 | 3,600 | 12,000 | NA | NA | NA | NA | NA | NA | 10.87 | 5.56 | 5.31 | NA |
| MW-5 | 04/12/1994 | 17,000 | 4,100 | NA | 2,900 | 380 | 430 | 1,300 | NA | NA | NA | NA | NA | NA | 10.87 | 4.90 | 5.97 | NA |
| MW-5 | 07/25/1994 | 5,900 | 5,400 a | NA | 1,500 | 42 | 34 | 170 | NA | NA | NA | NA | NA | NA | 10.87 | 5.38 | 5.49 | NA |
| MW-5 | 10/25/1994 | 2,300 | 1,900 a | NA | 35 | 3 | ND | 8 | NA | NA | NA | NA | NA | NA | 10.87 | 6.16 | 4.71 | NA |
| MW-5 | 01/09/1995 | 8,300 | 3,700 a | NA | 1,500 | 95 | 330 | 1,900 | NA | NA | NA | NA | NA | NA | 10.87 | 4.60 | 6.27 | NA |
| MW-5 | 04/11/1995 | 7,300 | 9,800 | NA | 1,200 | 230 | 600 | 550 | NA | NA | NA | NA | NA | NA | 10.87 | 3.74 | 7.13 | NA |
| MW-5 | 07/18/1995 | 17,000 | 5,100 | NA | 2,300 | 730 | 770 | 2,500 | NA | NA | NA | NA | NA | NA | 10.87 | 4.97 | 5.90 | NA |
| MW-5 | 10/18/1995 | Well abandoned | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.87 | 5.67 | 5.20 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-6 | 05/23/1989 | 22,000 | 7,000 | NA | 16 | 6.5 | 7 | 3,400 | NA | NA | NA | NA | NA | NA | 8.21 | 5.47 | 2.74 | NA |
| MW-6 | 08/03/1989 | 28,000 | 8,800 | NA | 1,200 | 130 | 2,100 | 2,800 | NA | NA | NA | NA | NA | NA | 8.21 | 5.91 | 2.30 | NA |
| MW-6 | 12/15/1989 | 16,000 | 5,500 | NA | 370 | 92 | 200 | 180 | NA | NA | NA | NA | NA | NA | 8.21 | 5.98 | 2.23 | NA |
| MW-6 | 02/07/1990 | 22,000 | 2,600 | NA | 520 | 85 | 630 | 770 | NA | NA | NA | NA | NA | NA | 8.21 | 5.47 | 2.74 | NA |
| MW-6 | 04/18/1990 | 21,000 | 5,700 | NA | 900 | 77 | 2,700 | 2,700 | NA | NA | NA | NA | NA | NA | 8.21 | 5.80 | 2.41 | NA |
| MW-6 | 07/23/1990 | 24,000 | 3,000 | NA | 1,000 | 94 | 3,400 | 2,700 | NA | NA | NA | NA | NA | NA | 8.21 | 5.85 | 2.36 | NA |
| MW-6 | 09/27/1990 | 22,000 | ND | NA | 700 | 93 | 2,500 | 2,400 | NA | NA | NA | NA | NA | NA | 8.21 | 6.42 | 1.79 | NA |
| MW-6 | 01/03/1991 | 25,000 | 960 | NA | 1,000 | 88 | 2,600 | 3,700 | NA | NA | NA | NA | NA | NA | 8.21 | 6.73 | 1.48 | NA |
| MW-6 | 04/10/1991 | 18,000 | 920 | NA | 560 | 190 | 480 | 830 | NA | NA | NA | NA | NA | NA | 8.21 | 5.24 | 2.97 | NA |
| MW-6 | 07/12/1991 | 9,500 | 1,900 | NA | 670 | 51 | 1,100 | 920 | NA | NA | NA | NA | NA | NA | 8.21 | 5.78 | 2.43 | NA |
| MW-6 | 10/08/1991 | 11,000 | 5,100 | NA | 1,000 | 43 | ND | ND | NA | NA | NA | NA | NA | NA | 8.21 | 6.36 | 1.85 | NA |
| MW-6 | 02/06/1992 | 7,200 | 1,500 a | NA | 560 | 8 | 720 | 160 | NA | NA | NA | NA | NA | NA | 8.21 | 6.15 | 2.06 | NA |
| MW-6 | 05/04/1992 | 7,900 | 2,900 a | NA | 610 | ND | 1,500 | 240 | NA | NA | NA | NA | NA | NA | 8.21 | 5.07 | 3.14 | NA |
| MW-6 | 07/28/1992 | 17,000 | 3,200 a | NA | 1,200 | ND | 3,000 | 610 | NA | NA | NA | NA | NA | NA | 8.21 | 5.85 | 2.36 | NA |
| MW-6 | 10/27/1992 | 15,000 | 1,300 a | NA | 1,300 | 130 | 1,700 | 490 | NA | NA | NA | NA | NA | NA | 8.21 | 6.69 | 1.52 | NA |
| MW-6 | 01/14/1993 | 4,900 | 1,600 a | NA | 80 | 31 | 330 | 37 | NA | NA | NA | NA | NA | NA | 8.21 | 4.52 | 3.69 | NA |
| MW-6 | 04/23/1993 | 4,800 | 1,800 a | NA | 120 | ND | 780 | 73 | NA | NA | NA | NA | NA | NA | 8.21 | 4.32 | 3.89 | NA |
| MW-6 | 07/20/1993 | 19 a | 910 a | NA | 570 | 18 | 1,100 | 130 | NA | NA | NA | NA | NA | NA | 11.04 | 5.39 | 5.65 | NA |
| MW-6 | 10/18/1993 | 24,000 | 2,500 a | NA | 770 | 440 | 1,600 | 830 | NA | NA | NA | NA | NA | NA | 11.04 | 6.67 | 4.37 | NA |
| MW-6 | 01/06/1994 | 20 a | 2,300 a | NA | 450 | 30 | 530 | 52 | NA | NA | NA | NA | NA | NA | 11.04 | 5.66 | 5.38 | NA |
| MW-6 | 04/12/1994 | 3,600 | 1,600 | NA | 150 | ND | 340 | 21 | NA | NA | NA | NA | NA | NA | 11.04 | 4.91 | 6.13 | NA |
| MW-6 | 07/25/1994 | 1,600 | 2,200 a | NA | 160 | ND | ND | 10 | NA | NA | NA | NA | NA | NA | 11.04 | 5.55 | 5.49 | NA |
| MW-6 (D) | 07/25/1994 | 1,000 | 2,400 a | NA | 160 | ND | ND | 18 | NA | NA | NA | NA | NA | NA | 11.04 | 5.55 | 5.49 | NA |
| MW-6 | 10/25/1994 | 9,800 | 3,000 a | NA | 390 | 22 | 300 | 57 | NA | NA | NA | NA | NA | NA | 11.04 | 6.24 | 4.80 | NA |
| MW-6 | 01/09/1995 | 2,200 | 800 a | NA | 74 | 12 | 400 | 39 | NA | NA | NA | NA | NA | NA | 11.04 | 4.58 | 6.46 | NA |
| MW-6 | 04/11/1995 | 5,000 | 7,700 | NA | 330 | 15 | 760 | 85 | NA | NA | NA | NA | NA | NA | 11.04 | 4.04 | 7.00 | NA |
| MW-6 | 07/18/1995 | 4,200 | 1,700 | NA | 320 | 11 | 490 | 22 | NA | NA | NA | NA | NA | NA | 11.04 | 5.01 | 6.03 | NA |
| MW-6 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.04 | 5.86 | 5.18 | NA |
| MW-6 | 01/09/1996 | 5,600 | 790 | NA | 59 | <5 | 180 | 12 | 14,000 | NA | NA | NA | NA | NA | 11.04 | 4.75 | 6.29 | NA |
| MW-6 | 04/02/1996 | 1,500 | NA | NA | 12 | <5 | 170 | 9 | 1,900 | NA | NA | NA | NA | NA | 11.04 | 3.82 | 7.22 | NA |
| MW-6 | 10/03/1996 | 2,600 | 1,800 | NA | 110 | <25 | <25 | <25 | 11,000 | NA | NA | NA | NA | NA | 11.04 | 5.27 | 5.77 | 2.2 |
| MW-6 | 04/03/1997 | <2,500 | 650 | NA | 30 | <25 | 32 | <25 | 10,000 | NA | NA | NA | NA | NA | 11.04 | 4.42 | 6.62 | 2.0 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-6 | 10/08/1997 | 1,900 | 1,100 | NA | 31 | <5.0 | 6.1 | <5.0 | 2,600 | NA | NA | NA | NA | NA | 11.04 | 4.70 | 6.34 | 1.0 |
| MW-6 | 06/10/1998 | <1,000 | 1,500 | NA | 17 | 12 | 14 | 88 | 14,000 | NA | NA | NA | NA | NA | 11.04 | 4.36 | 6.68 | 0.4/0.4 |
| MW-6 | 12/30/1998 | 260 | 528 | NA | <2.50 | <2.50 | <2.50 | <2.50 | 909 | NA | NA | NA | NA | NA | 11.04 | 4.98 | 6.06 | 2.1/1.6 |
| MW-6 * | 06/25/1999 | <2,500 | NA | NA | <25.0 | <25.0 | <25.0 | <25.0 | 8,850 | 7,630 | NA | NA | NA | NA | 11.04 | 4.81 | 6.23 | 1.4/3.6 |
| MW-6 | 12/28/1999 | 526 | 416 | NA | 7.60 | <1.00 | <1.00 | <1.00 | 1,510 | NA | NA | NA | NA | NA | 11.04 | 5.17 | 5.87 | 1.8/2.0 |
| MW-6 | 05/31/2000 | 2,870 | 998 | NA | 45.7 | 4.70 | 8.61 | <2.50 | 3,780 | NA | NA | NA | NA | NA | 11.04 | 4.58 | 6.46 | 0.92/2.30 |
| MW-6 | 10/17/2000 | 2,370 | 944 a | NA | 49.8 | 5.36 | <5.00 | <5.00 | 746 | NA | NA | NA | NA | NA | 11.04 | 4.80 | 6.24 | 2.5/2.1 |
| MW-6 | 05/01/2001 | 3,000 | 706 | NA | 2.72 | <2.50 | 4.46 | <2.50 | 473 | NA | NA | NA | NA | NA | 11.04 | 4.75 | 6.29 | 2.2/1.6 |
| MW-6 | 05/29/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.04 | 4.86 | 6.18 | 2.0/1.3 |
| MW-6 | 11/05/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11.04 | 5.73 | 5.31 | 0.6 |
| MW-6 | 11/07/2001 | 1,700 | 180 | NA | 1.3 | 1.2 | 1.3 | 1.1 | NA | 430 | NA | NA | NA | NA | 11.04 | 5.75 | 5.29 | 2.4/1.8 |
| MW-6 | 05/01/2002 | 1,400 | <300 | NA | 2.0 | 0.61 | 4.3 | 0.68 | NA | 220 | NA | NA | NA | NA | 11.04 | 4.47 | 6.57 | 2.5/2.0 |
| MW-6 | 07/16/2002 | 3,500 | <600 | NA | 31 | 1.5 | 5.7 | 1.2 | NA | 220 | NA | NA | NA | NA | 11.04 | 5.05 | 5.99 | 0.6/0.6 |
| MW-6 | 10/17/2002 | 3,000 | <700 | NA | 27 | 1.7 | 2.9 | 1.8 | NA | 340 | NA | NA | NA | NA | 10.59 | 5.80 | 4.79 | 1.2/1.1 |
| MW-6 | 01/21/2003 | 900 | <200 | NA | 1.5 | <0.50 | 1.4 | <0.50 | NA | 73 | NA | NA | NA | NA | 10.59 | 4.39 | 6.20 | 0.8/0.6 |
| MW-6 | 05/01/2003 | 700 a | 160 a | NA | 0.58 | <0.50 | 0.82 | <1.0 | NA | 71 | NA | NA | NA | NA | 10.59 | 4.19 | 6.40 | NA |
| MW-6 | 07/17/2003 | <1,200 | 220 a,f | NA | <12 | <12 | <12 | <25 | NA | 840 | NA | NA | NA | NA | 10.59 | 5.22 | 5.37 | NA |
| MW-6 | 10/02/2003 | <1,000 | 300 a | NA | <10 | <10 | <10 | <20 | NA | 1,500 | NA | NA | NA | NA | 10.59 | 5.86 | 4.73 | NA |
| MW-6 | 01/05/2004 | 520 | 140 a | NA | <0.50 | 0.72 | <0.50 | <1.0 | NA | 30 | NA | NA | NA | NA | 10.59 | 3.79 | 6.80 | NA |
| MW-6 | 04/01/2004 | 650 | 220 a | NA | <0.50 | <0.50 | 0.54 | <1.0 | NA | 130 | NA | NA | NA | NA | 10.59 | 4.28 | 6.31 | NA |
| MW-6 | 08/02/2004 | 1,600 | 500 a | <500 | <2.5 | <2.5 | <2.5 | <5.0 | NA | 480 | <10 | <10 | <10 | 900 | 10.59 | 5.78 | 4.81 | NA |
| MW-6 | 11/02/2004 | 580 | 150 g | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | 55 | NA | NA | NA | NA | 10.59 | 4.73 | 5.86 | NA |
| MW-6 | 01/10/2005 | 620 | 230 g | <500 | <0.50 | <0.50 | 0.50 | <1.0 | NA | 17 | NA | NA | NA | NA | 10.59 | 3.70 | 6.89 | NA |
| MW-6 | 04/13/2005 | 2,000 | 570 a,i,k | 520 j,k | 0.98 | 1.7 | 1.2 | 1.2 | NA | 190 | NA | NA | NA | NA | 10.59 | 3.75 | 6.84 | NA |
| MW-6 | 07/20/2005 | 2,800 | 1,200 a | <500 | <2.0 | 2.1 | <2.0 | <4.0 | NA | 320 | <8.0 | <8.0 | <8.0 | 1,800 | 10.59 | 5.95 | 4.64 | NA |
| MW-6 | 10/24/2005 | 2,000 | 1,300 a | <500 | <2.0 | <2.0 | <2.0 | <4.0 | NA | 200 | NA | NA | NA | 560 | 9.14 | 5.21 | 3.93 | NA |
| MW-6 | 01/04/2006 | 1,140 | 216 f | <100 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | 11.3 | NA | NA | NA | 50.4 | 9.14 | 3.36 | 5.78 | NA |
| MW-6 | 07/26/2006 | 4,650 | 1,460 | 881 | 1.63 | 1.71 | 0.580 | 1.64 | NA | 128 | <0.500 | <0.500 | <0.500 | 375 | 9.14 | 4.76 | 4.38 | NA |
| MW-6 | 01/02/2007 | 1,300 | 180 f | <100 f | 0.51 | 0.52 | <0.50 | <1.0 | NA | 39 | NA | NA | NA | 81 | 9.14 | 4.54 | 4.60 | NA |
| MW-6 | 07/12/2007 | 1,700 m | 540 f | <250 f | 0.31 n | 1.0 | 0.24 n | 0.94 n | NA | 49 | <2.0 | <2.0 | <2.0 | 120 | 9.14 | 5.12 | 4.02 | NA |
| MW-6 | 01/10/2008 | 900 m | 200 f,o | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 4.0 | NA | NA | NA | 11 | 9.14 | 4.33 | 4.81 | NA |
| MW-6 | 07/31/2008 | 740 | 110 f,o | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 12 | <2.0 | <2.0 | <2.0 | <10 | 9.14 | 4.95 | 4.19 | NA |
| MW-6 | 01/06/2009 | 480 | 120 f,o | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 4.0 | NA | NA | NA | 11 | 9.14 | 4.80 | 4.34 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-6 | 07/01/2009 | 1,200 | 190 f.o | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | 24 | <2.0 | <2.0 | <2.0 | 85 | 9.14 | 4.94 | 4.20 | NA |
| MW-7 | 05/23/1989 | 47,000 | 11,000 | NA | 3,500 | 5,000 | 1,500 | 7,800 | NA | NA | NA | NA | NA | NA | 7.44 | 5.48 | 1.96 | NA |
| MW-7 | 08/03/1989 | 68,000 | 22,000 | NA | 6,200 | 6,600 | 3,600 | 8,800 | NA | NA | NA | NA | NA | NA | 7.44 | 4.22 | 3.22 | NA |
| MW-7 | 12/15/1989 | 100,000 | 12,000 | NA | 4,500 | 5,300 | 1,300 | 5,300 | NA | NA | NA | NA | NA | NA | 7.44 | 4.58 | 2.86 | NA |
| MW-7 | 02/07/1990 | 96,000 | 8,100 | NA | 15,000 | 15,000 | 2,500 | 14,000 | NA | NA | NA | NA | NA | NA | 7.44 | 5.34 | 2.10 | NA |
| MW-7 | 04/18/1990 | 94,000 | 10,000 | NA | 25,000 | 13,000 | 3,300 | 13,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.99 | 2.45 | NA |
| MW-7 | 07/23/1990 | 84,000 | 12,000 | NA | 3,800 | 26,000 | 13,000 | 3,000 | NA | NA | NA | NA | NA | NA | 7.44 | 6.16 | 1.28 | NA |
| MW-7 | 09/27/1990 | 43,000 | ND | NA | 25,000 | 6,100 | 2,400 | 9,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.96 | 2.48 | NA |
| MW-7 | 01/03/1991 | 78,000 | 3,100 | NA | 26,000 | 16,000 | 3,000 | 14,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.13 | 3.31 | NA |
| MW-7 | 04/10/1991 | 140,000 | 1,800 | NA | 26,000 | 16,000 | 2,200 | 14,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.98 | 2.46 | NA |
| MW-7 | 07/12/1991 | 79,000 | 1,100 | NA | 7,700 | 7,200 | 2,300 | 10,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.98 | 2.46 | NA |
| MW-7 | 10/08/1991 | 55,000 | 390 a | NA | 29,000 | 7,500 | 1,800 | 9,300 | NA | NA | NA | NA | NA | NA | 7.44 | 5.48 | 1.96 | NA |
| MW-7 | 02/06/1992 | 63,000 | 9,600 a | NA | 16,000 | 8,700 | 1,600 | 7,400 | NA | NA | NA | NA | NA | NA | 7.44 | 5.05 | 2.39 | NA |
| MW-7 | 05/04/1992 | 67,000 | 9,800 a | NA | 22,000 | 13,000 | 1,800 | 9,400 | NA | NA | NA | NA | NA | NA | 7.44 | 4.43 | 3.01 | NA |
| MW-7 | 07/28/1992 | 85,000 | 13,000 a | NA | 26,000 | 17,000 | 2,900 | 15,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.88 | 2.56 | NA |
| MW-7 | 10/27/1992 | 63,000 | 1,900 a | NA | 21,000 | 11,000 | 3,000 | 11,000 | NA | NA | NA | NA | NA | NA | 7.44 | 5.39 | 2.05 | NA |
| MW-7 | 01/14/1993 | 120,000 | 2,300 a | NA | 28,000 | 21,000 | 1,600 | 15,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.26 | 3.18 | NA |
| MW-7 | 04/23/1993 | 60,000 | 12,000 a | NA | 17,000 | 3,700 | 2,200 | 11,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.04 | 3.40 | NA |
| MW-7 (D) | 04/23/1993 | 50,000 | 14,000 a | NA | 17,000 | 4,200 | 2,200 | 11,000 | NA | NA | NA | NA | NA | NA | 7.44 | 4.04 | 3.40 | NA |
| MW-7 | 07/20/1993 | 47,000 | 13,000 | NA | 23,000 | 9,900 | 2,200 | 12,000 | NA | NA | NA | NA | NA | NA | 10.28 | 4.36 | 5.92 | NA |
| MW-7 | 10/18/1993 | 44,000 | 10,000 a | NA | 22,000 | 3,800 | 2,600 | 10,000 | NA | NA | NA | NA | NA | NA | 10.28 | 5.14 | 5.14 | NA |
| MW-7 | 01/06/1994 | 65,000 | 5,200 a | NA | 16,000 | 4,900 | 1,900 | 8,500 | NA | NA | NA | NA | NA | NA | 10.28 | 4.83 | 5.45 | NA |
| MW-7 | 04/12/1994 | 68,000 | 3,400 | NA | 12,000 | 2,000 | 580 | 6,400 | NA | NA | NA | NA | NA | NA | 10.28 | 4.24 | 6.04 | NA |
| MW-7 | 07/25/1994 | 63,000 | 4,200 a | NA | 16,000 | 5,800 | 300 | 8,300 | NA | NA | NA | NA | NA | NA | 10.28 | 4.58 | 5.70 | NA |
| MW-7 | 10/25/1994 | 46,000 | 3,800 a | NA | 16,000 | 3,700 | 1,200 | 7,300 | NA | NA | NA | NA | NA | NA | 10.28 | 5.07 | 5.21 | NA |
| MW-7 | 01/09/1995 | 62,000 | 3,300 a | NA | 24,000 | 8,500 | 1,100 | 9,400 | NA | NA | NA | NA | NA | NA | 10.28 | 3.38 | 6.90 | NA |
| MW-7 (D) | 01/11/1995 | 57,000 | 3,200 a | NA | 9,500 | 7,900 | 620 | 8,000 | NA | NA | NA | NA | NA | NA | 10.28 | 3.38 | 6.90 | NA |
| MW-7 | 04/11/1995 | 53,000 | 7,000 | NA | 13,000 | 4,200 | 1,500 | 7,700 | NA | NA | NA | NA | NA | NA | 10.28 | 3.52 | 6.76 | NA |
| MW-7 (D) | 04/12/1995 | 55,000 | 7,600 | NA | 11,000 | 3,700 | 1,300 | 6,400 | NA | NA | NA | NA | NA | NA | 10.28 | 3.52 | 6.76 | NA |
| MW-7 | 07/18/1995 | 95,000 | 2,700 | NA | 24,000 | 8,000 | 2,100 | 12,000 | NA | NA | NA | NA | NA | NA | 10.28 | 4.70 | 5.58 | NA |
| MW-7 | 10/18/1995 | Well abandoned | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.28 | 5.25 | 5.03 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-8 | 05/23/1989 | ND | 100 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.62 | 1.17 | NA |
| MW-8 | 08/03/1989 | ND | 75 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.62 | 1.17 | NA |
| MW-8 | 12/15/1989 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.71 | 1.08 | NA |
| MW-8 | 03/08/1990 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 4.95 | 2.84 | NA |
| MW-8 | 04/18/1990 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.79 | 6.40 | 1.89 | NA |
| MW-8 | 07/23/1990 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.62 | 1.17 | NA |
| MW-8 | 09/27/1990 | ND | 1,100 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.98 | 0.81 | NA |
| MW-8 | 01/03/1991 | ND | ND | NA | 1.3 | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 7.03 | 0.76 | NA |
| MW-8 | 04/10/1991 | 50 | ND | NA | 0.7 | 1.1 | 0.8 | 1 | NA | NA | NA | NA | NA | NA | 7.79 | 4.40 | 3.39 | NA |
| MW-8 | 07/12/1991 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.80 | 0.99 | NA |
| MW-8 | 10/08/1991 | ND | ND | NA | 1.4 | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 7.56 | 0.23 | NA |
| MW-8 | 02/06/1992 | ND | 60 a | NA | ND | 0.7 | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 6.94 | 0.85 | NA |
| MW-8 | 05/04/1992 | ND | 210 a | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 5.86 | 1.93 | NA |
| MW-8 | 07/28/1992 | 51 | ND | NA | ND | ND | 1 | 0.6 | NA | NA | NA | NA | NA | NA | 7.79 | 6.94 | 0.85 | NA |
| MW-8 | 10/27/1992 | ND | ND | NA | ND | 6.6 | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 7.83 | -0.04 | NA |
| MW-8 | 01/14/1993 | ND | 64 a | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 3.60 | 4.19 | NA |
| MW-8 (D) | 01/14/1993 | ND | NA | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 3.60 | 4.19 | NA |
| MW-8 | 04/23/1993 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.79 | 4.12 | 3.67 | NA |
| MW-8 | 07/20/1993 | ND | ND | NA | 0.7 | 0.7 | 0.8 | 4.1 | NA | NA | NA | NA | NA | NA | 10.61 | 6.38 | 4.23 | NA |
| MW-8 | 10/18/1993 | ND | ND | NA | ND | 800 | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 7.47 | 3.14 | NA |
| MW-8 | 01/06/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 7.20 | 3.41 | NA |
| MW-8 | 04/12/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 6.16 | 4.45 | NA |
| MW-8 | 07/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 6.94 | 3.67 | NA |
| MW-8 | 10/25/1994 | ND | ND | NA | ND | 1 | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 7.43 | 3.18 | NA |
| MW-8 | 01/09/1995 | ND | 70 a | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 3.98 | 6.63 | NA |
| MW-8 | 04/11/1995 | ND | 78 | NA | 0.63 | 1.3 | ND | 0.75 | NA | NA | NA | NA | NA | NA | 10.61 | 4.12 | 6.49 | NA |
| MW-8 | 07/18/1995 | ND | 130 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 5.58 | 5.03 | NA |
| MW-8 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 5.09 | 5.52 | NA |
| MW-8 | 01/09/1996 | <50 | ND | NA | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | NA | NA | NA | NA | 10.61 | 3.42 | 7.19 | NA |
| MW-8 | 04/02/1996 | <50 | NA | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.61 | 4.30 | 6.31 | NA |
| MW-8 | 10/03/1996 | <50 | <69 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.61 | 4.58 | 6.03 | 2.6 |
| MW-8 | 04/03/1997 | <50 | 62 | NA | <0.50 | <0.50 | <0.50 | 0.91 | <2.5 | NA | NA | NA | NA | NA | 10.61 | 4.58 | 6.03 | 2.6 |
| MW-8 | 10/08/1997 | <50 | 57 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.61 | 3.00 | 7.61 | 3.6 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|-------------|-----------------------|--------------------------|----------|----------|----------|----------|------------------|------------------|-------------|-------------|-------------|------------|-----------|----------------------|--------------------|------------------|
| MW-8 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 2.88 | 7.73 | NA |
| MW-8 | 12/30/1998 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | NA | NA | NA | NA | 10.61 | 5.38 | 5.23 | 0.8/0.9 |
| MW-8 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 4.53 | 6.08 | NA |
| MW-8 | 12/28/1999 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | NA | NA | NA | NA | 10.61 | 4.93 | 5.68 | 1.0/0.9 |
| MW-8 | 05/31/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 4.02 | 6.59 | NA |
| MW-8 | 10/17/2000 | <50.0 | 143 a | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | NA | NA | NA | NA | 10.61 | 3.10 | 7.51 | 4.0/4.1 |
| MW-8 | 05/01/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 4.12 | 6.49 | NA |
| MW-8 | 11/05/2001 | <50 | <50 | NA | <0.50 | 0.99 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.61 | 5.00 | 5.61 | 0.6/1.3 |
| MW-8 | 05/01/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.61 | 3.25 | 7.36 | 0.6/3.6 |
| MW-8 | 07/16/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 3.64 | 6.97 | NA |
| MW-8 | 07/16/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 4.53 | 5.65 | 3.3/2.2 |
| MW-8 | 10/17/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.18 | 4.53 | 5.65 | 3.3/2.2 |
| MW-8 | 10/17/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.18 | 4.53 | 5.65 | 3.3/2.2 |
| MW-8 | 01/21/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 3.98 | 6.20 | NA |
| MW-8 | 05/01/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <5.0 | NA | NA | NA | NA | 10.18 | 4.00 | 6.18 | NA |
| MW-8 | 07/17/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 4.37 | 5.81 | NA |
| MW-8 | 10/02/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.18 | 4.56 | 5.62 | NA |
| MW-8 | 01/05/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 2.90 | 7.28 | NA |
| MW-8 | 04/01/2004 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.18 | 3.83 | 6.35 | NA |
| MW-8 | 08/02/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 5.35 | 4.83 | NA |
| MW-8 | 11/02/2004 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.18 | 4.28 | 5.90 | NA |
| MW-8 | 01/10/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 2.44 | 7.74 | NA |
| MW-8 | 04/13/2005 | <50 i | 120 h | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.18 | 2.75 | 7.43 | NA |
| MW-8 | 07/20/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 4.95 | 5.23 | NA |
| MW-8 | 10/24/2005 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.18 | 3.94 | 6.24 | NA |
| MW-8 | 10/24/2005 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.18 | 3.94 | 6.24 | NA |
| MW-8 | 01/04/2006 | <50.0 | 224 f | 206 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | <10.0 | 10.18 | 1.87 | 8.31 | NA |
| MW-8 | 07/26/2006 | <50.0 | <93.9 | 315 | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | NA | 10.18 | 4.07 | 6.11 | NA |
| MW-8 | 07/26/2006 | <50.0 | <93.9 | 315 | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | NA | 10.18 | 3.94 | 6.24 | NA |
| MW-8 | 01/02/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 4.08 | 6.10 | NA |
| MW-8 | 07/12/2007 | <50 m | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 10.18 | 3.00 | 7.18 | NA |
| MW-8 | 01/10/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 4.24 | 5.94 | NA |
| MW-8 | 07/31/2008 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 10.18 | 4.41 | 5.77 | NA |
| MW-8 | 01/06/2009 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.18 | 4.41 | 5.77 | NA |
| MW-8 | 07/01/2009 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 10.18 | 4.50 | 5.68 | NA |
| MW-9 | 08/03/1989 | 47,000 | 12,000 | NA | 5,600 | 6,600 | 1,500 | 8,500 | NA | NA | NA | NA | NA | NA | 7.63 | 5.78 | 1.85 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|----------|------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-9 | 12/15/1989 | 88,000 | 9,200 | NA | 4,300 | 5,400 | 140 | 5,600 | NA | NA | NA | NA | NA | NA | 7.63 | 5.24 | 2.39 | NA |
| MW-9 | 02/07/1990 | 50,000 | 7,400 | NA | 1,800 | 1,400 | 3,200 | 1,800 | NA | NA | NA | NA | NA | NA | 7.63 | 5.23 | 2.40 | NA |
| MW-9 | 04/18/1990 | 50,000 | 7,500 | NA | 14,000 | 11,000 | 730 | 10,000 | NA | NA | NA | NA | NA | NA | 7.63 | 5.34 | 2.29 | NA |
| MW-9 | 07/23/1990 | 62,000 | 3,200 | NA | 19,000 | 16,000 | 950 | 15,000 | NA | NA | NA | NA | NA | NA | 7.63 | 5.65 | 1.98 | NA |
| MW-9 | 09/27/1990 | 30,000 | 2,700 | NA | 16,000 | 6,500 | 980 | 11,000 | NA | NA | NA | NA | NA | NA | 7.63 | 5.96 | 1.67 | NA |
| MW-9 | 01/03/1991 | 34,000 | 2,500 | NA | 9,200 | 3,200 | 770 | 7,000 | NA | NA | NA | NA | NA | NA | 7.63 | 6.23 | 1.40 | NA |
| MW-9 | 04/10/1991 | 66,000 | 2,200 | NA | 17,000 | 13,000 | 1,400 | 14,000 | NA | NA | NA | NA | NA | NA | 7.63 | 4.65 | 2.98 | NA |
| MW-9 | 07/12/1991 | 40,000 | 2,000 | NA | 7,700 | 3,200 | 1,100 | 9,400 | NA | NA | NA | NA | NA | NA | 7.63 | 5.65 | 1.98 | NA |
| MW-9 | 10/08/1991 | 20,000 | 4,700 a | NA | 11,000 | 640 | 240 | 6,000 | NA | NA | NA | NA | NA | NA | 7.63 | 6.08 | 1.55 | NA |
| MW-9 | 02/06/1992 | 36,000 | 6,600 a | NA | 11,000 | 490 | 1,100 | 6,700 | NA | NA | NA | NA | NA | NA | 7.63 | 5.92 | 1.71 | NA |
| MW-9 | 05/04/1992 | 31,000 | 5,800 a | NA | 11,000 | 1,700 | 1,200 | 8,700 | NA | NA | NA | NA | NA | NA | 7.63 | 4.80 | 2.83 | NA |
| MW-9 | 07/28/1992 | 50,000 | 14,000 | NA | 17,000 | 1,200 | 1,500 | 12,000 | NA | NA | NA | NA | NA | NA | 7.63 | 5.61 | 2.02 | NA |
| MW-9 | 10/27/1992 | 43,000 | 880 a | NA | 15,000 | 680 | 1,700 | 8,100 | NA | NA | NA | NA | NA | NA | 7.63 | 6.24 | 1.39 | NA |
| MW-9 | 01/14/1993 | 52,000 | 730 a | NA | 9,600 | 1,100 | 1,100 | 7,000 | NA | NA | NA | NA | NA | NA | 7.63 | 4.95 | 2.68 | NA |
| MW-9 | 04/23/1993 | 45,000 | 8,000 a | NA | 11,000 | 1,400 | 1,500 | 10,000 | NA | NA | NA | NA | NA | NA | 7.63 | 4.54 | 3.09 | NA |
| MW-9 | 07/20/1993 | 25,000 | 5,100 | NA | 10,000 | 320 | 1,100 | 7,100 | NA | NA | NA | NA | NA | NA | 10.48 | 5.25 | 5.23 | NA |
| MW-9 | 10/18/1993 | 32,000 | 4,900 a | NA | 14,000 | 530 | 2,000 | 10,000 | NA | NA | NA | NA | NA | NA | 10.48 | 6.00 | 4.48 | NA |
| MW-9 | 01/06/1994 | 41,000 | 7,700 a | NA | 15,000 | 810 | 1,400 | 9,000 | NA | NA | NA | NA | NA | NA | 10.48 | 5.62 | 4.86 | NA |
| MW-9 (D) | 01/06/1994 | 43,000 | 8,300 a | NA | 15,000 | 920 | 1,300 | 8,000 | NA | NA | NA | NA | NA | NA | 10.48 | 5.62 | 4.86 | NA |
| MW-9 | 04/12/1994 | 39,000 | 2,000 | NA | 8,300 | ND | ND | 4,000 | NA | NA | NA | NA | NA | NA | 10.48 | 4.31 | 6.17 | NA |
| MW-9 | 07/25/1994 | 22,000 | 3,600 a | NA | 7,500 | 150 | ND | 4,100 | NA | NA | NA | NA | NA | NA | 10.48 | 5.43 | 5.05 | NA |
| MW-9 | 10/25/1994 | 31,000 | 3,200 a | NA | 13,000 | 240 | 1,000 | 8,500 | NA | NA | NA | NA | NA | NA | 10.48 | 6.00 | 4.48 | NA |
| MW-9 (D) | 10/26/1994 | 31,000 | 3,500 a | NA | 13,000 | 220 | 1,100 | 8,300 | NA | NA | NA | NA | NA | NA | 10.48 | 6.00 | 4.48 | NA |
| MW-9 | 01/09/1995 | 4,800 | 2,300 a | NA | 1,200 | 510 | 42 | 1,400 | NA | NA | NA | NA | NA | NA | 10.48 | 4.26 | 6.22 | NA |
| MW-9 | 04/11/1995 | 20,000 | 3,400 | NA | 5,100 | 460 | 400 | 3,400 | NA | NA | NA | NA | NA | NA | 10.48 | 4.08 | 6.40 | NA |
| MW-9 | 07/18/1995 | 43,000 | 2,900 | NA | 12,000 | 1,800 | 960 | 9,100 | NA | NA | NA | NA | NA | NA | 10.48 | 5.07 | 5.41 | NA |
| MW-9 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.48 | 5.82 | 4.66 | NA |
| MW-9 | 01/09/1996 | 64,000 | 2,800 | NA | 12,000 | 5,400 | 1,800 | 10,000 | 2100 | NA | NA | NA | NA | NA | 10.48 | 4.36 | 6.12 | NA |
| MW-9 | 04/02/1996 | 39,000 | NA | NA | 10,000 | 100 | 520 | 4,100 | <500 | NA | NA | NA | NA | NA | 10.48 | 3.86 | 6.62 | NA |
| MW-9 | 10/03/1996 | 46,000 | 3,100 | NA | 12,000 | 180 | 1,400 | 6,700 | 2,300 | NA | NA | NA | NA | NA | 10.48 | 4.90 | 5.58 | 1.4 |
| MW-9 | 04/03/1997 | 36,000 | 2,300 | NA | 9,700 | 140 | 580 | 3,900 | <500 | NA | NA | NA | NA | NA | 10.48 | 3.98 | 6.50 | 1.8 |
| MW-9 | 10/08/1997 | 34,000 | 3,500 | NA | 6,900 | <100 | 830 | 4,500 | <125 | NA | NA | NA | NA | NA | 10.48 | 4.17 | 6.31 | 0.8 |
| MW-9 | 06/10/1998 | 20,000 | 2,500 | NA | 9,900 | 250 | 3,100 | 170 | 460 | NA | NA | NA | NA | NA | 10.48 | 3.84 | 6.64 | 0.3/0.4 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|--------------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-9 | 12/30/1998 | 30,100 | 1,900 | NA | 8,500 | 166 | 603 | 3,340 | <100 | NA | NA | NA | NA | NA | 10.48 | 4.72 | 5.76 | 1.1/1.2 |
| MW-9 * | 06/25/1999 | 26,300 | NA | NA | 8,090 | 73.5 | 409 | 2,730 | <100 | NA | NA | NA | NA | NA | 10.48 | 4.47 | 6.01 | 1.2/2.4 |
| MW-9 | 12/28/1999 | 4,130 | 839 | NA | 1,260 | 57.9 | 103 | 213 | 1,470 | NA | NA | NA | NA | NA | 10.48 | 4.82 | 5.66 | 1.0/1.1 |
| MW-9 | 05/31/2000 | 8,210 | 1,300 | NA | 9,290 | 62.3 | 141 | 908 | 565 | NA | NA | NA | NA | NA | 10.48 | 3.87 | 6.61 | 2.8/c |
| MW-9 | 10/17/2000 | 19,000 | 1,510 a | NA | 5,420 | 54.5 | 479 | 2,680 | <250 | NA | NA | NA | NA | NA | 10.48 | 3.87 | 6.61 | 3.0/3.5 |
| MW-9 | 05/01/2001 | 24,300 | 976 | NA | 11,200 | 52.9 | 159 | 1,610 | <250 | NA | NA | NA | NA | NA | 10.48 | 4.44 | 6.04 | 1.6/1.0 |
| MW-9 | 05/29/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.48 | 3.99 | 6.49 | 1.9/1.5 |
| MW-9 | 11/05/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.48 | 5.41 | 5.07 | 0.7 |
| MW-9 | 11/07/2001 | 25,000 | <1,000 | NA | 7,300 | 85 | 630 | 4,100 | NA | <250 | NA | NA | NA | NA | 10.48 | 5.60 | 4.88 | 1.4/1.1 |
| MW-9 | 05/01/2002 | 27,000 | <700 | NA | 11,000 | 79 | 260 | 1,300 | NA | <500 | NA | NA | NA | NA | 10.48 | 3.38 | 7.10 | 2.9/1.1 |
| MW-9 | 07/16/2002 | 29,000 | <700 | NA | 12,000 | <50 | 74 | 810 | NA | <500 | NA | NA | NA | NA | 10.48 | 4.04 | 6.44 | 0.7/0.4 |
| MW-9 | 10/17/2002 | 15,000 | <800 | NA | 10,000 | 31 | 36 | 490 | NA | 53 | NA | NA | NA | NA | 10.07 | 4.92 | 5.15 | 1.0/1.2 |
| MW-9 | 01/21/2003 | 8,500 | <400 | NA | 3,100 | 39 | 190 | 590 | NA | <200 | NA | NA | NA | NA | 10.07 | 4.52 | 5.55 | 0.4/0.8 |
| MW-9 | 05/01/2003 | 16,000 a | 1,600 a | NA | 4,900 | <100 | <100 | 1,500 | NA | <1,000 | NA | NA | NA | NA | 10.07 | 4.05 | 6.02 | NA |
| MW-9 | 07/17/2003 | 14,000 | 1,300 a,f | NA | 9,900 | 130 | <120 | 2,300 | NA | <120 | NA | NA | NA | NA | 10.07 | 4.82 | 5.25 | NA |
| MW-9 | 10/02/2003 | 13,000 | 3,100 a | NA | 8,500 | 190 | 770 | 5,100 | NA | <100 | NA | NA | NA | NA | 10.07 | 5.17 | 4.90 | NA |
| MW-9 | 01/05/2004 | 37,000 | 1,500 a | NA | 15,000 | 250 | 750 | 3,800 | NA | <100 | NA | NA | NA | NA | 10.07 | 3.94 | 6.13 | NA |
| MW-9 | 04/01/2004 | 14,000 | 1,800 a | NA | 6,800 | 80 | 230 | 1,800 | NA | <50 | NA | NA | NA | NA | 10.07 | 4.24 | 5.83 | NA |
| MW-9 | 08/02/2004 | 12,000 | 710 g | <500 | 8,200 | <50 | 66 | 650 | NA | <50 | <200 | <200 | <200 | <500 | 10.07 | 5.10 | 4.97 | NA |
| MW-9 | 11/02/2004 | 15,000 | 1,500 g | <500 | 9,300 | 73 | 240 | 1,400 | NA | 70 | NA | NA | NA | NA | 10.07 | 4.21 | 5.86 | NA |
| MW-9 | 01/10/2005 | 28,000 | 1,700 g | <500 | 7,400 | 1,100 | 1,400 | 5,400 | NA | <50 | NA | NA | NA | NA | 10.07 | 3.45 | 6.62 | NA |
| MW-9 | 04/13/2005 | 55,000 | 5,100 g | 690 | 15,000 | 3,300 | 2,800 | 12,000 | NA | <50 | NA | NA | NA | NA | 10.07 | 3.53 | 6.54 | NA |
| MW-9 | 07/20/2005 | 27,000 | 6,700 g | <1,000 | 5,100 | 320 | 900 | 3,200 | NA | <50 | <200 | <200 | <200 | <500 | 10.07 | 5.75 | 4.32 | NA |
| MW-9 | 10/24/2005 | 25,000 | 4,200 g | <500 | 11,000 | 680 | 890 | 3,900 | NA | <50 | NA | NA | NA | NA | 10.04 | 4.42 | 5.62 | NA |
| MW-9 | 01/04/2006 | 39,600 | 3,400 f | 427 f | 5,800 | 636 | 187 | 6,130 | NA | 73.1 | NA | NA | NA | 139 | 10.04 | 3.10 | 6.94 | NA |
| MW-9 | 07/26/2006 | 41,000 | 1,580 | 685 | 11,800 | 421 | 979 | 2,520 | NA | 54.2 | <0.500 | <0.500 | <0.500 | 85.1 | 10.04 | 4.45 | 5.59 | NA |
| MW-9 | 01/02/2007 | 19,000 | 740 f | 100 f | 6,900 | 300 | 660 | 2,500 | NA | 30 | NA | NA | NA | NA | 10.04 | 4.81 | 5.23 | NA |
| MW-9 | 07/12/2007 | 13,000 m | 730 f | <250 f | 6,100 | 44 n | 100 | 561 n | NA | 29 n | <100 | <100 | <100 | <500 | 10.04 | 4.50 | 5.54 | NA |
| MW-9 | 01/10/2008 | 22,000 m,o | 850 f,o | <250 f | 8,800 | 180 | 270 | 1,330 | NA | 12 | NA | NA | NA | 47 | 10.04 | 4.32 | 5.72 | NA |
| MW-9 | 07/31/2008 p | 170 | 600 f,o | <250 f | 69 | <1.0 | <1.0 | 1.8 | NA | <1.0 | <2.0 | <2.0 | <2.0 | <10 | 10.04 | 3.78 | 6.26 | NA |
| MW-9 | 08/29/2008 | 20,000 | 2,200 f,o | 1,600 f,o | 5,900 | <100 | 450 | 2,500 | NA | <100 | <200 | <200 | <200 | <1,000 | 10.04 | 4.24 | 5.80 | NA |
| MW-9 | 01/06/2009 | 11,000 | 1,500 f,o | 2,100 f | 5,500 | 41 | 110 | 920 | NA | 29 | NA | NA | NA | NA | 10.04 | 4.70 | 5.34 | NA |
| MW-9 | 07/01/2009 | 6,700 | 250 f,o | <250 f | 2,900 | <25 | <25 | 220 | NA | <25 | <50 | <50 | <50 | <250 | 10.04 | 4.67 | 5.37 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-----------|-------------|-------------|-----------------------|--------------------------|----------|----------|----------|----------|------------------|------------------|-------------|-------------|-------------|------------|-----------|----------------------|--------------------|------------------|
| MW-10 | 12/15/1989 | ND | 3,100 | NA | 1,500 | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.45 | 6.33 | 0.82 | NA |
| MW-10 | 03/08/1990 | 25,000 | 1,800 | NA | 17,000 | 330 | 2,100 | 1,400 | NA | NA | NA | NA | NA | NA | 7.45 | 5.41 | 2.00 | NA |
| MW-10 | 04/18/1990 | 23,000 | 3,600 | NA | 15,000 | 1,200 | 190 | 3,300 | NA | NA | NA | NA | NA | NA | 7.45 | 5.60 | 1.85 | NA |
| MW-10 | 07/23/1990 | 18,000 | 1,900 | NA | 12,000 | 380 | ND | 1,400 | NA | NA | NA | NA | NA | NA | 7.45 | 5.81 | 1.64 | NA |
| MW-10 | 09/27/1990 | 9,500 | 430 | NA | 13,000 | 100 | 1,800 | 230 | NA | NA | NA | NA | NA | NA | 7.45 | 6.64 | 0.81 | NA |
| MW-10 | 01/03/1991 | 4,300 | 630 | NA | 3,700 | 10 | ND | 110 | NA | NA | NA | NA | NA | NA | 7.45 | 6.96 | 0.49 | NA |
| MW-10 | 04/10/1991 | 45,000 | 1,400 | NA | 16,000 | 4,600 | 3,000 | 6,900 | NA | NA | NA | NA | NA | NA | 7.45 | 4.70 | 2.75 | NA |
| MW-10 | 07/12/1991 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 7.45 | 5.90 | 1.55 | NA |
| MW-10 | 10/08/1991 | 3,800 | 1,500 a | NA | 13,000 | 82 | 9 | 500 | NA | NA | NA | NA | NA | NA | 7.45 | 6.68 | 0.77 | NA |
| MW-10 | 02/06/1992 | 22,000 | 1,600 a | NA | 12,000 | ND | 600 | 170 | NA | NA | NA | NA | NA | NA | 7.45 | 7.04 | 0.41 | NA |
| MW-10 | 05/04/1992 | 39,000 | 8,000 a | NA | 14,000 | 5,000 | 1,800 | 5,000 | NA | NA | NA | NA | NA | NA | 7.45 | 4.69 | 2.76 | NA |
| MW-10 | 07/28/1992 | 38,000 | 8,700 a | NA | 17,000 | 2,800 | 1,500 | 4,000 | NA | NA | NA | NA | NA | NA | 7.45 | 6.00 | 1.45 | NA |
| MW-10 | 10/27/1992b | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.45 | NA | NA | NA |
| MW-10 | 01/14/1993 | 26,000 | 950 a | NA | 10,000 | ND | ND | 160 | NA | NA | NA | NA | NA | NA | 7.45 | 6.07 | 1.38 | NA |
| MW-10 | 04/23/1993 | 80,000 | 1,900 a | NA | 21,000 | 13,000 | 3,400 | 12,000 | NA | NA | NA | NA | NA | NA | 7.45 | 4.14 | 3.31 | NA |
| MW-10 | 07/20/1993 | 31,000 | 4,800 | NA | 14,000 | 4,200 | 1,700 | 5,500 | NA | NA | NA | NA | NA | NA | 10.61 | 5.62 | 4.99 | NA |
| MW-10 | 10/18/1993 | 13,000 | 1,200 a | NA | 8,600 | 220 | ND | 450 | NA | NA | NA | NA | NA | NA | 10.61 | 6.43 | 4.18 | NA |
| MW-10 | 01/06/1994 | 16,000 | 670 a | NA | 9,700 | <125 | <125 | 210 | NA | NA | NA | NA | NA | NA | 10.61 | 6.74 | 3.87 | NA |
| MW-10 | 04/12/1994 | 16,000 | 860 | NA | 5,600 | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.61 | 5.98 | 4.63 | NA |
| MW-10 | 07/25/1994 | 2,300 | 2,100 a | NA | 1,400 | 26 | 25 | 51 | NA | NA | NA | NA | NA | NA | 10.61 | 6.31 | 4.30 | NA |
| MW-10 | 10/25/1994 | 1,400 | 1,000 a | NA | 290 | 5 | 2 | 38 | NA | NA | NA | NA | NA | NA | 10.61 | 6.64 | 3.97 | NA |
| MW-10 | 01/09/1995 | 16,000 | 2,300 a | NA | 7,500 | 1,400 | 230 | 1,500 | NA | NA | NA | NA | NA | NA | 10.61 | 5.70 | 4.91 | NA |
| MW-10 | 04/11/1995 | 54,000 | 5,000 | NA | 13,000 | 4,500 | 1,500 | 4,500 | NA | NA | NA | NA | NA | NA | 10.61 | 5.82 | 4.79 | NA |
| MW-10 | 07/18/1995 | 72,000 | 2,600 | NA | 20,000 | 7,200 | 2,800 | 9,000 | NA | NA | NA | NA | NA | NA | 10.61 | 6.79 | 3.82 | NA |
| MW-10 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 5.31 | 5.30 | NA |
| MW-10 | 01/09/1996 | 32,000 | 2,100 | NA | 8,000 | 1,600 | 880 | 3,200 | 12,000 | NA | NA | NA | NA | NA | 10.61 | 5.92 | 4.69 | NA |
| MW-10 | 04/02/1996 | 68,000 | NA | NA | 9,100 | 2,300 | 1,100 | 3,700 | 3,300 | NA | NA | NA | NA | NA | 10.61 | 5.43 | 5.18 | NA |
| MW-10 | 10/03/1996 | 33,000 | 2,900 | NA | 11,000 | 1,300 | 830 | 2,400 | 7,300 | NA | NA | NA | NA | NA | 10.61 | 6.07 | 4.54 | 1.7 |
| MW-10 (D) | 10/03/1996 | 40,000 | 3,300 | NA | 12,000 | 1,700 | 1,100 | 3,100 | 6,500 | NA | NA | NA | NA | NA | 10.61 | 6.07 | 4.54 | 1.7 |
| MW-10 | 04/03/1997 | 36,000 | 3,400 | NA | 12,000 | 2,300 | 1,400 | 4,500 | 2,300 | NA | NA | NA | NA | NA | 10.61 | 3.45 | 7.16 | 1.8 |
| MW-10 (D) | 04/03/1997 | 52,000 | 3,000 | NA | 12,000 | 2,300 | 1,400 | 4,500 | 2,100 | NA | NA | NA | NA | NA | 10.61 | 3.45 | 7.16 | 1.8 |
| MW-10 | 10/08/1997 | 20,000 | 3,100 | NA | 7,500 | 420 | 470 | 1,300 | 1,500 | NA | NA | NA | NA | NA | 10.61 | 3.72 | 6.89 | 1.2 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|-------------|-----------------------|--------------------------|----------|----------|----------|----------|------------------|------------------|-------------|-------------|-------------|------------|-----------|----------------------|--------------------|------------------|
| MW-10 | 06/10/1998 | 48,000 | 2,500 | NA | 14,000 | 2,600 | 1,500 | 4,800 | 1,800 | NA | NA | NA | NA | NA | 10.61 | 4.00 | 6.61 | 0.7/0.5 |
| MW-10 | 12/30/1998 | 17,800 | 2,820 | NA | 6,000 | 136 | 344 | 639 | 1,250 | NA | NA | NA | NA | NA | 10.61 | 5.26 | 5.35 | 1.0/0.7 |
| MW-10 * | 06/25/1999 | 17,600 | NA | NA | 6,150 | 212 | 287 | 687 | 1,740 | NA | NA | NA | NA | NA | 10.61 | 4.49 | 6.12 | 0.9/2.5 |
| MW-10 | 12/28/1999 | 10,800 | 1,400 | NA | 3,370 | 155 | 321 | 626 | 3,740 | NA | NA | NA | NA | NA | 10.61 | 4.87 | 5.74 | 1.2/1.4 |
| MW-10 | 05/31/2000 | 3,020 | 2,270 | NA | 1,080 | 34.3 | 118 | 251 | 775 | NA | NA | NA | NA | NA | 10.61 | 3.48 | 7.13 | 2.8/3.9 |
| MW-10 | 10/17/2000 | 15,500 | 1,750 a | NA | 7,450 | 54.7 | 387 | 308 | 3,840 | 4,300 | NA | NA | NA | NA | 10.61 | 4.25 | 6.36 | 2.3/3.0 |
| MW-10 | 05/01/2001 | 27,900 | 2,260 | NA | 9,920 | 1,050 | 1,020 | 2,370 | 2,180 | NA | NA | NA | NA | NA | 10.61 | 5.40 | 5.21 | 2.0/1.1 |
| MW-10 | 05/29/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 3.74 | 6.87 | 3.70/1.8 |
| MW-10 | 11/05/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.61 | 6.08 | 4.53 | 0.6 |
| MW-10 | 11/07/2001 | 14,000 | 360 | NA | 5,300 | 260 | 430 | 810 | 1,700 | NA | NA | NA | NA | NA | 10.61 | 5.45 | 5.16 | 1.8/1.0 |
| MW-10 | 05/01/2002 | 79,000 | <1,500 | NA | 16,000 | 4,400 | 3,300 | 8,800 | NA | 890 | NA | NA | NA | NA | 10.61 | 4.62 | 5.99 | 4.0/0.5 |
| MW-10 | 07/16/2002 | 21,000 | <1,000 | NA | 6,500 | 350 | 460 | 1,000 | NA | 1,200 | NA | NA | NA | NA | 10.61 | 5.80 | 4.81 | 0.5/1.5 |
| MW-10 | 10/17/2002 | 17,000 | <1,800 | NA | 5,800 | 290 | 520 | 1,100 | NA | 980 | NA | NA | NA | NA | 9.81 | 5.27 | 4.54 | 0.8/1.2 |
| MW-10 | 01/21/2003 | 52,000 | <2,000 | NA | 13,000 | 2,000 | 2,100 | 4,800 | NA | <1,000 | NA | NA | NA | NA | 9.81 | 5.72 | 4.09 | 0.3/0.6 |
| MW-10 | 05/01/2003 | 40,000 | 3,800 a | NA | 13,000 | 1,700 | 2,200 | 5,000 | NA | 2,900 | NA | NA | NA | NA | 9.81 | 4.29 | 5.52 | NA |
| MW-10 | 07/17/2003 | 13,000 | 1,700 a,f | NA | 7,200 | 250 | 740 | 1,500 | NA | 2,400 | NA | NA | NA | NA | 9.81 | 5.05 | 4.76 | NA |
| MW-10 | 10/02/2003 | <5,000 | 1,400 a | NA | 2,700 | <50 | 56 | <100 | NA | 2,800 | NA | NA | NA | NA | 9.81 | 5.46 | 4.35 | NA |
| MW-10 | 01/05/2004 | 77,000 | 2,300 a | NA | 21,000 | 4,200 | 3,900 | 8,500 | NA | 1,900 | NA | NA | NA | NA | 9.81 | 3.52 | 6.29 | NA |
| MW-10 | 04/01/2004 | 33,000 | 3,100 a | NA | 11,000 | 1,000 | 1,600 | 3,600 | NA | 5,200 | NA | NA | NA | NA | 9.81 | 4.12 | 5.69 | NA |
| MW-10 | 08/02/2004 | 9,900 | 1,100 a | 570 | 4,100 | 140 | 500 | 700 | NA | 3,800 | <100 | <100 | <100 | 710 | 9.81 | 5.35 | 4.46 | NA |
| MW-10 | 11/02/2004 | 48,000 | 3,500 g | <500 | 16,000 | 1,400 | 3,100 | 6,000 | NA | 3,100 | NA | NA | NA | NA | 9.81 | 5.06 | 4.75 | NA |
| MW-10 | 01/10/2005 | 120,000 | 4,200 g | <500 | 21,000 | 20,000 | 5,400 | 22,000 | NA | 16,000 | NA | NA | NA | NA | 9.81 | 3.14 | 6.67 | NA |
| MW-10 | 04/13/2005 | 83,000 | 9,100 g | <1,000 | 22,000 | 13,000 | 5,500 | 18,000 | NA | 22,000 | NA | NA | NA | NA | 9.81 | 3.12 | 6.69 | NA |
| MW-10 | 07/20/2005 | 82,000 | 11,000 g | <2,500 | 14,000 | 9,700 | 4,700 | 20,000 | NA | 32,000 | <500 | <500 | <500 | 9,800 | 9.81 | 5.33 | 4.48 | NA |
| MW-10 | 10/24/2005 | 67,000 | 9,800 g | <1,000 | 12,000 | 4,000 | 4,500 | 13,000 | NA | 14,000 | NA | NA | NA | 6,200 | 9.78 | 4.24 | 5.54 | NA |
| MW-10 | 01/04/2006 | 114,000 | 5,690 f | 364 f | 15,000 | 5,110 | 1,310 | 17,400 | NA | 3,720 | NA | NA | NA | 1,150 | 9.78 | 2.53 | 7.25 | NA |
| MW-10 | 07/26/2006 | 66,600 | 1,070 | 260 | 10,600 | 137 | 2,740 | 5,430 | NA | 2,660 | 0.750 | <0.500 | <0.500 | 3,280 | 9.78 | 3.98 | 5.80 | NA |
| MW-10 | 01/02/2007 | 46,000 | 1,500 f | 140 f | 10,000 | 860 | 3,800 | 8,000 | NA | 1,200 | NA | NA | NA | 1,400 | 9.78 | 4.02 | 5.76 | NA |
| MW-10 | 07/12/2007 | 28,000 m | 3,900 f | <250 f | 7,700 | 160 | 2,100 | 2,960 | NA | 1,200 | <100 | <100 | <100 | 2,600 | 9.78 | 4.18 | 5.60 | NA |
| MW-10 | 01/10/2008 | 31,000 m | 4,700 f,o | <250 f | 10,000 | 75 | 2,800 | 3,270 | NA | 1,400 | NA | NA | NA | 2,000 | 9.78 | 4.34 | 5.44 | NA |
| MW-10 | 07/31/2008 | 38,000 | 1,500 f,o | <250 f | 11,000 | <100 | 1,800 | 970 | NA | 3,100 | <200 | <200 | <200 | 7,500 | 9.78 | 4.10 | 5.68 | NA |
| MW-10 | 01/06/2009 | 26,000 | 3,800 o,f | 340 f | 9,600 | <100 | 2,300 | 790 | NA | 1,600 | NA | NA | NA | 2,300 | 9.78 | 4.25 | 5.53 | NA |
| MW-10 | 07/01/2009 | 17,000 | <50 f | <250 f | 6,100 | <50 | 1,100 | 110 | NA | 910 | <100 | <100 | <100 | 2,900 | 9.78 | 4.27 | 5.51 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-11 | 07/20/1993 | 50 | ND | NA | 2.5 | 1.9 | 3.9 | 18 | NA | NA | NA | NA | NA | NA | 10.56 | 8.08 | 2.48 | NA |
| MW-11 | 10/18/1993 | ND | 65 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.56 | 8.24 | 2.32 | NA |
| MW-11 | 01/06/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.56 | 8.47 | 2.09 | NA |
| MW-11 | 04/12/1994 | ND | ND | NA | 1.1 | 0.87 | ND | 1.5 | NA | NA | NA | NA | NA | NA | 10.56 | 8.44 | 2.12 | NA |
| MW-11 | 07/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.56 | 8.20 | 2.36 | NA |
| MW-11 | 10/25/1994 | ND | 100 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.56 | 8.67 | 1.89 | NA |
| MW-11 | 01/09/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.56 | 7.63 | 2.93 | NA |
| MW-11 | 04/11/1995 | ND | 140 | NA | ND | 0.7 | ND | 0.5 | NA | NA | NA | NA | NA | NA | 10.56 | 8.06 | 2.50 | NA |
| MW-11 | 07/18/1995 | ND | 50 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.56 | 9.31 | 1.25 | NA |
| MW-11 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 8.34 | 2.22 | NA |
| MW-11 | 01/09/1996 | <50 | ND | NA | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | NA | NA | NA | NA | 10.56 | 8.22 | 2.34 | NA |
| MW-11 | 04/02/1996 | <50 | NA | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.56 | 7.97 | 2.59 | NA |
| MW-11 | 10/03/1996 | <50 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.56 | 8.37 | 2.19 | 3.6 |
| MW-11 | 04/03/1997 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.56 | 8.31 | 2.25 | 2.2 |
| MW-11 | 10/08/1997 | <50 | 54 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.56 | 8.56 | 2.00 | 1.2 |
| MW-11 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 7.85 | 2.71 | NA |
| MW-11 | 12/30/1998 | <50.0 | 66.2 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | NA | NA | NA | NA | 10.56 | 8.51 | 2.05 | 0.7/0.6 |
| MW-11 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 8.01 | 2.55 | NA |
| MW-11 | 12/28/1999 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | NA | NA | NA | NA | 10.56 | 8.39 | 2.17 | 0.8/1.0 |
| MW-11 | 05/31/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 7.38 | 3.18 | NA |
| MW-11 | 10/17/2000 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | NA | NA | NA | NA | 10.56 | 8.35 | 2.21 | 4.1/4.0 |
| MW-11 | 05/01/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 8.15 | 2.41 | NA |
| MW-11 | 11/05/2001 | Unable to locate | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | NA | NA | NA |
| MW-11 | 05/01/2002 | Unable to locate | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | NA | NA | NA |
| MW-11 | 05/08/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.56 | 7.82 | 2.74 | 1.0/1.1 |
| MW-11 | 07/16/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.56 | 7.64 | 2.92 | NA |
| MW-11 | 10/17/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | NA | 7.95 | NA | 1.3/1.0 |
| MW-11 | 01/21/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.57 | NA | NA |
| MW-11 | 05/01/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <5.0 | NA | NA | NA | NA | NA | 7.62 | NA | NA |
| MW-11 | 07/17/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.93 | NA | NA |
| MW-11 | 10/02/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 7.56 | NA | NA |
| MW-11 | 01/05/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 7.03 | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|--------------|-------------------|---------------|-----------------------|--------------------------|-----------------|----------------|----------------|----------------|------------------|------------------|-------------|-------------|-------------|------------|--------------|----------------------|--------------------|------------------|
| MW-11 | 04/01/2004 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 7.55 | NA | NA |
| MW-11 | 08/02/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.50 | NA | NA |
| MW-11 | 11/02/2004 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 7.41 | NA | NA |
| MW-11 | 01/10/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.45 | NA | NA |
| MW-11 | 04/13/2005 | <50 | 84 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 7.35 | NA | NA |
| MW-11 | 07/20/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | NA | NA |
| MW-11 | 10/24/2005 | <50 | 66 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 10.06 | 7.72 | 2.34 | NA |
| MW-11 | 01/04/2006 | <50.0 | <100 f | <100 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | NA | 10.06 | 6.55 | 3.51 | NA |
| MW-11 | 07/26/2006 | <50.0 | 105 | 914 | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | NA | 10.06 | 7.63 | 2.43 | NA |
| MW-11 | 01/02/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.06 | 7.18 | 2.88 | NA |
| MW-11 | 07/12/2007 | <50 m | 100 f | 340 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 10.06 | 6.03 | 4.03 | NA |
| MW-11 | 01/10/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.06 | 7.25 | 2.81 | NA |
| MW-11 | 07/31/2008 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 10.06 | 8.03 | 2.03 | NA |
| MW-11 | 01/06/2009 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.06 | 7.62 | 2.44 | NA |
| MW-11 | 07/01/2009 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 10.06 | 7.62 | 2.44 | NA |
| MW-12 | 07/20/1993 | ND | 1,500 | NA | 2.8 | 1.9 | 3.2 | ND | NA | NA | NA | NA | NA | NA | 9.56 | 6.76 | 2.80 | NA |
| MW-12 | 10/18/1993 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 7.12 | 2.44 | NA |
| MW-12 | 01/06/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 7.15 | 2.41 | NA |
| MW-12 | 04/12/1994 | ND | ND | NA | 0.61 | ND | ND | 1.1 | NA | NA | NA | NA | NA | NA | 9.56 | 6.68 | 2.88 | NA |
| MW-12 | 07/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 6.83 | 2.73 | NA |
| MW-12 | 10/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 7.34 | 2.22 | NA |
| MW-12 | 01/09/1995 | ND | 80 a | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 5.02 | 4.54 | NA |
| MW-12 | 04/11/1995 | ND | 200 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 7.38 | 2.18 | NA |
| MW-12 | 07/18/1995 | ND | 90 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 9.56 | 8.50 | 1.06 | NA |
| MW-12 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 6.63 | 2.93 | NA |
| MW-12 | 01/09/1996 | <50 | ND | NA | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | NA | NA | NA | NA | 9.56 | 6.32 | 3.24 | NA |
| MW-12 | 04/02/1996 | <50 | NA | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 9.56 | 5.60 | 3.96 | NA |
| MW-12 | 10/03/1996 | <50 | 72 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 9.56 | 3.30 | 6.26 | 2.5 |
| MW-12 | 04/03/1997 | <50 | 74 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 9.56 | 6.13 | 3.43 | 2.2 |
| MW-12 | 10/08/1997 | <50 | 73 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 9.56 | 6.49 | 3.07 | 3.0 |
| MW-12 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 5.85 | 3.71 | NA |
| MW-12 | 12/30/1998 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | NA | NA | NA | NA | 9.56 | 8.42 | 1.14 | 1.3/0.9 |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|-----------|------------|------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-12 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 7.89 | 1.67 | NA |
| MW-12 | 12/28/1999 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | NA | NA | NA | NA | 9.56 | 8.26 | 1.30 | 1.0/1.2 |
| MW-12 | 05/31/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 7.21 | 2.35 | NA |
| MW-12 | 10/17/2000 | <50.0 | 82.9 a | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | NA | NA | NA | NA | 9.56 | 6.80 | 2.76 | 5.1/3.0 |
| MW-12 | 05/01/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 5.95 | 3.61 | NA |
| MW-12 | 11/05/2001 | Unable to locate | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | NA | NA | NA |
| MW-12 | 05/01/2002 | Unable to locate | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.56 | 4.75 | 4.81 | 1.2/0.9 |
| MW-12 | 05/08/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 9.56 | 4.88 | 4.68 | NA |
| MW-12 | 07/16/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.11 | NA | 1.8/1.5 |
| MW-12 | 10/17/2002 | <50 | 81 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | NA | 5.76 | NA | NA |
| MW-12 | 01/21/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.00 | NA | NA |
| MW-12 | 05/01/2003 | <50 | 95 a | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <5.0 | NA | NA | NA | NA | NA | 5.85 | NA | NA |
| MW-12 | 07/17/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.02 | NA | NA |
| MW-12 | 10/02/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 3.95 | NA | NA |
| MW-12 | 01/05/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.04 | NA | NA |
| MW-12 | 04/01/2004 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 5.42 | NA | NA |
| MW-12 | 08/02/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.42 | NA | NA |
| MW-12 | 11/02/2004 | <50 | 150 h | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 4.55 | NA | NA |
| MW-12 | 01/10/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.81 | NA | NA |
| MW-12 | 04/13/2005 | <50 | 120 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | NA | 4.01 | NA | NA |
| MW-12 | 07/20/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.00 | NA | NA |
| MW-12 | 10/24/2005 | <50 | 94 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 9.09 | 4.83 | 4.26 | NA |
| MW-12 | 01/04/2006 | <50.0 | 330 f | 675 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | <10.0 | 9.09 | 5.52 | 3.57 | NA |
| MW-12 | 07/26/2006 | <50.0 | <93.9 | 153 | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | NA | 9.09 | 4.47 | 4.62 | NA |
| MW-12 | 01/02/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.09 | 5.70 | 3.39 | NA |
| MW-12 | 07/12/2007 | <50 m | 63 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 9.09 | 5.03 | 4.06 | NA |
| MW-12 | 01/10/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.09 | 4.20 | 4.89 | NA |
| MW-12 | 07/31/2008 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 9.09 | 4.52 | 4.57 | NA |
| MW-12 | 01/06/2009 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.09 | 4.79 | 4.30 | NA |
| MW-12 | 07/01/2009 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 9.09 | 5.70 | 3.39 | NA |
| MW-13 | 07/20/1993 | ND | 1,500 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 8.32 | 1.78 | NA |
| MW-13 (D) | 07/21/1993 | ND | 1,000 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 8.32 | 1.78 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-13 | 10/18/1993 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 8.66 | 1.44 | NA |
| MW-13 | 01/06/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 8.70 | 1.40 | NA |
| MW-13 | 04/12/1994 | ND | 100 | NA | 1.7 | 1.2 | 0.59 | 2.4 | NA | NA | NA | NA | NA | NA | 10.10 | 8.20 | 1.90 | NA |
| MW-13 | 07/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 8.39 | 1.71 | NA |
| MW-13 | 10/25/1994 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 8.70 | 1.40 | NA |
| MW-13 | 01/09/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 7.35 | 2.75 | NA |
| MW-13 | 04/11/1995 | ND | 320 | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 5.50 | 4.60 | NA |
| MW-13 | 07/18/1995 | ND | ND | NA | ND | ND | ND | ND | NA | NA | NA | NA | NA | NA | 10.10 | 6.63 | 3.47 | NA |
| MW-13 | 10/18/1995 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 8.12 | 1.98 | NA |
| MW-13 | 01/09/1996 | <50 | ND | NA | <0.5 | <0.5 | <0.5 | <0.5 | ND | NA | NA | NA | NA | NA | 10.10 | 7.74 | 2.36 | NA |
| MW-13 | 04/02/1996 | <50 | NA | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.10 | 6.30 | 3.80 | NA |
| MW-13 | 10/03/1996 | <50 | <50 | NA | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | NA | NA | NA | NA | NA | 10.10 | 6.50 | 3.60 | 3.0 |
| MW-13 | 04/03/1997 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.10 | 7.58 | 2.52 | 2.0 |
| MW-13 | 10/08/1997 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | NA | NA | NA | NA | NA | 10.10 | 8.17 | 1.93 | 1.0 |
| MW-13 | 06/10/1998 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 7.54 | 2.56 | NA |
| MW-13 | 12/30/1998 | <50.0 | 69.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.00 | NA | NA | NA | NA | NA | 10.10 | 6.91 | 3.19 | 1.1/0.8 |
| MW-13 | 06/25/1999 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 6.31 | 3.79 | NA |
| MW-13 | 12/28/1999 | <50.0 | <50.0 | NA | <0.500 | <0.500 | <0.500 | <0.500 | <5.00 | NA | NA | NA | NA | NA | 10.10 | 6.65 | 3.45 | 0.8/1.0 |
| MW-13 | 05/31/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 5.94 | 4.16 | NA |
| MW-13 | 10/17/2000 | <50.0 | 121 a | NA | <0.500 | <0.500 | <0.500 | <0.500 | <2.50 | NA | NA | NA | NA | NA | 10.10 | 8.38 | 1.72 | 2.5/2.8 |
| MW-13 | 05/01/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 7.65 | 2.45 | NA |
| MW-13 | 11/05/2001 | Unable to locate | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | NA | NA | NA |
| MW-13 | 05/01/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 10.10 | 6.80 | 3.30 | 3.5/3.5 |
| MW-13 | 07/16/2002 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.10 | 6.84 | 3.26 | NA |
| MW-13 | 10/17/2002 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 9.64 | 6.73 | 2.91 | 1.4/0.9 |
| MW-13 | 01/21/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.64 | 6.99 | 2.65 | NA |
| MW-13 | 05/01/2003 | <50 | <50 | NA | 3.4 | 0.75 | 1.1 | 2.7 | NA | <5.0 | NA | NA | NA | NA | 9.64 | 6.62 | 3.02 | NA |
| MW-13 | 07/17/2003 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.64 | 5.99 | 3.65 | NA |
| MW-13 | 10/02/2003 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 9.64 | 6.81 | 2.83 | NA |
| MW-13 | 01/05/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.64 | 5.98 | 3.66 | NA |
| MW-13 | 04/01/2004 | <50 | <50 | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 9.64 | 5.09 | 4.55 | NA |
| MW-13 | 08/02/2004 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.64 | 5.49 | 4.15 | NA |
| MW-13 | 11/02/2004 | <50 | <50 | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 9.64 | 5.99 | 3.65 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|--------------|-------------------|----------------|-----------------------------|--------------------------------|-----------------|----------------|----------------|----------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| MW-13 | 01/10/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.64 | 5.63 | 4.01 | NA |
| MW-13 | 04/13/2005 | <50 | 72 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 9.64 | 6.00 | 3.64 | NA |
| MW-13 | 07/20/2005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.64 | 8.31 | 1.33 | NA |
| MW-13 | 10/24/2005 | <50 | 52 a | <500 | <0.50 | <0.50 | <0.50 | <1.0 | NA | <0.50 | NA | NA | NA | NA | 9.62 | 5.00 | 4.62 | NA |
| MW-13 | 01/04/2006 | <50.0 | <100 f | <100 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | <10.0 | 9.62 | 5.54 | 4.08 | NA |
| MW-13 | 07/26/2006 | <50.0 | <93.9 | 280 | <0.500 | <0.500 | <0.500 | <0.500 | NA | <0.500 | NA | NA | NA | NA | 9.62 | 4.92 | 4.70 | NA |
| MW-13 | 01/02/2007 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.62 | 7.37 | 2.25 | NA |
| MW-13 | 07/12/2007 | <50 m | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 9.62 | 4.60 | 5.02 | NA |
| MW-13 | 01/10/2008 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.62 | 4.32 | 5.30 | NA |
| MW-13 | 07/31/2008 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 9.62 | 7.10 | 2.52 | NA |
| MW-13 | 01/06/2009 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.62 | 4.95 | 4.67 | NA |
| MW-13 | 07/01/2009 | <50 | <50 f | <250 f | <0.50 | <1.0 | <1.0 | <1.0 | NA | <1.0 | NA | NA | NA | NA | 9.62 | 6.79 | 2.83 | NA |
| VEW-5 | 09/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 2.91 | NA | NA |
| VEW-5 | 10/17/2000 | 74,800 | 4,180 a | NA | 9,090 | 14,600 | 2,630 | 14,500 | 632 | NA | NA | NA | NA | NA | NA | 2.65 | NA | 3.0/3.1 |
| VEW-5 | 05/01/2001 | 94,800 | 5,350 | NA | 11,300 | 12,900 | 4,520 | 22,200 | 419 | NA | NA | NA | NA | NA | NA | 2.86 | NA | 0.4/0.6 |
| VEW-5 | 11/05/2001 | 82,000 | <1,600 | NA | 14,000 | 7,400 | 2,900 | 15,000 | NA | 740 | NA | NA | NA | NA | NA | 4.11 | NA | 0.6/c |
| VEW-5 | 05/01/2002 | 16,000 | <3,000 | NA | 610 | 320 | 7.9 | 3,600 | NA | 310 | NA | NA | NA | NA | NA | 2.63 | NA | 4.7/2.9 |
| VEW-5 | 07/16/2002 | 45,000 | <3,000 | NA | 7,900 | 2,700 | 1,000 | 4,600 | NA | 920 | NA | NA | NA | NA | NA | 2.96 | NA | 0.4/0.3 |
| VEW-5 | 10/17/2002 | <50 | 200 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | 46 | NA | NA | NA | NA | 8.81 | 3.55 | 5.26 | 1.1/1.0 |
| VEW-5 | 01/21/2003 | 740 | 1,200 | NA | 53 | 22 | 17 | 70 | NA | 17 | NA | NA | NA | NA | 8.81 | 2.06 | 6.75 | 1.6/0.5 |
| VEW-5 | 05/01/2003 | 1,500 | 1,000 a | NA | 140 | 92 | 120 | 290 | NA | 11 | NA | NA | NA | NA | 8.81 | 2.34 | 6.47 | NA |
| VEW-5 | 07/17/2003 | 4,200 | 1,400 a,f | NA | 630 | 1,300 | 360 | 1,400 | NA | 38 | NA | NA | NA | NA | 8.81 | 3.36 | 5.45 | NA |
| VEW-5 | 10/02/2003 | 10,000 | 3,500 a | NA | 690 | 1,200 | 420 | 1,800 | NA | 54 | NA | NA | NA | NA | 8.81 | 3.65 | 5.16 | NA |
| VEW-5 | 01/05/2004 | 180 | 530 a | NA | 5.0 | 0.73 | .65 | 11 | NA | 1.9 | NA | NA | NA | NA | 8.81 | 2.02 | 6.79 | NA |
| VEW-5 | 04/01/2004 | 2,800 | 2,500 a | NA | 520 | 23 | 260 | 290 | NA | 55 | NA | NA | NA | NA | 8.81 | 2.77 | 6.04 | NA |
| VEW-5 | 08/02/2004 | 8,900 | 3,800 a | 550 | 790 | 74 | 600 | 1,600 | NA | 62 | <40 | <40 | <40 | <100 | 8.81 | 3.55 | 5.26 | NA |
| VEW-5 | 11/02/2004 | 1,200 | 830 g | <500 | 72 | 5.8 | 83 | 100 | NA | 11 | NA | NA | NA | NA | 8.81 | 2.89 | 5.92 | NA |
| VEW-5 | 01/10/2005 | <50 | 320 a | 700 | <0.50 | <0.50 | <0.50 | 2.0 | NA | 0.56 | NA | NA | NA | NA | 8.81 | 1.14 | 7.67 | NA |
| VEW-5 | 04/13/2005 | 270 | 540 a | 1,100 | 23 | 1.4 | 11 | 15 | NA | 2.0 | NA | NA | NA | NA | 8.81 | 2.17 | 6.64 | NA |
| VEW-5 | 07/20/2005 | 130 | 100 g | <500 | 5.7 | 0.65 | 1.4 | 9.3 | NA | 7.7 | <2.0 | <2.0 | <2.0 | 41 | 8.81 | 4.39 | 4.42 | NA |
| VEW-5 | 10/24/2005 | 2,300 | 8,900 a | 3,700 l | 260 | 17 | 28 | 140 | NA | 13 | NA | NA | NA | 41 | 8.79 | 3.15 | 5.64 | NA |
| VEW-5 | 01/04/2006 | 493 | 883 f | 710 f | 1.69 | <0.500 | 2.72 | 6.19 | NA | <0.500 | NA | NA | NA | <10.0 | 8.79 | 1.28 | 7.51 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|--------------|-------------------|-----------------------|--------------------------|----------|----------|----------|----------|------------------|------------------|-------------|-------------|-------------|------------|-----------|----------------------|--------------------|------------------|
| VEW-5 | 07/26/2006 | 860 | 299 | 744 | 15.8 | 2.49 | 2.55 | 8.77 | NA | 3.69 | <0.500 | <0.500 | <0.500 | <10.0 | 8.79 | 2.98 | 5.81 | NA |
| VEW-5 | 01/02/2007 | 1,700 | 210 f | 170 f | 77 | 4.1 | 13 | 13 | NA | 3.9 | NA | NA | NA | <5.0 | 8.79 | 3.30 | 5.49 | NA |
| VEW-5 | 07/12/2007 | 1,000 m | 710 f | 390 f | 85 | 3.6 | 2.0 | 12.5 | NA | 6.3 | <2.0 | <2.0 | <2.0 | 10 | 8.79 | 3.26 | 5.53 | NA |
| VEW-5 | 01/10/2008 | 460 m | 210 f,o | 290 o | 1.4 | 1.3 | 1.0 | 6.8 | NA | <1.0 | NA | NA | NA | <10 | 8.79 | 2.18 | 6.61 | NA |
| VEW-5 | 07/31/2008 p | 170,000 | 180 f,o | <250 f | 14,000 | 370 | 690 | 1,650 | NA | 1,900 | <200 | <200 | <200 | <1,000 | 8.79 | 2.98 | 5.81 | NA |
| VEW-5 | 08/29/2008 | 1,600 | 720 f,o | 1,800 f | 110 | 4.6 | 5.1 | 13.4 | NA | <1.0 | <2.0 | <2.0 | <2.0 | 20 | 8.79 | 3.14 | 5.65 | NA |
| VEW-5 | 01/06/2009 | <50 | 200 f,o | 580 f | 2.0 | 1.4 | <1.0 | <1.0 | NA | 1.4 | NA | NA | NA | <10 | 8.79 | 3.35 | 5.44 | NA |
| VEW-5 | 07/01/2009 | 86 | 95 f,o | <250 f | 6.6 | <1.0 | <1.0 | 2.2 | NA | 9.3 | <2.0 | <2.0 | <2.0 | 25 | 8.79 | 3.63 | 5.16 | NA |
| VEW-6 | 09/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 2.94 | NA | NA |
| VEW-6 | 10/17/2000 | 63,800 | 4,820 a | NA | 6,940 | 2,750 | 2,760 | 18,700 | 3,700 | NA | NA | NA | NA | NA | NA | 3.13 | NA | 2.0/2.1 |
| VEW-6 | 05/01/2001 | 57,000 | 3,460 | NA | 6,280 | 697 | 2,640 | 15,800 | 6,240 | NA | NA | NA | NA | NA | NA | 3.25 | NA | 0.8/1.2 |
| VEW-6 | 05/29/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 3.17 | NA | 3.0/1.7 |
| VEW-6 | 11/05/2001 | 39,000 | <1,300 | NA | 6,800 | 380 | 1,900 | 7,900 | NA | 8,800 | NA | NA | NA | NA | NA | 4.35 | NA | 0.8/1.3 |
| VEW-6 | 05/01/2002 | 24,000 | <4,500 | NA | 1,800 | 270 | 470 | 3,700 | NA | 3,100 | NA | NA | NA | NA | NA | 2.73 | NA | 0.2/0.4 |
| VEW-6 | 05/01/2002 | 24,000 | <4,500 | NA | 1,800 | 270 | 470 | 3,700 | NA | 3,100 | NA | NA | NA | NA | NA | 3.59 | NA | 0.3/0.2 |
| VEW-6 | 07/16/2002 | 19,000 | <2,700 | NA | 1,900 | 250 | 140 | 3,500 | NA | 2,900 | NA | NA | NA | NA | NA | 9.33 | 4.33 | 5.00 |
| VEW-6 | 10/17/2002 | <50 | 110 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | 13 | NA | NA | NA | NA | 9.33 | 4.33 | 5.00 | 0.9/1.3 |
| VEW-6 | 10/17/2002 | <50 | 110 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | 13 | NA | NA | NA | NA | 9.33 | 3.08 | 6.25 | 4.6/5.6 |
| VEW-6 | 01/21/2003 | 900 | <500 | NA | 30 | 1.1 | 20 | 61 | NA | 110 | NA | NA | NA | NA | 9.33 | 3.08 | 6.25 | 4.6/5.6 |
| VEW-6 | 01/21/2003 | 900 | <500 | NA | 30 | 1.1 | 20 | 61 | NA | 110 | NA | NA | NA | NA | 9.33 | 3.08 | 6.25 | 4.6/5.6 |
| VEW-6 | 05/01/2003 | 1,100 a | 290 a | NA | 41 | <5.0 | 58 | 66 | NA | 89 | NA | NA | NA | NA | 9.33 | 2.79 | 6.54 | NA |
| VEW-6 | 05/01/2003 | 1,100 a | 290 a | NA | 41 | <5.0 | 58 | 66 | NA | 89 | NA | NA | NA | NA | 9.33 | 2.79 | 6.54 | NA |
| VEW-6 | 07/17/2003 | 3,100 | 1,400 a,f | NA | 400 | 30 | 280 | 820 | NA | 1,400 | NA | NA | NA | NA | 9.33 | 3.80 | 5.53 | NA |
| VEW-6 | 07/17/2003 | 3,100 | 1,400 a,f | NA | 400 | 30 | 280 | 820 | NA | 1,400 | NA | NA | NA | NA | 9.33 | 3.80 | 5.53 | NA |
| VEW-6 | 10/02/2003 | 2,100 | 1,200 a | NA | 310 | 37 | 200 | 420 | NA | 1,500 | NA | NA | NA | NA | 9.33 | 4.10 | 5.23 | NA |
| VEW-6 | 10/02/2003 | 2,100 | 1,200 a | NA | 310 | 37 | 200 | 420 | NA | 1,500 | NA | NA | NA | NA | 9.33 | 4.10 | 5.23 | NA |
| VEW-6 | 01/05/2004 | 320 | 170 a | NA | 4.9 | 0.54 | 3.3 | 18 | NA | 68 | NA | NA | NA | NA | 9.33 | 2.31 | 7.02 | NA |
| VEW-6 | 01/05/2004 | 320 | 170 a | NA | 4.9 | 0.54 | 3.3 | 18 | NA | 68 | NA | NA | NA | NA | 9.33 | 2.31 | 7.02 | NA |
| VEW-6 | 04/01/2004 | 450 | 270 a | NA | 44 | 1.6 | 23 | 24 | NA | 180 | NA | NA | NA | NA | 9.33 | 2.87 | 6.46 | NA |
| VEW-6 | 04/01/2004 | 450 | 270 a | NA | 44 | 1.6 | 23 | 24 | NA | 180 | NA | NA | NA | NA | 9.33 | 2.87 | 6.46 | NA |
| VEW-6 | 08/02/2004 | Well Inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.33 | NA | NA | NA |
| VEW-6 | 08/02/2004 | Well Inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.33 | 3.26 | 6.07 | NA |
| VEW-6 | 11/02/2004 | 910 | 210 g | <500 | 35 | 1.4 | 39 | 79 | NA | 74 | NA | NA | NA | NA | 9.33 | 3.26 | 6.07 | NA |
| VEW-6 | 11/02/2004 | 910 | 210 g | <500 | 35 | 1.4 | 39 | 79 | NA | 74 | NA | NA | NA | NA | 9.33 | 2.01 | 7.32 | NA |
| VEW-6 | 01/10/2005 | 110 | 150 a | <500 | 1.3 | <0.50 | 1.3 | 3.3 | NA | 4.7 | NA | NA | NA | NA | 9.33 | 2.01 | 7.32 | NA |
| VEW-6 | 01/10/2005 | 110 | 150 a | <500 | 1.3 | <0.50 | 1.3 | 3.3 | NA | 4.7 | NA | NA | NA | NA | 9.33 | 2.05 | 7.28 | NA |
| VEW-6 | 04/13/2005 | 98 | 330 a,j,k | 1,000 j,k | 10 | <0.50 | 2.4 | 2.6 | NA | 77 | NA | NA | NA | NA | 9.33 | 4.27 | 5.06 | NA |
| VEW-6 | 04/13/2005 | 98 | 330 a,j,k | 1,000 j,k | 10 | <0.50 | 2.4 | 2.6 | NA | 77 | NA | NA | NA | NA | 9.33 | 4.27 | 5.06 | NA |
| VEW-6 | 07/20/2005 | 150 | <50 | <500 | 4.3 | <0.50 | 1.1 | 7.1 | NA | 7.8 | <2.0 | <2.0 | <2.0 | 37 | 9.33 | 4.27 | 5.06 | NA |
| VEW-6 | 07/20/2005 | 150 | <50 | <500 | 4.3 | <0.50 | 1.1 | 7.1 | NA | 7.8 | <2.0 | <2.0 | <2.0 | 37 | 9.33 | 4.27 | 5.06 | NA |
| VEW-6 | 10/24/2005 | 4,800 | 3,300 a | 1,600 l | 150 | 4.6 | 280 | 720 | NA | 120 | NA | NA | NA | 93.6 | 9.22 | 3.56 | 5.66 | NA |
| VEW-6 | 10/24/2005 | 4,800 | 3,300 a | 1,600 l | 150 | 4.6 | 280 | 720 | NA | 120 | NA | NA | NA | 93.6 | 9.22 | 1.85 | 7.37 | NA |
| VEW-6 | 01/04/2006 | 1,010 | 1,260 f | 1,010 f | 2.67 | <0.500 | 4.79 | 12.6 | NA | 23.8 | NA | NA | NA | 93.6 | 9.22 | 3.52 | 5.70 | NA |
| VEW-6 | 01/04/2006 | 1,010 | 1,260 f | 1,010 f | 2.67 | <0.500 | 4.79 | 12.6 | NA | 23.8 | NA | NA | NA | 93.6 | 9.22 | 3.52 | 5.70 | NA |
| VEW-6 | 07/26/2006 | 31,900 | 1,750 | 2,520 | 2,730 | 6,130 | 270 | 2,590 | NA | 303 | <0.500 | <0.500 | 69.4 | 189 | 9.22 | 3.38 | 5.84 | NA |
| VEW-6 | 07/26/2006 | 31,900 | 1,750 | 2,520 | 2,730 | 6,130 | 270 | 2,590 | NA | 303 | <0.500 | <0.500 | 69.4 | 189 | 9.22 | 3.38 | 5.84 | NA |
| VEW-6 | 01/02/2007 | 6,100 | 4,900 f | 6,700 f | 42 | 740 | 89 | 850 | NA | 25 | NA | NA | NA | 51 | 9.22 | 3.38 | 5.84 | NA |
| VEW-6 | 01/02/2007 | 6,100 | 4,900 f | 6,700 f | 42 | 740 | 89 | 850 | NA | 25 | NA | NA | NA | 51 | 9.22 | 3.38 | 5.84 | NA |
| VEW-6 | 07/12/2007 | 2,900 m | 1,700 f | 1,400 f | 220 | 83 | 94 | 430 | NA | 140 | <4.0 | <4.0 | <4.0 | 180 | 9.22 | 3.72 | 5.50 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|--------------|-------------------|-------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| VEW-6 | 01/10/2008 | 2,200 m | 1,100 f,o | 2,200 f | 25 | 52 | 17 | 178 | NA | 8.2 | NA | NA | 38 | 38 | 9.22 | 2.91 | 6.31 | NA |
| VEW-6 | 07/31/2008 | 2,000 | 470 f,o | 420 f | 150 | 9.2 | 18 | 102 | NA | 120 | <2.0 | <2.0 | <2.0 | 290 | 9.22 | 3.43 | 5.79 | NA |
| VEW-6 | 01/06/2009 | 780 | 1,600 f,o | 3,000 f | 120 | 5.3 | 11 | 20 | NA | 61 | NA | NA | NA | 180 | 9.22 | 3.37 | 5.85 | NA |
| VEW-6 | 07/01/2009 | 690 | 680 f,o | 1,200 f | 95 | 4.5 | 12 | 30 | NA | 17 | <2.0 | <2.0 | <2.0 | 180 | 9.22 | 3.72 | 5.50 | NA |
| VEW-7 | 09/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 3.59 | NA | NA |
| VEW-7 | 10/17/2000 | 74,300 | 3,990 a | NA | 11,900 | 12,500 | 1,640 | 15,500 | 36,600 | NA | NA | NA | NA | NA | NA | 3.72 | NA | 3.5/4.1 |
| VEW-7 | 05/01/2001 | 46,000 | 1,930 | NA | 7,250 | 5,300 | 1,960 | 9,820 | 15,600 | 16,900 | NA | NA | NA | NA | NA | 3.40 | NA | 0.8/0.8 |
| VEW-7 | 05/29/2001 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 3.54 | NA | 2.5/1.4 |
| VEW-7 | 11/05/2001 | 38,000 | <900 | NA | 9,300 | 610 | 1,700 | 6,000 | NA | 21,000 | NA | NA | NA | NA | NA | 4.85 | NA | 3.52/c |
| VEW-7 | 05/01/2002 | 590 | <600 | NA | 6.3 | 7.2 | <2.5 | 81 | NA | 1,100 | NA | NA | NA | NA | NA | 2.62 | NA | 2.9/3.3 |
| VEW-7 | 07/16/2002 | 95 | 54 | NA | 1.5 | <0.50 | 1.5 | 6.1 | NA | 100 | NA | NA | NA | NA | NA | 3.84 | NA | 3.6/2.5 |
| VEW-7 | 10/17/2002 | <50 | 110 | NA | 1.4 | <0.50 | <0.50 | <0.50 | NA | 34 | NA | NA | NA | NA | 9.49 | 4.93 | 4.56 | 3.0/1.9 |
| VEW-7 | 01/21/2003 | <50 | 180 | NA | 0.88 | <0.50 | <0.50 | 4.2 | NA | 19 | NA | NA | NA | NA | 9.49 | 3.27 | 6.22 | 0.3/0.8 |
| VEW-7 | 05/01/2003 | 2,200 | 1,000 a | NA | 62 | 8.0 | 230 | 80 | NA | 360 | NA | NA | NA | NA | 9.49 | 2.95 | 6.54 | NA |
| VEW-7 | 07/17/2003 | <1,200 | 590 a,f | NA | 97 | 19 | 150 | 110 | NA | 830 | NA | NA | NA | NA | 9.49 | 3.94 | 5.55 | NA |
| VEW-7 | 10/02/2003 | 800 | 1,300 a | NA | 78 | 11 | 170 | 49 | NA | 1,200 | NA | NA | NA | NA | 9.49 | 5.00 | 4.49 | NA |
| VEW-7 | 01/05/2004 | 2,500 | 970 a | NA | 120 | 13 | 86 | 300 | NA | 660 | NA | NA | NA | NA | 9.49 | 2.82 | 6.67 | NA |
| VEW-7 | 04/01/2004 | 4,700 | 1,500 a | NA | 100 | 42 | 240 | 680 | NA | 830 | NA | NA | NA | NA | 9.49 | 2.99 | 6.50 | NA |
| VEW-7 | 08/02/2004 | 1,100 | 830 a | <500 | 60 | 6.5 | 30 | 120 | NA | 920 | <20 | <20 | <20 | 430 | 9.49 | 4.45 | 5.04 | NA |
| VEW-7 | 11/02/2004 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.49 | NA | NA | NA |
| VEW-7 | 11/04/2004 | 7,900 | 2,700 g | <500 | 410 | 26 | 280 | 1,100 | NA | 2,100 | NA | NA | NA | NA | 9.49 | 3.57 | 5.92 | NA |
| VEW-7 | 01/10/2005 | 1,200 | 690 g | <500 | 110 | <5.0 | 49 | 73 | NA | 530 | NA | NA | NA | NA | 9.49 | 2.26 | 7.23 | NA |
| VEW-7 | 04/13/2005 | 760 | 280 a | 530 | 18 | 3.3 | 28 | 84 | NA | 120 | NA | NA | NA | NA | 9.49 | 2.28 | 7.21 | NA |
| VEW-7 | 07/20/2005 | 160 | 250 g | <500 | 4.8 | 0.57 | 1.9 | 11 | NA | 9.3 | <2.0 | <2.0 | <2.0 | 37 | 9.49 | 4.50 | 4.99 | NA |
| VEW-7 | 10/24/2005 | 540 | 1,100 a | 630 l | 11 | 1.7 | 2.8 | 11 | NA | 36 | NA | NA | NA | 490 | 9.43 | 3.74 | 5.69 | NA |
| VEW-7 | 01/04/2006 | <50.0 | 386 f | 305 f | <0.500 | <0.500 | <0.500 | <0.500 | NA | 7.68 | NA | NA | NA | 96.7 | 9.43 | 1.93 | 7.50 | NA |
| VEW-7 | 07/26/2006 | 1,140 | 383 | 803 | 31.2 | 2.92 | 6.09 | 42.1 | NA | 87.3 | <0.500 | <0.500 | <0.500 | 257 | 9.43 | 3.77 | 5.66 | NA |
| VEW-7 | 01/02/2007 | 1,100 | 230 f | 220 f | 8.5 | 0.79 | 4.4 | 11 | NA | 18 | NA | NA | NA | 180 | 9.43 | 3.47 | 5.96 | NA |
| VEW-7 | 07/12/2007 | 860 m | 480 f | <250 f | 17 | 1.6 | 3.0 | 46.1 | NA | 37 | <2.0 | <2.0 | <2.0 | 240 | 9.43 | 3.60 | 5.83 | NA |
| VEW-7 | 01/10/2008 | 510 m | 250 f,o | <250 f | 6.8 | 0.91 n | 0.95 n | 8.28 n | NA | 20 | NA | NA | NA | 280 | 9.43 | 2.69 | 6.74 | NA |
| VEW-7 | 07/31/2008 | 1,500 | 260 f,o | <250 f | 11 | 1.3 | 3.6 | 48.6 | NA | 45 | <2.0 | <2.0 | <2.0 | 340 | 9.43 | 3.65 | 5.78 | NA |
| VEW-7 | 01/06/2009 | 680 | 420 f,o | 400 f | 5.4 | 1.6 | 9.2 | 28 | NA | 27 | NA | NA | NA | 360 | 9.43 | 3.70 | 5.73 | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|--------------------|-----------------------|--------------------------|----------|----------|----------|----------|------------------|------------------|-------------|-------------|-------------|------------|-----------|----------------------|--------------------|------------------|
| VEW-7 | 07/01/2009 | 440 | 210 f.o | <250 f | 5.2 | 1.2 | 3.9 | 17 | NA | 25 | <2.0 | <2.0 | <2.0 | 300 | 9.43 | 3.74 | 5.69 | NA |
| AS-1 | 09/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.67 | NA | NA |
| AS-1 | 10/17/2000 | 13,400 | 3,280 a | NA | 1,600 | 82.8 | <20.0 | 2,600 | 498 | NA | NA | NA | NA | NA | NA | 5.50 | NA | 2.0/2.5 |
| AS-1 | 05/01/2001 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| AS-1 | 11/05/2001 | 5,300 | <900 | NA | 85 | 26 | 46 | 120 | NA | 190 | NA | NA | NA | NA | NA | 6.11 | NA | 0.4/0.5 |
| AS-1 | 05/01/2002 | Insufficient water | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| AS-1 | 07/16/2002 | 210 | <150 | NA | 8.2 | <0.50 | 7.9 | 3.5 | NA | 25 | NA | NA | NA | NA | NA | 5.59 | NA | 4.6/2.8 |
| AS-1 | 10/17/2002 | Well dry | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 8.23 | NA | NA | NA |
| AS-1 | 01/21/2003 | <50 | 220 | NA | 0.62 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 8.23 | 9.51 | -1.28 | 2.2/2.5 |
| AS-1 | 05/01/2003 | 79 | 96 a | NA | 2.2 | 0.99 | 5.1 | 4.8 | NA | <5.0 | NA | NA | NA | NA | 8.23 | 5.75 | 2.48 | NA |
| AS-1 | 07/17/2003 | <50 | 79 a,f | NA | 1.2 | 0.60 | 0.95 | 1.7 | NA | 3.6 | NA | NA | NA | NA | 8.23 | 5.90 | 2.33 | NA |
| AS-1 | 10/02/2003 | 440 | 99 a | NA | 12 | 49 | 22 | 94 | NA | 3.5 | NA | NA | NA | NA | 8.23 | 5.90 | 2.33 | NA |
| AS-1 | 01/05/2004 | <50 | 76 a | NA | 0.75 | <0.50 | 0.70 | <1.0 | NA | 2.4 | NA | NA | NA | NA | 8.23 | 5.64 | 2.59 | NA |
| AS-1 | 04/01/2004 | <50 | <50 | NA | 0.79 | <0.50 | <0.50 | <1.0 | NA | 3.2 | NA | NA | NA | NA | 8.23 | 5.86 | 2.37 | NA |
| AS-2 | 09/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.38 | NA | NA |
| AS-2 | 10/17/2000 | 4,380 | 1,380 a | NA | 167 | <10.0 | 225 | 680 | 315 | NA | NA | NA | NA | NA | NA | 5.50 | NA | 3.1/3.0 |
| AS-2 | 05/01/2001 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| AS-2 | 11/05/2001 | 2,200 | <300 | NA | 100 | 0.99 | 91 | 21 | NA | 220 | NA | NA | NA | NA | NA | 5.99 | NA | 0.8/0.6 |
| AS-2 | 05/01/2002 | 880 | <300 | NA | 19 | <0.50 | 31 | 22 | NA | 57 | NA | NA | NA | NA | NA | 5.25 | NA | 1.0/0.8 |
| AS-2 | 07/16/2002 | 910 | <200 | NA | 40 | 4.1 | 39 | 43 | NA | 78 | NA | NA | NA | NA | NA | 5.53 | NA | 0.7/0.9 |
| AS-2 | 10/17/2002 | Well dry | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 8.65 | NA | NA | NA |
| AS-2 | 01/21/2003 | <50 | 140 | NA | 1.4 | <0.50 | 2.0 | 0.94 | NA | 19 | NA | NA | NA | NA | 8.65 | 9.32 | -0.67 | 1.4/1.6 |
| AS-2 | 05/01/2003 | 56 | 120 a | NA | 2.1 | <0.50 | 4.7 | <1.0 | NA | 12 | NA | NA | NA | NA | 8.65 | 6.74 | 1.91 | NA |
| AS-2 | 07/17/2003 | 180 | 80 a,f | NA | 11 | 0.56 | 34 | 13 | NA | 23 | NA | NA | NA | NA | 8.65 | 6.40 | 2.25 | NA |
| AS-2 | 10/02/2003 | 320 | 190 a | NA | 8.5 | 6.3 | 24 | 25 | NA | 21 | NA | NA | NA | NA | 8.65 | 6.20 | 2.45 | NA |
| AS-2 | 01/05/2004 | 210 | 160 a | NA | 1.4 | <0.50 | 21 | 1.6 | NA | 15 | NA | NA | NA | NA | 8.65 | 6.32 | 2.33 | NA |
| AS-2 | 04/01/2004 | 200 | 130 a | NA | 0.87 | <0.50 | 17 | <1.0 | NA | 18 | NA | NA | NA | NA | 8.65 | 6.15 | 2.50 | NA |
| AS-3 | 09/26/2000 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.75 | NA | NA |
| AS-3 | 10/17/2000 | 3,520 | 942 a | NA | 588 | 521 | 41.2 | 566 | 1,740 | NA | NA | NA | NA | NA | NA | 6.18 | NA | 3.1/3.0 |
| AS-3 | 05/01/2001 | Well inaccessible | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------------|--------------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
| AS-3 | 11/05/2001 | 1,600 | 110 | NA | 41 | 4.9 | 8.2 | 30 | NA | 240 | NA | NA | NA | NA | NA | 6.41 | NA | 1.1/3.2 |
| AS-3 | 05/01/2002 | Insufficient water | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14.90 | NA | NA |
| AS-3 | 07/16/2002 | Well dry | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| AS-3 | 10/17/2002 | Insufficient water | | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 8.84 | 14.78 | -5.94 | NA |
| AS-3 | 01/21/2003 | <50 | 320 | NA | <0.50 | <0.50 | <0.50 | <0.50 | NA | <5.0 | NA | NA | NA | NA | 8.84 | 11.59 | -2.75 | 2.2/1.1 |
| AS-3 | 05/01/2003 | 57 | 150 a | NA | 0.53 | <0.50 | 4.7 | 2.7 | NA | <5.0 | NA | NA | NA | NA | 8.84 | 6.44 | 2.40 | NA |
| AS-3 | 07/17/2003 | <50 | 110 a,f | NA | 0.83 | 2.1 | 2.4 | 5.4 | NA | 2.5 | NA | NA | NA | NA | 8.84 | 6.55 | 2.29 | NA |
| AS-3 | 10/02/2003 | <50 | 96 a | NA | 2.9 | 3.9 | 8.4 | 15 | NA | 8.1 | NA | NA | NA | NA | 8.84 | 6.55 | 2.29 | NA |
| AS-3 | 01/05/2004 | <50 | 120 a | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 1.5 | NA | NA | NA | NA | 8.84 | 6.47 | 2.37 | NA |
| AS-3 | 04/01/2004 | <50 | 110 a | NA | <0.50 | <0.50 | <0.50 | <1.0 | NA | 2.8 | NA | NA | NA | NA | 8.84 | 6.32 | 2.52 | NA |

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to November 5, 2001, analyzed by EPA Method 8015.

TEPH = Total petroleum hydrocarbons analyzed by EPA Method 8015M.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to November 5, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

TOB = Top of Wellbox

GW = Groundwater

DO = Dissolved Oxygen

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

n/n = Dissolved oxygen reading; pre-purge/post-purge.


NA = Not applicable

WELL CONCENTRATIONS
Shell-branded Service Station
285 Hegenberger Road
Oakland, CA

| Well ID | Date | TPPH (ug/L) | TEPH as Diesel (ug/L) | TEPH as Motor Oil (ug/L) | B (ug/L) | T (ug/L) | E (ug/L) | X (ug/L) | MTBE 8020 (ug/L) | MTBE 8260 (ug/L) | DIPE (ug/L) | ETBE (ug/L) | TAME (ug/L) | TBA (ug/L) | TOC (MSL) | Depth to Water (ft.) | GW Elevation (MSL) | DO Reading (ppm) |
|---------|------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|
|---------|------|----------------|-----------------------------|--------------------------------|-------------|-------------|-------------|-------------|------------------------|------------------------|----------------|----------------|----------------|---------------|--------------|----------------------------|--------------------------|------------------------|

Notes:

- a = Chromatogram pattern indicates an unidentified hydrocarbon/Hydrocarbon does not match pattern of laboratory's standard.
 - b = Sample was analyzed outside of EPA recommended holding time.
 - c = Post-purge DO reading not taken.
 - d = Lab did not record detected result.
 - e = Change in casing elevation due to wellhead maintenance.
 - f = Analysis with Silica Gel Cleanup.
 - g = Hydrocarbon reported is in the early Diesel range and does not match the laboratory's standard.
 - h = Hydrocarbon reported is in the late Diesel range and does not match the laboratory's standard.
 - i = The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.
 - j = Samples were re-extracted past EPA recommended holding time.
 - k = Surrogate recoveries lower than acceptance limits.
 - l = Quantity of unknown hydrocarbon(s) in sample based on motor oil.
 - m = Analyzed by EPA Method 8015B (M).
 - n = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
 - o = The sample chromatographic pattern for TPG does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 - p = Samples for wells MW-9 and VEW-5 on 7/31/08 appear to have been switched and were re-sampled 8/29/08.
- * All Diesel and motor oil samples for this event were lost in laboratory fire.
- Site surveyed, except wells MW-11 and MW-12, on March 18, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.
- Wells MW-1 through MW-4, MW-6, MW-9 through MW-13, VEW-5, VEW-6, abd VEW-7 surveyed on September 27, 2005 by Virgil Chavez Land Surveying of Vallejo, CA.



July 17, 2009

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.:** 09-07-0256
Client Reference: 285 Hegenberger Rd., Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 7/3/2009 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink that reads "Phillip Samelle for".

Calscience Environmental
Laboratories, Inc.
Jessie Lee
Project Manager



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 3510C
Method: EPA 8015B

Project: 285 Hegenberger Rd., Oakland, CA

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-11 | 09-07-0256-1-D | 07/01/09 11:20 | Aqueous | GC 43 | 07/07/09 | 07/10/09 02:29 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 98 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-12 | 09-07-0256-2-D | 07/01/09 11:50 | Aqueous | GC 43 | 07/07/09 | 07/10/09 02:50 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 99 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-6 | 09-07-0256-3-D | 07/01/09 14:10 | Aqueous | GC 43 | 07/07/09 | 07/10/09 03:10 | 090707B12 |

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 680 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 96 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 285 Hegenberger Rd., Oakland, CA

Page 2 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-6 | 09-07-0256-4-D | 07/01/09 14:50 | Aqueous | GC 43 | 07/07/09 | 07/10/09 03:31 | 090707B12 |

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 190 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 92 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-1 | 09-07-0256-5-D | 07/01/09 15:00 | Aqueous | GC 43 | 07/07/09 | 07/10/09 03:51 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.


| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 95 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 92 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-9 | 09-07-0256-6-D | 07/01/09 15:15 | Aqueous | GC 43 | 07/07/09 | 07/10/09 04:12 | 090707B12 |

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 250 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 77 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 3510C
Method: EPA 8015B

Project: 285 Hegenberger Rd., Oakland, CA

Page 3 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-10 | 09-07-0256-7-D | 07/01/09 15:35 | Aqueous | GC 43 | 07/07/09 | 07/10/09 04:32 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 79 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-2 | 09-07-0256-8-D | 07/01/09 15:45 | Aqueous | GC 43 | 07/07/09 | 07/10/09 04:53 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 92 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-3 | 09-07-0256-9-D | 07/01/09 15:45 | Aqueous | GC 43 | 07/07/09 | 07/10/09 05:13 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 260 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 96 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-4 | 09-07-0256-10-D | 07/01/09 15:35 | Aqueous | GC 43 | 07/07/09 | 07/10/09 05:34 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 87 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 285 Hegenberger Rd., Oakland, CA

Page 4 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-8 | 09-07-0256-11-D | 07/01/09 15:20 | Aqueous | GC 43 | 07/07/09 | 07/10/09 06:35 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 94 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-13 | 09-07-0256-12-D | 07/01/09 11:45 | Aqueous | GC 43 | 07/07/09 | 07/10/09 06:56 | 090707B12 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.


| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 97 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-5 | 09-07-0256-13-D | 07/01/09 15:05 | Aqueous | GC 43 | 07/07/09 | 07/10/09 07:16 | 090707B12 |

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
 -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 95 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 75 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 3510C
Method: EPA 8015B

Project: 285 Hegenberger Rd., Oakland, CA

Page 5 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-7 | 09-07-0256-14-D | 07/01/09 14:15 | Aqueous | GC 43 | 07/07/09 | 07/10/09 07:37 | 090707B12 |

Comment(s):
-The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.
-The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | 210 | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 94 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| Method Blank | 099-12-211-1,244 | N/A | Aqueous | GC 43 | 07/07/09 | 07/09/09 16:12 | 090707B12 |

| Parameter | Result | RL | DF | Qual | Units |
|-----------------------|----------------|-----------------------|----|-------------|-------|
| Diesel Range Organics | ND | 50 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 89 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 3510C
 Method: EPA 8015B (M)

Project: 285 Hegenberger Rd., Oakland, CA

Page 1 of 4

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-11 | 09-07-0256-1-D | 07/01/09 11:20 | Aqueous | GC 43 | 07/07/09 | 07/10/09 02:29 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 98 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-12 | 09-07-0256-2-D | 07/01/09 11:50 | Aqueous | GC 43 | 07/07/09 | 07/10/09 02:50 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 99 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-6 | 09-07-0256-3-D | 07/01/09 14:10 | Aqueous | GC 43 | 07/07/09 | 07/10/09 03:10 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | 1200 | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 96 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-6 | 09-07-0256-4-D | 07/01/09 14:50 | Aqueous | GC 43 | 07/07/09 | 07/10/09 03:31 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 92 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 3510C
 Method: EPA 8015B (M)

Project: 285 Hegenberger Rd., Oakland, CA

Page 2 of 4

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-1 | 09-07-0256-5-D | 07/01/09 15:00 | Aqueous | GC 43 | 07/07/09 | 07/10/09 03:51 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 92 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-9 | 09-07-0256-6-D | 07/01/09 15:15 | Aqueous | GC 43 | 07/07/09 | 07/10/09 04:12 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 77 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-10 | 09-07-0256-7-D | 07/01/09 15:35 | Aqueous | GC 43 | 07/07/09 | 07/10/09 04:32 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 79 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-2 | 09-07-0256-8-D | 07/01/09 15:45 | Aqueous | GC 43 | 07/07/09 | 07/10/09 04:53 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 92 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 3510C
 Method: EPA 8015B (M)

Project: 285 Hegenberger Rd., Oakland, CA

Page 3 of 4

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-3 | 09-07-0256-9-D | 07/01/09 15:45 | Aqueous | GC 43 | 07/07/09 | 07/10/09 05:13 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 96 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-4 | 09-07-0256-10-D | 07/01/09 15:35 | Aqueous | GC 43 | 07/07/09 | 07/10/09 05:34 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 87 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-8 | 09-07-0256-11-D | 07/01/09 15:20 | Aqueous | GC 43 | 07/07/09 | 07/10/09 06:55 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.


| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 94 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-13 | 09-07-0256-12-D | 07/01/09 11:45 | Aqueous | GC 43 | 07/07/09 | 07/10/09 06:56 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 97 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: 285 Hegenberger Rd., Oakland, CA

Page 4 of 4

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-5 | 09-07-0256-13-D | 07/01/09 15:05 | Aqueous | GC 43 | 07/07/09 | 07/10/09 07:16 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 75 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-7 | 09-07-0256-14-D | 07/01/09 14:15 | Aqueous | GC 43 | 07/07/09 | 07/10/09 07:37 | 090707B16 |

Comment(s): -The sample extract was subjected to Silica Gel treatment prior to analysis.

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 94 | 68-140 | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| Method Blank | 099-12-234-445 | N/A | Aqueous | GC 43 | 07/07/09 | 07/09/09 16:12 | 090707B16 |

| Parameter | Result | RL | DF | Qual | Units |
|--------------------|----------------|-----------------------|----|-------------|-------|
| TPH as Motor Oil | ND | 250 | 1 | | ug/L |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | |
| Decachlorobiphenyl | 89 | 68-140 | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 5030B
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 285 Hegenberger Rd., Oakland, CA

Page 1 of 2

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-11 | 09-07-0256-1-C | 07/01/09 11:20 | Aqueous | GC/MS R | 07/13/09 | 07/13/09 20:50 | 090713L01 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|------------------------|----------------|-----------------------|----|-------------|-----------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Xylenes (total) | ND | 1.0 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 101 | 74-140 | | | 1,2-Dichloroethane-d4 | 117 | 74-146 | | |
| Toluene-d8 | 106 | 88-112 | | | Toluene-d8-TPPH | 107 | 88-112 | | |
| 1,4-Bromofluorobenzene | 106 | 74-110 | | | | | | | |


| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-12 | 09-07-0256-2-C | 07/01/09 11:50 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 01:58 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|------------------------|----------------|-----------------------|----|-------------|-----------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Xylenes (total) | ND | 1.0 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 101 | 74-140 | | | 1,2-Dichloroethane-d4 | 115 | 74-146 | | |
| Toluene-d8 | 104 | 88-112 | | | Toluene-d8-TPPH | 105 | 88-112 | | |
| 1,4-Bromofluorobenzene | 110 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-8 | 09-07-0256-11-C | 07/01/09 15:20 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 05:41 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|------------------------|----------------|-----------------------|----|-------------|-----------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Xylenes (total) | ND | 1.0 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 104 | 74-140 | | | 1,2-Dichloroethane-d4 | 117 | 74-146 | | |
| Toluene-d8 | 105 | 88-112 | | | Toluene-d8-TPPH | 107 | 88-112 | | |
| 1,4-Bromofluorobenzene | 106 | 74-110 | | | | | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 285 Hegenberger Rd., Oakland, CA

Page 2 of 2

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-13 | 09-07-0256-12-C | 07/01/09 11:45 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 06:09 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|------------------------|----------------|-----------------------|----|-------------|-----------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Xylenes (total) | ND | 1.0 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 102 | 74-140 | | | 1,2-Dichloroethane-d4 | 117 | 74-146 | | |
| Toluene-d8 | 104 | 88-112 | | | Toluene-d8-TPPH | 106 | 88-112 | | |
| 1,4-Bromofluorobenzene | 105 | 74-110 | | | | | | | |

| Method Blank | 099-12-767-2,174 | N/A | Aqueous | GC/MS R | 07/13/09 | 07/13/09 13:44 | 090713L01 |
|--------------|------------------|-----|---------|---------|----------|----------------|-----------|
|--------------|------------------|-----|---------|---------|----------|----------------|-----------|

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|------------------------|----------------|-----------------------|----|-------------|-----------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Xylenes (total) | ND | 1.0 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 99 | 74-140 | | | 1,2-Dichloroethane-d4 | 116 | 74-146 | | |
| Toluene-d8 | 103 | 88-112 | | | Toluene-d8-TPPH | 105 | 88-112 | | |
| 1,4-Bromofluorobenzene | 107 | 74-110 | | | | | | | |

| Method Blank | 099-12-767-2,175 | N/A | Aqueous | GC/MS R | 07/13/09 | 07/14/09 01:30 | 090713L02 |
|--------------|------------------|-----|---------|---------|----------|----------------|-----------|
|--------------|------------------|-----|---------|---------|----------|----------------|-----------|

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|------------------------|----------------|-----------------------|----|-------------|-----------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Xylenes (total) | ND | 1.0 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 101 | 74-140 | | | 1,2-Dichloroethane-d4 | 110 | 74-146 | | |
| Toluene-d8 | 102 | 88-112 | | | Toluene-d8-TPPH | 104 | 88-112 | | |
| 1,4-Bromofluorobenzene | 105 | 74-110 | | | | | | | |

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B
Units: ug/L

Project: 285 Hegenberger Rd., Oakland, CA

Page 1 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-6 | 09-07-0256-3-C | 07/01/09 14:10 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 02:26 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 95 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 180 | 10 | 1 | |
| Ethylbenzene | 12 | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | 4.5 | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 30 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 17 | 1.0 | 1 | | TPPH | 690 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 107 | 74-140 | | | 1,2-Dichloroethane-d4 | 112 | 74-146 | | |
| Toluene-d8 | 102 | 88-112 | | | Toluene-d8-TPPH | 104 | 88-112 | | |
| 1,4-Bromofluorobenzene | 110 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-6 | 09-07-0256-4-C | 07/01/09 14:50 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 02:54 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 85 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 24 | 1.0 | 1 | | TPPH | 1200 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 99 | 74-140 | | | 1,2-Dichloroethane-d4 | 113 | 74-146 | | |
| Toluene-d8 | 105 | 88-112 | | | Toluene-d8-TPPH | 107 | 88-112 | | |
| 1,4-Bromofluorobenzene | 110 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-1 | 09-07-0256-5-B | 07/01/09 15:00 | Aqueous | GC/MS LL | 07/14/09 | 07/14/09 15:16 | 090714L01 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 110 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 110 | 10 | 1 | |
| Ethylbenzene | 3.8 | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | 7.7 | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 4.1 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 37 | 1.0 | 1 | | TPPH | 710 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 102 | 74-140 | | | 1,2-Dichloroethane-d4 | 100 | 74-146 | | |
| Toluene-d8 | 103 | 88-112 | | | Toluene-d8-TPPH | 104 | 88-112 | | |
| 1,4-Bromofluorobenzene | 89 | 74-110 | | | | | | | |

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 5030B
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 285 Hegenberger Rd., Oakland, CA

Page 2 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-9 | 09-07-0256-6-C | 07/01/09 15:15 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 03:49 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 2900 | 12 | 25 | | Tert-Butyl Alcohol (TBA) | ND | 250 | 25 | |
| Ethylbenzene | ND | 25 | 25 | | Diisopropyl Ether (DIPE) | ND | 50 | 25 | |
| Toluene | ND | 25 | 25 | | Ethyl-t-Butyl Ether (ETBE) | ND | 50 | 25 | |
| Xylenes (total) | 220 | 25 | 25 | | Tert-Amyl-Methyl Ether (TAME) | ND | 50 | 25 | |
| Methyl-t-Butyl Ether (MTBE) | ND | 25 | 25 | | TPPH | 6700 | 1200 | 25 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 104 | 74-140 | | | 1,2-Dichloroethane-d4 | 114 | 74-146 | | |
| Toluene-d8 | 104 | 88-112 | | | Toluene-d8-TPPH | 105 | 88-112 | | |
| 1,4-Bromofluorobenzene | 105 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-10 | 09-07-0256-7-C | 07/01/09 15:35 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 04:17 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 6100 | 25 | 50 | | Tert-Butyl Alcohol (TBA) | 2900 | 500 | 50 | |
| Ethylbenzene | 1100 | 50 | 50 | | Diisopropyl Ether (DIPE) | ND | 100 | 50 | |
| Toluene | ND | 50 | 50 | | Ethyl-t-Butyl Ether (ETBE) | ND | 100 | 50 | |
| Xylenes (total) | 110 | 50 | 50 | | Tert-Amyl-Methyl Ether (TAME) | ND | 100 | 50 | |
| Methyl-t-Butyl Ether (MTBE) | 910 | 50 | 50 | | TPPH | 17000 | 2500 | 50 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 103 | 74-140 | | | 1,2-Dichloroethane-d4 | 113 | 74-146 | | |
| Toluene-d8 | 105 | 88-112 | | | Toluene-d8-TPPH | 106 | 88-112 | | |
| 1,4-Bromofluorobenzene | 107 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-2 | 09-07-0256-8-C | 07/01/09 15:45 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 04:45 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 180 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 2.9 | 1.0 | 1 | | TPPH | 310 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 108 | 74-140 | | | 1,2-Dichloroethane-d4 | 130 | 74-146 | | |
| Toluene-d8 | 105 | 88-112 | | | Toluene-d8-TPPH | 106 | 88-112 | | |
| 1,4-Bromofluorobenzene | 109 | 74-110 | | | | | | | |

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 5030B
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 285 Hegenberger Rd., Oakland, CA

Page 3 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-3 | 09-07-0256-9-C | 07/01/09 15:45 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 05:13 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 6.7 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 640 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 1.4 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 16 | 1.0 | 1 | | TPPH | 170 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 103 | 74-140 | | | 1,2-Dichloroethane-d4 | 117 | 74-146 | | |
| Toluene-d8 | 104 | 88-112 | | | Toluene-d8-TPPH | 106 | 88-112 | | |
| 1,4-Bromofluorobenzene | 108 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| MW-4 | 09-07-0256-10-C | 07/01/09 15:35 | Aqueous | GC/MS R | 07/13/09 | 07/13/09 14:12 | 090713L01 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 2.0 | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 104 | 74-140 | | | 1,2-Dichloroethane-d4 | 132 | 74-146 | | |
| Toluene-d8 | 108 | 88-112 | | | Toluene-d8-TPPH | 110 | 88-112 | | |
| 1,4-Bromofluorobenzene | 109 | 74-110 | | | | | | | |

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-5 | 09-07-0256-13-C | 07/01/09 15:05 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 08:00 | 090713L02 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 6.6 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 25 | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 2.2 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 9.3 | 1.0 | 1 | | TPPH | 86 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 109 | 74-140 | | | 1,2-Dichloroethane-d4 | 118 | 74-146 | | |
| Toluene-d8 | 102 | 88-112 | | | Toluene-d8-TPPH | 105 | 88-112 | | |
| 1,4-Bromofluorobenzene | 105 | 74-110 | | | | | | | |

RL - Reporting Limit DF - Dilution Factor Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 5030B
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L

Project: 285 Hegenberger Rd., Oakland, CA

Page 4 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| VEW-7 | 09-07-0256-14-C | 07/01/09 14:15 | Aqueous | GC/MS LL | 07/14/09 | 07/14/09 17:06 | 090714L01 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | 5.2 | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | 300 | 10 | 1 | |
| Ethylbenzene | 3.9 | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | 1.2 | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | 17 | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | 25 | 1.0 | 1 | | TPPH | 440 | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 104 | 74-140 | | | 1,2-Dichloroethane-d4 | 99 | 74-146 | | |
| Toluene-d8 | 102 | 88-112 | | | Toluene-d8-TPPH | 102 | 88-112 | | |
| 1,4-Bromofluorobenzene | 87 | 74-110 | | | | | | | |

| Method Blank | 099-12-767-2,174 | N/A | Aqueous | GC/MS R | 07/13/09 | 07/13/09 13:44 | 090713L01 |
|--------------|------------------|-----|---------|---------|----------|-------------------|-----------|
|--------------|------------------|-----|---------|---------|----------|-------------------|-----------|

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 99 | 74-140 | | | 1,2-Dichloroethane-d4 | 116 | 74-146 | | |
| Toluene-d8 | 103 | 88-112 | | | Toluene-d8-TPPH | 105 | 88-112 | | |
| 1,4-Bromofluorobenzene | 107 | 74-110 | | | | | | | |

| Method Blank | 099-12-767-2,175 | N/A | Aqueous | GC/MS R | 07/13/09 | 07/14/09 01:30 | 090713L02 |
|--------------|------------------|-----|---------|---------|----------|-------------------|-----------|
|--------------|------------------|-----|---------|---------|----------|-------------------|-----------|

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| Surrogates: | REC (%) | Control Limits | | Qual | Surrogates: | REC (%) | Control Limits | | Qual |
| Dibromofluoromethane | 101 | 74-140 | | | 1,2-Dichloroethane-d4 | 110 | 74-146 | | |
| Toluene-d8 | 102 | 88-112 | | | Toluene-d8-TPPH | 104 | 88-112 | | |
| 1,4-Bromofluorobenzene | 105 | 74-110 | | | | | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105

Date Received: 07/03/09
 Work Order No: 09-07-0256
 Preparation: EPA 5030B
 Method: LUFT GC/MS / EPA 8260B
 Units: ug/L


Project: 285 Hegenberger Rd., Oakland, CA

Page 5 of 5

| Client Sample Number | Lab Sample Number | Date/Time Collected | Matrix | Instrument | Date Prepared | Date/Time Analyzed | QC Batch ID |
|----------------------|-------------------|---------------------|---------|------------|---------------|--------------------|-------------|
| Method Blank | 099-12-767-2,179 | N/A | Aqueous | GC/MS LL | 07/14/09 | 07/14/09 14:49 | 090714L01 |

| Parameter | Result | RL | DF | Qual | Parameter | Result | RL | DF | Qual |
|-----------------------------|----------------|-----------------------|----|-------------|-------------------------------|----------------|-----------------------|----|-------------|
| Benzene | ND | 0.50 | 1 | | Tert-Butyl Alcohol (TBA) | ND | 10 | 1 | |
| Ethylbenzene | ND | 1.0 | 1 | | Diisopropyl Ether (DIPE) | ND | 2.0 | 1 | |
| Toluene | ND | 1.0 | 1 | | Ethyl-t-Butyl Ether (ETBE) | ND | 2.0 | 1 | |
| Xylenes (total) | ND | 1.0 | 1 | | Tert-Amyl-Methyl Ether (TAME) | ND | 2.0 | 1 | |
| Methyl-t-Butyl Ether (MTBE) | ND | 1.0 | 1 | | TPPH | ND | 50 | 1 | |
| <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> | <u>Surrogates:</u> | <u>REC (%)</u> | <u>Control Limits</u> | | <u>Qual</u> |
| Dibromofluoromethane | 103 | 74-140 | | | 1,2-Dichloroethane-d4 | 100 | 74-146 | | |
| Toluene-d8 | 100 | 88-112 | | | Toluene-d8-TPPH | 101 | 88-112 | | |
| 1,4-Bromofluorobenzene | 87 | 74-110 | | | | | | | |

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|---------------------|
| MW-4 | Aqueous | GC/MS R | 07/13/09 | 07/13/09 | 090713S01 |

| Parameter | MS %REC | MSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-------------------------------|---------|----------|---------|-----|--------|------------|
| Benzene | 97 | 95 | 88-118 | 2 | 0-7 | |
| Carbon Tetrachloride | 78 | 78 | 67-145 | 0 | 0-11 | |
| Chlorobenzene | 94 | 93 | 88-118 | 2 | 0-7 | |
| 1,2-Dibromoethane | 100 | 95 | 70-130 | 5 | 0-30 | |
| 1,2-Dichlorobenzene | 87 | 85 | 86-116 | 3 | 0-8 | 3 |
| 1,1-Dichloroethene | 90 | 86 | 70-130 | 4 | 0-25 | |
| Ethylbenzene | 95 | 94 | 70-130 | 1 | 0-30 | |
| Toluene | 90 | 91 | 87-123 | 1 | 0-8 | |
| Trichloroethene | 88 | 88 | 79-127 | 0 | 0-10 | |
| Vinyl Chloride | 65 | 74 | 69-129 | 13 | 0-13 | 3 |
| Methyl-t-Butyl Ether (MTBE) | 96 | 111 | 71-131 | 14 | 0-13 | 4 |
| Tert-Butyl Alcohol (TBA) | 96 | 90 | 36-168 | 7 | 0-45 | |
| Diisopropyl Ether (DIPE) | 93 | 92 | 81-123 | 1 | 0-9 | |
| Ethyl-t-Butyl Ether (ETBE) | 103 | 104 | 72-126 | 1 | 0-12 | |
| Tert-Amyl-Methyl Ether (TAME) | 103 | 101 | 72-126 | 3 | 0-12 | |
| Ethanol | 77 | 72 | 53-149 | 6 | 0-31 | |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|---------------------|
| MW-13 | Aqueous | GC/MS R | 07/13/09 | 07/14/09 | 090713S02 |

| Parameter | MS %REC | MSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-------------------------------|---------|----------|---------|-----|--------|------------|
| Benzene | 96 | 97 | 88-118 | 1 | 0-7 | |
| Carbon Tetrachloride | 74 | 77 | 67-145 | 3 | 0-11 | |
| Chlorobenzene | 90 | 93 | 88-118 | 3 | 0-7 | |
| 1,2-Dibromoethane | 95 | 94 | 70-130 | 0 | 0-30 | |
| 1,2-Dichlorobenzene | 80 | 82 | 86-116 | 3 | 0-8 | 3 |
| 1,1-Dichloroethene | 86 | 87 | 70-130 | 1 | 0-25 | |
| Ethylbenzene | 89 | 92 | 70-130 | 3 | 0-30 | |
| Toluene | 88 | 90 | 87-123 | 2 | 0-8 | |
| Trichloroethene | 87 | 86 | 79-127 | 1 | 0-10 | |
| Vinyl Chloride | 75 | 74 | 69-129 | 2 | 0-13 | |
| Methyl-t-Butyl Ether (MTBE) | 93 | 97 | 71-131 | 4 | 0-13 | |
| Tert-Butyl Alcohol (TBA) | 91 | 96 | 36-168 | 6 | 0-45 | |
| Diisopropyl Ether (DIPE) | 93 | 86 | 81-123 | 8 | 0-9 | |
| Ethyl-t-Butyl Ether (ETBE) | 98 | 97 | 72-126 | 1 | 0-12 | |
| Tert-Amyl-Methyl Ether (TAME) | 94 | 96 | 72-126 | 2 | 0-12 | |
| Ethanol | 72 | 75 | 53-149 | 5 | 0-31 | |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 07/03/09
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | MS/MSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|---------------------|
| MW-1 | Aqueous | GC/MS LL | 07/14/09 | 07/14/09 | 090714S01 |

| Parameter | MS %REC | MSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-------------------------------|---------|----------|---------|-----|--------|------------|
| Benzene | 71 | 66 | 88-118 | 2 | 0-7 | 3 |
| Carbon Tetrachloride | 60 | 63 | 67-145 | 5 | 0-11 | 3 |
| Chlorobenzene | 95 | 95 | 88-118 | 1 | 0-7 | |
| 1,2-Dibromoethane | 94 | 94 | 70-130 | 1 | 0-30 | |
| 1,2-Dichlorobenzene | 96 | 97 | 86-116 | 1 | 0-8 | |
| 1,1-Dichloroethene | 84 | 82 | 70-130 | 2 | 0-25 | |
| Ethylbenzene | 93 | 90 | 70-130 | 2 | 0-30 | |
| Toluene | 99 | 98 | 87-123 | 1 | 0-8 | |
| Trichloroethene | 90 | 87 | 79-127 | 3 | 0-10 | |
| Vinyl Chloride | 78 | 79 | 69-129 | 1 | 0-13 | |
| Methyl-t-Butyl Ether (MTBE) | 95 | 98 | 71-131 | 2 | 0-13 | |
| Tert-Butyl Alcohol (TBA) | 88 | 86 | 36-168 | 1 | 0-45 | |
| Diisopropyl Ether (DIPE) | 102 | 105 | 81-123 | 3 | 0-9 | |
| Ethyl-t-Butyl Ether (ETBE) | 95 | 101 | 72-126 | 5 | 0-12 | |
| Tert-Amyl-Methyl Ether (TAME) | 90 | 91 | 72-126 | 1 | 0-12 | |
| Ethanol | 90 | 102 | 53-149 | 13 | 0-31 | |

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112-1105


Date Received: N/A
 Work Order No: 09-07-0256
 Preparation: EPA 3510C
 Method: EPA 8015B

Project: 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|-----------------------|
| 099-12-211-1,244 | Aqueous | GC 43 | 07/07/09 | 07/09/09 | 090707B12 |

| Parameter | LCS %REC | LCSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|-----------------------|----------|-----------|---------|-----|--------|------------|
| Diesel Range Organics | 95 | 95 | 75-117 | 0 | 0-13 | |

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 09-07-0256
Preparation: EPA 3510C
Method: EPA 8015B (M)

Project: 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number |
|---------------------------|---------|------------|---------------|---------------|-----------------------|
| 099-12-234-445 | Aqueous | GC 43 | 07/07/09 | 07/09/09 | 090707B16 |

| Parameter | LCS %REC | LCSD %REC | %REC CL | RPD | RPD CL | Qualifiers |
|------------------|----------|-----------|---------|-----|--------|------------|
| TPH as Motor Oil | 106 | 105 | 75-117 | 0 | 0-13 | |

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number | | |
|-------------------------------|----------|------------|---------------|---------------|-----------------------|--------|------------|
| 099-12-767-2,174 | Aqueous | GC/MS R | 07/13/09 | 07/13/09 | 090713L01 | | |
| Parameter | LCS %REC | LCSD %REC | %REC CL | ME CL | RPD | RPD CL | Qualifiers |
| Benzene | 102 | 103 | 84-120 | 78-126 | 1 | 0-8 | |
| Carbon Tetrachloride | 94 | 93 | 63-147 | 49-161 | 1 | 0-10 | |
| Chlorobenzene | 99 | 99 | 89-119 | 84-124 | 0 | 0-7 | |
| 1,2-Dibromoethane | 97 | 95 | 80-120 | 73-127 | 3 | 0-20 | |
| 1,2-Dichlorobenzene | 90 | 91 | 89-119 | 84-124 | 0 | 0-9 | |
| 1,1-Dichloroethene | 98 | 98 | 77-125 | 69-133 | 0 | 0-16 | |
| Ethylbenzene | 104 | 102 | 80-120 | 73-127 | 2 | 0-20 | |
| Toluene | 98 | 95 | 83-125 | 76-132 | 3 | 0-9 | |
| Trichloroethene | 97 | 98 | 89-119 | 84-124 | 2 | 0-8 | |
| Vinyl Chloride | 81 | 77 | 63-135 | 51-147 | 5 | 0-13 | |
| Methyl-t-Butyl Ether (MTBE) | 101 | 99 | 82-118 | 76-124 | 3 | 0-13 | |
| Tert-Butyl Alcohol (TBA) | 79 | 89 | 46-154 | 28-172 | 12 | 0-32 | |
| Diisopropyl Ether (DIPE) | 90 | 76 | 81-123 | 74-130 | 17 | 0-11 | ME,X |
| Ethyl-t-Butyl Ether (ETBE) | 100 | 101 | 74-122 | 66-130 | 1 | 0-12 | |
| Tert-Amyl-Methyl Ether (TAME) | 97 | 99 | 76-124 | 68-132 | 2 | 0-10 | |
| Ethanol | 65 | 65 | 60-138 | 47-151 | 0 | 0-32 | |
| TPPH | 91 | 85 | 65-135 | 53-147 | 6 | 0-30 | |


Total number of LCS compounds : 17

Total number of ME compounds : 1

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number | | |
|-------------------------------|----------|------------|---------------|---------------|-----------------------|--------|------------|
| 099-12-767-2,175 | Aqueous | GC/MS R | 07/13/09 | 07/13/09 | 090713L02 | | |
| Parameter | LCS %REC | LCSD %REC | %REC CL | ME CL | RPD | RPD CL | Qualifiers |
| Benzene | 97 | 108 | 84-120 | 78-126 | 10 | 0-8 | X |
| Carbon Tetrachloride | 79 | 82 | 63-147 | 49-161 | 4 | 0-10 | |
| Chlorobenzene | 95 | 104 | 89-119 | 84-124 | 9 | 0-7 | X |
| 1,2-Dibromoethane | 100 | 106 | 80-120 | 73-127 | 6 | 0-20 | |
| 1,2-Dichlorobenzene | 84 | 92 | 89-119 | 84-124 | 9 | 0-9 | ME |
| 1,1-Dichloroethene | 89 | 96 | 77-125 | 69-133 | 7 | 0-16 | |
| Ethylbenzene | 94 | 105 | 80-120 | 73-127 | 11 | 0-20 | |
| Toluene | 92 | 102 | 83-125 | 76-132 | 10 | 0-9 | X |
| Trichloroethene | 97 | 106 | 89-119 | 84-124 | 8 | 0-8 | |
| Vinyl Chloride | 72 | 83 | 63-135 | 51-147 | 14 | 0-13 | X |
| Methyl-t-Butyl Ether (MTBE) | 92 | 97 | 82-118 | 76-124 | 5 | 0-13 | |
| Tert-Butyl Alcohol (TBA) | 89 | 100 | 46-154 | 28-172 | 11 | 0-32 | |
| Diisopropyl Ether (DIPE) | 92 | 88 | 81-123 | 74-130 | 5 | 0-11 | |
| Ethyl-t-Butyl Ether (ETBE) | 99 | 104 | 74-122 | 66-130 | 4 | 0-12 | |
| Tert-Amyl-Methyl Ether (TAME) | 99 | 105 | 76-124 | 68-132 | 6 | 0-10 | |
| Ethanol | 79 | 86 | 60-138 | 47-151 | 8 | 0-32 | |
| TPPH | 87 | 76 | 65-135 | 53-147 | 13 | 0-30 | |


Total number of LCS compounds : 17

Total number of ME compounds : 1

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 09-07-0256
Preparation: EPA 5030B
Method: LUFT GC/MS / EPA 8260B

Project: 285 Hegenberger Rd., Oakland, CA

| Quality Control Sample ID | Matrix | Instrument | Date Prepared | Date Analyzed | LCS/LCSD Batch Number | | |
|-------------------------------|----------|------------|---------------|---------------|-----------------------|--------|------------|
| 099-12-767-2,179 | Aqueous | GC/MS LL | 07/14/09 | 07/14/09 | 090714L01 | | |
| Parameter | LCS %REC | LCSD %REC | %REC CL | ME CL | RPD | RPD CL | Qualifiers |
| Benzene | 90 | 91 | 84-120 | 78-126 | 1 | 0-8 | |
| Carbon Tetrachloride | 68 | 66 | 63-147 | 49-161 | 2 | 0-10 | |
| Chlorobenzene | 96 | 97 | 89-119 | 84-124 | 1 | 0-7 | |
| 1,2-Dibromoethane | 93 | 94 | 80-120 | 73-127 | 1 | 0-20 | |
| 1,2-Dichlorobenzene | 98 | 97 | 89-119 | 84-124 | 0 | 0-9 | |
| 1,1-Dichloroethene | 85 | 88 | 77-125 | 69-133 | 4 | 0-16 | |
| Ethylbenzene | 96 | 96 | 80-120 | 73-127 | 0 | 0-20 | |
| Toluene | 100 | 102 | 83-125 | 76-132 | 1 | 0-9 | |
| Trichloroethene | 91 | 93 | 89-119 | 84-124 | 2 | 0-8 | |
| Vinyl Chloride | 82 | 84 | 63-135 | 51-147 | 2 | 0-13 | |
| Methyl-t-Butyl Ether (MTBE) | 90 | 92 | 82-118 | 76-124 | 1 | 0-13 | |
| Tert-Butyl Alcohol (TBA) | 88 | 89 | 46-154 | 28-172 | 2 | 0-32 | |
| Diisopropyl Ether (DIPE) | 99 | 100 | 81-123 | 74-130 | 1 | 0-11 | |
| Ethyl-t-Butyl Ether (ETBE) | 94 | 94 | 74-122 | 66-130 | 0 | 0-12 | |
| Tert-Amyl-Methyl Ether (TAME) | 86 | 85 | 76-124 | 68-132 | 1 | 0-10 | |
| Ethanol | 104 | 108 | 60-138 | 47-151 | 4 | 0-32 | |
| TPPH | 97 | 95 | 65-135 | 53-147 | 2 | 0-30 | |

Total number of LCS compounds : 17

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 09-07-0256

| <u>Qualifier</u> | <u>Definition</u> |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| * | See applicable analysis comment. |
| 1 | Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification. |
| 2 | Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification. |
| 3 | Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification. |
| 4 | The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification. |
| 5 | The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required. |
| A | Result is the average of all dilutions, as defined by the method. |
| B | Analyte was present in the associated method blank. |
| C | Analyte presence was not confirmed on primary column. |
| E | Concentration exceeds the calibration range. |
| H | Sample received and/or analyzed past the recommended holding time. |
| J | Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated. |
| ME | LCS Recovery Percentage is within LCS ME Control Limit range. |
| N | Nontarget Analyte. |
| ND | Parameter not detected at the indicated reporting limit. |
| Q | Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater. |
| U | Undetected at the laboratory method detection limit. |
| X | % Recovery and/or RPD out-of-range. |
| Z | Analyte presence was not confirmed by second column or GC/MS analysis. |
| | Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. |

LAB (LOCATION)



Shell Oil Products Chain Of Custody Record

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA ()
- OTHER ()

Please Check Appropriate Box:

| | | |
|-----------------------------------------|------------------------------------------------|---------------------------------------|
| <input type="checkbox"/> ENV. SERVICES | <input type="checkbox"/> MOTIVA RETAIL | <input type="checkbox"/> SHELL RETAIL |
| <input type="checkbox"/> MOTIVA SD&CM | <input checked="" type="checkbox"/> CONSULTANT | <input type="checkbox"/> LUBES |
| <input type="checkbox"/> SHELL PIPELINE | <input type="checkbox"/> OTHER | |

Print Bill To Contact Name:
Peter Schaefer 24073

PO#

INCIDENT # (ENV SERVICES): 9 8 9 9 5 7 4 9

CHECK IF NO INCIDENT # APPLIES

DATE: 7/1/09

PAGE: 1 of 2

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

SITE ADDRESS: Street and City: 285 Hegenberger Rd., Oakland

State: CA

GLOBAL ID NO: T0600101245

ADDRESS: 1680 Rogers Ave, San Jose, CA 95112

EDF DELIVERABLE TO (Name, Company, Office Location): Anni Kreami, CRA, Emeryville

PHONE NO: (510) 420-3335

E-MAIL: Shelledt@craworld.com

CONSULTANT PROJECT NO: BTS # 090701-DEL

PROJECT CONTACT (Hardcopy or PDF Reports): Michael Ninokata Copy to Shell.Lab.Billing@craworld.com

SAMPLER NAME(S) (Print): D. Rappel / J. Parker

LAB USE ONLY: 09-07-0206

TELEPHONE: (408) 573-0555

FAX: (408) 573-7771

E-MAIL: mninokata@blainetech.com

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS

RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT UST AGENCY:

TEMPERATURE ON RECEIPT: °C

SPECIAL INSTRUCTIONS OR NOTES:

Run TPH-d w/Silica Gel Clean Up

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

| LAB USE ONLY | Field Sample Identification | | | MATRIX | PRESERVATIVE | | | | | NO. OF CONT. | TPH - Purgeable (8260B) | TPH - Extractable (8015M) | BTEX (8260B) | 5 Oxygenates (8260B) | MTBE (8260B) | TBA (8260B) | DIPE (8260B) | TAME (8260B) | ETBE (8260B) | 1,2 DCA (8260B) | EDB (8260B) | Ethanol (8260B) | Methanol (8015M) | TPH MO | Container PID Readings or Laboratory Notes | |
|--------------|-----------------------------|--------|------|--------|--------------|------|-------|------|-------|--------------|-------------------------|---------------------------|--------------|----------------------|--------------|-------------|--------------|--------------|--------------|-----------------|-------------|-----------------|------------------|--------|--------------------------------------------|--------|
| | DATE | TIME | | | HCL | HNO3 | H2SO4 | NONE | OTHER | | | | | | | | | | | | | | | | | |
| 1 | MW-11 | 7/1/09 | 1120 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | No TBA |
| 2 | MW-12 | | 1150 | W | 3 | | | | | 2 | 5 | X | X | X | X | | | | | | | | | X | | |
| 3 | VEW-6 | | 1410 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | |
| 4 | MW-6 | | 1450 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | |
| 5 | MW-1 | | 1500 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | |
| 6 | MW-9 | | 1515 | W | 3 | | | | | 2 | 5 | X | X | X | X | | | | | | | | | X | | |
| 7 | MW-10 | | 1535 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | |
| 8 | MW-2 | | 1545 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | |
| 9 | MW-3 | | 1545 | W | 3 | | | | | 2 | 5 | X | X | X | X | X | | | | | | | | X | | |
| 10 | MW-4 | | 1535 | W | 3 | | | | | 2 | 5 | X | X | X | X | | | | | | | | | X | | |

Relinquished by: (Signature) [Signature]

Received by: (Signature) [Signature] (Sample Custodian)

Date: 7/1/09

Time: 1730

Relinquished by: (Signature) [Signature]

Received by: (Signature) [Signature]

Date: 7/2/09

Time: 932

Relinquished by: (Signature) [Signature]

Received by: (Signature) [Signature]

Date: 7-3-09

Time: 1000

GSO 512 8/27

05/2/06 Revision

LAB (LOCATION)



Shell Oil Products Chain Of Custody Record

- CALSCIENCE ()
- SPL ()
- XENCO ()
- TEST AMERICA ()
- OTHER ()

Please Check Appropriate Box:

| | | |
|-----------------------------------------|------------------------------------------------|---------------------------------------|
| <input type="checkbox"/> ENV. SERVICES | <input type="checkbox"/> MOTIVA RETAIL | <input type="checkbox"/> SHELL RETAIL |
| <input type="checkbox"/> MOTIVA SD&CM | <input checked="" type="checkbox"/> CONSULTANT | <input type="checkbox"/> LUBES |
| <input type="checkbox"/> SHELL PIPELINE | <input type="checkbox"/> OTHER | |

Print Bill To Contact Name: Peter Schaefer 24073

INCIDENT # (ENV SERVICES): 9 8 9 9 5 7 4 9

PO#: _____ SAP#: _____

CHECK IF NO INCIDENT # APPLIES:

DATE: 7/1/09

PAGE: 2 of 2

SAMPLING COMPANY: Blaine Tech Services

LOG CODE: BTSS

ADDRESS: 1680 Rogers Ave, San Jose, CA 95112

PROJECT CONTACT (Hardcopy or PDF Reports): Michael Ninokata Copy to Shell.Lab.Billing@croworld.com

TELEPHONE: (408)573-0555 FAX: (408)573-7771 E-MAIL: mninokata@blainetech.com

SITE ADDRESS: Street and City: 285 Hegenberger Rd., Oakland

State: CA GLOBAL ID NO: T0600101245

EDF DELIVERABLE TO (Name, Company, Office Location): Anni Kremi, CRA, Emeryville

PHONE NO: (510) 420-3335 E-MAIL: Shelledf@croworld.com

CONSULTANT PROJECT NO: BTS# 090701-DRI

SAMPLER NAME(S) (Print): D. Remyal / J. Parker

LAB USE ONLY: 09-07-0266

TURNAROUND TIME (CALENDAR DAYS):

STANDARD (14 DAY) 5 DAYS 3 DAYS 2 DAYS 24 HOURS

RESULTS NEEDED ON WEEKEND

LA - RWQCB REPORT FORMAT UST AGENCY:

REQUESTED ANALYSIS

SPECIAL INSTRUCTIONS OR NOTES :

Run TPH-d w/Silica Gel Clean Up

SHELL CONTRACT RATE APPLIES

STATE REIMBURSEMENT RATE APPLIES

EDD NOT NEEDED

RECEIPT VERIFICATION REQUESTED

| LAB USE ONLY | Field Sample Identification | | | PRESERVATIVE | | | | | NO. OF CONT. | REQUESTED ANALYSIS | | | | | | | | | | | TEMPERATURE ON RECEIPT °C | Container PID Readings or Laboratory Notes | | | | | |
|--------------|-----------------------------|--------|--------|--------------|------|-------|------|-------|--------------|-------------------------|---------------------------|--------------|----------------------|--------------|-------------|--------------|--------------|--------------|-----------------|-------------|---------------------------|--------------------------------------------|-----------------|------------------|--|--|--|
| | DATE | TIME | MATRIX | HCL | HNO3 | H2SO4 | NONE | OTHER | | TPH - Purgeable (8260B) | TPH - Extractable (8015M) | BTEX (8260B) | 5 Oxygenates (8260B) | MTBE (8260B) | TBA (8260B) | DIPE (8260B) | TAME (8260B) | ETBE (8260B) | 1,2 DCA (8260B) | EDB (8260B) | | | Ethanol (8260B) | Methanol (8015M) | | | |
| 11 | MW-8 | 7/1/09 | 1520 | W | 3 | | | 2 | 5 | X | X | X | | X | | | | | | | | | | | | | |
| 12 | MW-13 | ↓ | 1145 | W | 3 | | | 2 | 5 | X | X | X | | X | | | | | | | | | | | | | |
| 13 | VEW-5 | ↓ | 1505 | W | 3 | | | 2 | 5 | X | X | X | X | X | X | | | | | | | | | | | | |
| 14 | VEW-7 | ↓ | 1415 | W | 3 | | | 2 | 5 | X | X | X | X | X | X | | | | | | | | | | | | |

| | | | |
|---------------------------------------------------------|----------------------------------------------------------------|--------------|--------------|
| Relinquished by: (Signature) <i>[Signature]</i> | Received by: (Signature) <i>[Signature]</i> (Sample Custodian) | Date: 7/1/09 | Time: 1730 |
| Relinquished by: (Signature) <i>[Signature]</i> | Received by: (Signature) <i>Tom O'Malley CR</i> | Date: 7/2/09 | Time: 934 |
| Relinquished by: (Signature) <i>Tom O'Malley TO GSS</i> | Received by: (Signature) <i>[Signature]</i> | Date: 7-3-09 | Time: (2000) |

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: BTS

DATE: 07/03/09

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 2.8 °C - 0.2°C (CF) = 2.6 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only Initial: [Signature]

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A Initial: [Signature]

Sample _____ No (Not Intact) Not Present Initial: [Signature]

SAMPLE CONDITION:

| | Yes | No | N/A |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| Chain-Of-Custody (COC) document(s) received with samples..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| COC document(s) received complete..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels. | | | |
| <input type="checkbox"/> COC not relinquished. <input type="checkbox"/> No date relinquished. <input type="checkbox"/> No time relinquished. | | | |
| Sampler's name indicated on COC..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample container label(s) consistent with COC..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sample container(s) intact and good condition..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Correct containers and volume for analyses requested..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Analyses received within holding time..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Proper preservation noted on COC or sample container..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> Unpreserved vials received for Volatiles analysis | | | |
| Volatile analysis container(s) free of headspace..... | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tedlar bag(s) free of condensation..... | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve EnCores® TerraCores® _____

Water: VOA VOA² VOA^h VOAn₂ 125AGB 125AGB^h 125AGB^p 1AGB 1AGBn₂ 1AGBs

500AGB 500AGJ 500AGJs 250AGB 250CGB 250CGBs 1PB 500PB 500PBna

250PB 250PBn 125PB 125PBz_{na} 100PJ 100PJna₂ _____ _____ _____

Air: Tedlar® Summa® _____ **Other:** _____ **Checked/Labeled by:** [Signature]

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar (Wide-mouth) B: Bottle (Narrow-mouth) **Reviewed by:** W.S.C

Preservative: h: HCL n: HNO3 na₂:Na₂S₂O₃ Na: NaOH p: H₃PO₄ s: H₂SO₄ z_{na}: ZnAc₂+NaOH f: Field-filtered **Scanned by:** [Signature]

WELL GAUGING DATA

Project # 090701-DR1 Date 7/1/09 Client 98995749

Site 285 Hegenberger Rd. Oakland CA.

| Well ID | Time | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB or TOG | Notes |
|---------|------|-----------------|--------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|--------------------------|-------|
| MW-1 | 1011 | 4 | | | | | 3.92 | 9.75 | ↓ | |
| MW-2 | 1025 | 4 | | | | | 4.74 | 9.59 | | |
| MW-3 | 0950 | 4 | | | | | 5.31 | 9.86 | | |
| MW-4 | 0941 | 4 | | | | | 4.70 | 10.12 | | |
| MW-6 | 1028 | 4 | | | | | 4.94 | 10.85 | | |
| MW-8 | 0946 | 4 | | | | | 4.50 | 9.95 | | |
| MW-9 | 1018 | 4 | | | | | 4.67 | 10.72 | | |
| MW-10 | 0954 | 4 | | | | | 4.27 | 10.00 | | |
| MW-11 | 1106 | 4 | | | | | 7.62 | 13.95 | | |
| MW-12 | 1129 | 4 | | | | | 5.70 | 14.65 | | |
| MW-13 | 1130 | 4 | | | | | 6.79 | 14.31 | | |
| VEW-5 | 1006 | 4 | | | | | 3.63 | 9.48 | | |
| VEW-6 | 1002 | 4 | | | | | 3.72 | 10.01 | | |
| VEW-7 | 0957 | 4 | | | | | 3.74 | 9.81 | | ↓ |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

SHELL WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-DR1 | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: MW-1 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth (TD): 9.75 | Depth to Water (DTW): 3.92 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.09 | |

| | | |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: <input checked="" type="checkbox"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

| $\frac{3.8 \text{ (Gals.)} \times 3}{\text{Specified Volumes}} = \frac{11.4}{\text{Calculated Volume}} \text{ Gals.}$ | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----|-----------------------|------------------|---------------|--------------|
| 1415 | 73.3 | 7.0 | 269 | 78 | 3.8 | |
| 1416 | 73.6 | 6.7 | 328 | 132 | 7.6 | |
| 1417 | 73.6 | 6.6 | 341 | 227 | 11.4 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 11.4

Sampling Date: 7/1/09 Sampling Time: 1500 Depth to Water: 4.16

Sample I.D.: MW-1 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See CoC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHEET WELL MONITORING DATA SHEET

| | |
|----------------------------------------------------------------------------|---------------------------------------------------|
| BTS #: 090701-DR1 | Site: 98995749 |
| Sampler: DR / TP | Date: 7/1/09 |
| Well I.D.: MW-2 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth (TD): 9.59 | Depth to Water (DTW): 7.74 <u>4.74</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>8.11</u> | |

| | | |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: <input checked="" type="checkbox"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

1.2 (Gals.) X 3 = 3.6 Gals.
 1 Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 1330 | 73.2 | 7.17 | 1225 | 93 | 1.2 | |
| 1331 | 72.8 | 7.28 | 1222 1222 | 38 | 2.4 | |
| 1332 | 73.0 | 7.05 | 1219 | 90 | 3.6 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes NO Gallons actually evacuated: 3.6

Sampling Date: 7/1/09 Sampling Time: 1545 Depth to Water: 7.92

Sample I.D.: MW-2 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See Calc

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELLS MONITORING DATA SHEET

| | |
|----------------------------------------------------------------------------|-----------------------------------------|
| BTS #: <u>090701-Dr1</u> | Site: <u>98995749</u> |
| Sampler: <u>DR / JP</u> | Date: <u>7/1/09</u> |
| Well I.D.: <u>mw-3</u> | Well Diameter: 2 3 <u>(4)</u> 6 8 _____ |
| Total Well Depth (TD): <u>9.86</u> | Depth to Water (DTW): <u>5.31</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>6x22</u> | |

| | | |
|----------------------------------------------------------|-----------------|-------------------------------------------------------------|
| Purge Method: Bailer | Waterra | Sampling Method: <input checked="" type="checkbox"/> Bailer |
| Disposable Bailer | Peristaltic | Disposable Bailer |
| Positive Air Displacement | Extraction Pump | Extraction Port |
| <input checked="" type="checkbox"/> Electric Submersible | Other _____ | Dedicated Tubing |

| | | |
|-------------------------------|-------------------|-------------------|
| <u>3.0</u> (Gals.) X <u>3</u> | = | <u>9.0</u> Gals. |
| 1 Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|-------------|-------------------------------------|-------------|--------------------------|------------------|---------------|--------------|
| <u>1342</u> | <u>72.9</u> | <u>6.95</u> | <u>1717</u> | <u>114</u> | <u>3.0</u> | <u>ODOR</u> |
| <u>1343</u> | <u>WELL DEWATERED @ 4.0 GALLONS</u> | | | | | |
| <u>1545</u> | <u>70.2</u> | <u>7.24</u> | <u>1556</u> | <u>73</u> | — | |

Did well dewater? Yes No Gallons actually evacuated: 4.0

Sampling Date: 7/1/09 Sampling Time: 1545 Depth to Water: 6.19

Sample I.D.: mw-3 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C&C

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL OIL WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-DRI | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: MW-4 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth (TD): 10.12 | Depth to Water (DTW): 4.70 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.78 | |

| | | |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible | Waterra Peristaltic Extraction Pump Other: _____ | Sampling Method: <input checked="" type="checkbox"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

| 35 (Gals.) X 3 = 10.5 Gals. 1 Case Volume Specified Volumes Calculated Volume | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------------------------------|-----------|------|------------------|------------------|---------------|--------------|
| 1314 | 71.6 | 7.60 | 1560 | 32 | 3.5 | |
| 1315 | 71.0 | 7.34 | 1523 | 11 | 7.0 | |
| WELL DEWATERED @ 7.5 GALLONS | | | | | DTW: 8.09 | |
| 1535 | 68.2 | 7.46 | 1654 | 36 | — | |

Did well dewater? Yes No Gallons actually evacuated: 7.5

Sampling Date: 7/1/09 Sampling Time: 1535 Depth to Water: 7.62

Sample I.D.: MW-4 Laboratory: CalScience Columbia Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec C&C

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
|------------------|------------|------|-------------|------|

| | | | | |
|--------------------|------------|----|-------------|----|
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |
|--------------------|------------|----|-------------|----|

SHEET WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|---------------------------------------|
| BTS #: 090701-DR1 | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: MW-6 | Well Diameter: 2 3 <u>4</u> 6 8 _____ |
| Total Well Depth (TD): 10.85 | Depth to Water (DTW): 4.94 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.12 | |

| | | | | |
|---------------|---------------------------|-----------------|------------------|-------------------|
| Purge Method: | Bailer | Waterra | Sampling Method: | * Bailer |
| | Disposable Bailer | Peristaltic | | Disposable Bailer |
| | Positive Air Displacement | Extraction Pump | | Extraction Port |
| | ✓ Electric Submersible | Other _____ | | Dedicated Tubing |

Other: _____

| | | | | | |
|---------------|-----------|-------------------|---|-------------------|-------|
| 3.8 | (Gals.) X | 3 | = | 11.4 | Gals. |
| 1 Case Volume | | Specified Volumes | | Calculated Volume | |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----|--------------------------|------------------|---------------|--------------|
| 1334 | 70.3 | 7.4 | 2140 | 39 | 3.8 | clear |
| 1335 | 69.8 | 7.0 | 972 | 30 | 7.6 | " |
| 1336 | 69.7 | 6.9 | 929 | 26 | 11.4 | " |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes NO Gallons actually evacuated: 11.4

Sampling Date: 7/1/09 Sampling Time: 1450 Depth to Water: 5.98

Sample I.D.: MW-6 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec C&C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|------------------|--------------------|------------|-------------|-------------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| | O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: |

SHELL WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-Dr1 | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: MW-8 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth (TD): 9.95 | Depth to Water (DTW): 4.50 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.59 | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

3.5 (Gals.) X 3 = 10.5 Gals.
 1 Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-------------------------|--------------------------|------------------|---------------|--------------|
| 1157 | 73.6 | 7.41 | 1168 | 59 | 3.5 | |
| 1158 | 73.1 | 7.32 | 588.0 | 18 | 7.0 | |
| 1159 | WELL | DEWATERED @ 8.0 GALLONS | | | | DTW: 8.10 |
| 1520 | 71.0 | 7.79 | 948.3 | 41 | — | |

Did well dewater? Yes No Gallons actually evacuated: 8.0

Sampling Date: 7/1/09 Sampling Time: 1520 Depth to Water: 7.72

Sample I.D.: MW-8 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See Cal

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELF WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-Dr1 | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: MW-9 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth (TD): 10.72 | Depth to Water (DTW): 4.67 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.88 | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

3.9 (Gals.) X 3 = 11.7 Gals.
 I Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|--------|-------------|-----|-----------------------|------------------|---------------|--------------|
| 1426 | 67.6 | 7.0 | 3011 | 39 | 3.9 | |
| * Well | dewatered @ | | 4.5 gal. | | | |
| 1512 | 67.1 | 7.1 | 2983 | 32 | - | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: ~~3.9~~ 4.5

Sampling Date: 7/1/09 Sampling Time: 1515 Depth to Water: 5.24

Sample I.D.: MW-9 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec C&C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|----------------------------------------------------------------------------|-----------------------------------------|
| BTS #: <u>090701-DR1</u> | Site: <u>98995749</u> |
| Sampler: <u>DR / JP</u> | Date: <u>7/1/09</u> |
| Well I.D.: <u>MW-10</u> | Well Diameter: 2 3 (4) 6 8 _____ |
| Total Well Depth (TD): <u>10.00</u> | Depth to Water (DTW): <u>4.27</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>5.42</u> | |

| | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible | Waterra <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____ | Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____ |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

3.7 (Gals.) X 3 = 11.1 Gals.
 1 Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or µS) | Turbidity (NTUs) | Gals. Removed | Observations |
|---------------|--------------------|------------|--------------------------|------------------|---------------|--------------|
| <u>1437</u> | <u>74.9</u> | <u>6.7</u> | <u>2351</u> | <u>31</u> | <u>3.7</u> | |
| <u>* Well</u> | <u>dewatered @</u> | | <u>4.0 gal</u> | | | |
| <u>1530</u> | <u>74.2</u> | <u>6.8</u> | <u>2489</u> | <u>22</u> | <u>—</u> | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 4.0
 Sampling Date: 7/1/09 Sampling Time: 1535 Depth to Water: 5.19

Sample I.D.: MW-10 Laboratory: **(CalScience)** Columbia Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec C&C

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-DR1 | Site: 98995749 |
| Sampler: DR / TP | Date: 7/1/09 |
| Well I.D.: MW-11 | Well Diameter: 2 3 <u>(4)</u> 6 8 |
| Total Well Depth (TD): 13.95 | Depth to Water (DTW): 7.62 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.89 | |

| | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input checked="" type="checkbox"/> Electric Submersible | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____ |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| $\underline{4.1} \text{ (Gals.)} \times \underline{3} = \underline{12.3} \text{ Gals.}$ <p style="margin: 0; font-size: small;">1 Case Volume Specified Volumes Calculated Volume</p> | <table border="1" style="width:100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or <u>μS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----|--------------------------|------------------|---------------|--------------|
| 1113 | 69.9 | 6.8 | 4199 | 11 | 4.1 | clear |
| 1114 | 70.1 | 7.0 | 4208 | 10 | 8.2 | " |
| 1115 | 70.2 | 7.0 | 4211 | 8 | 12.3 | " |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 12.3

Sampling Date: 7/1/09 Sampling Time: 1120 Depth to Water: Traffic well

Sample I.D.: MW-11 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec C=C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-Dr1 | Site: 9899 5749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: MW-12 | Well Diameter: 2 3 <u>(4)</u> 6 8 |
| Total Well Depth (TD): 14.65 | Depth to Water (DTW): 5.70 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.49 | |

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

$$\underline{5.8} \text{ (Gals.)} \times \underline{3} = \underline{17.4} \text{ Gals.}$$

1 Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----|--------------------------|------------------|---------------|--------------|
| 1139 | 70.0 | 7.8 | 2074 | 31 | 5.8 | |
| 1140 | 69.7 | 7.6 | 1965 | 20 | 11.6 | |
| 1141 | 69.6 | 7.5 | 1972 | 17 | 12.4 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 17.4

Sampling Date: 7/1/09 Sampling Time: 1150 Depth to Water: Traffic Well

Sample I.D.: MW-12 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec C=C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELL MONITORING DATA SHEET

| | |
|------------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-D01 | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: Mw-13 | Well Diameter: 2 3 <u>4</u> 6 8 |
| Total Well Depth (TD): 14.31 | Depth to Water (DTW): 6.79 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: TRAFFIC | |

| | | |
|----------------------------------------------------------|-----------------|-------------------------------------------------------------|
| Purge Method: Bailer | Waterra | Sampling Method: <input checked="" type="checkbox"/> Bailer |
| Disposable Bailer | Peristaltic | Disposable Bailer |
| Positive Air Displacement | Extraction Pump | Extraction Port |
| <input checked="" type="checkbox"/> Electric Submersible | Other _____ | Dedicated Tubing |
| Other: _____ | | |

| | | |
|---------------|-------------------|-------------------|
| 4.9 (Gals.) X | 3 | = 14.7 Gals. |
| Case Volume | Specified Volumes | Calculated Volume |

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 1136 | 71.1 | 7.27 | 1056 | 51 | 4.9 | |
| 1137 | 70.1 | 7.11 | 979.6 | 30 | 9.8 | |
| 1138 | 70.0 | 7.09 | 1086 | 23 | 14.7 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 14.7

Sampling Date: 7/1/09 Sampling Time: 1145 Depth to Water: TRAFFIC

Sample I.D.: Mw-13 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C&C

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHEET WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|---------------------------------------|
| BTS #: 090701-Dr1 | Site: 9899 5749 |
| Sampler: DR / TP | Date: 7/1/09 |
| Well I.D.: UEW-S | Well Diameter: 2 3 <u>4</u> 6 8 _____ |
| Total Well Depth (TD): 9.48 | Depth to Water (DTW): 3.63 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>PVC</u> Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.80 | |

| | | |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible | Waterra Peristaltic Extraction Pump X Other: 5/8" tubing w/ check valve | Sampling Method: / Bailer Disposable Bailer Extraction Port Dedicated Tubing X Other: 5/8" tubing w/ check valve |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|

| $3.8 \text{ (Gals.)} \times 3 = 11.4 \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume | <table border="1" style="border-collapse: collapse; margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or <u>µS</u>) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|--------------------------|------------------|---------------|--------------|
| 1440 | 75.0 | 7.06 | 828.8 | >1000 | 3.8 | BLACK, ODOR |
| 1448 | 75.8 | 6.89 | 695.7 | >1000 | 7.6 | " " |
| 1458 | 75.2 | 7.01 | 680.9 | >1000 | 11.4 | " " |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 11.4

Sampling Date: 7/1/09 Sampling Time: 1505 Depth to Water: 4.77

Sample I.D.: UEW-S Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: See C.C.

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHEET WELL MONITORING DATA SHEET

| | |
|----------------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-DR1 | Site: 98995749 |
| Sampler: DR / JP | Date: 7/1/09 |
| Well I.D.: VEW-6 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth (TD): 10.01 | Depth to Water (DTW): 3.72 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: (PVC) Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.98 | |

| | | |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible | Waterra Peristaltic Extraction Pump X Other <u>5/8" tubing w/ check valve</u> | Sampling Method: <input checked="" type="checkbox"/> Bailer Disposable Bailer Extraction Port Dedicated Tubing X Other: <u>5/8" tubing w/ check valve</u> |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| $4.1 \text{ (Gals.)} \times 3 = 12.3 \text{ Gals.}$ | <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |
| 1 Case Volume | Specified Volumes | Calculated Volume | | | | | | | | | | | | | | | |

| Time | Temp (°F) | pH | Cond. (mS or μ S) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|-----|-----------------------|------------------|---------------|--------------|
| 1352 | 70.8 | 6.9 | 1182 | 254 | 4.1 | edc |
| 1358 | 70.5 | 6.7 | 1133 | 312 | 8.2 | " |
| 1404 | 70.5 | 6.7 | 1126 | 302 | 12.3 | " |
| | | | | | | |
| | | | | | | |

| | | |
|---------------------------------------------------------------------------------|------------------------------------------------------|----------------------|
| Did well dewater? Yes <input checked="" type="radio"/> No <input type="radio"/> | Gallons actually evacuated: 12.3 | |
| Sampling Date: 7/1/09 | Sampling Time: 1410 | Depth to Water: 4.77 |
| Sample I.D.: VEW-6 | Laboratory: (CalScience) Columbia Other _____ | |
| Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: <u>See Calc</u> | | |
| EB I.D. (if applicable): @ Time | Duplicate I.D. (if applicable): | |
| Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: | | |
| D.O. (if req'd): Pre-purge: _____ mg/L | Post-purge: _____ mg/L | |
| O.R.P. (if req'd): Pre-purge: _____ mV | Post-purge: _____ mV | |

SHEET WELL MONITORING DATA SHEET

| | |
|---------------------------------------------------------------------|-----------------------------------|
| BTS #: 090701-DR1 | Site: 98995749 |
| Sampler: DR / TP | Date: 7/1/09 |
| Well I.D.: VEW-7 | Well Diameter: 2 3 (4) 6 8 |
| Total Well Depth (TD): 9.81 | Depth to Water (DTW): 3.74 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 4.95 | |

| | | |
|---------------------------|------------------------------------|------------------------------------|
| Purge Method: Bailer | Watertra | Sampling Method: Bailer |
| Disposable Bailer | Peristaltic | Disposable Bailer |
| Positive Air Displacement | Extraction Pump | Extraction Port |
| Electric Submersible | X Other 5/8" tubing w/ check valve | Dedicated Tubing |
| | | X Other 5/8" tubing w/ check valve |

3.9 (Gals.) X 3 = 11.7 Gals.

1 Case Volume Specified Volumes Calculated Volume

| Well Diameter | Multiplier | Well Diameter | Multiplier |
|---------------|------------|---------------|-----------------------------|
| 1" | 0.04 | 4" | 0.65 |
| 2" | 0.16 | 6" | 1.47 |
| 3" | 0.37 | Other | radius ² * 0.163 |

| Time | Temp (°F) | pH | Cond. (mS or μS) | Turbidity (NTUs) | Gals. Removed | Observations |
|------|-----------|------|------------------|------------------|---------------|--------------|
| 1356 | 74.7 | 7.02 | 2022 | 169 | 3.9 | ODOR |
| 1402 | 75.4 | 6.91 | 1855 | 207 | 7.8 | |
| 1410 | 75.6 | 6.96 | 1908 | 170 | 11.7 | |
| | | | | | | |
| | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 11.7

Sampling Date: 7/1/09 Sampling Time: 1415 Depth to Water: 4.93

Sample I.D.: VEW-7 Laboratory: CalScience Columbia Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: Sec CcC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | |
|--------------------|------------|------|-------------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address 285 Hegenburger Rd. Oakland CA Date 7/1/09
 Job Number 096701-DRI Technician DR Page 1 of 1

| Well ID | Well Inspected - No Corrective Action Required | Well Box Meets Compliance Requirements *See Below | Water Bailed From Wellbox | Cap Replaced | Lock Replaced | Well Not Inspected (explain in notes) | New Deficiency Identified | Previously Identified Deficiency Persists | Notes |
|---------|------------------------------------------------|---------------------------------------------------|---------------------------|--------------|---------------|---------------------------------------|---------------------------|-------------------------------------------|-------------------------------------------|
| MW-1 | X | X | | | | | | | |
| MW-2 | X | X | | | | | | | |
| MW-3 | X | X | | | | | | | |
| MW-4 | X | | | | | | | X | Lid does not say monitoring well. } STAND |
| MW-6 | X | | | | | | | X | Lid does not say monitoring well. } PIPE |
| MW-8 | X | | | | | | | X | Lid does not say monitoring well. } |
| MW-9 | X | | | | | | | X | Lid does not say monitoring well. } |
| MW-10 | X | X | | | | | | | |
| MW-11 | X | X | | | | | | | Cleared away even grown Ivy. |
| MW-12 | X | X | | | | | | | |
| MW-13 | X | X | | | | | | | |
| VEW-5 | | | | | | | X | | Same as other 2 VEW wells. |
| VEW-6 | | | | | | | X | | Same as VEW-7 |
| VEW-7 | | | | | | | X | | No bolts. -4 of 4. Usalt box. No cap. |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes: _____