

**RECEIVED**

9:05 am, May 11, 2007

Alameda County  
Environmental Health



76 Broadway  
Sacramento, California 95818

May 1, 2007

Ms. Donna Drogos  
Supervising Hazardous Materials Specialist  
Alameda Clara Health Care Services  
1131 Harbor bay Parkway  
Alameda, CA 94502-6577

Re: **Quarterly Report Transmittal  
First Quarter – 2007  
76 Service Station #5325  
3220 Lakeshore Avenue  
Oakland, Alameda County, CA**

Dear Ms. Drogos:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7604.

Sincerely,

A handwritten signature in black ink, appearing to read 'Eric G. Hetrick'.

Eric G. Hetrick  
Site Manager  
Risk Management & Remediation



1590 Solano Way  
#A  
Concord, CA 94520

925.688.1200 PHONE  
925.688.0388 FAX

[www.TRCSolutions.com](http://www.TRCSolutions.com)

April 26, 2007

TRC Project No. 42013710

Mr. Donna Drogos  
Supervising Hazardous Materials Specialist  
Alameda County Health Care Services  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

**RE: Quarterly Status Report - First Quarter 2007  
76 Service Station #5325, 3220 Lakeshore Avenue, Oakland, California  
Alameda County**

Dear Ms. Donna Drogos:

On behalf of ConocoPhillips Company (ConocoPhillips), TRC is submitting the First Quarter 2007 Status Report for the subject site, an operating ConocoPhillips (76) Service Station located on the southeast corner of the intersection of Lakeshore Avenue and Lake Park Avenue in Oakland, California. The site is bounded to the north by Lakeshore Avenue, to the west and southwest by Lake Park Avenue, to the southeast by a supermarket parking lot, and to the east by a pharmacy. Current site facilities consist of the service station building with three service bays, three product dispenser islands, and two 12,000-gallon double-wall fiberglass gasoline underground storage tanks (USTs).

#### **PREVIOUS ASSESSMENTS**

May 1990: Three exploratory soil borings (U-A, U-B, and U-C) were advanced adjacent to the UST complex to depths ranging from 10 to 12.5 feet below ground surface (bgs). Soil samples were analyzed for total petroleum hydrocarbons as gasoline (TPH-g) and benzene, toluene, ethylbenzene, and xylenes (BTEX). The samples contained TPH-g concentrations ranging from 2 to 7,500 parts per million (ppm) and benzene concentrations ranging from 0.14 to 13 ppm (GSI, June, 1990).

June 1990: Two 10,000-gallon gasoline USTs, one 550-gallon waste oil UST, and related product dispensers were replaced. Soil samples from the UST excavation sidewalls and bottom and product line trenches were reported to contain TPH-g and benzene at concentrations ranging from 12 to 2,800 ppm and 0.008 to 11 ppm, respectively. Approximately 250 cubic yards of soil and backfill material were aerated onsite to reduce concentrations to below 100 ppm TPH-g, then transported to an appropriate soil disposal facility. Groundwater was encountered at approximately 7.5 feet bgs (GSI, August, 1990).

September 1990: Monitoring wells U-1, U-2, and U-3 were installed. TPH-g was detected in soil samples collected from the capillary fringe in well borings U-1 and U-2 at levels of 110 and 480 ppm, respectively. Benzene was detected in the soil sample from well boring U-1 at a level of 4.5 ppm. Petroleum hydrocarbons were not detected in soil or groundwater samples from U-3. Groundwater samples collected from wells U-1 and U-2 were reported to contain 690 and 38 parts per billion (ppb) TPH-g and 780 and 27 ppb benzene, respectively (GSI, December, 1990).

June 1990: Monitoring wells U-4, U-5, and U-6 were installed. TPH-g and benzene were detected in the capillary fringe soil sample collected from boring U-5 at levels of 400 ppm and 1.9 ppm, respectively. TPH-g and benzene were not detected in soil samples collected from borings U-4 and U-6. Groundwater levels stabilized at depths between 8.8 and 9.2 feet bgs (GSI, August, 1994).

November 1996: One 550-gallon waste oil UST was removed and the product lines and dispensers were replaced. A soil sample collected from the sidewall of the waste oil UST excavation contained 1.5 ppm total petroleum hydrocarbons as diesel (TPH-d) and 78 ppm total oil and grease (TOG). TPH-g, benzene, methyl tertiary butyl ether (MTBE), halogenated volatile organic compounds (HVOs), and semivolatle organic compounds (SVOs) were not detected. Product line trench excavation and over excavation samples were reported to contain petroleum hydrocarbon levels ranging from non-detect to 880 ppm TPH-g, non-detect to 3.6 ppm benzene, and non-detect to 23 ppm MTBE. Approximately 276 tons of excavated soil was transported to an appropriate disposal facility (GSI, January, 1997).

October 2003: Site environmental consulting responsibilities were transferred to TRC.

April 2006: Three ozone sparge wells (C-1 through C-3) were installed by TRC in the vicinity of U-2 for the purpose of an ozone pilot study. Total purgeable petroleum hydrocarbons (TPPH) were detected at a maximum of 4,600 milligrams per kilograms (mg/kg) in the five feet below grade (fbg) soil sample collected from C-1.

### **SENSITIVE RECEPTORS**

Lake Merritt is located approximately 0.3 miles down gradient. No domestic wells are located within a one mile radius of the site.

### **MONITORING AND SAMPLING**

Currently, five onsite wells and one offsite well are monitored quarterly. All six wells were gauged and sampled this quarter. The groundwater flow direction is toward the west at a calculated hydraulic gradient of 0.01 feet per foot. A graph of historical groundwater flow directions is included in this report.

### **CHARACTERIZATION STATUS**

Total petroleum hydrocarbons as gasoline (TPH-g) were detected in three of six wells sampled at a maximum concentration of 12,000 micrograms per liter ( $\mu\text{g}/\text{l}$ ) in onsite monitoring well U-1. Benzene was detected in one of the six wells sampled at a concentration of 10  $\mu\text{g}/\text{l}$  in onsite monitoring well U-2. Methyl tertiary butyl ether (MTBE) was detected in three of the six wells sampled at a maximum concentration of 1,200  $\mu\text{g}/\text{l}$  in onsite monitoring well U-2. Tertiary butyl alcohol (TBA) was detected in all three wells analyzed for TBA at a maximum concentration of 4,000  $\mu\text{g}/\text{l}$  in onsite monitoring well U-2.

## REMEDIATION STATUS

A 3-month ozone sparge event was completed from June through August 2006. TRC completed two quarters of post-remedial groundwater monitoring and is currently preparing the Ozone Sparge Pilot Study Report documenting the results of ozone sparge pilot study.

## RECENT CORRESPONDENCE

No correspondence this quarter.

## CURRENT QUARTER ACTIVITIES

March 28, 2007: TRC performed groundwater monitoring and sampling. Wastewater generated from well purging and equipment cleaning was stored at TRC's groundwater monitoring facility in Concord, California, and transported by Onyx to the ConocoPhillips Refinery in Rodeo, California, for treatment and disposal.

## CONCLUSIONS AND RECOMMENDATIONS


TRC is currently preparing the Ozone Sparge Pilot Study Report documenting the results of the 3-month ozone injection event and two quarters of post-remedial groundwater monitoring. The report will be submitted under separate cover during the second quarter 2007. TRC recently completed a file review of the former Shell Station previously located on Rand Avenue, across Lakeshore Avenue from the site. Information obtained during the file review will be included in the forthcoming Ozone Sparge Pilot Study Report.


TRC will continue to evaluate access issues related to potential proposed offsite boring/well locations for additional groundwater assessment; however, suitable boring and/or well locations may not be feasible immediately downgradient of the site due to the high volume of traffic along the busy intersection of Lake Park and Lake Shore Avenues. The intersection is also located at the terminus of the off ramp from Interstate 580, making traffic control more problematic.

TRC recommends continuing quarterly monitoring and sampling to assess plume stability and concentration trends at key wells to monitor the progress of remediation.

If you have any questions regarding this report, please call me at (925) 688-2488.

Sincerely,

  
Keith Woodburne, P.G.  
Senior Project Manager




Attachment:

Quarterly Monitoring Report, January through March 2007 (TRC, April 24, 2007)  
Historical Groundwater Flow Directions – March 2000 through March 2007

cc: Eric Hetrick, ConocoPhillips (electronic upload only)

**Historical Groundwater Flow Directions  
for Tosco (76) Service Station No. 5325  
March 2000 through March 2007**





21 Technology Drive  
Irvine, CA 92618

949.727.9336 PHONE  
949.727.7399 FAX

[www.TRCSolutions.com](http://www.TRCSolutions.com)

DATE: April 24, 2007

TO: ConocoPhillips Company  
76 Broadway  
Sacramento, CA 95818

ATTN: MR. ERIC HETRICK

SITE: 76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT  
JANUARY THROUGH MARCH 2007

Dear Mr. Hetrick:

Please find enclosed our Quarterly Monitoring Report for 76 Station 5325, located at 3220 Lakeshore Avenue, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan".

Anju Farfan  
Groundwater Program Operations Manager

CC: Mr. Keith Woodburne, TRC (2 copies)

Enclosures  
20-0400/5325R014.QMS


**QUARTERLY MONITORING REPORT  
JANUARY THROUGH MARCH 2007**

76 STATION 5325  
3200 Lakeshore Avenue  
Oakland, California

Prepared For:

Mr. Eric Hetrick  
CONOCOPHILLIPS COMPANY  
76 Broadway  
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations  
April 23, 2007



## LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results Table 2b: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 3/28/07 Groundwater Sampling Field Notes – 3/28/07
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations



**Summary of Gauging and Sampling Activities**  
**January 2007 through March 2007**  
**76 Station 5325**  
**3220 Lakeshore Avenue**  
**Oakland, CA**

Project Coordinator: **Eric Hetrick**  
Telephone: **916-558-7604**

Water Sampling Contractor: **TRC**  
Compiled by: **Daniel Lee**

Date(s) of Gauging/Sampling Event: **03/28/07**

**Sample Points**

Groundwater wells: **5** onsite, **1** offsite      Wells gauged: **6**      Wells sampled: **6**  
Purging method: **Diaphragm pump**  
Purge water disposal: **Onyx/Rodeo Unit 100**  
Other Sample Points: **0**      Type: **n/a**

**Liquid Phase Hydrocarbons (LPH)**

Wells with LPH: **0**      Maximum thickness (feet): **n/a**  
LPH removal frequency: **n/a**      Method: **n/a**  
Treatment or disposal of water/LPH: **n/a**

**Hydrogeologic Parameters**

Depth to groundwater (below TOC):      Minimum: **3.48 feet**      Maximum: **10.84 feet**  
Average groundwater elevation (relative to available local datum): **2.28 feet**  
Average change in groundwater elevation since previous event: **1.57 feet**  
Interpreted groundwater gradient and flow direction:  
    Current event: **0.01 ft/ft, west**  
    Previous event: **0.02 ft/ft, north to southwest (12/21/06)**

**Selected Laboratory Results**

Wells with detected **Benzene**: **1**      Wells above MCL (1.0 µg/l): **1**  
    Maximum reported benzene concentration: **36 µg/l (U-2)**  
Wells with **TPH-G by GC/MS** **3**      Maximum: **12,000 µg/l (U-1)**  
Wells with **MTBE 8260B** **3**      Maximum: **1,200 µg/l (U-2)**

**Notes:**

# TABLES

## TABLE KEY

### STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

### ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

### NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as:  $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$ , where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

### REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5325 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.



**Table 1**  
**CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**March 28, 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1</b>	<b>(Screen Interval in feet: 5.0-20.0)</b>													
03/28/07	8.46	6.17	0.00	2.29	2.15	--	12000	ND<2.5	ND<2.5	690	1900	--	110	
<b>U-2</b>	<b>(Screen Interval in feet: 5.0-20.0)</b>													
03/28/07	7.62	5.05	0.00	2.57	1.03	--	3300	36	ND<5.0	200	6.8	--	1200	
<b>U-3</b>	<b>(Screen Interval in feet: 5.0-20.0)</b>													
03/28/07	10.98	10.84	0.00	0.14	0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>U-4</b>	<b>(Screen Interval in feet: 5.0-20.0)</b>													
03/28/07	11.15	8.00	0.00	3.15	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>U-5</b>	<b>(Screen Interval in feet: 5.0-20.0)</b>													
03/28/07	6.98	5.12	0.00	1.86	1.80	--	400	ND<0.50	ND<0.50	5.4	ND<0.50	--	13	
<b>U-6</b>	<b>(Screen Interval in feet: 5.0-24.0)</b>													
03/28/07	7.14	3.48	0.00	3.66	3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

**Table 1 a**  
**ADDITIONAL CURRENT ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Iron Ferrou	Nitrate	Phosphate (ortho)	Pre-purge Dissolved Oxygen	Pre-purge ORP
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)
<b>U-1</b> 03/28/07	1600	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	20000	ND<0.10	ND<0.050	6.75	-93
<b>U-2</b> 03/28/07	4000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	8600	ND<0.10	ND<0.050	8.80	-97
<b>U-3</b> 03/28/07	--	ND<250	--	--	--	--	--	ND<100	4.7	0.67	8.10	-10
<b>U-4</b> 03/28/07	--	ND<250	--	--	--	--	--	ND<100	5.5	0.49	12.16	144
<b>U-5</b> 03/28/07	870	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	10000	ND<0.20	ND<0.050	9.09	-97
<b>U-6</b> 03/28/07	--	ND<250	--	--	--	--	--	ND<100	0.55	0.31	7.37	-36

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 (Screen Interval in feet: 5.0-20.0)</b>														
08/10/90	--	--	--	--	--	690	--	38	75	8.6	130	--	--	
01/07/91	--	--	--	--	--	250	--	22	16	4.2	17	--	--	
04/01/91	--	--	--	--	--	160	--	13	8.6	1.0	15	--	--	
07/03/91	--	--	--	--	--	140	--	21	4.3	0.36	17	--	--	
10/09/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/92	--	--	--	--	--	250	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	--	--	--	230	--	1.2	ND	ND	ND	--	--	
06/11/92	--	--	--	--	--	1000	--	80	1.4	6.7	41	--	--	
08/20/92	--	--	--	--	--	400	--	1.0	ND	ND	0.6	--	--	
02/22/93	--	--	--	--	--	34000	--	1400	5500	910	7300	--	--	
05/07/93	--	--	--	--	--	8700	--	600	240	650	3300	--	--	
08/08/93	--	--	--	--	--	4900	--	79	ND	832	270	--	--	
11/16/93	5.32	8.61	0.00	-3.29	--	690	--	ND	ND	ND	ND	--	--	
02/16/94	5.32	8.54	0.00	-3.22	0.07	6800	--	ND	ND	ND	ND	--	--	
06/22/94	8.46	8.39	0.00	0.07	3.29	200	--	ND	ND	5.9	21	--	--	
09/22/94	8.46	8.66	0.00	-0.20	-0.27	6100	--	ND	ND	ND	ND	--	--	
12/24/94	8.46	8.04	0.00	0.42	0.62	50000	--	2500	9700	2400	17000	--	--	
03/25/95	8.46	7.72	0.37	1.02	0.60	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/21/95	8.46	9.30	0.20	-0.69	-1.71	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/95	8.46	9.29	0.40	-0.53	0.16	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/19/95	8.46	8.98	0.03	-0.50	0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 continued</b>														
03/18/96	8.46	8.25	0.00	0.21	0.71	27000	--	ND	2300	1400	11000	4900	--	
06/27/96	8.46	7.92	0.00	0.54	0.33	120000	--	540	4300	2600	26000	ND	--	
09/26/96	8.46	9.10	0.02	-0.63	-1.17	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/09/96	8.46	6.88	0.03	1.60	2.23	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/14/97	8.46	9.02	0.55	-0.15	-1.75	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/30/97	8.46	8.41	0.02	0.07	0.21	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/97	8.46	8.56	0.02	-0.09	-0.15	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	8.46	8.58	0.01	-0.11	-0.03	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/03/98	8.46	8.23	0.04	0.26	0.37	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/15/98	8.46	8.37	0.00	0.09	-0.17	52000	--	ND	900	1800	13000	ND	--	Sheen
09/30/98	8.46	8.94	0.00	-0.48	-0.57	1000000	--	ND	2600	13000	83000	4800	--	Sheen
12/28/98	8.46	8.57	0.00	-0.11	0.37	1100000	--	ND	1600	8600	71000	5700	--	
03/22/99	8.46	8.18	0.00	0.28	0.39	130000	--	470	1100	2000	28000	5700	--	Sheen
06/09/99	8.46	9.37	0.00	-0.91	-1.19	40000	--	230	640	590	13000	3500	2100	
09/08/99	8.46	9.53	0.00	-1.07	-0.16	55000	--	217	202	745	14300	6890	6690	
12/07/99	8.46	9.67	0.00	-1.21	-0.14	41200	--	89.3	ND	385	6930	15800	14700	
03/13/00	8.46	8.44	0.00	0.02	1.23	48000	--	490	610	2400	10000	22000	23000	
06/21/00	8.46	9.45	0.00	-0.99	-1.01	37000	--	200	ND	1200	7200	15000	20000	
09/27/00	8.46	9.29	0.00	-0.83	0.16	15000	--	92	ND	540	2800	74000	83000	



**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 continued</b>														
12/12/00	8.46	9.37	0.00	-0.91	-0.08	50000	--	ND	ND	250	1900	12000	15000	
03/07/01	8.46	8.45	0.00	0.01	0.92	6220	--	29.8	10.4	96.3	638	11200	11800	
06/06/01	8.46	9.29	0.00	-0.83	-0.84	5200	--	17	ND	69	420	6500	8700	
09/24/01	8.46	9.39	0.00	-0.93	-0.10	4300	--	36	ND<25	65	590	4400	4400	
12/10/01	8.46	9.17	0.00	-0.71	0.22	11000	--	220	ND<100	380	1500	5100	5100	
03/11/02	8.46	9.44	0.00	-0.98	-0.27	5500	--	28	ND<20	360	690	6400	6300	
06/04/02	8.46	8.32	0.00	0.14	1.12	4600	--	31	ND<10	240	180	6500	--	
09/03/02	8.46	9.36	0.00	-0.90	-1.04	2300	--	ND<12	ND<12	ND<12	68	3500	4700	
12/03/02	8.46	8.18	0.00	0.28	1.18	--	ND<5000	ND<50	ND<50	ND<50	<100	--	4700	
03/04/03	8.46	8.29	0.00	0.17	-0.11	--	8900	26	ND<25	400	130	--	5500	
06/18/03	8.46	7.58	0.00	0.88	0.71	--	8300	ND<25	ND<25	ND<25	ND<50	--	10000	
09/24/03	8.46	8.18	0.00	0.28	-0.60	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
12/02/03	8.46	8.90	0.00	-0.44	-0.72	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	11000	
03/30/04	8.46	8.38	0.00	0.08	0.52	--	12000	ND<100	ND<100	190	ND<200	--	13000	
06/07/04	8.46	10.35	0.00	-1.89	-1.97	--	13000	ND<100	ND<100	ND<100	ND<200	--	12000	
09/09/04	8.46	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
12/20/04	8.46	9.00	0.00	-0.54	--	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.2	
03/28/05	8.46	8.10	0.00	0.36	0.90	--	37000	ND<10	ND<10	1500	5300	--	460	
06/14/05	8.46	8.91	0.00	-0.45	-0.81	--	3900	ND<0.50	ND<0.50	48	68	--	60	
09/28/05	8.46	11.35	0.00	-2.89	-2.44	--	560	ND<0.50	0.60	3.0	26	--	18	
12/29/05	8.46	8.58	0.00	-0.12	2.77	--	510	0.77	ND<0.50	27	63	--	62	
03/27/06	8.46	7.20	0.00	1.26	1.38	--	29000	ND<25	ND<25	1500	4900	--	300	
06/12/06	8.46	7.81	0.00	0.65	-0.61	--	3200	ND<0.50	ND<0.50	42	15	--	56	
09/21/06	8.46	8.04	0.00	0.42	-0.23	--	2600	ND<12	ND<12	ND<12	ND<12	--	30	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-1 continued</b>														
12/21/06	8.46	8.32	0.00	0.14	-0.28	--	2000	ND<0.50	ND<0.50	13	2.2	--	53	
03/28/07	8.46	6.17	0.00	2.29	2.15	--	12000	ND<2.5	ND<2.5	690	1900	--	110	
<b>U-2 (Screen Interval in feet: 5.0-20.0)</b>														
08/10/90	--	--	--	--	--	780	--	27	46	15	130	--	--	
01/07/91	--	--	--	--	--	1900	--	67	5.8	58	69	--	--	
04/01/91	--	--	--	--	--	1700	--	250	89	34	190	--	--	
07/03/91	--	--	--	--	--	2100	--	150	25	3.1	290	--	--	
10/09/91	--	--	--	--	--	230	--	7.1	ND	ND	11	--	--	
02/12/92	--	--	--	--	--	410	--	1.9	ND	0.36	0.4	--	--	
05/05/92	--	--	--	--	--	1600	--	120	52	6.2	290	--	--	
06/11/92	--	--	--	--	--	620	--	17	2.1	ND	37	--	--	
08/20/92	--	--	--	--	--	700	--	28	6.5	1.3	4.6	--	--	
02/22/93	--	--	--	--	--	3400	--	2400	2100	1200	5800	--	--	
05/07/93	--	--	--	--	--	17000	--	1800	660	1700	4000	--	--	
08/08/93	--	--	--	--	--	5600	--	420	ND	410	670	--	--	
11/16/93	4.53	8.17	0.00	-3.64	--	510	--	ND	ND	ND	ND	--	--	
02/16/94	4.53	7.73	0.00	-3.20	0.44	980	--	49	13	2.7	40	--	--	
06/22/94	7.62	7.60	0.00	0.02	3.22	31000	--	2200	62	1500	3500	--	--	
09/22/94	7.62	7.93	0.00	-0.31	-0.33	8500	--	29	ND	ND	ND	--	--	
12/24/94	7.62	7.27	0.00	0.35	0.66	32000	--	1500	890	1300	5000	--	--	
03/25/95	7.62	7.01	0.00	0.61	0.26	170000	--	1900	21000	4800	33000	--	--	
06/21/95	7.62	6.98	0.00	0.64	0.03	16000	--	2100	ND	1800	1700	--	--	
09/19/95	7.62	7.70	0.00	-0.08	-0.72	3000	--	610	ND	78	240	--	--	
12/19/95	7.62	7.30	0.00	0.32	0.40	1600	--	140	55	52	270	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-2 continued</b>														
03/18/96	7.62	6.45	0.00	1.17	0.85	12000	--	2200	ND	1200	2200	22000	--	
06/27/96	7.62	7.41	0.00	0.21	-0.96	28000	--	3400	ND	2800	3100	3000	--	
09/26/96	7.62	7.90	0.00	-0.28	-0.49	5900	--	750	ND	ND	ND	18000	--	
12/09/96	7.62	6.76	0.00	0.86	1.14	13000	--	5100	290	980	370	2700	--	
03/14/97	7.62	7.12	0.03	0.52	-0.34	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
06/30/97	7.62	6.19	0.00	1.43	0.91	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
09/19/97	7.62	7.31	0.00	0.31	-1.12	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
12/12/97	7.62	6.75	0.00	0.87	0.56	--	--	--	--	--	--	--	--	Not sampled due to LPH in well
03/03/98	7.62	6.36	0.00	1.26	0.39	80000	--	3000	1100	820	16000	16000	--	Sheen
06/15/98	7.62	6.51	0.00	1.11	-0.15	48000	--	1800	330	470	7900	20000	--	Sheen
09/30/98	7.62	7.17	0.00	0.45	-0.66	60000	--	1300	ND	500	9700	19000	--	Sheen
12/28/98	7.62	7.06	0.00	0.56	0.11	63000	--	590	160	320	5600	16000	--	
03/22/99	7.62	6.82	0.00	0.80	0.24	28000	--	1100	ND	360	2900	25000	--	
06/09/99	7.62	7.51	0.00	0.11	-0.69	21000	--	110	190	310	2600	7900	7800	
09/08/99	7.62	8.16	0.00	-0.54	-0.65	23300	--	477	138	286	4110	16400	15300	
12/07/99	7.62	8.31	0.00	-0.69	-0.15	4840	--	17.2	ND	ND	157	14900	15600	
03/13/00	7.62	6.69	0.00	0.93	1.62	11000	--	380	160	ND	2100	22000	26000	
06/21/00	7.62	7.67	0.00	-0.05	-0.98	9100	--	22	ND	ND	800	16000	22000	
09/27/00	7.62	7.44	0.00	0.18	0.23	2900	--	43	ND	ND	39	20000	26000	
12/12/00	7.62	7.51	0.00	0.11	-0.07	3600	--	17	ND	ND	87	8000	7800	
03/07/01	7.62	7.15	0.00	0.47	0.36	1670	--	51.0	ND	7.20	19.5	5930	7900	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-2 continued</b>														
06/06/01	7.62	7.57	0.00	0.05	-0.42	1100	--	14	ND	9.3	35	9200	10000	
09/24/01	7.62	7.63	0.00	-0.01	-0.06	1000	--	25	ND<2.5	12	100	9800	11000	
12/10/01	7.62	6.78	0.00	0.84	0.85	83	--	14	0.55	3.4	6.8	2500	2500	
03/11/02	7.62	7.12	0.00	0.50	-0.34	ND<1000	--	28	ND<10	40	31	11000	11000	
06/04/02	7.62	7.18	0.00	0.44	-0.06	7700	--	32	ND<25	33	48	14000	--	
09/03/02	7.62	7.58	0.00	0.04	-0.40	5200	--	ND<25	ND<25	ND<25	ND<25	11000	15000	
12/03/02	7.62	7.68	0.00	-0.06	-0.10	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	3200	
03/04/03	7.62	7.77	0.00	-0.15	-0.09	--	8100	ND<50	ND<50	ND<50	ND<100	--	7800	
06/18/03	7.62	6.87	0.00	0.75	0.90	--	11000	ND<50	ND<50	ND<50	ND<100	--	16000	
09/24/03	7.62	7.49	0.00	0.13	-0.62	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
12/02/03	7.62	7.95	0.00	-0.33	-0.46	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	10000	
03/30/04	7.62	7.07	0.00	0.55	0.88	--	12000	ND<100	ND<100	ND<100	ND<200	--	11000	
06/07/04	7.62	7.75	0.00	-0.13	-0.68	--	14000	ND<100	ND<100	ND<100	ND<200	--	13000	
09/09/04	7.62	8.65	0.00	-1.03	-0.90	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	9500	
12/20/04	7.62	7.73	0.00	-0.11	0.92	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	11000	
03/28/05	7.62	6.24	0.00	1.38	1.49	--	12000	ND<50	ND<50	160	120	--	7000	
06/14/05	7.62	7.05	0.00	0.57	-0.81	--	2000	0.75	ND<0.50	3.7	1.1	--	2400	
09/28/05	7.62	8.00	0.00	-0.38	-0.95	--	320	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	80	
12/29/05	7.62	7.23	0.00	0.39	0.77	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	35	
03/27/06	7.62	5.31	0.00	2.31	1.92	--	2400	31	0.73	120	15	--	1400	
06/12/06	7.62	6.25	0.00	1.37	-0.94	--	ND<1200	ND<12	ND<12	17	ND<25	--	490	
09/21/06	7.62	6.00	0.00	1.62	0.25	--	440	6.1	ND<0.50	1.7	ND<0.50	--	1100	
12/21/06	7.62	6.08	0.00	1.54	-0.08	--	670	10	ND<0.50	52	1.2	--	730	
03/28/07	7.62	5.05	0.00	2.57	1.03	--	3300	36	ND<5.0	200	6.8	--	1200	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-3 (Screen Interval in feet: 5.0-20.0)</b>														
08/10/90	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
01/07/91	--	--	--	--	--	ND	--	ND	ND	ND	1.8	--	--	
04/01/91	--	--	--	--	--	ND	--	1.0	2.9	0.53	5.4	--	--	
07/03/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
10/09/91	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/12/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/05/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
06/11/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/20/92	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
02/22/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
05/07/93	--	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
08/08/93	--	--	--	--	--	210	--	5.0	9.7	0.7	4.1	--	--	
11/16/93	7.86	11.82	0.00	-3.96	--	ND	--	ND	ND	ND	ND	--	--	
02/16/94	7.86	11.62	0.00	-3.76	0.20	ND	--	ND	ND	ND	ND	--	--	
06/22/94	10.98	11.64	0.00	-0.66	3.10	ND	--	ND	ND	ND	ND	--	--	
09/22/94	10.98	11.76	0.00	-0.78	-0.12	ND	--	ND	ND	ND	ND	--	--	
12/24/94	10.98	11.28	0.00	-0.30	0.48	ND	--	ND	ND	ND	ND	--	--	
03/25/95	10.98	10.96	0.00	0.02	0.32	ND	--	ND	ND	ND	ND	--	--	
06/21/95	10.98	11.37	0.00	-0.39	-0.41	ND	--	ND	ND	ND	ND	--	--	
09/19/95	10.98	11.55	0.00	-0.57	-0.18	ND	--	ND	ND	ND	ND	--	--	
12/19/95	10.98	11.45	0.00	-0.47	0.10	ND	--	ND	ND	ND	ND	--	--	
03/18/96	10.98	11.10	0.00	-0.12	0.35	ND	--	ND	ND	ND	ND	--	--	
06/27/96	10.98	11.16	0.00	-0.18	-0.06	440	--	49	50	51	140	50	--	
09/26/96	10.98	11.55	0.00	-0.57	-0.39	ND	--	ND	ND	ND	ND	ND	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-3 continued</b>														
12/09/96	10.98	10.12	0.00	0.86	1.43	ND	--	ND	ND	ND	ND	29	--	
03/14/97	10.98	10.87	0.00	0.11	-0.75	ND	--	ND	ND	ND	ND	ND	--	
06/30/97	10.98	11.08	0.00	-0.10	-0.21	ND	--	ND	ND	ND	ND	ND	--	
09/19/97	10.98	11.05	0.00	-0.07	0.03	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	10.98	10.58	0.00	0.40	0.47	ND	--	ND	ND	ND	ND	ND	--	
03/03/98	10.98	9.84	0.00	1.14	0.74	ND	--	ND	ND	ND	ND	ND	--	
06/15/98	10.98	10.56	0.00	0.42	-0.72	ND	--	ND	ND	ND	ND	ND	--	
09/30/98	10.98	11.12	0.00	-0.14	-0.56	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	10.98	10.96	0.00	0.02	0.16	ND	--	ND	ND	ND	ND	ND	--	
03/22/99	10.98	9.46	0.00	1.52	1.50	ND	--	ND	ND	ND	ND	ND	--	
06/09/99	10.98	11.01	0.00	-0.03	-1.55	ND	--	ND	ND	ND	ND	ND	--	
09/08/99	10.98	11.31	0.00	-0.33	-0.30	ND	--	ND	ND	ND	ND	ND	--	
12/07/99	10.98	11.26	0.00	-0.28	0.05	ND	--	ND	ND	ND	ND	ND	--	
03/13/00	10.98	8.28	0.00	2.70	2.98	ND	--	ND	ND	ND	ND	ND	--	
06/21/00	10.98	11.12	0.00	-0.14	-2.84	ND	--	ND	ND	ND	ND	ND	--	
09/27/00	10.98	11.07	0.00	-0.09	0.05	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	10.98	10.94	0.00	0.04	0.13	ND	--	ND	ND	ND	ND	ND	--	
03/07/01	10.98	8.32	0.00	2.66	2.62	ND	--	ND	ND	ND	ND	ND	--	
06/06/01	10.98	10.94	0.00	0.04	-2.62	ND	--	ND	ND	ND	ND	ND	--	
09/24/01	10.98	11.03	0.00	-0.05	-0.09	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	10.98	8.16	0.00	2.82	2.87	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
03/11/02	10.98	7.82	0.00	3.16	0.34	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/04/02	10.98	10.58	0.00	0.40	-2.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	10.98	10.94	0.00	0.04	-0.36	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-3 continued</b>														
12/03/02	10.98	10.66	0.00	0.32	0.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/03	10.98	10.76	0.00	0.22	-0.10	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/18/03	10.98	10.26	0.00	0.72	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/03	10.98	10.88	0.00	0.10	-0.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	10.98	11.00	0.00	-0.02	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/30/04	10.98	10.64	0.00	0.34	0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/07/04	10.98	11.00	0.00	-0.02	-0.36	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/09/04	10.98	11.31	0.00	-0.33	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	10.98	10.79	0.00	0.19	0.52	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/28/05	10.98	9.80	0.00	1.18	0.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/14/05	10.98	10.75	0.00	0.23	-0.95	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.2	--	ND<0.50	
09/28/05	10.98	11.16	0.00	-0.18	-0.41	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	10.98	10.41	0.00	0.57	0.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	10.98	10.16	0.00	0.82	0.25	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/12/06	10.98	9.94	0.00	1.04	0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/21/06	10.98	11.01	0.00	-0.03	-1.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/21/06	10.98	10.92	0.00	0.06	0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/28/07	10.98	10.84	0.00	0.14	0.08	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
<b>U-4 (Screen Interval in feet: 5.0-20.0)</b>														
06/22/94	11.15	10.16	0.00	0.99	--	ND	--	ND	ND	ND	ND	--	--	
09/22/94	11.15	10.79	0.00	0.36	-0.63	ND	--	0.78	1.3	ND	1.4	--	--	
12/24/94	11.15	9.81	0.00	1.34	0.98	ND	--	ND	ND	ND	ND	--	--	
03/25/95	11.15	9.51	0.00	1.64	0.30	ND	--	ND	ND	ND	ND	--	--	
06/21/95	11.15	9.54	0.00	1.61	-0.03	ND	--	ND	ND	ND	ND	--	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-4 continued</b>														
09/19/95	11.15	10.17	0.00	0.98	-0.63	ND	--	ND	ND	ND	ND	--	--	
12/19/95	11.15	9.98	0.00	1.17	0.19	ND	--	ND	ND	ND	ND	--	--	
03/18/96	11.15	9.66	0.00	1.49	0.32	ND	--	ND	ND	ND	ND	--	--	
06/27/96	11.15	9.74	0.00	1.41	-0.08	ND	--	ND	ND	ND	ND	ND	--	
09/26/96	11.15	10.14	0.00	1.01	-0.40	ND	--	ND	ND	ND	ND	ND	--	
12/09/96	11.15	8.67	0.00	2.48	1.47	ND	--	ND	ND	ND	ND	33	--	
03/14/97	11.15	9.35	0.00	1.80	-0.68	ND	--	ND	ND	ND	ND	ND	--	
06/30/97	11.15	9.89	0.00	1.26	-0.54	ND	--	ND	ND	ND	ND	ND	--	
09/19/97	11.15	9.96	0.00	1.19	-0.07	ND	--	ND	ND	ND	ND	ND	--	
12/12/97	11.15	8.56	0.00	2.59	1.40	ND	--	ND	ND	ND	ND	ND	--	
03/03/98	11.15	7.85	0.00	3.30	0.71	ND	--	ND	ND	ND	ND	ND	--	
06/15/98	11.15	9.08	0.00	2.07	-1.23	ND	--	ND	ND	ND	ND	ND	--	
09/30/98	11.15	9.75	0.00	1.40	-0.67	ND	--	ND	ND	ND	ND	ND	--	
12/28/98	11.15	9.59	0.00	1.56	0.16	ND	--	ND	ND	ND	ND	ND	--	
03/22/99	11.15	8.34	0.00	2.81	1.25	ND	--	ND	ND	ND	ND	ND	--	
06/09/99	11.15	9.39	0.00	1.76	-1.05	ND	--	ND	ND	ND	ND	ND	--	
09/08/99	11.15	9.90	0.00	1.25	-0.51	ND	--	ND	ND	ND	ND	ND	--	
12/07/99	11.15	10.05	0.00	1.10	-0.15	ND	--	ND	ND	ND	ND	ND	--	
03/13/00	11.15	7.24	0.00	3.91	2.81	ND	--	ND	ND	ND	ND	ND	--	
06/21/00	11.15	9.48	0.00	1.67	-2.24	ND	--	ND	ND	ND	ND	ND	--	
09/27/00	11.15	9.42	0.00	1.73	0.06	ND	--	ND	ND	ND	ND	ND	--	
12/12/00	11.15	9.50	0.00	1.65	-0.08	ND	--	ND	ND	ND	ND	ND	--	
03/07/01	11.15	6.88	0.00	4.27	2.62	ND	--	ND	ND	ND	ND	ND	--	
06/06/01	11.15	9.18	0.00	1.97	-2.30	ND	--	ND	ND	ND	ND	ND	--	



**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-4 continued</b>														
09/24/01	11.15	9.21	0.00	1.94	-0.03	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/10/01	11.15	7.32	0.00	3.83	1.89	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
03/11/02	11.15	6.92	0.00	4.23	0.40	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
06/04/02	11.15	7.58	0.00	3.57	-0.66	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/03/02	11.15	9.17	0.00	1.98	-1.59	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
12/03/02	11.15	9.20	0.00	1.95	-0.03	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/04/03	11.15	9.32	0.00	1.83	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
06/18/03	11.15	7.65	0.00	3.50	1.67	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/03	11.15	8.26	0.00	2.89	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	11.15	9.16	0.00	1.99	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/30/04	11.15	7.47	0.00	3.68	1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/07/04	11.15	8.93	0.00	2.22	-1.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/09/04	11.15	9.83	0.00	1.32	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/20/04	11.15	8.28	0.00	2.87	1.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/28/05	11.15	6.35	0.00	4.80	1.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/14/05	11.15	8.10	0.00	3.05	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/28/05	11.15	9.59	0.00	1.56	-1.49	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/29/05	11.15	7.13	0.00	4.02	2.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	11.15	6.27	0.00	4.88	0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/12/06	11.15	8.45	0.00	2.70	-2.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/21/06	11.15	9.63	0.00	1.52	-1.18	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
12/21/06	11.15	8.50	0.00	2.65	1.13	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
03/28/07	11.15	8.00	0.00	3.15	0.50	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

U-5 (Screen Interval in feet: 5.0-20.0)

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-5 continued</b>														
06/22/94	6.98	6.83	0.00	0.15	--	210	--	7.1	13	4.5	26	--	--	
09/22/94	6.98	6.90	0.00	0.08	-0.07	170	--	8.4	10	8.5	18	--	--	
12/24/94	6.98	6.43	0.00	0.55	0.47	8700	--	560	70	670	430	--	--	
03/25/95	6.98	6.35	0.00	0.63	0.08	44000	--	390	960	1500	7600	--	--	
06/21/95	6.98	7.11	0.00	-0.13	-0.76	400	--	2.3	ND	9.1	3.5	--	--	
09/19/95	6.98	6.99	0.00	-0.01	0.12	850	--	14	7.1	13	66	--	--	
12/19/95	6.98	7.17	0.00	-0.19	-0.18	ND	--	ND	ND	ND	ND	--	--	
03/18/96	6.98	6.65	0.00	0.33	0.52	100	--	0.67	0.5	0.51	5.4	--	--	
06/27/96	6.98	6.49	0.00	0.49	0.16	16000	--	280	150	1400	4600	530	--	
09/26/96	6.98	7.13	0.00	-0.15	-0.64	ND	--	ND	0.57	ND	0.96	ND	--	
12/09/96	6.98	5.90	0.00	1.08	1.23	1300	--	29	46	ND	140	97	--	
03/14/97	6.98	6.99	0.00	-0.01	-1.09	ND	--	ND	ND	ND	ND	14	--	
06/30/97	6.98	7.08	0.00	-0.10	-0.09	4200	--	74	51	180	980	270	--	
09/19/97	6.98	6.78	0.00	0.20	0.30	6300	--	160	13	370	1000	480	--	
12/12/97	6.98	6.94	0.00	0.04	-0.16	60	--	1.3	ND	1.6	2.1	47	--	
03/03/98	6.98	6.50	0.00	0.48	0.44	1700	--	29	ND	150	190	330	--	
06/15/98	6.98	6.85	0.00	0.13	-0.35	1500	--	32	ND	91	83	330	--	
09/30/98	6.98	7.31	0.00	-0.33	-0.46	1700	--	44	ND	39	150	60	--	
12/28/98	6.98	7.25	0.00	-0.27	0.06	1400	--	59	ND	13	27	150	--	
03/22/99	6.98	6.86	0.00	0.12	0.39	780	--	8.9	ND	0.76	4.5	350	--	
06/09/99	6.98	7.28	0.00	-0.30	-0.42	1000	--	ND	ND	10	35	280	350	
09/08/99	6.98	7.52	0.00	-0.54	-0.24	2620	--	26.2	ND	32.2	157	280	239	
12/07/99	6.98	7.67	0.00	-0.69	-0.15	949	--	9.26	ND	11.2	22.7	235	301	
03/13/00	6.98	6.73	0.00	0.25	0.94	880	--	12	1.0	5.6	8.7	46	37	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-5 continued</b>														
06/21/00	6.98	7.39	0.00	-0.41	-0.66	700	--	4.0	ND	0.99	4.0	120	140	
09/27/00	6.98	7.45	0.00	-0.47	-0.06	400	--	1.9	ND	ND	1.5	160	250	
12/12/00	6.98	7.68	0.00	-0.70	-0.23	770	--	3.2	ND	ND	ND	27	13	
03/07/01	6.98	6.83	0.00	0.15	0.85	623	--	5.15	ND	ND	0.669	35.7	43.4	
06/06/01	6.98	7.42	0.00	-0.44	-0.59	110	--	ND	ND	ND	ND	ND	--	
09/24/01	6.98	7.50	0.00	-0.52	-0.08	270	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	40	42	
12/10/01	6.98	6.65	0.00	0.33	0.85	420	--	13	0.60	0.66	ND<0.50	ND<2.5	--	
03/11/02	6.98	7.00	0.00	-0.02	-0.35	260	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	42	47	
06/04/02	6.98	6.71	0.00	0.27	0.29	170	--	ND<0.50	0.77	0.87	0.69	29	--	
09/03/02	6.98	7.47	0.00	-0.49	-0.76	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	37	53	
12/03/02	6.98	6.64	0.00	0.34	0.83	--	320	ND<0.50	ND<0.50	5.7	ND<1.0	--	11	
03/04/03	6.98	6.75	0.00	0.23	-0.11	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	44	
06/18/03	6.98	6.25	0.00	0.73	0.50	--	51	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	36	
09/24/03	6.98	6.86	0.00	0.12	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
12/02/03	6.98	7.12	0.00	-0.14	-0.26	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	24	
03/30/04	6.98	6.88	0.00	0.10	0.24	--	100	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	130	
06/07/04	6.98	8.53	0.00	-1.55	-1.65	--	250	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
09/09/04	6.98	12.28	0.00	-5.30	-3.75	--	340	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	260	
12/20/04	6.98	7.51	0.00	-0.53	4.77	--	130	ND<0.50	ND<0.50	1.9	2.0	--	120	
03/28/05	6.98	7.22	0.00	-0.24	0.29	--	670	ND<2.0	ND<2.0	ND<2.0	ND<4.0	--	230	
06/14/05	6.98	7.46	0.00	-0.48	-0.24	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
09/28/05	6.98	9.59	0.00	-2.61	-2.13	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	370	
12/29/05	6.98	7.53	0.00	-0.55	2.06	--	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	190	
03/27/06	6.98	6.29	0.00	0.69	1.24	--	450	ND<0.50	ND<0.50	8.3	ND<1.0	--	70	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-5 continued</b>														
06/12/06	6.98	6.45	0.00	0.53	-0.16	--	370	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	61	
09/21/06	6.98	6.60	0.00	0.38	-0.15	--	130	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	35	
12/21/06	6.98	6.92	0.00	0.06	-0.32	--	230	ND<0.50	ND<0.50	0.58	ND<0.50	--	11	
03/28/07	6.98	5.12	0.00	1.86	1.80	--	400	ND<0.50	ND<0.50	5.4	ND<0.50	--	13	
<b>U-6 (Screen Interval in feet: 5.0-24.0)</b>														
06/22/94	7.14	7.14	0.00	0.00	--	ND	--	ND	ND	ND	ND	--	--	
09/22/94	7.14	7.34	0.00	-0.20	-0.20	130	--	1.3	0.8	ND	0.73	--	--	
12/24/94	7.14	6.67	0.00	0.47	0.67	6900	--	500	59	600	380	--	--	
03/25/95	7.14	6.29	0.00	0.85	0.38	47000	--	450	1300	1700	8200	--	--	
06/21/95	7.14	7.60	0.00	-0.46	-1.31	ND	--	ND	ND	ND	ND	--	--	
09/19/95	7.14	7.70	0.00	-0.56	-0.10	ND	--	ND	ND	ND	ND	--	--	
12/19/95	7.14	7.75	0.00	-0.61	-0.05	210	--	2.5	1.0	2.9	17	--	--	
03/18/96	7.14	6.86	0.00	0.28	0.89	ND	--	ND	ND	ND	ND	--	--	
06/27/96	7.14	6.52	0.00	0.62	0.34	ND	--	ND	ND	ND	ND	510	--	
09/26/96	7.14	7.62	0.00	-0.48	-1.10	ND	--	ND	ND	ND	ND	1400	--	
12/09/96	7.14	5.88	0.00	1.26	1.74	1200	--	29	48	6.4	140	58	--	
03/14/97	7.14	7.30	0.00	-0.16	-1.42	ND	--	ND	ND	ND	ND	1500	--	
06/30/97	7.14	7.35	0.00	-0.21	-0.05	ND	--	ND	ND	ND	ND	990	--	
09/19/97	7.14	7.25	0.00	-0.11	0.10	ND	--	ND	ND	ND	ND	1400	--	
12/12/97	7.14	7.29	0.00	-0.15	-0.04	ND	--	ND	ND	ND	ND	680	--	
03/03/98	7.14	7.00	0.00	0.14	0.29	ND	--	ND	ND	ND	ND	1600	--	
06/15/98	7.14	7.18	0.00	-0.04	-0.18	ND	--	ND	ND	ND	ND	1000	--	
09/30/98	7.14	7.90	0.00	-0.76	-0.72	ND	--	ND	ND	ND	ND	1200	--	
12/28/98	7.14	7.79	0.00	-0.65	0.11	ND	--	ND	ND	ND	ND	730	--	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
<b>U-6 continued</b>														
03/22/99	7.14	7.47	0.00	-0.33	0.32	ND	--	ND	ND	ND	ND	1800	--	
06/09/99	7.14	7.73	0.00	-0.59	-0.26	ND	--	ND	ND	ND	ND	1000	850	
09/08/99	7.14	7.95	0.00	-0.81	-0.22	ND	--	ND	ND	ND	ND	851	1040	
12/07/99	7.14	8.10	0.00	-0.96	-0.15	ND	--	ND	ND	ND	ND	1140	1150	
03/13/00	7.14	6.95	0.00	0.19	1.15	ND	--	ND	ND	ND	ND	560	670	
06/21/00	7.14	7.84	0.00	-0.70	-0.89	ND	--	ND	ND	ND	ND	400	590	
09/27/00	7.14	7.68	0.00	-0.54	0.16	ND	--	ND	ND	ND	ND	2500	2800	
12/12/00	7.14	7.74	0.00	-0.60	-0.06	ND	--	ND	ND	ND	ND	590	580	
03/07/01	7.14	7.27	0.00	-0.13	0.47	ND	--	ND	ND	ND	ND	310	321	
06/06/01	7.14	7.80	0.00	-0.66	-0.53	ND	--	ND	ND	ND	ND	250	330	
09/24/01	7.14	7.82	0.00	-0.68	-0.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	530	660	
12/10/01	7.14	7.15	0.00	-0.01	0.67	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	220	220	
03/11/02	7.14	7.32	0.00	-0.18	-0.17	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	720	760	
06/04/02	7.14	7.18	0.00	-0.04	0.14	250	--	ND<1.0	ND<1.0	ND<1.0	ND<1.0	470	--	
09/03/02	7.14	7.72	0.00	-0.58	-0.54	420	--	ND<2.5	ND<2.5	ND<2.5	4.7	860	1200	
12/03/02	7.14	6.92	0.00	0.22	0.80	--	ND<500	ND<5.0	ND<5.0	ND<5.0	ND<10	--	870	
03/04/03	7.14	7.01	0.00	0.13	-0.09	--	2300	ND<10	ND<10	ND<10	ND<20	--	2700	
06/18/03	7.14	6.60	0.00	0.54	0.41	--	1300	ND<10	ND<10	ND<10	ND<20	--	1700	
09/24/03	7.14	7.24	0.00	-0.10	-0.64	--	ND<10000	ND<100	ND<100	ND<100	ND<200	--	1500	
12/02/03	7.14	7.80	0.00	-0.66	-0.56	--	1300	ND<10	ND<10	ND<10	ND<20	--	1800	
03/30/04	7.14	7.32	0.00	-0.18	0.48	--	1200	ND<10	ND<10	ND<10	ND<20	--	1700	
06/07/04	7.14	9.35	0.00	-2.21	-2.03	--	1700	ND<10	ND<10	ND<10	ND<20	--	1800	
09/09/04	7.14	12.81	0.00	-5.67	-3.46	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	1400	
12/20/04	7.14	7.96	0.00	-0.82	4.85	--	320	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	65	

**Table 2**  
**HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS**  
**August 1990 Through March 2007**  
**76 Station 5325**

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
<b>U-6 continued</b>														
03/28/05	7.14	7.07	0.00	0.07	0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	150	
06/14/05	7.14	7.88	0.00	-0.74	-0.81	--	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	20	
09/28/05	7.14	10.44	0.00	-3.30	-2.56	--	150	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.6	
12/29/05	7.14	7.63	0.00	-0.49	2.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	13	
03/27/06	7.14	6.16	0.00	0.98	1.47	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.1	
06/12/06	7.14	6.59	0.00	0.55	-0.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.9	
09/21/06	7.14	6.90	0.00	0.24	-0.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.1	
12/21/06	7.14	7.36	0.00	-0.22	-0.46	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.2	
03/28/07	7.14	3.48	0.00	3.66	3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-1</b>															
06/15/98	--	--	--	--	--	--	--	--	39000	ND	--	ND	382	--	--
09/30/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	366	--	--
12/28/98	--	--	--	--	--	--	--	--	4300	6.30	--	28	298	--	--
03/22/99	--	--	--	--	--	--	--	--	4900	ND	--	3.5	320	--	--
06/09/99	--	--	--	--	--	--	--	--	1200	ND	--	ND	260	--	--
09/08/99	--	--	--	--	--	--	--	--	1800	ND	--	ND	85	--	--
12/07/99	--	--	--	--	--	--	--	--	5700	ND	--	17.0	404	--	1.36
03/13/00	--	--	--	--	--	--	--	--	8000	0.18	--	ND	262	--	--
06/21/00	--	--	--	--	--	--	--	--	9300	ND	--	ND	148	--	1.53
09/27/00	ND	--	ND	--	ND	ND	ND	--	2800	ND	--	18.4	119	--	1.63
12/12/00	--	--	--	--	--	--	--	--	490	ND	--	16.0	131	--	1.48
03/07/01	ND	--	ND	--	ND	ND	ND	--	483	2.64	--	6.89	125	--	1.91
06/06/01	ND	--	ND	--	ND	ND	ND	--	1000	ND	--	2.7	141	--	1.77
09/24/01	ND<20000	ND<400000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<100	0.45	--	--	125	--	1.64
12/10/01	ND<4000	ND<8000	ND<100	ND<100	ND<100	ND<100	ND<100	--	14000	ND<0.50	--	2.2	141	--	1.82
03/11/02	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	15000	ND<0.50	--	0.11	132	--	2.21
06/04/02	--	--	--	--	--	--	--	--	ND<500	ND<0.50	--	ND<0.10	117	--	1.88
09/03/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	ND<500	ND<0.50	--	ND<0.10	94	--	1.62
12/03/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	9600	ND<1.0	--	ND<1.0	72	--	1.71
03/04/03	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	36000	ND<1.0	--	ND<1.0	-125	--	0.30
06/18/03	ND<5000	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100	--	16000	ND<1.0	--	ND<1.0	-48	1.7	--
09/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	15	ND<1.0	--	ND<1.0	-36	--	0.40
12/02/03	--	ND<100000	--	--	--	--	--	--	4000	--	--	--	--	6.46	2.05
03/30/04	3100	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	12000	ND<1.0	ND<1.0	--	--	1.08	3.05
06/07/04	3300	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	660	ND<0.50	6.8	--	--	1.62	2.30
12/20/04	11	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	0.015	ND<1.0	ND<1.0	--	--	1.35	5.55

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-1 continued</b>															
03/28/05	--	ND<1000	--	--	--	--	--	--	16	ND<1.0	ND<1.0	--	--	4.32	3.26
06/14/05	4400	ND<1000	ND<10	ND<10	ND<10	ND<10	ND<10	--	7100	ND<1.0	12	--	--	3.95	4.52
09/28/05	5500	ND<250	ND<10	ND<10	ND<10	ND<10	ND<10	--	7300	ND<0.10	39	--	--	7.13	2.59
12/29/05	3900	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	9500	ND<0.10	21	--	--	3.74	2.81
03/27/06	--	ND<12000	--	--	--	--	--	--	8500	ND<0.10	ND<0.050	--	--	--	1.95
06/12/06	--	ND<250	--	--	--	--	--	--	25000	ND<0.10	0.64	--	--	--	1.20
09/21/06	--	ND<6200	--	--	--	--	--	--	16000	ND<0.10	1.5	--	--	--	1.28
12/21/06	--	ND<250	--	--	--	--	--	--	22000	ND<0.10	1.0	--	--	--	---
03/28/07	1600	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	20000	ND<0.10	ND<0.050	--	--	--	6.75
<b>U-2</b>															
03/03/98	--	--	--	--	--	--	--	--	25000	ND	--	ND	369	--	--
06/15/98	--	--	--	--	--	--	--	--	42000	ND	--	ND	341	--	--
09/30/98	--	--	--	--	--	--	--	--	25000	ND	--	ND	354	--	--
12/28/98	--	--	--	--	--	--	--	--	28000	ND	--	ND	276	--	--
03/22/99	--	--	--	--	--	--	--	--	680	ND	--	2.3	320	--	--
06/09/99	--	--	--	--	--	--	--	--	500	ND	--	ND	290	--	--
09/08/99	--	--	--	--	--	--	--	--	1900	ND	--	ND	235	--	--
12/07/99	--	--	--	--	--	--	--	--	250	ND	--	ND	389	--	2.28
03/13/00	--	--	--	--	--	--	--	--	4300	0.31	--	ND	184	--	--
06/21/00	--	--	--	--	--	--	--	--	260	ND	--	ND	136	--	1.96
09/27/00	--	--	--	--	--	--	--	--	640	ND	--	10.5	142	--	2.12
12/12/00	--	--	--	--	--	--	--	--	2700	ND	--	ND	155	--	2.35
03/07/01	ND	ND	ND	ND	ND	ND	ND	--	677	2.24	--	3.02	148	--	2.21
06/06/01	ND	ND	ND	ND	ND	ND	ND	--	800	ND	--	2.8	163	--	2.67
09/24/01	ND<20000	ND<400000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<100	0.49	--	--	151	--	2.10
12/10/01	ND<2000	ND<4000	ND<50	ND<50	ND<50	ND<50	ND<50	--	ND<100	ND<0.50	--	0.20	171	--	2.81



**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-2 continued</b>															
03/11/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	ND<100	ND<0.50	--	0.65	156	--	2.77
06/04/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	--	ND<0.10	144	--	3.14
09/03/02	ND<50000	ND<250000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	ND<250	ND<0.50	--	0.26	151	--	2.85
12/03/02	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	9900	ND<1.0	--	ND<1.0	94	--	1.97
03/04/03	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	8600	ND<1.0	--	ND<1.0	-147	--	0.40
06/18/03	ND<10000	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200	--	5500	ND<1.0	--	3.1	-8	3.2	--
09/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	14	ND<1.0	--	ND<1.0	-10	--	0.20
12/02/03	--	ND<100000	--	--	--	--	--	--	2700	--	--	--	--	1.81	1.70
03/30/04	2400	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	ND<200	ND<1.0	2.9	--	--	--	2.40
06/07/04	2600	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	210	ND<0.50	2.4	--	--	3.29	3.10
09/09/04	2700	ND<10000	ND<100	ND<100	ND<200	ND<100	ND<100	--	930	ND<1.0	5.9	--	--	3.10	3.12
12/20/04	3500	ND<5000	ND<50	ND<50	ND<100	ND<50	ND<50	--	0.87	ND<1.0	ND<1.0	--	--	6.54	.41
03/28/05	830	ND<5000	ND<50	ND<50	ND<50	ND<50	ND<0.50	--	4.0	ND<1.0	ND<1.0	--	--	4.30	3.76
06/14/05	10000	ND<2000	ND<20	ND<20	ND<20	ND<20	ND<20	--	3400	ND<1.0	ND<1.0	--	--	3.99	3.28
09/28/05	13000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4000	ND<0.20	7.5	--	--	6.62	2.87
12/29/05	1000000000	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2200	ND<0.20	4.6	--	--	5.71	1.76
03/27/06	--	ND<250	--	--	--	--	--	--	1100	ND<0.10	ND<0.050	--	--	--	0.95
06/12/06	--	ND<6200	--	--	--	--	--	--	1500	ND<0.10	ND<0.050	--	--	--	19.82
09/21/06	--	ND<250	--	--	--	--	--	--	100	33	0.36	--	--	--	3.15
12/21/06	--	ND<250	--	--	--	--	--	--	770	ND<0.20	0.21	--	--	--	---
03/28/07	4000	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	8600	ND<0.10	ND<0.050	--	--	--	8.80
<b>U-3</b>															
06/30/97	--	--	--	--	--	--	--	--	1400	21	--	0.86	190	--	4.10
09/19/97	--	--	--	--	--	--	--	--	570	19	--	ND	75	--	4.20
12/12/97	--	--	--	--	--	--	--	--	1900	23	--	0.85	390	--	2.97
03/03/98	--	--	--	--	--	--	--	--	13	36	--	ND	358	--	2.63

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-3 continued</b>															
06/15/98	--	--	--	--	--	--	--	--	160	33	--	ND	318	--	2.93
09/30/98	--	--	--	--	--	--	--	--	40	31	--	ND	295	--	3.11
12/28/98	--	--	--	--	--	--	--	--	ND	29	--	ND	281	--	3.59
03/22/99	--	--	--	--	--	--	--	--	15	30	--	0.14	310	--	4.02
06/09/99	--	--	--	--	--	--	--	--	ND	26	--	1.2	350	--	3.70
09/08/99	--	--	--	--	--	--	--	--	ND	32.90	--	ND	417	--	3.96
12/07/99	--	--	--	--	--	--	--	--	52	27.90	--	ND	437	--	4.21
03/13/00	--	--	--	--	--	--	--	--	150	33	--	ND	307	--	--
06/21/00	--	--	--	--	--	--	--	--	200	32	--	ND	225	--	4.27
09/27/00	--	--	--	--	--	--	--	307	ND	34	--	15.7	211	--	4.67
12/12/00	--	--	--	--	--	--	--	--	ND	31	--	ND	246	--	4.79
03/07/01	--	--	--	--	--	--	--	--	ND	36.5	--	0.443	251	--	5.16
06/06/01	--	--	--	--	--	--	--	--	ND	8.0	--	0.18	214	--	4.79
09/24/01	--	--	--	--	--	--	--	--	ND<100	23.0	--	ND	198	--	4.27
12/10/01	--	--	--	--	--	--	--	--	ND<100	21	--	0.11	188	--	4.66
03/11/02	--	--	--	--	--	--	--	--	ND<100	30	--	0.14	166	--	5.06
06/04/02	--	--	--	--	--	--	--	--	ND<100	18	--	ND<0.10	151	--	5.79
09/03/02	--	--	--	--	--	--	--	--	ND<100	28	--	ND<0.10	143	--	6.04
12/03/02	--	--	--	--	--	--	--	--	ND<200	20	--	ND<1.0	154	--	5.58
03/04/03	--	--	--	--	--	--	--	--	ND<200	18	--	ND<1.0	-136	--	0.20
06/18/03	--	--	--	--	--	--	--	--	ND<200	17	--	ND<1.0	333	3.5	--
09/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	18	--	1.4	-50	--	0.60
12/02/03	--	ND<500	--	--	--	--	--	--	ND<200	--	--	--	--	4.28	4.30
03/30/04	--	ND<50	--	--	--	--	--	--	ND<200	16	ND<1.0	--	--	7.75	2.80
06/07/04	--	ND<50	--	--	--	--	--	--	ND<200	17	ND<0.20	--	--	4.19	4.70
09/09/04	--	ND<50	--	--	--	--	--	--	ND<10	16	1.2	--	--	4.68	4.75

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-3 continued</b>															
12/20/04	--	ND<50	--	--	--	--	--	--	ND<0.010	17	ND<1.0	--	--	6.70	3.28
03/28/05	--	ND<50	--	--	--	--	--	--	ND<0.050	17	ND<1.0	--	--	4.21	3.32
06/14/05	--	ND<50	--	--	--	--	--	--	ND<50	18	ND<1.0	--	--	2.97	2.82
09/28/05	--	ND<250	--	--	--	--	--	--	ND<100	4.3	0.66	--	--	6.99	4.96
12/29/05	--	ND<250	--	--	--	--	--	--	ND<100	4.3	0.65	--	--	4.57	3.35
03/27/06	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.66	--	--	--	2.67
06/12/06	--	ND<250	--	--	--	--	--	--	ND<100	4.4	0.64	--	--	--	3.97
09/21/06	--	ND<250	--	--	--	--	--	--	170	4.4	0.69	--	--	--	2.64
12/21/06	--	ND<250	--	--	--	--	--	--	ND<100	4.5	0.68	--	--	--	---
03/28/07	--	ND<250	--	--	--	--	--	--	ND<100	4.7	0.67	--	--	--	8.10
<b>U-4</b>															
06/30/97	--	--	--	--	--	--	--	--	130	35	--	0.52	200	--	5.40
09/19/97	--	--	--	--	--	--	--	--	350	30	--	ND	45	--	5.10
12/12/97	--	--	--	--	--	--	--	--	680	31	--	0.73	380	--	3.11
03/03/98	--	--	--	--	--	--	--	--	18	3.2	--	ND	284	--	2.94
06/15/98	--	--	--	--	--	--	--	--	140	33	--	ND	256	--	3.08
09/30/98	--	--	--	--	--	--	--	--	49	31	--	ND	276	--	4.05
12/28/98	--	--	--	--	--	--	--	--	360	31	--	ND	280	--	4.57
03/22/99	--	--	--	--	--	--	--	--	ND	30	--	0.14	320	--	4.26
06/09/99	--	--	--	--	--	--	--	--	ND	35	--	0.91	340	--	3.61
09/08/99	--	--	--	--	--	--	--	--	ND	24	--	ND	391	--	3.75
12/07/99	--	--	--	--	--	--	--	--	ND	27.7	--	ND	478	--	4.03
03/13/00	--	--	--	--	--	--	--	--	ND	33	--	ND	244	--	--
06/21/00	--	--	--	--	--	--	--	--	34	32	--	ND	248	--	4.89
09/27/00	--	--	--	--	--	--	--	--	ND	28	--	ND	198	--	5.09
12/12/00	--	--	--	--	--	--	--	--	ND	30	--	ND	210	--	4.86

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-4 continued</b>															
03/07/01	--	--	--	--	--	--	--	--	ND	33.9	--	0.226	233	--	4.97
06/06/01	--	--	--	--	--	--	--	--	ND	7.4	--	0.21	248	--	5.12
09/24/01	--	--	--	--	--	--	--	--	ND<100	24	--	--	262	--	4.86
12/10/01	--	--	--	--	--	--	--	--	ND<100	19	--	0.10	242	--	5.05
03/11/02	--	--	--	--	--	--	--	--	ND<100	31	--	0.14	195	--	4.83
06/04/02	--	--	--	--	--	--	--	--	ND<100	27	--	ND<0.10	169	--	5.58
09/03/02	--	--	--	--	--	--	--	--	ND<100	28	--	0.27	126	--	5.94
12/03/02	--	--	--	--	--	--	--	--	ND<200	20	--	ND<1.0	133	--	5.82
03/04/03	--	--	--	--	--	--	--	--	ND<200	26	--	ND<1.0	-148	--	0.30
06/18/03	--	--	--	--	--	--	--	--	ND<200	31	--	ND<1.0	250	3.6	--
09/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	17	--	1.5	-24	--	0.20
12/02/03	--	ND<500	--	--	--	--	--	--	ND<200	--	--	--	--	3.45	3.57
03/30/04	--	ND<50	--	--	--	--	--	--	ND<200	25	ND<1.0	--	--	3.84	4.29
06/07/04	--	ND<50	--	--	--	--	--	--	ND<200	24	ND<0.20	--	--	4.02	4.56
09/09/04	--	ND<50	--	--	--	--	--	--	ND<10	22	ND<1.0	--	--	4.09	4.20
12/20/04	--	ND<50	--	--	--	--	--	--	ND<0.010	20	ND<1.0	--	--	6.19	5.11
03/28/05	--	ND<50	--	--	--	--	--	--	0.060	31	ND<1.0	--	--	4.66	4.54
06/14/05	--	ND<50	--	--	--	--	--	--	ND<50	32	ND<1.0	--	--	3.09	3.02
09/28/05	--	ND<250	--	--	--	--	--	--	190	6.8	0.45	--	--	6.59	5.02
12/29/05	--	ND<250	--	--	--	--	--	--	ND<100	5.3	0.37	--	--	5.09	5.03
03/27/06	--	ND<250	--	--	--	--	--	--	ND<100	6.4	0.41	--	--	--	5.51
06/12/06	--	ND<250	--	--	--	--	--	--	2200	6.8	0.39	--	--	--	4.33
09/21/06	--	ND<250	--	--	--	--	--	--	360	5.7	0.43	--	--	--	3.51
12/21/06	--	ND<250	--	--	--	--	--	--	ND<100	5.6	0.41	--	--	--	---
03/28/07	--	ND<250	--	--	--	--	--	--	ND<100	5.5	0.49	--	--	--	12.16

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-5 continued</b>															
06/30/97	--	--	--	--	--	--	--	--	16000	ND	--	ND	160	--	3.40
09/19/97	--	--	--	--	--	--	--	--	220	ND	--	ND	63	--	0.60
12/12/97	--	--	--	--	--	--	--	--	6700	ND	--	ND	400	--	1.75
03/03/98	--	--	--	--	--	--	--	--	18000	3.1	--	ND	345	--	2.36
06/15/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	333	--	2.55
09/30/98	--	--	--	--	--	--	--	--	17000	ND	--	ND	318	--	1.93
12/28/98	--	--	--	--	--	--	--	--	17000	6.6	--	ND	305	--	1.64
03/22/99	--	--	--	--	--	--	--	--	120	ND	--	2.4	340	--	1.99
06/09/99	--	--	--	--	--	--	--	--	230	ND	--	ND	320	--	2.10
09/08/99	--	--	--	--	--	--	--	--	2100	ND	--	ND	335	--	2.21
12/07/99	--	--	--	--	--	--	--	--	310	ND	--	ND	408	--	2.66
03/13/00	--	--	--	--	--	--	--	--	330	0.16	--	ND	264	--	--
06/21/00	--	--	--	--	--	--	--	--	150	ND	--	ND	159	--	3.42
09/27/00	--	--	--	--	--	--	--	--	330	ND	--	ND	136	--	3.85
12/12/00	--	--	--	--	--	--	--	--	86	ND	--	ND	122	--	3.53
03/07/01	ND	ND	ND	ND	ND	ND	ND	--	1070	3.02	--	4.00	141	--	2.98
06/06/01	--	--	--	--	--	--	--	--	ND	ND	--	1.2	112	--	2.67
09/24/01	ND<200	ND<4000	ND<10	ND<10	ND<10	ND<10	ND<10	--	ND<100	0.77	--	--	146	--	3.15
12/10/01	--	--	--	--	--	--	--	--	3700	ND<0.50	--	2.6	96	--	2.85
03/11/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	100	ND<0.50	--	0.52	108	--	3.15
06/04/02	--	--	--	--	--	--	--	--	ND<250	ND<0.50	--	ND<0.10	118	--	3.46
09/03/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	ND<250	ND<0.50	--	ND<0.10	87	--	2.85
12/03/02	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	22000	ND<1.0	--	ND<1.0	104	--	2.71
03/04/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	19000	ND<1.0	--	ND<1.0	-166	--	0.20
06/18/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	11000	ND<1.0	--	ND<1.0	-10	2.4	--
09/24/03	--	ND<500	--	--	--	--	--	--	ND<0.20	18	--	1.8	-28	--	0.30

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-5 continued</b>															
12/02/03	--	ND<500	--	--	--	--	--	--	9400	--	--	--	--	2.22	2.15
03/30/04	52	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	5900	ND<1.0	ND<1.0	--	--	1.89	1.88
06/07/04	69	ND<50	ND<0.5	ND<0.5	ND<1.0	ND<0.5	ND<0.5	--	3800	ND<0.50	ND<0.20	--	--	1.88	1.92
09/09/04	130	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50	--	4100	ND<1.0	ND<1.0	--	--	2.38	2.58
12/20/04	--	ND<50	--	--	--	--	--	--	5.0	ND<1.0	ND<1.0	--	--	.71	2.01
03/28/05	150	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	6.5	ND<1.0	ND<1.0	--	--	2.02	1.06
06/14/05	160	ND<100	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7400	3.6	ND<1.0	--	--	2.38	2.02
09/28/05	220	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7300	ND<0.50	0.10	--	--	6.94	4.58
12/29/05	280	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7300	ND<0.50	ND<0.050	--	--	2.17	1.99
03/27/06	--	ND<250	--	--	--	--	--	--	6300	ND<0.50	ND<0.050	--	--	--	2.69
06/12/06	--	ND<250	--	--	--	--	--	--	8700	ND<0.20	ND<0.050	--	--	--	2.32
09/21/06	--	ND<250	--	--	--	--	--	--	6800	ND<0.50	ND<0.050	--	--	--	1.37
12/21/06	--	ND<250	--	--	--	--	--	--	15000	ND<0.50	ND<0.050	--	--	--	---
03/28/07	870	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	10000	ND<0.20	ND<0.050	--	--	--	9.09
<b>U-6</b>															
06/30/97	--	--	--	--	--	--	--	--	88000	0.80	--	ND	190	--	0.30
09/19/97	--	--	--	--	--	--	--	--	2900	1.80	--	ND	ND	--	0.60
12/12/97	--	--	--	--	--	--	--	--	51000	ND	--	ND	380	--	2.70
03/03/98	--	--	--	--	--	--	--	--	60000	3.5	--	ND	327	--	2.18
06/15/98	--	--	--	--	--	--	--	--	590000	4.8	--	ND	315	--	2.48
09/30/98	--	--	--	--	--	--	--	--	33000	ND	--	ND	345	--	3.06
12/28/98	--	--	--	--	--	--	--	--	83000	7.2	--	ND	297	--	3.42
03/22/99	--	--	--	--	--	--	--	--	2100	ND	--	0.98	330	--	3.88
06/09/99	--	--	--	--	--	--	--	--	470	0.20	--	ND	320	--	3.29
09/08/99	--	--	--	--	--	--	--	--	140	5.59	--	ND	305	--	3.12
12/07/99	--	--	--	--	--	--	--	--	260	ND	--	ND	443	--	3.44

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Acenaph- thylene (µg/l)	Iron Ferrou (µg/l)	Nitrate (mg/l)	Phosphate (ortho) (mg/l)	Phosphate (total) (mg/l)	Redox Potential (ORP-Lab) (mV)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
<b>U-6 continued</b>															
03/13/00	--	--	--	--	--	--	--	--	790	0.26	--	ND	222	--	--
06/21/00	--	--	--	--	--	--	--	--	1900	ND	--	ND	159	--	3.27
09/27/00	--	--	--	--	--	--	--	--	2600	ND	--	ND	170	--	3.49
12/12/00	--	--	--	--	--	--	--	--	ND	2.7	--	ND	128	--	3.06
03/07/01	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--	--	--
06/06/01	ND	ND	ND	ND	ND	ND	ND	--	470	0.15	--	0.70	97	--	2.46
09/24/01	ND<2000	ND<40000	ND<100	ND<100	ND<100	ND<100	ND<100	--	ND<100	0.58	--	--	123	--	3.10
12/10/01	ND<200	ND<400	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	990	0.50	--	2.0	112	--	2.57
03/11/02	ND<400	ND<2000	ND<8.0	ND<8.0	ND<8.0	ND<8.0	ND<8.0	--	1200	ND<0.50	--	0.089	128	--	3.03
06/04/02	--	--	--	--	--	--	--	--	ND<100	ND<0.50	--	ND<1.0	97	--	2.84
09/03/02	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	ND<100	0.58	--	1.1	110	--	3.12
12/03/02	ND<1000	ND<5000	ND<20	ND<20	ND<20	ND<20	ND<20	--	1200	ND<1.0	--	2.6	95	--	2.96
03/04/03	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	20000	ND<1.0	--	ND<1.0	-112	--	0.30
06/18/03	ND<2000	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40	--	3200	ND<1.0	--	2.0	-15	3.2	--
09/24/03	ND<20000	ND<100000	ND<400	ND<400	ND<400	ND<400	ND<400	--	1.4	ND<1.0	--	4.6	-12	--	0.30
12/02/03	--	ND<10000	--	--	--	--	--	--	1400	--	--	--	--	3.10	2.53
03/30/04	770	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	2600	ND<1.0	ND<1.0	--	--	3.61	1.88
06/07/04	110	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	2100	0.8	ND<0.20	--	--	2.43	2.90
09/09/04	1900	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10	--	870	ND<1.0	3.8	--	--	2.84	2.96
12/20/04	5000	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5	--	2.5	ND<1.0	ND<1.0	--	--	--	--
03/28/05	990	--	ND<2.5	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.4	ND<1.0	ND<1.0	--	--	3.18	2.57
06/14/05	ND<5.0	ND<100	ND<0.5	ND<0.5	ND<0.50	ND<0.50	ND<0.50	--	4100	3.8	ND<1.0	--	--	4.02	4.20
09/28/05	3800	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	21000	ND<0.20	3.4	--	--	7.93	6.82
12/29/05	1100	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	8300	0.48	ND<0.050	--	--	1.49	3.56
03/27/06	--	ND<250	--	--	--	--	--	--	8800	0.37	0.19	--	--	--	1.33
06/12/06	--	ND<250	--	--	--	--	--	--	8500	0.23	ND<0.050	--	--	--	1.32

**Table 2 a**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Acenaphthylene	Iron Ferrou	Nitrate	Phosphate (ortho)	Phosphate (total)	Redox Potential (ORP-Lab)	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)	(mV)	(mg/l)	(mg/l)
<b>U-6 continued</b>															
09/21/06	--	ND<250	--	--	--	--	--	--	2900	0.19	0.31	--	--	--	2.07
12/21/06	--	ND<250	--	--	--	--	--	--	11000	0.36	0.41	--	--	--	---
03/28/07	--	ND<250	--	--	--	--	--	--	ND<100	0.55	0.31	--	--	--	7.37



**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Pre-purge ORP  (mV)	Post-purge ORP  (mV)
<b>U-1</b>		
12/02/03	-72	-73
03/30/04	-40	-54
06/07/04	-32	-48
12/20/04	--	32
03/28/05	124	138
06/14/05	-145	-177
09/28/05	-065	-160
12/29/05	-310	-508
03/27/06	-667	--
06/12/06	-229	--
09/21/06	-110	--
12/21/06	-102	--
03/28/07	-93	--
<b>U-2</b>		
12/02/03	-29	-67
03/30/04	-6	--
06/07/04	-8	7
09/09/04	-74	-79
12/20/04	-84	-72
03/28/05	118	140
06/14/05	-155	-206
09/28/05	-100	-179
12/29/05	-578	-484
03/27/06	-1334	--
06/12/06	-130	--
09/21/06	-18	--

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Pre-purge ORP  (mV)	Post-purge ORP  (mV)
<b>U-2 continued</b>		
12/21/06	-92	--
03/28/07	-97	--
<b>U-3</b>		
12/02/03	97	105
03/30/04	-38	12
06/07/04	23	42
09/09/04	14	21
12/20/04	45	32
03/28/05	145	137
06/14/05	90	86
09/28/05	-068	-060
12/29/05	-802	-1132
03/27/06	-1588	--
06/12/06	77	--
09/21/06	-33	--
12/21/06	85	--
03/28/07	-10	--
<b>U-4</b>		
12/02/03	107	102
03/30/04	19	42
06/07/04	27	15
09/09/04	-26	-8
12/20/04	84	77
03/28/05	163	130
06/14/05	78	88
09/28/05	099	082

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**


Date Sampled	Pre-purge ORP	Post-purge ORP
	(mV)	(mV)
<b>U-4 continued</b>		
12/29/05	-628	-632
03/27/06	-1000	--
06/12/06	102	--
09/21/06	152	--
12/21/06	90	--
03/28/07	144	--
<b>U-5</b>		
12/02/03	-39	-39
03/30/04	-19	-37
06/07/04	-15	-31
09/09/04	-41	-67
12/20/04	-65	-72
03/28/05	132	133
06/14/05	-163	-168
09/28/05	-126	-125
12/29/05	-416	-411
03/27/06	-585	--
06/12/06	-236	--
09/21/06	-125	--
12/21/06	-109	--
03/28/07	-97	--
<b>U-6</b>		
12/02/03	-99	-74
03/30/04	-28	-33
06/07/04	-32	-62
09/09/04	-89	--

**Table 2 b**  
**ADDITIONAL HISTORIC ANALYTICAL RESULTS**  
**76 Station 5325**

Date Sampled	Pre-purge ORP  (mV)	Post-purge ORP  (mV)
<b>U-6 continued</b>		
03/28/05	84	96
06/14/05	-158	-175
09/28/05	-028	-141
12/29/05	-480	-548
03/27/06	-953	--
06/12/06	-234	--
09/21/06	-113	--
12/21/06	-132	--
03/28/07	-36	--


# FIGURES

PS=1:1 L:\QMS VICINITY MAP S05325VM.DWG Apr 11, 2007 - 1:25pm cakers



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Map:  
Oakland West Quadrangle



SCALE 1:24,000




PROJECT: 41060002

FACILITY:  
76 STATION 5325  
3220 LAKESHORE AVENUE  
OAKLAND, CALIFORNIA

VICINITY MAP

FIGURE 1



**NOTES:**

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level.  
 UST = underground storage tank.

**LEGEND**


U-6 ⊕ Monitoring Well with Groundwater Elevation (feet)

3.00 — Groundwater Elevation Contour


➔ General Direction of Groundwater Flow

**GROUNDWATER ELEVATION  
 CONTOUR MAP  
 March 28, 2007**

76 Station 5325  
 3220 Lakeshore Avenue  
 Oakland, California



**FIGURE 2**



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.  
 TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.  
 µg/l = micrograms per liter.  
 ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.


**LEGEND**

U-6 ⊕ Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration (µg/l)

-10,000- Dissolved-Phase TPH-G (GC/MS) Contour (µg/l)


**DISSOLVED-PHASE  
 TPH-G (GC/MS)  
 CONCENTRATION MAP  
 March 28, 2007**

76 Station 5325  
 3220 Lakeshore Avenue  
 Oakland, California



**FIGURE 3**





**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Dashes indicate contour based on non-detect at elevated detection limit.


**LEGEND**

U-6 ⊕ Monitoring Well with Dissolved-Phase Benzene Concentration (µg/l)


—10— Dissolved-Phase Benzene Contour (µg/l)

**DISSOLVED-PHASE BENZENE CONCENTRATION MAP**  
**March 28, 2007**

76 Station 5325  
 3220 Lakeshore Avenue  
 Oakland, California



**FIGURE 4**



**NOTES:**

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether.  $\mu\text{g/l}$  = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.


**LEGEND**

U-6 Monitoring Well with Dissolved-Phase MTBE Concentration ( $\mu\text{g/l}$ )

Dissolved-Phase MTBE Contour ( $\mu\text{g/l}$ )

**DISSOLVED-PHASE MTBE  
CONCENTRATION MAP  
March 28, 2007**


76 Station 5325  
3220 Lakeshore Avenue  
Oakland, California



**FIGURE 5**

# GRAPHS







Groundwater Elevations vs. Time  
76 Station 5325



Elevations may have been corrected for apparent changes due to resurvey

# Benzene Concentrations vs Time

76 Station 5325



# GENERAL FIELD PROCEDURES

## **Groundwater Monitoring and Sampling Assignments**

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

## **Fluid Level Measurements**

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

## **Purging and Groundwater Parameter Measurement**

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

## **Groundwater Sample Collection**

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

## **Sequence of Gauging, Purging and Sampling**

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

## **Decontamination**

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

## **Exceptions**

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.





## GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE DAMIAN

Site: 5325

Project No.: 41060001

Date: 3/28/07

Well No. U-4

Purge Method: DIA

Depth to Water (feet): 8.0

Depth to Product (feet): —

Total Depth (feet): 19.59

LPH & Water Recovered (gallons): —

Water Column (feet): 11.59

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 8<sup>DB</sup> 10.31

1 Well Volume (gallons): 9<sup>DB</sup> +<sup>DB</sup> 8

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F <sup>o</sup> )	pH	D.O.	ORP	Turbidity
0819			18	931.2	15.2	7.59	12.16	144	
	0825		216	917.0	16.0	7.63	11.79	132	
			324	—	—	—	—	—	
Static at Time Sampled		Total Gallons Purged			Sample Time				
15:17		22			10:34				
Comments: Well went Dry AT 22 Gals. Did NOT Recharge IN 2 Hours									
9:10									

Well No. U-3

Purge Method: DIA

Depth to Water (feet): 10.84

Depth to Product (feet): —

Total Depth (feet): 19.47

LPH & Water Recovered (gallons): —

Water Column (feet): 8.63

Casing Diameter (Inches): 3"

80% Recharge Depth(feet): 12.56

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F <sup>o</sup> )	pH	D.O.	ORP	Turbidity
0852			3	870.3	14.4	7.83	8.10	-10	
			6	841.5	15.2	8.05	9.42	-17	
	0859		9	830.3	15.0	8.00	9.58	-14	
Static at Time Sampled		Total Gallons Purged			Sample Time				
11:55		9			10:13				
Comments:									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: 4106000<sup>JL</sup> JOE / Damian

Site: 5325

Project No.: 41060001

Date: 03-28-07

Well No. u-6

Purge Method: DIA

Depth to Water (feet): 3.48

Depth to Product (feet):           

Total Depth (feet): 23.70

LPH & Water Recovered (gallons):           

Water Column (feet): 20.22

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 7.52

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F (C))	pH	D.O.	ORP	Turbidity
0908			3	500.3	13.4	7.91	7.37	-36	
			6	511.2	14.1	7.48	7.48	-34	
	0910		9	506.7	14.3	7.35	7.35	-32	
Static at Time Sampled			Total Gallons Purged		Sample Time				
3.52			9		1125				
Comments:									

Well No. u-5

Purge Method: DIA

Depth to Water (feet): 5.12

Depth to Product (feet):           

Total Depth (feet): 20.15

LPH & Water Recovered (gallons):           

Water Column (feet): 15.03

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 8.12

1 Well Volume (gallons): 10

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F (C))	pH	D.O.	ORP	Turbidity
0927			10	1140	15.6	6.84	9.09	-97	
			20	1680	16.1	6.82	8.18	-100	
	0935		30	2682	16.7	7.02	7.86	100	
Static at Time Sampled			Total Gallons Purged		Sample Time				
8.10			30		1027				
Comments: Well went DRY AT 30 GALS									

# GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE/Damian

Site: 5325

Project No. 41060001

Date: 03-28-07

Well No. U-1

Purge Method: DIA

Depth to Water (feet): 6.17

Depth to Product (feet): 3<sup>DB</sup>

Total Depth (feet): 13.22

LPH & Water Recovered (gallons):         

Water Column (feet): 7.05

Casing Diameter (Inches): 3"

80% Recharge Depth(feet): 7.58

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F °C)	pH	D.O.	ORP	Turbidity
0947			3	1063	16.6	6.78	6.75	-93	
			6	1038	17.2	6.80	8.00	-102	
	0950		9	1087	17.6	6.99	8.10	-106	
Static at Time Sampled			Total Gallons Purged		Sample Time				
6.61			9		1103				
Comments: well went DRY AT 9 GALS.									

Well No. U-2

Purge Method: DIA

Depth to Water (feet): 5.05

Depth to Product (feet):         

Total Depth (feet): 19.61

LPH & Water Recovered (gallons):         

Water Column (feet): 14.56

Casing Diameter (Inches): 3"

80% Recharge Depth(feet): 7.96

1 Well Volume (gallons): 5

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F °C)	pH	D.O.	ORP	Turbidity
0838			5	1429	14.7	6.9	8.80	-97	
	0840		10	1726	16.4	7.2	8.86	-119	
			15						
Static at Time Sampled			Total Gallons Purged		Sample Time				
13.32			10		1100				
Comments: pumped out of order well does NOT Recharge In 2 Hours Well went DRY AT 10 GALS.									





Date of Report: 04/17/2007

Anju Farfan

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

RE: 5325  
BC Work Order: 0703669

Enclosed are the results of analyses for samples received by the laboratory on 03/28/2007 21:40. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Vanessa Hooker", written over a horizontal line.

Contact Person: Vanessa Hooker  
Client Service Rep

A handwritten signature in black ink, appearing to read "Steven Bennett", written over a horizontal line.

Authorized Signature



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

### Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Sampling Date:	Sample Depth:	Sample Matrix:	Delivery Work Order:	Global ID:	Matrix:	Sample QC Type (SACode):	Cooler ID:
0703669-01	COC Number:	---		03/28/2007 21:40	03/28/2007 10:34	---	Water		T0600101463	W	CS	
	Project Number:	5325										
	Sampling Location:	U-4										
	Sampling Point:	U-4										
	Sampled By:	Joe of TRCI										
0703669-02	COC Number:	---		03/28/2007 21:40	03/28/2007 10:13	---	Water		T0600101463	W	CS	
	Project Number:	5325										
	Sampling Location:	U-3										
	Sampling Point:	U-3										
	Sampled By:	Joe of TRCI										
0703669-03	COC Number:	---		03/28/2007 21:40	03/28/2007 11:25	---	Water		T0600101463	W	CS	
	Project Number:	5325										
	Sampling Location:	U-6										
	Sampling Point:	U-6										
	Sampled By:	Joe of TRCI										
0703669-04	COC Number:	---		03/28/2007 21:40	03/28/2007 10:27	---	Water		T0600101463	W	CS	
	Project Number:	5325										
	Sampling Location:	U-5										
	Sampling Point:	U-5										
	Sampled By:	Joe of TRCI										
0703669-05	COC Number:	---		03/28/2007 21:40	03/28/2007 11:03	---	Water		T0600101463	W	CS	
	Project Number:	5325										
	Sampling Location:	U-1										
	Sampling Point:	U-1										
	Sampled By:	Joe of TRCI										



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

### Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
0703669-06	<b>COC Number:</b>	---	<b>Receive Date:</b> 03/28/2007 21:40	Delivery Work Order:
	<b>Project Number:</b>	5325	<b>Sampling Date:</b> 03/28/2007 11:00	Global ID: T0600101463
	<b>Sampling Location:</b>	U-2	<b>Sample Depth:</b> ---	Matrix: W
	<b>Sampling Point:</b>	U-2	<b>Sample Matrix:</b> Water	Samle QC Type (SACode): CS
	<b>Sampled By:</b>	Joe of TRCI		Cooler ID:

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703669-01		Client Sample Name:	5325, U-4, U-4, 3/28/2007 10:34:00AM, Joe									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
Toluene	ND	ug/L	0.50		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
Ethanol	ND	ug/L	250		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114	ND	
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114		
Toluene-d8 (Surrogate)	96.2	%	88 - 110 (LCL - UCL)		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114		
4-Bromofluorobenzene (Surrogate)	88.5	%	86 - 115 (LCL - UCL)		EPA-8260	04/02/07	04/03/07 13:36	DKC	MS-V12	1	BQD0114		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

BCL Sample ID: 0703669-01	Client Sample Name: 5325, U-4, U-4, 3/28/2007 10:34:00AM, Joe												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	5.5	mg/L	0.10		EPA-300.0	03/28/07	03/29/07 13:07	LMB	IC1	1	BQC1634	ND	
Iron (II) Species	ND	ug/L	100		SM-3500-Fc	03/30/07	03/30/07 10:30	SLC	SPEC05	1	BQD0128	ND	
ortho-Phosphate	0.49	mg/L	0.050		EPA-365.1	03/29/07	03/29/07 10:26	TDC	KONE-1	1	BQD0088	ND	



TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0703669-02		Client Sample Name: 5325, U-3, U-3, 3/28/2007 10:13:00AM, Joe											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
Toluene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
Ethanol	ND	ug/L	250		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049	ND	
1,2-Dichloroethane-d4 (Surrogate)	110	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049		
Toluene-d8 (Surrogate)	97.6	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049		
4-Bromofluorobenzene (Surrogate)	86.3	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:02	DKC	MS-V12	1	BQD0049		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

BCL Sample ID:	Client Sample Name: 5325, U-3, U-3, 3/28/2007 10:13:00AM, Joe												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	4.7	mg/L	0.10		EPA-300.0	03/28/07	03/29/07 13:26	LMB	IC1	1	BQC1634	ND	
Iron (II) Species	ND	ug/L	100		SM-3500-Fc	03/30/07	03/30/07 10:30	SLC	SPEC05	1	BQD0128	ND	
ortho-Phosphate	0.67	mg/L	0.050		EPA-365.1	03/29/07	03/29/07 10:26	TDC	KONE-1	1	BQD0088	ND	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0703669-03		Client Sample Name: 5325, U-6, U-6, 3/28/2007 11:25:00AM, Joe											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
Toluene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
Ethanol	ND	ug/L	250		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049	ND	
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049		
Toluene-d8 (Surrogate)	95.9	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049		
4-Bromofluorobenzene (Surrogate)	91.8	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:28	DKC	MS-V12	1	BQD0049		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

BCL Sample ID: 0703669-03		Client Sample Name: 5325, U-6, U-6, 3/28/2007 11:25:00AM, Joe											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	0.55	mg/L	0.10		EPA-300.0	03/28/07	03/29/07 13:45	LMB	IC1	1	BQC1634	ND	
Iron (II) Species	ND	ug/L	100		SM-3500-F	03/30/07	03/30/07 10:30	SLC	SPEC05	1	BQD0128	ND	
ortho-Phosphate	0.31	mg/L	0.050		EPA-365.1	03/29/07	03/29/07 10:26	TDC	KONE-1	1	BQD0088	ND	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703669-04		Client Sample Name:	5325, U-5, U-5, 3/28/2007 10:27:00AM, Joe									
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Ethylbenzene	5.4	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Methyl t-butyl ether	13	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Toluene	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Total Xylenes	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
t-Butyl alcohol	870	ug/L	10		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Ethanol	ND	ug/L	250		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
Total Purgeable Petroleum Hydrocarbons	400	ug/L	50		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049	ND	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049		
Toluene-d8 (Surrogate)	94.1	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049		
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 14:55	DKC	MS-V12	1	BQD0049		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

**BCL Sample ID:** 0703669-04     **Client Sample Name:** 5325, U-5, U-5, 3/28/2007 10:27:00AM, Joe

Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab
						Date	Date/Time				Batch ID	Bias	Quals
Nitrate as N	ND	mg/L	0.20		EPA-300.0	03/28/07	03/29/07 15:00	LMB	IC1	2	BQC1634	ND	A01
Iron (II) Species	10000	ug/L	500		SM-3500-F€	03/30/07	03/30/07 10:30	SLC	SPEC05	5	BQD0128	ND	A01
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	03/29/07	03/29/07 10:26	TDC	KONE-1	1	BQD0088	ND	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0703669-05		Client Sample Name: 5325, U-1, U-1, 3/28/2007 11:03:00AM, Joe												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
1,2-Dibromoethane	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
1,2-Dichloroethane	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Ethylbenzene	690	ug/L	5.0		EPA-8260	04/01/07	04/03/07 02:57	DKC	MS-V12	10	BQD0049	ND	A01	
Methyl t-butyl ether	110	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Toluene	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Total Xylenes	1900	ug/L	5.0		EPA-8260	04/01/07	04/03/07 02:57	DKC	MS-V12	10	BQD0049	ND	A01	
t-Amyl Methyl ether	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
t-Butyl alcohol	1600	ug/L	50		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Diisopropyl ether	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Ethanol	ND	ug/L	1200		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Ethyl t-butyl ether	ND	ug/L	2.5		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049	ND	A01	
Total Purgeable Petroleum Hydrocarbons	12000	ug/L	500		EPA-8260	04/01/07	04/03/07 02:57	DKC	MS-V12	10	BQD0049	ND	A01	
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049			
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 02:57	DKC	MS-V12	10	BQD0049			
Toluene-d8 (Surrogate)	96.4	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 02:57	DKC	MS-V12	10	BQD0049			
Toluene-d8 (Surrogate)	97.4	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049			
4-Bromofluorobenzene (Surrogate)	105	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 02:57	DKC	MS-V12	10	BQD0049			
4-Bromofluorobenzene (Surrogate)	108	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/04/07 04:50	DKC	MS-V12	5	BQD0049			

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

**Reported: 04/17/2007 13:28**

## Water Analysis (General Chemistry)

BCL Sample ID: 0703669-05		Client Sample Name: 5325, U-1, U-1, 3/28/2007 11:03:00AM, Joe											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/28/07	03/29/07 15:19	LMB	IC1	1	BQC1634	ND	
Iron (II) Species	20000	ug/L	500		SM-3500-F€	03/30/07	03/30/07 10:30	SLC	SPEC05	5	BQD0128	ND	A01
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	03/29/07	03/29/07 10:26	TDC	KONE-1	1	BQD0088	ND	



TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0703669-06		Client Sample Name:	5325, U-2, U-2, 3/28/2007 11:00:00AM, Joe										
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals	
Benzene	36	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
1,2-Dibromoethane	ND	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
1,2-Dichloroethane	ND	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Ethylbenzene	200	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Methyl t-butyl ether	1200	ug/L	10		EPA-8260	04/01/07	04/04/07 05:17	DKC	MS-V12	20	BQD0049	ND	A01	
Toluene	ND	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Total Xylenes	6.8	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
t-Amyl Methyl ether	ND	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
t-Butyl alcohol	4000	ug/L	100		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Diisopropyl ether	ND	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Ethanol	ND	ug/L	2500		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Ethyl t-butyl ether	ND	ug/L	5.0		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
Total Purgeable Petroleum Hydrocarbons	3300	ug/L	500		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049	ND	A01	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/04/07 05:17	DKC	MS-V12	20	BQD0049			
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049			
Toluene-d8 (Surrogate)	96.4	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049			
Toluene-d8 (Surrogate)	97.0	%	88 - 110 (LCL - UCL)		EPA-8260	04/01/07	04/04/07 05:17	DKC	MS-V12	20	BQD0049			
4-Bromofluorobenzene (Surrogate)	93.5	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/04/07 05:17	DKC	MS-V12	20	BQD0049			
4-Bromofluorobenzene (Surrogate)	97.4	%	86 - 115 (LCL - UCL)		EPA-8260	04/01/07	04/03/07 03:23	DKC	MS-V12	10	BQD0049			



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

BCL Sample ID: 0703669-06		Client Sample Name: 5325, U-2, U-2, 3/28/2007 11:00:00AM, Joe											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Nitrate as N	ND	mg/L	0.10		EPA-300.0	03/28/07	03/29/07 16:17	LMB	IC1	1	BQC1634	ND	
Iron (II) Species	8600	ug/L	500		SM-3500-F	03/30/07	03/30/07 10:30	SLC	SPEC05	5	BQD0128	ND	A01
ortho-Phosphate	ND	mg/L	0.050		EPA-365.1	03/29/07	03/29/07 10:26	TDC	KONE-1	1	BQD0088	ND	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Control Limits		
									Percent Recovery	RPD	Percent Recovery Lab Quals
Benzene	BQD0049	Matrix Spike	0703528-05	0	24.290	25.000	ug/L		97.2		70 - 130
		Matrix Spike Duplicate	0703528-05	0	25.290	25.000	ug/L	3.8	101	20	70 - 130
Toluene	BQD0049	Matrix Spike	0703528-05	0	24.250	25.000	ug/L		97.0		70 - 130
		Matrix Spike Duplicate	0703528-05	0	24.560	25.000	ug/L	1.2	98.2	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BQD0049	Matrix Spike	0703528-05	ND	10.680	10.000	ug/L		107		76 - 114
		Matrix Spike Duplicate	0703528-05	ND	11.300	10.000	ug/L		113		76 - 114
Toluene-d8 (Surrogate)	BQD0049	Matrix Spike	0703528-05	ND	9.7200	10.000	ug/L		97.2		88 - 110
		Matrix Spike Duplicate	0703528-05	ND	9.7100	10.000	ug/L		97.1		88 - 110
4-Bromofluorobenzene (Surrogate)	BQD0049	Matrix Spike	0703528-05	ND	9.7600	10.000	ug/L		97.6		86 - 115
		Matrix Spike Duplicate	0703528-05	ND	9.8200	10.000	ug/L		98.2		86 - 115
Benzene	BQD0114	Matrix Spike	0703670-12	0.19000	25.860	25.000	ug/L		103		70 - 130
		Matrix Spike Duplicate	0703670-12	0.19000	25.650	25.000	ug/L	1.0	102	20	70 - 130
Toluene	BQD0114	Matrix Spike	0703670-12	8.4200	30.160	25.000	ug/L		87.0		70 - 130
		Matrix Spike Duplicate	0703670-12	8.4200	28.420	25.000	ug/L	8.4	80.0	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BQD0114	Matrix Spike	0703670-12	ND	11.240	10.000	ug/L		112		76 - 114
		Matrix Spike Duplicate	0703670-12	ND	10.880	10.000	ug/L		109		76 - 114
Toluene-d8 (Surrogate)	BQD0114	Matrix Spike	0703670-12	ND	9.4600	10.000	ug/L		94.6		88 - 110
		Matrix Spike Duplicate	0703670-12	ND	9.3900	10.000	ug/L		93.9		88 - 110
4-Bromofluorobenzene (Surrogate)	BQD0114	Matrix Spike	0703670-12	ND	9.9100	10.000	ug/L		99.1		86 - 115
		Matrix Spike Duplicate	0703670-12	ND	9.7800	10.000	ug/L		97.8		86 - 115

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

### Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Nitrate as N	BQC1634	Duplicate	0703664-01	0.94800	0.94200		mg/L	0.6		10	
		Matrix Spike	0703664-01	0.94800	5.9040	5.0505	mg/L		98.1		80 - 120
		Matrix Spike Duplicate	0703664-01	0.94800	5.9172	5.0505	mg/L	0.3	98.4	10	80 - 120
ortho-Phosphate	BQD0088	Duplicate	0703660-01	0.72209	0.77960		mg/L	7.7		10	
		Matrix Spike	0703660-01	0.72209	1.3823	0.64547	mg/L		102		90 - 110
		Matrix Spike Duplicate	0703660-01	0.72209	1.3776	0.64547	mg/L	0	102	10	90 - 110
Iron (II) Species	BQD0128	Duplicate	0703669-01	0	ND		ug/L			10	

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Control Limits				
								Percent Recovery	RPD	Percent Recovery	RPD	Lab Quals
Benzene	BQD0049	BQD0049-BS1	LCS	22.600	25.000	1.0	ug/L	90.4		70 - 130		
Toluene	BQD0049	BQD0049-BS1	LCS	22.950	25.000	1.0	ug/L	91.8		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BQD0049	BQD0049-BS1	LCS	10.510	10.000		ug/L	105		76 - 114		
Toluene-d8 (Surrogate)	BQD0049	BQD0049-BS1	LCS	9.7800	10.000		ug/L	97.8		88 - 110		
4-Bromofluorobenzene (Surrogate)	BQD0049	BQD0049-BS1	LCS	9.9600	10.000		ug/L	99.6		86 - 115		
Benzene	BQD0114	BQD0114-BS1	LCS	25.070	25.000	0.50	ug/L	100		70 - 130		
Toluene	BQD0114	BQD0114-BS1	LCS	23.520	25.000	0.50	ug/L	94.1		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BQD0114	BQD0114-BS1	LCS	9.9800	10.000		ug/L	99.8		76 - 114		
Toluene-d8 (Surrogate)	BQD0114	BQD0114-BS1	LCS	9.2700	10.000		ug/L	92.7		88 - 110		
4-Bromofluorobenzene (Surrogate)	BQD0114	BQD0114-BS1	LCS	9.8000	10.000		ug/L	98.0		86 - 115		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

### Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Nitrate as N	BQC1634	BQC1634-BS1	LCS	4.9580	5.0000	0.50	mg/L	99.2		90 - 110		
ortho-Phosphate	BQD0088	BQD0088-BS1	LCS	0.59103	0.61320	0.050	mg/L	96.4		90 - 110		
Iron (II) Species	BQD0128	BQD0128-BS1	LCS	2019.4	2000.0	100	ug/L	101		90 - 110		

TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

 Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BQD0049	BQD0049-BLK1	ND	ug/L	1.0		
1,2-Dibromoethane	BQD0049	BQD0049-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BQD0049	BQD0049-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQD0049	BQD0049-BLK1	ND	ug/L	1.0		
Methyl t-butyl ether	BQD0049	BQD0049-BLK1	ND	ug/L	2.0		
Toluene	BQD0049	BQD0049-BLK1	ND	ug/L	1.0		
Total Xylenes	BQD0049	BQD0049-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BQD0049	BQD0049-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BQD0049	BQD0049-BLK1	ND	ug/L	10		
Diisopropyl ether	BQD0049	BQD0049-BLK1	ND	ug/L	0.50		
Ethanol	BQD0049	BQD0049-BLK1	ND	ug/L	1000		
Ethyl t-butyl ether	BQD0049	BQD0049-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BQD0049	BQD0049-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQD0049	BQD0049-BLK1	106	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BQD0049	BQD0049-BLK1	97.9	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQD0049	BQD0049-BLK1	91.5	%	86 - 115 (LCL - UCL)		
Benzene	BQD0114	BQD0114-BLK1	ND	ug/L	0.50		
Ethylbenzene	BQD0114	BQD0114-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BQD0114	BQD0114-BLK1	ND	ug/L	0.50		
Toluene	BQD0114	BQD0114-BLK1	ND	ug/L	0.50		
Total Xylenes	BQD0114	BQD0114-BLK1	ND	ug/L	0.50		
Ethanol	BQD0114	BQD0114-BLK1	ND	ug/L	250		
Total Purgeable Petroleum Hydrocarbons	BQD0114	BQD0114-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BQD0114	BQD0114-BLK1	108	%	76 - 114 (LCL - UCL)		

TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Volatile Organic Analysis (EPA Method 8260)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Toluene-d8 (Surrogate)	BQD0114	BQD0114-BLK1	96.9	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BQD0114	BQD0114-BLK1	88.9	%	86 - 115 (LCL - UCL)		



TRC Alton Geoscience  
 21 Technology Drive  
 Irvine, CA 92618-2302

Project: 5325  
 Project Number: [none]  
 Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

## Water Analysis (General Chemistry)

### Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Nitrate as N	BQC1634	BQC1634-BLK1	ND	mg/L	0.50		
ortho-Phosphate	BQD0088	BQD0088-BLK1	ND	mg/L	0.050		
Iron (II) Species	BQD0128	BQD0128-BLK1	ND	ug/L	100		



TRC Alton Geoscience  
21 Technology Drive  
Irvine, CA 92618-2302

Project: 5325  
Project Number: [none]  
Project Manager: Anju Farfan

Reported: 04/17/2007 13:28

### Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.

Submission #: 07-03669

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express  UPS  Hand Delivery  BC Lab Field Service  Other  (Specify)

SHIPPING CONTAINER

Ice Chest  None  Box  Other  (Specify)

Refrigerant: Ice  Blue Ice  None  Other  Comments:

Custody Seals: Ice Chest  Containers  None  Comments: Intact? Yes  No

All samples received? Yes  No  All samples containers intact? Yes  No  Description(s) match COC? Yes  No

COC Received

YES  NO

Ice Chest ID: 214  
Temperature: 1.8 °C  
Thermometer ID: 48

Emissivity: 0.95  
Container: VOA

Date/Time: 3/28/17  
Analyst Init: JMC

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED	C	C	C	C	C	C				
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS	B	B	B	B	B	B				
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PTA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A(3)	A(3)	A(3)	A(3)	A(3)	A(3)	( )	( )	( )	( )
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON	D	D	D	D	D	D				
ENCORE										

Comments: they send NF bottle but no analysis marked.

Sample Numbering Completed By: JMC Date/Time: 3/29/17 G/L

**BC LABORATORIES, INC.**

4100 Atlas Court □ Bakersfield, CA 93308  
(661) 327-4911 □ FAX (661) 327-1918

**CHAIN OF CUSTODY**

**Analysis Requested**

#07-03669

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/ oxygenates	BTEX/MTBE/EXYS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS Nitrate, ortho-Phosphate, Ferrus iron	Turnaround Time Requested	
Address: 3220 Lakeshore Ave.		21 Techology Drive Irvine, CA 92618-2302 Attn: Anju Farfan											
City: Oakland		4-digit site#: 5325											
State: CA Zip:		Workorder # 01394-4506956690											
Conoco Phillips Mgr: K. Woodburne		Project #: 41060001											
Sampler Name: JOE LEWIS													
Lab#	Sample Description	Field Point Name	Date & Time Sampled										
		U-4 -1	03-28-07 1034	GW					X	X	X	X	STD
		U-3 -2	1013										
		U-6 -3	1125										
		U-5 -4	1027										
		U-1 -5	1103										
		U-2 -6	1100										

CHK BY DISTRIBUTION  
M. K. S. / C. VAN  
SUB-OUT

SHORT HOLDING TIME  
Cr+6 NO<sub>2</sub> NO<sub>3</sub> OP OC  
DO BOD MBAS C O T

Comments: "Run 8 OXYS by 8260 on all MTBE hits."  
GLOBAL ID: T0600101463

Relinquished by: (Signature) <i>Joe D. Lewis</i>	Received by: <i>Ross Wichey</i>	Date & Time 3/28/07 1400
Relinquished by: (Signature) <i>R. Ruppel</i>	Received by: <i>R. Ruppel</i>	Date & Time 3-28-07 1658
Relinquished by: (Signature) <i>R. Ruppel</i>	Received by: <i>[Signature]</i>	Date & Time 3/28/7 2140

(A) = ANALYSIS (C) = CONTAINER (P) = PRESERVATIVE

## **STATEMENTS**

### **Purge Water Disposal**

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

### **Limitations**

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.