



76 Broadway
Sacramento, California 95818

RECEIVED

8:52 am, Oct 18, 2010

Alameda County
Environmental Health

October 14, 2010

Mr. Stephen Plunkett
Alameda County Health Agency
1131 Harbor Bay Parkway
Alameda, California 94502

Re: **Semiannual Summary Report
76 Service Station #0752
800 Harrison St, Oakland, CA**

Dear Mr. Plunkett:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call me at (916) 558-7604.

Sincerely,

A handwritten signature in black ink, appearing to read "Eric G. Hetrick". The signature is stylized with a large, sweeping initial "E" and "H".

Eric G. Hetrick
Site Manager
Risk Management & Remediation



Stantec Consulting Corporation
3017 Kilgore Road Suite 100
Rancho Cordova CA 95670
Tel: (916) 861-0400
Fax: (916) 861-0430

Stantec

**Semiannual Status Summary Report Third Quarter 2010
800, 726, and 706 Harrison Street
Oakland, California**

**Stantec Project No.:
211402813**

**Submitted to:
Ms. Donna Drogos, P.E.
Local Oversight Program Manager
Alameda County Environmental Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94502-9335**

**Submitted by:
Stantec Consulting Corporation
3017 Kilgore Road, Suite 100
Rancho Cordova, California 95670
916-861-0400**

**Prepared on behalf of:
ConocoPhillips Company
Ms. Shelby Lathrop
Site Manager
76 Broadway
Sacramento, California 95818**

October 14, 2010

Semiannual Status Summary Report Third Quarter 2010

800, 726, and 706 Harrison Street

October 14, 2010

INTRODUCTION

On behalf of ConocoPhillips, Stantec Consulting Corporation (Stantec) has prepared this quarterly status summary report for the 76 Station No. 0752, located at 800 Harrison Street, the Former Shell Station located at 726 Harrison Street, and the Former Arco Service Station located at 706 Harrison Street in Oakland, California (Figure 1). An application for the owners of the sites to enter into a commingled plume agreement with the State Water Resources Control Board Underground Storage Tank Cleanup Fund is currently in process.

SITE SETTING

The property located at 800 Harrison Street is an active 76 Service Station. Current site facilities consist of a single-story convenience store and smog shop, three product dispenser islands under two canopies, and two 12,000-gallon double-wall poly-steel gasoline underground storage tanks (USTs). The property located at 726 Harrison Street is an asphalt parking lot and facilities consist of a building (Yee property), and the property located at 706 Harrison Street is an asphalt parking lot with no current facilities (Gin Property). Locations of the properties are shown on Figure 2.

The sites are bounded to the west and northwest by Harrison Street and to the southwest by 7th Street. Eighth Street trends northwest-southeast between 800 and 726 Harrison Street. The area surrounding the sites is predominantly commercial with some residential properties upgradient.

The sites are located in the East Bay Plain sub-basin in the Santa Clara Valley groundwater basin, as identified in the California Regional Water Quality Control Board (CRWQCB) – San Francisco Bay Region's *San Francisco Bay Basin (Region 2) Water Quality Control Plan (Basin Plan)*, dated January 18, 2007. This basin has been designated as having existing beneficial uses for municipal and domestic water supply, industrial process water supply, industrial service water supply, and agricultural water supply.

PREVIOUS ASSESSMENT

For a discussion of site source areas and historical environmental data, see Stantec's *Site Conceptual Model*, dated September 30, 2009.

SENSITIVE RECEPTOR SURVEY

In April 2001, Gettler-Ryan Incorporated (GR) prepared a site conceptual model (SCM) for the subject site located at 800 Harrison Street. A one mile radius well search was conducted by Alameda County Public Works Agency in 2001. Four irrigation wells and one industrial well were identified within the 1-mile search radius. The closest well to the site was an irrigation well at Laney College (900 Fallon Street) cross gradient, located approximately 1,880 feet southeast of the site. The SCM referenced that the subject site is situated approximately ½ mile north/northeast of the Oakland Inner Harbor, the closest sensitive receptor, and ½ mile to ¾ mile west/southwest of Lake Merritt (GR, 2001).

An area well study was conducted by Aqua Science Engineers (ASE) and referenced in their December 6, 2007 Subsurface Utility Study, Area Well Study, and Work Plan for Additional

Semiannual Status Summary Report Third Quarter 2010

800, 726, and 706 Harrison Street

October 14, 2010

Soil and Groundwater Assessment. According to ASE’s assessment report, approximately 166 wells were located within the study area and of these wells, approximately 136 were listed as monitoring and/or testing wells, 10 were listed as piezometers, one was listed as a cathodic protection well, thirteen were listed as remediation wells, one was listed as a domestic well, one was listed as an abandoned well, two were listed as destroyed wells, and two were of unknown usage. The well labeled as domestic was owned by Western Union and was approximately 33-feet deep. It was not thought to be likely that the well was used as domestic drinking water. In their study, ASE concluded that based on the information known from these wells, (a) no water supply wells were located in the site vicinity, and (b) none of the other wells downgradient of the site appeared to present a potential conduit for the downward movement of contamination.

GROUNDWATER MONITORING AND SAMPLING

The sites have been monitored and sampled since 1991 (800 Harrison), 1998 (726 Harrison), and 1993 (706 Harrison). Monitoring is currently performed by TRC (800 Harrison), Aqua Science Engineers (726 Harrison), and Conestoga Rovers & Associates (CRA, 706 Harrison). Currently, 20 coordinated monitoring wells are monitored and sampled semiannually. Stantec obtained the approval of Ms. Donna Drogos of Alameda County Environmental Health to discontinue analysis for ethanol at 800 Harrison, and analyze MW-1 at 800 Harrison, MW-2 at 726 Harrison, and MW-3 at 706 Harrison for metals and SVOCs. At the request of ConocoPhillips, selected samples were also analyzed for EDB and 1,2-DCA. Samples are analyzed for TPHg, BTEX, and MTBE, and EDB, 1,2-DCA, SVOCs, and dissolved metals in selected wells, using the following methods:

Site	Methods						
	TPHg	BTEX	MTBE	EDB	1,2-DCA	SVOCs	D. Metals
800 Harrison	Luft GC/MS	EPA 8260B	EPA 8260B	EPA 8260/ EPA 504.1	EPA 8260	EPA 8270C	EPA 6010B
726 Harrison	EPA 8260B	EPA 8260B	EPA 8260B	NA	NA	EPA 8270C	EPA 6010B
706 Harrison	EPA 8015C	EPA 8021B	EPA 8021B/8260B	NA	NA	EPA 8270C	EPA 200.70
Notes: BTEX = Benzene, toluene, ethylbenzene, xylenes EPA= Environmental Protection Agency Luft= Leaking underground fuel tank MTBE = Methyl tertiary butyl ether TPHg = Total petroleum hydrocarbons as gasoline. EDB= 1,2-dibromoethane/ ethylene dibromide 1,2-DCA=1,2-dichloroethane SVOCs = Semi volatile organic compounds D. Metals = Dissolved metals NA= Not analyzed							

During the third quarter 2010 (3Q10) monitoring and sampling, the 20 wells were gauged and sampled during a coordinated event on August 3, 2010. The minimum and maximum concentrations of constituents detected are presented in the table below.

Constituents	Number of Detections Above PQL of the Samples Collected	Minimum Concentration Detected (µg/l) (Sample ID)	Maximum Concentration Detected (µg/l) (Sample ID)
TPHg	13 / 20	58 (MW-4 -Unocal)	79,000 (MW-2-Gin)
Benzene	10 / 20	2.0 (MW-6-Unocal)	3,300 (MW-5 -Yee/MW-2-Gin)

Semiannual Status Summary Report Third Quarter 2010

800, 726, and 706 Harrison Street

October 14, 2010

Toluene	8 / 20	0.84 (MW-4-Yee)	14,000 (MW-2-Gin)
Ethylbenzene	7 / 20	1.2 (MW-7-Unocal)	2,000 (MW-2-Gin)
Total Xylenes	8 / 20	1.4 (MW-4-Yee)	10,000 (MW-2-Gin)
MTBE	16 / 20	10 (MW-5/MW-8-Unocal)	26,000 (MW-5- Yee)

Explanations:

µg/l = micrograms per liter

MTBE = methyl tertiary butyl ether

PQL = Practical quantitation limit

TPHg = Total petroleum hydrocarbons as gasoline

Hydrocarbon concentrations in the majority of site wells at 800, 726, and 706 Harrison Street generally continue to decline or remain stable. Concentrations in MW-1 at 706 Harrison increased by an order of magnitude this quarter.

SVOCs were not detected in the samples collected from monitoring wells MW-1 (800 Harrison), MW-2 (726 Harrison), and MW-3 (706 Harrison). Dissolved metals were also not detected in the wells, except for nickel at concentrations of 7.3 µg/L (MW-2-726 Harrison and MW-3-706 Harrison) and chromium at a concentration of 12 µg/L (MW-2-726 Harrison). These concentrations are below environmental screening levels (ESLs) for groundwater that is a drinking water source.

This quarter, the direction of groundwater flow across the three sites was to the southwest at an approximate gradient of 0.007 foot per foot ([ft/ft], Figure 3), which is consistent with the previous gradient evaluated at the site. During previous events prior to the 1Q10, the well survey data for the sites were not correlated to the same datum, which resulted in a steeper gradient. The groundwater flow direction, however, was not different. Depth to groundwater ranged from 15.55 feet to 19.47 feet below the top of casing (TOC). The average groundwater elevation was 13.88 feet.

TRC's Semi-Annual Monitoring Report dated August 26, 2010, is presented as Attachment 1. ASEs' 3Q10 data is presented as Attachment 2, and CRA's 3Q10 data is presented as Attachment 3.

GeoWell and EDF files for 800 Harrison Street have been uploaded to the State GeoTracker database by TRC. Uploading of GeoWell and EDF files for 726 and 706 Harrison Street is the responsibility of ASE and CRA, respectively.

NON AQUEOUS PHASE LIQUID

Measureable non aqueous phase liquid (NAPL) was not observed in site wells from 800 and 726 Harrison Street during the 1Q10 event. Sheen was observed in the well and by the laboratory in the sample from one site well (MW-2) at 706 Harrison Street during the 3Q10 event.

Since groundwater investigations began on the subject sites in the early 1990s, there has been no documentation of measureable NAPL in monitoring wells located at 800 and 726 Harrison Street. According to Table 2 for 706 Harrison Street, immiscible sheen/product has been detected intermittently in site wells located at 706 Harrison since 1993 to the present.

REMEDIATION STATUS

Remediation is not currently being conducted at the sites.

Semiannual Status Summary Report Third Quarter 2010

800, 726, and 706 Harrison Street

October 14, 2010

CURRENT ASSESSMENT ACTIVITIES

No additional assessment activities were performed during third quarter 2010.

CHARACTERIZATION STATUS AND RECOMMENDATIONS

The extent of hydrocarbons in groundwater has been adequately delineated laterally by the monitoring well network and CPT borings, with the exception of MTBE to the southwest and southeast (Figures 4 through 6). The vertical extent of hydrocarbons in groundwater has been delineated in the northwestern portion of the plume (800 Harrison), but not downgradient. Concentrations of TPHg, BTEX, and MTBE exceeded the CRWQCB ESLs for groundwater as a current or potential drinking water resource for several wells located at the subject sites.

Based on the results of the 2009 SCM and the 3Q10 event, metals in groundwater appear to be below appropriate ESLs. If first quarter 2011 groundwater analysis results for metals and SVOCs in the areas of the former waste oil tanks and the clarifier (MW-1 at 800 Harrison, MW-2 at 726 Harrison, and MW-3 at 706 Harrison) are similar, Stantec recommends that these analyses be discontinued.

WASTE DISPOSAL SUMMARY

The disposal methods for purged groundwater generated during semi-annual monitoring and sampling are reported in TRC's monitoring report, ASE's monitoring report, and CRA's monitoring report. Waste disposal at 800 Harrison, 726 Harrison, and 706 Harrison is the responsibility of TRC, ASE, and CRA, respectively.

RECENT SUBMITTALS/CORRESPONDENCE

Submitted by Stantec, *Quarterly Status Summary Report First Quarter 2010*, dated April 15, 2010.

Work Completed (Third Quarter 2010)

- Conducted coordinated third quarter 2010 groundwater monitoring and sampling activities.

Work Planned (Fourth 2010 and First Quarter 2011)

- ConocoPhillips and Stantec are working with representatives of the adjoining former Shell and ARCO sites to enter into a commingled plume agreement to remediate the three sites as efficiently and cooperatively as possible.
- Conduct coordinated first quarter 2011 groundwater monitoring and sampling activities.
- Effective in the near future, the Chevron Environmental Management Company (Chevron) will be assuming responsibility for environmental management at 800 Harrison Street from ConocoPhillips.

Semiannual Status Summary Report Third Quarter 2010

800, 726, and 706 Harrison Street
October 14, 2010

LIMITATIONS

This report was prepared in accordance with the scope of work outlined in Stantec's contract with ConocoPhillips Company dated October 1, 2007 and with generally accepted professional environmental consulting practices existing at the time this report was prepared and applicable to the location of the site. It was prepared for the exclusive use of the joint claimants, namely, ConocoPhillips, Mr. Bo Gin, and Mr. Peter Yee, for the express purpose stated above. Any re-use of this report for a different purpose or by others not identified above shall be at the user's sole risk without liability to Stantec. To the extent that this report is based on information provided to Stantec by third parties, Stantec may have made efforts to verify this third party information, but Stantec cannot guarantee the completeness or accuracy of this information. No other warranties, expressed or implied, are made by Stantec.

Prepared By:




Laura Shook
Geologic Associate

Information, conclusions, and recommendations provided by Stantec in this document have been prepared under the supervision of and reviewed by the licensed professional whose signature appears below.

Name: Diane Barclay, C.H.G.
Principal Geologist

Signature:



Date: October 14, 2010

Stamp:

CC. Ms. Shelby Lathrop (via electronic upload to Livelink)
Mr. Robert Foss, Conestoga-Rovers & Associates (via bfoss@CRAworld.com)
Mr. Robert Kitay, Aqua Science Engineers Inc. (via Kitay@aquascienceengineers.com)

- Figure 1 Site Location Map
- Figure 2 Site Plan
- Figure 3 Groundwater Elevation Contour Map
- Figure 4 Dissolved Phase TPPH Isoconcentration Map
- Figure 5 Dissolved Phase Benzene Isoconcentration Map
- Figure 6 Dissolved Phase MTBE Isoconcentration Map

Semiannual Status Summary Report Third Quarter 2010

800, 726, and 706 Harrison Street



October 14, 2010

Attachment 1: TRC's Groundwater Monitoring Report, July through September 2010

Attachment 2: ASE's Groundwater Sampling Data Report, August Groundwater Sampling

Attachment 3: CRA's Data Package 3rd Quarter 2010 Groundwater Sampling Event

FIGURES



REFERENCE: USGS 7.5 MINUTE QUADRANGLE, OAKLAND EAST, CALIFORNIA



Stantec

FOR:
UNOCAL NO. 0752/YEE/GIN
COMMINGLED
800/726/706 HARRISON STREET
OAKLAND, CALIFORNIA

JOB NUMBER:
211402813

DRAWN BY:
MDR

CHECKED BY:
LS

APPROVED BY:
DB



FIGURE:

1

DATE:
09/17/10


LEGEND:

- ⊕ GROUNDWATER MONITORING WELL LOCATION (UNOCAL SITE)
- ⊕ GROUNDWATER MONITORING WELL LOCATION (YEE SITE)
- ⊕ GROUNDWATER MONITORING WELL LOCATION (GIN SITE)










No warranty is made by Stantec Consulting Corp. as to the accuracy, reliability, or completeness of these data. This figure is based on data compiled from various sources and presented by Delta. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

REFERENCE: THIS FIGURE IS BASED ON HISTORICAL SITE PLANS PROVIDED BY PREVIOUS CONSULTANTS, AN IMAGE FROM GOOGLE MAPS, AND SURVEY DATA PROVIDED BY MID COAST ENGINEERS (2009).

	FOR: UNOCAL #0752/YEE/GIN COMMINGLED 800/726/706 HARRISON STREET OAKLAND, CALIFORNIA		SITE PLAN		FIGURE: 2
	JOB NUMBER: 211402813	DRAWN BY: STA/MDR	CHECKED BY: DB	APPROVED BY: DB	DATE: 09/17/10


LEGEND:


-  GROUNDWATER MONITORING WELL LOCATION (UNOCAL SITE)
-  GROUNDWATER MONITORING WELL LOCATION (YEE SITE)
-  GROUNDWATER MONITORING WELL LOCATION (GIN SITE)
-  APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT (FT/FT)
-  GROUNDWATER ELEVATION CONTOUR (FEET)
-  GROUNDWATER ELEVATION (FEET)




No warranty is made by Stantec Consulting Corp. as to the accuracy, reliability, or completeness of these data. This figure is based on data compiled from various sources and presented by Delta. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

REFERENCE: THIS FIGURE IS BASED ON HISTORICAL SITE PLANS PROVIDED BY PREVIOUS CONSULTANTS, AN IMAGE FROM GOOGLE MAPS, AND SURVEY DATA PROVIDED BY MID COAST ENGINEERS (2009).

	FOR: UNOCAL #0752/YEE/GIN COMMINGLED 800/726/706 HARRISON STREET OAKLAND, CALIFORNIA		GROUNDWATER ELEVATION CONTOUR MAP AUGUST 3, 2010		FIGURE: 3
	JOB NUMBER: 211402813	DRAWN BY: STA/MDR/CM	CHECKED BY: LS	APPROVED BY: DB	DATE: 09/10/10




- LEGEND:**
- ⊕ GROUNDWATER MONITORING WELL LOCATION (UNOCAL SITE)
 - ⊕ GROUNDWATER MONITORING WELL LOCATION (YEE SITE)
 - ⊕ GROUNDWATER MONITORING WELL LOCATION (GIN SITE)
 - 100 BENZENE CONCENTRATION CONTOUR (µg/L)
 - 30 BENZENE CONCENTRATION (µg/L)
 - µg/L MICROGRAMS PER LITER




No warranty is made by Stantec Consulting Corp. as to the accuracy, reliability, or completeness of these data. This figure is based on data compiled from various sources and presented by Delta. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

REFERENCE: THIS FIGURE IS BASED ON HISTORICAL SITE PLANS PROVIDED BY PREVIOUS CONSULTANTS, AN IMAGE FROM GOOGLE MAPS, AND SURVEY DATA PROVIDED BY MID COAST ENGINEERS (2009).

	FOR: UNOCAL #0752/YEE/GIN COMMINGLED 800/726/706 HARRISON STREET OAKLAND, CALIFORNIA		DISSOLVED PHASE BENZENE ISOCONCENTRATION MAP THIRD QUARTER 2010		FIGURE: 5
	JOB NUMBER: 211402813	DRAWN BY: STA/MDR/CM	CHECKED BY: LS	APPROVED BY: DB	DATE: 09/17/10



- LEGEND:**
- ⊕ GROUNDWATER MONITORING WELL LOCATION (UNOCAL SITE)
 - ⊕ GROUNDWATER MONITORING WELL LOCATION (YEE SITE)
 - ⊕ GROUNDWATER MONITORING WELL LOCATION (GIN SITE)
 - 100 MTBE CONCENTRATION CONTOUR (µg/L)
 - 110 MTBE CONCENTRATION (µg/L)
 - MTBE METHYL TERTIARY BUTYL ETHER
 - µg/L MICROGRAMS PER LITER



No warranty is made by Stantec Consulting Corp. as to the accuracy, reliability, or completeness of these data. This figure is based on data compiled from various sources and presented by Delta. This information may not meet National Map Accuracy Standards. This product was developed electronically, and may be updated without notification. Any reproduction may result in a loss of scale and/or information.

REFERENCE: THIS FIGURE IS BASED ON HISTORICAL SITE PLANS PROVIDED BY PREVIOUS CONSULTANTS, AN IMAGE FROM GOOGLE MAPS, AND SURVEY DATA PROVIDED BY MID COAST ENGINEERS (2009).

	FOR: UNOCAL #0752/YEE/GIN COMMINGLED 800/726/706 HARRISON STREET OAKLAND, CALIFORNIA		DISSOLVED PHASE MTBE ISOCONCENTRATION MAP THIRD QUARTER 2010		FIGURE: 6
	JOB NUMBER: 211402813	DRAWN BY: MDR/CM	CHECKED BY: LS	APPROVED BY: DB	DATE: 09/17/10

ATTACHMENT 1
TRC'S GROUNDWATER MONITORING REPORT
JULY THROUGH SEPTEMBER 2010

Quarterly Status Summary Report – Third Quarter 2010
800, 726, and 706 Harrison Street
Oakland, California



123 Technology Drive West
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

DATE: August 26, 2010

TO: Stantec
3017 Kilgore Road, Suite 100
Rancho Cordova, CA 95670

ATTN: MS. DIANE BARCLAY

SITE: 76 STATION 0752
800 HARRISON STREET
OAKLAND, CALIFORNIA

RE: GROUNDWATER MONITORING REPORT
JULY THROUGH SEPTEMBER 2010

This Groundwater Monitoring Report for 76 Station 0752 is being sent to you for your review and comment. If no comments are received by **September 2, 2010**, copies of this report will be sent to you for distribution

Please send all comments to me at dlee@trcsolutions.com. If you have any questions regarding this report, please call me at (949) 727-7382.

Sincerely,

TRC

A handwritten signature in cursive script that reads "Daniel Lee".

Daniel Lee
Technical Writer



123 Technology Drive West
Irvine, CA 92618

949.727.9336 PHONE

949.727.7399 FAX

www.TRCSolutions.com

DATE: August 26, 2010

TO: ConocoPhillips Company
76 Broadway
Sacramento, California 95818

ATTN: MS. SHELBY LATHROP

SITE: 76 STATION 0752
800 HARRISON STREET
OAKLAND, CALIFORNIA

RE: GROUNDWATER MONITORING REPORT
JULY THROUGH SEPTEMBER 2010

Dear Ms. Lathrop:

Please find enclosed our Groundwater Monitoring Report for 76 Station 0752, located at 800 Harrison Street, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in cursive script that reads "Daniel Lee". Below the signature, the word "for" is written in a smaller, simpler cursive script.

Anju Farfan
Groundwater Program Operations Manager

CC: Ms. Diane Barclay, Stantec (2 copies)

Enclosures
20-0400/0752R15.QMS


**GROUNDWATER MONITORING REPORT
JULY THROUGH SEPTEMBER 2010**

76 STATION 0752
800 Harrison Street
Oakland, California

Prepared For:


Ms. Shelby Lathrop
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 8/25/10



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a-h: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a-j: Additional Historic Analytical Results
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 8/3/10 Groundwater Sampling Field Notes – 8/3/10
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

**Summary of Gauging and Sampling Activities
July through September 2010
76 Station 0752
800 Harrison Street
Oakland, CA**

Project Coordinator: **Shelby Lathrop**
Telephone: **916-558-7609**

Water Sampling Contractor: **TRC**
Compiled by: **Daniel Lee**

Date(s) of Gauging/Sampling Event: **8/3/2010**

Sample Points

Groundwater wells: **4** onsite, **4** offsite Points gauged: **8** Points sampled: **8**
Purging method: **Submersible pump**
Purge water disposal: **Crosby and Overton treatment facility**
Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --
LPH removal frequency: -- Method: --
Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **17.48 feet** Maximum: **19.47 feet**
Average groundwater elevation (relative to available local datum): **14.86 feet**
Average change in groundwater elevation since previous event: **0.16 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **n/a**
 Previous event: **0.006 ft/ft, southwest (1/25/2010)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **4** Sample Points above MCL (1.0 µg/l): **4**
 Maximum reported benzene concentration: **45 µg/l (MW-7)**

Sample Points with **TPH-G by GC/MS** **6** Maximum: **2,500 µg/l (MW-3)**
Sample Points with **MTBE 8260B** **7** Maximum: **4,600 µg/l (MW-3)**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)
D	=	duplicate
P	=	no-purge sample

ANALYTES

DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
TPH-G	=	total petroleum hydrocarbons with gasoline distinction
TPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
TPH-D	=	total petroleum hydrocarbons with diesel distinction
TRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A “J” flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Prior to the 1st quarter 2010, the word “monitor” was used in table comments interchangeably with the word “gauge”. Starting in the 1st quarter 2010, the word “monitor” is used to include both “gauge” and “sample”.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 0752 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 0752

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 1a	Well/ Date	Ethylene- dibromide (EDB)	EDB (504)	1,2-DCA (EDC)	Acena- phthene	Acena- phthylene (svoc)	Aldrin	Aniline	Anthra- cene	Benzidine	Benzo[a]- anthracene	Benzo[a]- pyrene	Benzo[b]- fluor- anthene
Table 1b	Well/ Date	Benzo- [g,h,l]- perylene	Benzo[k]- fluor- anthene	Benzoic Acid	Benzyl Alcohol	Bis(2-chloro- ethoxy) methane	Bis(2-chloro- ethyl) ether	Bis(2-chloro- isopropyl)- ether	Bis(2-ethyl- hexyl) phthalate	4-Bromo- pheny phe- nyl ether	Butyl- benzyl phthalate	alpha-BHC	beta-BHC
Table 1c	Well/ Date	delta-BHC	gamma-BHC	4-Chloro- 3-methyl- phenol	4-Chloro- aniline	2-Chloro- naphtha- lene	2-Chloro- phenol	4-Chloro- phenyl phenyl ether	Chrysene	4,4'-DDD	4,4'-DDE	4,4'-DDT	Dibenzo- [a,h]- anthracene
Table 1d	Well/ Date	Dibenzo- furan	1,2-Dichloro- benzene (svoc)	1,3-Dichloro- benzene (svoc)	1,4-Dichloro- benzene (svoc)	3,3-Dichloro- benzidine	Dieldrin	2,4-Dichloro- phenol	Diethyl phthalate	2,4-Dimethyl- phenol	Dimethyl phthalate	Di-n-butyl phthalate	2,4-Dinitro- phenol
Table 1e	Well/ Date	2,4-Dinitro- toluene	2,6-Dinitro- toluene	Di-n-octyl phthalate	1,2-Diphenyl hydrazine	Endosulfan I	Endosulfan II	Endosulfan sulfate	Endrin	Endrin aldehyde	Fluoran- thene	Fluorene	Heptachlor
Table 1f	Well/ Date	Heptachlor epoxide	Hexa- chloro- benzene	HCBD (svoc)	Hexachloro cyclopenta- diene	Hexachloro- ethane	Indeno- [1,2,3-c,d] pyrene	Isophorone	2-Methyl- 4,6-dinitro- phenol	2-Methyl- naphtha- lene	2-Methyl- phenol	Naphtha- lene (svoc)	2-Naphthyl- amine
Table 1g	Well/ Date	2-Nitro- aniline	3-Nitro- aniline	4-Nitro- aniline	Nitro- benzene	2-Nitro- phenol	4-Nitro- phenol	N-Nitroso- dimethyl- amine	N-nitrosodi- n-propyl- amine	N-Nitro- sodiphenyl- amine	Penta- chloro- phenol	Phen- anthrene	Phenol
Table 1h	Well/ Date	Pyrene	1,2,4- Trichloro- benzene	2,4,6- Trichloro- phenol	2,4,5- Trichloro- phenol	Cadmium (dissolved)	Chromium (dissolved)	Lead (dissolved)	Nickel (dissolved)	Zinc (dissolved)			

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G 8015	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)
Table 2a	Well/ Date	TPH-D	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	EDB (504)	1,2-DCA (EDC)	DIPE	ETBE	TAME	Total Oil and Grease	Chloroform	Tetrachloro- ethene (PCE)

Contents of Tables 1 and 2

Site: 76 Station 0752

Table 2b	Well/ Date	Trichloro- ethene (TCE)	Acena- phthene	Acena- phthylene (svoc)	Aldrin	Aniline	Anthra- cene	Benzidine	Benzo[a]- anthracene	Benzo[a]- pyrene	Benzo[b]- fluor- anthene	Benzo- [g,h,l]- perylene	Benzo[k]- fluor- anthene
Table 2c	Well/ Date	Benzoic Acid	Benzyl Alcohol	Bis(2-chloro- ethoxy) methane	Bis(2-chloro- ethyl) ether	Bis(2-chloro- isopropyl)- ether	Bis(2-ethyl- hexyl) phthalate	4-Bromo- pheny phe- nyl ether	Butyl- benzyl phthalate	alpha-BHC	beta-BHC	delta-BHC	gamma-BHC
Table 2d	Well/ Date	4-Chloro- 3-methyl- phenol	4-Chloro- aniline	2-Chloro- naphtha- lene	2-Chloro- phenol	4-Chloro- phenyl phenyl ether	Chrysene	4,4'-DDD	4,4'-DDE	4,4'-DDT	Dibenzo- [a,h]- anthracene	Dibenzo- furan	1,2-Dichloro- benzene (svoc)
Table 2e	Well/ Date	1,3-Dichloro- benzene (svoc)	1,4-Dichloro- benzene (svoc)	3,3-Dichloro- benzidine	Dieldrin	2,4-Dichloro- phenol	Diethyl phthalate	2,4-Dimethyl- phenol	Dimethyl phthalate	Di-n-butyl phthalate	2,4-Dinitro- phenol	2,4-Dinitro- toluene	2,6-Dinitro- toluene
Table 2f	Well/ Date	Di-n-octyl phthalate	1,2-Diphenyl hydrazine	Endosulfan I	Endosulfan II	Endosulfan sulfate	Endrin	Endrin aldehyde	Fluoran- thene	Fluorene	Heptachlor	Heptachlor epoxide	Hexa- chloro- benzene
Table 2g	Well/ Date	HCBD (svoc)	Hexachloro cyclopenta- diene	Hexachloro -ethane	Indeno- [1,2,3-c,d] pyrene	Isophorone	2-Methyl- 4,6-dinitro- phenol	2-Methyl- naphtha- lene	2-Methyl- phenol	Naphtha- lene (svoc)	2-Naphthyl- amine	2-Nitro- aniline	3-Nitro- aniline
Table 2h	Well/ Date	4-Nitro- aniline	Nitro- benzene	2-Nitro- phenol	4-Nitro- phenol	N-Nitroso- dimethyl- amine	N-nitrosodi- n-propyl- amine	N-Nitro- sodiphenyl- amine	Penta- chloro- phenol	Phen- anthrene	Phenol	Pyrene	1,2,4- Trichloro- benzene
Table 2i	Well/ Date	2,4,6- Trichloro- phenol	2,4,5- Trichloro- phenol	Cadmium (dissolved)	Calcium	Chromium (total)	Chromium (dissolved)	Iron (total)	Lead (dissolved)	Lead (total)	Manganese (dissolved)	Nickel (total)	Nickel (dissolved)
Table 2j	Well/ Date	Zinc (dissolved)	Nitrate	Sulfate	Alkalinity (bicarb.)	BOD	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen					

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
August 3, 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments	
MW-1						(Screen Interval in feet: 13.5-33.5)									
8/3/2010	34.72	19.47	0.00	15.25	0.31	--	210	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	37		
MW-2						(Screen Interval in feet: 15-33)									
8/3/2010	34.74	19.26	0.00	15.48	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50		
MW-3						(Screen Interval in feet: 15-33)									
8/3/2010	33.18	18.35	0.00	14.83	0.19	--	2500	30	ND<12	ND<12	ND<25	--	4600		
MW-4						(Screen Interval in feet: 15-33)									
8/3/2010	32.72	17.83	0.00	14.89	0.19	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110		
MW-5						(Screen Interval in feet: 15-32)									
8/3/2010	32.98	18.07	0.00	14.91	0.27	--	2200	32	32	10	48	--	10		
MW-6						(Screen Interval in feet: 15-32)									
8/3/2010	32.19	17.48	0.00	14.71	0.16	--	480	2.0	ND<0.50	ND<0.50	ND<1.0	--	520		
MW-7						(Screen Interval in feet: 13-33)									
8/3/2010	32.22	17.84	0.00	14.38	-0.35	--	240	45	1.8	1.2	1.7	--	290		
MW-8						(Screen Interval in feet: 11-29)									
8/3/2010	32.03	17.58	0.00	14.45	0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10		

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Ethylene-dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	Acena-phthene (µg/l)	Acena-phthylene (svoc) (µg/l)	Aldrin (µg/l)	Aniline (µg/l)	Anthra-cene (µg/l)	Ben-zidine (µg/l)	Benzo[a]-anthracene (µg/l)	Benzo[a]-pyrene (µg/l)	Benzo[b]-fluor-anthene (µg/l)
MW-1 8/3/2010	ND<0.50	--	ND<0.50	ND<2.0	ND<2.0	ND<2.0	ND<5.0	ND<2.0	ND<20	ND<2.0	ND<2.0	ND<2.0
MW-2 8/3/2010	ND<0.50	--	ND<0.50	--	--	--	--	--	--	--	--	--
MW-3 8/3/2010	ND<12	ND<0.010	ND<12	--	--	--	--	--	--	--	--	--
MW-4 8/3/2010	ND<0.50	ND<0.010	ND<0.50	--	--	--	--	--	--	--	--	--
MW-5 8/3/2010	ND<0.50	ND<0.010	ND<0.50	--	--	--	--	--	--	--	--	--
MW-6 8/3/2010	ND<0.50	--	ND<0.50	--	--	--	--	--	--	--	--	--
MW-7 8/3/2010	ND<0.50	--	ND<0.50	--	--	--	--	--	--	--	--	--
MW-8 8/3/2010	ND<0.50	--	ND<0.50	--	--	--	--	--	--	--	--	--

Table 1 b
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Benzo-[g,h,I]-perylene (µg/l)	Benzo[k]-fluoranthene (µg/l)	Benzoic Acid (µg/l)	Benzyl Alcohol (µg/l)	Bis(2-chloro-ethoxy) methane (µg/l)	Bis(2-chloro-ethyl) ether (µg/l)	Bis(2-chloro-isopropyl)-ether (µg/l)	Bis(2-ethyl-hexyl) phthalate (µg/l)	4-Bromo-pheny phenyl ether (µg/l)	Butyl-benzyl phthalate (µg/l)	alpha-BHC (µg/l)	beta-BHC (µg/l)
MW-1 8/3/2010	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<5.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0

Table 1 c
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	delta-BHC (µg/l)	gamma-BHC (µg/l)	4-Chloro- 3-methyl- phenol (µg/l)	4-Chloro- aniline (µg/l)	2-Chloro- naphtha- lene (µg/l)	2-Chloro- phenol (µg/l)	4-Chloro- phenyl ether (µg/l)	Chrysene (µg/l)	4,4'-DDD (µg/l)	4,4'-DDE (µg/l)	4,4'-DDT (µg/l)	Dibenzo- [a,h]- anthracene (µg/l)
MW-1												
8/3/2010	ND<2.0	ND<2.0	ND<5.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<2.0	ND<3.0

Table 1 d
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Dibenzo-furan (µg/l)	1,2-Dichloro-benzene (svoc) (µg/l)	1,3-Dichloro-benzene (svoc) (µg/l)	1,4-Dichloro-benzene (svoc) (µg/l)	3,3-Dichloro-benzidine (µg/l)	Dieldrin (µg/l)	2,4-Dichloro-phenol (µg/l)	Diethyl phthalate (µg/l)	2,4-Dimethyl-phenol (µg/l)	Dimethyl phthalate (µg/l)	Di-n-butyl phthalate (µg/l)	2,4-Dinitro-phenol (µg/l)
MW-1												
8/3/2010	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<3.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10

Table 1 e
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	2,4-Dinitro-toluene (µg/l)	2,6-Dinitro-toluene (µg/l)	Di-n-octyl phthalate (µg/l)	1,2-Diphenyl hydrazine (µg/l)	Endosulfan I (µg/l)	Endosulfan II (µg/l)	Endosulfan sulfate (µg/l)	Endrin (µg/l)	Endrin aldehyde (µg/l)	Fluoran-thene (µg/l)	Fluorene (µg/l)	Heptachlor (µg/l)
MW-1												
8/3/2010	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<10	ND<3.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0

Table 1 f
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Heptachlor epoxide (µg/l)	Hexachlorobenzene (µg/l)	HCBD (svoc) (µg/l)	Hexachlorocyclopentadiene (µg/l)	Hexachloro-ethane (µg/l)	Indeno-[1,2,3-c,d]pyrene (µg/l)	Isophorone (µg/l)	2-Methyl-4,6-dinitrophenol (µg/l)	2-Methylnaphthalene (µg/l)	2-Methylphenol (µg/l)	Naphthalene (svoc) (µg/l)	2-Naphthylamine (µg/l)
MW-1												
8/3/2010	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<20

Table 1 g
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	2-Nitro-aniline (µg/l)	3-Nitro-aniline (µg/l)	4-Nitro-aniline (µg/l)	Nitro-benzene (µg/l)	2-Nitro-phenol (µg/l)	4-Nitro-phenol (µg/l)	N-Nitroso-dimethyl-amine (µg/l)	N-nitrosodi-n-propyl-amine (µg/l)	N-Nitro-sodiphenyl-amine (µg/l)	Penta-chloro-phenol (µg/l)	Phen-anthrene (µg/l)	Phenol (µg/l)
MW-1												
8/3/2010	ND<2.0	ND<2.0	ND<5.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0

Table 1 h
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Pyrene (µg/l)	1,2,4- Trichloro- benzene (svoc) (µg/l)	2,4,6- Trichloro- phenol (µg/l)	2,4,5- Trichloro- phenol (µg/l)	Cadmium (dissolved) (µg/l)	Chromium (dissolved) (µg/l)	Lead (dissolved) (mg/l)	Nickel (dissolved) (µg/l)	Zinc (dissolved) (µg/l)
MW-1 8/3/2010	ND<2.0	ND<2.0	ND<5.0	ND<5.0	ND<10	ND<10	ND<50	ND<10	ND<10

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 (Screen Interval in feet: 13.5-33.5)														
6/5/1991	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
9/30/1991	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
12/30/1991	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
4/2/1992	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
6/30/1992	34.94	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
9/15/1992	34.94	--	--	--	--	76	--	1.0	ND	ND	ND	--	--	
12/21/1992	34.94	21.17	0.00	13.77	--	95	--	0.69	ND	ND	1.0	--	--	
4/28/1993	34.94	--	--	--	--	920	--	3.1	2.3	1.2	9.7	--	--	
7/23/1993	34.94	20.13	0.00	14.81	--	ND	--	0.5	0.66	ND	ND	--	--	
10/5/1993	34.69	20.30	0.00	14.39	-0.42	92	--	1.5	ND	ND	0.72	--	--	
1/3/1994	34.69	20.52	0.00	14.17	-0.22	ND	--	ND	ND	ND	ND	--	--	
4/2/1994	34.69	20.16	0.00	14.53	0.36	ND	--	ND	ND	ND	ND	--	--	
7/5/1994	34.69	19.27	0.00	15.42	0.89	250	--	4.8	13	1.2	7.3	--	--	
10/6/1994	34.69	20.87	0.00	13.82	-1.60	540	--	1.4	ND	0.66	11	--	--	
1/2/1995	34.69	19.67	0.00	15.02	1.20	140	--	ND	ND	ND	ND	--	--	
4/3/1995	34.69	17.61	0.00	17.08	2.06	580	--	3.6	0.8	ND	4.0	--	--	
7/14/1995	34.69	18.58	0.00	16.11	-0.97	260	--	2.1	ND	ND	1.2	--	--	
10/10/1995	34.69	19.60	0.00	15.09	-1.02	220	--	2.0	ND	25	5.6	29	--	
1/3/1996	34.69	19.69	0.00	15.00	-0.09	190	--	2.4	ND	0.71	1.2	--	--	
4/10/1996	34.69	17.65	0.00	17.04	2.04	540	--	8.9	1.7	1.5	7.4	50	--	
7/9/1996	34.69	18.52	0.00	16.17	-0.87	490	--	3.0	1.4	1.3	2.5	150	--	
1/24/1997	34.69	17.72	0.00	16.97	0.80	760	--	27	0.89	5.2	10	510	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
7/23/1997	34.69	19.42	0.00	15.27	-1.70	ND	--	ND	ND	ND	ND	550	--	
1/26/1998	34.69	17.46	0.00	17.23	1.96	1800	--	ND	ND	ND	ND	4800	--	
7/3/1998	34.69	18.61	0.00	16.08	-1.15	ND	--	ND	ND	ND	ND	1800	--	
1/14/1999	34.69	18.92	0.00	15.77	-0.31	83	--	ND	ND	ND	ND	230	--	
7/15/1999	34.69	17.84	0.00	16.85	1.08	110	--	ND	ND	ND	1.0	290	--	
1/7/2000	34.69	19.13	0.00	15.56	-1.29	ND	--	ND	ND	ND	ND	260	--	
7/19/2000	34.69	20.27	0.00	14.42	-1.14	ND	--	ND	ND	ND	ND	648	--	
1/2/2001	34.69	20.04	0.00	14.65	0.23	ND	--	ND	ND	ND	ND	119	--	
5/23/2001	34.69	18.27	0.00	16.42	1.77	84	--	ND	ND	ND	ND	760	--	
7/30/2001	34.69	18.56	0.00	16.13	-0.29	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	350	--	
10/15/2001	34.69	18.72	0.00	15.97	-0.16	96	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	160	--	
1/14/2002	34.69	16.78	0.00	17.91	1.94	450	--	ND<2.5	ND<2.5	ND<2.5	3.3	4100	--	
4/15/2002	34.69	17.35	0.00	17.34	-0.57	ND<1000	--	ND<10	ND<10	ND<10	ND<10	10000	--	
7/15/2002	34.69	17.63	0.00	17.06	-0.28	2100	--	ND<10	ND<10	ND<10	ND<20	--	2100	
1/18/2003	34.69	17.04	0.00	17.65	0.59	ND<25000	--	ND<250	ND<250	ND<250	ND<500	--	29000	
7/11/2003	34.69	17.91	0.00	16.78	-0.87	4000	--	ND<25	ND<25	ND<25	ND<50	--	6300	
2/4/2004	34.69	17.98	0.00	16.71	-0.07	--	8000	ND<50	ND<50	ND<50	ND<100	--	8500	
8/11/2004	34.69	17.84	0.00	16.85	0.14	--	1100	ND<10	ND<10	ND<10	ND<20	--	1500	
3/31/2005	34.69	15.71	0.00	18.98	2.13	--	ND<2000	ND<0.50	ND<0.50	0.54	2.2	--	4900	
9/30/2005	34.69	17.65	0.00	17.04	-1.94	--	190	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
3/27/2006	34.69	15.03	0.00	19.66	2.62	--	760	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1000	
9/27/2006	34.69	18.45	0.00	16.24	-3.42	--	170	ND<0.50	ND<0.50	ND<0.50	0.61	--	73	
3/27/2007	34.69	18.84	0.00	15.85	-0.39	--	120	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	99	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
9/28/2007	34.69	19.73	0.00	14.96	-0.89	--	68	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	15	
3/26/2008	34.69	19.32	0.00	15.37	0.41	--	200	ND<0.50	ND<0.50	ND<0.50	1.0	--	47	
7/28/2008	34.69	20.15	0.00	14.54	-0.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	8.7	
1/26/2009	34.69	20.74	0.00	13.95	-0.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.2	
8/3/2009	34.72	20.10	0.00	14.62	0.67	--	76	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	12	
1/25/2010	34.72	19.78	0.00	14.94	0.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	14	
8/3/2010	34.72	19.47	0.00	15.25	0.31	--	210	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	37	
MW-2 (Screen Interval in feet: 15-33)														
6/5/1991	34.97	--	--	--	--	49	--	ND	ND	ND	ND	--	--	
9/30/1991	34.97	--	--	--	--	130	--	18	0.53	14	9.6	--	--	
12/30/1991	34.97	--	--	--	--	91	--	16	0.89	11	1.9	--	--	
4/2/1992	34.97	--	--	--	--	88	--	12	0.32	6.3	7.2	--	--	
6/30/1992	34.97	--	--	--	--	76	--	9.3	0.76	4.8	6.9	--	--	
9/15/1992	34.97	--	--	--	--	1300	--	91	5.7	80	110	--	--	
12/21/1992	34.97	20.85	0.00	14.12	--	960	--	97	3.2	74	96	--	--	
4/28/1993	34.97	--	--	--	--	1300	--	76	1.9	130	87	--	--	
7/23/1993	34.97	19.81	0.00	15.16	--	66	--	1.8	ND	2.5	2.0	--	--	
10/5/1993	34.72	19.95	0.00	14.77	-0.39	120	--	12	ND	2.1	12	--	--	
1/3/1994	34.72	20.21	0.00	14.51	-0.26	260	--	25	ND	5.5	26	--	--	
4/2/1994	34.72	19.88	0.00	14.84	0.33	ND	--	0.65	ND	ND	0.99	--	--	
7/5/1994	34.72	19.07	0.00	15.65	0.81	160	--	16	ND	0.73	10	--	--	
10/6/1994	34.72	20.55	0.00	14.17	-1.48	170	--	15	ND	1.4	11	--	--	
1/2/1995	34.72	19.25	0.00	15.47	1.30	190	--	27	ND	0.95	11	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
4/3/1995	34.72	17.49	0.00	17.23	1.76	2400	--	65	6.6	19	63	--	--	
7/14/1995	34.72	18.30	0.00	16.42	-0.81	750	--	270	ND	ND	13	--	--	
10/10/1995	34.72	19.25	0.00	15.47	-0.95	50	--	1.6	ND	ND	ND	200	--	
1/3/1996	34.72	19.40	0.00	15.32	-0.15	ND	--	ND	ND	ND	ND	--	--	
4/10/1996	34.72	17.35	0.00	17.37	2.05	300	--	42	ND	2.4	9	620	--	
7/9/1996	34.72	18.22	0.00	16.50	-0.87	760	--	230	ND	1.3	2.4	1500	--	
1/24/1997	34.72	17.59	0.00	17.13	0.63	2900	--	400	350	190	720	1300	--	
7/23/1997	34.72	19.13	0.00	15.59	-1.54	ND	--	ND	ND	ND	ND	65	--	
1/26/1998	34.72	17.12	0.00	17.60	2.01	ND	--	ND	ND	ND	0.58	13	--	
7/3/1998	34.72	18.20	0.00	16.52	-1.08	140	--	26	ND	0.95	5.0	330	--	
1/14/1999	34.72	18.56	0.00	16.16	-0.36	ND	--	0.54	ND	ND	ND	350	--	
7/15/1999	34.72	17.39	0.00	17.33	1.17	ND	--	0.88	ND	ND	ND	39	--	
1/7/2000	34.72	18.78	0.00	15.94	-1.39	ND	--	ND	ND	ND	ND	24	--	
7/19/2000	34.72	19.68	0.00	15.04	-0.90	ND	--	1.45	ND	ND	ND	117	--	
1/2/2001	34.72	19.73	0.00	14.99	-0.05	ND	--	ND	ND	ND	ND	11.4	--	
5/23/2001	34.72	18.16	0.00	16.56	1.57	ND	--	ND	ND	ND	ND	33	--	
7/30/2001	34.72	18.34	0.00	16.38	-0.18	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	67	--	
10/15/2001	34.72	18.52	0.00	16.20	-0.18	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	31	--	
1/14/2002	34.72	16.72	0.00	18.00	1.80	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	0.56	11	--	
4/15/2002	34.72	17.26	0.00	17.46	-0.54	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	110	--	
7/15/2002	34.72	17.46	0.00	17.26	-0.20	270	--	21	ND<0.50	3.8	4.0	--	73	
1/18/2003	34.72	16.93	0.00	17.79	0.53	ND<0.50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	22	
7/11/2003	34.72	17.68	0.00	17.04	-0.75	130	--	3.0	ND<0.50	ND<0.50	ND<1.0	--	89	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
2/4/2004	34.72	17.36	0.00	17.36	0.32	--	61	2.9	ND<0.50	ND<0.50	ND<1.0	--	22	
8/11/2004	34.72	17.61	0.00	17.11	-0.25	--	140	ND<0.50	0.60	ND<0.50	ND<1.0	--	94	
3/31/2005	34.72	15.56	0.00	19.16	2.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	14	
9/30/2005	34.72	17.31	0.00	17.41	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	9.1	
3/27/2006	34.72	14.91	0.00	19.81	2.40	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2.7	
9/27/2006	34.72	18.15	0.00	16.57	-3.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7.7	
3/27/2007	34.72	18.57	0.00	16.15	-0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	1.4	
9/28/2007	34.72	18.38	0.00	16.34	0.19	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
3/26/2008	34.72	19.06	0.00	15.66	-0.68	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
7/28/2008	34.72	19.90	0.00	14.82	-0.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
1/26/2009	34.72	20.50	0.00	14.22	-0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
8/3/2009	34.74	19.92	0.00	14.82	0.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
1/25/2010	34.74	19.70	0.00	15.04	0.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
8/3/2010	34.74	19.26	0.00	15.48	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3 (Screen Interval in feet: 15-33)														
6/5/1991	33.39	--	--	--	--	5800	--	1200	40	140	97	--	--	
9/30/1991	33.39	--	--	--	--	6800	--	1400	130	290	240	--	--	
12/30/1991	33.39	--	--	--	--	7200	--	2100	690	410	550	--	--	
4/2/1992	33.39	--	--	--	--	8000	--	1400	200	300	310	--	--	
6/30/1992	33.39	--	--	--	--	8900	--	1900	210	430	550	--	--	
9/15/1992	33.39	--	--	--	--	10000	--	1900	330	400	580	--	--	
12/21/1992	33.39	20.02	0.00	13.37	--	8500	--	1500	150	310	330	--	--	
4/28/1993	33.39	--	--	--	--	2600	--	220	7.6	41	27	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
7/23/1993	33.39	19.00	0.00	14.39	--	4400	--	660	26	160	82	--	--	
10/5/1993	33.14	19.20	0.00	13.94	-0.45	9200	--	720	88	140	140	--	--	
1/3/1994	33.14	19.40	0.00	13.74	-0.20	4900	--	830	100	170	150	--	--	
4/2/1994	33.14	19.01	0.00	14.13	0.39	6000	--	800	30	140	110	--	--	
7/5/1994	33.14	18.14	0.00	15.00	0.87	25000	--	ND	ND	ND	ND	--	--	
10/6/1994	33.14	19.73	0.00	13.41	-1.59	49000	--	1300	200	280	300	--	--	
1/2/1995	33.14	18.36	0.00	14.78	1.37	480	--	1.6	ND	1.4	ND	--	--	
4/3/1995	33.14	16.38	0.00	16.76	1.98	8100	--	65	ND	ND	ND	--	--	
7/14/1995	33.14	17.49	0.00	15.65	-1.11	ND	--	1300	ND	ND	ND	--	--	
10/10/1995	33.14	18.50	0.00	14.64	-1.01	3100	--	1400	36	50	53	190000	--	
1/3/1996	33.14	18.54	0.00	14.60	-0.04	ND	--	2300	110	150	140	--	--	
7/9/1996	33.14	17.43	0.00	15.71	1.11	ND	--	2000	ND	150	160	140000	--	
1/24/1997	33.14	16.57	0.00	16.57	0.86	540	--	8.0	ND	11	9.9	45	--	
7/23/1997	33.14	18.38	0.00	14.76	-1.81	7400	--	1900	180	140	340	45000	--	
1/26/1998	33.14	16.22	0.00	16.92	2.16	250	--	2.2	1.9	0.87	1.9	4.0	--	
7/3/1998	33.14	17.46	--	15.68	-1.24	230	--	1.8	2.5	1.5	3.4	6.3	--	
1/14/1999	33.14	17.73	--	15.41	-0.27	400	--	8.2	2.7	0.90	5.9	140	--	
7/15/1999	33.14	16.58	--	16.56	1.15	290	--	3.3	3.6	1.7	2.5	13	--	
1/7/2000	33.14	17.84	--	15.30	-1.26	ND	--	890	91	100	480	20000	--	
7/19/2000	33.14	18.92	--	14.22	-1.08	354	--	3.87	2.61	0.646	ND	13.7	--	
1/2/2001	33.14	19.07	--	14.07	-0.15	464	--	ND	3.69	3.91	ND	21.1	--	
5/23/2001	33.14	17.12	--	16.02	1.95	420	--	7.6	3.1	3.0	5.1	1900	--	
7/30/2001	33.14	17.38	--	15.76	-0.26	290	--	4.6	4.1	ND<0.50	3.4	23	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
10/15/2001	33.14	17.61	--	15.53	-0.23	400	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	13	--	
1/14/2002	33.14	15.53	--	17.61	2.08	130	--	0.50	0.61	1.1	ND<0.50	9.9	--	
4/15/2002	33.14	16.12	--	17.02	-0.59	280	--	9.9	1.6	3.3	6.8	1400	--	
7/15/2002	33.14	16.48	--	16.66	-0.36	64	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	33	--	
1/18/2003	33.14	15.81	--	17.33	0.67	420	--	0.54	ND<0.50	ND<0.50	ND<1.0	130	--	
7/11/2003	33.14	16.74	--	16.40	-0.93	--	300	2.3	ND<0.50	ND<0.50	ND<1.0	--	31	
2/4/2004	33.14	16.15	0.00	16.99	0.59	--	130	7.9	ND<0.50	ND<0.50	ND<1.0	--	63	
8/11/2004	33.14	16.64	0.00	16.50	-0.49	--	ND<20000	ND<200	ND<200	ND<200	ND<400	--	20000	
3/31/2005	33.14	14.53	0.00	18.61	2.11	--	ND<20000	330	ND<200	ND<200	ND<400	--	78000	
9/30/2005	33.14	16.55	0.00	16.59	-2.02	--	12000	360	40	ND<25	50	--	20000	
3/27/2006	33.14	13.66	0.00	19.48	2.89	--	10000	150	ND<25	53	99	--	15000	
9/27/2006	33.14	17.40	0.00	15.74	-3.74	--	ND<12000	ND<120	ND<120	ND<120	ND<120	--	12000	
3/27/2007	33.14	17.55	0.00	15.59	-0.15	--	8700	180	ND<12	60	57	--	8900	
9/28/2007	33.14	18.59	0.00	14.55	-1.04	--	9000	55	ND<50	ND<50	ND<50	--	11000	
3/26/2008	33.14	18.19	0.00	14.95	0.40	--	450	13	1.3	0.84	1.4	--	7200	
7/28/2008	33.14	19.00	0.00	14.14	-0.81	--	8300	ND<50	ND<50	ND<50	ND<100	--	13000	
1/26/2009	33.14	19.54	0.00	13.60	-0.54	--	8800	27	ND<12	ND<12	ND<25	--	13000	
8/3/2009	33.18	18.90	0.00	14.28	0.68	--	9300	56	ND<50	ND<50	ND<100	--	8000	
1/25/2010	33.18	18.54	0.00	14.64	0.36	--	4900	79	7.3	5.4	13	--	8100	
8/3/2010	33.18	18.35	0.00	14.83	0.19	--	2500	30	ND<12	ND<12	ND<25	--	4600	
MW-4 (Screen Interval in feet: 15-33)														
10/19/1992	--	--	--	--	--	480	--	0.51	2.1	2.8	6.8	--	--	
12/21/1992	33.12	19.73	--	13.39	--	220	--	ND	ND	0.97	0.74	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
4/28/1993	33.12	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
7/23/1993	33.12	18.72	--	14.40	--	85	--	ND	ND	ND	ND	--	--	
10/5/1993	32.71	18.74	--	13.97	-0.43	130	--	ND	ND	ND	ND	--	--	
1/3/1994	32.71	18.93	--	13.78	-0.19	210	--	ND	ND	0.76	1.6	--	--	
4/2/1994	32.71	18.53	--	14.18	0.40	89	--	ND	ND	ND	ND	--	--	
7/5/1994	32.71	17.67	--	15.04	0.86	190	--	ND	ND	ND	ND	--	--	
10/6/1994	32.71	19.25	--	13.46	-1.58	170	--	0.85	ND	ND	0.74	--	--	
1/2/1995	32.71	17.75	--	14.96	1.50	ND	--	ND	ND	ND	ND	--	--	
4/3/1995	32.71	15.87	--	16.84	1.88	98	--	ND	ND	ND	ND	--	--	
7/14/1995	32.71	17.01	--	15.70	-1.14	ND	--	ND	ND	ND	ND	--	--	
10/10/1995	32.71	18.03	--	14.68	-1.02	ND	--	ND	ND	ND	ND	120	--	
1/3/1996	32.71	18.05	--	14.66	-0.02	ND	--	ND	ND	ND	ND	--	--	
4/10/1996	32.71	16.00	--	16.71	2.05	ND	--	ND	ND	ND	ND	240	--	
7/9/1996	32.71	16.96	--	15.75	-0.96	ND	--	ND	ND	ND	ND	480	--	
1/24/1997	32.71	16.04	0.00	16.67	0.92	ND	--	ND	ND	ND	ND	270	--	
7/23/1997	32.71	17.87	0.00	14.84	-1.83	ND	--	ND	ND	ND	ND	460	--	
1/26/1998	32.71	16.05	--	16.66	1.82	ND	--	ND	ND	ND	ND	17	--	
7/3/1998	32.71	16.95	--	15.76	-0.90	ND	--	ND	ND	ND	ND	3.8	--	
1/14/1999	32.71	17.34	--	15.37	-0.39	ND	--	ND	ND	ND	ND	4600	--	
7/15/1999	32.71	16.36	--	16.35	0.98	ND	--	ND	ND	ND	ND	ND	--	
1/7/2000	32.71	17.81	--	14.90	-1.45	ND	--	ND	ND	ND	ND	450	--	
7/19/2000	32.71	18.94	--	13.77	-1.13	ND	--	ND	ND	ND	ND	ND	--	
1/2/2001	32.71	18.85	--	13.86	0.09	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
5/23/2001	32.71	16.82	--	15.89	2.03	ND	--	ND	ND	ND	ND	ND	--	
7/30/2001	32.71	16.88	--	15.83	-0.06	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	4.9	--	
10/15/2001	32.71	17.08	--	15.63	-0.20	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
1/14/2002	32.71	14.97	--	17.74	2.11	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	30	--	
4/15/2002	32.71	15.48	--	17.23	-0.51	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	180	--	
7/15/2002	32.71	15.90	--	16.81	-0.42	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	50	--	
1/18/2003	32.71	15.39	--	17.32	0.51	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
7/11/2003	32.71	16.17	--	16.54	-0.78	--	200	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	52	
2/4/2004	32.71	16.12	0.00	16.59	0.05	--	1300	ND<10	ND<10	ND<10	ND<20	--	1700	
8/11/2004	32.71	16.16	0.00	16.55	-0.04	--	ND<5000	ND<50	ND<50	ND<50	ND<100	--	6400	
3/31/2005	32.71	14.15	0.00	18.56	2.01	--	ND<1300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1600	
9/30/2005	32.71	16.91	0.00	15.80	-2.76	--	900	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3800	
3/27/2006	32.71	13.94	0.00	18.77	2.97	--	870	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2000	
9/27/2006	32.71	16.91	0.00	15.80	-2.97	--	ND<1000	ND<10	ND<10	ND<10	ND<10	--	1600	
3/27/2007	32.71	17.15	0.00	15.56	-0.24	--	1500	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	1700	
9/28/2007	32.71	18.13	0.00	14.58	-0.98	--	590	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1400	
3/26/2008	32.71	17.66	0.00	15.05	0.47	--	390	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1400	
7/28/2008	32.71	18.34	0.00	14.37	-0.68	--	480	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	950	
1/26/2009	32.71	18.80	0.00	13.91	-0.46	--	500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	830	
8/3/2009	32.72	18.43	0.00	14.29	0.38	--	640	ND<5.0	6.6	ND<5.0	ND<10	--	570	
1/25/2010	32.72	18.02	0.00	14.70	0.41	--	190	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	400	
8/3/2010	32.72	17.83	0.00	14.89	0.19	--	58	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	

MW-5

(Screen Interval in feet: 15-32)

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
10/19/1992	--	--	--	--	--	2700	--	61	5.0	100	61	--	--	
12/21/1992	33.25	19.75	--	13.50	--	1700	--	51	4.7	83	34	--	--	
4/28/1993	33.25	--	--	--	--	6700	--	200	190	250	430	--	--	
7/23/1993	33.25	18.74	--	14.51	--	2000	--	122	8.0	68	47	--	--	
10/5/1993	32.95	18.83	--	14.12	-0.39	1700	--	70	6.2	54	40	--	--	
1/3/1994	32.95	19.05	--	13.90	-0.22	1500	--	44	ND	42	46	--	--	
4/2/1994	32.95	18.68	--	14.27	0.37	1800	--	46	5.1	38	35	--	--	
7/5/1994	32.95	17.90	--	15.05	0.78	2200	--	97	8.4	37	36	--	--	
10/6/1994	32.95	19.37	--	13.58	-1.47	1600	--	79	5.7	28	22	--	--	
1/2/1995	32.95	17.92	--	15.03	1.45	1700	--	50	8.6	30	28	--	--	
4/3/1995	32.95	16.15	--	16.80	1.77	5400	--	190	240	170	420	--	--	
7/14/1995	32.95	17.18	--	15.77	-1.03	3800	--	210	100	130	190	--	--	
10/10/1995	32.95	18.15	--	14.80	-0.97	1300	--	92	14	15	39	1100	--	
1/3/1996	32.95	18.20	--	14.75	-0.05	630	--	53	4.4	8.3	13	--	--	
4/10/1996	32.95	16.05	--	16.90	2.15	500	--	25	18	7.0	20	640	--	
7/9/1996	32.95	17.11	--	15.84	-1.06	1000	--	44	20	10	34	150	--	
1/24/1997	32.95	16.36	0.00	16.59	0.75	4000	--	190	400	160	430	600	--	
7/23/1997	32.95	18.08	0.00	14.87	-1.72	1700	--	200	23	18	45	2500	--	
1/26/1998	32.95	16.27	--	16.68	1.81	ND	--	ND	ND	ND	ND	ND	--	
7/3/1998	32.95	17.27	--	15.68	-1.00	ND	--	ND	ND	ND	ND	ND	--	
1/14/1999	32.95	17.55	--	15.40	-0.28	330	--	61	4.1	2.2	2.9	560	--	
7/15/1999	32.95	16.41	--	16.54	1.14	1100	--	170	ND	ND	27	660	--	
1/7/2000	32.95	17.85	--	15.10	-1.44	1000	--	180	6.3	ND	14	430	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
7/19/2000	32.95	18.87	--	14.08	-1.02	2980	--	289	57.3	65.3	43.4	976	--	
1/2/2001	32.95	18.47	--	14.48	0.40	1150	--	87.2	17.8	7.97	9.32	368	--	
5/23/2001	32.95	17.38	--	15.57	1.09	840	--	42	10	13	7.1	130	--	
7/30/2001	32.95	17.12	--	15.83	0.26	1900	--	82	24	6.9	13	370	--	
10/15/2001	32.95	17.33	--	15.62	-0.21	26000	--	390	230	58	1300	ND<500	--	
1/14/2002	32.95	15.33	--	17.62	2.00	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
4/15/2002	32.95	15.89	--	17.06	-0.56	310	--	20	6.7	11	7.7	77	--	
7/15/2002	32.95	16.21	--	16.74	-0.32	1500	--	40	22	60	28	170	--	
1/18/2003	32.95	15.68	--	17.27	0.53	ND<50	--	0.75	ND<0.50	ND<0.50	ND<1.0	81	--	
7/11/2003	32.95	16.29	--	16.66	-0.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	3.6	
2/4/2004	32.95	16.08	0.00	16.87	0.21	--	82	16	1.6	0.65	ND<1.0	--	16	
8/11/2004	32.95	16.38	0.00	16.57	-0.30	--	900	81	14	2.8	11	--	120	
3/31/2005	32.95	14.30	0.00	18.65	2.08	--	5000	160	84	65	72	--	140	
9/30/2005	32.95	16.19	0.00	16.76	-1.89	--	1200	26	5.8	2.4	9.2	--	38	
3/27/2006	32.95	13.90	0.00	19.05	2.29	--	1100	13	12	4.7	16	--	8.8	
9/27/2006	32.95	17.06	0.00	15.89	-3.16	--	1300	20	11	2.3	15	--	21	
3/27/2007	32.95	17.43	0.00	15.52	-0.37	--	960	15	7.8	2.2	11	--	14	
9/28/2007	32.95	18.25	0.00	14.70	-0.82	--	1300	13	6.0	2.3	15	--	8.4	
3/26/2008	32.95	17.82	0.00	15.13	0.43	--	1200	7.6	3.3	1.8	11	--	2.7	
7/28/2008	32.95	18.70	0.00	14.25	-0.88	--	2000	12	4.9	3.2	17	--	ND<0.50	
1/26/2009	32.95	19.25	0.00	13.70	-0.55	--	1400	7.4	3.3	2.5	11	--	3.3	
8/3/2009	32.98	18.62	0.00	14.36	0.66	--	1500	17	9.0	3.5	22	--	7.3	
1/25/2010	32.98	18.34	0.00	14.64	0.28	--	1600	7.6	3.6	2.4	15	--	1.7	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
8/3/2010	32.98	18.07	0.00	14.91	0.27	--	2200	32	32	10	48	--	10	
MW-6 (Screen Interval in feet: 15-32)														
10/19/1992	--	--	--	--	--	3900	--	420	12	60	28	--	--	
12/21/1992	32.42	19.17	--	13.25	--	2300	--	370	11	39	15	--	--	
4/28/1993	32.42	--	--	--	--	1200	--	54	1.5	11	5.3	--	--	
7/23/1993	32.42	18.17	--	14.25	--	580	--	19	0.99	3.4	2.7	--	--	
10/5/1993	32.16	18.35	--	13.81	-0.44	1400	--	34	ND	5.3	7.3	--	--	
1/3/1994	32.16	18.54	--	13.62	-0.19	1400	--	57	ND	8.5	11	--	--	
4/2/1994	32.16	18.15	--	14.01	0.39	5300	--	ND	ND	ND	ND	--	--	
7/5/1994	32.16	17.25	--	14.91	0.90	ND	--	ND	ND	ND	ND	--	--	
10/6/1994	32.16	18.85	--	13.31	-1.60	11000	--	ND	ND	ND	ND	--	--	
1/2/1995	32.16	17.51	--	14.65	1.34	550	--	18	0.92	2.0	1.8	--	--	
4/3/1995	32.16	15.48	--	16.68	2.03	6600	--	ND	ND	ND	ND	--	--	
7/14/1995	32.16	16.63	--	15.53	-1.15	ND	--	ND	ND	ND	ND	--	--	
10/10/1995	32.16	17.68	--	14.48	-1.05	ND	--	81	ND	ND	ND	75000	--	
1/3/1996	32.16	17.66	--	14.50	0.02	70	--	9.9	0.58	ND	0.81	--	--	
4/10/1996	32.16	15.56	--	16.60	2.10	300	--	258	4.7	0.94	2.7	53000	--	
7/9/1996	32.16	16.59	--	15.57	-1.03	1800	--	410	ND	12	ND	76000	--	
1/24/1997	32.16	15.69	0.00	16.47	0.90	ND	--	0.80	ND	ND	ND	390	--	
7/23/1997	32.16	17.53	0.00	14.63	-1.84	5700	--	1100	240	240	700	16000	--	
1/26/1998	32.16	15.44	--	16.72	2.09	ND	--	ND	ND	ND	ND	ND	--	
7/3/1998	32.16	16.58	--	15.58	-1.14	ND	--	ND	ND	ND	ND	ND	--	
1/14/1999	32.16	17.02	--	15.14	-0.44	ND	--	ND	ND	ND	ND	14	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
7/15/1999	32.16	15.95	--	16.21	1.07	ND	--	ND	ND	ND	ND	2.8	--	
1/7/2000	32.16	16.96	--	15.20	-1.01	78	--	24	ND	0.66	17	280	--	
7/19/2000	32.16	18.04	--	14.12	-1.08	ND	--	ND	1.32	ND	0.974	ND	--	
1/2/2001	32.16	18.10	--	14.06	-0.06	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	32.16	16.42	--	15.74	1.68	ND	--	ND	ND	ND	ND	ND	--	
7/30/2001	32.16	16.49	--	15.67	-0.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
10/15/2001	32.16	16.67	--	15.49	-0.18	ND<50	--	ND<0.50	0.62	ND<0.50	ND<0.50	ND<5.0	--	
1/14/2002	32.16	14.60	--	17.56	2.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
4/15/2002	32.16	15.07	--	17.09	-0.47	ND<50	--	ND<0.50	ND<0.50	ND<0.50	0.73	ND<5.0	--	
7/15/2002	32.16	15.56	--	16.60	-0.49	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	--	
1/18/2003	32.16	15.80	--	16.36	-0.24	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
7/11/2003	32.16	15.74	--	16.42	0.06	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
2/4/2004	32.16	15.49	0.00	16.67	0.25	--	ND<50	2.6	ND<0.50	ND<0.50	ND<1.0	--	2.4	
8/11/2004	32.16	15.81	0.00	16.35	-0.32	--	7900	95	ND<50	ND<50	ND<100	--	9100	
3/31/2005	32.16	13.70	0.00	18.46	2.11	--	ND<5000	2.5	ND<0.50	ND<0.50	ND<1.0	--	7600	
9/30/2005	32.16	15.48	0.00	16.68	-1.78	--	4300	140	37	28	41	--	5800	
3/27/2006	32.16	13.02	0.00	19.14	2.46	--	7200	34	0.66	0.96	18	--	9900	
9/27/2006	32.16	16.56	0.00	15.60	-3.54	--	1800	ND<12	ND<12	ND<12	ND<12	--	3300	
3/27/2007	32.16	16.73	0.00	15.43	-0.17	--	1600	2.8	ND<2.5	ND<2.5	ND<2.5	--	1800	
9/28/2007	32.16	17.75	0.00	14.41	-1.02	--	830	ND<5.0	ND<5.0	ND<5.0	ND<5.0	--	1600	
3/26/2008	32.16	17.31	0.00	14.85	0.44	--	940	45	5.9	2.0	5.3	--	1300	
7/28/2008	32.16	18.50	0.00	13.66	-1.19	--	500	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	750	
1/26/2009	32.16	18.46	0.00	13.70	0.04	--	570	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	500	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
8/3/2009	32.19	18.01	0.00	14.18	0.48	--	800	ND<5.0	ND<5.0	ND<5.0	ND<10	--	690	
1/25/2010	32.19	17.64	0.00	14.55	0.37	--	410	4.8	0.63	ND<0.50	1.4	--	390	
8/3/2010	32.19	17.48	0.00	14.71	0.16	--	480	2.0	ND<0.50	ND<0.50	ND<1.0	--	520	
MW-7 (Screen Interval in feet: 13-33)														
10/19/1992	--	--	--	--	--	--	--	--	--	--	--	--	--	--
4/28/1993	32.49	--	--	--	--	110	--	2.8	1.3	1.4	1.7	--	--	
7/23/1993	32.49	18.60	--	13.89	--	790	--	23	3.3	28	5.4	--	--	
10/5/1993	32.20	18.76	--	13.44	-0.45	360	--	10	1.2	0.91	0.99	--	--	
1/3/1994	32.20	18.91	--	13.29	-0.15	ND	--	0.93	ND	0.75	1.9	--	--	
4/2/1994	32.20	18.50	--	13.70	0.41	360	--	2.0	ND	ND	0.8	--	--	
7/5/1994	32.20	17.52	--	14.68	0.98	ND	--	ND	ND	ND	ND	--	--	
10/6/1994	32.20	19.25	--	12.95	-1.73	340	--	5.6	0.85	ND	1.2	--	--	
1/2/1995	32.20	17.67	--	14.53	1.58	ND	--	ND	ND	ND	ND	--	--	
4/3/1995	32.20	15.81	--	16.39	1.86	570	--	24	ND	3.4	5.8	--	--	
7/14/1995	32.20	17.05	--	15.15	-1.24	ND	--	14	ND	ND	ND	--	--	
10/10/1995	32.20	18.08	--	14.12	-1.03	740	--	170	ND	ND	ND	13000	--	
1/3/1996	32.20	18.02	--	14.18	0.06	360	--	16	1.3	2.7	1.4	--	--	
4/10/1996	32.20	15.81	--	16.39	2.21	120	--	4.1	1.5	ND	0.88	3200	--	
7/9/1996	32.20	16.99	--	15.21	-1.18	ND	--	ND	ND	ND	ND	3400	--	
1/24/1997	32.20	16.08	0.00	16.12	0.91	ND	--	16	ND	ND	ND	6600	--	
7/23/1997	32.20	17.99	0.00	14.21	-1.91	ND	--	16	ND	ND	0.62	10000	--	
1/26/1998	32.20	15.56	--	16.64	2.43	ND	--	ND	ND	ND	0.56	ND	--	
7/3/1998	32.20	17.04	--	15.16	-1.48	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
1/14/1999	32.20	--	--	--	--	--	--	--	--	--	--	--	--	inaccessible-parked car
7/15/1999	32.20	15.72	--	16.48	--	ND	--	ND	ND	ND	ND	290	--	
1/7/2000	32.20	16.80	--	15.40	-1.08	ND	--	7.7	ND	ND	4.4	98	--	
7/19/2000	32.20	17.88	--	14.32	-1.08	ND	--	ND	1.27	ND	0.979	ND	--	
1/2/2001	32.20	17.97	--	14.23	-0.09	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	32.20	16.81	--	15.39	1.16	ND	--	ND	ND	ND	ND	ND	--	
7/30/2001	32.20	16.79	--	15.41	0.02	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
10/15/2001	32.20	16.98	--	15.22	-0.19	ND<50	--	ND<0.50	0.58	ND<0.50	ND<0.50	ND<5.0	--	
1/14/2002	32.20	14.85	--	17.35	2.13	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
4/15/2002	32.20	15.29	--	16.91	-0.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	0.70	ND<5.0	--	
7/15/2002	32.20	15.92	--	16.28	-0.63	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	--	
1/18/2003	32.20	15.11	--	17.09	0.81	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
7/11/2003	32.20	15.89	--	16.31	-0.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	19	
2/4/2004	32.20	15.90	0.00	16.30	-0.01	--	ND<50	3.6	ND<0.50	ND<0.50	ND<1.0	--	3.2	
8/11/2004	32.20	16.12	0.00	16.08	-0.22	--	ND<5000	120	ND<50	ND<50	ND<100	--	5100	
3/31/2005	32.20	13.99	0.00	18.21	2.13	--	ND<5000	190	ND<50	ND<50	ND<100	--	8400	
9/30/2005	32.20	15.93	0.00	16.27	-1.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
3/27/2006	32.20	13.40	0.00	18.80	2.53	--	2500	160	10	11	26	--	5600	
9/27/2006	32.20	16.96	0.00	15.24	-3.56	--	2800	180	ND<12	15	44	--	4200	
3/27/2007	32.20	17.30	0.00	14.90	-0.34	--	920	66	2.9	3.4	4.5	--	970	
9/28/2007	32.20	18.10	0.00	14.10	-0.80	--	4000	440	15	17	59	--	3300	
3/26/2008	32.20	17.64	0.00	14.56	0.46	--	390	39	3.3	0.85	7.5	--	96	
7/28/2008	32.20	18.50	0.00	13.70	-0.86	--	64	3.3	ND<0.50	ND<0.50	ND<1.0	--	8.7	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
1/26/2009	32.20	18.90	0.00	13.30	-0.40	--	80	7.9	0.58	ND<0.50	ND<1.0	--	10	
8/3/2009	32.22	18.29	0.00	13.93	0.63	--	2100	220	14	10	31	--	750	
1/25/2010	32.22	17.49	0.00	14.73	0.80	--	490	25	3.5	0.54	6.9	--	16	
8/3/2010	32.22	17.84	0.00	14.38	-0.35	--	240	45	1.8	1.2	1.7	--	290	
MW-8 (Screen Interval in feet: 11-29)														
4/28/1993	32.33	--	--	--	--	450	--	18	1.8	1.8	1.4	--	--	
7/23/1993	32.33	18.45	--	13.88	--	260	--	5.1	ND	0.6	ND	--	--	
10/5/1993	32.00	18.57	--	13.43	-0.45	120	--	1.7	ND	ND	ND	--	--	
1/3/1994	32.00	18.73	--	13.27	-0.16	ND	--	ND	ND	ND	ND	51	--	
4/2/1994	32.00	18.30	--	13.70	0.43	150	--	1.2	ND	ND	ND	--	--	
7/5/1994	32.00	17.41	--	14.59	0.89	730	--	17	ND	1.6	ND	--	--	
10/6/1994	32.00	18.98	--	13.02	-1.57	140	--	ND	ND	ND	ND	--	--	
1/2/1995	32.00	17.58	--	14.42	1.40	440	--	18	0.72	2.0	1.8	--	--	
4/3/1995	32.00	15.54	--	16.46	2.04	960	--	11	ND	ND	ND	--	--	
7/14/1995	32.00	16.81	--	15.19	-1.27	280	--	4.2	2.6	1.1	3.3	--	--	
10/10/1995	32.00	17.85	--	14.15	-1.04	110	--	1.3	0.62	0.67	ND	170	--	
1/3/1996	32.00	17.82	--	14.18	0.03	63	--	ND	0.51	ND	1.8	--	--	
4/10/1996	32.00	15.70	--	16.30	2.12	ND	--	1.1	0.61	ND	ND	60	--	
7/9/1996	32.00	16.78	--	15.22	-1.08	72	--	1.0	ND	ND	ND	140	--	
1/24/1997	32.00	15.79	0.00	16.21	0.99	ND	--	ND	ND	ND	ND	76	--	
7/23/1997	32.00	17.69	0.00	14.31	-1.90	ND	--	ND	ND	ND	ND	270	--	
1/26/1998	32.00	15.50	--	16.50	2.19	ND	--	ND	ND	ND	0.76	2.9	--	
7/3/1998	32.00	16.80	--	15.20	-1.30	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
1/14/1999	32.00	17.13	--	14.87	-0.33	ND	--	ND	ND	ND	ND	11	--	
7/15/1999	32.00	15.85	--	16.15	1.28	ND	--	ND	ND	ND	ND	ND	--	
1/7/2000	32.00	16.94	--	15.06	-1.09	ND	--	ND	ND	ND	ND	11	--	
7/19/2000	32.00	18.06	--	13.94	-1.12	ND	--	ND	2.99	0.521	ND	ND	--	
1/2/2001	32.00	18.12	--	13.88	-0.06	ND	--	ND	ND	ND	ND	ND	--	
5/23/2001	32.00	16.96	--	15.04	1.16	ND	--	ND	ND	ND	ND	ND	--	
7/30/2001	32.00	16.52	--	15.48	0.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	2.7	--	
10/15/2001	32.00	16.72	--	15.28	-0.20	ND<50	--	ND<0.50	0.65	ND<0.50	ND<0.50	ND<5.0	--	
1/14/2002	32.00	14.53	--	17.47	2.19	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
4/15/2002	32.00	14.96	--	17.04	-0.43	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<5.0	--	
7/15/2002	32.00	15.60	--	16.40	-0.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	11	--	
1/18/2003	32.00	14.78	--	17.22	0.82	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	ND<2.0	--	
2/4/2004	32.00	15.65	0.00	16.35	-0.87	--	52	2.3	ND<0.50	ND<0.50	ND<1.0	--	2.4	
8/11/2004	32.00	15.86	0.00	16.14	-0.21	--	350	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	310	
3/31/2005	32.00	13.73	0.00	18.27	2.13	--	ND<2000	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	2100	
9/30/2005	32.00	15.94	0.00	16.06	-2.21	--	1200	ND<0.50	0.50	ND<0.50	ND<1.0	--	6900	
3/27/2006	32.00	13.13	0.00	18.87	2.81	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	820	
9/27/2006	32.00	16.75	0.00	15.25	-3.62	--	520	ND<5.0	ND<5.0	ND<5.0	8.2	--	870	
3/27/2007	32.00	16.87	0.00	15.13	-0.12	--	1400	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3600	
9/28/2007	32.00	17.91	0.00	14.09	-1.04	--	280	ND<2.5	ND<2.5	ND<2.5	ND<2.5	--	670	
3/26/2008	32.00	17.45	0.00	14.55	0.46	--	110	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	210	
7/28/2008	32.00	18.50	0.00	13.50	-1.05	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
1/26/2009	32.00	18.65	0.00	13.35	-0.15	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	22	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through August 2010
76 Station 0752

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G 8015 (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
8/3/2009	32.03	18.11	0.00	13.92	0.57	--	67	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	64	
1/25/2010	32.03	17.67	0.00	14.36	0.44	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
8/3/2010	32.03	17.58	0.00	14.45	0.09	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D		Ethanol	Ethylene-	EDB	1,2-DCA	DIPE	ETBE	TAME	Total Oil	Chloroform	Tetrachloro-
	(µg/l)	TBA	(8260B)	dibromide	(504)	(EDC)	(µg/l)	(µg/l)	(µg/l)	and Grease	(µg/l)	ethene
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(µg/l)	(µg/l)
MW-1												
6/5/1991	47	--	--	--	--	--	--	--	--	--	7.8	2.9
9/30/1991	ND	--	--	--	--	--	--	--	--	--	--	--
12/30/1991	ND	--	--	--	--	--	--	--	--	ND	6.4	2.1
4/2/1992	94	--	--	--	--	--	--	--	--	ND	7.1	2.6
6/30/1992	120	--	--	--	--	--	--	--	--	ND	9.5	2.2
9/15/1992	ND	--	--	--	--	--	--	--	--	--	12	2.2
12/21/1992	ND	--	--	--	--	--	--	--	--	--	12	1.4
4/28/1993	470	--	--	--	--	1.1	--	--	--	--	12	0.89
7/23/1993	ND	--	--	--	--	--	--	--	--	--	16	1.3
10/5/1993	57	--	--	--	--	--	--	--	--	--	13	1.3
1/3/1994	ND	--	--	--	--	--	--	--	--	--	18	1.4
4/2/1994	ND	--	--	--	--	--	--	--	--	--	15	1.1
7/15/2002	--	ND<5.0	ND<25	ND<0.5	--	ND<0.5	ND<1.0	ND<0.5	ND<0.5	--	--	--
1/18/2003	--	--	--	--	--	--	--	--	--	--	--	--
7/11/2003	--	--	ND<25000	--	--	--	--	--	--	--	--	--
2/4/2004	--	ND<10000	ND<50000	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<1000	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<2000	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D		Ethanol	Ethylene-	EDB	1,2-DCA	DIPE	ETBE	TAME	Total Oil	Chloroform	Tetrachloro-
	(µg/l)	(µg/l)	(8260B) (µg/l)	dibromide (EDB) (µg/l)	(504) (µg/l)	(EDC) (µg/l)	(µg/l)	(µg/l)	(µg/l)	and Grease (mg/l)	(µg/l)	ethene (PCE) (µg/l)
MW-1 continued												
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<0.50	--	ND<0.50	--	--	--	--	--	--
MW-2												
7/11/2003	--	--	ND<500	--	--	--	--	--	--	--	--	--
2/4/2004	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<50	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<50	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<0.50	--	ND<0.50	--	--	--	--	--	--
MW-3												
2/4/2004	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<20000	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<20000	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<12000	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro- ethene (PCE) (µg/l)
MW-3 continued												
3/27/2006	--	--	ND<12000	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<62000	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<6200	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<25000	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<25000	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<6200	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<25000	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<12	ND<0.010	ND<12	--	--	--	--	--	--
MW-4												
1/3/1994	--	--	--	--	--	--	--	--	--	--	9.0	1.0
2/4/2004	--	ND<2000	ND<10000	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<5000	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<1300	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<5000	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<1200	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<2500	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<500	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<2500	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro- ethene (PCE) (µg/l)
MW-4 continued												
8/3/2010	--	--	--	ND<0.50	ND<0.010	ND<0.50	--	--	--	--	--	--
MW-5												
2/4/2004	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<50	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<50	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<0.50	ND<0.010	ND<0.50	--	--	--	--	--	--
MW-6												
2/4/2004	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<5000	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<5000	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<6200	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<1200	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<2500	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D		Ethanol	Ethylene-	EDB	1,2-DCA	DIPE	ETBE	TAME	Total Oil	Chloroform	Tetrachloro-
	(µg/l)	(µg/l)	(8260B) (µg/l)	dibromide (EDB) (µg/l)	(504) (µg/l)	(EDC) (µg/l)	(µg/l)	(µg/l)	(µg/l)	and Grease (mg/l)	(µg/l)	ethene (PCE) (µg/l)
MW-6 continued												
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<500	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<2500	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<0.50	--	ND<0.50	--	--	--	--	--	--
MW-7												
2/4/2004	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<5000	--	--	--	--	--	--	--	--	--
3/31/2005	--	--	ND<5000	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<6200	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<500	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<5000	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<0.50	--	ND<0.50	--	--	--	--	--	--
MW-8												
1/3/1994	--	--	--	--	--	--	--	--	--	--	1.5	1.2
2/4/2004	--	ND<100	ND<500	--	--	--	--	--	--	--	--	--
8/11/2004	--	--	ND<250	--	--	--	--	--	--	--	--	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	TPH-D (µg/l)	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	EDB (504) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	Total Oil and Grease (mg/l)	Chloroform (µg/l)	Tetrachloro- ethene (PCE) (µg/l)
MW-8 continued												
3/31/2005	--	--	ND<2000	--	--	--	--	--	--	--	--	--
9/30/2005	--	--	ND<250	--	--	--	--	--	--	--	--	--
3/27/2006	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/27/2006	--	--	ND<2500	--	--	--	--	--	--	--	--	--
3/27/2007	--	--	ND<250	--	--	--	--	--	--	--	--	--
9/28/2007	--	--	ND<1200	--	--	--	--	--	--	--	--	--
3/26/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
7/28/2008	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/26/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2009	--	--	ND<250	--	--	--	--	--	--	--	--	--
1/25/2010	--	--	ND<250	--	--	--	--	--	--	--	--	--
8/3/2010	--	--	--	ND<0.50	--	ND<0.50	--	--	--	--	--	--

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Trichloro-ethene (TCE) (µg/l)	Acena-phthene (µg/l)	Acena-phthylene (svoc) (µg/l)	Aldrin (µg/l)	Aniline (µg/l)	Anthra-cene (µg/l)	Benzidine (µg/l)	Benzo[a]-anthracene (µg/l)	Benzo[a]-pyrene (µg/l)	Benzo[b]-fluor-anthene (µg/l)	Benzo-[g,h,I]-perylene (µg/l)	Benzo[k]-fluor-anthene (µg/l)
MW-1												
6/5/1991	1.3	--	--	--	--	--	--	--	--	--	--	--
12/30/1991	0.9	--	--	--	--	--	--	--	--	--	--	--
4/2/1992	1.4	--	--	--	--	--	--	--	--	--	--	--
6/30/1992	1.3	--	--	--	--	--	--	--	--	--	--	--
9/15/1992	1.3	--	--	--	--	--	--	--	--	--	--	--
12/21/1992	0.83	--	--	--	--	--	--	--	--	--	--	--
4/28/1993	0.85	--	--	--	--	--	--	--	--	--	--	--
7/23/1993	0.91	--	--	--	--	--	--	--	--	--	--	--
10/5/1993	0.66	--	--	--	--	--	--	--	--	--	--	--
1/3/1994	0.93	--	--	--	--	--	--	--	--	--	--	--
4/2/1994	0.68	--	--	--	--	--	--	--	--	--	--	--
8/3/2010	--	ND<2.0	ND<2.0	ND<2.0	ND<5.0	ND<2.0	ND<20	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
MW-4												
1/3/1994	ND	--	--	--	--	--	--	--	--	--	--	--
MW-8												
1/3/1994	ND	--	--	--	--	--	--	--	--	--	--	--

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Benzoic Acid (µg/l)	Benzyl Alcohol (µg/l)	Bis(2-chloro-ethoxy) methane (µg/l)	Bis(2-chloro-ethyl) ether (µg/l)	Bis(2-chloro-isopropyl)- ether (µg/l)	Bis(2-ethyl-hexyl) phthalate (µg/l)	4-Bromo-phenyl ether (µg/l)	Butyl-benzyl phthalate (µg/l)	alpha-BHC (µg/l)	beta-BHC (µg/l)	delta-BHC (µg/l)	gamma-BHC (µg/l)
MW-1 8/3/2010	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<5.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0

Table 2 d
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	4-Chloro-3-methyl-phenol (µg/l)	4-Chloro-aniline (µg/l)	2-Chloro-naphthalene (µg/l)	2-Chloro-phenol (µg/l)	4-Chloro-phenyl phenyl ether (µg/l)	Chrysene (µg/l)	4,4'-DDD (µg/l)	4,4'-DDE (µg/l)	4,4'-DDT (µg/l)	Dibenzo-[a,h]-anthracene (µg/l)	Dibenzo-furan (µg/l)	1,2-Dichloro-benzene (svoc) (µg/l)
MW-1 8/3/2010	ND<5.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<3.0	ND<2.0	ND<3.0	ND<2.0	ND<2.0

Table 2 e
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	1,3-Dichloro- benzene (svoc) (µg/l)	1,4-Dichloro- benzene (svoc) (µg/l)	3,3-Dichloro- benzidine (µg/l)	Dieldrin (µg/l)	2,4-Dichloro- phenol (µg/l)	Diethyl phthalate (µg/l)	2,4-Dimethyl- phenol (µg/l)	Dimethyl phthalate (µg/l)	Di-n-butyl phthalate (µg/l)	2,4-Dinitro- phenol (µg/l)	2,4-Dinitro- toluene (µg/l)	2,6-Dinitro- toluene (µg/l)
MW-1 8/3/2010	ND<2.0	ND<2.0	ND<10	ND<3.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0

Table 2 f
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Di-n-octyl phthalate (µg/l)	1,2-Diphenyl hydrazine (µg/l)	Endosulfan I (µg/l)	Endosulfan II (µg/l)	Endosulfan sulfate (µg/l)	Endrin (µg/l)	Endrin aldehyde (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Heptachlor (µg/l)	Heptachlor epoxide (µg/l)	Hexachlorobenzene (µg/l)
MW-1 8/3/2010	ND<2.0	ND<2.0	ND<10	ND<10	ND<3.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0

Table 2 g
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	HCBD (svoc) (µg/l)	Hexachloro cyclopenta-diene (µg/l)	Hexachloro -ethane (µg/l)	Indeno-[1,2,3-c,d] pyrene (µg/l)	Isophorone (µg/l)	2-Methyl-4,6-dinitro-phenol (µg/l)	2-Methyl-naphthalene (µg/l)	2-Methyl-phenol (µg/l)	Naphthalene (svoc) (µg/l)	2-Naphthyl-amine (µg/l)	2-Nitro-aniline (µg/l)	3-Nitro-aniline (µg/l)
MW-1 8/3/2010	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<20	ND<2.0	ND<2.0

Table 2 h
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	4-Nitro-aniline (µg/l)	Nitro-benzene (µg/l)	2-Nitro-phenol (µg/l)	4-Nitro-phenol (µg/l)	N-Nitroso-dimethyl-amine (µg/l)	N-nitrosodi-n-propyl-amine (µg/l)	N-Nitro-sodiphenyl-amine (µg/l)	Penta-chloro-phenol (µg/l)	Phen-anthrene (µg/l)	Phenol (µg/l)	Pyrene (µg/l)	1,2,4-Trichloro-benzene (svoc) (µg/l)
MW-1 8/3/2010	ND<5.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0

Table 2 i
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752


Date Sampled	2,4,6-Trichloro-phenol (µg/l)	2,4,5-Trichloro-phenol (µg/l)	Cadmium (dissolved) (µg/l)	Calcium (mg/l)	Chromium (total) (mg/l)	Chromium (dissolved) (µg/l)	Iron (total) (mg/l)	Lead (dissolved) (mg/l)	Lead (total) (mg/l)	Manganese (dissolved) (mg/l)	Nickel (total) (mg/l)	Nickel (dissolved) (µg/l)
MW-1												
12/30/1991	--	--	ND	--	0.0078	--	--	--	0.0057	--	ND	--
4/2/1992	--	--	ND	--	0.015	--	--	--	0.016	--	ND	--
6/30/1992	--	--	ND	--	0.079	--	--	--	0.009	--	0.1	--
4/10/1996	--	--	--	21	--	--	15	--	--	2.6	--	--
8/3/2010	ND<5.0	ND<5.0	ND<10	--	--	ND<10	--	ND<50	--	--	--	ND<10
MW-2												
1/3/1996	--	--	--	27	--	--	77	--	--	3.0	--	--
4/10/1996	--	--	--	58	--	--	60	--	--	7.0	--	--
MW-3												
1/3/1996	--	--	--	43	--	--	--	--	--	--	--	--

Table 2 j
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

Date Sampled	Zinc (dissolved) (µg/l)	Nitrate (mg/l)	Sulfate (mg/l)	Alkalinity (bicarb.) (mg/l)	BOD (mg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
MW-1							
12/30/1991	46	--	--	--	--	--	--
4/2/1992	20	--	--	--	--	--	--
6/30/1992	87	--	--	--	--	--	--
4/10/1996	--	--	--	160	--	3.04	--
7/9/1996	--	--	--	--	--	3.13	--
1/24/1997	--	--	--	--	--	2.56	--
7/23/1997	--	--	--	--	--	2.81	2.26
1/26/1998	--	--	--	--	--	--	3.97
7/3/1998	--	--	--	--	--	--	3.58
8/3/2010	ND<10	--	--	--	--	--	--
MW-2							
1/3/1996	--	0.22	97	130	2.2	1.80	--
4/10/1996	--	--	--	460	--	5.88	--
7/9/1996	--	--	--	--	--	0.71	--
1/24/1997	--	--	--	--	--	2.37	--
7/23/1997	--	--	--	--	--	0.97	1.40
1/26/1998	--	--	--	--	--	--	4.12
7/3/1998	--	--	--	--	--	--	3.99
MW-3							
1/3/1996	--	--	16	--	--	1.50	--


GRAPHS

Groundwater Elevations vs. Time
76 Station 0752



Elevations may have been corrected for apparent changes due to resurvey









Groundwater Elevations vs. Time
76 Station 0752



Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time

76 Station 0752



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Vidner

Site: 0752

Project No.: 173845

Date: 08/03/10

Well No. MW-2

Purge Method: Sub

Depth to Water (feet): 19.26

Depth to Product (feet):

Total Depth (feet) 30.84

LPH & Water Recovered (gallons):

Water Column (feet): 11.58

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 21.58

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
<u>0657</u>			<u>2</u>	<u>644.1</u>	<u>17.5</u>	<u>6.50</u>			
			<u>4</u>	<u>429.5</u>	<u>18.8</u>	<u>6.50</u>			
			<u>6</u>	<u>363.8</u>	<u>19.1</u>	<u>6.41</u>			
			<u>8</u>	<u>324.1</u>	<u>19.3</u>	<u>6.35</u>			
	<u>0702</u>		<u>10</u>	<u>297.5</u>	<u>19.4</u>	<u>6.31</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>19.71</u>			<u>10</u>			<u>0707</u>			
Comments:									

Well No. MW-8

Purge Method: Sub

Depth to Water (feet): 17.58

Depth to Product (feet):

Total Depth (feet) 28.51

LPH & Water Recovered (gallons):

Water Column (feet): 10.93

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 19.77

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
<u>0714</u>			<u>2</u>	<u>543.3</u>	<u>19.2</u>	<u>6.71</u>			
			<u>4</u>	<u>470.4</u>	<u>19.7</u>	<u>6.68</u>			
	<u>0718</u>		<u>6</u>	<u>452.7</u>	<u>19.9</u>	<u>6.62</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>17.97</u>			<u>6</u>			<u>0722</u>			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Vidners

Site: 0752

Project No.: 173845

Date: 08/03/10

Well No. MW-1

Purge Method: Sub

Depth to Water (feet): 19.47

Depth to Product (feet): —

Total Depth (feet): 33.66

LPH & Water Recovered (gallons): —

Water Column (feet): 14.19

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 22.31

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0730			3	185.0	19.0	6.88			
			6	177.5	19.4	6.83			
	0735		9	176.6	19.4	6.76			
Static at Time Sampled			Total Gallons Purged			Sample Time			
20.06			9			0740			
Comments:									

Well No. MW-4

Purge Method: Sub

Depth to Water (feet): 17.83

Depth to Product (feet): —

Total Depth (feet): 32.37

LPH & Water Recovered (gallons): —

Water Column (feet): 14.54

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 20.74

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0753			3	285.3	19.1	6.64			
			6	274.4	19.4	6.62			
	0757		9	266.4	19.5	6.61			
Static at Time Sampled			Total Gallons Purged			Sample Time			
18.70			9			0802			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Vidner

Site: 0152

Project No.: 173845

Date: 08/03/10

Well No. MW-6

Purge Method: Sub

Depth to Water (feet): 17.48

Depth to Product (feet): —

Total Depth (feet): 30.98

LPH & Water Recovered (gallons): —

Water Column (feet): 13.50

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 20.18

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
<u>0811</u>			<u>3</u>	<u>214.4</u>	<u>19.4</u>	<u>6.95</u>			
			<u>6</u>	<u>224.6</u>	<u>20.0</u>	<u>6.88</u>			
	<u>0816</u>		<u>9</u>	<u>225.1</u>	<u>20.0</u>	<u>6.86</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>17.98</u>			<u>9</u>			<u>0820</u>			
Comments:									

Well No. MW-5

Purge Method: Sub

Depth to Water (feet): 18.07

Depth to Product (feet): —

Total Depth (feet): 31.74

LPH & Water Recovered (gallons): —

Water Column (feet): 13.67

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 20.80

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
<u>0830</u>			<u>3</u>	<u>333.9</u>	<u>19.6</u>	<u>6.86</u>			
			<u>6</u>	<u>301.8</u>	<u>20.0</u>	<u>6.84</u>			
	<u>0835</u>		<u>9</u>	<u>281.8</u>	<u>20.0</u>	<u>6.89</u>			
Static at Time Sampled			Total Gallons Purged			Sample Time			
<u>19.48</u>			<u>9</u>			<u>0840</u>			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: A. Vidwers

Site: 0752

Project No.: 173945

Date: 08/03/10

Well No. MW-7

Purge Method: Sub

Depth to Water (feet): 17.84

Depth to Product (feet):

Total Depth (feet): 31.64

LPH & Water Recovered (gallons):

Water Column (feet): 13.80

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 20.60

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0850			3	379.1	19.5	7.03			
			6	373.1	19.8	6.97			
	0854		9	383.9	19.9	6.88			
Static at Time Sampled			Total Gallons Purged			Sample Time			
18.52			9			0859			
Comments:									

Well No. MW-3

Purge Method: Sub

Depth to Water (feet): 18.35

Depth to Product (feet):

Total Depth (feet): 30.56

LPH & Water Recovered (gallons):

Water Column (feet): 12.21

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 20.79

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (µS/cm)	Temperature (F, C)	pH	D.O. (mg/L)	ORP	Turbidity
Pre-Purge									
0906			3	608.3	19.6	6.76			
			6	571.9	19.8	6.70			
	0911		9	532.5	19.9	6.67			
Static at Time Sampled			Total Gallons Purged			Sample Time			
18.65			9			0920			
Comments:									



Date of Report: 08/19/2010

Anju Farfan

TRC

123 Technology Drive
Irvine, CA 92618

RE: 0752
BC Work Order: 1010701
Invoice ID: B085466

Enclosed are the results of analyses for samples received by the laboratory on 8/3/2010. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014



Table of Contents

Sample Information

Chain of Custody and Cooler Receipt form.....	3
Laboratory / Client Sample Cross Reference.....	5

Sample Results

1010701-01 - MW-2	
Volatile Organic Analysis (EPA Method 8260).....	7
1010701-02 - MW-8	
Volatile Organic Analysis (EPA Method 8260).....	8
1010701-03 - MW-1	
Volatile Organic Analysis (EPA Method 8260).....	9
Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C).....	10
Water Analysis (Metals).....	13
1010701-04 - MW-4	
EDB/DBCP Analysis (EPA Method 504.1).....	14
Volatile Organic Analysis (EPA Method 8260).....	15
1010701-05 - MW-6	
Volatile Organic Analysis (EPA Method 8260).....	16
1010701-06 - MW-5	
EDB/DBCP Analysis (EPA Method 504.1).....	17
Volatile Organic Analysis (EPA Method 8260).....	18
1010701-07 - MW-7	
Volatile Organic Analysis (EPA Method 8260).....	19
1010701-08 - MW-3	
EDB/DBCP Analysis (EPA Method 504.1).....	20
Volatile Organic Analysis (EPA Method 8260).....	21

Quality Control Reports

EDB/DBCP Analysis (EPA Method 504.1)	
Method Blank Analysis.....	22
Laboratory Control Sample.....	23
Precision and Accuracy.....	24
Volatile Organic Analysis (EPA Method 8260)	
Method Blank Analysis.....	25
Laboratory Control Sample.....	26
Precision and Accuracy.....	27
Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)	
Method Blank Analysis.....	28
Laboratory Control Sample.....	31
Precision and Accuracy.....	32
Water Analysis (Metals)	
Method Blank Analysis.....	34
Laboratory Control Sample.....	35
Precision and Accuracy.....	36

Notes

Notes and Definitions.....	37
----------------------------	----



BC Laboratories, Inc.
Environmental Testing Laboratory Since 1949

CHK BY: *JAN* DISTRIBUTION: *JKR* *SLM* *MG* *MT*
SUB-OUT:

10-10701
BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY
Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE BY 8260B ETHANOL by 8260B TPH-G by GC/MS, EDC/EDB by 8260B SVOCs by 8270 Dissolved Metals (Cd, Cr, Pb, Ni, Zn) by 6010 EDB by 504 Turnaround Time Requested	
Address: 800 Harrison St.		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan				
City: Oakland		4-digit site#: 0752 Workorder # 01086-4512860375				
State: CA	Zip:	Project #: 173843				
Conoco Phillips Mgr: Svelty Lathrop		Sampler Name: A. Vidners				
Lab#	Sample Description	Field Point Name	Date & Time Sampled			
-1	MW-2		08/03/10 0707	3	X	
-2	MW-8		0722	3		
-3	MW-1		0740	6	X X	
-4	MW-4		0802	6		
-5	MW-6		0820	3		
-6	MW-5		0840	6	X	
-7	MW-7		0859	3		
-8	MW-3		0920	6	X	
Comments:		Relinquished by: (Signature) <i>[Signature]</i>		Received by: <i>Ros Dickey</i>		Date & Time: 8/3/10 1440
GLOBAL ID: T0600101486		Relinquished by: (Signature) <i>Ros Dickey 8/3/10</i>		Received by: <i>R. Reynold</i>		Date & Time: 8-3-10 1805
		Relinquished by: (Signature) <i>R. Reynold 8-3-10 2105</i>		Received by: <i>[Signature]</i>		Date & Time: 8-3-10 2115



3C LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 05/24/08 Page 1 of 1

Submission #: 10-10701

SHIPPING INFORMATION: Federal Express UPS Hand Delivery BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER: Ice Chest None Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments: W 8/4

Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received: YES NO

Emissivity: 0.98 Container: Steel Thermometer ID: #16 #17 Date/Time: 8/3 2:40

Temperature: A 5.8 °C / C 5.9 °C Analyst Init: [Signature]

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED			B							
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
1oz. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT TOX										
PT CHEMICAL OXYGEN DEMAND										
PA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK	A,3	A,3	A,3	A,3	A,3	A,3	A,3	A,3		
40ml VOA VIAL										
QT EPA 413.1, 413.2, 418.1										
PT OBOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 503				B(3)		B(3)		B(3)		
QT EPA 503/603/803										
QT EPA 515.1/815										
QT EPA 525										
QT EPA 535 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: - 8 one of the used brake (In House)

Sample Numbering Completed By: CU Date/Time: 8-7-10 8:47

A = Actual / C = Corrected



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
------------	---------------------------

1010701-01	COC Number: ---	Receive Date: 08/03/2010 21:15
	Project Number: 0752	Sampling Date: 08/03/2010 07:07
	Sampling Location: ---	Sample Depth: ---
	Sampling Point: MW-2	Sample Matrix: Water
	Sampled By: TRCI	Delivery Work Order:
		Global ID: T0600101486
		Location ID (FieldPoint): MW-2
		Matrix: W
		Sample QC Type (SACode): CS
		Cooler ID:

1010701-02	COC Number: ---	Receive Date: 08/03/2010 21:15
	Project Number: 0752	Sampling Date: 08/03/2010 07:22
	Sampling Location: ---	Sample Depth: ---
	Sampling Point: MW-8	Sample Matrix: Water
	Sampled By: TRCI	Delivery Work Order:
		Global ID: T0600101486
		Location ID (FieldPoint): MW-8
		Matrix: W
		Sample QC Type (SACode): CS
		Cooler ID:

1010701-03	COC Number: ---	Receive Date: 08/03/2010 21:15
	Project Number: 0752	Sampling Date: 08/03/2010 07:40
	Sampling Location: ---	Sample Depth: ---
	Sampling Point: MW-1	Sample Matrix: Water
	Sampled By: TRCI	Metal Analysis: 2-Lab Filtered and Acidified
		Delivery Work Order:
		Global ID: T0600101486
		Location ID (FieldPoint): MW-1
		Matrix: W
		Sample QC Type (SACode): CS
		Cooler ID:

1010701-04	COC Number: ---	Receive Date: 08/03/2010 21:15
	Project Number: 0752	Sampling Date: 08/03/2010 08:02
	Sampling Location: ---	Sample Depth: ---
	Sampling Point: MW-4	Sample Matrix: Water
	Sampled By: TRCI	Delivery Work Order:
		Global ID: T0600101486
		Location ID (FieldPoint): MW-4
		Matrix: W
		Sample QC Type (SACode): CS
		Cooler ID:



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information
------------	---------------------------

1010701-05	COC Number: --- Project Number: 0752 Sampling Location: --- Sampling Point: MW-6 Sampled By: TRCI	Receive Date: 08/03/2010 21:15 Sampling Date: 08/03/2010 08:20 Sample Depth: --- Sample Matrix: Water Delivery Work Order: Global ID: T0600101486 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	--	--

1010701-06	COC Number: --- Project Number: 0752 Sampling Location: --- Sampling Point: MW-5 Sampled By: TRCI	Receive Date: 08/03/2010 21:15 Sampling Date: 08/03/2010 08:40 Sample Depth: --- Sample Matrix: Water Delivery Work Order: Global ID: T0600101486 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	--	--

1010701-07	COC Number: --- Project Number: 0752 Sampling Location: --- Sampling Point: MW-7 Sampled By: TRCI	Receive Date: 08/03/2010 21:15 Sampling Date: 08/03/2010 08:59 Sample Depth: --- Sample Matrix: Water Delivery Work Order: Global ID: T0600101486 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	--	--

1010701-08	COC Number: --- Project Number: 0752 Sampling Location: --- Sampling Point: MW-3 Sampled By: TRCI	Receive Date: 08/03/2010 21:15 Sampling Date: 08/03/2010 09:20 Sample Depth: --- Sample Matrix: Water Delivery Work Order: Global ID: T0600101486 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID:
-------------------	--	--



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-01	Client Sample Name: 0752, MW-2, 8/3/2010 7:07:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	ND	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	94.4	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	97.8	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/09/10 14:03	KEA	MS-V12	1	BTH0503



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-02	Client Sample Name: 0752, MW-8, 8/3/2010 7:22:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	10	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	96.1	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	99.5	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/09/10 13:45	KEA	MS-V12	1	BTH0503



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-03	Client Sample Name: 0752, MW-1, 8/3/2010 7:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	37	ug/L	0.50	EPA-8260	ND		1
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	210	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	94.2	%	88 - 110 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	104	%	86 - 115 (LCL - UCL)	EPA-8260			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/09/10 13:26	KEA	MS-V12	1	BTH0503

TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 1010701-03	Client Sample Name: 0752, MW-1, 8/3/2010 7:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Acenaphthene	ND	ug/L	2.0	EPA-8270C	ND		1
Acenaphthylene	ND	ug/L	2.0	EPA-8270C	ND		1
Aldrin	ND	ug/L	2.0	EPA-8270C	ND		1
Aniline	ND	ug/L	5.0	EPA-8270C	ND		1
Anthracene	ND	ug/L	2.0	EPA-8270C	ND		1
Benzidine	ND	ug/L	20	EPA-8270C	ND		1
Benzo[a]anthracene	ND	ug/L	2.0	EPA-8270C	ND		1
Benzo[b]fluoranthene	ND	ug/L	2.0	EPA-8270C	ND		1
Benzo[k]fluoranthene	ND	ug/L	2.0	EPA-8270C	ND		1
Benzo[a]pyrene	ND	ug/L	2.0	EPA-8270C	ND		1
Benzo[g,h,i]perylene	ND	ug/L	2.0	EPA-8270C	ND		1
Benzoic acid	ND	ug/L	10	EPA-8270C	ND		1
Benzyl alcohol	ND	ug/L	2.0	EPA-8270C	ND		1
Benzyl butyl phthalate	ND	ug/L	2.0	EPA-8270C	ND		1
alpha-BHC	ND	ug/L	2.0	EPA-8270C	ND		1
beta-BHC	ND	ug/L	2.0	EPA-8270C	ND		1
delta-BHC	ND	ug/L	2.0	EPA-8270C	ND		1
gamma-BHC (Lindane)	ND	ug/L	2.0	EPA-8270C	ND		1
bis(2-Chloroethoxy)methane	ND	ug/L	2.0	EPA-8270C	ND		1
bis(2-Chloroethyl) ether	ND	ug/L	2.0	EPA-8270C	ND		1
bis(2-Chloroisopropyl) ether	ND	ug/L	2.0	EPA-8270C	ND		1
bis(2-Ethylhexyl)phthalate	ND	ug/L	5.0	EPA-8270C	ND		1
4-Bromophenyl phenyl ether	ND	ug/L	2.0	EPA-8270C	ND		1
4-Chloroaniline	ND	ug/L	2.0	EPA-8270C	ND		1
2-Chloronaphthalene	ND	ug/L	2.0	EPA-8270C	ND		1
4-Chlorophenyl phenyl ether	ND	ug/L	2.0	EPA-8270C	ND		1
Chrysene	ND	ug/L	2.0	EPA-8270C	ND		1
4,4'-DDD	ND	ug/L	2.0	EPA-8270C	ND		1
4,4'-DDE	ND	ug/L	3.0	EPA-8270C	ND		1
4,4'-DDT	ND	ug/L	2.0	EPA-8270C	ND		1
Dibenzo[a,h]anthracene	ND	ug/L	3.0	EPA-8270C	ND		1
Dibenzofuran	ND	ug/L	2.0	EPA-8270C	ND		1
1,2-Dichlorobenzene	ND	ug/L	2.0	EPA-8270C	ND		1



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 1010701-03	Client Sample Name: 0752, MW-1, 8/3/2010 7:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
1,3-Dichlorobenzene	ND	ug/L	2.0	EPA-8270C	ND		1
1,4-Dichlorobenzene	ND	ug/L	2.0	EPA-8270C	ND		1
3,3-Dichlorobenzidine	ND	ug/L	10	EPA-8270C	ND		1
Dieldrin	ND	ug/L	3.0	EPA-8270C	ND		1
Diethyl phthalate	ND	ug/L	2.0	EPA-8270C	ND		1
Dimethyl phthalate	ND	ug/L	2.0	EPA-8270C	ND		1
Di-n-butyl phthalate	ND	ug/L	2.0	EPA-8270C	ND		1
2,4-Dinitrotoluene	ND	ug/L	2.0	EPA-8270C	ND		1
2,6-Dinitrotoluene	ND	ug/L	2.0	EPA-8270C	ND		1
Di-n-octyl phthalate	ND	ug/L	2.0	EPA-8270C	ND		1
1,2-Diphenylhydrazine	ND	ug/L	2.0	EPA-8270C	ND		1
Endosulfan I	ND	ug/L	10	EPA-8270C	ND		1
Endosulfan II	ND	ug/L	10	EPA-8270C	ND		1
Endosulfan sulfate	ND	ug/L	3.0	EPA-8270C	ND		1
Endrin	ND	ug/L	2.0	EPA-8270C	ND		1
Endrin aldehyde	ND	ug/L	10	EPA-8270C	ND		1
Fluoranthene	ND	ug/L	2.0	EPA-8270C	ND		1
Fluorene	ND	ug/L	2.0	EPA-8270C	ND		1
Heptachlor	ND	ug/L	2.0	EPA-8270C	ND		1
Heptachlor epoxide	ND	ug/L	2.0	EPA-8270C	ND		1
Hexachlorobenzene	ND	ug/L	2.0	EPA-8270C	ND		1
Hexachlorobutadiene	ND	ug/L	2.0	EPA-8270C	ND		1
Hexachlorocyclopentadiene	ND	ug/L	2.0	EPA-8270C	ND		1
Hexachloroethane	ND	ug/L	2.0	EPA-8270C	ND		1
Indeno[1,2,3-cd]pyrene	ND	ug/L	2.0	EPA-8270C	ND		1
Isophorone	ND	ug/L	2.0	EPA-8270C	ND		1
2-Methylnaphthalene	ND	ug/L	2.0	EPA-8270C	ND		1
Naphthalene	ND	ug/L	2.0	EPA-8270C	ND		1
2-Naphthylamine	ND	ug/L	20	EPA-8270C	ND		1
2-Nitroaniline	ND	ug/L	2.0	EPA-8270C	ND		1
3-Nitroaniline	ND	ug/L	2.0	EPA-8270C	ND		1
4-Nitroaniline	ND	ug/L	5.0	EPA-8270C	ND		1
Nitrobenzene	ND	ug/L	2.0	EPA-8270C	ND		1

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 1010701-03	Client Sample Name: 0752, MW-1, 8/3/2010 7:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
N-Nitrosodimethylamine	ND	ug/L	2.0	EPA-8270C	ND		1
N-Nitrosodi-N-propylamine	ND	ug/L	2.0	EPA-8270C	ND		1
N-Nitrosodiphenylamine	ND	ug/L	2.0	EPA-8270C	ND		1
Phenanthrene	ND	ug/L	2.0	EPA-8270C	ND		1
Pyrene	ND	ug/L	2.0	EPA-8270C	ND		1
1,2,4-Trichlorobenzene	ND	ug/L	2.0	EPA-8270C	ND		1
4-Chloro-3-methylphenol	ND	ug/L	5.0	EPA-8270C	ND		1
2-Chlorophenol	ND	ug/L	2.0	EPA-8270C	ND		1
2,4-Dichlorophenol	ND	ug/L	2.0	EPA-8270C	ND		1
2,4-Dimethylphenol	ND	ug/L	2.0	EPA-8270C	ND		1
4,6-Dinitro-2-methylphenol	ND	ug/L	10	EPA-8270C	ND		1
2,4-Dinitrophenol	ND	ug/L	10	EPA-8270C	ND		1
2-Methylphenol	ND	ug/L	2.0	EPA-8270C	ND		1
3- & 4-Methylphenol	ND	ug/L	2.0	EPA-8270C	ND		1
2-Nitrophenol	ND	ug/L	2.0	EPA-8270C	ND		1
4-Nitrophenol	ND	ug/L	2.0	EPA-8270C	ND		1
Pentachlorophenol	ND	ug/L	10	EPA-8270C	ND		1
Phenol	ND	ug/L	2.0	EPA-8270C	ND		1
2,4,5-Trichlorophenol	ND	ug/L	5.0	EPA-8270C	ND		1
2,4,6-Trichlorophenol	ND	ug/L	5.0	EPA-8270C	ND		1
2-Fluorophenol (Surrogate)	17.2	%	28 - 85 (LCL - UCL)	EPA-8270C		S09	1
Phenol-d5 (Surrogate)	16.8	%	13 - 59 (LCL - UCL)	EPA-8270C			1
Nitrobenzene-d5 (Surrogate)	149	%	34 - 119 (LCL - UCL)	EPA-8270C		S09	1
2-Fluorobiphenyl (Surrogate)	101	%	24 - 128 (LCL - UCL)	EPA-8270C			1
2,4,6-Tribromophenol (Surrogate)	43.7	%	35 - 114 (LCL - UCL)	EPA-8270C			1
p-Terphenyl-d14 (Surrogate)	125	%	10 - 185 (LCL - UCL)	EPA-8270C			1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8270C	08/06/10	08/18/10 16:02	SKC	MS-B1	0.965	BTH0619

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Water Analysis (Metals)

BCL Sample ID: 1010701-03	Client Sample Name: 0752, MW-1, 8/3/2010 7:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Dissolved Cadmium	ND	ug/L	10	EPA-6010B	ND		1
Dissolved Chromium	ND	ug/L	10	EPA-6010B	ND		1
Dissolved Lead	ND	ug/L	50	EPA-6010B	ND		1
Dissolved Nickel	ND	ug/L	10	EPA-6010B	ND		1
Dissolved Zinc	ND	ug/L	10	EPA-6010B	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-6010B	08/07/10	08/09/10 17:39	ARD	PE-OP2	1	BTH0490



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

EDB/DBCP Analysis (EPA Method 504.1)

BCL Sample ID: 1010701-04	Client Sample Name: 0752, MW-4, 8/3/2010 8:02:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Ethylene dibromide	ND	ug/L	0.010	EPA-504.1	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-504.1	08/11/10	08/12/10 02:52	VH1	GC-4	0.995	BTH0772



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-04	Client Sample Name: 0752, MW-4, 8/3/2010 8:02:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	110	ug/L	1.0	EPA-8260	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	58	ug/L	50	Luft-GC/MS	ND	A90	1
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	94.1	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	91.6	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	98.4	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	98.0	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/09/10 13:08	KEA	MS-V12	1	BTH0503
2	EPA-8260	08/09/10	08/10/10 15:12	KEA	MS-V12	2	BTH0503

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-05	Client Sample Name: 0752, MW-6, 8/3/2010 8:20:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	2.0	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	ND	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	520	ug/L	5.0	EPA-8260	ND	A01	2
Toluene	ND	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	ND	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	480	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	95.7	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	95.4	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	98.3	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	99.6	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/09/10 12:50	KEA	MS-V12	1	BTH0503
2	EPA-8260	08/09/10	08/10/10 14:53	KEA	MS-V12	10	BTH0503

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

EDB/DBCP Analysis (EPA Method 504.1)

BCL Sample ID: 1010701-06	Client Sample Name: 0752, MW-5, 8/3/2010 8:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Ethylene dibromide	ND	ug/L	0.010	EPA-504.1	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-504.1	08/11/10	08/12/10 03:09	VH1	GC-4	1	BTH0772



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-06	Client Sample Name: 0752, MW-5, 8/3/2010 8:40:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	32	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	10	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	10	ug/L	0.50	EPA-8260	ND		1
Toluene	32	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	48	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	2200	ug/L	100	Luft-GC/MS	ND	A01	2
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	99.2	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	85.9	%	88 - 110 (LCL - UCL)	EPA-8260		S09	2
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/10/10 14:17	KEA	MS-V12	1	BTH0503
2	EPA-8260	08/09/10	08/09/10 12:32	KEA	MS-V12	2	BTH0503



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-07	Client Sample Name: 0752, MW-7, 8/3/2010 8:59:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	45	ug/L	0.50	EPA-8260	ND		1
1,2-Dibromoethane	ND	ug/L	0.50	EPA-8260	ND		1
1,2-Dichloroethane	ND	ug/L	0.50	EPA-8260	ND		1
Ethylbenzene	1.2	ug/L	0.50	EPA-8260	ND		1
Methyl t-butyl ether	290	ug/L	5.0	EPA-8260	ND	A01	2
Toluene	1.8	ug/L	0.50	EPA-8260	ND		1
Total Xylenes	1.7	ug/L	1.0	EPA-8260	ND		1
Total Purgeable Petroleum Hydrocarbons	240	ug/L	50	Luft-GC/MS	ND		1
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	94.8	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	92.8	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	98.2	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/10/10 15:30	KEA	MS-V12	1	BTH0503
2	EPA-8260	08/09/10	08/09/10 12:14	KEA	MS-V12	10	BTH0503



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

EDB/DBCP Analysis (EPA Method 504.1)

BCL Sample ID: 1010701-08	Client Sample Name: 0752, MW-3, 8/3/2010 9:20:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Ethylene dibromide	ND	ug/L	0.010	EPA-504.1	ND		1

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-504.1	08/11/10	08/12/10 03:26	VH1	GC-4	0.999	BTH0772



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 1010701-08	Client Sample Name: 0752, MW-3, 8/3/2010 9:20:00AM
----------------------------------	---

Constituent	Result	Units	PQL	Method	MB Bias	Lab Quals	Run #
Benzene	30	ug/L	12	EPA-8260	ND	A01	1
1,2-Dibromoethane	ND	ug/L	12	EPA-8260	ND	A01	1
1,2-Dichloroethane	ND	ug/L	12	EPA-8260	ND	A01	1
Ethylbenzene	ND	ug/L	12	EPA-8260	ND	A01	1
Methyl t-butyl ether	4600	ug/L	50	EPA-8260	ND	A01	2
Toluene	ND	ug/L	12	EPA-8260	ND	A01	1
Total Xylenes	ND	ug/L	25	EPA-8260	ND	A01	1
Total Purgeable Petroleum Hydrocarbons	2500	ug/L	1200	Luft-GC/MS	ND	A01	1
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)	EPA-8260			1
1,2-Dichloroethane-d4 (Surrogate)	102	%	76 - 114 (LCL - UCL)	EPA-8260			2
Toluene-d8 (Surrogate)	97.8	%	88 - 110 (LCL - UCL)	EPA-8260			1
Toluene-d8 (Surrogate)	98.3	%	88 - 110 (LCL - UCL)	EPA-8260			2
4-Bromofluorobenzene (Surrogate)	103	%	86 - 115 (LCL - UCL)	EPA-8260			1
4-Bromofluorobenzene (Surrogate)	97.4	%	86 - 115 (LCL - UCL)	EPA-8260			2

Run #	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID
1	EPA-8260	08/09/10	08/09/10 11:56	KEA	MS-V12	25	BTH0503
2	EPA-8260	08/09/10	08/10/10 14:35	KEA	MS-V12	100	BTH0503

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

EDB/DBCP Analysis (EPA Method 504.1)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BTH0772						
Ethylene dibromide	BTH0772-BLK1	ND	ug/L	0.010		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

EDB/DBCP Analysis (EPA Method 504.1)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab Quals
								Percent Recovery	RPD	
QC Batch ID: BTH0772										
Ethylene dibromide	BTH0772-BS1	LCS	0.40703	0.35714	ug/L	114		64	123	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

EDB/DBCP Analysis (EPA Method 504.1)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits		Lab Quals	
									RPD	Percent Recovery		
QC Batch ID: BTH0772		Used client sample: N										
Ethylene dibromide	MS	1009676-69	ND	0.40454	0.35714	ug/L		113			39 - 138	
	MSD	1009676-69	ND	0.40056	0.35714	ug/L	1.0	112	24		39 - 138	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BTH0503						
Benzene	BTH0503-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BTH0503-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BTH0503-BLK1	ND	ug/L	0.50		
Ethylbenzene	BTH0503-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BTH0503-BLK1	ND	ug/L	0.50		
Toluene	BTH0503-BLK1	ND	ug/L	0.50		
Total Xylenes	BTH0503-BLK1	ND	ug/L	1.0		
Total Purgeable Petroleum Hydrocarbons	BTH0503-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BTH0503-BLK1	104	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BTH0503-BLK1	100	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BTH0503-BLK1	98.6	%	86 - 115 (LCL - UCL)		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab Quals
								Percent Recovery	RPD	
QC Batch ID: BTH0503										
Benzene	BTH0503-BS1	LCS	25.400	25.000	ug/L	102		70 - 130		
Toluene	BTH0503-BS1	LCS	23.160	25.000	ug/L	92.6		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BTH0503-BS1	LCS	9.9200	10.000	ug/L	99.2		76 - 114		
Toluene-d8 (Surrogate)	BTH0503-BS1	LCS	9.9000	10.000	ug/L	99.0		88 - 110		
4-Bromofluorobenzene (Surrogate)	BTH0503-BS1	LCS	9.8100	10.000	ug/L	98.1		86 - 115		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits		Lab Quals
									RPD	Percent Recovery	
QC Batch ID: BTH0503		Used client sample: N									
Benzene	MS	1009676-77	ND	27.280	25.000	ug/L		109		70 - 130	
	MSD	1009676-77	ND	29.090	25.000	ug/L	6.4	116	20	70 - 130	
Toluene	MS	1009676-77	ND	26.850	25.000	ug/L		107		70 - 130	
	MSD	1009676-77	ND	28.680	25.000	ug/L	6.6	115	20	70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	MS	1009676-77	ND	10.000	10.000	ug/L		100		76 - 114	
	MSD	1009676-77	ND	10.090	10.000	ug/L		101		76 - 114	
Toluene-d8 (Surrogate)	MS	1009676-77	ND	10.030	10.000	ug/L		100		88 - 110	
	MSD	1009676-77	ND	10.170	10.000	ug/L		102		88 - 110	
4-Bromofluorobenzene (Surrogate)	MS	1009676-77	ND	9.7800	10.000	ug/L		97.8		86 - 115	
	MSD	1009676-77	ND	9.8300	10.000	ug/L		98.3		86 - 115	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BTH0619						
Acenaphthene	BTH0619-BLK1	ND	ug/L	2.0		
Acenaphthylene	BTH0619-BLK1	ND	ug/L	2.0		
Aldrin	BTH0619-BLK1	ND	ug/L	2.0		
Aniline	BTH0619-BLK1	ND	ug/L	5.0		
Anthracene	BTH0619-BLK1	ND	ug/L	2.0		
Benzidine	BTH0619-BLK1	ND	ug/L	20		
Benzo[a]anthracene	BTH0619-BLK1	ND	ug/L	2.0		
Benzo[b]fluoranthene	BTH0619-BLK1	ND	ug/L	2.0		
Benzo[k]fluoranthene	BTH0619-BLK1	ND	ug/L	2.0		
Benzo[a]pyrene	BTH0619-BLK1	ND	ug/L	2.0		
Benzo[g,h,i]perylene	BTH0619-BLK1	ND	ug/L	2.0		
Benzoic acid	BTH0619-BLK1	ND	ug/L	10		
Benzyl alcohol	BTH0619-BLK1	ND	ug/L	2.0		
Benzyl butyl phthalate	BTH0619-BLK1	ND	ug/L	2.0		
alpha-BHC	BTH0619-BLK1	ND	ug/L	2.0		
beta-BHC	BTH0619-BLK1	ND	ug/L	2.0		
delta-BHC	BTH0619-BLK1	ND	ug/L	2.0		
gamma-BHC (Lindane)	BTH0619-BLK1	ND	ug/L	2.0		
bis(2-Chloroethoxy)methane	BTH0619-BLK1	ND	ug/L	2.0		
bis(2-Chloroethyl) ether	BTH0619-BLK1	ND	ug/L	2.0		
bis(2-Chloroisopropyl)ether	BTH0619-BLK1	ND	ug/L	2.0		
bis(2-Ethylhexyl)phthalate	BTH0619-BLK1	ND	ug/L	5.0		
4-Bromophenyl phenyl ether	BTH0619-BLK1	ND	ug/L	2.0		
4-Chloroaniline	BTH0619-BLK1	ND	ug/L	2.0		
2-Chloronaphthalene	BTH0619-BLK1	ND	ug/L	2.0		
4-Chlorophenyl phenyl ether	BTH0619-BLK1	ND	ug/L	2.0		
Chrysene	BTH0619-BLK1	ND	ug/L	2.0		
4,4'-DDD	BTH0619-BLK1	ND	ug/L	2.0		
4,4'-DDE	BTH0619-BLK1	ND	ug/L	3.0		
4,4'-DDT	BTH0619-BLK1	ND	ug/L	2.0		
Dibenzo[a,h]anthracene	BTH0619-BLK1	ND	ug/L	3.0		
Dibenzofuran	BTH0619-BLK1	ND	ug/L	2.0		
1,2-Dichlorobenzene	BTH0619-BLK1	ND	ug/L	2.0		
1,3-Dichlorobenzene	BTH0619-BLK1	ND	ug/L	2.0		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BTH0619						
1,4-Dichlorobenzene	BTH0619-BLK1	ND	ug/L	2.0		
3,3-Dichlorobenzidine	BTH0619-BLK1	ND	ug/L	10		
Dieldrin	BTH0619-BLK1	ND	ug/L	3.0		
Diethyl phthalate	BTH0619-BLK1	ND	ug/L	2.0		
Dimethyl phthalate	BTH0619-BLK1	ND	ug/L	2.0		
Di-n-butyl phthalate	BTH0619-BLK1	ND	ug/L	2.0		
2,4-Dinitrotoluene	BTH0619-BLK1	ND	ug/L	2.0		
2,6-Dinitrotoluene	BTH0619-BLK1	ND	ug/L	2.0		
Di-n-octyl phthalate	BTH0619-BLK1	ND	ug/L	2.0		
1,2-Diphenylhydrazine	BTH0619-BLK1	ND	ug/L	2.0		
Endosulfan I	BTH0619-BLK1	ND	ug/L	10		
Endosulfan II	BTH0619-BLK1	ND	ug/L	10		
Endosulfan sulfate	BTH0619-BLK1	ND	ug/L	3.0		
Endrin	BTH0619-BLK1	ND	ug/L	2.0		
Endrin aldehyde	BTH0619-BLK1	ND	ug/L	10		
Fluoranthene	BTH0619-BLK1	ND	ug/L	2.0		
Fluorene	BTH0619-BLK1	ND	ug/L	2.0		
Heptachlor	BTH0619-BLK1	ND	ug/L	2.0		
Heptachlor epoxide	BTH0619-BLK1	ND	ug/L	2.0		
Hexachlorobenzene	BTH0619-BLK1	ND	ug/L	2.0		
Hexachlorobutadiene	BTH0619-BLK1	ND	ug/L	2.0		
Hexachlorocyclopentadiene	BTH0619-BLK1	ND	ug/L	2.0		
Hexachloroethane	BTH0619-BLK1	ND	ug/L	2.0		
Indeno[1,2,3-cd]pyrene	BTH0619-BLK1	ND	ug/L	2.0		
Isophorone	BTH0619-BLK1	ND	ug/L	2.0		
2-Methylnaphthalene	BTH0619-BLK1	ND	ug/L	2.0		
Naphthalene	BTH0619-BLK1	ND	ug/L	2.0		
2-Naphthylamine	BTH0619-BLK1	ND	ug/L	20		
2-Nitroaniline	BTH0619-BLK1	ND	ug/L	2.0		
3-Nitroaniline	BTH0619-BLK1	ND	ug/L	2.0		
4-Nitroaniline	BTH0619-BLK1	ND	ug/L	5.0		
Nitrobenzene	BTH0619-BLK1	ND	ug/L	2.0		
N-Nitrosodimethylamine	BTH0619-BLK1	ND	ug/L	2.0		
N-Nitrosodi-N-propylamine	BTH0619-BLK1	ND	ug/L	2.0		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BTH0619						
N-Nitrosodiphenylamine	BTH0619-BLK1	ND	ug/L	2.0		
Phenanthrene	BTH0619-BLK1	ND	ug/L	2.0		
Pyrene	BTH0619-BLK1	ND	ug/L	2.0		
1,2,4-Trichlorobenzene	BTH0619-BLK1	ND	ug/L	2.0		
4-Chloro-3-methylphenol	BTH0619-BLK1	ND	ug/L	5.0		
2-Chlorophenol	BTH0619-BLK1	ND	ug/L	2.0		
2,4-Dichlorophenol	BTH0619-BLK1	ND	ug/L	2.0		
2,4-Dimethylphenol	BTH0619-BLK1	ND	ug/L	2.0		
4,6-Dinitro-2-methylphenol	BTH0619-BLK1	ND	ug/L	10		
2,4-Dinitrophenol	BTH0619-BLK1	ND	ug/L	10		
2-Methylphenol	BTH0619-BLK1	ND	ug/L	2.0		
3- & 4-Methylphenol	BTH0619-BLK1	ND	ug/L	2.0		
2-Nitrophenol	BTH0619-BLK1	ND	ug/L	2.0		
4-Nitrophenol	BTH0619-BLK1	ND	ug/L	2.0		
Pentachlorophenol	BTH0619-BLK1	ND	ug/L	10		
Phenol	BTH0619-BLK1	ND	ug/L	2.0		
2,4,5-Trichlorophenol	BTH0619-BLK1	ND	ug/L	5.0		
2,4,6-Trichlorophenol	BTH0619-BLK1	ND	ug/L	5.0		
2-Fluorophenol (Surrogate)	BTH0619-BLK1	49.5	%	28 - 85 (LCL - UCL)		
Phenol-d5 (Surrogate)	BTH0619-BLK1	53.3	%	13 - 59 (LCL - UCL)		
Nitrobenzene-d5 (Surrogate)	BTH0619-BLK1	149	%	34 - 119 (LCL - UCL)		S09
2-Fluorobiphenyl (Surrogate)	BTH0619-BLK1	96.2	%	24 - 128 (LCL - UCL)		
2,4,6-Tribromophenol (Surrogate)	BTH0619-BLK1	80.9	%	35 - 114 (LCL - UCL)		
p-Terphenyl-d14 (Surrogate)	BTH0619-BLK1	142	%	10 - 185 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	Control Limits		Lab Quals
							RPD	Percent Recovery	
QC Batch ID: BTH0619									
Acenaphthene	BTH0619-BS1	LCS	52.576	50.000	ug/L	105	63 - 128		
1,4-Dichlorobenzene	BTH0619-BS1	LCS	35.807	50.000	ug/L	71.6	72 - 112		L01
2,4-Dinitrotoluene	BTH0619-BS1	LCS	43.325	50.000	ug/L	86.6	45 - 136		
Hexachlorobenzene	BTH0619-BS1	LCS	51.382	50.000	ug/L	103	71 - 130		
Hexachlorobutadiene	BTH0619-BS1	LCS	22.113	50.000	ug/L	44.2	56 - 106		L01
Hexachloroethane	BTH0619-BS1	LCS	36.102	50.000	ug/L	72.2	58 - 116		
Nitrobenzene	BTH0619-BS1	LCS	57.626	50.000	ug/L	115	59 - 119		
N-Nitrosodi-N-propylamine	BTH0619-BS1	LCS	55.983	50.000	ug/L	112	47 - 112		
Pyrene	BTH0619-BS1	LCS	67.282	50.000	ug/L	135	26 - 167		
1,2,4-Trichlorobenzene	BTH0619-BS1	LCS	34.803	50.000	ug/L	69.6	64 - 116		
4-Chloro-3-methylphenol	BTH0619-BS1	LCS	42.842	50.000	ug/L	85.7	52 - 123		
2-Chlorophenol	BTH0619-BS1	LCS	39.504	50.000	ug/L	79.0	62 - 106		
2-Methylphenol	BTH0619-BS1	LCS	40.100	50.000	ug/L	80.2	39 - 119		
3- & 4-Methylphenol	BTH0619-BS1	LCS	69.990	100.00	ug/L	70.0	40 - 94		
4-Nitrophenol	BTH0619-BS1	LCS	14.370	50.000	ug/L	28.7	18 - 64		
Pentachlorophenol	BTH0619-BS1	LCS	32.306	50.000	ug/L	64.6	38 - 144		
Phenol	BTH0619-BS1	LCS	22.027	50.000	ug/L	44.1	22 - 60		
2,4,6-Trichlorophenol	BTH0619-BS1	LCS	40.391	50.000	ug/L	80.8	60 - 127		
2-Fluorophenol (Surrogate)	BTH0619-BS1	LCS	38.480	80.000	ug/L	48.1	28 - 85		
Phenol-d5 (Surrogate)	BTH0619-BS1	LCS	37.185	80.000	ug/L	46.5	13 - 59		
Nitrobenzene-d5 (Surrogate)	BTH0619-BS1	LCS	108.06	80.000	ug/L	135	34 - 119		S09
2-Fluorobiphenyl (Surrogate)	BTH0619-BS1	LCS	81.395	80.000	ug/L	102	24 - 128		
2,4,6-Tribromophenol (Surrogate)	BTH0619-BS1	LCS	73.565	80.000	ug/L	92.0	35 - 114		
p-Terphenyl-d14 (Surrogate)	BTH0619-BS1	LCS	54.959	40.000	ug/L	137	10 - 185		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Precision & Accuracy

Table with columns: Constituent, Type, Source Sample ID, Source Result, Result, Spike Added, Units, RPD, Percent Recovery, Control Limits RPD, Control Limits Percent Recovery, Lab Quals. Includes QC Batch ID: BTH0619 and Used client sample: N.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits		Lab Quals
									RPD	Percent Recovery	
QC Batch ID: BTH0619		Used client sample: N									
2-Fluorophenol (Surrogate)	MS	1009676-61	ND	41.621	80.000	ug/L		52.0		28 - 85	
	MSD	1009676-61	ND	41.311	80.000	ug/L		51.6		28 - 85	
Phenol-d5 (Surrogate)	MS	1009676-61	ND	39.213	80.000	ug/L		49.0		13 - 59	
	MSD	1009676-61	ND	38.249	80.000	ug/L		47.8		13 - 59	
Nitrobenzene-d5 (Surrogate)	MS	1009676-61	ND	115.75	80.000	ug/L		145		34 - 119	S09
	MSD	1009676-61	ND	114.51	80.000	ug/L		143		34 - 119	S09
2-Fluorobiphenyl (Surrogate)	MS	1009676-61	ND	82.623	80.000	ug/L		103		24 - 128	
	MSD	1009676-61	ND	86.305	80.000	ug/L		108		24 - 128	
2,4,6-Tribromophenol (Surrogate)	MS	1009676-61	ND	75.308	80.000	ug/L		94.1		35 - 114	
	MSD	1009676-61	ND	77.263	80.000	ug/L		96.6		35 - 114	
p-Terphenyl-d14 (Surrogate)	MS	1009676-61	ND	60.225	40.000	ug/L		151		10 - 185	
	MSD	1009676-61	ND	56.188	40.000	ug/L		140		10 - 185	



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Water Analysis (Metals)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: BTH0490						
Dissolved Cadmium	BTH0490-BLK1	ND	ug/L	10		
Dissolved Chromium	BTH0490-BLK1	ND	ug/L	10		
Dissolved Lead	BTH0490-BLK1	ND	ug/L	50		
Dissolved Nickel	BTH0490-BLK1	ND	ug/L	10		
Dissolved Zinc	BTH0490-BLK1	ND	ug/L	10		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Water Analysis (Metals)

Quality Control Report - Laboratory Control Sample

Constituent	QC Sample ID	Type	Result	Spike Level	Units	Percent Recovery	RPD	Control Limits		Lab Quals
								Percent Recovery	RPD	
QC Batch ID: BTH0490										
Dissolved Cadmium	BTH0490-BS1	LCS	200.76	200.00	ug/L	100		85 - 115		
Dissolved Chromium	BTH0490-BS1	LCS	202.23	200.00	ug/L	101		85 - 115		
Dissolved Lead	BTH0490-BS1	LCS	422.11	400.00	ug/L	106		85 - 115		
Dissolved Nickel	BTH0490-BS1	LCS	414.48	400.00	ug/L	104		85 - 115		
Dissolved Zinc	BTH0490-BS1	LCS	511.68	500.00	ug/L	102		85 - 115		



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Water Analysis (Metals)

Quality Control Report - Precision & Accuracy

Constituent	Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits		Lab Quads
									RPD	Percent Recovery	
QC Batch ID: BTH0490		Used client sample: N									
Dissolved Cadmium	DUP	1010668-01	ND	ND		ug/L			20		
	MS	1010668-01	ND	208.37	204.08	ug/L		102		75 - 125	
	MSD	1010668-01	ND	211.46	204.08	ug/L	1.5	104	20	75 - 125	
Dissolved Chromium	DUP	1010668-01	8.9234	ND		ug/L			20		
	MS	1010668-01	8.9234	211.27	204.08	ug/L		99.2		75 - 125	
	MSD	1010668-01	8.9234	214.81	204.08	ug/L	1.7	101	20	75 - 125	
Dissolved Lead	DUP	1010668-01	ND	ND		ug/L			20		
	MS	1010668-01	ND	420.11	408.16	ug/L		103		75 - 125	
	MSD	1010668-01	ND	417.77	408.16	ug/L	0.6	102	20	75 - 125	
Dissolved Nickel	DUP	1010668-01	1.9936	ND		ug/L			20		
	MS	1010668-01	1.9936	415.77	408.16	ug/L		101		75 - 125	
	MSD	1010668-01	1.9936	425.12	408.16	ug/L	2.2	104	20	75 - 125	
Dissolved Zinc	DUP	1010668-01	ND	ND		ug/L			20		
	MS	1010668-01	ND	528.98	510.20	ug/L		104		75 - 125	
	MSD	1010668-01	ND	539.47	510.20	ug/L	2.0	106	20	75 - 125	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
123 Technology Drive
Irvine, CA 92618

Reported: 08/19/2010 12:31
Project: 0752
Project Number: 4512860375
Project Manager: Anju Farfan

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.
- A90 TPPH does not exhibit a "gasoline" pattern. TPPH is entirely due to MTBE.
- L01 The Laboratory Control Sample Water (LCSW) recovery is not within laboratory established control limits.
- Q03 Matrix spike recovery(s) is(are) not within the control limits.
- S09 The surrogate recovery on the sample for this compound was not within the control limits.

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring wells is accumulated at TRC's groundwater monitoring field office at Concord, California, for transportation by a licensed carrier to an authorized disposal facility. Currently, non-hazardous purge water is transported under a bulk non-hazardous waste manifest to Crosby and Overton, Inc. in Long Beach, California.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.

ATTACHMENT 2
ASE'S GROUNDWATER SAMPLING DATA REPORT
Quarterly Status Summary Report – Third Quarter 2010
800, 726, and 706 Harrison Street
Oakland, California



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

September 10, 2010

GROUNDWATER SAMPLING DATA REPORT
AUGUST GROUNDWATER SAMPLING
ASE JOB NO. 3412

at
Yee Property
726 Harrison Street
Oakland, CA 94602

Prepared by:
AQUA SCIENCE ENGINEERS, INC.
55 Oak Court, Suite 220
Danville, CA 94526
(925) 820-9391



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

1.0 INTRODUCTION

Site Location (Site), See Figure 1

Yee Property
(Previously Former Chan's Shell Station)
726 Harrison Street
Oakland, CA 94602
(510) 444-6583

Responsible Party

Peter Yee
1000 San Antonio Avenue
Alameda, CA 94501

Environmental Consulting Firm

Aqua Science Engineers, Inc. (ASE)
55 Oak Court, Suite 220
Danville, CA 94526
Contact: Robert Kitay, Senior Geologist
(925) 820-9391

Agency Review

Alameda County Health
Care Services Agency (ACHCSA)
1131 Harbor Bay Pkwy
Suite 250
Alameda, CA 94502
Contact: Mr. Steven Plunkett
(510) 567-6700

The following is a report detailing the August 2010 groundwater sampling at the Yee Property, previously referred to as the former Chan's Shell Station. This sampling was conducted as required by the ACHCSA and RWQCB. ASE has prepared this report on behalf of Peter Yee, the current responsible party, who purchased the property from Kin Chan. This report is intended to supplement the ASE report: "Report of Soil and Groundwater Assessment" dated January 8, 1999. At the request of the ACHCSA, one report is to be submitted for the three properties with comingled plumes: Yee property, the adjacent property former ARCO Station located at 706 Harrison Street, and the operating 76 Station located at 800 Harrison Street. A full report will be written by Stantec Consulting Corporation. This report only provides a description of the sampling and data collected at the Yee property.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

2.0 GROUNDWATER FLOW DIRECTION AND GRADIENT

On August 3, 2010, ASE measured the depth to groundwater in all five site monitoring wells using an electric water level sounder. The surface of the groundwater was also checked for the presence of free-floating hydrocarbons or sheen. No free-floating hydrocarbons were observed in any site well. ASE coordinated this groundwater sampling with Conestoga-Rovers and Associates, Inc., (CRA), who is investigating the adjacent property located at 706 Harrison Street, referred to in this report as the former ARCO station and Stantec Consulting Corporation, who is investigating the 76 Station located at 800 Harrison Street. Groundwater elevation data for the Yee property is presented in Table One.

3.0 GROUNDWATER SAMPLE COLLECTION

On August 3, 2010, ASE collected groundwater samples from monitoring wells MW-1 through MW-5. Prior to sampling, each well was purged of three well casing volumes of groundwater using disposable polyethylene bailers. The parameters pH, temperature and conductivity were monitored during the well purging, and samples were not collected until these parameters stabilized. Groundwater samples were collected from each well using disposable polyethylene bailers and were decanted from the bottom of the bailers using low-flow emptying devices into 40-ml volatile organic analysis (VOA) vials, pre-preserved with hydrochloric acid. The samples were capped without headspace, labeled, and placed in coolers with wet ice for transport to Kiff Analytical, LLC, (KIFF) of Davis, California under appropriate chain-of-custody documentation. Well sampling field logs are presented in Appendix A. Well sampling purge water was contained in a sealed and labeled 55-gallon steel drum and is being currently stored on-site until off-site disposal can be arranged. See Appendix A for copies of the well sampling field logs.

4.0 GROUNDWATER SAMPLING ANALYSIS

All groundwater samples were analyzed by KIFF for total petroleum hydrocarbons as gasoline (TPH-G), benzene, toluene, ethylbenzene and total xylenes (collectively known as BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8260B. The analytical results for this and previous sampling periods are presented in Table Two. In addition, groundwater samples from monitoring well MW-2 were also analyzed for dissolved cadmium, chromium, lead, nickel and zinc by EPA Method 6010B and semi-volatile organic compounds (SVOCs) by EPA Method 8270C. The SVOC analysis was subcontracted from KIFF to Calscience Environmental Laboratories, Inc. of Garden Grove, California. The analytical results for the metals and SVOCs are presented in Table Three. The certified analytical report and chain-of-custody documentation are included as Appendix B. All data interpretation will be provided in the report prepared by Stantec Consulting Corporation for all three properties in the comingled plume.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

6.0 REPORT LIMITATIONS

The results presented in this report represent conditions at the time of the groundwater sampling, at the specific locations where the groundwater samples were collected, and for the specific parameters analyzed by the laboratory. It does not fully characterize the site for contamination resulting from sources other than the former underground storage tanks and associated plumbing at the site, or for parameters not analyzed by the laboratory. All of the laboratory work cited in this report was prepared under the direction of an independent CAL-DHS certified laboratory. The independent laboratory is solely responsible for the contents and conclusions of the chemical analysis data.

Aqua Science Engineers appreciates the opportunity to provide environmental consulting services for this project, and trust that this report meets your needs. Please feel free to call us at (925) 820-9391 if you have any questions or comments.

Respectfully submitted,

AQUA SCIENCE ENGINEERS, INC.

A handwritten signature in black ink, appearing to read 'Robert E. Kitay', is written over a light blue grid background.



Robert E. Kitay, P.G., R.E.A.
Senior Geologist

Attachments: Figures 1 and 2
Appendices A and B

cc: Ms. Laura Shook, Stantec Consulting Corporation
Mr. Bob Foss, Conestoga-Rovers and Associates, Inc.
Mr. Steven Plunkett, Alameda County Health Care Services Agency
RWQCB, San Francisco Bay Region via Geotracker



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

FIGURES

8TH STREET



NORTH


SCALE

1" = 30'

Unocal
MW-7


Unocal
MW-8

SUBJECT PROPERTY



HARRISON STREET

FORMER
USTS/
OVEREXCAVATIONS



LEGEND



MW-1 ASE Monitoring Well



MW-1 Former ARCO Monitoring Well

SIDEWALK

ARCO
MW-7



7TH STREET

ARCO
MW-6



ARCO
MW-5



MONITORING WELL
LOCATION MAP

YEE PROPERTY
726 HARRISON STREET
OAKLAND, CALIFORNIA

AQUA SCIENCE ENGINEERS

Figure 2



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

TABLES

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-1	12/15/98	31.95*	17.32	14.63
	3/4/99		15.52	16.43
	6/17/99		16.9	15.05
	8/27/99		17.39	14.56
	12/9/99		18.03	13.92
	3/7/00		15.11	16.84
	6/7/00		16.66	15.29
	10/11/00		18.08	13.87
	1/18/01		17.96	13.99
	4/5/01		16.35	15.60
	7/17/01		16.94	15.01
	10/5/01	28.98	17.35	11.63
	1/18/02		15.40	13.58
	4/11/02		15.76	13.22
	7/18/02		16.17	12.81
	10/9/02		16.72	12.26
	1/29/03		16.26	12.72
	4/11/03		16.56	12.42
	7/18/03		16.42	12.56
	10/9/03		16.88	12.10
	1/28/04		16.10	12.88
	4/7/04		15.43	13.55
	7/23/04		16.41	12.57
	10/12/04		17.73	11.25
	1/29/05		15.02	13.96
	4/28/05		14.99	13.99
	7/19/05		16.36	12.62
	10/18/05		17.82	11.16
	1/23/06		15.80	13.18
	4/12/06		13.24	15.74
	7/10/06		15.64	13.34
	10/16/06		17.51	11.47
	1/26/07		18.36	10.62
	4/18/07		17.79	11.19
	8/2/07		18.20	10.78
	10/23/07		18.75	10.23
	1/30/08		17.90	11.08
	4/18/08		18.21	10.77
	7/28/08		18.85	10.13
	10/29/08		19.24	9.74
1/26/09		19.17	9.81	
8/3/09	31.98	18.62	13.36	
1/25/10		18.26	13.72	
8/3/10			18.13	13.85

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)	
MW-2	12/15/98	32.40*	18.03	14.37	
	3/4/99		16.11	16.29	
	6/17/99		17.72	14.68	
	8/27/99			Inaccessible	
	12/9/99			Inaccessible	
	3/7/00			Inaccessible	
	6/7/00			17.67	14.73
	10/11/00			18.91	13.49
	1/18/01			18.66	13.74
	4/5/01			16.97	15.43
	7/17/01		17.54	14.86	
	10/5/01	29.44	17.98	11.46	
	1/18/02		15.87	13.57	
	4/11/02		16.36	13.08	
	7/18/02		16.72	12.72	
	10/9/02		17.33	12.11	
	1/29/03		16.82	12.62	
	4/11/03		17.15	12.29	
	7/18/03		17.05	12.39	
	10/9/03		17.52	11.92	
	1/28/04		16.70	12.74	
	4/7/04	16.02	13.42		
	7/23/04		Inaccessible		
	10/12/04		17.31	12.13	
	1/29/05		15.46	13.98	
	4/28/05		15.79	13.65	
	7/19/05		17.25	12.19	
	10/18/05		17.72	11.72	
	1/23/05		15.65	13.79	
	4/12/06		12.33	17.11	
	7/10/06		16.58	12.86	
	10/16/06		18.33	11.11	
	1/26/07		19.21	10.23	
	4/18/07		18.58	10.86	
	8/2/07		19.02	10.42	
	10/23/07			Inaccessible	
	1/30/08		18.63	10.81	
	4/18/08		19.04	10.40	
	7/28/08			Inaccessible	
	10/29/08		20.01	9.43	
1/26/09		19.84	9.60		
8/3/09	32.44	19.39	13.05		
1/25/10		18.67	13.77		
8/3/10		18.84	13.60		

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)	
MW-3	12/15/98	31.61*	17.26	14.35	
	3/4/99		15.47	16.14	
	6/17/99		16.92	14.69	
	8/27/99		17.40	14.21	
	12/9/99		18.01	13.60	
	3/7/00		16.15	15.46	
	6/7/00		16.85	14.76	
	10/11/00		18.07	13.54	
	1/18/01		17.89	13.72	
	4/5/01		16.21	15.40	
	7/17/01		16.90	14.71	
	10/5/01		28.64	17.32	11.32
	1/18/02			15.35	13.29
	4/11/02			15.82	12.82
	7/18/02			16.15	12.49
	10/9/02			16.67	11.97
	1/29/03			16.19	12.45
	4/11/03			16.49	12.15
	7/18/03	16.42		12.22	
	10/9/03	16.80		11.84	
	1/28/03	15.94		12.70	
	4/7/04	15.28		13.36	
	7/23/04	16.15		12.49	
	10/12/04	16.63	12.01		
	1/29/05	16.15	12.49		
	4/28/05	14.94	13.70		
	7/19/05	16.25	12.39		
	10/18/05	16.76	11.88		
	1/23/06	15.81	12.83		
	4/12/06	13.22	15.42		
	7/10/06	15.49	13.15		
	10/16/06	17.46	11.18		
	1/26/07	18.02	10.62		
	4/18/07	17.75	10.89		
	8/2/07	18.38	10.26		
	10/23/07	19.61	9.03		
	1/30/08	17.65	10.99		
	4/18/08	18.08	10.56		
	7/28/08	18.77	9.87		
	10/29/08	19.14	9.50		
1/26/09	19.06	9.58			
8/3/09	31.64	18.51	13.13		
1/25/10		18.02	13.62		
8/3/10		18.06	13.58		

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-4	12/15/98	32.53*	17.59	14.94
	3/4/99		15.88	16.65
	6/17/99		17.14	15.39
	8/27/99		17.65	14.88
	12/9/99		18.28	14.25
	3/7/00		15.41	17.12
	6/7/00		17.09	15.44
	10/11/00		18.33	14.20
	1/18/01		18.23	14.30
	4/5/01		16.69	15.84
	7/17/01	17.32	15.21	
	10/5/01	29.58	17.71	11.87
	1/18/02		15.85	13.73
	4/11/02		16.14	13.44
	7/18/02		16.56	13.02
	10/9/02		17.09	12.49
	1/29/03		16.65	12.93
	4/11/03		16.93	12.65
	7/18/03		16.78	12.80
	10/9/03		17.26	12.32
	1/28/04		16.38	13.20
	4/7/04	15.64	13.94	
	7/23/04	16.58	13.00	
	10/12/04		Inaccessible	
	1/29/05		14.90	14.68
	4/28/05		15.18	14.40
	7/19/05		16.48	13.10
	10/18/05		16.99	12.59
	1/23/06		15.09	14.49
	4/12/06		13.49	16.09
	7/10/06		14.99	14.59
	10/16/06		17.29	12.29
	1/26/07		18.17	11.41
	4/18/07		18.06	11.52
	8/2/07		18.45	11.13
	10/23/07		18.99	10.59
1/30/08		18.14	11.44	
4/18/08		18.49	11.09	
7/28/08		19.15	10.43	
10/29/08		19.53	10.05	
1/26/09		19.52	10.06	
8/3/09	32.56	18.91	13.65	
1/25/10		18.51	14.05	
8/3/10		18.45	14.11	

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

Well ID	Date of Measurement	Top of Casing Elevation (Relative to Mean Sea Level)	Depth to Water (feet)	Groundwater Elevation (project data)
MW-5	8/29/01	29.06	17.42	11.64
	1/18/02		15.68	13.38
	4/11/02		16.17	12.89
	7/18/02		16.51	12.55
	10/9/02		17.10	11.96
	1/29/03		16.58	12.48
	4/11/03		16.87	12.19
	7/18/03		16.77	12.29
	10/9/03		17.21	11.85
	1/28/04		16.34	12.72
	4/7/04		15.38	13.68
	7/23/04		16.55	12.51
	10/12/04		17.02	12.04
	1/29/05		15.23	13.83
	4/28/05		15.41	13.65
	7/19/05		16.79	12.27
	10/18/05		17.28	11.78
	1/23/06		15.28	13.78
	4/12/06		13.66	15.40
	7/10/06		16.14	12.92
	10/16/06	19.33	9.73	
	1/26/07	18.94	10.12	
	4/18/07	18.21	10.85	
	8/2/07	19.00	10.06	
	10/23/07	19.15	9.91	
	1/30/08	18.21	10.85	
	4/18/08	18.61	10.45	
	7/28/08	19.23	9.83	
	10/29/08	19.62	9.44	
	1/26/09	19.51	9.55	
8/3/09	32.06	19.00	13.06	
1/25/10		18.43	13.63	
8/3/10		18.50	13.56	

* Top of casing elevation relative to arbitrary project datum

TABLE TWO
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
MW-1						
7/3/97	18,000	2,700	350	450	900	7,400
12/5/98	18,000	1,500	270	260	560	14,000
3/4/99	44,000	2,800	400	440	960	43,000
6/17/99	33,000	2,200	250	460	660	25,000
8/27/99	6,000	1,000	97	190	230	14,000/ 16,000*
12/9/99	15,000	1,500	160	220	420	17,000
3/7/00	9,300	1,500	210	66	530	12,000
6/7/00	26,000**	1,700	< 250	360	580	30,000
10/11/00	13,000**	1,600	< 100	140	160	19,000
1/18/01	14,000**	450	< 100	110	230	9,600
4/5/01	38,000	2,200	180	290	590	35,000
7/17/01	35,000**	1,800	< 100	300	170	35,000
10/5/01	17,000	1,500	210	420	790	27,000
1/18/02	18,000	1,500	120	160	220	22,000
4/11/02	41,000	2,700	210	340	380	30,000
7/8/02	36,000	2,800	140	360	300	31,000
10/9/02	30,000	1,700	310	< 100	< 100	19,000
1/29/03	26,000	2,400	< 100	310	520	20,000
4/11/03	22,000	1,700	< 100	270	580	16,000
7/18/03	40,000	3,200	290	480	830	39,000
10/9/03	54,000**	3,300	< 130	350	310	49,000
1/28/04	26,000***	3,000	310	420	800	31,000
4/7/04	33,000***	2,800	130	310	310	39,000
7/23/04	56,000***	4,500	< 250	390	< 500	53,000
10/12/04	25,000***	1,400	< 250	< 250	< 500	25,000
1/29/05	24,000	1,600	< 100	160	< 200	19,000
4/28/05	< 10,000	2,000	< 100	160	100	34,000
7/19/05	37,000	2,100	83	210	230	28,000
10/18/05	37,000	1,300	< 250	< 250	< 250	23,000
1/24/06	23,000	780	< 100	160	260	11,000
4/12/06	11,000	1,500	87	360	670	17,000
7/10/06	72,000	4,700	< 250	350	< 500	66,000
10/16/06	26,000	1,600	< 250	330	< 500	22,000
1/26/07	7,200	1,500	< 70	140	96	34,000
4/18/07	5,400	1,100	< 50	200	120	21,000
8/2/07	6,600	1,500	64	240	190	32,000
10/23/07	5,900	1,300	52	200	180	28,000
1/30/08	2,700	300	21	64	90	5,200
4/18/08	3,800	930	41	110	130	15,000
7/28/08	6,000	900	52	140	160	10,000
10/29/08	7,300	1,700	74	140	220	17,000
1/26/09	4,900	720	48	140	180	6,300
8/3/09	4,000	870	44	110	120	13,000
1/25/10	3,200	360	26	82	86	3,000
8/3/10	3,800	560	27	97	92	8,600

TABLE TWO
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
MW-2						
12/5/98	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
3/4/99	Inaccessible due to car parked over well					
6/17/99	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
8/27/99	Inaccessible due to car parked over well					
12/9/99	Inaccessible due to car parked over well					
3/7/00	Inaccessible due to car parked over well					
6/7/00	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
10/11/00	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
1/18/01	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
4/5/01	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0
7/17/01	No longer sampled					
7/10/06	< 50	< 0.50	< 0.50	< 0.50	< 1.0	4.5
10/16/07	< 50	< 0.50	< 0.50	< 0.50	< 1.0	< 0.5
1/26/07	< 50	0.55	1.0	< 0.50	1.4	0.97
4/18/07	< 50	1.5	2.6	0.93	3.2	0.64
8/2/07	< 50	< 0.50	< 0.50	< 0.50	< 0.50	2.2
10/23/07	Inaccessible due to car parked over well					
1/30/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	300
4/18/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	40
7/28/08	Inaccessible due to car parked over well					
10/29/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	300
1/26/09	< 50	< 0.50	< 0.50	< 0.50	< 0.50	120
8/3/09	< 50	< 0.50	< 0.50	< 0.50	< 0.50	1.0
1/25/10	< 50	< 0.50	< 0.50	< 0.50	< 0.50	12
8/3/10	< 50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50

TABLE TWO
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
MW-3						
12/5/98	6,500	< 50	50	60	502	3,900
3/4/99	2,800	< 25	< 25	< 25	< 25	1,600
6/17/99	1,000	< 10	< 10	< 10	< 10	1,400
8/27/99	230	< 0.5	0.51	0.5	1	1,500/ 1,600*
12/9/99	870**	< 0.5	< 0.5	< 0.5	< 0.5	2,100
3/7/00	150**	4	< 0.5	< 0.5	< 0.5	830
6/7/00	140**	< 0.5	< 0.5	< 0.5	< 0.5	1,100
10/11/00	620**	< 5.0	< 5.0	< 5.0	< 5.0	1,500
1/18/01	1,200**	< 5.0	< 5.0	< 5.0	< 5.0	1,000
4/5/01	1,700**	< 5.0	< 5.0	< 5.0	< 5.0	1,900
7/17/01	1,400**	< 10	< 10	< 10	< 10	1,700
10/5/01	< 1,000	< 10	< 10	< 10	< 10	1,700
1/18/02	1,600	26	20	16	54	2,100
4/11/02	2,600	21	16	< 10	21	2,300
7/8/02	2,800	< 10	< 10	< 10	< 10	3,800
10/9/02	6,000	< 50	< 50	< 50	< 50	4,900
1/29/03	1,800	< 10	< 10	< 10	< 10	2,300
4/11/03	2,900	< 25	< 25	< 25	< 25	3,100
7/18/03	3,400	< 10	< 10	< 10	< 10	3,200
10/9/03	2,300	< 10	< 10	< 10	< 10	2,700
1/28/03	1,700**	< 10	< 10	< 10	< 10	2,900
4/7/04	2,700**	< 10	< 10	< 10	< 20	3,600
7/23/04	4,200**	< 25	< 25	< 25	< 50	4,900
10/12/04	5,000**	< 50	< 50	< 50	< 100	5,900
1/29/05	< 1,000	< 10	< 10	< 10	< 20	3,100
4/28/05	< 200	< 2.0	< 2.0	< 2.0	< 2.0	1,300
7/19/05	4,400	< 20	< 20	< 20	< 40	3,000
10/18/05	18,000	< 50	< 50	< 50	< 50	6,800
1/24/06	17,000	< 100	< 100	< 100	< 200	7,000
4/12/06	< 200	< 2.0	< 2.0	< 2.0	< 2.0	7,800
7/10/06	11,000	< 100	< 100	< 100	< 200	12,000
10/16/06	< 10,000	< 100	< 100	< 100	< 100	17,000
1/26/07	< 200	< 2.0	< 2.0	< 2.0	< 2.0	4,000
4/18/07	< 900	< 9.0	< 9.0	< 9.0	< 9.0	11,000
8/2/07	110	< 0.80	< 0.80	< 0.80	2.0	410
10/23/07	< 80	< 0.80	< 0.80	< 0.80	< 0.80	480
1/30/08	< 80	< 0.80	< 0.80	< 0.80	< 0.80	430
4/18/08	< 50	< 0.50	< 0.50	< 0.50	< 0.50	350
7/28/08	61	< 0.50	< 0.50	< 0.50	< 0.50	140
10/29/08	120	< 0.50	< 0.50	< 0.50	< 0.50	640
1/26/09	210	1.9	< 1.5	< 1.5	< 1.5	1,300
8/3/09	< 250	< 2.5	< 2.5	< 2.5	< 2.5	1,600
1/25/10	87	< 0.50	< 0.50	< 0.50	< 0.50	300
8/3/10	92	< 0.50	< 0.50	< 0.50	< 0.50	32

TABLE TWO
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
MW-4						
12/5/98	880	3	< 0.5	< 0.5	< 0.5	950
3/4/99	3,800	< 25	< 25	< 25	< 25	3,700
6/17/99	2,700	< 25	< 25	< 25	< 25	2,700
8/27/99	440	4.7	1.1	0.58	1.3	1,600/ 1,700*
12/9/99	1,100**	< 2.5	< 2.5	< 2.5	< 2.5	1,700
3/7/00	< 250	< 2.5	< 2.5	< 2.5	< 2.5	1,700
6/7/00	530**	8.8	< 2.5	< 2.5	< 2.5	440
10/11/00	700**	3.9	< 2.5	< 2.5	< 2.5	680
1/18/01	2,000**	< 2.5	< 2.5	< 2.5	< 2.5	780
4/5/01	810**	< 2.5	< 2.5	< 2.5	< 2.5	620
7/17/01	880**	< 2.5	< 2.5	< 2.5	< 2.5	570
10/5/01	550**	< 2.5	< 2.5	< 2.5	< 2.5	710
1/18/02	960**	< 5.0	< 5.0	< 5.0	< 5.0	1,300
4/11/02	1,100**	< 5.0	< 5.0	< 5.0	< 5.0	550
7/8/02	1,200**	< 5.0	< 5.0	< 5.0	< 5.0	890
10/9/02	1,300**	< 5.0	< 5.0	< 5.0	< 5.0	880
1/29/03	530**	< 1.0	< 1.0	< 1.0	< 1.0	190
4/11/03	690**	< 2.5	< 2.5	< 2.5	< 2.5	310
7/18/03	1,600**	< 10	< 10	< 10	< 10	1,300
10/9/03	1500***	< 10	< 10	< 10	< 10	1,400
1/28/04	1,200**	< 10	< 10	< 10	< 10	1,900
4/7/04	1,900**	< 10	< 10	< 10	< 20	2,200
7/23/04	1,800**	< 10	< 10	< 10	< 20	1,600
10/12/04	Inaccessible due to car parked over well					
1/29/05	< 1,300	< 13	< 13	< 13	< 25	3,900
4/28/05	510	< 1.5	< 1.5	< 1.5	< 1.5	510
7/19/05	5,400	< 50	< 50	< 50	< 100	2,700
10/18/05	10,000	< 50	< 50	< 50	< 50	9,000
1/24/06	10,000	< 100	< 100	< 100	< 200	8,300
4/12/06	1,900	< 10	< 10	< 10	< 20	2,200
7/10/06	750	5.4	< 5.0	< 5.0	< 10	790
10/16/06	2,400	< 10	< 10	< 10	< 10	2,200
1/26/07	250	< 1.5	< 1.5	< 1.5	< 1.5	7,000
4/18/07	< 400	< 4.0	< 4.0	< 4.0	< 4.0	2,300
8/2/07	400	< 4.0	< 4.0	< 4.0	< 4.0	4,500
10/23/07	< 500	< 5.0	< 5.0	< 5.0	< 5.0	3,400
1/30/08	580	89	1.5	< 0.90	2.5	500
4/18/08	660	13	0.58	0.51	0.94	180
7/28/08	520	19	0.97	1.4	2.6	71
10/29/08	480	38	1.8	4.5	4.3	420
1/26/09	470	51	2.2	4.2	5.2	180
8/3/09	320	62	< 0.5	0.59	< 0.5	120
1/25/10	820	110	1.9	1.3	5.5	8.8
8/3/10	500	8.6	0.84	< 0.50	1.4	43

TABLE TWO
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

Well ID & Dates Sampled	TPH-G	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE
MW-5						
8/29/01	14,000	1,300	470	230	800	14,000
1/18/02	24,000	3,200	1,300	390	1,500	5,700
4/11/02	23,000	2,700	980	38	950	4,300
7/8/02	19,000	3,300	25	360	1,100	2,100
10/9/02	24,000	2,800	990	360	820	2,400
1/29/03	17,000	2,100	1,400	380	1,400	< 250
4/11/03	26,000	2,900	2,200	590	2,200	630
7/18/03	26,000	3,500	1,700	480	1,300	1,300
10/9/03	27,000	3,800	1,900	510	1,700	1,200
1/28/04	29,000	4,800	2,900	770	2,300	3,300
4/7/04	23,000	4,400	2,700	720	2,200	1,700
7/23/04	29,000	5,200	2,200	810	1,400	2,200
10/12/04	26,000	4,300	2,000	670	1,300	2,200
7/18/03	8,200	650	77	99	140	4,300
10/9/03	5,700**	500	28	53	35	3,600
1/28/04	17,000***	1,600	90	250	280	9,700
4/7/04			No longer sampled			
1/24/06	21,000	1,800	1,200	270	820	13,000
7/10/06	45,000	3,700	2,600	650	1,800	23,000
10/16/06	66,000	4,200	3,300	800	2,100	35,000
1/26/07	30,000	3,200	2,600	610	2,400	38,000
4/18/07	30,000	4,300	3,300	800	2,600	27,000
8/2/07	26,000	3,700	2,800	690	1,900	32,000
10/23/07	34,000	4,400	3,700	860	3,200	34,000
1/30/08	28,000	3,900	2,800	750	2,300	26,000
4/18/08	30,000	4,300	3,200	810	2,000	32,000
7/28/08	34,000	3,700	3,000	740	2,900	28,000
10/29/08	29,000	3,300	2,900	680	2,800	27,000
1/26/09	19,000	2,100	1,500	410	1,500	18,000
8/3/09	28,000	3,500	2,800	630	2,600	28,000
1/25/10	12,000	1,400	750	270	900	7,500
8/3/10	24,000	3,300	2,200	620	1,700	26,000
ESL	100	1	40	30	20	5

Notes:

* EPA Method 8020/EPA Method 8260 (MTBE confirmation)

** Hydrocarbon reported in the gasoline range does not match the laboratory gasoline standard

*** Sample contains a discrete peak in addition to gasoline

ESL = Environmental screening levels presented in the "Screening For Environmental Concerns at Sites With Contaminated Soil and Groundwater (May 2007)" document prepared by the California Regional Water Quality Control Board, San Francisco Bay Region.

Most current data is in **Bold**

Non-detectable concentrations noted by the less than sign (<) followed by the laboratory reporting limit.

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Metals and SVOCs
Yee Property
726 Harrison St., Oakland, CA

Well ID & Dates Sampled	Dissolved Cadmium (ppm)	Dissolved Chromium (ppm)	Dissolved Lead (ppm)	Dissolved Nickel (ppm)	Dissolved Zinc (ppm)	All SVOCs (ppb)
-------------------------------	-------------------------------	--------------------------------	----------------------------	------------------------------	----------------------------	-----------------------

MW-2						
8/3/10	< 0.0010	0.012	< 0.0050	0.0073	< 0.010	ND (< 10 - < 50)

Notes:

Non-detectable concentrations noted by the less than sign (<) followed by the laboratory reporting limit.



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

APPENDIX A

Well Sampling Field Logs

AQUA SCIENCE ENGINEERS

WELL SAMPLING FIELD LOG

PROJECT NAME YEE

JOB NUMBER 3412 DATE OF SAMPLING 08.03.10

WELL ID. MW-1 SAMPLER DA

TOTAL DEPTH OF WELL 27.2 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 18.13 TIME OF MEASUREMENT 0638

PRODUCT THICKNESS 0

DEPTH OF WELL CASING IN WATER 9.07

NUMBER OF GALLONS PER WELL CASING VOLUME 1.45

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 4.3

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 0700 TIME EVACUATION COMPLETED 0711

TIME SAMPLES WERE COLLECTED 0712

DID WELL GO DRY NO AFTER HOW MANY GALLONS

VOLUME OF GROUNDWATER PURGED 4.3

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR CRIM ODOR/SEDIMENT no H₂S / no

CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	65.7	7.35	572
2	65.9	7.34	588
3	66.1	7.35	562

SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-1	3	40 ml VOA	PROP	✓

AQUA SCIENCE ENGINEERS

WELL SAMPLING FIELD LOG

PROJECT NAME	YEE		
JOB NUMBER	3412	DATE OF SAMPLING	08.03.10
WELL ID.	MW-2	SAMPLER	DA
TOTAL DEPTH OF WELL	28.0	WELL DIAMETER	2
DEPTH TO WATER PRIOR TO PURGING	18.84	TIME OF MEASUREMENT	0630
PRODUCT THICKNESS	0		
DEPTH OF WELL CASING IN WATER	9.16		
NUMBER OF GALLONS PER WELL CASING VOLUME	1.46		
NUMBER OF WELL CASING VOLUMES TO BE REMOVED	3		
REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING	4.4		
EQUIPMENT USED TO PURGE WELL	NEW DISPOSABLE BAILER		
TIME EVACUATION STARTED	0820	TIME EVACUATION COMPLETED	0827
TIME SAMPLES WERE COLLECTED	0830		
DID WELL GO DRY	NO	AFTER HOW MANY GALLONS	—
VOLUME OF GROUNDWATER PURGED	4.4		
SAMPLING DEVICE	NEW DISPOSABLE BAILER		
SAMPLE COLOR	LT BRN	ODOR/SEDIMENT	W/SL

CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	65.1	7.35	378
2	66.0	7.21	380
3	66.1	7.35	385

SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-2	3	1 gal DA, 1 liter +	8/10/08	✓
		1 liter	8/27/08	
			metals	✓

AQUA SCIENCE ENGINEERS

WELL SAMPLING FIELD LOG

PROJECT NAME	YEE		
JOB NUMBER	3412	DATE OF SAMPLING	08.03.10
WELL ID.	MW-3	SAMPLER	DA
TOTAL DEPTH OF WELL	29.2	WELL DIAMETER	2
DEPTH TO WATER PRIOR TO PURGING	18.06	TIME OF MEASUREMENT	0634
PRODUCT THICKNESS	0		
DEPTH OF WELL CASING IN WATER	11.14		
NUMBER OF GALLONS PER WELL CASING VOLUME	1.78		
NUMBER OF WELL CASING VOLUMES TO BE REMOVED	3		
REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING	5.3		
EQUIPMENT USED TO PURGE WELL	NEW DISPOSABLE BAILER		
TIME EVACUATION STARTED	0740	TIME EVACUATION COMPLETED	0753
TIME SAMPLES WERE COLLECTED	0754		
DID WELL GO DRY	NO	AFTER HOW MANY GALLONS	-
VOLUME OF GROUNDWATER PURGED	5.3		
SAMPLING DEVICE	NEW DISPOSABLE BAILER		
SAMPLE COLOR	lt gray	ODOR/SEDIMENT	NO / SL

CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	65.8	7.30	602
2	66.0	7.35	575
3	66.2	7.34	552

SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-3	3	40ml VOA	8260B	✓

AQUA SCIENCE ENGINEERS

WELL SAMPLING FIELD LOG

PROJECT NAME YEE

JOB NUMBER 3412 DATE OF SAMPLING 08-03-10

WELL ID. MW-4 SAMPLER DA

TOTAL DEPTH OF WELL 29.7 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING 18.45 TIME OF MEASUREMENT 0636

PRODUCT THICKNESS 11.25

DEPTH OF WELL CASING IN WATER 11.25

NUMBER OF GALLONS PER WELL CASING VOLUME 1.8

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 5.4

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 0718 TIME EVACUATION COMPLETED 0730

TIME SAMPLES WERE COLLECTED 0732

DID WELL GO DRY NO AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 5.4

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR LT GRAY ODOR/SEDIMENT NO/SC

CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	66.0	7.35	841
2	66.1	7.26	802
3	66.5	7.34	788

SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-4	3	40ml VOA	P260B	✓

THE CONSULTANT M ID 6 PH

AQUA SCIENCE ENGINEERS

WELL SAMPLING FIELD LOG

PROJECT NAME YEE

JOB NUMBER 3412 DATE OF SAMPLING 08.03.10

WELL ID. MW-5 SAMPLER DA

TOTAL DEPTH OF WELL 28.5 WELL DIAMETER 2

DEPTH TO WATER PRIOR TO PURGING ~~WELL~~ 18.50 TIME OF MEASUREMENT 0640

PRODUCT THICKNESS ~~WELL~~ 0

DEPTH OF WELL CASING IN WATER 10

NUMBER OF GALLONS PER WELL CASING VOLUME 1.6

NUMBER OF WELL CASING VOLUMES TO BE REMOVED 3

REQUIRED VOLUME OF GROUNDWATER TO BE PURGED PRIOR TO SAMPLING 4.8

EQUIPMENT USED TO PURGE WELL NEW DISPOSABLE BAILER

TIME EVACUATION STARTED 0803 TIME EVACUATION COMPLETED 0812

TIME SAMPLES WERE COLLECTED 0814

DID WELL GO DRY NO AFTER HOW MANY GALLONS —

VOLUME OF GROUNDWATER PURGED 4.8

SAMPLING DEVICE NEW DISPOSABLE BAILER

SAMPLE COLOR LT GRAY ODOR/SEDIMENT NO H₂S / SL

CHEMICAL DATA

VOLUME PURGED	TEMPERATURE	PH	CONDUCTIVITY
1	65.8	7.35	1270
2	65.9	7.35	1280
3	66.0	7.35	1288

SAMPLES COLLECTED

SAMPLE	# OF CONTAINERS	SIZE AND TYPE OF CONTAINER	ANALYSIS	PRESERVED
MW-5	3	40ml vials	8/16/08	✓

4.8

6.6-6.8



Aqua Science Engineers, Inc. 55 Oak Court, Suite 220, Danville, CA 94526
(925) 820-9391 - Fax (925) 837-4853 - www.aquascienceengineers.com

APPENDIX B

Certified Analytical Report
and
Chain of Custody Documentation



Laboratory Results

David Allen
Aqua Science Engineers, Inc.
55 Oak Court, Suite 220
Danville, CA 94526

Subject : 5 Water Samples
Project Name : Yee
Project Number :
P.O. Number : 3412

Dear Mr. Allen,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed. Testing procedures comply with the 2003 NELAC standard. All soil samples are reported on a total weight (wet weight) basis unless noted otherwise in the case narrative. Laboratory results relate only to the samples tested. This report may be freely reproduced in full, but may only be reproduced in part with the express permission of Kiff Analytical, LLC. Kiff Analytical, LLC is certified by the State of California under the National Environmental Laboratory Accreditation Program (NELAP), lab # 08263CA. If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff

Project Name : **Yee**

Project Number :

Sample : **MW-1**

Matrix : Water

Lab Number : 74036-01

Sample Date :08/03/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	560	15	ug/L	EPA 8260B	08/10/10 05:37
Toluene	27	15	ug/L	EPA 8260B	08/10/10 05:37
Ethylbenzene	97	15	ug/L	EPA 8260B	08/10/10 05:37
Total Xylenes	92	15	ug/L	EPA 8260B	08/10/10 05:37
Methyl-t-butyl ether (MTBE)	8600	15	ug/L	EPA 8260B	08/10/10 05:37
TPH as Gasoline	3800	1500	ug/L	EPA 8260B	08/10/10 05:37
1,2-Dichloroethane-d4 (Surr)	100		% Recovery	EPA 8260B	08/10/10 05:37
Toluene - d8 (Surr)	99.9		% Recovery	EPA 8260B	08/10/10 05:37

Project Name : **Yee**

Project Number :

Sample : **MW-2**

Matrix : Water

Lab Number : 74036-02

Sample Date :08/03/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Cadmium, Dissolved	< 0.0010	0.0010	mg/L	EPA 6010B	08/10/10 10:17
Chromium, Dissolved	0.012	0.0050	mg/L	EPA 6010B	08/10/10 10:17
Lead, Dissolved	< 0.0050	0.0050	mg/L	EPA 6010B	08/10/10 10:17
Nickel, Dissolved	0.0073	0.0050	mg/L	EPA 6010B	08/10/10 10:17
Zinc, Dissolved	< 0.010	0.010	mg/L	EPA 6010B	08/10/10 10:17
Benzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 16:48
Toluene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 16:48
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 16:48
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 16:48
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 16:48
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	08/05/10 16:48
1,2-Dichloroethane-d4 (Surr)	101		% Recovery	EPA 8260B	08/05/10 16:48
Toluene - d8 (Surr)	97.6		% Recovery	EPA 8260B	08/05/10 16:48

Project Name : **Yee**

Project Number :

Sample : **MW-3**

Matrix : Water

Lab Number : 74036-03

Sample Date :08/03/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 17:23
Toluene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 17:23
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 17:23
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 17:23
Methyl-t-butyl ether (MTBE)	32	0.50	ug/L	EPA 8260B	08/05/10 17:23
TPH as Gasoline	92	50	ug/L	EPA 8260B	08/05/10 17:23
1,2-Dichloroethane-d4 (Surr)	99.0		% Recovery	EPA 8260B	08/05/10 17:23
Toluene - d8 (Surr)	97.7		% Recovery	EPA 8260B	08/05/10 17:23

Project Name : **Yee**

Project Number :

Sample : **MW-4**

Matrix : Water

Lab Number : 74036-04

Sample Date :08/03/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	8.6	0.50	ug/L	EPA 8260B	08/05/10 17:39
Toluene	0.84	0.50	ug/L	EPA 8260B	08/05/10 17:39
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/10 17:39
Total Xylenes	1.4	0.50	ug/L	EPA 8260B	08/05/10 17:39
Methyl-t-butyl ether (MTBE)	43	0.50	ug/L	EPA 8260B	08/05/10 17:39
TPH as Gasoline	500	50	ug/L	EPA 8260B	08/05/10 17:39
1,2-Dichloroethane-d4 (Surr)	103		% Recovery	EPA 8260B	08/05/10 17:39
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	08/05/10 17:39

Project Name : **Yee**

Project Number :

Sample : **MW-5**

Matrix : Water

Lab Number : 74036-05

Sample Date :08/03/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	3300	90	ug/L	EPA 8260B	08/07/10 15:56
Toluene	2200	90	ug/L	EPA 8260B	08/07/10 15:56
Ethylbenzene	620	90	ug/L	EPA 8260B	08/07/10 15:56
Total Xylenes	1700	90	ug/L	EPA 8260B	08/07/10 15:56
Methyl-t-butyl ether (MTBE)	26000	90	ug/L	EPA 8260B	08/07/10 15:56
TPH as Gasoline	24000	9000	ug/L	EPA 8260B	08/07/10 15:56
1,2-Dichloroethane-d4 (Surr)	102		% Recovery	EPA 8260B	08/07/10 15:56
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	08/07/10 15:56

QC Report : Method Blank DataProject Name : **Yee**

Project Number :

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Cadmium, Dissolved	< 0.0010	0.0010	mg/L	EPA 6010B	08/10/2010
Chromium, Dissolved	< 0.0050	0.0050	mg/L	EPA 6010B	08/10/2010
Lead, Dissolved	< 0.0050	0.0050	mg/L	EPA 6010B	08/10/2010
Nickel, Dissolved	< 0.0050	0.0050	mg/L	EPA 6010B	08/10/2010
Zinc, Dissolved	< 0.010	0.010	mg/L	EPA 6010B	08/10/2010
Benzene	< 0.50	0.50	ug/L	EPA 8260B	08/06/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/06/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	08/06/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	08/06/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	08/06/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	08/06/2010
1,2-Dichloroethane-d4 (Surr)	102		%	EPA 8260B	08/06/2010
Toluene - d8 (Surr)	101		%	EPA 8260B	08/06/2010
Benzene	< 0.50	0.50	ug/L	EPA 8260B	08/09/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/09/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	08/09/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	08/09/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	08/09/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	08/09/2010
1,2-Dichloroethane-d4 (Surr)	98.6		%	EPA 8260B	08/09/2010
Toluene - d8 (Surr)	99.0		%	EPA 8260B	08/09/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	08/05/2010
1,2-Dichloroethane-d4 (Surr)	103		%	EPA 8260B	08/05/2010
Toluene - d8 (Surr)	102		%	EPA 8260B	08/05/2010
Benzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	08/05/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	08/05/2010
1,2-Dichloroethane-d4 (Surr)	101		%	EPA 8260B	08/05/2010
Toluene - d8 (Surr)	96.9		%	EPA 8260B	08/05/2010

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : Yee

Project Number :

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	74053-03	<0.50	39.9	39.8	35.9	36.0	ug/L	EPA 8260B	8/6/10	90.0	90.5	0.570	80-120	25
Ethylbenzene	74053-03	<0.50	39.9	39.8	36.6	36.6	ug/L	EPA 8260B	8/6/10	91.8	91.9	0.105	80-120	25
Methyl-t-butyl ether	74053-03	1.3	39.9	39.8	33.1	33.3	ug/L	EPA 8260B	8/6/10	79.7	80.3	0.781	69.7-121	25
O-Xylene	74053-03	<0.50	39.9	39.8	36.4	35.9	ug/L	EPA 8260B	8/6/10	91.2	90.2	1.10	79.7-120	25
P + M Xylene	74053-03	<0.50	39.9	39.8	35.9	36.2	ug/L	EPA 8260B	8/6/10	89.9	90.8	0.981	76.8-120	25
Toluene	74053-03	<0.50	39.9	39.8	36.4	36.3	ug/L	EPA 8260B	8/6/10	91.3	91.2	0.133	80-120	25
Benzene	74053-03	<0.50	39.8	39.8	36.6	36.8	ug/L	EPA 8260B	8/9/10	92.0	92.3	0.303	80-120	25
Ethylbenzene	74053-03	<0.50	39.8	39.8	38.1	37.7	ug/L	EPA 8260B	8/9/10	95.9	94.6	1.42	80-120	25
Methyl-t-butyl ether	74053-03	2.4	39.8	39.8	34.2	35.0	ug/L	EPA 8260B	8/9/10	80.0	81.8	2.20	69.7-121	25

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : Yee

Project Number :

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
O-Xylene	74053-03	<0.50	39.8	39.8	37.4	37.3	ug/L	EPA 8260B	8/9/10	94.0	93.6	0.373	79.7-120	25
P + M Xylene	74053-03	<0.50	39.8	39.8	37.6	37.6	ug/L	EPA 8260B	8/9/10	94.6	94.2	0.328	76.8-120	25
Toluene	74053-03	<0.50	39.8	39.8	37.2	37.3	ug/L	EPA 8260B	8/9/10	93.6	93.6	0.0358	80-120	25
Benzene	73892-09	<0.50	40.0	40.0	40.7	39.2	ug/L	EPA 8260B	8/5/10	102	98.1	3.70	80-120	25
Ethylbenzene	73892-09	<0.50	40.0	40.0	41.8	39.9	ug/L	EPA 8260B	8/5/10	104	99.7	4.66	80-120	25
Methyl-t-butyl ether	73892-09	2.7	40.0	40.0	44.8	44.1	ug/L	EPA 8260B	8/5/10	105	103	1.81	69.7-121	25
O-Xylene	73892-09	<0.50	40.0	40.0	41.5	39.6	ug/L	EPA 8260B	8/5/10	104	99.0	4.68	79.7-120	25
P + M Xylene	73892-09	<0.50	40.0	40.0	41.0	39.9	ug/L	EPA 8260B	8/5/10	102	99.8	2.70	76.8-120	25
Toluene	73892-09	<0.50	40.0	40.0	41.7	40.2	ug/L	EPA 8260B	8/5/10	104	100	3.72	80-120	25

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : Yee

Project Number :

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	73892-06	<0.50	40.0	40.0	42.3	41.9	ug/L	EPA 8260B	8/5/10	106	105	0.978	80-120	25
Ethylbenzene	73892-06	<0.50	40.0	40.0	42.0	41.8	ug/L	EPA 8260B	8/5/10	105	104	0.668	80-120	25
Methyl-t-butyl ether	73892-06	2.8	40.0	40.0	44.8	44.7	ug/L	EPA 8260B	8/5/10	105	105	0.0592	69.7-121	25
O-Xylene	73892-06	<0.50	40.0	40.0	41.9	41.9	ug/L	EPA 8260B	8/5/10	105	105	0.0261	79.7-120	25
P + M Xylene	73892-06	<0.50	40.0	40.0	40.4	40.2	ug/L	EPA 8260B	8/5/10	101	100	0.530	76.8-120	25
Toluene	73892-06	<0.50	40.0	40.0	39.8	40.1	ug/L	EPA 8260B	8/5/10	99.4	100	0.838	80-120	25
Cadmium, (Dis)	74036-02	< 0.0010	0.400	0.400	0.454	0.438	mg/L	EPA 6010B	8/10/10	113	110	3.39	75-125	20
Chromium, (Dis)	74036-02	0.012	0.400	0.400	0.442	0.428	mg/L	EPA 6010B	8/10/10	108	104	3.22	75-125	20
Lead, (Dis)	74036-02	< 0.0050	0.400	0.400	0.422	0.410	mg/L	EPA 6010B	8/10/10	105	102	2.96	75-125	20

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **Yee**

Project Number :

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Nickel, (Dis)	74036-02	0.0073	0.400	0.400	0.429	0.415	mg/L	EPA 6010B	8/10/10	105	102	3.37	75-125	20
Zinc, (Dis)	74036-02	< 0.010	0.400	0.400	0.448	0.432	mg/L	EPA 6010B	8/10/10	111	107	3.59	75-125	20

QC Report : Laboratory Control Sample (LCS)

Project Name : Yee

Project Number :

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Cadmium, (Dis)	0.400	mg/L	EPA 6010B	8/10/10	106	85-115
Chromium, (Dis)	0.400	mg/L	EPA 6010B	8/10/10	107	85-115
Lead, (Dis)	0.400	mg/L	EPA 6010B	8/10/10	106	85-115
Nickel, (Dis)	0.400	mg/L	EPA 6010B	8/10/10	105	85-115
Zinc, (Dis)	0.400	mg/L	EPA 6010B	8/10/10	103	85-115
Benzene	40.0	ug/L	EPA 8260B	8/6/10	91.6	80-120
Ethylbenzene	40.0	ug/L	EPA 8260B	8/6/10	93.0	80-120
Methyl-t-butyl ether	40.0	ug/L	EPA 8260B	8/6/10	81.1	69.7-121
O-Xylene	40.0	ug/L	EPA 8260B	8/6/10	91.5	79.7-120
P + M Xylene	40.0	ug/L	EPA 8260B	8/6/10	92.3	76.8-120
Toluene	40.0	ug/L	EPA 8260B	8/6/10	92.6	80-120
Benzene	40.0	ug/L	EPA 8260B	8/9/10	92.5	80-120
Ethylbenzene	40.0	ug/L	EPA 8260B	8/9/10	94.7	80-120
Methyl-t-butyl ether	40.0	ug/L	EPA 8260B	8/9/10	80.2	69.7-121
O-Xylene	40.0	ug/L	EPA 8260B	8/9/10	93.2	79.7-120
P + M Xylene	40.0	ug/L	EPA 8260B	8/9/10	94.3	76.8-120
Toluene	40.0	ug/L	EPA 8260B	8/9/10	93.7	80-120
Benzene	40.1	ug/L	EPA 8260B	8/5/10	101	80-120
Ethylbenzene	40.1	ug/L	EPA 8260B	8/5/10	104	80-120

QC Report : Laboratory Control Sample (LCS)Project Name : **Yee**

Project Number :

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Methyl-t-butyl ether	40.1	ug/L	EPA 8260B	8/5/10	103	69.7-121
P + M Xylene	40.1	ug/L	EPA 8260B	8/5/10	102	76.8-120
TPH as Gasoline	503	ug/L	EPA 8260B	8/5/10	99.1	70.0-130
Toluene	40.1	ug/L	EPA 8260B	8/5/10	103	80-120
Benzene	39.9	ug/L	EPA 8260B	8/5/10	106	80-120
Ethylbenzene	39.9	ug/L	EPA 8260B	8/5/10	106	80-120
Methyl-t-butyl ether	39.9	ug/L	EPA 8260B	8/5/10	96.6	69.7-121
P + M Xylene	39.9	ug/L	EPA 8260B	8/5/10	102	76.8-120
TPH as Gasoline	504	ug/L	EPA 8260B	8/5/10	104	70.0-130
Toluene	39.9	ug/L	EPA 8260B	8/5/10	101	80-120

74036

Aqua Science Engineers, Inc.
55 Oak Court, Suite 220
Danville, CA 94526
(925) 820-9391
FAX (925) 837-4853

Chain of Custody

PAGE 1 of 1

SAMPLER (SIGNATURE)

David Allen

PROJECT NAME Yee

JOB NO. 3412

ADDRESS 726 HARRISON ST., OAKLAND

ANALYSIS REQUEST

SPECIAL INSTRUCTIONS:

SAMPLE ID.	DATE	TIME	MATRIX	QUANTITY	TPH-GAS / MTBE & BTEX (EPA 8210/8211) <u>8260B</u>	TPH-DIESEL (EPA 3510/8015)	TPH-DIESEL & MOTOR OIL (EPA 3510/8015)	CAM 17 METALS (EPA 6010+7000)	SEMI-VOLATILE ORGANICS (EPA 625/8270)	Pb (TOTAL or DISSOLVED) (EPA 6010)	PESTICIDES (EPA 8081)	FUEL OXYGENATES (EPA 8260)	PURGEABLE HALOCARBONS (EPA 601/8010)	TPH-G/BTEX/5 OXYS (EPA METHOD 8260)	MULT-RANGE HYDROCARBONS WITH SILICA GEL CLEANUP (EPA 8015)	VOLATILE ORGANICS (EPA 624/8240/8260)	LIFT METALS (5) (EPA 6010+7000)	COMPOSITE 4:1	EDF	DISSOLVED 6010 METALS Cd, Cr, Pb, Ni, Zn	
MW-1	8/3/10	0712	W	3	⊗															⊗	
MW-2	}	0830		5	⊗				⊗											⊗	
MW-3		0734		3	⊗															⊗	
MW-4		0732		3	⊗															⊗	
MW-5		0814		3	⊗															⊗	

01
02
03
04
05

RELINQUISHED BY:

David Allen
(signature) (time)

DAVID ALLEN 8/3/10
(printed name) (date)

Company-ASE, INC.

RECEIVED BY:

[Signature]
(signature) (time)

[Signature]
(printed name) (date)

Company-

RELINQUISHED BY:

[Signature]
(signature) (time)

[Signature]
(printed name) (date)

Company-

RECEIVED BY LABORATORY:

[Signature] 1223
(signature) (time)

Timothy Boomer 080410
(printed name) (date)

Company- Kiff Analytical LLC

COMMENTS:

SAMPLE FOR METALS IS ALREADY FILTERED

TURN AROUND TIME


STANDARD 24Hr 48Hr 72Hr

OTHER:

CL10.FI.a6p



Subcontract Laboratory Report Attachments



August 11, 2010

Joel Kiff
Kiff Analytical
2795 2nd Street, Suite 300
Davis, CA 95616-6593

Subject: **CalScience Work Order No.: 10-08-0320**
Client Reference: Yee

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 8/5/2010 and analyzed in accordance with the attached chain-of-custody.

CalScience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analysis, if any, is provided herein, and follows the standard CalScience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Amanda Porter

CalScience Environmental
Laboratories, Inc.
Amanda Porter
Project Manager

Analytical Report



Kiff Analytical
2795 2nd Street, Suite 300
Davis, CA 95616-6593

Date Received: 08/05/10
Work Order No: 10-08-0320
Preparation: EPA 3510C
Method: EPA 8270C
Units: ug/L


Project: Yee

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	10-08-0320-1-A	08/03/10 08:30	Aqueous	GC/MS P	08/05/10	08/10/10 01:41	100805L08

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
N-Nitrosodimethylamine	ND	10	1		4-Nitrophenol	ND	10	1	
Aniline	ND	10	1		Dibenzofuran	ND	10	1	
Phenol	ND	10	1		2,4-Dinitrotoluene	ND	10	1	
Bis(2-Chloroethyl) Ether	ND	25	1		2,6-Dinitrotoluene	ND	10	1	
2-Chlorophenol	ND	10	1		Diethyl Phthalate	ND	10	1	
1,3-Dichlorobenzene	ND	10	1		4-Chlorophenyl-Phenyl Ether	ND	10	1	
1,4-Dichlorobenzene	ND	10	1		Fluorene	ND	10	1	
Benzyl Alcohol	ND	10	1		4-Nitroaniline	ND	10	1	
1,2-Dichlorobenzene	ND	10	1		Azobenzene	ND	10	1	
2-Methylphenol	ND	10	1		4,6-Dinitro-2-Methylphenol	ND	50	1	
Bis(2-Chloroisopropyl) Ether	ND	10	1		N-Nitrosodiphenylamine	ND	10	1	
3/4-Methylphenol	ND	10	1		4-Bromophenyl-Phenyl Ether	ND	10	1	
N-Nitroso-di-n-propylamine	ND	10	1		Hexachlorobenzene	ND	10	1	
Hexachloroethane	ND	10	1		Pentachlorophenol	ND	10	1	
Nitrobenzene	ND	25	1		Phenanthrene	ND	10	1	
Isophorone	ND	10	1		Anthracene	ND	10	1	
2-Nitrophenol	ND	10	1		Di-n-Butyl Phthalate	ND	10	1	
2,4-Dimethylphenol	ND	10	1		Fluoranthene	ND	10	1	
Benzoic Acid	ND	50	1		Benzidine	ND	50	1	
Bis(2-Chloroethoxy) Methane	ND	10	1		Pyrene	ND	10	1	
2,4-Dichlorophenol	ND	10	1		Pyridine	ND	10	1	
Naphthalene	ND	10	1		Butyl Benzyl Phthalate	ND	10	1	
4-Chloroaniline	ND	10	1		3,3'-Dichlorobenzidine	ND	25	1	
Hexachloro-1,3-Butadiene	ND	10	1		Benzo (a) Anthracene	ND	10	1	
4-Chloro-3-Methylphenol	ND	10	1		Bis(2-Ethylhexyl) Phthalate	ND	10	1	
2-Methylnaphthalene	ND	10	1		Chrysene	ND	10	1	
Hexachlorocyclopentadiene	ND	25	1		Di-n-Octyl Phthalate	ND	10	1	
2,4,6-Trichlorophenol	ND	10	1		Benzo (k) Fluoranthene	ND	10	1	
2,4,5-Trichlorophenol	ND	10	1		Benzo (b) Fluoranthene	ND	10	1	
2-Chloronaphthalene	ND	10	1		Benzo (a) Pyrene	ND	10	1	
2-Nitroaniline	ND	10	1		Benzo (g,h,i) Perylene	ND	10	1	
Dimethyl Phthalate	ND	10	1		Indeno (1,2,3-c,d) Pyrene	ND	10	1	
Acenaphthylene	ND	10	1		Dibenz (a,h) Anthracene	ND	10	1	
3-Nitroaniline	ND	10	1		1-Methylnaphthalene	ND	10	1	
Acenaphthene	ND	10	1		1,2,4-Trichlorobenzene	ND	10	1	
2,4-Dinitrophenol	ND	50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
2-Fluorophenol	67	7-121			Phenol-d6	55	1-127		
Nitrobenzene-d5	84	50-146			2-Fluorobiphenyl	75	42-138		
2,4,6-Tribromophenol	76	41-137			p-Terphenyl-d14	77	47-173		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Kiff Analytical
2795 2nd Street, Suite 300
Davis, CA 95616-6593

Date Received: 08/05/10
Work Order No: 10-08-0320
Preparation: EPA 3510C
Method: EPA 8270C
Units: ug/L


Project: Yee

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	095-01-003-2,954	N/A	Aqueous	GC/MS P	08/05/10	08/09/10 20:37	100805L08

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
N-Nitrosodimethylamine	ND	10	1		4-Nitrophenol	ND	10	1	
Aniline	ND	10	1		Dibenzofuran	ND	10	1	
Phenol	ND	10	1		2,4-Dinitrotoluene	ND	10	1	
Bis(2-Chloroethyl) Ether	ND	25	1		2,6-Dinitrotoluene	ND	10	1	
2-Chlorophenol	ND	10	1		Diethyl Phthalate	ND	10	1	
1,3-Dichlorobenzene	ND	10	1		4-Chlorophenyl-Phenyl Ether	ND	10	1	
1,4-Dichlorobenzene	ND	10	1		Fluorene	ND	10	1	
Benzyl Alcohol	ND	10	1		4-Nitroaniline	ND	10	1	
1,2-Dichlorobenzene	ND	10	1		Azobenzene	ND	10	1	
2-Methylphenol	ND	10	1		4,6-Dinitro-2-Methylphenol	ND	50	1	
Bis(2-Chloroisopropyl) Ether	ND	10	1		N-Nitrosodiphenylamine	ND	10	1	
3/4-Methylphenol	ND	10	1		4-Bromophenyl-Phenyl Ether	ND	10	1	
N-Nitroso-di-n-propylamine	ND	10	1		Hexachlorobenzene	ND	10	1	
Hexachloroethane	ND	10	1		Pentachlorophenol	ND	10	1	
Nitrobenzene	ND	25	1		Phenanthrene	ND	10	1	
Isophorone	ND	10	1		Anthracene	ND	10	1	
2-Nitrophenol	ND	10	1		Di-n-Butyl Phthalate	ND	10	1	
2,4-Dimethylphenol	ND	10	1		Fluoranthene	ND	10	1	
Benzoic Acid	ND	50	1		Benzidine	ND	50	1	
Bis(2-Chloroethoxy) Methane	ND	10	1		Pyrene	ND	10	1	
2,4-Dichlorophenol	ND	10	1		Pyridine	ND	10	1	
Naphthalene	ND	10	1		Butyl Benzyl Phthalate	ND	10	1	
4-Chloroaniline	ND	10	1		3,3'-Dichlorobenzidine	ND	25	1	
Hexachloro-1,3-Butadiene	ND	10	1		Benzo (a) Anthracene	ND	10	1	
4-Chloro-3-Methylphenol	ND	10	1		Bis(2-Ethylhexyl) Phthalate	ND	10	1	
2-Methylnaphthalene	ND	10	1		Chrysene	ND	10	1	
Hexachlorocyclopentadiene	ND	25	1		Di-n-Octyl Phthalate	ND	10	1	
2,4,6-Trichlorophenol	ND	10	1		Benzo (k) Fluoranthene	ND	10	1	
2,4,5-Trichlorophenol	ND	10	1		Benzo (b) Fluoranthene	ND	10	1	
2-Chloronaphthalene	ND	10	1		Benzo (a) Pyrene	ND	10	1	
2-Nitroaniline	ND	10	1		Benzo (g,h,i) Perylene	ND	10	1	
Dimethyl Phthalate	ND	10	1		Indeno (1,2,3-c,d) Pyrene	ND	10	1	
Acenaphthylene	ND	10	1		Dibenz (a,h) Anthracene	ND	10	1	
3-Nitroaniline	ND	10	1		1-Methylnaphthalene	ND	10	1	
Acenaphthene	ND	10	1		1,2,4-Trichlorobenzene	ND	10	1	
2,4-Dinitrophenol	ND	50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
2-Fluorophenol	46	7-121			Phenol-d6	31	1-127		
Nitrobenzene-d5	80	50-146			2-Fluorobiphenyl	78	42-138		
2,4,6-Tribromophenol	93	41-137			p-Terphenyl-d14	73	47-173		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - LCS/LCS Duplicate



Kiff Analytical
2795 2nd Street, Suite 300
Davis, CA 95616-6593

Date Received: N/A
Work Order No: 10-08-0320
Preparation: EPA 3510C
Method: EPA 8270C

Project: Yee

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
095-01-003-2,954	Aqueous	GC/MS P	08/05/10	08/09/10	100805L08		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Phenol	45	45	4-142	0-165	1	0-24	
2-Chlorophenol	80	79	53-113	43-123	1	0-17	
1,4-Dichlorobenzene	84	83	50-122	38-134	1	0-19	
N-Nitroso-di-n-propylamine	76	76	56-146	41-161	0	0-22	
Naphthalene	86	86	21-133	2-152	0	0-20	
4-Chloro-3-Methylphenol	78	78	55-121	44-132	0	0-18	
Dimethyl Phthalate	91	91	0-112	0-131	0	0-20	
Acenaphthylene	78	78	33-145	14-164	1	0-20	
Acenaphthene	86	87	55-139	41-153	1	0-17	
4-Nitrophenol	65	64	1-145	0-169	1	0-29	
2,4-Dinitrotoluene	113	112	41-161	21-181	0	0-22	
Fluorene	89	89	59-121	49-131	0	0-20	
Pentachlorophenol	101	103	34-130	18-146	2	0-23	
Pyrene	86	85	38-170	16-192	1	0-27	
Butyl Benzyl Phthalate	82	81	0-152	0-177	1	0-20	
1,2,4-Trichlorobenzene	89	90	49-121	37-133	1	0-19	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 10-08-0320


<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
<	Less than the indicated value.
>	Greater than the indicated value.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
B	Analyte was present in the associated method blank.
E	Concentration exceeds the calibration range.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS Recovery Percentage is within LCS ME Control Limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis. Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture.





800.334.5000
ontrac.com

0320



D10010305545761

Date Printed 8/4/2010

Tracking#D10010305545761

Shipped From:
KIFF ANALYTICAL
2795 2ND STREET 300
DAVIS, CA 95616

Sent By: SAMPLE RECEIVING
Phone#: (530)297-4800
wgt(lbs): 10
Reference: SUB SAMPLES
Reference 2:

<p><i>Ship To Company:</i> CALSCIENCE ENVIRONMENTAL LABS 7440 LINCOLN WAY GARDEN GROVE, CA 92841 SAMPLE RECEIVING (714)895-5494</p>	<p><i>Service:</i> S <i>Sort Code:</i> ORG <i>Special Services:</i> Signature Required</p>
---	---



WORK ORDER #: 10-08-0320

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: KIFF ANALYTICAL

DATE: 08/05/10

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0°C - 6.0°C, not frozen)

Temperature 2.0 °C + 0.5°C (CF) = 2.5 °C Blank Sample

Sample(s) outside temperature criteria (PM/APM contacted by: _____).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: Air Filter Metals Only PCBs Only Initial: WBS

CUSTODY SEALS INTACT:

Cooler _____ No (Not Intact) Not Present N/A Initial: WBS

Sample _____ No (Not Intact) Not Present Initial: WBS

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
<input type="checkbox"/> No analysis requested. <input type="checkbox"/> Not relinquished. <input type="checkbox"/> No date/time relinquished.			
Sampler's name indicated on COC.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper containers and sufficient volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
pH / Residual Chlorine / Dissolved Sulfide received within 24 hours.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

CONTAINER TYPE:

Solid: 4ozCGJ 8ozCGJ 16ozCGJ Sleeve (____) EnCores® TerraCores® _____

Water: VOA VOA_h VOA_{na2} 125AGB 125AGB_h 125AGB_p 1AGB 1AGB_{na2} 1AGB_s

500AGB 500AGJ 500AGJ_s 250AGB 250CGB 250CGB_s 1PB 500PB 500PB_{na}

250PB 250PB_n 125PB 125PB_z 100PJ 100PJ_{na2} _____ _____ _____

Air: Tedlar® Summa® Other: _____ Trip Blank Lot#: _____ Labeled/Checked by: WBS

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: PS

Preservative: h: HCL n: HNO₃ na₂: Na₂S₂O₃ na: NaOH p: H₃PO₄ s: H₂SO₄ z_{na}: ZnAc₂+NaOH f: Field-filtered Scanned by: WBS

ATTACHMENT 3
CRA'S DATA PACKAGE 3RD QUARTER 2010 GROUNDWATER
SAMPLING EVENT

Quarterly Status Summary Report – Third Quarter 2010
800, 726, and 706 Harrison Street
Oakland, California



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A, Emeryville, California 94608
Telephone: 510-420-0700 Facsimile: 510-420-9170
www.CRAworld.com

September 14, 2010

Reference No. 231116

Ms. Diane Barclay
Stantec
3017 Kilgore Road, Suite 100
Rancho Cordova, California 95670

Dear Ms. Barclay:

Re: Data Package 3rd Quarter 2010 Groundwater Sampling Event
706 Harrison Street
Oakland, California 94607

Attached is the requested 3rd Quarter 2010 Groundwater Sampling Event data for the site located at 706 Harrison Street, Oakland, CA.

No groundwater monitoring derived wastes were removed during this sampling event. CRA will coordinate to dispose of the four 55-gallon drums which contain water from groundwater activities at a later to be determined date.

I have reviewed the information presented in the laboratory report and on our table and feel it is representative of site conditions.


If you have any questions, please call Calvin Hee at (510) 420-3358 or Robert Foss at (510) 420-3348.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Robert Foss

Robert Foss, PG



RCF/aa/2
Encl.

Equal
Employment
Opportunity Employer

ATTACHMENT A

TABLES

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg ($\mu\text{g/L}$)	Benzene ($\mu\text{g/L}$)	Toluene ($\mu\text{g/L}$)	Ethylbenzene ($\mu\text{g/L}$)	Xylenes ($\mu\text{g/L}$)	MTBE by 8021B ($\mu\text{g/L}$)	MTBE by 8260B ($\mu\text{g/L}$)	Notes
MW-1	8/13/1993	17.40	11.75	20,000	8,500	640	280	440	-	-	
29.15	12/14/1993	17.27	11.88	17,000	9,200	1,200	4,400	540	-	-	
	4/15/1994	17.00	12.15	9,500	3,600	530	160	280	-	-	
	12/29/1994	16.40	12.75	-	-	-	-	-	-	-	
	7/19/1996	15.83	13.32	17,000	5,200	1,100	330	530	-	-	sheen/odor
	1/27/1997	13.58	15.57	30,000	9,800	1,300	790	880	400	-	b,sheen/odor
	6/18/1997	16.11	13.04	19,000	5,600	1,400	510	770	1,200	800	a,b
	9/18/1997	16.62	12.53	48,000	18,000	4,400	1,000	1,700	ND<640	-	b
	12/10/1997	15.93	13.22	22,000	4,900	1,300	580	650	460	260	a,b,odor
	2/18/1998	11.56	17.59	16,000	5,000	750	400	780	1,800	-	b
	5/12/1998	13.53	15.62	19,000	4,600	810	450	770	5,500	-	b,c
	8/18/1998	15.19	13.96	12,000	3,600	1,300	300	570	5,100	3,700	a,b
	11/24/1998	15.67	13.48	13,000	3,600	890	330	380	6,100	-	b
	2/4/1999	15.31	13.84	20,000	5,900	830	450	500	4,900	-	b
	5/18/1999	14.95	14.20	23,000	7,000	1,600	520	830	6,100	-	b
	8/27/1999	15.84	13.31	19,000	5,800	1,700	410	710	1,800	2,100	a,b
	11/18/1999	16.39	12.76	20,000	4,900	630	410	580	4,900	3,600	b
	2/29/2000	13.43	15.72	12,000	2,800	24	290	170	3,100	3,400	a
	5/25/2000	15.08	14.07	12,000	2,200	120	330	260	9,100	12,000	a,b
	8/9/2000	16.09	13.06	13,000	2,500	44	310	140	16,000	-	b
	11/9/2000	15.90	13.25	11,000	2,500	140	380	150	11,000	12,000	b
	1/29/2001	16.05	13.10	9,600	3,100	100	77	200	2,600	2,400	b
	4/16/2001	16.90	12.25	3,300	1,200	4.4	2.7	28	900	940	b
	8/14/2001	17.13	12.02	2,000	500	3.4	24	7.8	68	53	a
	10/22/2001	16.11	13.04	220	83	0.63	2.8	ND<0.5	ND<10	5.7	a
	2/1/2002	16.93	12.22	640	220	1.7	4.7	0.57	ND<10	-	a
	5/10/2002	15.09	14.06	230	26	0.97	ND<0.5	ND<0.5	ND<5.0	-	a
	7/8/2002	15.20	13.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	10/2/2002	15.70	13.45	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	1/23/2003	15.09	14.06	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
4/29/2003	13.02	16.13	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-		
26.17	7/18/2003	14.50	11.67	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	13.81	12.36	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	1/28/2004	13.09	13.08	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	14.97	11.20	180	60	0.56	1.9	ND<0.5	ND<5.0	-	a
	7/23/2004	14.15	12.02	130	36	ND<0.5	0.65	ND<0.5	ND<5.0	-	a
	10/12/2004	16.30	9.87	ND<50	2.5	1.5	ND<0.5	0.86	ND<5.0	-	
	2/14/2005	13.85	12.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/27/2005	13.35	12.82	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	7/19/2005	14.68	11.49	4,500	1,400	6.5	160	58	630	-	a
	10/18/2005	15.15	11.02	1,700	340	ND<5.0	28	ND<5.0	8,000	7,200	a
	1/23/2006	13.27	12.90	3,100	790	6.5	79	32	4,200	5,100	a
	4/12/2006	12.33	13.84	7,200	2,600	110	350	320	5,600	4,000	a
	7/10/2006	14.93	11.24	2,700	550	4.2	77	47	5,500	8,300	a
	10/16/2006	16.51	9.66	2,000	470	6.4	38	13	6,300	6,400	a
	1/26/2007	16.87	9.30	3,300	600	36	34	27	6,200	5,900	a
	4/18/2007	16.77	9.40	5,400	1,400	170	210	350	3,600	4,700	a,i
	8/2/2007	17.21	8.96	6,100	1,200	130	140	240	5,300	5,400	a

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-1	10/23/2007	17.67	8.50	2,600	740	53	60	110	5,800	6,900	a,h,Sheen ^{Lab}
(cont.)	1/30/2008	16.66	9.51	1,900	380	2.6	15	20	2,400	2,800	a
	4/18/2008	17.14	9.03	1,500	320	4.5	13	25	2,900	2,900	a
	7/28/2008	17.70	8.47	1,100	240	3.6	6.9	15	1,600	1,800	a
	12/5/2008	18.22	7.95	1,000	150	2.1	4.1	15	150	140	a
	1/26/2009	17.84	8.33	540	120	1.4	1.6	3.0	82	79	a
29.17	8/3/2009	17.45	11.72	290	94	2.8	3.4	6.7	25	20	a
	1/25/2010	16.72	12.45	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	8/3/2010	16.90	12.27	6,200	1,200	340	110	500	580	350	a
MW-2	8/13/1993	17.05	13.46	34,000	6,800	10,000	740	3,900	-	-	
30.51	12/14/1993	18.28	12.23	16,000	3,200	4,200	500	1,700	-	-	
	4/15/1994	18.10	12.41	23,000	2,500	4,200	470	1,800	-	-	
	12/29/1994	17.40	13.11	-	-	-	-	-	-	-	
	7/19/1996	16.72	13.79	90,000	7,300	14,000	1,600	7,300	-	-	odor
	1/27/1997	14.89	15.62	63,000	7,100	13,000	1,600	7,100	500	-	b,odor
	6/18/1997	17.12	13.39	52,000	5,100	10,000	1,400	6,000	ND<200	-	b
	9/18/1997	17.63	12.88	110,000	9,400	23,000	2,600	13,000	ND<890	-	b, sheen/odor
	12/10/1997	16.98	13.53	39,000	2,600	5,300	940	3,900	780	320	b,odor
	2/18/1998	12.61	17.90	85,000	9,000	19,000	2,300	11,000	2,400	-	b
	5/12/1998	14.45	16.06	110,000	9,500	21,000	2,500	12,000	ND<1,200	-	b
	8/18/1998	16.14	14.37	64,000	6,000	13,000	1,700	7,800	2,000	1,300	a, b
	11/24/1998	16.70	13.81	78,000	5,300	14,000	2,300	11,000	ND<2,000	-	b,h,Sheen ^{Lab}
	2/4/1999	18.39	12.12	66,000	5,800	16,000	2,600	12,000	3,000	-	b,h,Sheen ^{Lab}
	5/18/1999	15.90	14.61	78,000	6,700	17,000	2,400	10,000	4,300	-	b
	8/27/1999	16.79	13.72	91,000	7,400	17,000	2,300	11,000	1,200	1,000	a,b
	11/18/1999	17.32	13.19	180,000	7,000	20,000	3,300	16,000	ND<6,000	1,700	b,h,Sheen ^{Lab}
	2/29/2000	14.37	16.14	86,000	5,500	13,000	2,000	9,500	3,500	4,700	a
	5/25/2000	16.01	14.50	110,000	6,300	14,000	2,400	10,000	7,500	6,500	a,b,h,Sheen ^{Lab}
	8/9/2000	17.02	13.49	77,000	5,000	13,000	2,000	8,600	5,900	-	b
	11/9/2000	17.00	13.51	70,000	4,800	12,000	1,900	8,000	9,400	8,300	b
	1/29/2001	18.31	12.20	110,000	8,200	21,000	2,800	13,000	2,500	1,900	b,h,Sheen ^{Lab}
	4/16/2001	18.59	11.92	97,000	7,400	15,000	2,500	12,000	ND<3,000	ND<50	b,h,Sheen ^{Lab}
	8/14/2001	18.74	11.77	97,000	6,200	14,000	2,400	13,000	ND<250	ND<50	a,j
	10/22/2001	18.27	12.24	71,000	5,900	15,000	2,400	12,000	ND<1,400	150	a
	2/1/2002	18.05	12.46	1,400	11	88	44	210	ND<5.0	-	a
	5/10/2002	17.15	13.36	97,000	4,500	15,000	2,500	12,000	ND<3,000	-	a,h,Sheen ^{Lab}
	7/8/2002	15.30	15.21	42,000	2,100	6,500	2,200	8,800	ND<1,000	65	a
	10/2/2002	15.89	14.62	70,000	1,700	5,700	1,900	8,300	ND<1,700	-	a
	1/23/2003	17.51	13.00	40,000	1,900	7,800	1,200	5,600	ND<1,000	-	a
	4/29/2003	15.31	15.20	82,000	2,500	11,000	2,200	9,400	ND<2,000	-	a
	7/18/2003	16.84	10.69	57,000	2,100	8,700	2,200	10,000	-	ND<50	a
27.53	10/9/2003	16.05	11.48	49,000	1,800	7,000	1,700	7,600	ND<1,500	26	a
	1/28/2004	15.39	12.14	550	21	33	3.0	61	ND<100	-	a
	4/7/2004	16.01	11.52	41,000	2,500	11,000	1,900	8,000	ND<2,000	-	a
	7/23/2004	15.30	12.23	81,000	2,000	12,000	2,500	12,000	ND<2,000	-	a,h,Sheen ^{Field & Lab}
	10/12/2004	17.87	9.66	75,000	2,600	13,000	2,300	11,000	ND<1,300	-	a
	2/14/2005	14.80	12.73	75,000	2,600	12,000	2,400	10,000	ND<1,800	-	a,h,Sheen ^{Lab}

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-2	4/27/2005	14.63	12.90	61,000	2,800	11,000	1,600	7,000	ND<2,700	-	a
(cont.)	7/19/2005	15.60	11.93	90,000	3,700	14,000	2,600	10,000	ND<7,000	-	a
	10/18/2005	16.08	11.45	77,000	3,300	14,000	2,400	11,000	7,900	6,400	a
	1/23/2006	14.20	13.33	54,000	1,600	8,000	1,600	6,700	6,600	7,000	a
	4/12/2006	12.51	15.02	43,000	1,800	7,800	1,300	5,200	6,400	4,900	a
	7/10/2006	14.76	12.77	86,000	2,800	11,000	2,100	9,600	ND<6,500	400	a,h,Sheen ^{Lab}
	10/16/2006	16.74	10.79	110,000	3,600	16,000	2,400	12,000	ND<6,000	2,700	a,h,Sheen ^{Lab}
	1/26/2007	17.10	10.43	120,000	3,900	16,000	2,300	10,000	ND<5,000	3,000	a,h,i,Sheen ^{Lab}
	4/18/2007	17.02	10.51	100,000	3,500	18,000	2,500	12,000	5,200	3,400	a,h,i,Sheen ^{Lab}
	8/2/2007	17.47	10.06	61,000	2,700	11,000	1,800	7,600	6,400	4,600	a,h,Sheen ^{Lab}
	10/23/2007	17.94	9.59	56,000	3,100	13,000	1,800	8,100	4,500	4,300	a
	1/30/2008	16.99	10.54	52,000	2,700	11,000	1,700	7,300	5,300	4,700	a
	4/18/2008	17.41	10.12	64,000	3,400	13,000	1,800	8,100	ND<4,000	2,200	a,h,i
	7/28/2008	17.99	9.54	51,000	2,000	6,200	1,300	2,700	ND<2,600	1,500	a,i,Sheen ^{Field}
	12/5/2008	18.56	8.97	74,000	2,200	12,000	1,700	7,500	2,500	1,900	a,i,Sheen ^{Field}
	1/26/2009	18.20	9.33	90,000	2,800	14,000	1,800	9,500	<3,500	1,600	a,h,i,Sheen ^{Field & Lab}
30.53	8/3/2009	17.74	12.79	67,000	2,900	12,000	1,800	8,200	<3,500	1,900	a,i,Sheen ^{Lab}
	1/25/2010	17.10	13.43	46,000	1,400	6,200	1,100	5,800	ND<3,500	1,500	a, l, Sheen ^{Lab}
	8/3/2010	17.24	13.29	79,000	3,300	14,000	2,000	10,000	ND<6,000	2,300	a, h, Sheen ^{Lab}
MW-3	8/13/1993	17.05	12.72	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	-	-	No SVOCs.
29.77	12/14/1993	17.70	12.07	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.5	-	-	
	4/15/1994	17.40	12.37	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
	12/29/1994	16.80	12.97	-	-	-	-	-	-	-	
	7/19/1996	16.28	13.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
	1/27/1997	13.83	15.94	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	16.53	13.24	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	9/18/1997	17.07	12.70	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/10/1997	16.15	13.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	11.80	17.97	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	13.85	15.92	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	15.57	14.20	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	16.04	13.73	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/4/1999	17.80	11.97	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	15.29	14.48	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/27/1999	16.15	13.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	16.77	13.00	-	-	-	-	-	-	-	
	2/29/2000	13.71	16.06	ND<50	2	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/25/2000	15.46	14.31	-	-	-	-	-	-	-	
	8/9/2000	16.46	13.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	16.25	13.52	-	-	-	-	-	-	-	
	1/29/2001	16.52	13.25	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	16.95	12.82	-	-	-	-	-	-	-	
	8/14/2001	17.11	12.66	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	16.50	13.27	-	-	-	-	-	-	-	
	2/1/2002	16.90	12.87	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/10/2002	15.03	14.74	-	-	-	-	-	-	-	
	7/8/2002	14.45	15.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-3	10/2/2002	15.03	14.74	-	-	-	-	-	-	-	
(cont.)	1/23/2003	15.48	14.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	12.49	17.28	-	-	-	-	-	-	-	
26.79	7/18/2003	14.80	11.99	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	14.13	12.66	-	-	-	-	-	-	-	
	1/28/2004	13.47	13.32	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	15.41	11.38	-	-	-	-	-	-	-	
	7/23/2004	14.54	12.25	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/12/2004	16.58	10.21	-	-	-	-	-	-	-	
	2/14/2005	14.19	12.60	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/27/2005	13.68	13.11	-	-	-	-	-	-	-	
	7/19/2005	15.15	11.64	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/18/2005	15.60	11.19	-	-	-	-	-	-	-	
	1/23/2006	13.65	13.14	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	270	260	
	4/12/2006	11.94	14.85	-	-	-	-	-	-	-	
	7/10/2006	14.48	12.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	1,100	1,600	
	10/16/2006	16.19	10.60	-	-	-	-	-	-	-	
	1/26/2007	16.56	10.23	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	2,500	3,400	
	4/18/2007	16.45	10.34	-	-	-	-	-	-	-	
	8/2/2007	16.92	9.87	ND<100	ND<1.0	ND<1.0	ND<1.0	ND<1.0	3,300	3,500	
	10/23/2007	17.42	9.37	-	-	-	-	-	-	-	
	1/30/2008	16.45	10.34	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<2.5	8,400	10,000	l
	4/18/2008	16.87	9.92	-	-	-	-	-	-	-	
	7/28/2008	17.41	9.38	ND<250	ND<2.5	ND<2.5	ND<2.5	ND<2.5	6,400	6,900	l
	12/5/2008	17.89	8.90	-	-	-	-	-	-	-	
	1/26/2009	17.50	9.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	3,400	3,800	
29.79	8/3/2009	17.18	12.61	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	2,900	3,100	
	1/25/2010	16.39	13.40	300	ND<1.7	2.5	ND<1.7	ND<1.7	4,600	4,500	m
	8/3/2010	16.61	13.18	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	1,200	1,500	
MW-4	12/16/1994	18.10	13.08	2,500	32	6.5	4.5	17	-	-	
31.18	12/29/1994	17.95	13.23	-	-	-	-	-	-	-	
	7/19/1996	17.38	13.80	3,300	520	39	67	60	-	-	
	1/27/1997	15.25	15.93	4,500	860	55	100	91	1,100	-	b
	6/18/1997	17.61	13.57	2,700	700	52	81	76	2,200	2,300	a,b
	9/18/1997	18.01	13.17	3,900	760	38	56	64	ND<170	-	b
	12/10/1997	17.45	13.73	12,000	1,800	120	210	210	2,900	2,600	a,b
	2/18/1998	13.09	18.09	1,700	210	8	6.7	16	200	-	b
	5/12/1998	14.78	16.40	2,100	300	15	36	34	920	-	b,c
	8/18/1998	16.59	14.59	4,700	1,000	130	110	150	5,200	4,900	a,b
	11/24/1998	17.18	14.00	3,000	810	44	76	94	4,800	-	b
	2/4/1999	18.90	12.28	2,800	770	50	69	69	3,100	-	b
	5/18/1999	16.30	14.88	4,000	780	57	7.7	79	4,800	-	b
	8/27/1999	17.21	13.97	4,100	870	51	74	99	3,300	4,100	a,b
	11/18/1999	17.77	13.41	3,000	760	43	67	65	5,100	5,400	b
	2/29/2000	14.85	16.33	4,600	1,000	64	94	170	4,100	4,600	a
	5/25/2000	16.45	14.73	2,600	540	39	59	41	3,500	5,300	b
	8/9/2000	17.47	13.71	4,400	930	66	98	79	9,400	-	b

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-4	11/9/2000	17.45	13.73	4,200	630	34	54	44	7,800	9,400	b
(cont)	1/29/2001	18.90	12.28	3,100	710	34	66	51	9,400	8,000	b
	4/16/2001	19.17	12.01	160	1.2	1.3	ND<0.5	12	22	20	b
	8/14/2001	19.20	11.98	1,700	190	11	35	13	300	250	b
	10/22/2001	18.95	12.23	1,100	120	3.7	29	7.9	ND<25	16	a
	2/1/2002	19.05	12.13	2,600	25	43	21	280	ND<5.0	-	a
	5/10/2002	17.69	13.49	490	3.5	2.0	2.1	2.2	ND<5.0	-	a
	7/8/2002	15.75	15.43	170	0.51	0.62	1.6	1.2	ND<5.0	2.0	m
	10/2/2002	16.30	14.88	240	1.7	2.0	2.2	0.88	ND<5.0	-	a
	1/23/2003	17.74	13.44	ND<50	0.52	4.1	ND<0.5	1.9	ND<5.0	-	
	4/29/2003	15.47	15.71	1,300	75	4.8	21	7.3	130	120	a
28.20	7/18/2003	17.08	11.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	0.74	a
	10/9/2003	16.25	11.95	210	4.7	0.57	1.6	1.1	ND<10	10	a
	1/28/2004	15.65	12.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	a
	4/7/2004	16.49	11.71	-	-	-	-	-	-	-	
	4/12/2004	-	-	770	56	3.2	7.0	6.5	120	160	a
	7/23/2004	15.86	12.34	1,100	130	11	17	17	790	800	a
	10/12/2004	18.05	10.15	150	0.86	ND<0.5	ND<0.5	0.97	ND<10	-	a
	2/14/2005	15.30	12.90	1,500	200	16	30	31	420	550	a
	4/27/2005	14.20	14.00	3,000	520	100	27	86	600	480	a
	7/19/2005	16.08	12.12	1,800	310	16	36	25	1,000	1,100	a
	10/18/2005	16.55	11.65	2,500	450	28	47	51	3,800	4,500	a
	1/23/2006	14.66	13.54	1,300	170	13	14	14	2,500	3,300	a
	4/12/2006	12.92	15.28	940	150	12	7.6	12	3,400	3,300	a
	7/10/2006	15.38	12.82	1,700	260	14	26	20	4,300	5,900	a
	10/16/2006	17.21	10.99	3,200	440	26	34	63	7,800	7,500	a
	1/26/2007	17.58	10.62	2,000	290	20	28	42	8,300	8,300	a
	4/18/2007	17.46	10.74	2,300	350	28	38	42	5,900	7,800	a,i
	8/2/2007	17.95	10.25	3,600	480	33	47	72	7,500	9,000	a
	10/23/2007	18.41	9.79	1,700	280	13	27	25	7,000	8,800	a
	1/30/2008	17.49	10.71	1,300	130	4.9	13	12	6,500	8,200	a
	4/18/2008	17.90	10.30	2,300	240	14	25	27	6,900	6,400	a
	7/28/2008	18.49	9.71	3,400	390	100	33	100	4,600	5,000	a
	12/5/2008	19.07	9.13	2,400	310	30	41	67	2,100	1,700	a,i
	1/26/2009	18.71	9.49	1,600	180	14	21	33	1,300	1,200	a,Sheen ^{Field}
31.20	8/3/2009	18.23	12.97	2,300	370	39	37	89	1,700	1,600	a
	1/25/2010	17.64	13.56	690	77	7.4	8.6	20	240	280	a
	8/3/2010	17.72	13.48	1,600	190	17	23	44	770	990	a
MW-5	12/16/1994	16.07	11.97	ND<50	1.1	ND<0.5	ND<0.5	2.4	-	-	
28.04	12/29/1994	16.10	11.94	-	-	-	-	-	-	-	
	7/19/1996	15.49	12.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
	1/27/1997	13.60	14.44	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	15.55	12.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	9/18/1997	16.16	11.88	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/10/1997	15.41	12.63	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	10.93	17.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	13.25	14.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-5	8/18/1998	14.75	13.29	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
(cont.)	11/24/1998	15.15	12.89	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/4/1999	14.61	13.43	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	14.15	13.89	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/27/1999	15.43	12.61	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	15.97	12.07	-	-	-	-	-	-	-	
	2/29/2000	13.16	14.88	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/25/2000	14.72	13.32	-	-	-	-	-	-	-	
	8/9/2000	15.68	12.36	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	15.39	12.65	-	-	-	-	-	-	-	
	1/29/2001	15.97	12.07	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	16.24	11.80	-	-	-	-	-	-	-	
	8/14/2001	17.39	10.65	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	15.90	12.14	-	-	-	-	-	-	-	
	2/1/2002	16.55	11.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/10/2002	15.12	12.92	-	-	-	-	-	-	-	
	7/8/2002	15.92	12.12	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/2/2002	16.42	11.62	-	-	-	-	-	-	-	
	1/23/2003	14.90	13.14	ND<50	20	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	12.05	15.99	-	-	-	-	-	-	-	
25.07	7/18/2003	14.28	10.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	13.36	11.71	-	-	-	-	-	-	-	
	1/28/2004	12.68	12.39	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	14.71	10.36	-	-	-	-	-	-	-	
	7/23/2004	13.49	11.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	10/12/2004	15.88	9.19	-	-	-	-	-	-	-	
	2/14/2005	13.22	11.85	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	4/27/2005	13.40	11.67	-	-	-	-	-	-	-	
	7/19/2005	14.21	10.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	10/18/2005	14.79	10.28	-	-	-	-	-	-	-	
	1/23/2006	13.12	11.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	4/12/2006	11.39	13.68	-	-	-	-	-	-	-	
	7/10/2006	14.40	10.67	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	25	-	i
	10/16/2006	15.44	9.63	-	-	-	-	-	-	-	
	1/26/2007	15.76	9.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	490	-	
	4/18/2007	15.61	9.46	-	-	-	-	-	-	-	
	8/2/2007	16.04	9.03	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	660	760	
	10/23/2007	16.89	8.18	-	-	-	-	-	-	-	
	1/30/2008	15.61	9.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	250	280	
	4/18/2008	15.99	9.08	-	-	-	-	-	-	-	
	7/28/2008	16.45	8.62	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	640	670	
	12/5/2008	16.94	8.13	-	-	-	-	-	-	-	
	1/26/2009	16.54	8.53	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	3,500	3,700	
28.07	8/3/2009	16.23	11.84	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	1,300	1,400	
	1/25/2010	15.58	12.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	1,300	1,400	
	8/3/2010	15.55	12.52	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	400	450	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-6	12/16/1994	17.74	11.36	-	-	-	-	-	-	-	
29.10	12/29/1994	17.40	11.70	-	-	-	-	-	-	-	
	7/19/1996	16.60	12.50	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	-	-	
	1/27/1997	14.88	14.22	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	16.73	12.37	51	22	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	c
	9/18/1997	17.24	11.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	12/10/1997	16.56	12.54	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	12.93	16.17	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	14.35	14.75	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	15.94	13.16	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	16.46	12.64	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/4/1999	18.25	10.85	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	15.73	13.37	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/27/1999	15.64	13.46	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	17.04	12.06	-	-	-	-	-	-	-	
	2/29/2000	14.55	14.55	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/25/2000	15.86	13.24	-	-	-	-	-	-	-	
	8/9/2000	16.80	12.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	16.60	12.50	-	-	-	-	-	-	-	
	1/29/2001	17.00	12.10	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	17.15	11.95	-	-	-	-	-	-	-	
	8/14/2001	17.30	11.80	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	17.13	11.97	-	-	-	-	-	-	-	
	2/1/2002	16.57	12.53	70	37	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	a
	5/10/2002	15.25	13.85	-	-	-	-	-	-	-	
	7/8/2002	15.79	13.31	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/2/2002	16.38	12.72	-	-	-	-	-	-	-	
	1/23/2003	16.03	13.07	ND<50	21	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	14.19	14.91	-	-	-	-	-	-	-	
26.13	7/18/2003	15.47	10.66	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	14.73	11.40	-	-	-	-	-	-	-	
	1/28/2004	14.05	12.08	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	14.41	11.72	-	-	-	-	-	-	-	
	7/23/2004	15.15	10.98	3,300	1,300	ND<5.0	52	9.7	ND<50	-	a
	10/12/2004	17.29	8.84	-	-	-	-	-	-	-	
	2/14/2005	14.60	11.53	350	160	ND<0.5	ND<0.5	ND<0.5	ND<25	2.0	a,i
	4/27/2005	14.10	12.03	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	7/19/2005	15.18	10.95	110	15	ND<0.5	0.62	ND<0.5	ND<5.0	1.7	a,i
	10/18/2005	15.65	10.48	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	0.87	i
	1/23/2006	14.02	12.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	0.50	i
	4/12/2006	12.66	13.47	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	7/10/2006	14.64	11.49	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	10/16/2006	16.50	9.63	-	-	-	-	-	-	-	
	1/26/2007	16.83	9.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	4/18/2007	16.72	9.41	-	-	-	-	-	-	-	
	8/2/2007	17.13	9.00	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	10/23/2007	17.71	8.42	-	-	-	-	-	-	-	
	1/30/2008	16.54	9.59	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-6	4/18/2008	17.02	9.11	-	-	-	-	-	-	-	
(cont.)	7/28/2008	17.50	8.63	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	12/5/2008	17.89	8.24	-	-	-	-	-	-	-	
	1/26/2009	17.61	8.52	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	ND<0.5	
29.13	8/3/2009	17.24	11.89	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	1/25/2010	16.72	12.41	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	8/3/2010	16.80	12.33	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
MW-7	12/16/1994	17.07	12.60	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
29.67	12/29/1994	17.65	12.02	-	-	-	-	-	-	-	
	7/19/1996	16.44	13.23	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	1/27/1997	15.09	14.58	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	6/18/1997	16.59	13.08	73	ND<0.5	0.55	ND<0.5	ND<0.5	ND<5.0	-	d
	9/18/1997	17.06	12.61	94	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	b,f
	12/10/1997	16.58	13.09	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/18/1998	12.60	17.07	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/12/1998	14.81	14.86	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	8/18/1998	15.67	14.00	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/24/1998	16.30	13.37	200	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	d
	2/4/1999	15.99	13.68	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/18/1999	15.42	14.25	200	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	d
	8/27/1999	16.35	13.32	140	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/18/1999	16.81	12.86	--	--	--	--	--	--	-	
	2/29/2000	14.16	15.51	100	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	f
	5/25/2000	15.54	14.13	--	--	--	--	--	--	-	
	8/9/2000	16.56	13.11	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	11/9/2000	16.45	13.22	-	-	-	-	-	-	-	
	1/29/2001	16.92	12.75	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/16/2001	17.03	12.64	-	-	-	-	-	-	-	
	8/14/2001	17.27	12.40	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/22/2001	16.95	12.72	-	-	-	-	-	-	-	
26.70	2/1/2002	16.14	13.53	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	5/10/2002	15.30	14.37	-	-	-	-	-	-	-	
	7/8/2002	15.73	13.94	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/2/2002	16.24	13.43	-	-	-	-	-	-	-	
	1/23/2003	15.70	13.97	ND<50	23	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/29/2003	12.68	16.99	-	-	-	-	-	-	-	
	7/18/2003	15.19	11.51	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	10/9/2003	14.45	12.25	-	-	-	-	-	-	-	
	1/28/2004	13.88	12.82	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	4/7/2004	15.71	10.99	-	-	-	-	-	-	-	
	7/23/2004	14.85	11.85	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	130	120	
	10/12/2004	16.90	9.80	-	-	-	-	-	-	-	
	2/14/2005	14.42	12.28	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	190	200	
	4/27/2005	13.75	12.95	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	1.3	
	7/19/2005	14.91	11.79	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	65	66	
	10/18/2005	15.40	11.30	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	12	15	
	1/23/2006	13.99	12.71	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	2.2	

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

Well ID/ Sample ID TOC	Date Sampled	TOC Depth to Water (ft)	Groundwater Elevation (ft-msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes (µg/L)	MTBE by 8021B (µg/L)	MTBE by 8260B (µg/L)	Notes
MW-7	4/12/2006	12.32	14.38	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	2.0	
(cont.)	7/10/2006	14.31	12.39	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	1.5	
	10/16/2006	16.23	10.47	-	-	-	-	-	-	-	
	1/26/2007	16.61	10.09	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	4/18/2007	16.54	10.16	-	-	-	-	-	-	-	
	8/2/2007	16.93	9.77	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	2.2	
	10/23/2007	17.36	9.34	-	-	-	-	-	-	-	
	1/30/2008	16.36	10.34	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	4/18/2008	16.85	9.85	-	-	-	-	-	-	-	
	7/28/2008	17.43	9.27	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	1.1	i
	12/5/2008	17.91	8.79	-	-	-	-	-	-	-	
	1/26/2009	17.65	9.05	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5	0.96	
29.70	8/3/2009	17.17	12.53	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	0.87	
	1/25/2010	16.65	13.05	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
	8/3/2010	16.74	12.96	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	ND<0.5	
VW-3	3/6/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
	3/25/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	i
VW-4	3/6/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	3/25/2003	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
Trip Blank	11/9/2000	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	
	2/14/2005	-	-	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<5.0	-	

Abbreviations and Analyses:

µg/L = Micrograms per liter

ND<0.5 = Not Detected (ND) above laboratory detection limit.

- = Not sampled; not analyzed; not applicable; or no SPH measured or observed.

TOC = Top of casing elevation, measured in feet, relative to mean sea level

ft = Measured in feet

ft-msl = Elevation in feet relative to mean sea level

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method SW8015C

Benzene, ethylbenzene, toluene and xylenes by EPA Method SW8021B.

MTBE = Methyl tertiary butyl ether by EPA Method SW8021B and/or SW8260B.

SVOCs = Semi-Volatile Organic Compounds (EPA Method 8270)

Wells were re-surveyed on October 27, 2003 to City of Oakland Benchmark 25A.

TOC Depth to Water = Groundwater depth measured in feet below TOC.

Sheen = A sheen was observed on the water's surface.

Field = Observed in the field

Lab = Observed in analytical laboratory

Analytical Laboratory Notes:

a = "unmodified or weakly modified gasoline is significant"

b = "heavier gasoline range compounds are significant"

c = "lighter gasoline range compounds are significant"

d = "isolated peaks are present"

f = "hydrocarbons with no recognizable patterns are present"

h = "lighter than water immiscible sheen/product is present"

i = "sample contains greater than ~1 vol. % sediment"

j = "sample was diluted due to high organic content"

l = "reporting limit raised due to high MTBE content"

m = "no recognizable pattern"

*August 3, 2009 TOC modified per Mid Coast Engineers Survey, dated October 1, 2009

LABORATORY ANALYTICAL RESULTS OF DISSOLVED METALS IN GROUNDWATER
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA

SAMPLED AUGUST 16, 2010

<i>Well ID</i>	<i>Date</i>	<i>Cadmium</i>	<i>Chromium</i>	<i>Lead</i>	<i>Nickel</i>	<i>Zinc</i>
MW-3	8/3/2010	ND<5.0	ND<5.0	ND<20	7.3	ND<20

Notes:

ND<0.5 = Not Detected (ND) above laboratory detection limit.

µg/L = micrograms per liter

Sample analyzed by EPA Method 200.7

ATTACHMENT B

CERTIFIED ANALYTICAL REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #231116; BoGin	Date Sampled: 08/03/10
		Date Received: 08/03/10
	Client Contact: Bob Foss	Date Reported: 08/09/10
	Client P.O.:	Date Completed: 08/09/10

WorkOrder: 1008041

August 09, 2010

Dear Bob:

Enclosed within are:

- 1) The results of the 7 analyzed samples from your project: **#231116; BoGin,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McC Campbell Analytical, Inc.

McC Campbell Analytical, Inc.



1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1008041

ClientCode: CETE

WaterTrax WriteOn EDF Excel Fax Email HardCopy ThirdParty J-flag

Report to:

Bob Foss
Conestoga-Rovers & Associates
5900 Hollis St, Suite A
Emeryville, CA 94608
(510) 420-0700 FAX (510) 420-9170

Bill to:

Email: bfoss@croworld.com, chee@croworld.co Accounts Payable
cc: Conestoga-Rovers & Associates
PO: 5900 Hollis St, Ste. A
ProjectNo: #231116; BoGin Emeryville, CA 94608

Requested TAT: 5 days

Date Received: 08/03/2010

Date Printed: 08/03/2010

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
1008041-001	MW-1	Water	8/3/2010 9:15	<input type="checkbox"/>		A		B	A								
1008041-002	MW-2	Water	8/3/2010 10:05	<input type="checkbox"/>		A		B									
1008041-003	MW-3	Water	8/3/2010 8:35	<input type="checkbox"/>	C	A	D	B									
1008041-004	MW-4	Water	8/3/2010 9:40	<input type="checkbox"/>		A		B									
1008041-005	MW-5	Water	8/3/2010 8:05	<input type="checkbox"/>		A		B									
1008041-006	MW-6	Water	8/3/2010 7:10	<input type="checkbox"/>		A		B									
1008041-007	MW-7	Water	8/3/2010 7:35	<input type="checkbox"/>		A		B									

Test Legend:

1	8270D W
6	
11	

2	G-MBTX W
7	
12	

3	METALS DISS
8	

4	MTBE W
9	

5	PREF REPORT
10	

Prepared by: Melissa Valles

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

Sample Receipt Checklist

Client Name: **Conestoga-Rovers & Associates**

Date and Time Received: **8/3/2010 1:50:07 PM**

Project Name: **#231116; BoGin**

Checklist completed and reviewed by: **Melissa Valles**

WorkOrder N°: **1008041** Matrix Water

Carrier: Client Drop-In

Chain of Custody (COC) Information

- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Sample IDs noted by Client on COC? Yes No
- Date and Time of collection noted by Client on COC? Yes No
- Sampler's name noted on COC? Yes No

Sample Receipt Information

- Custody seals intact on shipping container/cooler? Yes No NA
- Shipping container/cooler in good condition? Yes No
- Samples in proper containers/bottles? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

- All samples received within holding time? Yes No
- Container/Temp Blank temperature Cooler Temp: 6.6°C NA
- Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
- Sample labels checked for correct preservation? Yes No
- Metal - pH acceptable upon receipt (pH<2)? Yes No NA
- Samples Received on Ice? Yes No

(Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

Client contacted:

Date contacted:

Contacted by:

Comments:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701

Web: www.mcccampbell.com E-mail: main@mcccampbell.com

Telephone: 877-252-9262 Fax: 925-252-9269

Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608	Client Project ID: #231116; BoGin	Date Sampled: 08/03/10
		Date Received: 08/03/10
	Client Contact: Bob Foss	Date Extracted: 08/03/10
	Client P.O.:	Date Analyzed: 08/07/10

Semi-Volatile Organics by GC/MS (Basic Target List)*

Extraction Method: SW3510C

Analytical Method: SW8270C

Work Order: 1008041

Lab ID	1008041-003C
Client ID	MW-3
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acenaphthene	ND	1.0	10	Acenaphthylene	ND	1.0	10
Acetochlor	ND	1.0	10	Anthracene	ND	1.0	10
Benzidine	ND	1.0	50	Benzoic Acid	ND	1.0	50
Benzo(a)anthracene	ND	1.0	10	Benzo(b)fluoranthene	ND	1.0	10
Benzo(k)fluoranthene	ND	1.0	10	Benzo(g,h,i)perylene	ND	1.0	10
Benzo(a)pyrene	ND	1.0	10	Benzyl Alcohol	ND	1.0	50
1,1-Biphenyl	ND	1.0	10	Bis (2-chloroethoxy) Methane	ND	1.0	10
Bis (2-chloroethyl) Ether	ND	1.0	10	Bis (2-chloroisopropyl) Ether	ND	1.0	10
Bis (2-ethylhexyl) Phthalate	ND	1.0	20	4-Bromophenyl Phenyl Ether	ND	1.0	10
Butylbenzyl Phthalate	ND	1.0	10	4-Chloroaniline	ND	1.0	20
4-Chloro-3-methylphenol	ND	1.0	10	2-Chloronaphthalene	ND	1.0	10
2-Chlorophenol	ND	1.0	10	4-Chlorophenyl Phenyl Ether	ND	1.0	10
Chrysene	ND	1.0	10	Dibenzo(a,h)anthracene	ND	1.0	10
Dibenzofuran	ND	1.0	10	Di-n-butyl Phthalate	ND	1.0	10
1,2-Dichlorobenzene	ND	1.0	10	1,3-Dichlorobenzene	ND	1.0	10
1,4-Dichlorobenzene	ND	1.0	10	3,3-Dichlorobenzidine	ND	1.0	20
2,4-Dichlorophenol	ND	1.0	10	Diethyl Phthalate	ND	1.0	10
2,4-Dimethylphenol	ND	1.0	10	Dimethyl Phthalate	ND	1.0	10
4,6-Dinitro-2-methylphenol	ND	1.0	50	2,4-Dinitrophenol	ND	1.0	50
2,4-Dinitrotoluene	ND	1.0	10	2,6-Dinitrotoluene	ND	1.0	10
Di-n-octyl Phthalate	ND	1.0	10	1,2-Diphenylhydrazine	ND	1.0	10
Fluoranthene	ND	1.0	10	Fluorene	ND	1.0	10
Hexachlorobenzene	ND	1.0	10	Hexachlorobutadiene	ND	1.0	10
Hexachlorocyclopentadiene	ND	1.0	50	Hexachloroethane	ND	1.0	10
Indeno (1,2,3-cd) pyrene	ND	1.0	10	Isophorone	ND	1.0	10
2-Methylnaphthalene	ND	1.0	10	2-Methylphenol (o-Cresol)	ND	1.0	10
3 &/or 4-Methylphenol (m,p-Cres)	ND	1.0	10	Naphthalene	ND	1.0	10
2-Nitroaniline	ND	1.0	50	3-Nitroaniline	ND	1.0	50
4-Nitroaniline	ND	1.0	50	Nitrobenzene	ND	1.0	10
2-Nitrophenol	ND	1.0	50	4-Nitrophenol	ND	1.0	50
N-Nitrosodiphenylamine	ND	1.0	10	N-Nitrosodi-n-propylamine	ND	1.0	10
Pentachlorophenol	ND	1.0	50	Phenanthrene	ND	1.0	10
Phenol	ND	1.0	10	Pyrene	ND	1.0	10
1,2,4-Trichlorobenzene	ND	1.0	10	2,4,5-Trichlorophenol	ND	1.0	10
2,4,6-Trichlorophenol	ND	1.0	10				

Surrogate Recoveries (%)

%SS1:	97	%SS2:	87
%SS3:	104	%SS4:	101
%SS5:	99	%SS6:	107

Comments:

* water samples in µg/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L.

ND means not detected at or above the reporting limit/method detection limit; N/A means analyte not applicable to this analysis; %SS means Percent Recovery of Surrogate Standard; DF means Dilution Factor

#) surrogate diluted out of range or surrogate coelutes with another peak.



QC SUMMARY REPORT FOR SW8270C

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 52231

WorkOrder 1008041

Analyte	Extraction SW3510C								Spiked Sample ID: N/A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
Acenaphthene	N/A	50	N/A	N/A	N/A	83.3	89.2	6.79	N/A	N/A	30 - 130	20
4-Chloro-3-methylphenol	N/A	100	N/A	N/A	N/A	101	104	3.21	N/A	N/A	30 - 130	20
2-Chlorophenol	N/A	100	N/A	N/A	N/A	98.4	98.6	0.213	N/A	N/A	30 - 130	20
1,4-Dichlorobenzene	N/A	50	N/A	N/A	N/A	73.4	75	2.02	N/A	N/A	30 - 130	20
2,4-Dinitrotoluene	N/A	50	N/A	N/A	N/A	95.5	104	8.20	N/A	N/A	30 - 130	20
4-Nitrophenol	N/A	100	N/A	N/A	N/A	104	103	0.736	N/A	N/A	30 - 130	20
N-Nitrosodi-n-propylamine	N/A	50	N/A	N/A	N/A	105	104	1.65	N/A	N/A	30 - 130	20
Pentachlorophenol	N/A	100	N/A	N/A	N/A	98	94.9	3.25	N/A	N/A	30 - 130	20
Phenol	N/A	100	N/A	N/A	N/A	81	79.8	1.58	N/A	N/A	30 - 130	20
Pyrene	N/A	50	N/A	N/A	N/A	92.6	98.7	6.38	N/A	N/A	30 - 130	20
1,2,4-Trichlorobenzene	N/A	50	N/A	N/A	N/A	77.5	79.4	2.42	N/A	N/A	30 - 130	20
%SS1:	N/A	5000	N/A	N/A	N/A	75	75	0	N/A	N/A	30 - 130	20
%SS2:	N/A	5000	N/A	N/A	N/A	70	73	4.09	N/A	N/A	30 - 130	20
%SS3:	N/A	5000	N/A	N/A	N/A	82	84	2.64	N/A	N/A	30 - 130	20
%SS4:	N/A	5000	N/A	N/A	N/A	63	68	7.32	N/A	N/A	30 - 130	20
%SS5:	N/A	5000	N/A	N/A	N/A	78	84	7.29	N/A	N/A	30 - 130	20
%SS6:	N/A	5000	N/A	N/A	N/A	75	82	8.71	N/A	N/A	30 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 52231 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1008041-003C	08/03/10 8:35 AM	08/03/10	08/07/10 5:14 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

$\% \text{ Recovery} = 100 * (\text{MS} - \text{Sample}) / (\text{Amount Spiked})$; $\text{RPD} = 100 * (\text{MS} - \text{MSD}) / ((\text{MS} + \text{MSD}) / 2)$.

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 52202

WorkOrder 1008041

Analyte	EPA Method SW8021B/8015Bm Extraction SW6030B								Spiked Sample ID: 1008025-012A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^f	ND	60	121	126	4.22	119	123	3.71	70 - 130	20	70 - 130	20
MTBE	ND	10	115	109	5.34	103	111	7.35	70 - 130	20	70 - 130	20
Benzene	ND	10	90.2	87.1	3.53	89.2	89.8	0.687	70 - 130	20	70 - 130	20
Toluene	ND	10	88.8	86	3.23	87.6	88.2	0.738	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	88.9	87.4	1.68	87.4	89.2	2.02	70 - 130	20	70 - 130	20
Xylenes	ND	30	88	86.2	2.05	86.1	88.7	2.95	70 - 130	20	70 - 130	20
%SS:	99	10	92	89	3.68	93	89	3.82	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 52202 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1008041-001A	08/03/10 9:15 AM	08/04/10	08/04/10 9:00 PM	1008041-002A	08/03/10 10:05 AM	08/06/10	08/06/10 4:35 AM
1008041-003A	08/03/10 8:35 AM	08/04/10	08/04/10 8:30 PM	1008041-003A	08/03/10 8:35 AM	08/06/10	08/06/10 3:32 AM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

E TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



QC SUMMARY REPORT FOR SW8021B/8015Bm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 52265

WorkOrder 1008041

Analyte	EPA Method SW8021B/8015Bm Extraction SW5030B								Spiked Sample ID: 1008041-006A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
TPH(btex) ^f	ND	60	94.7	98.3	3.79	94.4	94	0.386	70 - 130	20	70 - 130	20
MTBE	ND	10	125	119	4.82	116	115	1.27	70 - 130	20	70 - 130	20
Benzene	ND	10	113	107	5.96	111	107	3.12	70 - 130	20	70 - 130	20
Toluene	ND	10	97.4	97.6	0.173	100	95.1	5.08	70 - 130	20	70 - 130	20
Ethylbenzene	ND	10	98.1	96.6	1.47	99	94.8	4.40	70 - 130	20	70 - 130	20
Xylenes	ND	30	110	110	0	111	107	3.78	70 - 130	20	70 - 130	20
%SS:	103	10	106	102	3.30	107	104	3.29	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 52265 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1008041-004A	08/03/10 9:40 AM	08/04/10	08/04/10 9:30 PM	1008041-004A	08/03/10 9:40 AM	08/06/10	08/06/10 4:04 AM
1008041-005A	08/03/10 8:05 AM	08/04/10	08/04/10 10:29 PM	1008041-006A	08/03/10 7:10 AM	08/05/10	08/05/10 1:26 AM
1008041-007A	08/03/10 7:35 AM	08/05/10	08/05/10 1:55 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mccampbell.com E-mail: main@mccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

QC SUMMARY REPORT FOR E200.7

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 52268

WorkOrder 1008041

Analyte	Extraction E200.7								Spiked Sample ID: 1008003-001A			
	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
Cadmium	ND	100	116	109	5.96	114	113	0.707	70 - 130	20	85 - 115	20
Chromium	ND	100	117	109	7.01	108	114	5.33	70 - 130	20	85 - 115	20
Lead	ND	100	106	100	5.14	111	114	2.14	70 - 130	20	85 - 115	20
Nickel	ND	100	97.2	94.8	2.50	102	112	9.23	70 - 130	20	85 - 115	20
Zinc	ND	1000	122	128	4.82	110	115	3.82	70 - 130	20	85 - 115	20
%SS:	112	750	95	103	8.20	98	107	8.92	70 - 130	20	70 - 130	20

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 52268 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1008041-003D	08/03/10 8:35 AM	08/03/10	08/04/10 2:31 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.


% Recovery = $100 * (MS - Sample) / (Amount Spiked)$; RPD = $100 * (MS - MSD) / ((MS + MSD) / 2)$.

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not applicable to this method.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

DHS ELAP Certification 1644

 QA/QC Officer



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 52235

WorkOrder 1008041

EPA Method SW8260B		Extraction SW5030B							Spiked Sample ID: 1008016-001A			
Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)			
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
Methyl-t-butyl ether (MTBE)	1.5	10	99.6	102	2.05	113	114	1.24	70 - 130	30	70 - 130	30
%SS1:	117	25	117	113	3.42	118	117	0.788	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 52235 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
1008041-001B	08/03/10 9:15 AM	08/04/10	08/04/10 5:05 PM	1008041-002B	08/03/10 10:05 AM	08/04/10	08/04/10 4:22 PM
1008041-003B	08/03/10 8:35 AM	08/04/10	08/04/10 5:47 PM	1008041-004B	08/03/10 9:40 AM	08/05/10	08/05/10 3:33 PM
1008041-005B	08/03/10 8:05 AM	08/05/10	08/05/10 4:15 PM	1008041-006B	08/03/10 7:10 AM	08/05/10	08/05/10 4:28 AM
1008041-007B	08/03/10 7:35 AM	08/05/10	08/05/10 5:10 AM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.


N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.


Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.


ATTACHMENT C

FIELD DATA SHEETS




WELL GAUGING SHEET

Client: Conestoga-Rovers and Associates						
Site Address: 706 Harriosa Street, Oakland, CA						
Date: 8/3/2010			Signature: 			
Well ID	Time	Depth to SPH	Depth to Water	SPH Thickness	Depth to Bottom	Comments
MW-1	5:45		16.90		24.41	
MW-2	5:55		17.24		25.10	
MW-3	5:40		16.61		27.69	
MW-4	5:50		17.72		25.59	
MW-5	6:50		15.55		27.89	
MW-6	6:35		16.80		25.89	
MW-7	6:40		16.74		27.75	



WELL SAMPLING FORM

Date:		8/3/2010				
Client:		Conestoga-Rovers and Associates				
Site Address:		706 Harrison Street, Oakland, CA				
Well ID:		MN-2				
Well Diameter:		2"				
Purging Device:		Disposable Bailer				
Sampling Method:		Disposable Bailer	Pre Purge	Post Purge		
Total Well Depth:		25.10	Fe=	mg/L mg/L		
Depth to Water:		17.24	ORP=	mV mV		
Water Column Height:		7.86	DO=	mg/L mg/L		
Gallons/ft:		0.16				
1 Casing Volume (gal):		1.25	COMMENTS: turbid			
3 Casing Volumes (gal):		3.75				
TIME:	CASING VOLUME (gal)	TEMP (Celsius)	pH	COND. (uS)		
9:55	1.5	18.9	6.60	847		
9:57	3.0	19.0	6.61	883		
10:00	4.0	19.0	6.65	889		
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method
MN-2	8/3/10	10:05	40 mL VOA	HCL ICE	TPH, BTEX, MTBE	8015, 8021, 8260
				Signature:		



WELL SAMPLING FORM

Date:		8/3/2010				
Client:		Conestoga-Rovers and Associates				
Site Address:		706 Harrison Street, Oakland, CA				
Well ID:		MW-6				
Well Diameter:		2"				
Purging Device:		Disposable Bailer				
Sampling Method:		Pre Purge	Post Purge			
Total Well Depth:		25.89	Fe= mg/L mg/L			
Depth to Water:		16.80	ORP= mV mV			
Water Column Height:		9.09	DO= mg/L mg/L			
Gallons/ft:		0.16				
1 Casing Volume (gal):		1.45	COMMENTS: slightly turbid			
3 Casing Volumes (gal):		4.35				
TIME:	CASING VOLUME (gal)	TEMP (Celsius)	pH	COND. (µS)		
7:00	1.5	19.5	6.94	476		
7:03	3.0	19.0	6.91	483		
7:05	4.0	19.1	6.90	479		
Sample ID:	Sample Date:	Sample Time:	Container Type	Preservative	Analytes	Method
MW-6	8/3/10	7:10	40 mL VOA	HCL ICE	TPH, BTEX, MTBE	8015, 8021, 8260
Signature:						

