

✓ 233



GETTLER-RYAN INC.

TRANSMITTAL

September 15, 2004

G-R #386473

TO: Mr. Bruce H. Eppler
Cambria Environmental Technology, Inc.
4111 Citrus Avenue, Suite 12
Rocklin, California 95677

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-4612
3616 San Leandro Street
Oakland, California
MTI: 61D-1996**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
2	September 15, 2004	Groundwater Monitoring and Sampling Report Third Quarter - Event of August 17, 2004

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced report for your use and distribution to the following:

Ms. Karen Streich, ChevronTexaco Company, P.O. Box 6012, Room K2256, San Ramon, CA 94583

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 6, 2004**, at which time the final report will be distributed to the following:

- cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Leonard B. Ratto, Ratto Land Company, P.O. Box 6104, Oakland, CA 94603-0104
- Mr. Terry McIlraith, 407 Castello Road, Lafayette, CA 94549

Enclosures

trans/9-4612-ks



GETTLER-RYAN INC.

September 15, 2004
G-R Job #386473

Ms. Karen Streich
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Third Quarter Event of August 17, 2004
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. Dissolved Oxygen Concentrations are presented in Table 2. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Dissolved Oxygen Concentrations
Table 3: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-4612
 3616 San Leandro Street
 Oakland, California

FIGURE
1

PROJECT NUMBER
386473

REVIEWED BY

DATE
 August 17, 2004

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTRE (ppb)	TOG (ppb)
VH-1											
08/10/88	--	--	13.00	--	11,000	3,300	200	520	540	--	--
06/01/89	--	--	10.32	--	15,000	2,200	120	540	310	--	--
09/15/89	--	--	15.69	--	5,600	1,900	90	350	160	--	--
12/08/89	--	--	14.77	--	11,000	1,900	69	270	99	--	--
03/07/91	--	--	11.26	--	4,500	820	39	120	77	--	--
09/24/91	--	--	12.98	--	3,300	520	19	39	27	--	--
01/08/92	--	--	13.77	--	5,000	600	34	81	76	--	--
04/20/92	--	--	8.18	--	7,400	670	60	110	140	--	--
03/26/93	27.85	21.14	6.71	--	4,900	600	40	72	94	--	--
05/27/93	27.85	19.27	8.58	--	13,000	1,600	120	230	220	--	--
08/18/93	27.85	17.39	10.46	--	2,700	210	10	8.1	18	--	--
11/03/93	27.85	15.28	12.57	--	4,600	680	42	35	68	--	--
02/10/94	27.85	18.77	9.08	--	1,900	260	19	22	29	--	--
05/12/94	27.85	19.76	8.09	--	2,000	390	28	3.9	29	--	--
08/26/94	27.85	17.10	10.75	--	4,900	500	<5.0	23	31	--	--
11/14/94	27.85	18.40	9.45	300	760	69	<2.0	<2.0	2.2	--	--
02/01/95	27.85	21.88	5.97	--	1,300	120	5.9	<0.5	13	--	--
05/12/95	27.85	20.14	7.71	--	4,400	460	31	45	49	--	--
08/22/95	27.85	18.59	9.26	--	2,900	310	15	28	32	--	--
12/19/95	27.85	19.05	8.80	--	930	53	<2.5	<2.5	<2.5	39	--
01/31/96	27.85	22.35	5.50	--	3,700	320	<10	41	40	180	--
04/30/96	27.85	19.81	8.04	--	3,900	270	<20	<20	<20	120	--
08/01/96	27.85	18.67	9.18	--	2,700	140	11	18	28	200	--
10/30/96	27.85	18.67	10.76	--	2,700	140	<12	<12	<12	280	--
02/07/97	27.85	19.75	8.10	--	220	13	0.6	<0.5	1.6	15	--
05/07/97	27.85	18.33	9.52	--	5,200	33	12	21	26	330	--
07/22/97	27.85	17.43	10.42	--	4,200	80	<10	16	24	400	--
11/03/97	27.85	16.85	11.00	--	2,400	150	6.8	6.5	9.5	510	--
01/28/98	27.85	20.75	7.10	--	850	69	4.8	5.0	11	38/48 ¹²	--
05/08/98	27.85	20.14	7.71	--	4,200	200	30	40	42	310/200 ¹²	--
07/29/98	27.85	18.40	9.45	--	3,800	54	10	27	30	35/290 ¹²	--
11/06/98	27.85	17.15	10.70	--	4,800	100	20	12	23	360/210 ¹²	--
02/09/99 ⁵	27.85	21.87	5.98	--	2,950	79.5	<10	<10	<10	435/312 ¹²	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC ⁶ (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
VH-1 (cont)											
05/13/99	27.85	19.71	8.14	--	4,180	147	12.8	16.5	20.3	433245 ¹²	--
09/07/99	27.85	17.94	9.91	--	2,750	57.6	<5.0	6.53	<5.0	297/233 ¹²	--
11/24/99	27.85	17.36	10.49	--	2,550	38	3.18	2.54	5.21	--/216 ^{1,12}	--
02/25/00	27.85	21.20	6.65	--	120	2.7	<0.5	<0.5	<0.5	20.5/11.9 ¹²	--
05/10/00	27.85	19.76	8.09	--	1,400 ⁸	63	3.3	3.1	4.9	230/110 ¹²	--
7/31/00 ¹¹	27.85	18.30	9.55	--	360 ⁸	22	2.7	1.6	3.1	100/88 ¹²	--
10/30/00 ¹¹	27.85	17.91	9.94	--	987 ¹⁰	47.0	1.00	<0.500	1.80	153/130 ¹²	--
02/05/01	27.91	19.23	8.68	--	2,670	42.7	<5.00	<5.00	<5.00	225/160 ¹²	--
05/07/01 ¹¹	27.91	19.61	8.30	--	1,800 ⁶	100	8.2	10	7.9	440/110 ¹²	--
08/06/01 ¹¹	27.91	18.09	9.82	--	1,000 ⁶	67	6.1	2.1	7.1	270/140 ¹²	--
11/12/01 ¹¹	27.91	17.29	10.62	--	220	1.2	<0.50	<0.50	<1.5	63/61 ¹²	--
02/11/02 ¹¹	27.91	19.83	8.08	--	1,700	33	<5.0	6.3	3.8	64/52 ¹²	--
05/13/02 ¹¹	27.91	19.21	8.70	--	2,700	54	4.1	5.6	6.2	100/80 ¹²	--
08/09/02 ¹¹	27.91	18.50	9.41	--	2,400	37	2.4	1.2	3.4	86/89 ¹²	--
11/07/02 ¹¹	27.91	17.34	10.57	--	150	1.3	<0.50	<0.50	<1.5	56/50 ¹²	--
02/04/03 ¹¹	27.91	19.63	8.28	--	1,700	40	3.1	7.8	5.0	100/53 ¹²	--
05/05/03 ¹¹	27.91	20.41	7.50	--	2,100	44	3.4	3.7	5.2	96/62 ¹²	--
09/06/03 ^{11,14}	27.91	18.31	9.60	--	690	7	0.6	<0.5	0.6	59	--
11/14/03 ^{11,14}	27.91	17.99	9.92	--	1,000	3	0.6	2	0.7	47	--
02/13/04 ^{14,15}	27.91	19.98	7.93	--	2,400	30	2	4	3	47	--
05/13/04 ¹⁴	27.91	19.24	8.67	--	1,900	49	4	3	5	74	--
08/17/04 ¹⁴	27.91	18.26	9.65	--	1,800	11	1	0.9	2	58	--
MW-2											
02/16/93	27.51	--	--	--	9,200	720	110	250	170	--	--
03/26/93	27.51	19.89	7.62	--	--	--	--	--	--	--	--
05/27/93	27.51	18.04	9.47	--	360	5.3	2.1	1.8	2.5	--	--
08/18/93	27.51	16.46	11.05	--	9,400	1,100	76	110	100	--	--
11/03/93	27.51	14.56	12.95	--	8,600	390	20	2.7	120	--	--
02/10/94	27.51	17.72	9.79	--	2,700	370	38	44	41	--	--
05/12/94	27.51	18.59	8.92	--	3,800	650	76	15	62	--	--
08/26/94	27.51	16.14	11.37	--	16,000	1,300	270	28	120	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Former Chevron Service Station #9-4612
 3616 San Leandro Street
 Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-2 (cont)											
11/14/94	27.51	17.48	10.03	--	5,100	390	10	43	27	--	--
02/01/95	27.51	20.47	7.04	--	6,900	520	82	170	110	--	--
05/12/95	27.51	18.76	8.75	--	7,700	510	83	110	100	--	--
08/22/95	27.51	17.35	10.16	--	4,500	220	16	61	47	--	--
12/19/95	27.51	18.05	9.46	--	2,900	240	<10	19	18	220	--
01/31/96	27.51	21.91	5.60	--	3,900	320	18	72	39	<25	--
04/30/96	27.51	18.68	8.83	--	5,600	200	36	55	47	170	--
08/01/96	27.51	17.25	10.26	--	6,200	190	15	62	59	220	--
10/30/96	27.51	17.25	11.48	--	5,700	190	<25	67	36	260	--
02/07/97	27.51	18.11	9.40	--	8,300	210	34	70	59	330	--
05/07/97	27.51	17.57	9.94	--	6,900	190	12	38	37	530	--
07/22/97	27.51	16.36	11.15	--	10,000	18	25	62	41	630	--
11/03/97	27.51	15.93	11.58	--	6,500	260	8.5	26	14	590/9.6 ^{4,12}	--
01/28/98	27.51	19.38	8.13	--	6,700	65	13	67	54	280/94 ¹²	--
05/08/98	27.51	18.89	8.62	--	5,500	91	38	43	61	220/62 ¹²	--
07/29/98	27.51	17.06	10.45	--	3,600	41	8.9	3.6	14	16/94 ¹²	--
11/06/98	27.51	15.89	11.62	--	6,900	77	<5.0	14	17	290/110 ¹²	--
02/09/99 ⁵	27.51	20.61	6.90	--	8,070	75.6	<10	<10	<10	397/144 ¹²	--
05/13/99	27.51	18.21	9.30	--	5,890	120	<5.0	12.5	26.6	401/69.4 ¹²	--
09/07/99	27.51	16.57	10.94	--	5,820	41.2	<5.0	14.6	<5.0	260/145 ¹²	--
11/24/99	27.51	15.98	11.53	--	5,940	40.9	<10	10.8	<10	--/120 ^{1,12}	--
02/25/00	27.51	21.00	6.51	--	6,370	101	9.37	39.8	33.2	321/121 ¹²	--
05/10/00	27.51	18.49	9.02	--	6,100 ⁸	110	13	27	31	560/120 ¹²	--
07/31/00 ¹¹	27.51	17.18	10.33	--	3,000 ⁸	75	14	28	28	200/130 ¹²	--
10/30/00 ¹¹	27.51	16.95	10.56	--	6,810 ¹⁰	162	<5.00	8.05	<15.0	372/140 ¹²	--
02/05/01 ¹¹	28.05	18.47	9.58	--	5,860	28.4	6.86	16.2	11.8	285/140 ¹²	--
05/07/01 ¹¹	28.05	18.85	9.20	--	4,700 ⁶	120	15	30	42	540/88 ¹²	--
08/06/01 ¹¹	28.05	17.31	10.74	--	3,700 ⁶	120	<20	28	33	490/110 ¹²	--
11/12/01 ¹¹	28.05	16.60	11.45	--	7,000	29	<10	27	22	93/98 ¹²	--
02/11/02 ¹¹	28.05	18.99	9.06	--	5,900	43	15	24	27	90/86 ¹²	--
05/13/02 ¹¹	28.05	18.41	9.64	--	5,500	26	5.2	23	26	120/47 ¹²	--
08/09/02 ¹¹	28.05	17.76	10.29	--	5,700	26	3.7	26	50	100/69 ¹²	--
11/07/02 ¹¹	28.05	16.78	11.27	--	5,900	33	4.4	23	21	<100/69 ¹²	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC* (%)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-2 (cont)											
02/04/03 ¹¹	28.05	18.92	9.13	--	5,400	22	4.7	13	14	<50/55 ¹²	--
05/05/03 ¹¹	28.05	19.67	8.38	--	4,500	23	4.7	12	15	<50/31 ¹²	--
09/06/03 ^{11,14}	28.05	17.65	10.40	--	3,200	13	2	7	7	54	--
11/14/03 ^{11,14}	28.05	17.43	10.62	--	4,000	11	2	7	6	55	--
02/13/04 ^{14,15}	28.05	19.26	8.79	--	6,200	6	2	8	8	31	--
05/13/04 ¹⁴	28.05	18.49	9.56	--	3,200	6	3	13	11	34	--
08/17/04 ¹⁴	28.05	17.57	10.48	--	4,300	7	1	6	5	46	--
MW-3											
02/16/93	28.50	--	--	--	3,500	<0.5	8.1	4.6	7.7	--	--
03/26/93	28.50	21.32	7.18	--	--	--	--	--	--	--	--
05/27/93	28.50	19.17	9.33	--	4,200	580	84	150	100	--	--
08/18/93	28.50	16.50	12.00	1,400	910	12	3.7	6.2	3.8	--	<5,000
11/03/93	28.50	15.21	13.29	--	5,300	29	1.9	0.6	27	--	--
02/10/94	28.50	18.87	9.63	<50	63	<0.5	0.7	<0.5	<0.5	--	--
05/12/94	28.50	19.73	8.77	84	<50	<0.5	0.5	<0.5	<0.5	--	--
08/26/94	28.50	17.08	11.42	--	2,100	12	<0.5	5.0	0.5	--	--
11/14/94	28.50	18.43	10.07	--	140	0.78	<0.5	<0.5	<0.5	--	--
02/01/95	28.50	22.21	6.29	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/12/95	28.50	20.43	8.07	540 ²	330	13	1.1	1.9	0.69	--	--
08/22/95	28.50	18.55	9.95	550 ²	980	32	<1.0	<1.0	<1.0	--	--
12/19/95	28.50	19.10	9.40	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/31/96	28.50	23.45	5.05	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/30/96	28.50	20.10	8.40	240 ²	320	2.4	<0.5	0.75	<0.5	7.8	--
08/01/96	28.50	18.70	9.80	470 ²	980	9.6	<0.5	0.98	2.2	54	--
10/30/96	28.50	18.70	11.48	760 ²	2,000	14	<10	<10	<10	140	--
02/07/97	28.50	19.90	8.60	61 ²	200 ²	<0.5	<0.5	<0.5	<0.5	8.9	--
05/07/97	28.50	19.49	9.01	550 ²	3,500	14	3.9	3.6	8.0	160	--
07/22/97	28.50	17.38	11.12	800 ²	3,500	55	<10	<10	<10	150	--
11/03/97	28.50	16.99	11.51	910 ²	4,100	140	<5.0	<5.0	<5.0	380	--
01/28/98	28.50	21.16	7.34	--	1,100	24	<1.2	<1.2	2.8	33/6.1 ¹²	--
05/08/98	28.50	20.44	8.06	250 ²	990	3.6	7.7	0.7	2.2	37/7.5 ¹²	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MYBE (ppb)	TOG (ppb)
MW-3 (cont)											
07/29/98	28.50	18.25	10.25	290 ²	1,200	13	<0.5	<0.5	1.4	11/28 ¹²	--
11/06/98	28.50	17.11	11.39	390 ²	2,600	5.3	<2.5	<2.5	3.0	91/41 ¹²	--
02/09/99 ⁵	28.50	22.40	6.10	184 ²	406	<1.0	4.03	<1.0	<1.0	17.7/1.97 ¹²	--
05/13/99	28.50	19.38	9.12	--	615	13.8	1.05	<0.5	<0.5	43.5/21.2 ¹²	--
09/07/99	28.50	17.77	10.73	528 ²	2,710	<5.0	<5.0	<5.0	<5.0	96.3/57.9 ¹²	--
11/24/99	28.50	17.37	11.13	1,070 ²	5,530	<5.0	<5.0	5.59	<5.0	--/66 ^{1,12}	--
02/25/00	28.50	22.22	6.28	--	189	4.68	<0.5	<0.5	<0.5	11.9/<2.0 ¹²	--
03/01/00	28.50	21.80	6.70	380 ²	--	--	--	--	--	--	--
05/10/00	28.50	19.90	8.60	830 ⁷	1,600 ⁶	22	<10	<10	<10	100/51 ¹²	--
07/31/00 ¹¹	28.50	18.43	10.07	490 ⁷	2,200 ⁶	76	10	<5.0	13	230/52 ¹²	--
10/30/00 ¹¹	28.50	17.97	10.53	580 ⁹	3,320 ¹⁰	<5.00	<5.00	<5.00	<15.0	147/64 ¹²	--
02/05/01 ¹¹	29.04	19.78	9.26	--	3,960	<5.00	6.02	<5.00	<5.00	159/70 ¹²	--
05/07/01 ¹¹	29.04	20.29	8.75	--	2,800 ⁶	61	12	<10	20	230/49 ¹²	--
05/10/01 ¹¹	29.04	20.21	8.83	390 ¹³	--	--	--	--	--	--	--
08/06/01 ¹¹	29.04	18.59	10.45	870 ⁷	1,600 ⁶	39	14	1.3	5.6	130/43 ¹²	--
11/12/01 ¹¹	29.04	17.82	11.22	1,400	3,100	3.6	23	2.3	5.6	40/46 ¹²	--
02/11/02 ¹¹	29.04	20.66	8.38	700	4,000	10	<5.0	4.2	5.5	44/42 ¹²	--
05/13/02 ¹¹	29.04	19.84	9.20	730	2,500	18	<5.0	<5.0	5.2	44/32 ¹²	--
08/09/02 ¹¹	29.04	18.87	10.17	560	2,700	17	<5.0	<5.0	<10	45/33 ¹²	--
11/07/02 ¹¹	29.04	17.91	11.13	660	2,600	24	<5.0	2.0	4.8	51/37 ¹²	--
02/04/03 ¹¹	29.04	20.44	8.60	370	2,200	13	1.5	2.7	5.0	<50/24 ¹²	--
05/05/03 ¹¹	29.04	21.22	7.82	580	2,100	14	1.8	2.0	3.9	<20/19 ¹²	--
09/06/03 ^{11,14}	29.04	18.79	10.25	780	1,800	2	0.6	0.6	1	28	--
11/14/03 ^{11,14}	29.04	18.52	10.52	860	2,000	1	0.6	0.6	0.9	30	--
02/13/04 ^{14,15}	29.04	20.76	8.28	590	3,600	1	0.6	1	2	21	--
05/13/04 ¹⁴	29.04	19.87	9.17	670	1,600	1	<0.5	0.5	1	20	--
08/17/04 ¹⁴	29.04	18.79	10.25	900	2,500	1	<0.5	<0.5	0.7	25	--
MW-4											
08/22/95	27.27	18.16	9.11	--	9,600	100	<10	<10	<10	--	--
12/19/95	27.27	18.97	8.30	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/31/96	27.27	21.67	5.60	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-4 (cont)											
04/30/96	27.27	20.27	7.00	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/01/96	27.27	18.12	9.15	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/30/96	27.27	18.12	10.74	--	110	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/07/97	27.27	19.47	7.80	--	80	<0.5	<0.5	<0.5	<0.5	4.1	--
05/07/97	27.27	21.42	5.85	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/22/97	27.27	17.22	10.05	--	150	<0.5	<0.5	<0.5	<0.5	<2.5	--
11/03/97	27.27	16.55	10.72	--	52	0.9	<0.5	<0.5	<0.5	-- ³	--
01/28/98	27.27	20.76	6.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 ¹²	--
05/08/98	27.27	20.25	7.02	--	56	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 ¹²	--
07/29/98	27.27	18.32	8.95	--	<50	0.9	<0.5	<0.5	<0.5	<2.5/<2.0 ¹²	--
11/06/98	27.27	16.68	10.59	--	72	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 ¹²	--
02/09/99	27.27	21.41	5.86	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0/<1.1 ¹²	--
05/13/99	27.27	19.32	7.95	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ¹²	--
09/07/99	27.27	17.79	9.48	--	70.2	<0.5	<0.5	<0.5	<0.5	<2.0/<1.0 ¹²	--
11/24/99	27.27	17.22	10.05	--	227	<0.5	<0.5	<0.5	<0.5	--/<0.5 ¹²	--
02/25/00	27.27	INACCESSIBLE	--	--	--	--	--	--	--	--	--
03/01/00	27.27	21.10	6.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0 ¹²	--
05/10/00	27.27	INACCESSIBLE - CAR PARKED OVER WELL	--	--	--	--	--	--	--	--	--
07/31/00	27.27	17.90	9.37	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ¹²	--
10/30/00	27.27	17.80	9.47	--	54.0 ¹⁰	<0.500	<0.500	<0.500	<1.50	<2.50/<2.0 ¹²	--
02/05/01	27.27	INACCESSIBLE - CAR PARKED OVER WELL	--	--	--	--	--	--	--	--	--
05/07/01	27.27	19.46	7.81	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5/<2.0 ¹²	--
08/06/01	27.27	17.49	9.78	--	<50	1.1	0.52	<0.50	1.1	6.0/<2.0 ¹²	--
11/12/01	27.27	16.86	10.41	--	93	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ¹²	--
02/11/02	27.27	19.63	7.64	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ¹²	--
05/13/02	27.27	18.95	8.32	--	54	<0.50	0.84	<0.50	<1.5	<2.5/<2 ¹²	--
08/09/02	27.27	18.02	9.25	--	54	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ¹²	--
11/07/02	27.27	16.85	10.42	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ¹²	--
02/04/03	27.27	19.52	7.75	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<0.5 ¹²	--
05/05/03	27.27	20.37	6.90	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5/<0.5 ¹²	--
09/06/03 ¹⁴	27.27	17.77	9.50	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/14/03 ¹⁴	27.27	17.47	9.80	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-4 (cont)											
02/13/04 ¹⁴	27.27	19.91	7.36	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/13/04 ¹⁴	27.27	18.99	8.28	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/17/04 ¹⁴	27.27	17.64	9.63	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
TRIP BLANK											
05/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
08/18/93	--	--	--	1,400	<50	<0.5	<0.5	<0.5	<1.5	--	<5,000
11/03/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/10/94	--	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/12/94	--	--	--	84	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/26/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/14/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/01/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/12/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/22/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/19/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/31/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
04/30/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/01/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
10/30/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/07/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/07/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
07/22/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
01/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--/ <2.0 ¹²	--
05/08/98	--	--	--	--	--	--	--	--	--	--/ <2.0 ¹²	--
07/29/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--/ <2.0 ¹²	--
11/06/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/09/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
05/13/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0/ <2.0 ¹²	--
09/07/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
11/24/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/25/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID/ DATE	TOC ⁴ (%)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
TRIP BLANK (cont)											
03/01/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
05/10/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
07/31/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
10/30/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<1.50	<2.50	--
02/05/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--
05/07/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
05/10/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
08/06/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
QA											
11/12/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/11/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
08/09/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
11/07/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
02/04/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/05/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
09/06/03 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
11/14/03 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
02/13/04 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
05/13/04 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
08/17/04 ¹⁴	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Former Chevron Service Station #9-4612
 3616 San Leandro Street
 Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 10, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene T = Toluene E = Ethylbenzene X = Xylenes MTBE = Methyl tertiary butyl ether	TOG = Total Oil and Grease (ppb) = Parts per billion -- = Not Measured/Not Analyzed QA = Quality Assurance/Trip Blank
GWE = Groundwater Elevation (msl) = Mean sea level		
DTW = Depth to Water		
TPH-D = Total Petroleum Hydrocarbons as Diesel		

* TOC elevations were re-surveyed on March 8, 2001, by Virgil Chavez Land Surveying. The benchmark for the survey was a City of Oakland benchmark, being a cut square top of curb at the centerline return at the northwest corner of East 14th and 37th Avenue. (Benchmark Elevation = 38.21 feet, NGVD 29).

¹ Lab could not get a good ion chromatogram match for MTBE. See laboratory report.

² Chromatogram pattern indicates an unidentified hydrocarbon.

³ No value for MTBE could be determined; see lab report for analyses.

⁴ Confirmation run.

⁵ ORC was installed.

⁶ Laboratory report indicates gasoline C6-C12.

⁷ Laboratory report indicates unidentified hydrocarbons <C16.

⁸ Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons <C6.

⁹ Laboratory report indicates unidentified hydrocarbons >C16.

¹⁰ Laboratory report indicates hydrocarbon pattern present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

¹¹ ORC in well.

¹² MTBE by EPA Method 8260.

¹³ Laboratory report indicates unidentified hydrocarbons C9-C17.

¹⁴ BTEX and MTBE by EPA Method 8260.

¹⁵ ORC removed from well.

Table 2
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
VH-1	05/10/00	0.90	--
	07/31/00	1.25	--
	10/30/00	1.97	--
	05/07/01	1.10	--
	08/06/01	1.40	--
	11/12/01	0.90	--
	02/11/02	1.10	--
	05/13/02	0.70	--
MW-2	05/10/00	0.57	--
	07/31/00	1.26	--
	10/30/00	1.25	--
	05/07/01	0.90	--
	08/06/01	1.10	--
	11/12/01	0.80	--
	02/11/02	0.60	--
	05/13/02	0.80	--
MW-3	05/10/00	1.56	--
	07/31/00	1.46	--
	10/30/00	1.18	--
	05/07/01	0.70	--
	08/06/01	0.90	--
	11/12/01	0.50	--
	02/11/02	0.80	--
	05/13/02	1.80	--
MW-4	05/10/00	INACCESSIBLE - CAR PARKED OVER WELL	
	07/31/00	0.64	--
	10/30/00	0.97	--
	02/05/01	INACCESSIBLE - CAR PARKED OVER WELL	
	05/07/01	0.50	--
	08/06/01	0.70	--
	11/12/01	1.00	--
	02/11/02	1.00	--
	05/13/02	2.90	--

Table 2
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

Table 3
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
VH-1	02/05/01	<500	<50	160	<2.0	<2.0	<2.0
	05/07/01	--	--	110	--	--	--
	08/06/01	--	--	140	--	--	--
	11/12/01	--	--	61	--	--	--
	02/11/02	--	--	52	--	--	--
	05/13/02	--	--	80	--	--	--
	08/09/02	--	--	89	--	--	--
	11/07/02	--	--	50	--	--	--
	02/04/03	--	--	53	--	--	--
	05/05/03	--	--	62	--	--	--
	09/06/03	--	--	59	--	--	--
	11/14/03	--	--	47	--	--	--
	02/13/04	--	--	47	--	--	--
	05/13/04	--	--	74	--	--	--
08/17/04	--	--	58	--	--	--	
MW-2	02/05/01	<500	<50	140	<2.0	<2.0	<2.0
	05/07/01	--	--	88	--	--	--
	08/06/01	--	--	110	--	--	--
	11/12/01	--	--	98	--	--	--
	02/11/02	--	--	86	--	--	--
	05/13/02	--	--	47	--	--	--
	08/09/02	--	--	69	--	--	--
	11/07/02	--	--	69	--	--	--
	02/04/03	--	--	55	--	--	--
	05/05/03	--	--	31	--	--	--
	09/06/03	--	--	54	--	--	--
	11/14/03	--	--	55	--	--	--
	02/13/04	--	--	31	--	--	--
	05/13/04	--	--	34	--	--	--
08/17/04	--	--	46	--	--	--	

Table 3
Groundwater Analytical Results - Oxygenate Compounds
 Former Chevron Service Station #9-4612
 3616 San Leandro Street
 Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-3	02/05/01	<500	<50	70	<2.0	<2.0	<2.0
	05/07/01	--	--	49	--	--	--
	08/06/01	--	--	43	--	--	--
	11/12/01	--	--	46	--	--	--
	02/11/02	--	--	42	--	--	--
	05/13/02	--	--	32	--	--	--
	08/09/02	--	--	33	--	--	--
	11/07/02	--	--	37	--	--	--
	02/04/03	--	--	24	--	--	--
	05/05/03	--	--	19	--	--	--
	09/06/03	--	--	28	--	--	--
	11/14/03	--	--	30	--	--	--
	02/13/04	--	--	21	--	--	--
	05/13/04	--	--	20	--	--	--
08/17/04	--	--	25	--	--	--	
MW-4	05/07/01	--	--	<2.0	--	--	--
	08/06/01	--	--	<2.0	--	--	--
	11/12/01	--	--	<2	--	--	--
	02/11/02	--	--	<2	--	--	--
	05/13/02	--	--	<2	--	--	--
	08/09/02	--	--	<2	--	--	--
	11/07/02	--	--	<2	--	--	--
	02/04/03	--	--	<0.5	--	--	--
	05/05/03	--	--	<0.5	--	--	--
	09/06/03	--	--	<0.5	--	--	--
	11/14/03	--	--	<0.5	--	--	--
	02/13/04	--	--	<0.5	--	--	--
	05/13/04	--	--	<0.5	--	--	--
08/17/04	--	--	<0.5	--	--	--	

Table 3
Groundwater Analytical Results - Oxygenate Compounds
Former Chevron Service Station #9-4612
3616 San Leandro Street
Oakland, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4612 Job Number: 386473
 Site Address: 3616 San Leandro Street Event Date: 8-17-04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: VH-1 Date Monitored: 8-17-04 Well Condition: OK

Well Diameter: 4 in.
 Total Depth: 28.48 ft.
 Depth to Water: 9.65 ft.
18.83 xVF .66 = 12.42 x3 case volume = Estimated Purge Volume: 37.28 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer ✓
 Stack Pump ✓
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1621 Weather Conditions: HOT!
 Sample Time/Date: 1646 / 8-17-04 Water Color: CLEAR Odor: YES
 Purging Flow Rate: 24.5 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1624</u>	<u>12.5</u>	<u>7.27</u>	<u>77.4</u>	<u>22.5</u>	_____	_____
<u>1627</u>	<u>25.0</u>	<u>7.25</u>	<u>64.6</u>	<u>21.1</u>	_____	_____
<u>1630</u>	<u>37.0</u>	<u>7.21</u>	<u>60.1</u>	<u>20.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
VH-1	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4612 Job Number: 386473
 Site Address: 3616 San Leandro Street Event Date: 8.17.04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-2 Date Monitored: 8.17.04 Well Condition: Good
 Well Diameter: 2 1/4 in.
 Total Depth: 19.50 ft.
 Depth to Water: 10.48 ft.
9.02 xVF .17 = 1.53 x3 case volume = Estimated Purge Volume: 4.60 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer /
 Stack Pump /
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer /
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1532 Weather Conditions: HOT!
 Sample Time/Date: 1545 / 8.17.04 Water Color: CLEAR Odor: Yes
 Purging Flow Rate: 1.5 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1533</u>	<u>1.5</u>	<u>7.15</u>	<u>90.4</u>	<u>27.0</u>		
<u>1534</u>	<u>3.0</u>	<u>7.15</u>	<u>78.1</u>	<u>24.9</u>		
<u>1535</u>	<u>4.5</u>	<u>7.14</u>	<u>70.5</u>	<u>23.8</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)
	x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4612 Job Number: 386473
 Site Address: 3616 San Leandro Street Event Date: 8.17.04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-3 Date Monitored: 8.17.04 Well Condition: OK
 Well Diameter: 2 1/4 in.
 Total Depth: 19.04 ft.
 Depth to Water: 10.25 ft.
7.79 xVF .17 = 1.32 x3 case volume = Estimated Purge Volume: 3.97 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1501 Weather Conditions: HOT!
 Sample Time/Date: 1522 / 8.17.04 Water Color: V. LT. Green Odor: Yes
 Purging Flow Rate: 1.5 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1502</u>	<u>1.5</u>	<u>7.22</u>	<u>103.8</u>	<u>26.5</u>	_____	_____
<u>1505</u>	<u>3.0</u>	<u>7.19</u>	<u>73.1</u>	<u>22.7</u>	_____	_____
<u>1508</u>	<u>4.0</u>	<u>7.15</u>	<u>65.4</u>	<u>21.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
	<u>2</u> x Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: SLDW RECOVERY

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-4612 Job Number: 386473
 Site Address: 3616 San Leandro Street Event Date: 8.17.04 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-4 Date Monitored: 8.17.04 Well Condition: 1 BROKEN FLANGE 8" BOX
ROUNT LOOK YEAR
3 FLANGES TOTAL
 Well Diameter: 8.14 in.
 Total Depth: 19.25 ft.
 Depth to Water: 9.63 ft.
9.62 xVF .17 = 1.63 x3 case volume = Estimated Purge Volume: 4.90 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1428 Weather Conditions: SUNNY
 Sample Time/Date: 1444 / 8.17.04 Water Color: CLEAR Odor: NO
 Purging Flow Rate: / gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1431</u>	<u>1.5</u>	<u>7.64</u>	<u>130.6</u>	<u>24.4</u>	_____	_____
<u>1434</u>	<u>3.0</u>	<u>7.60</u>	<u>115.2</u>	<u>22.6</u>	_____	_____
<u>1438</u>	<u>5.0</u>	<u>7.56</u>	<u>93.0</u>	<u>23.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-4	6 x vial x Amber	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)
		YES	NP	LANCASTER	TPH-D

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



081904-03
Cambria MTI Project #: 61D-1996

For Lancaster Laboratories use only
Acct. #: 10904 Sample #: 4335313-17 SER#: 908749

Facility #: SS#9-4612 G-R#386473 Global ID#T0600100333
 Site Address: 3616 SAN LEANDRO STREET, OAKLAND, CA
 Chevron PM: MTI Lead Consultant: CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone: 925-551-7555 Fax: 925-551-7899
 Sampler: FRANK TERRIONI
 Service Order #: Non SAR:

Sample Identification	Date Collected	Time Collected	Grab	Composite	Matrix			Total Number of Containers	Analyses Requested												
					Soil	Water	Air		Preservation Codes												
QA	8.17.04						2	<input checked="" type="checkbox"/> BTX	<input checked="" type="checkbox"/> MTBE	<input checked="" type="checkbox"/> 8260	<input checked="" type="checkbox"/> 8201	<input type="checkbox"/> TPH 815 MOD	<input type="checkbox"/> GRO	<input type="checkbox"/> TPH 8015 MOD	<input type="checkbox"/> DRG	<input type="checkbox"/> Silica Gel Cleanup	<input type="checkbox"/> 8260 full scan	<input type="checkbox"/> Oxygenates	<input type="checkbox"/> Lead 7420	<input type="checkbox"/> 7421	
VH-1		1646	X				6	X	X												
MW-2		1545	X				6	X	X												
MW-3		1522	X				6	X	X												
MW-4		1444	X				6	X	X												

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run _____ oxy s on highest hit
 Run _____ oxy s on all hits

Comments / Remarks
 ANALYZE MW-3 FOR DIESEL
 H.H.

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWOCB) **EDF/EDD**
 Disk

Relinquished by: <u>Frank Terrioni</u>	Date: <u>8.17.04</u>	Time: _____	Received by: <u>[Signature]</u>	Date: <u>8/19/04</u>	Time: <u>11:06</u>
Relinquished by: <u>[Signature]</u>	Date: <u>8/19/04</u>	Time: <u>12:30</u>	Received by: <u>Andrew Amange</u>	Date: <u>8/19/04</u>	Time: <u>12:30</u>
Relinquished by: <u>Andrew Amange</u>	Date: <u>8/19/04</u>	Time: <u>1:53</u>	Received by: <u>DAL</u>	Date: <u>8/19/04</u>	Time: _____
Relinquished by Commercial Carrier: <u>UPS</u>	Temperature Upon Receipt: <u>15-21 C°</u>		Received by: <u>[Signature]</u>	Date: <u>8/24/04</u>	Time: <u>08:59</u>
Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2661 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677
916-630-1855

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 908749. Samples arrived at the laboratory on Friday, August 20, 2004. The PO# for this group is 99011184 and the release number is MT1.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-040817	NA	Water	4335313
VH-1-W-040817	Grab	Water	4335314
MW-2-W-040817	Grab	Water	4335315
MW-3-W-040817	Grab	Water	4335316
MW-4-W-040817	Grab	Water	4335317

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Victoria M. Martell".

Victoria M. Martell
Chemist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4335313

QA-T-040817 NA Water
 Facility# 94612 Job# 386473 MTI# 61D-1996 GRD
 3616 San Leandro Oakland T0600100333 QA
 Collected: 08/17/2004

Account Number: 10904

Submitted: 08/20/2004 08:45
 Reported: 08/30/2004 at 15:51
 Discard: 09/30/2004

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

333TB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/24/2004 20:54		Victoria M Martell	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	08/26/2004 15:14		Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/24/2004 20:54		Victoria M Martell	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/26/2004 15:14		Anita M Dale	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4335314

VH-1-W-040817 Grab Water
Facility# 94612 Job# 386473 MTI# 61D-1996 GRD
3616 San Leandro Oakland T0600100333 VH-1
Collected: 08/17/2004 16:46 by FT

Account Number: 10904

Submitted: 08/20/2004 08:45
Reported: 08/30/2004 at 15:51
Discard: 09/30/2004

ChevronTexaco c/o Cambria
Suite 9
4111 Citrus Avenue
Rocklin CA 95677

333V1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	1,800.		500.	ug/l	10
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	58.		0.5	ug/l	1
05401	Benzene	71-43-2	11.		0.5	ug/l	1
05407	Toluene	108-88-3	1.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.9		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	2.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	08/24/2004	23:48	Victoria M Martell	10
06054	BTEX+MTBE by 8260B	SW-846 8260E	1	08/26/2004	15:40	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030E	1	08/24/2004	23:48	Victoria M Martell	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030E	1	08/26/2004	15:40	Anita M Dale	n.a.

Lancaster Laboratories Sample No. WW 4335315
MW-2-W-040817 **Grab** **Water**
Facility# 94612 **Job# 386473** **MTI# 61D-1996** **GRD**
3616 San Leandro Oakland **T0600100333** **MW-2**
Collected: 08/17/2004 15:45 **by FT**

Account Number: 10904

Submitted: 08/20/2004 08:45
Reported: 08/30/2004 at 15:51
Discard: 09/30/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

333M2

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters	n.a.	4,300.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications. The percent recovery for the surrogate was outside QC limits in the MS/MSD associated with this sample. The compound met recovery criteria in the LCS/LCSD analysis.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	46.	0.5	ug/l	1
05401	Benzene	71-43-2	7.	0.5	ug/l	1
05407	Toluene	108-88-3	1.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	6.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	5.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/21/2004 22:40	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	08/26/2004 16:32	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/21/2004 22:40	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/26/2004 16:32	Anita M Dale	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4335316

MW-3-W-040817 Grab Water
 Facility# 94612 Job# 386473 MTI# 61D-1996 GRD
 3616 San Leandro Oakland T0600100333 MW-3
 Collected: 08/17/2004 15:22 by FT

Account Number: 10904

Submitted: 08/20/2004 08:45
 Reported: 08/30/2004 at 15:51
 Discard: 09/30/2004

ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

333M3

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	2,500.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The percent recovery for the surrogate was outside QC limits in the MS/MSD associated with this sample. The compound met recovery criteria in the LCS/LCSD analysis.					
05553	TPH - DRO CA LUFT (Waters)	n.a.	900.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	25.	0.5	ug/l	1
05401	Benzene	71-43-2	1.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	0.7	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/23/2004 07:56	Linda C Pape	1
05553	TPH - DRO CA LUFT (Waters)	CALUFT-DRO/8015B, Modified	1	08/24/2004 09:30	Tracy A Cole	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	08/26/2004 17:24	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030E	1	08/23/2004 07:56	Linda C Pape	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030E	1	08/26/2004 17:24	Anita M Dale	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	08/23/2004 02:00	Eryn E Landis	1

Lancaster Laboratories Sample No. WW 4335317

 MW-4-W-040817 Grab Water
 Facility# 94612 Job# 386473 MTI# 61D-1996 GRD
 3616 San Leandro Oakland T0600100333 MW-4
 Collected: 08/17/2004 14:44 by FT

Account Number: 10904

 Submitted: 08/20/2004 08:45
 Reported: 08/30/2004 at 15:51
 Discard: 09/30/2004

 ChevronTexaco c/o Cambria
 Suite 9
 4111 Citrus Avenue
 Rocklin CA 95677

333M4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The percent recovery for the surrogate was outside QC limits in the MS/MSD associated with this sample. The compound met recovery criteria in the LCS/LCSD analysis.						
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	08/21/2004 22:10	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	08/26/2004 17:50	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	08/21/2004 22:10	K. Robert Caulfeild-James	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	08/26/2004 17:50	Anita M Dale	n.a.

Quality Control Summary

 Client Name: ChevronTexaco c/o Cambria
 Reported: 08/30/04 at 03:51 PM

Group Number: 908749

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 042340007A TPH - DRO CA LUFT (Waters)	N.D.	50.	Sample number(s): 4335316 ug/l	94	93	61-126	1	20
Batch number: 04234A16A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4335315, 4335317 ug/l	126	101	70-130	22	30
Batch number: 04234A16B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4335316 ug/l	126	101	70-130	22	30
Batch number: 04237A08C TPH-GRO - Waters	N.D.	50.	Sample number(s): 4335313-4335314 ug/l	93	101	70-130	8	30
Batch number: Z042392AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4335313-4335317 ug/l	93		77-127		
Benzene	N.D.	0.5	ug/l	94		85-117		
Toluene	N.D.	0.5	ug/l	94		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	92		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04234A16A TPH-GRO - Waters	103	63	Sample number(s): 4335315, 4335317 63-154	10	30				
Batch number: 04234A16E TPH-GRO - Waters	103	63	Sample number(s): 4335316 63-154	10	30				
Batch number: 04237A08C TPH-GRO - Waters	117		Sample number(s): 4335313-4335314 63-154						
Batch number: Z042392AA Methyl Tertiary Butyl Ether	93	88	Sample number(s): 4335313-4335317 69-134	2	30				
Benzene	95	93	83-126	1	30				
Toluene	95	93	83-127	2	30				
Ethylbenzene	96	95	82-129	1	30				
Xylene (Total)	93	92	82-130	2	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 08/30/04 at 03:51 PM

Group Number: 908749

Surrogate Quality Control

Analysis Name: TPH - DRO CA LUFT (Waters)
Batch number: 042340007A
Orthoterphenyl

4335316	83
Blank	81
LCS	102
LCSD	94

Limits: 57-128

Analysis Name: TPH-GRO - Waters
Batch number: 04234A16A
Trifluorotoluene-F

4335315	159*
4335317	116
Blank	108
LCS	112
LCSD	118
MS	160*
MSD	168*

Limits: 57-146

Analysis Name: TPH-GRO - Waters
Batch number: 04234A16E
Trifluorotoluene-F

4335316	145
Blank	111
LCS	112
LCSD	118
MS	160*
MSD	168*

Limits: 57-146

Analysis Name: TPH-GRO - Waters
Batch number: 04237A08C
Trifluorotoluene-F

4335313	106
4335314	109
Blank	104
LCS	116
LCSD	116
MS	107

Limits: 57-146

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z042392AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4335313	102	106	98	96

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco c/o Cambria
Reported: 08/30/04 at 03:51 PM

Group Number: 908749

Surrogate Quality Control

4335314	99	107	101	98
4335315	98	105	101	99
4335316	99	106	99	101
4335317	100	104	96	95
Blank	100	104	99	95
LCS	98	101	99	100
MS	100	103	99	99
MSD	100	104	100	100
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.