



Roya C. Kambin
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6270
RKL@chevron.com

Alameda County Health Care Services Agency
Environmental Health Department
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Unocal #5781
Union Oil Site 351640
3535 Pierson Street
Oakland, CA

RECEIVED

2:06 pm, May 23, 2012

**Alameda County
Environmental Health**

I have reviewed the attached report dated May 21, 2012.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

A handwritten signature in black ink, appearing to read "Roya Kambin".

Roya Kambin
Project Manager

Attachment: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

10969 Trade Center Drive
Rancho Cordova, California 95670
Telephone: (916) 889-8900 Fax: (916) 889-8999
<http://www.craworld.com>

May 21, 2012

Reference No. 060723

Mr. Keith Nowell
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Second Quarter 2012
Groundwater Monitoring and Sampling Report
UNOCAL #5781
Union Oil Company of California Facility ID 351640
3535 Pierson Street
Oakland, California
Fuel Leak Case RO0253

Dear Mr. Nowell:

On behalf of Chevron Environmental Management Company, for itself and as Attorney-in-Fact for Union Oil Company of California (hereinafter "EMC"), Conestoga-Rovers & Associates (CRA) is submitting the *Second Quarter 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figures 1 and 2). Groundwater monitoring and sampling was performed by TRC Solutions (TRC) of Irvine, California. TRC's April 18, 2012 *Groundwater Monitoring Data* is presented as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1. Laboratory analyses were performed by BC Laboratories, Inc. of Bakersfield, California. BC Laboratories' April 20, 2012 *Report* is included as Attachment B. Historical groundwater monitoring and sampling data are included as Attachment C.

RESULTS OF SECOND QUARTER 2012 EVENT

On April 6, 2012, TRC monitored and sampled the site wells per the established schedule.

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction Southeast
- Hydraulic Gradient 0.03
- Approximate Depths to Groundwater 11 to 17 feet below grade

Equal
Employment Opportunity
Employer



Well MW-A is screened at a deeper interval and was not used in contouring.

Results of the current sampling event are presented below in Table A:

| TABLE A: GROUNDWATER ANALYTICAL DATA | | | | | | | |
|--------------------------------------|--|-----------------------------|--------------------------------|--------------------------------|-------------------------------------|---|-----------------------------|
| Well ID | TPHd ($\mu\text{g/L}$) | TPHg ($\mu\text{g/L}$) | Benzene ($\mu\text{g/L}$) | Toluene ($\mu\text{g/L}$) | Ethylbenzene ($\mu\text{g/L}$) | Total Xylenes ($\mu\text{g/L}$) | MTBE ($\mu\text{g/L}$) |
| ESLs | 100 | 100 | 1 | 40 | 30 | 20 | 5 |
| MW-A | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 |
| MW-4 | <40 | 390 | <0.50 | 3.8 | 11 | 150 | 2.2 |
| MW-5 | 21,000 | 58,000 | 9.9 | 880 | 660 | 9,800 | 12 |
| MW-6 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 |
| MW-7 | <49 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 |
| MW-8 | 160 | 270 | <0.50 | 3.7 | 7.8 | 91 | <0.50 |
| MW-9 | <40 | 340 | <0.50 | 4.4 | 9.0 | 120 | <0.50 |
| TPHd | Total petroleum hydrocarbons as diesel | | | | | | |
| TPHg | Total petroleum hydrocarbons as gasoline | | | | | | |
| MTBE | Methyl tertiary butyl ether | | | | | | |
| $\mu\text{g/L}$ | Micrograms per liter | | | | | | |
| ESLs | Environmental Screening Levels (Table F-1a) for groundwater that is a current or potential drinking water resource; <i>Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater</i> ; California Regional Water Quality Control Board - San Francisco Bay Region; Interim Final November, 2007; revised May, 2008. | | | | | | |
| < x.x | Not detected at or above laboratory detection limit | | | | | | |
| BOLD | Concentration exceeds applicable ESL | | | | | | |

CONCLUSIONS AND RECOMMENDATIONS

The results of ongoing groundwater monitoring and sampling at the site indicate the following:

- Dissolved petroleum hydrocarbons are primarily limited to the immediate area downgradient of the underground storage tanks near well MW-5.
- TPHg, toluene, ethylbenzene and total xylenes were detected for the first time in wells MW-8 and MW-9.
- With the exception of MTBE in well MW-6, no petroleum hydrocarbons have been detected in wells MW-6 and MW-7 since the wells were first sampled in December 2010.
- TPHd has not been detected in any of the site wells above the ESL since February 2002 except in MW-5 and MW-8.



**CONESTOGA-ROVERS
& ASSOCIATES**

May 21, 2012

Reference No. 060723

- 3 -

- Outside of MW-5, MTBE concentrations have historically been below the ESL where detected; the only exception was the initial sampling of MW-6.
- No dissolved hydrocarbons have been reported in MW-A (screened deeper) above ESLs since February 2002, and current analytical data indicates no hydrocarbons present.

CRA recommends the following:

- Continued quarterly groundwater monitoring and sampling of well MW-5 to further establish concentration trends over time.
- Reducing the sampling frequency of the remaining site wells to semi-annual in the second and fourth quarters.

ANTICIPATED FUTURE ACTIVITIES

Groundwater Monitoring

TRC will monitor and sample site wells per the established schedule. A groundwater monitoring and sampling report will be submitted.



**CONESTOGA-ROVERS
& ASSOCIATES**

May 21, 2012

Reference No. 060723

- 4 -

Please contact Roya Kambin at (925) 790-6270 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Laura Heberle

Greg Barclay, PG 6260




IH/cw/6

Encl.

| | |
|--------------|---|
| Figure 1 | Vicinity Map |
| Figure 2 | Groundwater Elevation and Hydrocarbon Concentration Map |
| Table 1 | Groundwater Monitoring and Sampling Data |
| Attachment A | Monitoring Data Package |
| Attachment B | Laboratory Analytical Report |
| Attachment C | Historical Groundwater Monitoring and Sampling Data |

cc: Ms. Roya Kambin, Union Oil Company of California (*electronic copy*)
United Brothers Enterprise, Inc., Property Owner


FIGURES



SOURCE: TOPO! MAPS

Figure 1
 VICINITY MAP
 UNOCAL 5781
 3535 PIERSON STREET
 Oakland, California





LEGEND

- MONITORING WELL LOCATION
- 141.0 — GROUNDWATER ELEVATION CONTOUR, IN FEET ABOVE MEAN SEA LEVEL (MSL), DASHED WHERE INFERRED
- x.xx GROUNDWATER FLOW DIRECTION AND GRADIENT
- * SCREENED IN DIFFERENT ZONE; NOT USED FOR CONTOURING

| WELL | GROUNDWATER ELEVATION (MSL) | TPHD CONCENTRATION (µg/L) | TPHG CONCENTRATION (µg/L) | BENZENE CONCENTRATION (µg/L) | MTBE CONCENTRATION (µg/L) |
|-------|-----------------------------|---------------------------|---------------------------|------------------------------|---------------------------|
| MW-A* | 137.65 | <40 | <50 | <0.50 | <0.50 |
| MW-4 | 142.38 | <40 | 390 | <0.50 | 2.2 |
| MW-5 | 141.78 | 21,000 | 58,000 | 9.9 | 12 |
| MW-6 | 143.23 | <40 | <50 | <0.50 | <0.50 |
| MW-7 | 142.29 | <49 | <50 | <0.50 | <0.50 |
| MW-8 | 142.36 | 160 | 270 | <0.50 | <0.50 |
| MW-9 | 142.39 | <40 | 340 | <0.50 | <0.50 |




Figure 2
GROUNDWATER ELEVATION AND HYDROCARBON CONCENTRATION MAP
UNOCAL #5781
3535 PIERSON STREET
Oakland, California
April 6, 2012



SOURCE: DELTA CONSULTANTS, FIGURE 2, SITE PLAN, DATED 02/02/2010.

TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 76 SERVICE STATION #5781
 3535 PIERSON ST.
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | HYDROCARBONS | | PRIMARY VOCS | | | | | | | | | | | | | GAS | | GENERAL CHEMISTRY | | |
|-------------|-------------------|---------------|--------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|----------------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|----------|----------|--------------|-------------------|----------|--|
| | | | | | TPH - Diesel | TPH - Gasoline | B | T | E | X | MTBE by SW8260 | TBA | ETBE | DIPE | TAME | EDB | 1,2-DCA | Ethanol | Methanol | Methane | Ferrous iron | Nitrate (as N) | Sulfate | |
| | Units | ft | ft | ft-anst | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | mg/L | µg/L | mg/L | mg/L | |
| MW-A | 06/07/2011 | 154.79 | 13.92 | 140.87 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 0.57 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | - | - | - | - | |
| MW-A | 08/18/2011 | 154.79 | 18.83 | 135.96 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 0.61 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | 140 | 11 | 69 | |
| MW-A | 10/04/2011 | 154.79 | 14.67 | 140.12 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 0.72 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | <100 | 13 | 69 | |
| MW-A | 01/24/2012 | 154.79 | 16.75 | 138.04 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - | |
| MW-A | 04/06/2012 | 154.79 | 17.14 | 137.65 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - | |
| MW-4 | 06/07/2011 | 153.48 | 10.94 | 142.54 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.6 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | - | - | - | - | |
| MW-4 | 08/18/2011 | 153.48 | 12.07 | 141.41 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 4.0 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | 0.040 | <100 | 4.6 | 52 | |
| MW-4 | 10/04/2011 | 153.48 | 12.70 | 140.78 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 3.8 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | 0.030 | 100 | 4.3 | 50 | |
| MW-4 | 01/24/2012 | 153.48 | 12.40 | 141.08 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.5 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - | |
| MW-4 | 04/06/2012 | 153.48 | 11.10 | 142.38 | <40 | 390 | <0.50 | 3.8 | 11 | 150 | 2.2 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - | |
| MW-5 | 06/07/2011 | 153.66 | 11.45 | 142.21 | 3,700 | 40,000 | 32 | 2,300 | 1,500 | 16,000 | 24 | 150 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 330 | <100 | - | - | - | - | |
| MW-5 | 08/18/2011 | 153.66 | 12.30 | 141.36 | 5,400 | 30,000 | 29 | 1,000 | 980 | 7,200 | 56 | 44 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | 9.7 | 15,000 | <0.44 | <1.0 | |
| MW-5 | 10/04/2011 | 153.66 | 13.72 | 139.94 | 20,000 | 42,000 | 21 | 2,400 | 2,400 | 20,000 | 42 | <250 | <12 | <12 | <12 | <12 | <12 | <6,200 | <100 | 1.9 | 17,000 | <0.44 | 1.3 | |
| MW-5 | 01/24/2012 | 153.66 | 12.20 | 141.46 | 46,000 | 71,000 | <25 | 1,100 | 1,400 | 10,000 | <25 | <500 | <25 | <25 | <25 | <25 | <25 | <12,000 | - | - | - | - | - | |
| MW-5 | 04/06/2012 | 153.66 | 11.88 | 141.78 | 21,000 | 58,000 | 9.9 | 880 | 660 | 9,800 | 12 | <120 | <6.2 | <6.2 | <6.2 | <6.2 | <6.2 | <3,100 | - | - | - | - | - | |
| MW-6 | 06/07/2011 | 154.62 | 11.33 | 143.29 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 4.3 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | - | - | - | - | |
| MW-6 | 08/18/2011 | 154.62 | 13.00 | 141.62 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 2.4 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | 0.0027 | <200 | 18 | 66 | |
| MW-6 | 10/04/2011 | 154.62 | 14.02 | 140.60 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 3.1 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | 100 | 24 | 78 | |
| MW-6 | 01/24/2012 | 154.62 | 11.94 | 142.68 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - | |
| MW-6 | 04/06/2012 | 154.62 | 11.39 | 143.23 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - | |

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 76 SERVICE STATION #5781
 3535 PIERSON ST.
 OAKLAND, CALIFORNIA

| Location | Date | TOC | DTW | GWE | HYDROCARBONS | | PRIMARY VOCS | | | | | | | | | | | | | GAS | | GENERAL CHEMISTRY | | |
|-------------|-------------------|---------------|--------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|----------------|-----------------|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------|--------------|-------------------|----------|----------|
| | | | | | TPH - Diesel | TPH - Gasoline | B | T | E | X | MTBE by SW8260 | TBA | ETBE | DIPE | TAME | EDB | 1,2-DCA | Ethanol | Methanol | Methane | Ferrous iron | Nitrate (as N) | Sulfate | |
| Units | | ft | ft | ft-amsl | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | mg/L | µg/L | mg/L | mg/L | |
| MW-7 | 06/07/2011 | 155.38 | 12.59 | 142.79 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | - | - | - | - |
| MW-7 | 08/18/2011 | 155.38 | 14.37 | 141.01 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | 0.0012 | <500 | 3.8 | 100 |
| MW-7 | 10/04/2011 | 155.38 | 15.22 | 140.16 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | <500 | 4.2 | 100 |
| MW-7 | 01/24/2012 | 155.38 | 15.32 | 140.06 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - |
| MW-7 | 04/06/2012 | 155.38 | 13.09 | 142.29 | <49 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - |
| MW-8 | 06/07/2011 | 153.71 | 11.54 | 142.17 | 71 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 3.6 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | - | - | - | - |
| MW-8 | 08/18/2011 | 153.71 | 12.47 | 141.24 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 2.1 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | 140 | 1.5 | 65 |
| MW-8 | 10/04/2011 | 153.71 | 12.90 | 140.81 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.5 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | 190 | 2.8 | 67 |
| MW-8 | 01/24/2012 | 153.71 | 12.52 | 141.19 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - |
| MW-8 | 04/06/2012 | 153.71 | 11.35 | 142.36 | 160 | 270 | <0.50 | 3.7 | 7.8 | 91 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - |
| MW-9 | 06/07/2011 | 153.37 | 11.36 | 142.01 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.4 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | - | - | - | - |
| MW-9 | 08/18/2011 | 153.37 | 12.52 | 140.85 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 2.1 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | 0.0010 | <500 | 2.7 | 47 |
| MW-9 | 10/04/2011 | 153.37 | 13.32 | 140.05 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 2.4 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | <100 | <0.0010 | <200 | 3.2 | 47 |
| MW-9 | 01/24/2012 | 153.37 | 11.23 | 142.14 | <40 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 1.3 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - |
| MW-9 | 04/06/2012 | 153.37 | 10.98 | 142.39 | <40 | 340 | <0.50 | 4.4 | 9.0 | 120 | <0.50 | <10 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <250 | - | - | - | - | - |

**GROUNDWATER MONITORING AND SAMPLING DATA
76 SERVICE STATION #5781
3535 PIERSON ST.
OAKLAND, CALIFORNIA**

| Location | Date | TOC | DTW | GWE | HYDROCARBONS | | PRIMARY VOCS | | | | | | | | | | | GAS | GENERAL CHEMISTRY | | | | |
|----------|------|-----|-----|---------|--------------|----------------|--------------|------|------|------|----------------|------|------|------|------|------|---------|------|-------------------|----------|---------|--------------|----------------|
| | | | | | TPH - Diesel | TPH - Gasoline | B | T | E | X | MTBE by SW8260 | TBA | ETBE | DIPE | TAME | EDB | 1,2-DCA | | Ethanol | Methanol | Methane | Ferrous iron | Nitrate (as N) |
| Units | | ft | ft | ft-amsl | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | mg/L | µg/L | mg/L | mg/L |

Abbreviations and Notes:

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

(ft-amsl) = Feet above mean sea level

ft = Feet

µg/L = Micrograms per liter

TPH - Total petroleum hydrocarbons

VOCS = Volatile organic compounds

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes (Total)

MTBE = Methyl tert butyl ether

TBA = Tert-butyl alcohol

DIPE = Diisopropyl ether

ETBE = Tert-butyl ethyl ether

TAME = Tert-amyl methyl ether

EDB = 1,2-Dibromoethane (Ethylene dibromide)

1,2-DCA = 1,2-Dichloroethane

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

ATTACHMENT A

MONITORING DATA PACKAGE



123 Technology Drive West
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

DATE: April 18, 2012

TO: Laura Heberle
CRA
10969 Trade Center Drive, Suite 107
Rancho Cordova, CA 95670

SITE: Unocal Site 5781
Facility 351640
3535 Pierson Street, Oakland, CA

RE: Transmittal of Groundwater Monitoring Data

Dear Ms. Heberle,

Please find attached the field data sheets, chain of custody (COC) forms, and technical services request (TSR) form for the monitoring event that was completed on April 6, 2012. Field measurements and collection of samples submitted to the laboratory were completed in general accordance with our usual groundwater monitoring protocol which is also attached for your reference.

Please call me at 949-727-7345 if you have questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Christina Carrillo", is written over a circular stamp that contains the letters "TRC".

Christina Carrillo
Groundwater Program Coordinator

GENERAL FIELD PROCEDURES

Groundwater Gauging and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater gauging and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements (Gauging)

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Unless otherwise instructed, a well that is found to contain a measureable amount of LPH (0.01 foot) is not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps. The pump intake is initially set at about 5 feet below the level of water in the casing, and is lowered as needed to compensate for falling water level. Pump depths are recorded in Field Notes.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously, using a flow cell, until they become stable in general accordance with EPA guidelines.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

GENERAL FIELD PROCEDURES

Samples are collected by lowering a new, disposable polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

Sample containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well. If wells must be gauged or sampled out of order, alternate interface probes and/or pumps are utilized and are noted in field documentation.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liquinox and water and rinsing twice. The final rinse is in deionized water.

Purge Water Disposal

Purge water is generally collected in labeled drums for disposal as non-hazardous waste. Drums may be left on site for disposal by others, or transported to a collection location at a TRC field office, in either Fullerton, California or Concord, California, for eventual transfer to a licensed treatment or recycling facility. Alternatively, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, are documented in field notes on the following pages.

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5781

Project No.: 189791.0035.1640

Date: 04/06/12

Well No. MW-A

Purge Method: SUB

Depth to Water (feet): 17.14

Depth to Product (feet):

Total Depth (feet) 44.87

LPH & Water Recovered (gallons):

Water Column (feet): 27.73

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 22.68

1 Well Volume (gallons): 5

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|--|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | | | |
| 0837 | | | 5 | 1388 | 17.9 | 7.78 | | | |
| | 0843 | | 10 | 1439 | 18.5 | 7.35 | | | |
| | | | 15 | — | — | — | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 18.77 | | | 10 | | | 1202 | | | |
| Comments: Pump Depth 22' well drew down before 1 gal, Pump Depth at 32' well dry AT 10 gals. Did not Recharge in 2 HRS | | | | | | | | | |

Well No. MW-7

Purge Method: HB

Depth to Water (feet): 13.09

Depth to Product (feet):

Total Depth (feet) 19.69

LPH & Water Recovered (gallons):

Water Column (feet): 6.60

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 14.41

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | | | |
| 0822 | 0827 | | 2 | 1078 | 17.9 | 8.08 | | | |
| | | | 4 | — | — | — | | | |
| | | | 6 | — | — | — | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 14.95 | | | 3 | | | 1212 | | | |
| Comments: Pre Purge sample 0818, Dry at 3 gals. Did not recharge in 2 HRS | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5781

Project No.: 189791.0035.1640

Date: 04/06/12

Well No. MW-6

Purge Method: SUB

Depth to Water (feet): 11.39

Depth to Product (feet):

Total Depth (feet) 19.96

LPH & Water Recovered (gallons):

Water Column (feet): 8.57

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 13.10

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity | |
|--|-----------|------------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|--|
| Pre-Purge | | | | | | | | | | |
| 0903 | 0906 | | 2 | 523.8 | 15.0 | 7.66 | | | | |
| | | | 4 | — | — | 7.00 | JL | | | |
| | | | 6 | — | — | — | | | | |
| | | Static at Time Sampled | | Total Gallons Purged | | | Sample Time | | | |
| | | 14.92 | | 2 | | | 1233 | | | |
| Comments: <u>pre purge sample 0958, Dry AT 2 gals. Did not recharge in 2 hrs</u> | | | | | | | | | | |

Well No. MW-5

Purge Method: SUB

Depth to Water (feet): 11.88

Depth to Product (feet):

Total Depth (feet) 19.90

LPH & Water Recovered (gallons):

Water Column (feet): 8.02

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 13.48

1 Well Volume (gallons): 6

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity | |
|---|-----------|------------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|--|
| Pre-Purge | | | | | | | | | | |
| 0930 | | | 6 | 489.4 | 17.8 | 7.44 | | | | |
| | | | 12 | 497.8 | 17.9 | 7.00 | | | | |
| | 0942 | | 18 | 489.5 | 18.2 | 6.72 | | | | |
| | | Static at Time Sampled | | Total Gallons Purged | | | Sample Time | | | |
| | | 11.75 | | 18 | | | 1243 | | | |
| Comments: <u>pre purge sample 0923,</u> | | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5781

Project No.: 189791.0035.1640

Date: 04/06/12

Well No. MW-8

Purge Method: SUB

Depth to Water (feet): 11.35

Depth to Product (feet):

Total Depth (feet) 19.90

LPH & Water Recovered (gallons):

Water Column (feet): 8.55

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 13.06

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|---|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | | | |
| 1011 | 1013 | | 2 | 759.0 | 18.3 | 6.83 | | | |
| | | | 4 | — | — | — | | | |
| | | | 6 | — | — | — | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 11.77 | | | 2 | | | 1312 | | | |
| Comments: <u>DRY 2 gals. Did NOT recharge IN 2 HRS.</u> | | | | | | | | | |

Well No. MW-9

Purge Method: SUB

Depth to Water (feet): 10.98

Depth to Product (feet):

Total Depth (feet) 19.96

LPH & Water Recovered (gallons):

Water Column (feet): 8.98

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 12.77

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (µS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|--|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| Pre-Purge | | | | | | | | | |
| 1037 | 1039 | | 2 | 771.3 | 20.3 | 6.92 | | | |
| | | | 4 | — | — | — | | | |
| | | | 6 | — | — | — | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 12.60 | | | 2 | | | 1255 | | | |
| Comments: <u>DRY at 2 gals. Did not recharge IN 2 HRS.</u> | | | | | | | | | |

CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC 1 of 1

| Union Oil Site ID: <u>5781</u> | | | | Union Oil Consultant: <u>CRA</u> | | | | ANALYSES REQUIRED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|-----|---------------|--|-----------------|--------------|---------|--|-----------------------|-----------------------------|----------------------|-------------------------------|--------------------|---|---------|---------------------|-----------|------------------|--|--|--|--|--|--|--|--|--------|-----|---------------|-------------|-----------------|--------------|---------|----------------|---------|---------------------|-----------|------------------|------|-------|--|----------|------|---|---|---|---|---|---|--|--|------|-------|--|--|------|--|--|--|--|--|--|--|--|------|-------|--|--|------|--|--|--|--|--|--|--|--|------|-------|--|--|------|--|--|--|--|--|--|--|--|------|-------|--|--|------|--|--|--|--|--|--|--|--|------|-------|--|--|------|--|--|--|--|--|--|--|--|------|-------|--|--|------|--|--|--|--|--|--|--|--|--|-------|--|--|--|--|--|--|--|--|--|--|--|--|-------|--|--|--|--|--|--|--|--|--|--|--|--|-------|--|--|--|--|--|--|--|--|--|--|--|--|-------|--|--|--|--|--|--|--|--|--|--|--|--|-------|--|--|--|--|--|
| Site Global ID: <u>T0600101467</u> | | | | Consultant Contact: <u>Jim Schneider</u> | | | | TPH - Diesel by EPA 8015w/Site and Clean up | TPH - G by GC/MS 8015 | BTEX/MTBE/OXYS by EPA 8260B | Ethanol by EPA 8260B | EPA 8260B Full List with OXYS | EPA 8260B by 8260B | Turnaround Time (TAT): Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> | | | | | | Special Instructions | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Address: <u>3535 Pierson ST. Oakland</u> | | | | Consultant Phone No.: <u>999-648-5222</u> | | | | | | | | | | | | | | | | | | | | | | Project Manager: Molly Meyers 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Union Oil PM: <u>Koya Kumbia</u> | | | | Sampling Company: <u>TRC</u> | | | | | | | | | | This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Union Oil PM Phone No.: <u>425-740-6270</u> | | | | Sampled By (PRINT): <u>JOE D. LEWIS</u> | | | | | | | | | | | | | | | | SAMPLE ID <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Field Point Name</th> <th>Matrix</th> <th>DTW</th> <th>Date (yymmdd)</th> <th>Sample Time</th> <th># of Containers</th> <th>TPH - Diesel</th> <th>TPH - G</th> <th>BTEX/MTBE/OXYS</th> <th>Ethanol</th> <th>EPA 8260B Full List</th> <th>EPA 8260B</th> <th>Notes / Comments</th> </tr> </thead> <tbody> <tr> <td>MW-A</td> <td>W-S-A</td> <td></td> <td>12/04/06</td> <td>1202</td> <td>8</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>MW-7</td> <td>W-S-A</td> <td></td> <td></td> <td>1212</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-6</td> <td>W-S-A</td> <td></td> <td></td> <td>1233</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-5</td> <td>W-S-A</td> <td></td> <td></td> <td>1243</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-8</td> <td>W-S-A</td> <td></td> <td></td> <td>1312</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-9</td> <td>W-S-A</td> <td></td> <td></td> <td>1255</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-4</td> <td>W-S-A</td> <td></td> <td></td> <td>1327</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>W-S-A</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>W-S-A</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>W-S-A</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>W-S-A</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>W-S-A</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | | | | | | Field Point Name | Matrix | DTW | Date (yymmdd) | Sample Time | # of Containers | TPH - Diesel | TPH - G | BTEX/MTBE/OXYS | Ethanol | EPA 8260B Full List | EPA 8260B | Notes / Comments | MW-A | W-S-A | | 12/04/06 | 1202 | 8 | X | X | X | X | X | | | MW-7 | W-S-A | | | 1212 | | | | | | | | | MW-6 | W-S-A | | | 1233 | | | | | | | | | MW-5 | W-S-A | | | 1243 | | | | | | | | | MW-8 | W-S-A | | | 1312 | | | | | | | | | MW-9 | W-S-A | | | 1255 | | | | | | | | | MW-4 | W-S-A | | | 1327 | | | | | | | | | | W-S-A | | | | | | | | | | | | | W-S-A | | | | | | | | | | | | | W-S-A | | | | | | | | | | | | | W-S-A | | | | | | | | | | | | | W-S-A | | | | | |
| Field Point Name | Matrix | DTW | Date (yymmdd) | Sample Time | # of Containers | TPH - Diesel | TPH - G | | | | | | | BTEX/MTBE/OXYS | Ethanol | EPA 8260B Full List | EPA 8260B | Notes / Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-A | W-S-A | | 12/04/06 | 1202 | 8 | X | X | X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-7 | W-S-A | | | 1212 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-6 | W-S-A | | | 1233 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-5 | W-S-A | | | 1243 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-8 | W-S-A | | | 1312 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-9 | W-S-A | | | 1255 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-4 | W-S-A | | | 1327 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Charge Code: <u>NWRTB-0 351640-0-LAB</u> | | | | Sampler Signature: <u>[Signature]</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | BC Laboratories, Inc. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Project Manager: Molly Meyers | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | 4100 Atlas Court, Bakersfield, CA 93308 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | Phone No. 661-327-4911 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Relinquished By: <u>[Signature]</u> Company: <u>TRC</u> Date / Time: <u>04/06/12 1440</u> | | | | Relinquished By: _____ Company: _____ Date / Time: _____ | | | | Relinquished By: _____ Company: _____ Date / Time: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Received By: <u>[Signature]</u> Company: <u>BCLABS</u> Date / Time: <u>4/6/12 1445</u> | | | | Received By: _____ Company: _____ Date / Time: _____ | | | | Received By: _____ Company: _____ Date / Time: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

WELL BOX CONDITION REPORT

SITE NO. 5741
 ADDRESS 3535 Pierson St.
 DATE 04/06/12

PERFORMED BY: JOE
 PAGE 1 OF 1

| Well Name | Current Well Box Size | # of Ears | # of Stripped Ears | # of Broken Ears | # of Broken Bolts | # of Missing Bolts | Seal Damaged | Missing Lid | Broken Lid | Well Box is Exposed | Well Box is Below Grade | Unable to Access | Unable to Locate | Foundation Damaged | Paved Over | Street Well | Saw Cut Needed | System Well | USA Marked Well | Comments |
|-----------|-----------------------|-----------|--------------------|------------------|-------------------|--------------------|--------------|-------------|------------|---------------------|-------------------------|------------------|------------------|--------------------|------------|-------------|----------------|-------------|-----------------|----------|
| MW-A | 8" | 2 | | | | | Y | | | | | | | | | | | | | |
| MW-7 | 12" | 2 | | | | | Y | | | | | | | | | | | | | |
| MW-6 | 12" | 2 | | | | | | | | | | | | Y | | | | | Y | |
| MW-5 | 12" | 2 | | | | | | | | | | | | | | | | | | |
| MW-8 | 12" | 2 | | | | | | | | | | | | | | | | | | |
| MW-7 | 12" | 2 | | | | | | | | | | | | | | | | | | |
| MW-4 | 12" | 2 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |



TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

23-Mar-12

Site ID: 5781
Address: 3535 Pierson Street
City: Oakland
Cross Street: Redding St.

Project No.: 189791.0035.1640 / 00TA01
Client: Roya Kambin
Contact #: 925-790-6270
PM: Jim Schneider CRA
PM Contact #: 949-648-5202

Total number of wells: 7 Min. Well Diameter (in.): 2 # of Techs, # of Hrs: 1, 5
Depth to Water (ft.): 14 Max. Well Diameter (in.): 2 Travel Time (hrs):
Max. Well Depth (ft): 45 Hotel PO#:

| ACTIVITIES: | Frequency | Notes | Hotel PO#: |
|-----------------|---|-------|------------|
| Gauging: | <input checked="" type="checkbox"/> Quarterly | | |
| Purge/Sampling: | <input checked="" type="checkbox"/> Quarterly | | |
| No Purge/Sample | <input type="checkbox"/> | | |

| RELATED ACTIVITIES | Notes |
|--------------------|-------------------------------------|
| Drums: | <input checked="" type="checkbox"/> |
| Other Activities: | <input type="checkbox"/> |
| Traffic Control: | <input type="checkbox"/> |

PERMIT INFORMATION:

NOTIFICATIONS:

76 Station: 510-437-9837

SITE INFORMATION:

MW-4, MW-5, MW-6, MW-7 & MW-9 recover slow. Take pre-purge samples and then follow standard TRC purge and sample procedures. Submit pre-purge samples if monitoring doesn't recover with enough water to collect the required bottles after two hours.

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

23-Mar-12

Site ID: 5781
Address 3535 Pierson Street
City: Oakland
Cross Street: Redding St.

Project No.: 189791.0035.1640 / 00TA01
Client: Roya Kambin
Contact #: 925-790-6270
PM: Jim Schneider CRA
PM Contact #: 949-648-5202

LAB INFORMATION:

Global ID: T0600101467
Lab WO: 351640

Lab Used: BC Labs

Lab Notes: Lab Analyses:
TPH-D by 8015M w/silica gel clean-up [Containers: two 1L ambers unpreserved]
TPH-G by 8015 [Containers: 3 voas w/HCl]
BTEX/MTBE/OXYS by 8260B, EDB/EDC by 8260B, Ethanol by 8260B [Containers: 3 voas w/HCl]

TRC SOLUTIONS
TECHNICAL SERVICES REQUEST FORM

23-Mar-12

Site ID.: 5781
Address 3535 Pierson Street
City: Oakland
Cross Street Redding St.

| Well IDs | Benz. | MTBE | Gauging | | | | Sampling | | | | Field Measurements | | | Comments |
|----------|-------|------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|------|-----------|
| | | | Q1 | Q2 | Q3 | Q4 | Q1 | Q2 | Q3 | Q4 | Pre-Purge | Post-Purge | Type | |
| MW-A | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 2" casing |
| MW-8 | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 2" casing |
| MW-7 | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 2" casing |
| MW-6 | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 2" casing |
| MW-5 | 0 | 0 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 4" casing |
| MW-9 | 0 | 1.3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 2" casing |
| MW-4 | 0 | 1.5 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | 4" casing |

ATTACHMENT B

LABORATORY ANALYTICAL REPORT



Date of Report: 04/20/2012

Laura Heberle

Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Project: 5781
BC Work Order: 1206194
Invoice ID: B120469

Enclosed are the results of analyses for samples received by the laboratory on 4/6/2012. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186; NV #CA00014



Table of Contents

Sample Information

| | |
|---|---|
| Chain of Custody and Cooler Receipt form..... | 3 |
| Laboratory / Client Sample Cross Reference..... | 6 |

Sample Results

| | |
|---|----|
| 1206194-01 - MW-A-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 9 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 10 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 11 |
| 1206194-02 - MW-7-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 12 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 13 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 14 |
| 1206194-03 - MW-6-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 15 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 16 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 17 |
| 1206194-04 - MW-5-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 18 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 19 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 20 |
| 1206194-05 - MW-8-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 21 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 22 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 23 |
| 1206194-06 - MW-9-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 24 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 25 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 26 |
| 1206194-07 - MW-4-W-120406 | |
| Volatile Organic Analysis (EPA Method 8260)..... | 27 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons..... | 28 |
| Total Petroleum Hydrocarbons (Silica Gel Treated)..... | 29 |

Quality Control Reports

| | |
|---|----|
| Volatile Organic Analysis (EPA Method 8260) | |
| Method Blank Analysis..... | 30 |
| Laboratory Control Sample..... | 31 |
| Precision and Accuracy..... | 32 |
| Purgeable Aromatics and Total Petroleum Hydrocarbons | |
| Method Blank Analysis..... | 33 |
| Laboratory Control Sample..... | 34 |
| Precision and Accuracy..... | 35 |
| Total Petroleum Hydrocarbons (Silica Gel Treated) | |
| Method Blank Analysis..... | 36 |
| Laboratory Control Sample..... | 37 |
| Precision and Accuracy..... | 38 |

Notes

| | |
|----------------------------|----|
| Notes and Definitions..... | 39 |
|----------------------------|----|



CHAIN OF CUSTODY FORM

Union Oil Company of California ■ 6101 Bollinger Canyon Road ■ San Ramon, CA 94583

COC 1 of 1

1206194

| Union Oil Site ID: <u>5781</u> | | | Union Oil Consultant: <u>CRA</u> | | | ANALYSES REQUIRED | | | | | | |
|--|--------|-----|---|-------------|-----------------|---|---|------------------|--|----------------------|-----------|------------------|
| Site Global ID: <u>70600101467</u> | | | Consultant Contact: <u>Jim Schneider</u> | | | TPH - Diesel by EPA 8015 W/S, 1104-216 TPH - G by <u>8015</u> BTEX/M/TB/E/OXYS by EPA 8260B Ethanol by EPA 8260B EPA 8260B Full List with OXYS <u>80728 14 9-EDC/EDC</u> | Turnaround Time (TAT): Standard <input checked="" type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 72 Hours <input type="checkbox"/> | | | Special Instructions | | |
| Site Address: <u>3535 Pierson ST. Oakland</u> | | | Consultant Phone No.: <u>949-648-5202</u> | | | | Sampling Company: <u>TRC</u> | | | Notes / Comments | | |
| Union Oil PM: <u>Roxa Kambin</u> | | | Sampled By (PRINT): <u>JOE D. LEWIS</u> | | | | Sampler Signature: <u>Joe D. Lewis</u> | | | | | |
| Union Oil PM Phone No.: <u>925-790-6270</u> | | | Charge Code: <u>NWRTB-0 351640-0-LAB</u> | | | | Project Manager: <u>Molly Meyers</u> 4100 Atlas Court, Bakersfield, CA 93308 Phone No. 661-327-4911 | | | | | |
| <p>This is a LEGAL document. ALL fields must be filled out CORRECTLY and COMPLETELY.</p> | | | | | | | | | | | | |
| SAMPLE ID | | | | Sample Time | # of Containers | TPH - Diesel | TPH - G | BTEX/M/TB/E/OXYS | Ethanol | EPA 8260B Full List | EPA 8260B | Notes / Comments |
| Field Point Name | Matrix | DTW | Date (yyymmdd) | | | | | | | | | |
| MW-A | W-S-A | -1 | 12/04/06 | 1202 | 8 | X | X | X | X | X | | |
| MW-7 | W-S-A | -2 | | 1212 | | | | | | | | |
| MW-6 | W-S-A | -3 | | 1233 | | | | | | | | |
| MW-5 | W-S-A | -4 | | 1243 | | | | | | | | |
| MW-8 | W-S-A | -5 | | 1312 | | | | | | | | |
| MW-9 | W-S-A | -6 | | 1255 | | | | | | | | |
| MW-4 | W-S-A | -7 | | 1327 | | | | | | | | |
| | W-S-A | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | |
| | W-S-A | | | | | | | | | | | |
| Relinquished By: <u>Joe D. Lewis TRC</u> Date / Time: <u>04/06/12 1440</u> | | | Relinquished By: <u>Mary Boyan BCLabs</u> Date / Time: <u>4-6-12 1730</u> | | | Relinquished By: <u>Jeddy</u> Date / Time: <u>4-6-12 2315</u> | | | Relinquished By: <u>BC LAB</u> Date / Time: <u>4-6-12 2315</u> | | | |
| Received By: <u>Mary Boyan BCLabs</u> Date / Time: <u>4-6-12 1445</u> | | | Received By: <u>Jeddy</u> Date / Time: <u>4-6-12 1730</u> | | | Received By: <u>KOM</u> Date / Time: <u>4-6-12 2315</u> | | | Received By: <u>BCLab</u> Date / Time: <u>4-6-12 2315</u> | | | |

CHK BY: [Signature] DISTRIBUTION: [Signature]
 SUB-OUT



BC LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 06/24/08 Page 1 of 2

Submission #: 12-06194

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO
 Emissivity: 0.98 Container: QIA Thermometer ID: 177
 Temperature: A 0.2 °C / C 0.6 °C
 Date/Time 4-10-12 Analyst Init JWW 2330

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|------|------|------|---|------|---|---|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | | | | | | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz NITRATE /NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PIA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | A 16 | A 16 | A 16 | A 16 | | A 16 | | | | |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | BC | BC | BC | BC | | | | | | |
| 8 OZ JAR | | | | | | | | | | |
| 32 OZ JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERRIC IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: _____
 Sample Numbering Completed By: BJT Date/Time: 4-9-12 @ 0830
 A = Actual / C = Corrected [H:\DOCS\WPB\LAB_DOCS\FORMS\SAMREC2.WPD]



BC LABORATORIES INC. SAMPLE RECEIPT FORM Rev. No. 12 06/24/08 Page 2 Of 2

Submission #: 12-06194

SHIPPING INFORMATION: Federal Express UPS Hand Delivery BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER: Ice Chest None Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Intact? Yes No Intact? Yes No Comments: _____

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received: YES NO

Emissivity: 0.98 Container: QTA Thermometer ID: 177

Temperature: A 0.9 °C / C 1.3 °C

Date/Time: 4-12-12 Analyst Init: JNW 2330

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|---|---|---|-------|----|-------|---|---|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | | | | | | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PLA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | | | | | A (b) | | A (b) | | | |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8080 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | | | | | BC | BC | BC | | | |
| 8 OZ JAR | | | | | | | | | | |
| 32 OZ JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: _____

Sample Numbering Completed By: BLT Date/Time: 4-9-12 @ 0830

A = Actual / C = Corrected

PH:\DOCS\WP\LAB_DOCS\FORMS\SAMREC2.WPD



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information |
|------------|---------------------------|
|------------|---------------------------|

| | | |
|-------------------|---|--|
| 1206194-01 | COC Number: --- Project Number: 5781 Sampling Location: --- Sampling Point: MW-A-W-120406 Sampled By: TRCI | Receive Date: 04/06/2012 23:15 Sampling Date: 04/06/2012 12:02 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101467 Location ID (FieldPoint): MW-A Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1206194-02 | COC Number: --- Project Number: 5781 Sampling Location: --- Sampling Point: MW-7-W-120406 Sampled By: TRCI | Receive Date: 04/06/2012 23:15 Sampling Date: 04/06/2012 12:12 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101467 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1206194-03 | COC Number: --- Project Number: 5781 Sampling Location: --- Sampling Point: MW-6-W-120406 Sampled By: TRCI | Receive Date: 04/06/2012 23:15 Sampling Date: 04/06/2012 12:33 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101467 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information |
|------------|---------------------------|
|------------|---------------------------|

| | | |
|-------------------|---|--|
| 1206194-04 | COC Number: --- Project Number: 5781 Sampling Location: --- Sampling Point: MW-5-W-120406 Sampled By: TRCI | Receive Date: 04/06/2012 23:15 Sampling Date: 04/06/2012 12:43 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101467 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1206194-05 | COC Number: --- Project Number: 5781 Sampling Location: --- Sampling Point: MW-8-W-120406 Sampled By: TRCI | Receive Date: 04/06/2012 23:15 Sampling Date: 04/06/2012 13:12 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101467 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|

| | | |
|-------------------|---|--|
| 1206194-06 | COC Number: --- Project Number: 5781 Sampling Location: --- Sampling Point: MW-9-W-120406 Sampled By: TRCI | Receive Date: 04/06/2012 23:15 Sampling Date: 04/06/2012 12:55 Sample Depth: --- Lab Matrix: Water Sample Type: Water Delivery Work Order: Global ID: T0600101467 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
|-------------------|---|--|



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information |
|------------|---------------------------|
|------------|---------------------------|

| | | |
|-------------------|--------------------------------------|--|
| 1206194-07 | COC Number: --- | Receive Date: 04/06/2012 23:15 |
| | Project Number: 5781 | Sampling Date: 04/06/2012 13:27 |
| | Sampling Location: --- | Sample Depth: --- |
| | Sampling Point: MW-4-W-120406 | Lab Matrix: Water |
| | Sampled By: TRCI | Sample Type: Water |
| | | Delivery Work Order: |
| | | Global ID: T0600101467 |
| | | Location ID (FieldPoint): MW-4 |
| | | Matrix: W |
| | | Sample QC Type (SACode): CS |
| | | Cooler ID: |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-01 | Client Sample Name: 5781, MW-A-W-120406, 4/6/2012 12:02:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|----------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 102 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 91.4 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/11/12 19:28 | JMC | MS-V10 | 1 | BVD0802 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-01 | Client Sample Name: 5781, MW-A-W-120406, 4/6/2012 12:02:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | ND | ug/L | 50 | EPA-8015B | ND | | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 77.8 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/12/12 20:56 | jjh | GC-V4 | 1 | BVD0846 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-01 | Client Sample Name: 5781, MW-A-W-120406, 4/6/2012 12:02:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | ND | ug/L | 40 | EPA-8015B/TPH d | ND | V11 | 1 |
| Tetracosane (Surrogate) | 156 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | V11 | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/18/12 08:30 | MK1 | GC-5 | 0.990 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-02 | Client Sample Name: 5781, MW-7-W-120406, 4/6/2012 12:12:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|----------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 108 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 106 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 94.6 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/11/12 19:10 | JMC | MS-V10 | 1 | BVD0802 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-02 | Client Sample Name: 5781, MW-7-W-120406, 4/6/2012 12:12:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | ND | ug/L | 50 | EPA-8015B | ND | | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 83.2 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/12/12 21:19 | jjh | GC-V4 | 1 | BVD0846 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-02 | Client Sample Name: 5781, MW-7-W-120406, 4/6/2012 12:12:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | ND | ug/L | 49 | EPA-8015B/TPH d | ND | V11 | 1 |
| Tetracosane (Surrogate) | 152 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | V11 | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/18/12 08:45 | MK1 | GC-5 | 1.220 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-03 | Client Sample Name: 5781, MW-6-W-120406, 4/6/2012 12:33:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|----------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | ND | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 107 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 99.0 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 92.0 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/12/12 15:53 | JMC | MS-V10 | 1 | BVD0802 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-03 | Client Sample Name: 5781, MW-6-W-120406, 4/6/2012 12:33:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | ND | ug/L | 50 | EPA-8015B | ND | | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 79.5 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/12/12 21:41 | jjh | GC-V4 | 1 | BVD0846 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-03 | Client Sample Name: 5781, MW-6-W-120406, 4/6/2012 12:33:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | ND | ug/L | 40 | EPA-8015B/TPH d | ND | V11 | 1 |
| Tetracosane (Surrogate) | 109 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | V11 | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/18/12 08:59 | MK1 | GC-5 | 1.020 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-04 | Client Sample Name: 5781, MW-5-W-120406, 4/6/2012 12:43:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|----------|---------|-----------|-------|
| Benzene | 9.9 | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| 1,2-Dibromoethane | ND | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| 1,2-Dichloroethane | ND | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| Ethylbenzene | 660 | ug/L | 25 | EPA-8260 | ND | A01 | 2 |
| Methyl t-butyl ether | 12 | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| Toluene | 880 | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| Total Xylenes | 9800 | ug/L | 50 | EPA-8260 | ND | A01 | 2 |
| t-Amyl Methyl ether | ND | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| t-Butyl alcohol | ND | ug/L | 120 | EPA-8260 | ND | A01 | 1 |
| Diisopropyl ether | ND | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| Ethanol | ND | ug/L | 3100 | EPA-8260 | ND | A01 | 1 |
| Ethyl t-butyl ether | ND | ug/L | 6.2 | EPA-8260 | ND | A01 | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 108 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 2 |
| Toluene-d8 (Surrogate) | 101 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 102 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 2 |
| 4-Bromofluorobenzene (Surrogate) | 102 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 98.7 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 2 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/11/12 18:33 | JMC | MS-V10 | 12.500 | BVD0802 |
| 2 | EPA-8260 | 04/11/12 | 04/12/12 18:01 | JMC | MS-V10 | 50 | BVD0802 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-04 | Client Sample Name: 5781, MW-5-W-120406, 4/6/2012 12:43:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | 58000 | ug/L | 2500 | EPA-8015B | ND | A01 | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 90.0 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/16/12 16:19 | jjh | GC-V4 | 50 | BVD0846 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-04 | Client Sample Name: 5781, MW-5-W-120406, 4/6/2012 12:43:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | 21000 | ug/L | 2000 | EPA-8015B/TPH d | ND | A01,A52 | 1 |
| Tetracosane (Surrogate) | 87.0 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | A01 | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/19/12 03:34 | MK1 | GC-5 | 50 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1206194-05 | Client Sample Name: 5781, MW-8-W-120406, 4/6/2012 1:12:00PM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|------------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | 7.8 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | 3.7 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | 91 | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 109 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 104 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 96.0 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/11/12 18:14 | JMC | MS-V10 | 1 | BVD0802 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|--|
| BCL Sample ID: 1206194-05 | Client Sample Name: 5781, MW-8-W-120406, 4/6/2012 1:12:00PM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | 270 | ug/L | 50 | EPA-8015B | ND | | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 79.3 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/13/12 17:47 | jjh | GC-V4 | 1 | BVD0846 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|--|
| BCL Sample ID: 1206194-05 | Client Sample Name: 5781, MW-8-W-120406, 4/6/2012 1:12:00PM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | 160 | ug/L | 40 | EPA-8015B/TPH d | ND | A52 | 1 |
| Tetracosane (Surrogate) | 89.8 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/19/12 03:49 | MK1 | GC-5 | 1 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-06 | Client Sample Name: 5781, MW-9-W-120406, 4/6/2012 12:55:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|------------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | 9.0 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | 4.4 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | 120 | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 107 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 104 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 98.1 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/11/12 17:56 | JMC | MS-V10 | 1 | BVD0802 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-06 | Client Sample Name: 5781, MW-9-W-120406, 4/6/2012 12:55:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | 340 | ug/L | 50 | EPA-8015B | ND | | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 84.0 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/13/12 18:10 | jjh | GC-V4 | 1 | BVD0846 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|---|
| BCL Sample ID: 1206194-06 | Client Sample Name: 5781, MW-9-W-120406, 4/6/2012 12:55:00PM |
|----------------------------------|---|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | ND | ug/L | 40 | EPA-8015B/TPH d | ND | V11 | 1 |
| Tetracosane (Surrogate) | 125 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | V11 | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/18/12 09:42 | MK1 | GC-5 | 1 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

| | |
|----------------------------------|--|
| BCL Sample ID: 1206194-07 | Client Sample Name: 5781, MW-4-W-120406, 4/6/2012 1:27:00PM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|------------|-------------|----------------------|-----------------|---------|-----------|-------|
| Benzene | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dibromoethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethylbenzene | 11 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Methyl t-butyl ether | 2.2 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Toluene | 3.8 | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Total Xylenes | 150 | ug/L | 1.0 | EPA-8260 | ND | | 1 |
| t-Amyl Methyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| t-Butyl alcohol | ND | ug/L | 10 | EPA-8260 | ND | | 1 |
| Diisopropyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| Ethanol | ND | ug/L | 250 | EPA-8260 | ND | | 1 |
| Ethyl t-butyl ether | ND | ug/L | 0.50 | EPA-8260 | ND | | 1 |
| 1,2-Dichloroethane-d4 (Surrogate) | 100 | % | 76 - 114 (LCL - UCL) | EPA-8260 | | | 1 |
| Toluene-d8 (Surrogate) | 105 | % | 88 - 110 (LCL - UCL) | EPA-8260 | | | 1 |
| 4-Bromofluorobenzene (Surrogate) | 102 | % | 86 - 115 (LCL - UCL) | EPA-8260 | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8260 | 04/11/12 | 04/11/12 17:38 | JMC | MS-V10 | 1 | BVD0802 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

| | |
|----------------------------------|--|
| BCL Sample ID: 1206194-07 | Client Sample Name: 5781, MW-4-W-120406, 4/6/2012 1:27:00PM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|--|--------|-------|----------------------|-----------|---------|-----------|-------|
| Gasoline Range Organics (C4 - C12) | 390 | ug/L | 50 | EPA-8015B | ND | | 1 |
| a,a,a-Trifluorotoluene (FID Surrogate) | 85.7 | % | 70 - 130 (LCL - UCL) | EPA-8015B | | | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|-----------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B | 04/10/12 | 04/13/12 18:33 | jjh | GC-V4 | 1 | BVD0846 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

| | |
|----------------------------------|--|
| BCL Sample ID: 1206194-07 | Client Sample Name: 5781, MW-4-W-120406, 4/6/2012 1:27:00PM |
|----------------------------------|--|

| Constituent | Result | Units | PQL | Method | MB Bias | Lab Quals | Run # |
|-----------------------------------|--------|-------|----------------------|--------------------|---------|-----------|-------|
| Diesel Range Organics (C12 - C24) | ND | ug/L | 40 | EPA-8015B/TPH d | ND | V11 | 1 |
| Tetracosane (Surrogate) | 120 | % | 28 - 139 (LCL - UCL) | EPA-8015B/TPH d | | V11 | 1 |

| Run # | Method | Prep Date | Run Date/Time | Analyst | Instrument | Dilution | QC Batch ID |
|-------|----------------|-----------|----------------|---------|------------|----------|-------------|
| 1 | EPA-8015B/TPHd | 04/10/12 | 04/18/12 09:57 | MK1 | GC-5 | 1 | BVD1318 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------------|--------------|-----------|-------|----------------------|-----|-----------|
| QC Batch ID: BVD0802 | | | | | | |
| Benzene | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dibromoethane | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BVD0802-BLK1 | ND | ug/L | 1.0 | | |
| t-Amyl Methyl ether | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| t-Butyl alcohol | BVD0802-BLK1 | ND | ug/L | 10 | | |
| Diisopropyl ether | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| Ethanol | BVD0802-BLK1 | ND | ug/L | 250 | | |
| Ethyl t-butyl ether | BVD0802-BLK1 | ND | ug/L | 0.50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BVD0802-BLK1 | 108 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BVD0802-BLK1 | 108 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BVD0802-BLK1 | 95.2 | % | 86 - 115 (LCL - UCL) | | |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab |
|-----------------------------------|--------------|------|--------|-------------|-------|------------------|-----|------------------|-----|-----|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BVD0802 | | | | | | | | | | |
| Benzene | BVD0802-BS1 | LCS | 23.890 | 25.000 | ug/L | 95.6 | | 70 - 130 | | |
| Toluene | BVD0802-BS1 | LCS | 26.630 | 25.000 | ug/L | 107 | | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BVD0802-BS1 | LCS | 10.360 | 10.000 | ug/L | 104 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BVD0802-BS1 | LCS | 10.310 | 10.000 | ug/L | 103 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BVD0802-BS1 | LCS | 9.5100 | 10.000 | ug/L | 95.1 | | 86 - 115 | | |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

| Constituent | Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Control Limits | | Lab Quals |
|-----------------------------------|------|-----------------------|---------------|--------|-------------|-------|------|------------------|------------------|-----------|
| | | | | | | | | Percent Recovery | Percent Recovery | |
| QC Batch ID: BVD0802 | | Used client sample: N | | | | | | | | |
| Benzene | MS | 1206192-08 | ND | 21.100 | 25.000 | ug/L | | 84.4 | 70 - 130 | |
| | MSD | 1206192-08 | ND | 24.280 | 25.000 | ug/L | 14.0 | 97.1 | 20 | 70 - 130 |
| Toluene | MS | 1206192-08 | ND | 23.670 | 25.000 | ug/L | | 94.7 | 70 - 130 | |
| | MSD | 1206192-08 | ND | 25.750 | 25.000 | ug/L | 8.4 | 103 | 20 | 70 - 130 |
| 1,2-Dichloroethane-d4 (Surrogate) | MS | 1206192-08 | ND | 9.6100 | 10.000 | ug/L | | 96.1 | 76 - 114 | |
| | MSD | 1206192-08 | ND | 10.930 | 10.000 | ug/L | 12.9 | 109 | | 76 - 114 |
| Toluene-d8 (Surrogate) | MS | 1206192-08 | ND | 10.550 | 10.000 | ug/L | | 106 | 88 - 110 | |
| | MSD | 1206192-08 | ND | 10.390 | 10.000 | ug/L | 1.5 | 104 | | 88 - 110 |
| 4-Bromofluorobenzene (Surrogate) | MS | 1206192-08 | ND | 9.9000 | 10.000 | ug/L | | 99.0 | 86 - 115 | |
| | MSD | 1206192-08 | ND | 9.9600 | 10.000 | ug/L | 0.6 | 99.6 | | 86 - 115 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|--|--------------|-----------|-------|----------------------|-----|-----------|
| QC Batch ID: BVD0846 | | | | | | |
| Gasoline Range Organics (C4 - C12) | BVD0846-BLK1 | ND | ug/L | 50 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | BVD0846-BLK1 | 81.0 | % | 70 - 130 (LCL - UCL) | | |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab |
|--|--------------|------|--------|-------------|-------|------------------|-----|------------------|-----|-----|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BVD0846 | | | | | | | | | | |
| Gasoline Range Organics (C4 - C12) | BVD0846-BS1 | LCS | 1108.8 | 1000.0 | ug/L | 111 | | 85 - 115 | | |
| a,a,a-Trifluorotoluene (FID Surrogate) | BVD0846-BS1 | LCS | 35.878 | 40.000 | ug/L | 89.7 | | 70 - 130 | | |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Purgeable Aromatics and Total Petroleum Hydrocarbons

Quality Control Report - Precision & Accuracy

| Constituent | Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent | | Lab Quals |
|--|------|-----------------------|------------------|--------|----------------|-------|-----|----------|-----|--------------|
| | | | | | | | | Recovery | RPD | |
| QC Batch ID: BVD0846 | | Used client sample: N | | | | | | | | |
| Gasoline Range Organics (C4 - C12) | MS | 1204254-83 | ND | 1114.2 | 1000.0 | ug/L | | 111 | | 70 - 130 |
| | MSD | 1204254-83 | ND | 1083.5 | 1000.0 | ug/L | 2.8 | 108 | 20 | 70 - 130 |
| a,a,a-Trifluorotoluene (FID Surrogate) | MS | 1204254-83 | ND | 36.855 | 40.000 | ug/L | | 92.1 | | 70 - 130 |
| | MSD | 1204254-83 | ND | 36.634 | 40.000 | ug/L | 0.6 | 91.6 | | 70 - 130 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|-----------------------------------|--------------|-----------|-------|----------------------|-----|-----------|
| QC Batch ID: BVD1318 | | | | | | |
| Diesel Range Organics (C12 - C24) | BVD1318-BLK1 | ND | ug/L | 40 | | |
| Tetracosane (Surrogate) | BVD1318-BLK1 | 199 | % | 28 - 139 (LCL - UCL) | | M07 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab |
|-----------------------------------|--------------|------|--------|-------------|-------|------------------|-----|------------------|-----|-----|
| | | | | | | | | Percent Recovery | RPD | |
| QC Batch ID: BVD1318 | | | | | | | | | | |
| Diesel Range Organics (C12 - C24) | BVD1318-BS1 | LCS | 641.74 | 500.00 | ug/L | 128 | | 48 - 125 | | L01 |
| Tetracosane (Surrogate) | BVD1318-BS1 | LCS | 32.938 | 20.000 | ug/L | 165 | | 28 - 139 | | S09 |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Total Petroleum Hydrocarbons (Silica Gel Treated)

Quality Control Report - Precision & Accuracy

| Constituent | Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | | Lab Quals |
|-----------------------------------|------|-----------------------|------------------|--------|----------------|-------|-----|---------------------|----------------|---------------------|--------------|
| | | | | | | | | | RPD | Percent Recovery | |
| QC Batch ID: BVD1318 | | Used client sample: N | | | | | | | | | |
| Diesel Range Organics (C12 - C24) | MS | 1204254-96 | ND | 544.62 | 500.00 | ug/L | | 109 | | 36 - 130 | |
| | MSD | 1204254-96 | ND | 552.02 | 500.00 | ug/L | 1.3 | 110 | 30 | 36 - 130 | |
| Tetracosane (Surrogate) | MS | 1204254-96 | ND | 23.143 | 20.000 | ug/L | | 116 | | 28 - 139 | |
| | MSD | 1204254-96 | ND | 22.344 | 20.000 | ug/L | 3.5 | 112 | | 28 - 139 | |



Conestoga Rovers and Associates
10969 Trade Center Drive Suite 107
Rancho Cordova, CA 95670

Reported: 04/20/2012 8:35
Project: 5781
Project Number: 351640
Project Manager: Laura Heberle

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.
- A52 Chromatogram not typical of diesel.
- L01 The Laboratory Control Sample Water (LCSW) recovery is not within laboratory established control limits.
- M07 The surrogate recovery on the Method Blank for this compound was not within the control limits.
- S09 The surrogate recovery on the sample for this compound was not within the control limits.
- V11 The Continuing Calibration Verification (CCV) recovery is not within established control limits.

ATTACHMENT C

HISTORICAL GROUNDWATER MONITORING AND SAMPLING DATA

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

March 10, 2011
76 Station 5781

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-D (µg/l) | TPH-G 8015 (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|--------------|-------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-4 | | | | | | | | | | | | | | |
| 6/16/2010 | 153.48 | 11.13 | 0 | 142.35 | -- | ND<50 | 58 | ND<0.50 | 9.7 | 1.3 | 16 | -- | 5.4 | |
| 9/29/2010 | 153.48 | 12.62 | 0 | 140.86 | -1.49 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 7.3 | |
| 12/21/2010 | 153.48 | 11.17 | 0 | 142.31 | 1.45 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 3/10/2011 | 153.48 | 10.57 | 0 | 142.91 | 0.60 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.2 | |
| MW-5 | | | | | | | | | | | | | | |
| 6/16/2010 | 153.66 | 11.95 | 0 | 141.71 | -- | 3000 | 29000 | 580 | 6800 | 850 | 7200 | -- | ND<50 | |
| 9/29/2010 | 153.66 | 13.67 | 0 | 139.99 | -1.72 | 64000 | 29000 | 220 | 4100 | 2500 | 23000 | -- | 52 | |
| 12/21/2010 | 153.66 | 11.17 | 0 | 142.49 | 2.50 | 11000 | 50000 | 81 | 4800 | 2200 | 22000 | -- | ND<50 | |
| 3/10/2011 | 153.66 | 11.35 | 0 | 142.31 | -0.18 | 4900 | 48000 | 69 | 3600 | 1700 | 20000 | -- | ND<50 | |
| MW-6 | | | | | | | | | | | | | | |
| 12/21/2010 | 154.62 | 12.10 | 0 | 142.52 | -- | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 32 | |
| 3/10/2011 | 154.62 | 11.36 | 0 | 143.26 | 0.74 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 4.6 | |
| MW-7 | | | | | | | | | | | | | | |
| 12/21/2010 | 155.38 | 13.46 | 0 | 141.92 | -- | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 3/10/2011 | 155.38 | 12.07 | 0 | 143.31 | 1.39 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-8 | | | | | | | | | | | | | | |
| 12/21/2010 | 153.71 | 11.63 | 0 | 142.08 | -- | 81 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 3.9 | |
| 3/10/2011 | 153.71 | 11.38 | 0 | 142.33 | 0.25 | 61 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.3 | |
| MW-9 | | | | | | | | | | | | | | |
| 12/21/2010 | 153.37 | 10.53 | 0 | 142.84 | -- | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.2 | |
| 3/10/2011 | 153.37 | 10.86 | 0 | 142.51 | -0.33 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.90 | |
| MW-A | | | | | | | | | | | | | | |
| 12/18/1990 | -- | -- | -- | -- | -- | 73 | ND | ND | ND | ND | ND | -- | | |
| 5/3/1991 | -- | -- | -- | -- | -- | ND | ND | ND | ND | ND | ND | -- | | |
| 8/7/1991 | -- | -- | -- | -- | -- | ND | ND | ND | ND | ND | ND | -- | | |
| 11/8/1991 | -- | -- | -- | -- | -- | ND | ND | ND | ND | ND | ND | -- | | |
| 2/6/1992 | 151.80 | 19.88 | 0 | 131.92 | -- | ND | ND | ND | ND | ND | ND | -- | | |
| 8/4/1992 | 151.80 | 18.95 | 0 | 132.85 | 0.93 | ND | ND | ND | ND | ND | 0.51 | -- | | |
| 2/10/1993 | 151.80 | 17.71 | 0 | 134.09 | 1.24 | ND | ND | ND | ND | ND | ND | -- | | |
| 2/10/1994 | 151.80 | 15.25 | 0 | 136.55 | 2.46 | ND | ND | ND | 0.52 | ND | 0.92 | -- | | |
| 2/9/1995 | 151.80 | 15.68 | 0 | 136.12 | -0.43 | ND | ND | ND | ND | ND | ND | -- | | |
| 2/6/1996 | 151.80 | 12.52 | 0 | 139.28 | 3.16 | 120 | ND | ND | ND | ND | 2.1 | -- | | |
| 2/5/1997 | 151.80 | 13.01 | 0 | 138.79 | -0.49 | 61 | ND | ND | ND | ND | ND | -- | ND | |
| 2/2/1998 | 151.80 | 11.91 | 0 | 139.89 | 1.10 | ND | ND | ND | ND | ND | ND | -- | ND | |
| 2/22/1999 | 151.80 | 11.24 | 0 | 140.56 | 0.67 | ND | ND | ND | ND | ND | ND | -- | ND | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

March 10, 2011
76 Station 5781

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-Water Elevation (feet) | Change in Elevation (feet) | TPH-D (µg/l) | TPH-G 8015 (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|--------------|-------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| 2/26/2000 | 151.80 | 12.16 | 0 | 139.64 | -0.92 | ND | ND | ND | 1.01 | ND | ND | -- | ND | |
| 3/7/2001 | 151.80 | 11.91 | 0 | 139.89 | 0.25 | 131 | ND | ND | ND | ND | ND | ND | ND | |
| 2/22/2002 | 151.80 | 14.08 | 0 | 137.72 | -2.17 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<5.0 | |
| 2/22/2003 | 151.80 | 14.41 | 0 | 137.39 | -0.33 | 93 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.0 | ND<2.0 | |
| 2/3/2004 | 151.80 | 14.32 | 0 | 137.48 | 0.09 | 60 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<2.0 | |
| 2/18/2005 | 151.80 | 14.21 | 0 | 137.59 | 0.11 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<0.50 | |
| 3/29/2006 | 151.80 | 12.72 | 0 | 139.08 | 1.49 | ND<200 | ND<50 | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | 0.54 | |
| 3/28/2007 | 151.80 | 13.98 | 0 | 137.82 | -1.26 | 92 | ND<50 | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 3/22/2008 | 151.80 | 12.68 | 0 | 139.12 | 1.30 | ND<50 | ND<50 | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 3/27/2009 | 151.80 | 14.35 | 0 | 137.45 | -1.67 | 53 | ND<50 | ND<0.30 | ND<0.30 | ND<0.30 | ND<0.60 | ND<1.0 | ND<0.50 | |
| 3/23/2010 | 151.80 | 19.55 | 0 | 132.25 | -5.20 | ND<58 | -- | -- | -- | -- | -- | -- | -- | |
| 6/16/2010 | 154.79 | 17.85 | 0 | 136.94 | 4.69 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 9/29/2010 | 154.79 | 15.50 | 0 | 139.29 | 2.35 | ND<1200 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.63 | |
| 12/21/2010 | 154.79 | 14.43 | 0 | 140.36 | 1.07 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.65 | |
| 3/10/2011 | 154.79 | 17.70 | 0 | 137.09 | -3.27 | ND<50 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 0.56 | |

Table 2a
ADDITIONAL HISTORIC ANALYTICAL RESULTS

76 Station 5781

| Date Sampled | TPH-G (GC/MS) (μ g/l) | TBA (μ g/l) | Ethanol (8260B) (μ g/l) | Ethylene-dibromide (EDB) (μ g/l) | 1,2-DCA (EDC) (μ g/l) | DIPE (μ g/l) | ETBE (μ g/l) | TAME (μ g/l) | Methanol (μ g/l) | Total Oil and Grease (mg/l) | TRPH (mg/l) | Bromo-dichloro-methane (μ g/l) | Comments |
|--------------|-------------------------------|------------------|------------------------------|---------------------------------------|----------------------------|-------------------|-------------------|-------------------|-----------------------|-----------------------------|-------------|-------------------------------------|----------|
| MW-4 | | | | | | | | | | | | | |
| 6/16/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 9/29/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 12/21/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| MW-5 | | | | | | | | | | | | | |
| 6/16/2010 | -- | ND<1000 | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<100 | -- | -- | -- | |
| 9/29/2010 | -- | ND<1000 | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<1000 | -- | -- | -- | |
| 12/21/2010 | -- | ND<1000 | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<1000 | ND<25000 | ND<50 | ND<50 | ND<50 | ND<50 | ND<50 | ND<100 | -- | -- | -- | |
| MW-6 | | | | | | | | | | | | | |
| 12/21/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| MW-7 | | | | | | | | | | | | | |
| 12/21/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| MW-8 | | | | | | | | | | | | | |
| 12/21/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| MW-9 | | | | | | | | | | | | | |
| 12/21/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| MW-A | | | | | | | | | | | | | |
| 2/6/1996 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/5/1997 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/7/2001 | -- | ND | ND | ND | ND | ND | ND | ND | -- | -- | -- | -- | |
| 2/22/2003 | -- | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- | -- | |
| 2/3/2004 | -- | ND<100 | ND<500 | ND<2.0 | ND<0.50 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | ND<1.0 | ND<0.50 | |
| 2/18/2005 | -- | ND<5.0 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<2.0 | -- | ND<0.50 | |
| 3/29/2006 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | -- | -- | ND<0.50 | |
| 3/28/2007 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<5.0 | -- | ND<0.50 | |
| 3/22/2008 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<5.0 | -- | ND<0.50 | |
| 3/27/2009 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<5.0 | -- | ND<0.50 | |
| 6/16/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 9/29/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 12/21/2010 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |
| 3/10/2011 | -- | ND<10 | ND<250 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<100 | -- | -- | -- | |

**Table 2b
ADDITIONAL HISTORIC ANALYTICAL RESULTS**

76 Station 5781

| Date Sampled | Bromoform (µg/l) | Bromomethane (µg/l) | Carbon Tetrachloride (µg/l) | Chlorobenzene (µg/l) | Chloroethane (µg/l) | 2-Chloroethyl vinyl ether (µg/l) | Chloroform (µg/l) | Chloromethane (µg/l) | Dibromochloromethane (µg/l) | 1,2-Dichlorobenzene (µg/l) | 1,3-Dichlorobenzene (µg/l) | 1,4-Dichlorobenzene (µg/l) | Comments |
|--------------|------------------|---------------------|-----------------------------|----------------------|---------------------|----------------------------------|-------------------|----------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------|
| MW-4 | | | | | | | | | | | | | |
| 6/16/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-5 | | | | | | | | | | | | | |
| 6/16/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-6 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-7 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-8 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-9 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-A | | | | | | | | | | | | | |
| 2/6/1996 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/5/1997 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/7/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/22/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/3/2004 | ND<2.0 | ND<1.0 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<2.0 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 2/18/2005 | ND<2.0 | ND<1.0 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/29/2006 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/28/2007 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/22/2008 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/27/2009 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 6/16/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2b
ADDITIONAL HISTORIC ANALYTICAL RESULTS

76 Station 5781

| Date Sampled | Bromo- form (µg/l) | Bromo- methane (µg/l) | Carbon Tetra- chloride (µg/l) | Chloro- benzene (µg/l) | Chloro- ethane (µg/l) | 2- Chloroethyl vinyl ether (µg/l) | Chloroform (µg/l) | Chloro- methane (µg/l) | Dibromo- chloro- methane (µg/l) | 1,2- Dichloro- benzene (µg/l) | 1,3- Dichloro- benzene (µg/l) | 1,4- Dichloro- benzene (µg/l) | Comments |
|-----------------|--------------------------|-----------------------------|--|------------------------------|-----------------------------|--|----------------------|------------------------------|--|--|--|--|----------|
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

**Table 2c
ADDITIONAL HISTORIC ANALYTICAL RESULTS**

76 Station 5781

| Date Sampled | Dichloro-difluoromethane (µg/l) | 1,1-DCA (µg/l) | 1,1-DCE (µg/l) | cis-1,2-DCE (µg/l) | trans-1,2-DCE (µg/l) | 1,2-Dichloropropane (µg/l) | cis-1,3-Dichloropropene (µg/l) | trans-1,3-Dichloropropene (µg/l) | Methylene chloride (µg/l) | 1,1,2,2-Tetrachloroethane (µg/l) | Tetrachloroethene (PCE) (µg/l) | Trichlorotrifluoroethane (µg/l) | Comments |
|--------------|---------------------------------|----------------|----------------|--------------------|----------------------|----------------------------|--------------------------------|----------------------------------|---------------------------|----------------------------------|--------------------------------|---------------------------------|----------|
| MW-4 | | | | | | | | | | | | | |
| 6/16/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-5 | | | | | | | | | | | | | |
| 6/16/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-6 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-7 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-8 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-9 | | | | | | | | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-A | | | | | | | | | | | | | |
| 2/6/1996 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/5/1997 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/7/2001 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/22/2003 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 2/3/2004 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 2/18/2005 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/29/2006 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/28/2007 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/22/2008 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/27/2009 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 6/16/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2d
ADDITIONAL HISTORIC ANALYTICAL RESULTS

76 Station 5781

| Date Sampled | 1,1,1-Trichloro-ethane (µg/l) | 1,1,2-Trichloro-ethane (µg/l) | Trichloro-ethene (TCE) (µg/l) | Trichloro-fluoro-methane (µg/l) | Vinyl chloride (µg/l) | Comments |
|--------------|-------------------------------|-------------------------------|-------------------------------|---------------------------------|-----------------------|----------|
| MW-4 | | | | | | |
| 6/16/2010 | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |
| MW-5 | | | | | | |
| 6/16/2010 | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |
| MW-6 | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |
| MW-7 | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |
| MW-8 | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |
| MW-9 | | | | | | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |
| MW-A | | | | | | |
| 2/6/1996 | -- | -- | -- | -- | -- | |
| 2/5/1997 | -- | -- | -- | -- | -- | |
| 3/7/2001 | -- | -- | -- | -- | -- | |
| 2/22/2003 | -- | -- | -- | -- | -- | |
| 2/3/2004 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | |
| 2/18/2005 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | |
| 3/29/2006 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/28/2007 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/22/2008 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 3/27/2009 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | |
| 6/16/2010 | -- | -- | -- | -- | -- | |
| 9/29/2010 | -- | -- | -- | -- | -- | |
| 12/21/2010 | -- | -- | -- | -- | -- | |
| 3/10/2011 | -- | -- | -- | -- | -- | |

TABLE KEY

STANDARD ABBREVIATIONS

| | | |
|------|---|--|
| -- | = | not analyzed, measured, or collected |
| LPH | = | liquid-phase hydrocarbons |
| µg/l | = | micrograms per liter (approx equivalent to parts per billion, ppb) |
| mg/l | = | milligrams per liter (approx equivalent to parts per million, ppm) |
| ND< | = | not detected at or above laboratory detection limit |
| TOC | = | top of casing (surveyed reference elevation) |
| D | = | duplicate |
| P | = | no-purge sample |

ANALYTES

| | | |
|---------------|---|---|
| DIPE | = | di-isopropyl ether |
| FTBE | = | ethyl tertiary butyl ether |
| MTBE | = | methyl tertiary butyl ether |
| PCB | = | polychlorinated biphenyls |
| PCE | = | tetrachloroethene |
| TBA | = | tertiary butyl alcohol |
| TCA | = | trichloroethane |
| TCE | = | trichloroethene |
| TPH-G | = | total petroleum hydrocarbons with gasoline distinction |
| TPH-G (GC/MS) | = | total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B |
| TPH-D | = | total petroleum hydrocarbons with diesel distinction |
| TRPH | = | total recoverable petroleum hydrocarbons |
| TAME | = | tertiary amyl methyl ether |
| 1,2-DCA | = | 1,2-dichloroethane (same as EDC, ethylene dichloride) |

NOTES

- 1 Elevations are in feet above mean sea level Depths are in feet below surveyed top-of-casing
- 2 Groundwater elevations for wells with LPH are calculated as $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known A value of 0.75 is used for gasoline and when the density is not known A value of 0.83 is used for diesel
- 3 Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures)
- 4 Comments shown on tables are general Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report
- 5 A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory
- 6 Other laboratory flags (qualifiers) may have been reported See the official laboratory report (attached) for a complete list of laboratory flags
- 7 Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report
- 8 Prior to the 1st quarter 2010, the word "monitor" was used in table comments interchangeably with the word "gauge" Starting in the 1st quarter 2010, the word "monitor" is used to include both "gauge" and "sample"

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5781 in October 2003 Historical data compiled prior to that time were provided by Gettler-Ryan Inc