



July 29, 1991

Ms. Susan Hugo  
Alameda County  
Department of Environmental Health  
80 Swan Way, Room 200  
Oakland, California 94621

Reference: Shell Service Station  
1800 Powell Street  
Emeryville, California  
WIC 204-2495-0101

91005-1 10/11/91

Ms. Hugo:

As requested by Mr. Jack Brastad of Shell Oil Company, we are forwarding a copy of the Site Update report, dated July 26, 1991, for the above referenced location. The report presents the results of the ground-water sampling conducted during the second quarter of 1991.

Should have any questions or comments please do not hesitate to call.

Sincerely,

John Werfal  
Project Manager

enclosure

cc: Mr. Thomas Callaghan, S.F. Regional Water Quality Control Board  
Mr. Jack Brastad, Shell Oil Company



**GeoStrategies Inc.**

**SITE UPDATE**

Shell Service Station  
1800 Powell Street  
Emeryville, California  
WIC 204-2495-0101

760501-11

July 26, 1991



**GeoStrategies Inc.**

2140 WEST WINTON AVENUE  
HAYWARD, CALIFORNIA 94545

(415) 352-4800

July 26, 1991

RECEIVED

JUL 26 1991

Gettler-Ryan Inc.  
2150 West Winton Avenue  
Hayward, California 94545

GETTLER-RYAN INC.  
GENERAL CONTRACTORS

Attn: Mr. John Werfal

Re: SITE UPDATE  
Shell Service Station  
1800 Powell Street  
Emeryville, California

Gentlemen:

This Site Update has been prepared by GeoStrategies Inc. (GSI) and presents the results of the 1991 second quarter ground-water sampling performed by Gettler-Ryan Inc. (G-R) for the above-referenced site (Plate 1). The scope of work presented in this document was performed at the request of Shell Oil Company. Field work and laboratory analysis methods were performed to comply with current State of California Water Resources Control Board guidelines.

**SITE BACKGROUND**

There are currently seven monitoring wells at the site; Wells S-5, S-8, S-9, S-10, S-12, S-13 and S-14 (Plate 2). Five of these wells were installed prior to 1982. GSI installed Wells S-12 through S-14 in 1989. Wells S-1 through S-4 and S-11 were redesignated as tank backfill wells S-A through S-E, respectively. Wells S-8 through S-10 and S-12 through S-14 are onsite and Well S-5 is offsite. These wells were installed to evaluate the vertical and horizontal extent of petroleum hydrocarbons in soils and shallow groundwater beneath the site.

Quarterly monitoring and sampling of wells began in 1988. Ground-water samples have been analyzed for Total Petroleum Hydrocarbons calculated as Gasoline (TPH-Gasoline) according to EPA Method 8015 (Modified) and Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX) according to EPA Method 8020.

760501-11

# GeoStrategies Inc.

Gettler-Ryan Inc.  
July 26, 1991  
Page 2

## CURRENT QUARTERLY SAMPLING RESULTS

### Potentiometric Data

Prior to ground-water sampling, depth to water-level measurements were obtained in each monitoring well using an electronic oil-water interface probe. Static ground-water levels were measured from the surveyed top of the well box and recorded to the nearest  $\pm 0.01$  foot. Corresponding elevations, referenced to Mean Sea Level (MSL) datum are presented in Table 1. Water-level data were used to construct a quarterly potentiometric map (Plate 3). Shallow ground-water flow is to the south at a calculated hydraulic gradient of 0.01.

### Floating Product Measurements

Each well was checked for the presence of floating product using an electronic oil-water interface probe. A clear acrylic bailer was used to confirm probe results. Floating product was observed in Well S-10 at 0.01 feet in measured thickness. Well S-9 contained a tar-like substance, and was not monitored or sampled.

Floating product has been observed in Well S-9 since June 1986. Due to the high viscosity of this floating product, an accurate thickness cannot be measured in Well S-9 at this time.

### Ground-water Analytical Data

Ground-water samples were collected on April 23, 1991. The samples were analyzed for Total Petroleum Hydrocarbons calculated as Gasoline (TPH-Gasoline), according to EPA Method 8015 (Modified) and for BTEX according to EPA Method 8020. In addition, samples from Wells S-12, S-13 and S-14 were analyzed for Total Petroleum Hydrocarbons calculated as Diesel (TPH-Diesel) and as Oil (TPH-Oil) according to EPA Method 8015 (Modified). The ground-water samples were analyzed by International Technology (IT) Analytical Services, a California state-certified laboratory located in San Jose, California.

## GeoStrategies Inc.

Gettler-Ryan Inc.  
July 26, 1991  
Page 3

TPH-Gasoline was detected in Wells S-5, S-8, S-12, S-13 and S-14, at concentrations ranging from 0.10 parts per million (ppm) to 2.9 ppm. Benzene concentrations in these wells ranged from 0.0037 ppm to 1.1 ppm. TPH-Diesel was detected in Wells S-12, S-13 and S-14 at concentrations of 0.82 ppm, 0.77 ppm and 18 ppm, respectively. TPH-Oil was detected in Wells S-12 and S-13 at concentrations of 0.80 ppm and 0.64 ppm, respectively. These data are summarized in Table 2. A chemical concentration map for TPH-Gasoline and benzene is presented on Plate 4. Historical chemical analytical data are presented in Table 3. The IT laboratory chemical analytical report for this quarter's ground-water sampling is presented in Appendix A.

### Quality Control

The Quality Control (QC) samples for this quarter's ground-water sampling included a duplicate sample (SD-14) and a trip blank. The duplicate sample was collected as a split (second) sample to assess laboratory analytical precision. The trip blank was prepared in the laboratory using organic-free water to evaluate laboratory and field handling procedures. The results of QC sample analyses are presented in Table 2.

**GeoStrategies Inc.**

Gettler-Ryan Inc.  
July 26, 1991  
Page 4

If you have any questions, please call.


GeoStrategies Inc. by,

*Kevin D. McGraw*

Kevin D. McGraw  
Hydrologist

*John F. Vargas*

John F. Vargas  
Senior Geologist  
R.G. 5046



KDM/JFV/kjj

- Plate 1. Vicinity Map
- Plate 2. Site Plan
- Plate 3. Potentiometric Map
- Plate 4. TPH-Gasoline/Benzene Concentration Map

Appendix A: Analytical Laboratory Report and Chain-of-Custody

QC Review: JLP/dhp

760501-11

TABLE 1

## FIELD MONITORING DATA

WELL NO.	MONITORING DATE	CASING DIA. (IN)	TOTAL WELL DEPTH (FT)	WELL ELEV. (FT)	DEPTH TO WATER (FT)	PRODUCT THICKNESS (FT)	STATIC WATER ELEV. (FT)	PURGED WELL VOLUMES	pH	TEMPERATURE (F)	CONDUCTIVITY ( $\mu$ MHOS/cm)
S-5	23-Apr-91	8	12.1	11.72	8.03	----	3.69	5	6.66	62.8	1950
S-8	23-Apr-91	3	19.2	12.76	9.48	----	3.28	5	6.43	65.8	3150
S-9	23-Apr-91	3	----	12.75	----	----	----	----	----	----	----
S-10	23-Apr-91	6	----	12.58	9.68	0.01	2.91	----	----	----	----
S-12	23-Apr-91	3	24.4	12.84	8.80	----	4.04	5	6.49	66.2	4320
S-13	23-Apr-91	3	20.0	12.59	9.66	----	2.93	3	6.54	66.7	7590
S-14	23-Apr-91	3	23.6	12.69	9.69	----	3.00	5	6.37	66.8	7250

- Notes:
1. Static water elevations referenced to Mean Sea Level (MSL).
  2. Physical parameter measurements represent stabilized values.
  3. pH values reported in pH units.
  4. Static water-levels corrected for floating product (conversion factor = 0.80).
  5. Well S-9 contained a tar-like substance, and was not monitored or sampled.

TABLE 2

## GROUND-WATER ANALYSIS DATA

WELL NO	SAMPLE DATE	ANALYSIS DATE	TPH-G (PPM)	BENZENE (PPM)	TOLUENE (PPM)	ETHYLBENZENE (PPM)	XYLENES (PPM)	TPH-D (PPM)	TPH-O (PPM)
S-5	23-Apr-91	27-Apr-91	2.8	0.50	0.008	0.014	0.010	N/A	N/A
S-8	23-Apr-91	29-Apr-91	2.4 *	0.74	0.054	0.0057	0.059	N/A	N/A
S-12	23-Apr-91	29-Apr-91	0.10	0.0037	0.0038	0.0008	0.011	0.82 ~	0.80
S-13	23-Apr-91	27-Apr-91	2.9 *	1.1	0.02	0.03	0.14	0.77 +	0.64
S-14	23-Apr-91	02-May-91	1.2	0.0074	0.0027	0.015	0.11	18. +	<5.0

## CURRENT REGIONAL WATER QUALITY CONTROL BOARD MAXIMUM CONTAMINANT LEVELS

Benzene 0.001 ppm    Xylenes 1.750 ppm    Ethylbenzene 0.680 ppm

## CURRENT DHS ACTION LEVELS

Toluene 0.1000 ppm

TPH-G = Total Petroleum Hydrocarbons calculated as Gasoline

TPH-D = Total Petroleum Hydrocarbons calculated as Diesel

TPH-O = Total Petroleum Hydrocarbons calculated as Oil

PPM = Parts Per Million

SD = Duplicate Sample

TB = Trip Blank

N/A = Not Analyzed

- Note: 1. All data shown as <x are reported as ND (none detected).  
2. DHS Action Levels and MCLs are subject to change pending State review.

\* Compounds detected and calculated as low boiling hydrocarbons consist of compounds eluting within the chromatographic range of gasoline, but not characteristic of the standard gasoline pattern.

~ Chromatographic pattern of compounds detected and calculated as diesel is similar to, but does not match that of the diesel standard used for calibration; pattern is characteristic of weathered diesel.

+ Results included compounds apparently due to gasoline as well as those due to diesel.



TABLE 2

## GROUND-WATER ANALYSIS DATA

WELL NO	SAMPLE DATE	ANALYSIS DATE	TPH-G (PPM)	BENZENE (PPM)	TOLUENE (PPM)	ETHYLBENZENE (PPM)	XYLENES (PPM)	TPH-D (PPM)	TPH-O (PPM)
SD-14	23-Apr-91	02-May-91	1.0	0.0072	<0.0025	0.016	0.11	N/A	N/A
TB	----	27-Apr-91	<0.05	<0.0005	<0.0005	<0.0005	<0.0005	<0.05	<0.5

TABLE 3

## HISTORICAL GROUND-WATER QUALITY DATABASE

SAMPLE DATE	SAMPLE WELL	TPH-G (PPM)	BENZENE (PPM)	TOLUENE (PPM)	ETHYLBENZENE (PPM)	XYLENES (PPM)	TPH-D (PPM)	OIL (PPM)
27-Oct-88	S-5	3.	0.66	0.02	0.02	0.07	N/A	N/A
10-Feb-89	S-5	2.9	0.55	0.02	0.02	0.03	N/A	N/A
28-Apr-89	S-5	4.3	0.75	0.01	0.02	<0.03	N/A	N/A
07-Jul-89	S-5	1.5	0.30	0.008	0.007	0.009	N/A	N/A
25-Oct-89	S-5	2.1	0.76	0.01	0.04	0.05	N/A	N/A
04-Jan-90	S-5	1.3	0.52	0.009	0.008	0.01	N/A	N/A
06-Jul-90	S-5	1.4	0.5	0.01	0.004	<0.01	N/A	N/A
19-Oct-90	S-5	4.2	1.1	0.009	0.014	0.007	N/A	N/A
14-Jan-91	S-5	4.5	1.1	0.015	0.030	0.025	6.1	N/A
23-Apr-91	S-5	2.8	0.50	0.008	0.014	0.010	N/A	N/A
27-Oct-88	S-6	6.	1.7	0.05	0.08	0.42	N/A	N/A
10-Feb-89	S-6	2.8	0.74	0.02	0.02	0.14	N/A	N/A
28-Apr-89	S-6	6.5	2.4	0.03	0.05	0.21	N/A	N/A
07-Jul-89	S-6	3.7	1.7	0.034	0.055	0.20	N/A	N/A
25-Oct-89	S-6	<0.05	0.023	<0.005	<0.005	0.01	N/A	N/A
27-Oct-88	S-7	0.05	0.0011	<0.001	<0.001	0.004	N/A	N/A
10-Feb-89	S-7	0.05	0.0009	<0.001	<0.001	<0.003	N/A	N/A
28-Apr-89	S-7	<0.05	0.001	<0.001	<0.001	<0.003	N/A	N/A
07-Jul-89	S-7	0.07	0.0022	<0.001	<0.001	<0.003	N/A	N/A
25-Oct-89	S-7	6.2	2.2	0.13	0.19	0.66	N/A	N/A
27-Oct-88	S-8	1.	0.61	0.009	0.001	0.042	N/A	N/A
10-Feb-89	S-8	0.5	0.16	0.005	<0.002	0.017	N/A	N/A
28-Apr-89	S-8	2.7	1.5	0.02	0.01	0.04	N/A	N/A
07-Jul-89	S-8	0.44	0.18	0.005	0.002	0.012	N/A	N/A
25-Oct-89	S-8	2.	1.1	0.017	0.005	0.07	N/A	N/A
04-Jan-90	S-8	1.9	1.3	0.02	<0.01	0.07	N/A	N/A
06-Jul-90	S-8	1.6	0.92	0.03	<0.01	0.06	N/A	N/A

TABLE 3

## HISTORICAL GROUND-WATER QUALITY DATABASE

SAMPLE DATE	SAMPLE WELL	TPH-G (PPM)	BENZENE (PPM)	TOLUENE (PPM)	ETHYLBENZENE (PPM)	XYLENES (PPM)	TPH-D (PPM)	OIL (PPM)
19-Oct-90	S-8	1.4	0.64	<0.01	<0.01	0.03	N/A	N/A
14-Jan-91	S-8	0.67	0.19	0.0058	<0.0005	0.019	0.76	0.6
23-Apr-91	S-8	2.4*	0.74	0.054	0.0057	0.059	N/A	N/A
27-Oct-88	S-10	700.	37.	100.	20.	110.	N/A	N/A
10-Feb-89	S-10	6.5	0.48	0.7	0.1	1.8	N/A	N/A
28-Apr-89	S-10	13.	1.3	0.5	0.6	3.7	N/A	N/A
07-Jul-89	S-10	14.	1.3	0.31	0.27	2.4	N/A	N/A
25-Oct-89	S-10	4.2	0.58	0.034	0.044	0.44	N/A	N/A
04-Jan-90	S-10	1.7	0.36	0.010	0.0078	0.17	N/A	N/A
17-Nov-89	S-12	<0.25	0.018	<0.002	<0.002	<0.005	1.4	N/A
04-Jan-90	S-12	<0.25	0.024	0.002	<0.002	<0.005	N/A	N/A
06-Jul-90	S-12	0.08	0.015	0.0007	<0.0005	0.002	N/A	N/A
19-Oct-90	S-12	0.15	0.012	0.009	<0.0005	0.0036	N/A	N/A
14-Jan-90	S-12	0.12	0.0036	0.0008	<0.0005	0.0029	1.0	0.6
23-Apr-91	S-12	0.10	0.0037	0.0038	0.0008	0.011	0.82^	0.80
17-Nov-89	S-13	1.9	0.70	0.16	0.07	0.34	2.0	5.
04-Jan-90	S-13	2.8	1.4	0.13	0.010	0.50	N/A	N/A
06-Jul-90	S-13	3.1	1.8	0.06	0.04	0.27	N/A	N/A
24-Oct-90	S-13	3.4	1.5	0.028	0.028	0.25	N/A	N/A
14-Jan-90	S-13	1.9	0.83	0.015	<0.01	0.099	0.9	1.6
23-Apr-91	S-13	2.9*	1.1	0.02	0.03	0.14	0.77&	0.64
17-Nov-89	S-14	<0.25	0.003	<0.002	<0.002	<0.005	<0.4	3.
04-Jan-90	S-14	<0.25	0.003	0.002	<0.002	<0.005	N/A	N/A
23-Apr-91	S-14	1.2	0.0074	0.0027	0.015	0.11	18.&	<5.0

TABLE 3

=====

HISTORICAL GROUND-WATER QUALITY DATABASE

-----

=====

Current Regional Water Quality Control Board Maximum Contaminant Levels

Benzene 0.001 ppm    Xylenes 1.750 ppm    Ethylbenzene 0.680 ppm

Current DHS Action Levels    Toluene 0.1000 ppm

TPH-G = Total Petroleum Hydrocarbons calculated as Gasoline

TPH-D = Total Petroleum Hydrocarbons calculated as Diesel

PPM = Parts Per Million



\*    Compounds detected and calculated as low boiling hydrocarbons consist of compounds eluting within the chromatographic range of gasoline, but are not characteristic of the standard gasoline pattern.

^    Chromatographic pattern of compounds detected and calculated as diesel is similar to but does not match that of the diesel standard used for calibration; pattern is characteristic of weathered diesel.

&    Results include compounds apparently due to gasoline as well as those due to diesel.

NOTE: 1. DHS Action levels and MCL's are subject to change pending State of California review.

2. All data shown as <X are reported as ND (none detected).



Base Map: USGS Topographic Map



GeoStrategies Inc.

VICINITY MAP  
 Shell Service Station  
 1800 Powell Street  
 Emeryville, California

PLATE

**1**


JOB NUMBER  
7605

REVIEWED BY


DATE

REVISED DATE

- EXPLANATION**
- ◆ Ground-water monitoring well
  - Tank excavation monitoring well
  - ✕ Abandoned monitoring well



Base Map: Shell Site Plan dated 10-23-87,  
Caltrans Topo Map and field  
observations



**SITE PLAN**  
Shell Service Station  
1800 Powell Street  
Emeryville, California

GeoStrategies Inc.




DATE 7/91  
REVIEWED BY KDM  
JOB NUMBER 760501-11  
REVISED DATE

**EXPLANATION**

- ◆ Ground-water monitoring well
- 99.99 - Ground-water elevation contour  
Approximate Gradient = 0.01
- 99.99 Ground-water elevation in feet  
referenced to Mean Sea Level  
(MSL) measured on April 23,  
1991

- Notes:
1. Contours may be influenced by irrigation practices and/or site construction activities.
  2. Well S-5 water elevation not used in contouring.
  3. Not measured, see text.



Base Map: Shell Site Plan dated 10-23-87,  
Caltrans Topo Map and field  
observations

**POTENTIOMETRIC MAP**  
Shell Service Station  
1800 Powell Street  
Emeryville, California

GeoStrategies Inc.




DATE 7/91  
REVIEWED BY KDM  
JOB NUMBER 760501-11

**EXPLANATION**

- ◆ Ground-water monitoring well
- 99/9.9 TPH-G (Total Petroleum Hydrocarbons calculated as Gasoline)/Benzene concentrations in ppm sampled on April 23, 1991
- FP(0.01) Floating Product (measured thickness in feet)

Notes: 1. Floating Product thickness not measured; see text.



Base Map: Shell Site Plan dated 10-23-87, Caltrans Topo Map and field observations

**TPH-G/BENZENE CONCENTRATION MAP**  
 Shell Service Station  
 1800 Powell Street  
 Emeryville, California

GeoStrategies Inc.



JOB NUMBER 760501-11  
 REVIEWED BY KPM  
 DATE 7/91  
 REVISED DATE



**GeoStrategies Inc.**

APPENDIX A  
ANALYTICAL LABORATORY REPORT  
AND CHAIN-OF-CUSTODY

RECEIVED

MAY 8 1991

GETTLER-RYAN INC.  
GENERAL CONTRACTORS



# ANALYTICAL SERVICES

## CERTIFICATE OF ANALYSIS

Shell Oil Company  
Gettler-Ryan  
2150 West Winton  
Hayward, CA 94545  
Tom Paulson

Date: 05/07/91

Work Order: T1-04-331

P.O. Number: MOH 880-021 Vendor #10002402

This is the Certificate of Analysis for the following samples:

Client Work ID: GR3605, 1800 Powell, Emeryvle  
Date Received: 04/24/91  
Number of Samples: 7  
Sample Type: aqueous

### TABLE OF CONTENTS FOR ANALYTICAL RESULTS

<u>PAGES</u>	<u>LABORATORY #</u>	<u>SAMPLE IDENTIFICATION</u>
2	T1-04-331-01	S-5
3	T1-04-331-02	S-8
4	T1-04-331-03	S-12
5	T1-04-331-04	S-13
6	T1-04-331-05	S-14
7	T1-04-331-06	SD-14
8	T1-04-331-07	Trip Blank
11	T1-04-331-08	Quality Control

Reviewed and Approved:

  
Suzanne Veaudry  
Project Manager

American Council of Independent Laboratories  
International Association of Environmental Testing Laboratories  
American Association for Laboratory Accreditation

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryville

Work Order: T1-04-331

## TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-5

SAMPLE DATE: 04/23/91

LAB SAMPLE ID: T104331-01

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

## RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		04/27/91
Low Boiling Hydrocarbons	Mod.8015		04/27/91

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.5	2.8
BTEX		
Benzene	0.005	0.50
Toluene	0.005	0.008
Ethylbenzene	0.005	0.014
Xylenes (total)	0.005	0.010

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryvle

Work Order: T1-04-331

## TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-8

SAMPLE DATE: 04/23/91

LAB SAMPLE ID: T104331-02

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

## RESULTS in Milligrams per Liter:

	<u>METHOD</u>	<u>EXTRACTION DATE</u>	<u>ANALYSIS DATE</u>
BTEX	8020		04/29/91
Low Boiling Hydrocarbons	Mod.8015		04/29/91

<u>PARAMETER</u>	<u>DETECTION LIMIT</u>	<u>DETECTED</u>
Low Boiling Hydrocarbons calculated as Gasoline	0.25	2.4 &
BTEX		
Benzene	0.0025	0.74
Toluene	0.0025	0.054
Ethylbenzene	0.0025	0.0057
Xylenes (total)	0.0025	0.059

## Comments:

& Compounds detected and calculated as low boiling hydrocarbons consist of compounds eluting within the chromatographic range of gasoline, but are not characteristic of the standard gasoline standard pattern.

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryville

Work Order: T1-04-331

## TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-12

SAMPLE DATE: 04/23/91

LAB SAMPLE ID: T104331-03

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

## RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		04/29/91
Low Boiling Hydrocarbons	Mod.8015		04/29/91
High Boiling Hydrocarbons	Mod.8015	04/30/91	05/01/91

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.05	0.10
BTEX		
Benzene	0.0005	0.0037
Toluene	0.0005	0.0038
Ethylbenzene	0.0005	0.0008
Xylenes (total)	0.0005	0.011
High Boiling Hydrocarbons		
calculated as Diesel	0.05	0.82 *
calculated as Oil	0.5	0.80

## Comments:

\* Chromatographic pattern of compounds detected and calculated as diesel is similar to but does not match that of the diesel standard used for calibration; pattern is characteristic of weathered diesel.

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryvle

Work Order: T1-04-331

## TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-13

SAMPLE DATE: 04/23/91

LAB SAMPLE ID: T104331-04

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

## RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		04/27/91
Low Boiling Hydrocarbons	Mod.8015		04/27/91
High Boiling Hydrocarbons	Mod.8015	04/30/91	05/02/91

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	1.0	2.9 &
BTEX		
Benzene	0.01	1.1
Toluene	0.01	0.02
Ethylbenzene	0.01	0.03
Xylenes (total)	0.01	0.14
High Boiling Hydrocarbons		
calculated as Diesel	0.05	0.77 +
calculated as Oil	0.5	0.64

## Comments:

- + Results include compounds apparently due to gasoline as well as those due to diesel.
- & Compounds detected and calculated as low boiling hydrocarbons consist of compounds eluting within the chromatographic range of gasoline, but are not characteristic of the standard gasoline standard pattern.

Company: Shell Oil Company

Date: 05/08/91

Client Work ID: GR3605, 1800 Powell, Emeryvle

Work Order: T1-04-331

## TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-14

SAMPLE DATE: 04/23/91

LAB SAMPLE ID: T104331-05

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

## RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		05/02/91
Low Boiling Hydrocarbons	Mod.8015		05/02/91
High Boiling Hydrocarbons	Mod.8015	04/30/91	05/02/91

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.25	1.2
BTEX		
Benzene	0.0025	0.0074
Toluene	0.0025	0.0027
Ethylbenzene	0.0025	0.015
Xylenes (total)	0.0025	0.11
High Boiling Hydrocarbons		
calculated as Diesel	0.5	18. +
calculated as Oil	5.0	None.

## Comments:

+ Results include compounds apparently due to gasoline as well as those due to diesel.

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryvle

Work Order: T1-04-331

## TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: SD-14

SAMPLE DATE: 04/23/91

LAB SAMPLE ID: T104331-06

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

## RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		05/02/91
Low Boiling Hydrocarbons	Mod.8015		05/02/91

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.25	1.0
BTEX		
Benzene	0.0025	0.0072
Toluene	0.0025	None.
Ethylbenzene	0.0025	0.016
Xylenes (total)	0.0025	0.11



Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryvle

Work Order: T1-04-331

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: Trip Blank

SAMPLE DATE: not spec

LAB SAMPLE ID: T104331-07

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH &lt; 2

RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		04/27/91
Low Boiling Hydrocarbons	Mod.8015		04/27/91
High Boiling Hydrocarbons	Mod.8015	04/30/91	05/01/91

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.05	None.
BTEX		
Benzene	0.0005	None.
Toluene	0.0005	None.
Ethylbenzene	0.0005	None.
Xylenes (total)	0.0005	None.
High Boiling Hydrocarbons		
calculated as Diesel	0.05	None.
calculated as Oil	0.5	None.

Company: Shell Oil Company

Date: 05/08/91

Client Work ID: GR3605, 1800 Powell, Emeryville

Work Order: T1-04-331

TEST NAME: Spike and Spike Duplicates

SAMPLE ID: Quality Control

SAMPLE DATE: not spec

LAB SAMPLE ID: T104331-08A

EXTRACTION DATE: 04/30/91

ANALYSIS DATE: 05/01/91

ANALYSIS METHOD: Mod. 8015

## QUALITY CONTROL REPORT

Laboratory Spike(LS) and Laboratory Spike Duplicate(LSD) Analyses

RESULTS in Milligrams per Liter

PARAMETER	Sample Amt	Spike Amt	LS Result	LSD Result	LS %Rec	LSD %Rec	RPD
Diesel	ND<0	5.0	6.08	5.45	122.	109.	11.
SURROGATES					LS %Rec	LSD %Rec	
nC32					100.	89.	

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryville

Work Order: T1-04-331

TEST NAME: Spike and Spike Duplicates

SAMPLE ID: Quality Control

SAMPLE DATE: not spec

LAB SAMPLE ID: T104331-08A

EXTRACTION DATE:

ANALYSIS DATE: 04/29/91

ANALYSIS METHOD: 8020

## QUALITY CONTROL REPORT

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Analyses

RESULTS in Micrograms per Liter

PARAMETER	Sample Amt	Spike Amt	MS Result	MSD Result	MS %Rec	MSD %Rec	RPD
Benzene	ND<0.5	50.0	46.3	44.5	93.	89.	4.
Toluene	ND<0.5	50.0	45.1	43.3	90.	87.	3.
Ethyl benzene	ND<0.5	50.0	47.2	45.3	94.	91.	3.
Xylenes	ND<0.5	150.	123.	116.	82	77.	6.

SURROGATES	MS %Rec	MSD %Rec
1,3-Dichlorobenzene	98.	102.

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryvle

Work Order: T1-04-331

TEST NAME: Spike and Spike Duplicates

SAMPLE ID: Quality Control

SAMPLE DATE: not spec

LAB SAMPLE ID: T104331-08B

EXTRACTION DATE:

ANALYSIS DATE: 05/01/91

ANALYSIS METHOD: Mod. 8015

## QUALITY CONTROL REPORT

Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Analyses

RESULTS in Micrograms per Liter

PARAMETER	Sample Amt	Spike Amt	MS Result	MSD Result	MS %Rec	MSD %Rec	RPD
Gasoline	ND<50.	500.	406.	389.	81.	78.	4.
SURROGATES					MS %Rec	MSD %Rec	
1,3-Dichlorobenzene					97.	94.	

Company: Shell Oil Company

Date: 05/07/91

Client Work ID: GR3605, 1800 Powell, Emeryville

Work Order: T1-04-331

TEST CODE TPHN TEST NAME TPH High Boiling by 8015

The method of analysis for high boiling hydrocarbons is taken from the LUFT field manual. Samples are extracted with solvent and examined by gas chromatography using a flame ionization detector. Results in soils are corrected for moisture content and are reported on a dry soil basis unless otherwise noted.

TEST CODE TPHVB TEST NAME TPH Gas, BTEX by 8015/8020

The method of analysis for low boiling hydrocarbons is taken from EPA Methods modified 8015, 8020 and 5030. The sample is examined using the purge and trap technique. Final detection is by gas chromatography using a flame ionization detector in series with a photoionization detector. The result for total low boiling hydrocarbons is calculated as gasoline. Results in soils are corrected for moisture content and are reported on a dry soil basis unless otherwise noted.

COMPANY Shell JOB NO. \_\_\_\_\_  
 JOB LOCATION 1800 Powell  
 CITY Emeryville PHONE NO. 783-7500  
 AUTHORIZED Tom Paulson DATE 4-23-91 P.O. NO. 3605.01

SAMPLE ID	NO. OF CONTAINERS	SAMPLE MATRIX	DATE/TIME SAMPLED	ANALYSIS REQUIRED	SAMPLE CONDITION LAB ID
S-5	3	H <sub>2</sub> O	4-23-91/1330	THC(GW)BTXE	Cool
S-8	↓	↓	↓ / 1216	↓	↓
S-12	5	↓	↓ / 1045	↓ , TPH-Diesel	↓
S-13	↓	↓	↓ / 1138	↓	↓
S-14	4	↓	↓ / 1238	↓	↓
SD-14	3	↓	↓ / -	↓	↓
Trip Blank	2	↓	-	↓ , TPH-Diesel	↓

WIC 204-2495-0101  
 EXD 5461  
 ENG Jack Brastad

RELINQUISHED BY: [Signature] 4/23/91 1430  
 RELINQUISHED BY: [Signature] 4-23-91 08:00  
 RELINQUISHED BY: [Signature] 4-24-91 9:40

RECEIVED BY: [Signature] 4/23/91 1430  
 RECEIVED BY: [Signature] 4-24-91 08:00  
 RECEIVED BY LAB: [Signature] 4-24-91 0940

DESIGNATED LABORATORY: IT (SCV) DHS #: 137

REMARKS: NORMAL TAT

DATE COMPLETED 4-23-91 FOREMAN [Signature]