

ENVIRONMENTAL
PROTECTION



Chevron

May 17, 1997

97 MAY 22 AM 10:11

Ms. Susan Hugo
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Chevron Products Company
6001 Bollinger Canyon Road
Building L
San Ramon, CA 94583
P.O. Box 6004
San Ramon, CA 94583-0904

Marketing - Sales West
Phone 510 842-9500

Re: **Chevron Service Station #9-1740**
9550 Moraga Avenue
Oakland, California

Dear Ms. Hugo:

Enclosed is the First Quarter Groundwater Monitoring report for 1997, prepared by our consultant Blaine Tech Services Inc. for the above noted facility. Ground water samples were analyzed for TPH-g, BTEX, and MtBE constituents.

Monitoring wells C-2 and C-4 detected the presence of all constituents with both wells showing an increase in the TPH-g and BTEX constituents from the previous sampling event. However, monitoring well C-3 was below method detection limits for all constituents.

The depth to groundwater varied from 4.68 feet to 6.49 feet below grade with a direction of flow southerly.

Chevron will continue to monitor the site quarterly. If you have any questions or comments call me at (510) 842-9136.

Sincerely,
CHEVRON PRODUCTS COMPANY


Philip R. Briggs
Site Assessment and Remediation Project Manager

Enclosure

cc. Mr. Bill Scudder, Chevron

Mr. Eddie So
RWQCB-San Francisco Bay Region
2101 Webster Street, Suite 500
Oakland, CA 94612



BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

ENVIRONMENTAL
PROTECTION

97 MAY 22 AM 10:11

May 1, 1997

Phil Briggs
Chevron U.S.A. Products Company
P.O. Box 6004
San Ramon, CA 94583-0904

1st Quarter 1997 Monitoring at 9-1740

First Quarter 1997 Groundwater Monitoring at
Chevron Service Station Number 9-1740
6550 Moraga Avenue
Oakland, CA

Monitoring Performed on March 31, 1997

Groundwater Sampling Report 970331-J-3

This report covers the routine quarterly monitoring of groundwater wells at this Chevron facility. Blaine Tech Services, Inc.'s work at the site includes inspection, gauging, evacuation, purgewater containment, sample collection and sample handling in accordance with standard procedures that conform to Regional Water Quality Control Board requirements.

Routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated volume of a three-case volume purge, elapsed evacuation time, total volume of water removed, and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater is, likewise, collected and transported to McKittrick Waster Treatment Site for disposal.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL DATA AND ANALYTICAL RESULTS**. The full analytical report for the most recent samples is located in the **Analytical Appendix**. The table

also contains new groundwater elevation calculations taken from the computer plotted gradient map which is located in the **Professional Engineering Appendix**.

At a minimum, Blaine Tech Services, Inc. field personnel are certified upon completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Francis Thie". The signature is fluid and cursive, with a long horizontal stroke across the middle.

Francis Thie
Vice President

FPT/cg

attachments: Professional Engineering Appendix
Cumulative Table of Well Data and Analytical Results
Analytical Appendix
Field Data Sheets


Professional Engineering Appendix



SCALE (ft)




MORAGA AVENUE



EXPLANATION

- MONITORING WELL
- ABANDONED MONITORING WELL
- 588.42 GROUNDWATER ELEVATION (FT, MSL)
- 589.00 — GROUNDWATER ELEVATION CONTOUR (FT, MSL)
- APPROXIMATE GROUNDWATER FLOW DIRECTION;
APPROXIMATE GRADIENT = 0.03



Basemap from *Cambridge Environmental Technology, Inc.*

PREPARED BY



Chevron Station 9-1740
6550 Moraga Avenue
Oakland, California

**GROUNDWATER ELEVATION
CONTOUR MAP, MARCH 31, 1997**

FIGURE:
1
PROJECT:
DAC04

Table of Well Data and Analytical Results

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-1										
03/25/91	595.82	592.54	3.28	--	54	0.7	<0.5	<0.5	2.0	--
07/01/91	595.82	592.39	3.43	--	730	250	3.0	16	4.8	--
09/25/91	595.82	591.67	4.15	--	160	68	1.3	6.1	1.3	--
12/23/91	595.82	592.11	3.71	--	170	70	1.6	3.5	2.4	--
03/24/92	595.82	592.80	3.02	--	60	39	4.4	3.9	9.1	--
06/23/92	595.82	592.06	3.76	--	60	19	1.1	1.1	1.0	--
09/30/92	595.82	--	--	--	--	--	--	--	--	--
C-2										
03/25/91	594.57	571.68	22.89	--	<50	1.0	<0.5	<0.5	2.0	--
07/01/91	594.57	587.20	7.37	--	660	190	2.5	28	22	--
09/25/91	594.57	587.59	6.98	--	110	200	1.9	21	1.7	--
12/23/91	594.57	589.56	5.01	--	<50	1.2	1.2	<0.5	1.8	--
03/24/92	594.57	577.30	17.27	--	100	5.9	7.9	4.0	14	--
06/23/92	594.57	590.75	3.82	--	190	45	4.5	9.5	10	--
09/30/92	594.57	580.56	14.01	--	240	99	2.3	11	6.1	--
12/16/92	594.57	580.05	14.52	--	280	160	6.2	7.4	5.0	--
03/30/93	594.57	583.49	11.08	--	110	21	<0.5	0.8	<1.5	--
06/10/93	594.57	583.08	11.49	--	180	53	2.6	8.0	5.8	--
09/02/93	594.57	580.49	14.08	--	51	18	0.8	4.4	<1.5	--
12/06/93	594.57	579.87	14.70	--	<50	20	1.3	2.7	<0.5	--
03/02/94	594.57	579.70	14.87	--	<50	9.9	1.6	<0.5	0.8	--
06/03/94	594.57	579.35	15.22	--	440	300	2.7	61	2.1	--
09/07/94	594.57	587.27	7.30	--	80	30	<0.5	1.6	<0.5	--
12/06/94	594.57	589.29	5.28	--	120	51	<0.5	4.7	<0.5	--
03/31/95	594.57	589.13	5.44	--	770	250	<5.0	74	<5.0	--
06/15/95	594.57	589.62	4.95	--	240	76	<1.0	26	<1.0	--
09/25/95	594.57	587.78	6.79	--	<50	1.2	<0.5	<0.5	<0.5	--
12/19/95	594.57	588.94	5.63	--	<250	23	<2.5	<2.5	<2.5	860
03/31/97	594.57	589.74	4.83	--	<500	48	<5.0	<5.0	<5.0	2900

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-3										
03/25/91	597.14	591.98	5.16	--	<50	<0.5	<0.5	<0.5	0.5	--
07/01/91	597.14	591.30	5.84	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/25/91	597.14	591.20	5.94	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/23/91	597.14	591.20	5.94	--	<50	1.0	<0.5	<0.5	1.5	--
03/24/92	597.14	592.37	4.77	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/23/92	597.14	591.47	5.67	--	<50	0.9	1.1	0.5	1.6	--
09/30/92	597.14	590.84	6.30	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	597.14	591.57	5.57	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/93	597.14	592.08	5.06	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/10/93	597.14	591.85	5.29	--	<50	0.6	1.9	0.6	3.5	--
09/02/93	597.14	591.22	5.92	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/06/93	597.14	591.38	5.76	--	<50	<0.5	0.6	<0.5	<0.5	--
03/02/94	597.14	591.97	5.17	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/03/94	597.14	591.74	5.40	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/94	597.14	591.14	6.00	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	597.14	591.95	5.19	--	<50	<0.5	0.8	<0.5	<0.5	--
03/31/95	597.14	592.04	5.10	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/15/95	597.14	591.78	5.36	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/25/95	597.14	591.04	6.10	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	597.14	591.46	5.68	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
03/31/97	597.14	590.65	6.49	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
C-4										
03/25/91	593.10	588.65	4.45	--	2700	240	16	<0.5	350	--
07/01/91	593.10	587.77	5.33	--	7900	1500	230	340	350	--
09/25/91	593.10	587.60	5.50	--	3200	850	160	150	220	--
12/23/91	593.10	588.18	4.92	--	4100	390	52	42	340	--
03/24/92	593.10	589.06	4.19	Free Product (0.19"	--	--	--	--	--	--
06/23/92	593.10	588.43	4.91	Free Product (0.30"	--	--	--	--	--	--
09/30/92	593.10	584.44	8.66	--	450	97	14	12	29	--
12/16/92	593.10	583.30	9.80	--	590	130	18	5.6	29	--
03/30/93	593.10	583.20	10.00	Free Product (0.12"	--	--	--	--	--	--
06/10/93	593.10	583.46	9.64	--	1300	290	36	17	73	--
09/02/93	593.10	583.02	10.08	--	630	97	12	6.6	21	--
12/06/93	593.10	582.85	10.25	--	1900	600	68	27	130	--
03/02/94	593.10	584.36	8.74	--	2600	1200	110	43	180	--
06/03/94	593.10	583.27	9.83	--	780	180	13	8.5	26	--
09/07/94	593.10	582.80	10.30	--	<50	14	<0.5	0.7	<0.5	--
12/06/94	593.10	583.90	9.20	--	980	270	21	12	38	--
03/31/95	593.10	582.86	10.24	--	1500	450	25	11	49	--
06/15/95	593.10	582.78	10.32	--	960	250	15	4.5	37	--
09/25/95	593.10	584.72	8.38	--	<500	18	<5.0	<5.0	<5.0	--
12/19/95	593.10	582.94	10.16	--	<500	32	<5.0	<5.0	<5.0	2400
03/31/97	593.10	588.42	4.68	--	3400	960	51	64	140	2100

Cumulative Table of Well Data and Analytical Results

Vertical Measurements are in feet.

Analytical results are in parts per billion (ppb)

DATE	Well Head Elev.	Ground Water Elev.	Depth To Water	Notes	TPH-Gasoline	Benzene	Toluene	Ethyl-Benzene	Xylene	MTBE
TRIP BLANK										
03/25/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
07/01/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/25/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/23/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/24/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/23/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/30/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/16/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/30/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
06/10/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
09/02/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--
12/06/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/02/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/03/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/07/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/06/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
06/15/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
09/25/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
12/19/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
03/31/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Note: Blaine Tech Services, Inc. began routine monitoring of the groundwater wells at this site on March 31, 1995.
Earlier field data and analytical results provided by Sierra Environmental.

ABBREVIATIONS:

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl t-Butyl Ether

Analytical Appendix



Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-1740/970331-J3 Sample Descript: C-2 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704050-01	Sampled: 03/31/97 Received: 04/01/97 Analyzed: 04/07/97 Reported: 04/09/97
--	--	---

QC Batch Number: GC040797BTEX01A
Instrument ID: GCHP01

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	N.D.
Methyl t-Butyl Ether	25	2900
Benzene	5.0	48
Toluene	5.0	N.D.
Ethyl Benzene	5.0	N.D.
Xylenes (Total)	5.0	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	104

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-1740/970331-J3 Sample Descript: C-3 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704050-02	Sampled: 03/31/97 Received: 04/01/97 Analyzed: 04/04/97 Reported: 04/09/97
Attention: Fran Thie		


QC Batch Number: GC040497BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	74

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-1740/970331-J3 Sample Descript: C-4 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704050-03	Sampled: 03/31/97 Received: 04/01/97 Analyzed: 04/07/97 Reported: 04/09/97
Attention: Fran Thie		

QC Batch Number: GC040797BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	1000	3400
Methyl t-Butyl Ether	50	2100
Benzene	10	960
Toluene	10	51
Ethyl Benzene	10	64
Xylenes (Total)	10	140
Chromatogram Pattern:		Gas
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	116

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Chevron 9-1740/970331-J3 Sample Descript: TB Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9704050-04	Sampled: 03/31/97 Received: 04/01/97 Analyzed: 04/04/97 Reported: 04/09/97
--	---	---

QC Batch Number: GC040497BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	77

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Pegner
Project Manager





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Proj. ID: Chevron 9-1740/970331-J3
Lab Proj. ID: 9704050


Received: 04/01/97
Reported: 04/09/97

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 5 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

TPPH Note: Sample 9704050-01 was diluted 10-fold.
Sample 9704050-03 was diluted 20-fold.

SEQUOIA ANALYTICAL


Peggy Penner
Project Manager





Blaine Tech Services, Inc.
 1680 Rogers Avenue
 San Jose, CA 95112
 Attention: Fran Thie

Client Project ID: Chevron 9-1740/970331-J3
 Matrix: Liquid

Work Order #: 9704050 -01

Reported: Apr 14, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC040797BTEX01A	GC040797BTEX01A	GC040797BTEX01A	GC040797BTEX01A	GC040797BTEX01A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	R. Vincent	R. Vincent	R. Vincent	R. Vincent	R. Vincent
MS/MSD #:	970405002	970405002	970405002	970405002	970405002
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Analyzed Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Instrument I.D.#:	GCHP01	GCHP01	GCHP01	GCHP01	GCHP01
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	11	10	10	30	60
MS % Recovery:	110	100	100	100	100
Dup. Result:	11	10	10	30	60
MSD % Recov.:	110	100	100	100	100
RPD:	0.0	0.0	0.0	0.0	0.0
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK040797	BLK040797	BLK040797	BLK040797	BLK040797
Prepared Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Analyzed Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Instrument I.D.#:	GCHP01	GCHP01	GCHP01	GCHP01	GCHP01
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	11	11	10	30	61
LCS % Recov.:	110	110	100	100	102

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

 Peggy Penner
 Project Manager

Please Note:
 The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9704050.BLA <1>





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-1740/970331-J3
Matrix: Liquid

Work Order #: 9704050-02, -04

Reported: Apr 14, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC040497BTEX06A	GC040497BTEX06A	GC040497BTEX06A	GC040497BTEX06A	GC040497BTEX06A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	R. Geckler	R. Geckler	R. Geckler	R. Geckler	R. Geckler
MS/MSD #:	9703G1205	9703G1205	9703G1205	9703G1205	9703G1205
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/4/97	4/4/97	4/4/97	4/4/97	4/4/97
Analyzed Date:	4/4/97	4/4/97	4/4/97	4/4/97	4/4/97
Instrument I.D.#:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	9.7	9.7	9.7	29	81
MS % Recovery:	97	97	97	97	135
Dup. Result:	10	9.8	9.8	29	81
MSD % Recov.:	100	98	98	97	135
RPD:	3.0	1.0	1.0	0.0	0.0
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK040497	BLK040497	BLK040497	BLK040497	BLK040497
Prepared Date:	4/4/97	4/4/97	4/4/97	4/4/97	4/4/97
Analyzed Date:	4/4/97	4/4/97	4/4/97	4/4/97	4/4/97
Instrument I.D.#:	GCHP06	GCHP06	GCHP06	GCHP06	GCHP06
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.5	9.4	9.5	28	77
LCS % Recov.:	95	94	95	93	128

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Fenner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9704050.BLA <2>





Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Chevron 9-1740/970331-J3
Matrix: Liquid

Work Order #: 9704050-03

Reported: Apr 14, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC040797BTEX18A	GC040797BTEX18A	GC040797BTEX18A	GC040797BTEX18A	GC040797BTEX18A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	970405602	970405602	970405602	970405602	970405602
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Analyzed Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Instrument I.D.#:	GCHP18	GCHP18	GCHP18	GCHP18	GCHP18
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	8.9	8.9	8.8	26	62
MS % Recovery:	89	89	88	87	103
Dup. Result:	9.6	9.7	9.6	28	65
MSD % Recov.:	96	97	96	93	108
RPD:	7.6	8.6	8.7	7.4	4.7
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK040797	BLK040797	BLK040797	BLK040797	BLK040797
Prepared Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Analyzed Date:	4/7/97	4/7/97	4/7/97	4/7/97	4/7/97
Instrument I.D.#:	GCHP18	GCHP18	GCHP18	GCHP18	GCHP18
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	9.8	9.8	9.8	29	68
LCS % Recov.:	98	98	98	97	113

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

** MS= Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9704050.BLA <3>



Field Data Sheets

CHEVRON WELL MONITORING DATA SHEET

Project #: 97033-J3	Station #: 9-1740
Sampler: MS	Date: 3/31/97
Well I.D.: C-2	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: 26.61	Depth to Water: 4.83
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.57	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer Sampling Method: Bailer
 Disposable Bailer Disposable Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump
 Other: _____

<u>3.5</u>	\times	<u>3</u>	$=$	<u>10.5</u> Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1240	63.2	6.7	1000	3.5	0001
1247	65.0	6.5	1000	7	
1254	65.4	6.5	1000	10.5	

Did well dewater? Yes No Gallons actually evacuated: 10.5

Sampling Time: 1300 Sampling Date: 3/31

Sample I.D.: C-2 Laboratory: Sequoia GTEL N. Creek Assoc. Labs

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:

CHEVRON WELL MONITORING DATA SHEET

Project #: 97033-J3	Station #: 9-1740
Sampler: MS	Date: 3/31/97
Well I.D.: C-3	Well Diameter: (2) 3 4 6 8
Total Well Depth: 18.22	Depth to Water: 6.49
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method: Bailer	Sampling Method: Bailer
Disposable Bailer	Disposable Bailer <input checked="" type="checkbox"/>
Middleburg	Extraction Port
Electric Submersible <input checked="" type="checkbox"/>	Other: _____
Extraction Pump	
Other: _____	

1.9	x	3	=	5.0	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1240	67.0	6.9	1000	2	
1244	67.6	6.8	1000	4	
1248	68.0	6.7	1000	6	

Did well dewater? Yes No Gallons actually evacuated: 6

Sampling Time: 1255 Sampling Date: 3/31

Sample I.D.: C-3 Laboratory: (Sequoia) GTEL N. Creek Assoc. Labs

Analyzed for: (TPH-G BTEX MTBE) TPH-D Other:

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	

CHEVRON WELL MONITORING DATA SHEET

Project #: 97033-J3	Station #: 9-1740
Sampler: MS	Date: 3/31/97
Well I.D.: C-4	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth: 24.63	Depth to Water: 4.68
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.16	5"	1.02
3"	0.37	6"	1.47
4"	0.65	Other	radius ² * 0.163

Purge Method:	Sampling Method:
Bailer	Bailer
Disposable Bailer <input checked="" type="checkbox"/>	Disposable Bailer <input checked="" type="checkbox"/>
Middleburg	Extraction Port
Electric Submersible	Other: _____
Extraction Pump	
Other: _____	

<u>3.2</u>	x	<u>3</u>	=	<u>9.6</u> Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Gals. Removed	Observations
1313	61.6	6.8	1000	3.5	Shoen
1317	62.2	6.7	1000	7	
1320	62.6	6.7	1000	10	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: <u>10</u>
Sampling Time: <u>1335</u>	Sampling Date: <u>3/31</u>
Sample I.D.: <u>C-4</u>	Laboratory: <u>Sequoia</u> GTEL N. Creek Assoc. Labs
Analyzed for: <u>TPH-G BTEX MTBE</u> TPH-D Other:	
Duplicate I.D.:	Analyzed for: TPH-G BTEX MTBE TPH-D Other:
D.O. (if req'd):	Pre-purge: <u>mg/L</u> Post-purge: <u>mg/L</u>
O.R.P. (if req'd):	Pre-purge: <u>mV</u> Post-purge: <u>mV</u>