

See  
6/30/93



PACIFIC  
ENVIRONMENTAL  
GROUP, INC.

SECRET

June 24, 1993  
Project 305-87.01

Mr. Randy Orlowski  
Shell Oil Company  
P.O. Box 4848  
Anaheim, California 92803

Re: Quarterly Report - Second Quarter 1993  
Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway *OR 7194 Village Pkway*  
Dublin, California  
WIC No 204-2217-0105

Dear Mr. Orlowski:

This letter presents the results of the second quarter 1993 monitoring program for Shell Oil Company (Shell) prepared by Pacific Environmental Group, Inc. (PACIFIC) for the site referenced above (Figures 1 and 2).

**FINDINGS**

Groundwater monitoring wells were sampled and gauged by Blaine Tech Services, Inc. (Blaine) at the direction of PACIFIC on May 10, 1993. Groundwater elevation contours for the sampling date are shown on Figure 2, and include groundwater elevation data supplied by Kaprealian Engineering for the Unocal service station. Alisto Engineering samples the BP service station east of the site and typically samples their site jointly with Shell and Unocal Corporation, although this quarter they were unable to coordinate the joint monitoring. Table 1 presents groundwater elevation data.

Groundwater analytical data are presented in Table 2. Total petroleum hydrocarbons calculated as gasoline (TPH-g) and benzene concentrations for the May 1993 sampling event are shown on Figure 3. Blaine's groundwater sampling report is presented as Attachment A. Field purging and sampling data are presented in Table 3.

June 24, 1993

Page 2


If you have any questions regarding the contents of this letter, please call.

Sincerely,

**Pacific Environmental Group, Inc.**



Michael Hurd  
Senior Geologist  
RG 5319



- Attachments:
- Table 1 - Groundwater Elevation Data
  - Table 2 - Groundwater Analytical Data - Total Petroleum Hydrocarbons (TPH as Gasoline and BTEX Compounds)
  - Table 3 - Field-Purging and Sampling Data
  - Figure 1- Site Location Map
  - Figure 2- Groundwater Elevation Contour Map
  - Figure 3- TPH-g/Benzene Concentration Map
  - Attachment A - Groundwater Sampling Report

- cc:
- Mr. Craig Mayfield, Alameda County Flood Control and Water Conservation District
  - Mr. Eddy So, Regional Water Quality Control Board
  - Mr. Gil Wistar, Alameda County Health Care Services
  - Mr. Rick Schroder, Shell Oil Company

Table 1  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-1	05/09/88	334.83	8.72	326.11
	08/26/88		9.15	325.68
	10/05/88		8.54	326.29
	11/22/88		9.31	325.52
	12/09/88		9.33	325.50
	01/13/89		NM	NM
	02/10/89		8.51	326.32
	03/02/89		8.71	326.12
	04/04/89		7.93	326.90
	05/01/89		8.43	326.40
	06/01/89		8.56	326.27
	06/29/89		8.60	326.23
	08/09/89		8.43	326.40
	09/11/89		8.65	326.18
	10/10/89		8.52	326.31
	10/25/89		8.56	326.27
	12/20/89		8.80	326.03
	01/17/90		8.47	326.36
	02/23/90		8.25	326.58
	06/04/90		8.62	326.21
	11/20/90		9.50	325.33
	02/12/91		9.51	325.32
	05/06/91		8.34	326.49
	08/28/91		9.28	325.55
	11/13/91		9.59	325.24
	02/25/92		7.49	327.34
	05/12/92		8.64	326.19
08/12/92	9.15	325.68		
11/10/92	10.04	324.79		
02/10/93	7.24	327.59		
05/10/93	7.78	327.05		
MW-2	05/09/88	336.96	10.85	326.11
	08/26/88		11.29	325.67
	10/05/88		10.83	326.13
	11/22/88		11.42	325.54
	12/09/88		11.45	325.51
	01/13/89		NM	NM
	02/10/89		10.74	326.22
	03/02/89		10.91	326.05
	04/04/89		10.06	326.90

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-2 (cont.)	05/01/89		10.58	326.38
	05/31/89		10.73	326.23
	06/28/89		10.90	326.06
	08/08/89		10.78	326.18
	09/08/89		10.97	325.99
	10/09/89		10.88	326.08
	10/24/89		11.00	325.96
	12/21/89		11.06	325.90
	01/17/90		10.78	326.18
	02/23/90		10.35	326.61
	06/04/90		10.72	326.24
	11/20/90		11.35	325.61
	02/12/91		11.64	325.32
	05/06/91		10.05	326.91
	08/28/91		11.16	325.80
	11/13/91		11.57	325.39
	02/25/92		9.66	327.30
	05/12/92		10.97	325.99
	08/12/92		11.58	325.38
	11/10/92		12.05	324.91
02/10/93		9.28	327.68	
05/10/93		9.65	327.31	
MW-3	05/09/88	336.96	10.59	326.37
	08/26/88		11.10	325.86
	10/05/88		10.43	326.53
	11/22/88		11.16	325.80
	12/09/88		11.24	325.72
	01/13/89		NM	NM
	02/10/89		10.43	326.53
	03/02/89		10.59	326.37
	04/04/89		9.45	327.51
	05/01/89		10.20	326.76
	06/01/89		10.40	326.56
	06/28/89		10.60	326.36
	08/09/89		10.64	326.32
	09/11/89		10.83	326.13
	10/10/89		10.95	326.01
	10/26/89		10.86	326.10
12/21/89		11.09	325.87	
01/17/90		10.90	326.06	

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-3 (cont.)	02/23/90	336.93	10.52	326.44
	06/04/90		10.52	326.44
	11/20/90		12.65	324.31
	02/12/91		11.16	325.80
	05/06/91		9.85	327.08
	08/28/91		10.90	326.03
	11/13/91		11.28	325.65
	02/25/92		9.04	327.89
	05/12/92		10.50	326.43
	08/12/92		10.94	325.99
	11/10/92		11.84	325.09
	02/10/93		8.82	328.11
	05/10/93		8.88	328.05
	MW-4		05/09/88	337.14
08/26/88		11.34	325.80	
10/05/88		10.87	326.27	
11/22/88		11.41	325.73	
12/09/88		11.46	325.68	
01/13/89		NM	NM	
02/10/89		10.78	326.36	
03/02/89		10.92	326.22	
04/04/89		10.04	327.10	
05/01/89		10.52	326.62	
05/31/89		10.62	326.52	
06/28/89		11.00	326.14	
08/09/89		10.92	326.22	
09/08/89		11.05	326.09	
10/10/89		10.97	326.17	
10/26/89		11.35	325.79	
12/21/89		11.07	326.07	
01/17/90		11.08	326.06	
02/23/90		10.90	325.24	
06/04/90		10.74	326.40	
11/20/90		11.45	325.69	
02/12/91		11.50	325.64	
05/06/91		10.04	327.10	
08/28/91		11.18	325.96	
11/13/91		11.60	325.54	
02/25/92		9.45	327.69	
05/12/92	10.84	326.30		
08/12/92	11.36	325.78		
11/10/92	12.12	325.02		
02/10/93	9.40	327.74		
05/10/93	9.54	327.60		

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-5	08/26/88	334.96	9.10	325.86
	10/05/88		9.95	325.01
	11/22/88		8.93	326.03
	12/09/88		10.48	324.48
	01/13/89		NM	NM
	02/10/89		10.35	324.61
	03/02/89		8.50	326.46
	04/05/89		7.72	327.24
	05/01/89		8.21	326.75
	06/01/89		8.40	326.56
	06/29/89		8.65	326.31
	08/09/89		8.76	326.20
	09/11/89		8.80	326.16
	10/10/89		11.92	323.04
	10/25/89		9.03	325.93
	12/20/89		11.26	323.70
	01/18/90		9.95	325.01
	02/23/90		8.30	326.66
	06/04/90		8.57	326.39
	11/20/90		9.45	325.51
	02/11/91		9.27	325.69
	05/06/91		7.90	327.06
	08/28/91		9.28	325.68
11/13/91	9.36	325.60		
02/25/92	9.02	325.94		
05/12/92	8.65	326.31		
08/12/92	9.40	325.56		
11/10/92	9.68	325.28		
02/10/93	7.97	326.99		
05/10/93	7.76	327.20		
MW-6	08/26/88	335.42	9.69	325.73
	10/05/88		9.27	326.15
	11/22/88		9.77	325.65
	12/09/88		9.85	325.27
	01/13/89		NM	NM
	02/10/89		9.10	326.32
	03/02/89		9.29	326.13
	04/04/89		8.48	326.94
	05/01/89		8.90	326.52
	06/01/89		9.16	326.26

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-6 (cont.)	06/29/89		9.30	326.12
	08/09/89		9.30	326.12
	09/11/89		9.31	326.11
	10/10/89		9.32	326.10
	10/24/89		9.30	326.12
	12/20/89		9.58	325.84
	01/18/90		9.46	325.96
	02/23/90		8.94	326.48
	06/04/90		9.22	326.20
	11/20/90		9.65	325.77
	02/12/91		9.85	325.57
	05/06/91		9.12	326.30
	08/28/91		9.68	325.74
	11/13/91		10.00	325.42
	02/25/92		8.44	326.98
	05/12/92		9.11	326.31
	08/12/92		9.72	325.70
	11/10/92		10.56	324.86
	02/10/93		7.65	327.77
05/10/93		8.10	327.32	
MW-7	08/26/88	333.23	7.94	325.29
	10/05/88		7.54	325.69
	11/22/88		NM	NM
	12/09/88		7.53	325.70
	01/13/89		NM	NM
	02/10/89		6.62	326.61
	03/02/89		7.03	326.20
	04/05/89		6.80	326.43
	05/01/89		6.53	326.70
	05/31/89		6.93	326.30
	06/28/89		6.85	326.38
	08/09/89		6.67	326.56
	09/07/89		6.90	326.33
	10/10/89		6.90	326.33
	10/24/89		7.29	325.94
	12/20/89		7.47	325.76
	01/18/90		7.49	325.74
	02/23/90		6.92	326.31
	06/04/90		6.95	326.28
11/20/90		8.10	325.13	

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-7 (cont.)	02/11/91		8.04	325.19
	05/06/91		6.37	325.86
	08/28/91		7.94	325.29
	11/13/91		8.41	324.82
	02/25/92		6.99	326.24
	05/12/92		7.42	325.81
	08/12/92		8.65	324.58
	11/10/92		8.82	324.41
	02/10/93		6.06	327.17
	05/10/93		6.68	326.55
MW-8	03/01/89	335.80	8.28	327.52
	04/04/89		7.31	328.49
	05/01/89		8.97	326.83
	05/31/89		9.17	326.63
	06/28/89		9.40	326.40
	08/08/89		9.42	326.28
	09/07/89		8.50	327.30
	10/10/89		9.46	326.34
	10/26/89		9.56	326.24
	12/21/89		9.57	326.23
	01/18/90		9.29	326.51
	02/26/90		8.50	327.30
	06/04/90		9.04	326.76
	02/11/91		9.40	326.40
	05/06/91		8.70	327.10
	08/28/91		9.68	326.12
	11/13/91		9.87	326.93
	02/25/92		7.45	328.35
	05/12/92		9.19	326.61
	08/12/92		9.82	325.98
11/10/92		10.41	325.39	
02/10/93		7.35	328.45	
05/10/93		8.00	327.80	
MW-9	03/01/89	334.57	8.48	326.09
	04/04/89		7.69	326.88
	05/01/89		8.20	326.37
	05/31/89		8.72	325.85
	06/28/89		9.00	325.57
	08/08/89		8.53	326.04



Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-9 (cont.)	09/07/89		8.99	325.58
	10/09/89		8.89	325.68
	10/23/89		9.02	325.55
	12/21/89		9.48	325.09
	01/18/90		8.73	325.84
	02/26/90		9.06	325.51
	06/04/90		8.64	325.93
	11/20/90		9.95	324.62
	02/11/91		9.85	324.72
	05/06/91		10.05	324.52
	08/28/91		10.34	324.23
	11/13/91		9.39	325.18
	02/25/92		7.18	327.39
	05/12/92		8.54	326.03
	08/12/92		8.97	325.60
	10/92		9.61	324.96
	02/10/93		7.20	327.37
05/10/93		7.56	327.01	
MW-10	03/02/89	335.37	8.95	326.42
	04/04/89		7.89	327.48
	05/01/89		9.07	326.30
	06/01/89		8.86	326.51
	06/29/89		9.05	326.32
	08/09/89		9.70	326.67
	09/07/89		8.14	327.23
	10/10/89		9.21	326.16
	10/26/89		9.60	325.77
	12/20/89		9.42	325.95
	06/90		-----Well Destroyed-----	
	05/10/93			
	MW-11	03/02/89	334.20	8.30
04/04/89			7.52	325.68
05/01/89			7.97	326.23
11/20/90			NM	NM
05/31/90			8.13	326.07
06/28/89			8.30	325.90
08/08/89			8.22	325.98
09/07/89			8.32	325.88
10/09/89			8.28	325.92
10/24/89			8.38	325.82

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)
MW-11 (cont.)	12/20/89		8.48	325.72
	01/18/90		8.20	326.00
	02/26/90		7.86	326.34
	06/04/90		8.13	326.07
	11/20/90		8.83	325.37
	02/11/90		8.95	325.25
	05/06/91		7.71	326.49
	08/28/91		8.62	325.58
	11/15/91		8.99	325.21
	02/25/92		7.21	326.99
	05/12/92		8.26	325.94
	08/12/92		8.75	325.45
	11/10/92		9.47	324.73
	02/10/93		6.79	327.41
	05/10/93		7.18	327.02
MW-12	03/02/89	332.53	6.94	325.59
	04/04/89		6.33	326.20
	05/01/89		6.62	325.91
	06/01/89		6.82	325.71
	06/29/89		7.00	325.53
	08/09/89		6.76	325.77
	09/07/89		6.81	325.72
	10/09/89		7.11	325.42
	10/24/89		7.60	324.93
	12/20/89		8.25	324.28
	01/18/90		8.23	324.30
	02/26/90		7.54	324.99
	06/04/90		7.96	324.57
	11/20/90		8.80	323.73
	02/12/90		7.85	324.68
	05/06/91		7.35	325.18
	08/28/91		7.79	324.74
	11/13/91		7.89	324.64
	02/25/92		6.14	326.39
	05/12/92		7.54	324.99
08/12/92		9.83	322.70	
11/10/92		8.32	324.21	
02/10/93		6.75	325.78	
05/10/93			----- Well Inaccessible -----	

Table 1 (continued)  
Groundwater Elevation Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Well Number	Date Gauged	Well Elevation (feet, MSL)	Depth to Water (feet, TOC)	Groundwater Elevation (feet, MSL)	
MW-13	05/06/91	335.64	8.37	327.27	
	08/28/91		9.82	325.82	
	11/13/91		10.19	325.45	
	02/25/92		7.66	327.98	
	05/12/92		9.16	326.48	
	08/12/92		10.91	324.73	
	11/10/92		10.69	324.95	
	02/10/93		7.49	328.15	
	05/10/93		8.06	327.58	
RW-1	12/09/89	336.19	10.73	325.46	
	01/13/89		NM	NM	
	02/10/89		10.91	325.28	
	03/02/89		10.15	325.04	
	04/05/89		9.34	326.85	
	05/01/89		9.85	326.34	
	06/01/89		9.96	326.23	
	06/30/89		9.90	326.29	
	08/09/89		9.80	326.39	
	09/11/89		10.02	326.17	
	10/10/89		9.88	326.31	
	10/25/89		9.80	326.39	
	12/21/89		10.25	325.94	
	01/17/89		9.80	326.39	
	02/23/90		9.60	326.59	
	06/04/90		9.97	326.22	
	11/20/90		10.50	325.69	
	02/11/91		10.87	325.32	
	02/25/92		---- Well Not Gauged ----		
	05/12/92		NM	NM	
	08/12/92		NM	NM	
11/10/92	NM	NM			
05/10/93	9.26	326.93			
MSL = Mean sea level					
TOC = Top of casing					
NM = Not measured					

Table 2  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
MW-1	05/09/88	440	120	50	NR	120
	08/26/88	200,000	4,400	260	300	450
	10/05/88	17,000	6,700	360	210	730
	11/22/88	8,000	3,900	830	250	340
	12/09/88	11,000	790	36	7.3	68
	01/13/89	8,800	3,800	110	330	90
	02/10/89	18,000	4,700	400	660	190
	03/02/89	14,000	6,100	770	320	440
	04/04/89	11,000	4,800	770	270	780
	05/01/89	11,000	2,800	880	410	780
	06/01/89	ND	ND	ND	ND	ND
	06/29/89	4,700	310	160	75	260
	08/09/89	12,000	1,300	620	830	680
	09/11/89	ND	ND	ND	ND	2.2
	10/10/89	8,700	1,100	310	180	590
	10/25/89	7,500	660	250	460	480
	12/20/89	6,200	270	110	260	220
	01/17/90	7,400	200	170	160	260
	02/23/90	1,500	130	13	30	24
	06/04/90	830	88	10	2.6	28
	11/20/90	NA	NA	NA	NA	NA
	02/12/91	1,500	180	39	82	110
	05/06/91	510	41	11	25	35
	08/28/91	450	41	16	24	34
	11/13/91	320	41	14	23	33
	02/25/92	240	24	9.2	14	20
	05/12/92	320	60	25	29	41
	08/12/92	230	26	16	20	25
	08/12/92(D)	220	25	16	19	24
	11/10/92	120	13	8.8	9	13
	02/10/93	80	3.3	2.9	2.4	5.1
05/10/93	100	8.5	5.5	5.2	10	
MW-2	05/09/88	ND	ND	ND	NR	ND
	08/26/88	1,700	230	16	87	120
	10/05/88	200	20	2.3	8.3	12
	11/22/88	800	93	1.6	4.3	60
	12/09/88	270	45	3.6	7.2	14
	01/13/89	180	26	2.3	17	7

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
MW-2 (cont.)	02/10/89	320	43	1.7	34	15
	03/02/89	230	24	0.9	9.2	18
	04/04/89	230	53	2.3	7.1	20
	05/01/89	ND	2.7	ND	ND	ND
	05/31/89	120	14	ND	3.9	7.6
	06/28/89	ND	4.1	ND	ND	ND
	08/08/89	88	3.9	ND	ND	ND
	09/08/89	ND	3.2	ND	ND	ND
	10/09/89	110	6.7	ND	ND	ND
	10/24/89	ND	2.5	ND	ND	1.9
	12/21/89	ND	7.1	ND	5	9.8
	01/17/90	ND	4.4	ND	1.6	1.4
	02/23/90	70	6.3	ND	2.7	2.5
	06/04/90	60	2.4	ND	0.8	ND
	11/20/90	60	5.6	ND	ND	ND
	02/12/91	130	14	ND	0.9	0.5
	05/06/91	60	1.5	ND	5	ND
	08/28/91	100	6.3	ND	1	1.1
	11/13/91	ND	11	ND	1.3	ND
	02/25/92	ND	3.8	ND	ND	ND
	05/12/92	ND	6.0	ND	ND	ND
	08/12/92	110	6.8	ND	1.0	ND
	11/10/92	56	4.5	ND	ND	ND
02/10/93	81	4.8	0.6	1.4	1.9	
05/10/93	90	0.8	0.8	0.6	3.2	
MW-3	05/09/88	76	10	4.4	NR	15
	08/26/88	5,200	170	6	32	54
	10/05/88	260	100	2.7	5.8	7
	11/22/88	180	75	1.4	8.1	4
	12/09/88	160	5	5.9	ND	ND
	01/13/89	160	36	1.2	3	2
	02/10/89	300	83	ND	8.6	8
	03/02/89	570	160	1	17	9
	04/04/89	150	64	0.8	2.7	6
	05/01/89	130	48	1.2	3.4	2
	06/01/89	ND	ND	ND	ND	ND
06/28/89	90	68	0.7	ND	5.1	
08/09/89	150	23	5.3	2.6	ND	

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compound)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
MW-3 (cont.)	09/11/89	ND	ND	ND	ND	ND
	10/10/89	80	6.4	0.72	ND	ND
	10/26/89	150	11	ND	1.6	ND
	12/21/89	ND	6.8	ND	ND	ND
	01/17/90	ND	4	ND	6.8	ND
	02/23/90	50	10	ND	1.2	0.9
	06/04/90	80	10	ND	1.4	ND
	11/20/90	100	26	0.7	1.2	1.9
	02/12/91	130	27	ND	ND	ND
	05/06/91	120	31	0.8	2.1	0.8
	08/28/91	340	87	1.1	6.5	3.8
	11/13/91	240	140	ND	3.1	0.9
	02/25/92	80	17	ND	ND	ND
	05/12/92	74	31	ND	2.6	ND
	08/12/92	160	24	0.5	2.9	ND
	11/10/92	130	27	ND	1.1	0.9
	11/10/92(D)	110	2.6	ND	1.1	0.7
	02/10/93	92	5.7	ND	ND	ND
	02/10/93(D)	80	5.2	ND	ND	ND
	05/10/93	250	100	ND	ND	ND
05/10/93(D)	200	80	ND	2.4	ND	
MW-4	05/09/88	290	76	33	NA	150
	08/26/88	210	640	41	110	160
	10/05/88	450	110	6.3	16	20
	11/22/88	500	110	4	20	27
	12/09/88	260	920	7.5	5.9	11
	01/13/89	990	200	6.5	46	14
	02/10/89	290	90	3.6	8.8	9
	03/02/89	630	210	6.2	34	7
	04/04/89	640	340	13	25	40
	05/01/89	100	65	2	3	4
	05/31/89	60	ND	ND	ND	ND
	06/28/89	110	62	1.3	ND	4.8
	08/09/89	160	110	2	6.4	ND
	09/08/89	94	45	0.5	3.8	ND
	10/10/89	90	30	1	1.9	ND
10/26/89	ND	3.4	ND	ND	ND	
12/21/89	ND	35	1.1	3.6	1.6	

Table 2 (continued)  
**Groundwater Analytical Data**  
**Total Petroleum Hydrocarbons**  
**(TPH as Gasoline and BTEX Compounds)**

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	
MW-4 (cont.)	01/17/90	ND	4	ND	6.8	ND	
	02/23/90	ND	8	ND	1.1	0.7	
	06/04/90	160	85	1.1	1.9	ND	
	11/20/90	140	52	1	0.8	0.9	
	02/12/91	130	48	ND	1.5	ND	
	05/06/91	140	49	1.3	4.1	1.7	
	08/28/91	90	13	ND	1	1.1	
	11/13/91	ND	10	ND	ND	ND	
	02/25/92	120	47	ND	0.5	0.5	
	05/12/92	----- Well Sampled Semi-Annually -----					
	08/12/92	ND	3.5	ND	ND	ND	
	11/10/92	----- Well Sampled Semi-Annually -----					
	02/11/93	190	59	3.2	3.6	3.1	
	05/10/93	----- Well Sampled Semi-Annually -----					
	MW-5	08/26/88	210	6	44	9	19
		10/05/88	7,500	2,700	ND	110	590
11/22/88		150	21	26	3	2	
12/09/88		240	37	2.2	6.7	7.7	
01/13/89		80	1.6	ND	7.7	2	
02/10/89		60	ND	ND	ND	ND	
03/02/89		ND	ND	ND	ND	ND	
04/05/89		ND	ND	ND	ND	ND	
05/01/89		ND	1.3	ND	ND	ND	
06/01/89		ND	ND	ND	ND	ND	
06/29/89		ND	ND	ND	ND	ND	
08/09/89		89	8.5	1.8	1.5	2.2	
09/11/89		1,100	7.8	1.4	ND	6.3	
10/10/89		ND	ND	ND	ND	ND	
10/25/89		ND	1.4	ND	ND	1.6	
12/20/89		ND	ND	ND	ND	ND	
01/18/90		ND	ND	ND	ND	ND	
02/23/90		ND	ND	ND	0.6	ND	
06/04/90		ND	ND	ND	ND	ND	
11/20/90		ND	ND	ND	ND	1	
02/11/91	ND	ND	ND	ND	ND		
05/06/91	ND	ND	ND	ND	ND		
08/28/91	ND	ND	ND	ND	1		
11/13/91	ND	ND	ND	ND	ND		
02/25/92	ND	ND	ND	ND	ND		

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
MW-5 (cont.)	05/12/92	ND	ND	ND	ND	ND
	08/12/92	56	0.5	ND	ND	ND
	11/10/92	ND	ND	ND	ND	ND
	02/11/93	ND	ND	ND	ND	ND
	05/10/93	ND	1.5	ND	1.2	5.2
MW-6	08/26/88	15,000	390	390	670	1,700
	10/05/88	2,700	130	38	960	220
	11/22/88	NA	NA	NA	NA	NA
	12/09/88	540	62	3	26	5
	01/13/89	980	160	22	120	29
	02/10/89	1,900	290	24	93	48
	03/02/89	1,400	160	20	130	33
	04/04/89	1,200	220	27	74	69
	05/01/89	790	120	11	25	17
	06/01/89	1,200	49	49	69	30
	06/29/89	940	130	15	69	35
	08/09/89	1,400	280	39	170	64
	09/11/89	ND	ND	ND	ND	ND
	10/10/89	1,000	85	11	12	16
	10/24/89	1,500	67	20	50	39
	12/20/89	ND	4.9	5.1	ND	ND
	01/18/90	ND	67	12	48	18
	02/23/90	1	150	16	47	30
	06/04/90	190	ND	ND	ND	0.6
	11/20/90	730	120	12	39	21
	02/12/91	550	65	10	33	16
	05/06/91	550	72	11	38	23
	08/28/91	580	82	7.6	28	20
	11/13/91	430	60	7.6	20	12
02/25/92	400	52	6.6	18	11	
05/12/92	950	260	36	12	49	
08/12/92	660	90	15	55	18	
11/10/92	350	23	3.7	15	6.8	
02/11/93	660	42	11	29	17	
05/10/93	190	ND	ND	ND	ND	
MW-7	08/26/88	ND	0.8	ND	ND	ND
	10/05/88	ND	ND	ND	ND	ND
	11/22/88	700	41	9	1	20



Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
MW-7 (cont.)	12/09/88	ND	ND	ND	ND	0.6
	01/13/89	ND	ND	ND	ND	ND
	02/10/89	ND	ND	ND	ND	ND
	03/02/89	ND	ND	ND	ND	ND
	04/05/89	ND	ND	ND	ND	ND
	05/01/89	ND	ND	ND	ND	ND
	05/31/89	ND	ND	ND	ND	ND
	06/28/89	ND	ND	ND	ND	ND
	08/09/89	ND	ND	ND	ND	ND
	09/07/89	ND	ND	ND	ND	ND
	10/10/89	ND	ND	ND	ND	ND
	10/24/89	ND	ND	ND	ND	ND
	12/20/89	ND	ND	ND	ND	ND
	01/18/90	ND	ND	ND	ND	ND
	02/23/90	ND	ND	ND	ND	ND
	06/04/90	ND	ND	ND	ND	ND
	11/20/90	ND	ND	ND	ND	ND
	02/11/91	ND	ND	ND	ND	ND
	05/06/91	ND	ND	ND	ND	ND
	08/28/91	ND	ND	ND	ND	ND
	11/13/91	ND	ND	ND	ND	ND
	02/25/92	ND	ND	ND	ND	ND
	05/12/92	----- Well Sampled Semi-Annually -----				
08/12/92	52	0.8	0.9	ND	ND	
11/10/92	----- Well Sampled Semi-Annually -----					
02/11/93	ND	ND	ND	ND	ND	
05/10/93	----- Well Sampled Semi-Annually -----					
MW-8	03/01/89	ND	ND	ND	ND	ND
	04/04/89	ND	ND	ND	ND	ND
	05/01/89	ND	ND	ND	ND	ND
	05/31/89	ND	ND	ND	ND	ND
	06/28/89	ND	ND	ND	ND	ND
	08/08/89	ND	ND	ND	ND	ND
	09/07/89	ND	ND	ND	ND	ND
	10/10/89	ND	ND	ND	ND	ND
	10/26/89	ND	ND	ND	ND	ND
	12/21/89	ND	ND	ND	ND	ND
	01/18/90	ND	ND	ND	ND	ND

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	
MW-8 (cont.)	02/26/90	ND	ND	ND	ND	ND	
	06/04/90	ND	ND	ND	ND	ND	
	11/20/90	ND	ND	ND	ND	ND	
	02/11/91	ND	ND	ND	ND	ND	
	05/06/91	ND	ND	ND	ND	ND	
	08/28/91	ND	ND	ND	ND	ND	
	11/13/91	ND	ND	ND	ND	ND	
	02/25/92	ND	ND	ND	ND	ND	
	05/12/92	----- Well Sampled Semi-Annually -----					
	08/12/92	ND	ND	ND	ND	ND	
	11/10/92	----- Well Sampled Semi-Annually -----					
	02/10/93	ND	ND	ND	ND	ND	
	05/10/93	----- Well Sampled Semi-Annually -----					
	MW-9	03/1/89	ND	ND	ND	ND	ND
		04/04/89	ND	ND	ND	ND	ND
05/01/89		ND	ND	ND	ND	ND	
05/31/89		ND	ND	ND	ND	ND	
06/28/89		ND	ND	ND	ND	ND	
08/08/89		ND	ND	ND	ND	ND	
09/07/89		ND	ND	ND	ND	ND	
10/09/89		ND	ND	ND	ND	ND	
10/23/89		ND	ND	ND	ND	ND	
12/21/89		ND	ND	ND	ND	ND	
01/18/90		ND	ND	ND	ND	ND	
02/26/90		ND	ND	ND	ND	ND	
06/04/90		ND	ND	ND	ND	ND	
11/20/90		ND	ND	ND	ND	ND	
02/11/91		ND	ND	ND	ND	ND	
05/06/91		ND	ND	ND	ND	ND	
08/28/91		ND	ND	ND	ND	ND	
11/13/91		ND	ND	ND	ND	ND	
02/25/92		ND	ND	ND	ND	ND	
05/12/92		----- Well Sampled Semi-Annually -----					
08/12/92	ND	ND	ND	ND	ND		
11/10/92	----- Well Sampled Semi-Annually -----						
02/10/93	ND	ND	ND	ND	ND		
05/10/93	----- Well Sampled Semi-Annually -----						

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	
MW-10	03/02/89	1,000	140	36	ND	77	
	04/04/89	3,300	760	240	46	630	
	05/01/89	680	99	24	8.1	32	
	06/01/89	1,400	120	39	ND	45	
	06/29/89	1,300	51	1.4	6.1	91	
	08/09/89	860	310	26	45	82	
	09/07/89	390	55	2.9	4.0	18	
	10/10/89	460	85	7.6	10	45	
	10/26/89	270	20	1.4	3.5	9.3	
	12/20/89	ND	5.7	ND	ND	ND	
	01/18/90	NA	NA	NA	NA	NA	
	06/90	-----Well Destroyed-----					
	MW-11	03/02/89	ND	ND	ND	ND	ND
04/04/89		ND	ND	ND	ND	ND	
05/01/89		ND	ND	ND	ND	ND	
11/20/90		ND	ND	ND	ND	ND	
05/31/89		ND	ND	ND	ND	ND	
06/28/89		ND	ND	ND	ND	ND	
08/08/89		ND	ND	ND	ND	ND	
09/07/89		ND	ND	ND	ND	ND	
10/09/89		ND	ND	ND	ND	ND	
10/24/89		ND	ND	ND	ND	ND	
12/20/89		ND	ND	ND	ND	ND	
01/18/90		ND	ND	ND	ND	ND	
02/26/90		ND	ND	ND	ND	ND	
06/04/90		ND	ND	ND	ND	ND	
11/20/90		ND	ND	ND	ND	ND	
02/11/91		ND	ND	ND	ND	ND	
05/06/91		ND	ND	ND	ND	ND	
08/28/91		ND	ND	ND	ND	1	
11/15/91		ND	ND	ND	ND	ND	
02/25/92		ND	ND	ND	ND	ND	
05/12/92	----- Well Sampled Semi-Annually -----						
08/12/92	ND	ND	ND	ND	ND		
11/10/92	----- Well Sampled Semi-Annually -----						
02/11/93	61*	ND	ND	ND	ND		
05/10/93	----- Well Sampled Semi-Annually -----						

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)
MW-12	03/02/89	ND	ND	ND	ND	ND
	04/04/89	ND	ND	ND	ND	ND
	05/01/89	ND	ND	ND	ND	ND
	06/01/89	ND	ND	ND	ND	ND
	06/29/89	ND	ND	ND	ND	ND
	08/09/89	ND	ND	ND	ND	ND
	09/07/89	ND	ND	ND	ND	ND
	10/09/89	ND	ND	ND	ND	ND
	10/24/89	ND	ND	ND	ND	ND
	12/20/89	ND	ND	ND	ND	ND
	01/18/90	ND	ND	ND	ND	ND
	02/26/90	ND	ND	ND	ND	ND
	06/04/90	ND	ND	ND	ND	ND
	11/20/90	ND	ND	ND	ND	ND
	02/12/91	ND	ND	ND	ND	ND
	05/06/91	ND	ND	ND	ND	ND
	08/28/91	ND	ND	ND	ND	1
	11/13/91	ND	ND	ND	ND	ND
02/25/92	ND	ND	ND	ND	ND	
05/12/92	----- Well Removed from Sampling Program -----					
MW-13	05/06/91	1,100	430	30	41	130
	08/28/91	1,000	350	6.4	44	43
	11/13/91	680	320	5.6	38	17
	02/25/92	780	260	3.5	26	15
	05/12/92	660	210	3.5	26	5.8
	08/12/92	400	140	9.6	21	23
	11/10/92	60	220	2.9	23	11
	02/11/93	970	340	11	29	32
05/10/93	2,300	440	ND	ND	ND	
RW-1	12/09/89	6,800	740	5	11	37
	01/13/89	10,000	3,200	27	60	ND
	02/10/89	6,000	2,800	ND	ND	ND
	03/02/89	3,900	2,400	ND	ND	ND
	04/05/89	1,700	1,000	ND	9	ND
	05/01/89	900	390	5	10	ND
	06/01/89	1,100	14	33	ND	13
	06/30/89	1,400	ND	ND	ND	ND

Table 2 (continued)  
**Groundwater Analytical Data**  
 Total Petroleum Hydrocarbons  
 (TPH as Gasoline and BTEX Compounds)

Former Shell Service Station  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California

Well Number	Date Sampled	TPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	
RW-1	08/09/89	7,500	1,700	210	280	300	
(cont.)	09/11/89	97	1.7	2.1	2.3	14	
	10/10/89	1,400	48	4.5	ND	3	
	10/25/89	820	51	1.2	25	3	
	12/21/89	490	16	1	8.5	19	
	01/17/90	ND	27	1.7	14	1.6	
	02/23/90	420	42	1.8	13	2.7	
	06/04/90	180	23	0.7	5.3	1.2	
	11/20/90	1,900	170	52	29	38	
	02/11/91	----- Well Not Sampled -----					
ppb = Parts per billion NR = Not requested ND = Not detected NA = Not analyzed (D) = Duplicate sample * = Laboratory noted concentration is not indicative of gasoline. See certified analytical results for detection limits.							

Table 3  
Field Purging and Sampling Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

Sample Date: May 10, 1993


Depth of Well	Depth to Water (feet)	Depth to Liquid (feet)	pH	Temperature (°F)	Conductivity	Turbidity (NTU)	Purge Volumes (gallons)	Time of Purging	Time of Sampling
Well MW-1									
25.26	7.78	--	7.6	68.9	2800	7.4	11.5	13:48	14:10
			7.3	67.8	1800	5.2	23	13:55	
			7.4	67.6	2200	3.4	34	14:08	
Purge Method: Electric Submersible					Sample Method: Bailor				
Well MW-2									
23.58	9.65	--	6.8	72.6	7000	7.6	9	12:42	12:55
			6.8	69.1	7000	2.9	18	12:48	
			6.8	69.8	7000	2.1	27	12:53	
Purge Method: Electric Submersible					Sample Method: Bailor				
Well MW-3									
23.3	8.88	--	8.4	69.6	2400	3.5	9.5	13:02	13:15
			7.0	67.9	2000	3.1	19	13:07	
			7.0	68.8	2200	2.1	28.5	13:13	
Purge Method: Electric Submersible					Sample Method: Bailor				
Well MW-5									
44.8	7.76	--	8.0	69.6	3000	7.4	24	13:30	13:45
			7.0	68.8	3000	5.3	48	13:38	
			7.0	68.7	3000	2.1	72	13:44	
Purge Method: Electric Submersible					Sample Method: Bailor				
Well MW-6									
22.9	8.1	--	7.2	69.8	2500	10.4	9.5	14:15	14:30
			7.0	68.7	2000	7.5	20	14:21	
			7.0	68.8	2000	5.6	29	14:27	
Purge Method: Electric Submersible					Sample Method: Bailor				

Table 3 (continued)  
Field Purging and Sampling Data

Former Shell Service Station  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California


Sample Date: May 10, 1993

Depth of Well	Depth to Water (feet)	Depth to Liquid (feet)	pH	Temperature (°F)	Conductivity	Turbidity (NTU)	Purge Volumes (gallons)	Time of Purging	Time of Sampling
Well MW-13									
17.06	8.06	--	8.1	69.8	2300	8.4	6	14:35	
			7.4	69.7	2200	12.3	12	14:40	
			7.2	69.5	2000	6.4	18	14:45	14:50
Purge Method: Electric Submersible					Sample Method: Bailer				
NTU = Nephelometric turbidity unit									



QUADRANGLE LOCATION

**REFERENCES:**  
 USGS 7.5 MIN. TOPOGRAPHIC MAP  
 TITLED: DUBLIN, CALIFORNIA  
 DATED: 1961 REVISED: 1980




PACIFIC ENVIRONMENTAL GROUP INC.

**FORMER SHELL SERVICE STATION**  
 7194 Amador Valley Boulevard at Village Parkway  
 Dublin, California


**SITE LOCATION MAP**

FIGURE:  
**1**  
 PROJECT:  
 305-87.01






 PACIFIC ENVIRONMENTAL GROUP, INC.



FORMER SHELL SERVICE STATION  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

GROUNDWATER ELEVATION CONTOUR MAP


FIGURE 2  
PROJECT 305-87 01



- LEGEND**
- MW-1 ● GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
  - RW-1 ● GROUNDWATER EXTRACTION WELL LOCATION AND DESIGNATION
  - MW-10 Ø DESTROYED GROUNDWATER MONITORING WELL LOCATION AND DESIGNATION
  - 100/8.5 TPH-g/BENZENE CONCENTRATION IN GROUNDWATER, IN PARTS PER BILLION (ppb), 5-10-93
  - 10.0 BENZENE ISOCONCENTRATION CONTOUR IN ppb, 5-10-93
  - ND NOT DETECTED
  - NS NOT SAMPLED
  - \* WELL SCREENED ACROSS DEEPER WATER BEARING ZONE NOT USED IN CONTOURING



PACIFIC ENVIRONMENTAL GROUP, INC.



FORMER SHELL SERVICE STATION  
7194 Amador Valley Boulevard at Village Parkway  
Dublin, California

TPH-g/BENZENE CONCENTRATION MAP

FIGURE 3  
PROJECT 305-87 01

**ATTACHMENT A**  
**GROUNDWATER SAMPLING REPORT**




# BLAINE TECH SERVICES INC.

985 TIMOTHY DRIVE  
SAN JOSE, CA 95133  
(408) 995-5535  
FAX (408) 293-8773

May 26, 1993

Shell Oil Company  
P.O. Box 5278  
Concord, CA 94520-9998

Attn: Daniel T. Kirk



SITE:  
Shell WIC # 204-2217-0105  
7194 Amador Valley Blvd.  
Dublin, California

QUARTER:  
2nd quarter of 1993

## QUARTERLY GROUNDWATER SAMPLING REPORT 930510-Y-1

---

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in response to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a **TABLE OF WELL GAUGING DATA**. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of the water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU). In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site.

## TABLE OF WELL GAUGING DATA

WELL I.D.	WELL DIAMETER (inches)	DATA COLLECTION DATE	MEASUREMENTS REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLE LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLE LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	4	05-10-93	TOP OF PIPE	--	NONE	--	--	7.78	25.26
MW-2	4	05-10-93	TOP OF PIPE	--	NONE	--	--	9.65	23.58
MW-3	4	05-10-93	TOP OF PIPE	--	NONE	--	--	8.88	23.30
MW-4	4	05-10-93	TOP OF PIPE	--	NONE	--	--	9.54	23.78
MW-5	4	05-10-93	TOP OF PIPE	--	NONE	--	--	7.76	44.80
MW-6	4	05-10-93	TOP OF PIPE	--	NONE	--	--	8.10	22.90
MW-7	4	05-10-93	TOP OF PIPE	--	NONE	--	--	6.68	16.54
MW-8	4	05-10-93	TOP OF PIPE	--	NONE	--	--	8.0	16.20
MW-9	4	05-10-93	TOP OF PIPE	--	NONE	--	--	7.56	17.90
MW-11	4	05-10-93	TOP OF PIPE	--	NONE	--	--	7.18	16.42
MW-12	4	05-10-93	INACCESSIBLE						
MW-13	4	05-10-93	TOP OF PIPE	--	NONE	--	--	8.06	17.06

## STANDARD PROCEDURES

---

### Evacuation

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water may be removed in cases where more evacuation is needed to achieve stabilization of water parameters. Less than three case volumes of water may be obtained in cases where the well dewateres and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

### Decontamination

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site.

### Free Product Skimmer

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements. The 2.0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such site is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

## **Sample Containers**

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

## **Sampling**

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

## **Sample Designations**

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label. Either the requested analyses or the specific analytes are written on the sample label (e.g. TPH-G, BTEX).

## **Chain of Custody**

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

## **Hazardous Materials Testing Laboratory**

The samples obtained at this site were delivered to Anametrix, Inc. in San Jose, California. Anametrix, Inc. is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #1234.

## **Objective Information Collection**


Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc.

performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

## Reportage

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.

  
Richard C. Blaine

RCB/lpn

attachments: chain of custody  
certified analytical report


cc: Pacific Environmental Group, Inc.  
2025 Gateway Place, Suite # 440  
San Jose, CA 95110  
ATTN: Rhonda Barrick



CP:102 5/17

9305094

18

 <b>SHELL OIL COMPANY</b> RETAIL ENVIRONMENTAL ENGINEERING - WEST		<b>CHAIN OF CUSTODY RECORD</b> Serial No: _____				Date: _____ Page 1 of 1																																																																																		
Silo Address: <u>7194 Amador Valley Blvd. Dublin,</u>		<b>Analysis Required</b>				LAB: <u>Atometrics</u>																																																																																		
WIC#: <u>204-2217-0105</u>		<table border="1"> <tr> <td>TPH (EPA 8015 Mod. Gas)</td> <td>TPH (EPA 8015 Mod. Diesel)</td> <td>BTEX (EPA 8020/602)</td> <td>Volatile Organics (EPA 8240)</td> <td>Test for Disposal</td> <td>Combination TPH 8015 &amp; BTEX 8020</td> <td>Asbestos</td> <td>Container Size</td> <td>Preparation Used</td> <td>Composite Y/N</td> </tr> </table>				TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	Asbestos	Container Size	Preparation Used	Composite Y/N	<table border="1"> <tr> <th>CHECK ONE (1) BOX ONLY</th> <th>CY/DI</th> <th>TURN AROUND TIME</th> </tr> <tr> <td>Quarterly Monitoring <input checked="" type="checkbox"/></td> <td>6441</td> <td>24 hours <input type="checkbox"/></td> </tr> <tr> <td>Site Investigation <input type="checkbox"/></td> <td>6441</td> <td>48 hours <input type="checkbox"/></td> </tr> <tr> <td>Soil Classfy/Disposal <input type="checkbox"/></td> <td>6442</td> <td>15 days <input checked="" type="checkbox"/> (Normal)</td> </tr> <tr> <td>Water Classfy/Disposal <input type="checkbox"/></td> <td>6443</td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Soil/Air Rem. or Sys. O &amp; M <input type="checkbox"/></td> <td>6462</td> <td></td> </tr> <tr> <td>Water Rem. or Sys. O &amp; M <input type="checkbox"/></td> <td>6463</td> <td></td> </tr> <tr> <td>Other <input type="checkbox"/></td> <td></td> <td></td> </tr> </table>		CHECK ONE (1) BOX ONLY	CY/DI	TURN AROUND TIME	Quarterly Monitoring <input checked="" type="checkbox"/>	6441	24 hours <input type="checkbox"/>	Site Investigation <input type="checkbox"/>	6441	48 hours <input type="checkbox"/>	Soil Classfy/Disposal <input type="checkbox"/>	6442	15 days <input checked="" type="checkbox"/> (Normal)	Water Classfy/Disposal <input type="checkbox"/>	6443	Other <input type="checkbox"/>	Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	6462		Water Rem. or Sys. O & M <input type="checkbox"/>	6463		Other <input type="checkbox"/>																																																	
TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)					BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020	Asbestos	Container Size	Preparation Used	Composite Y/N																																																																											
CHECK ONE (1) BOX ONLY	CY/DI					TURN AROUND TIME																																																																																		
Quarterly Monitoring <input checked="" type="checkbox"/>	6441					24 hours <input type="checkbox"/>																																																																																		
Site Investigation <input type="checkbox"/>	6441					48 hours <input type="checkbox"/>																																																																																		
Soil Classfy/Disposal <input type="checkbox"/>	6442	15 days <input checked="" type="checkbox"/> (Normal)																																																																																						
Water Classfy/Disposal <input type="checkbox"/>	6443	Other <input type="checkbox"/>																																																																																						
Soil/Air Rem. or Sys. O & M <input type="checkbox"/>	6462																																																																																							
Water Rem. or Sys. O & M <input type="checkbox"/>	6463																																																																																							
Other <input type="checkbox"/>																																																																																								
Shell Engineer: <u>Daniel T Kirk</u> Phone No.: 510 Fax #: 675-6171		Consultant Name & Address: <u>Prime Tech Services.</u>		Consultant Contact: <u>Jim Keller</u> Phone No.: 408 Fax #: 775-6535		Comments: _____																																																																																		
Sampled by: <u>Joe Carrera</u> Printed Name: <u>JOE Carrera</u>		<table border="1"> <thead> <tr> <th>Sample ID</th> <th>Date</th> <th>Sludge</th> <th>Soil</th> <th>Water</th> <th>Air</th> <th>No. of conis.</th> </tr> </thead> <tbody> <tr> <td>① MW-1</td> <td>5-10</td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>② MW-2</td> <td> </td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>③ MW-3</td> <td> </td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>④ MW-5</td> <td> </td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>⑤ MW-6</td> <td> </td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>⑥ MW-13</td> <td> </td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>⑦ DuP</td> <td> </td> <td></td> <td></td> <td>X</td> <td></td> <td>3</td> </tr> <tr> <td>⑧ Trip</td> <td>5-10</td> <td></td> <td></td> <td>X</td> <td></td> <td>2</td> </tr> </tbody> </table>		Sample ID	Date	Sludge	Soil	Water	Air	No. of conis.	① MW-1	5-10			X		3	② MW-2				X		3	③ MW-3				X		3	④ MW-5				X		3	⑤ MW-6				X		3	⑥ MW-13				X		3	⑦ DuP				X		3	⑧ Trip	5-10			X		2	<table border="1"> <thead> <tr> <th>MATERIAL DESCRIPTION</th> <th>SAMPLE CONDITION/ COMMENTS</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS																		
Sample ID	Date	Sludge	Soil	Water	Air	No. of conis.																																																																																		
① MW-1	5-10			X		3																																																																																		
② MW-2				X		3																																																																																		
③ MW-3				X		3																																																																																		
④ MW-5				X		3																																																																																		
⑤ MW-6				X		3																																																																																		
⑥ MW-13				X		3																																																																																		
⑦ DuP				X		3																																																																																		
⑧ Trip	5-10			X		2																																																																																		
MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS																																																																																							
Relinquished By (signature): <u>Joe Carrera</u>		Printed Name: <u>JOE Carrera</u>		Date: <u>5-11-93</u>		Received (signature): <u>Benny S. Carrizosa</u>		Printed Name: <u>BENNY S. CARRIZOSA</u>		Date: <u>5-11-93</u>																																																																														
Relinquished By (signature): <u>Benny S. Carrizosa</u>		Printed Name: <u>BENNY S. CARRIZOSA</u>		Date: <u>5-11-93</u>		Received (signature): <u>Martha Barajas</u>		Printed Name: <u>MARtha Barajas</u>		Date: <u>5-11-93</u>																																																																														
Relinquished By (signature): _____		Printed Name: _____		Date: _____		Received (signature): _____		Printed Name: _____		Date: _____																																																																														



MR. JIM KELLER  
BLAINE TECH  
985 TIMOTHY STREET  
SAN JOSE, CA 95133

Workorder # : 9305096  
Date Received : 05/11/93  
Project ID : 204-2217-0105  
Purchase Order: MOH-B813


The following samples were received at Anamatrix, Inc. for analysis :

ANAMETRIX ID	CLIENT SAMPLE ID
9305096- 1	MW-1
9305096- 2	MW-2
9305096- 3	MW-3
9305096- 4	MW-5
9305096- 5	MW-6
9305096- 6	MW-13
9305096- 7	DUP
9305096- 8	TRIP

This report consists of 6 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.

  
\_\_\_\_\_  
Sarah Schoen, Ph.D.  
Laboratory Director

5-24-93  
\_\_\_\_\_  
Date

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER  
BLAINE TECH  
985 TIMOTHY STREET  
SAN JOSE, CA 95133

Workorder # : 9305096  
Date Received : 05/11/93  
Project ID : 204-2217-0105  
Purchase Order: MOH-B813  
Department : GC  
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9305096- 1	MW-1	WATER	05/10/93	TPHg/BTEX
9305096- 2	MW-2	WATER	05/10/93	TPHg/BTEX
9305096- 3	MW-3	WATER	05/10/93	TPHg/BTEX
9305096- 4	MW-5	WATER	05/10/93	TPHg/BTEX
9305096- 5	MW-6	WATER	05/10/93	TPHg/BTEX
9305096- 6	MW-13	WATER	05/10/93	TPHg/BTEX
9305096- 7	DUP	WATER	05/10/93	TPHg/BTEX
9305096- 8	TRIP	WATER	05/10/93	TPHg/BTEX

REPORT SUMMARY  
ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER  
BLAINE TECH  
985 TIMOTHY STREET  
SAN JOSE, CA 95133

Workorder # : 9305096  
Date Received : 05/11/93  
Project ID : 204-2217-0105  
Purchase Order: MOH-B813  
Department : GC  
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Chuck B... 5/11/93  
Department Supervisor Date

G. R. Patel 05/12/93  
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9305096  
Matrix : WATER  
Date Sampled : 05/10/93

Project Number : 204-2217-0105  
Date Released : 05/21/93

COMPOUNDS	Reporting Limit (ug/L)	Sample I.D.# MW-1	Sample I.D.# MW-2	Sample I.D.# MW-3	Sample I.D.# MW-5	Sample I.D.# MW-6
Benzene	0.5	8.5	0.8	100	1.5	ND
Toluene	0.5	5.5	0.8	ND	ND	ND
Ethylbenzene	0.5	5.2	0.6	ND	1.2	ND
Total Xylenes	0.5	10	3.2	ND	5.2	ND
TPH as Gasoline	50	100	90	250	ND	190
% Surrogate Recovery		107%	108%	117%	106%	102%
Instrument I.D.		HP21	HP21	HP21	HP21	HP21
Date Analyzed		05/13/93	05/13/93	05/17/93	05/14/93	05/14/93
RLMF		1	1	2	1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

CR Patel 05/21/93  
Analyst Date

Chandra Palani 5/21/93  
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS  
(GASOLINE WITH BTEX)  
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9305096  
Matrix : WATER  
Date Sampled : 05/10/93

Project Number : 204-2217-0105  
Date Released : 05/21/93

Reporting Limit	Sample I.D.# MW-13	Sample I.D.# DUP	Sample I.D.# TRIP	Sample I.D.# BY1301E3	Sample I.D.# BY1701E3
COMPOUNDS (ug/L)	-06	-07	-08	BLANK	BLANK
Benzene	0.5	440	80	ND	ND
Toluene	0.5	ND	ND	ND	ND
Ethylbenzene	0.5	ND	2.4	ND	ND
Total Xylenes	0.5	ND	ND	ND	ND
TPH as Gasoline	50	2300	200	ND	ND
% Surrogate Recovery	132%	118%	117%	103%	119%
Instrument I.D.	HP21	HP21	HP21	HP21	HP21
Date Analyzed	05/17/93	05/17/93	05/17/93	05/13/93	05/17/93
RLMF	25	2	1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor.

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Debra Stee 5/14/93  
Analyst Date

Christina Brown 5/14/93  
Supervisor Date

TOTAL VOLATILE HYDROCARBON MATRIX SPIKE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 204-2217-0105 MW-5	Anamatrix I.D. : 05096-04
Matrix : WATER	Analyst : <i>APP</i>
Date Sampled : 05/10/93	Supervisor : <i>CS</i>
Date Analyzed : 05/14/93	Date Released : 05/21/93
	Instrument ID : HP21

COMPOUND	SPIKE AMT (ug/L)	SAMPLE AMT (ug/L)	REC MS (ug/L)	% REC MS	REC MD (ug/L)	% REC MD	RPD	% REC LIMITS
GASOLINE	500	0	520	104%	550	110%	6%	48-149
P-BFB				105%		104%		61-139

\* Limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT  
 EPA METHOD 5030 WITH GC/FID  
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE  
 Matrix : WATER  
 Date Sampled : N/A  
 Date Analyzed : 05/14/93

Anamatrix I.D. : LCSW0514  
 Analyst : *APR*  
 Supervisor : *CS*  
 Date Released : 05/21/93  
 Instrument I.D.: HP21

COMPOUND	SPIKE AMT. (ug/L)	REC LCS (ug/L)	%REC LCS	% REC LIMITS
GASOLINE	500	570	114%	67-127
SURROGATE			113%	61-139

\* Quality control established by Anamatrix, Inc.