



**KAMUR INDUSTRIES, INC.**  
2351 Shoreline Dr., Alameda, CA 94501-6228  
(510) 523-7888 • Fax (510) 523-3172

**RECEIVED**

2:16 pm, Jun 17, 2008

Alameda County  
Environmental Health

June 13, 2008

Jerry Wickham  
Hazardous Materials Specialist  
Alameda County Environmental Health  
1131 Harbor Bay Parkway - Suite 250  
Alameda, CA 94502-6577

Subject: Second Quarter 2008 Groundwater Monitoring & Sampling Report  
400 San Pablo Avenue  
Albany, CA

Dear Jerry:

Enclosed is a copy of June 12, 2008 subject Groundwater Monitoring and Sampling Report prepared by Enviro Soil Tech Consultants.

I declare, under penalty of perjury, that the information and/or recommendations contain in this report are true and correct to the best of my knowledge.

Sincerely,

Murray T Stevens, CEO  
Kamur Industries Inc.

File No. 8-90-421-SI  
June 12, 2008

**SECOND QUARTER OF 2008 GROUNDWATER  
MONITORING AND SAMPLING  
AT THE PROPERTY  
LOCATED AT 400 SAN PABLO AVENUE  
ALBANY, CALIFORNIA  
JUNE 12, 2008**

**PREPARED FOR:  
MR. MURRAY STEVENS  
KAMUR INDUSTRIES, INC.  
2351 SHORELINE DRIVE  
ALAMEDA, CALIFORNIA 94501**

**BY:  
ENVIRO SOIL TECH CONSULTANTS  
131 TULLY ROAD  
SAN JOSE, CALIFORNIA 95111**

**ENVIRO SOIL TECH CONSULTANTS**

## **LIST OF TABLES**

- TABLE 1** ... Groundwater Monitoring Data and Analytical Results
- TABLE 2** ... Recent Groundwater Monitoring Data and Analytical Results
- TABLE 3** ... Surface Water Samples from El Cerrito Creek Analytical Results
- TABLE 4** ... Summary of Monitoring Wells Data

## **LIST OF FIGURES**

- FIGURE 1** ... Site Vicinity Map Showing 400 San Pablo Avenue, Albany, California
- FIGURE 2** ... Groundwater Elevation Map
- FIGURE 3** ... Isocontours of TPHg in Groundwater
- FIGURE 4** ... Isocontours of Benzene in Groundwater
- FIGURE 5** ... Isocontours of Total Chlorinated Hydrocarbons in Groundwater
- FIGURE 6** ... Site Plan Showing Locations of Buildings, Creek, and Creek Samplings

## **LIST OF APPENDICES**

**APPENDIX "A"** ... Tables 1, 2, 3 and 4

**APPENDIX "B"** ... Figures 1, 2, 3, 4, 5 and 6

**APPENDIX "C"** ... Hydrographs

**APPENDIX "D"** ... Standard Operating Procedure

**APPENDIX "E"** ... Field Notes Data

**APPENDIX "F"** ... Analytical Test Reports of Groundwater Samples  
and Chain-of-Custody Records

| <b>TABLE OF CONTENTS</b>                                   | <b><u>PAGE NO.</u></b> |
|--|------------------------|
| Letter of Transmittal                                      | 1-2                    |
| Purpose  | 3                      |
| Site Description   | 3                      |
| Background   | 3-4                    |
| Scope of Present Work                                      | 4-5                    |
| Procedures   | 5                      |
| Results  |                        |
| <i>Depth to Groundwater and Groundwater Flow Direction</i> | 6                      |
| <i>Analytical Results</i>                                  | 6-7                    |
| El Cerrito Creek Samples                                   | 7                      |
| Conclusions  | 7-8                    |
| Recommendations  | 8                      |
| Limitations  | 8-9                    |

**APPENDIX "A"**

|   |         |
|---|---------|
| Table 1 - Groundwater Monitoring Data<br>and Analytical Results             | T1-T21  |
| Table 2 - Recent Groundwater Monitoring Data<br>and Analytical Results      | T22     |
| Table 3 - Surface Water Samples from El Cerrito Creek<br>Analytical Results | T23-T27 |
| Table 4 - Summary of Monitoring Wells Data                                  | T28     |

**TABLE OF CONTENTS CONT'D**

**PAGE NO.**

**APPENDIX "B"**

|   |    |
|---|----|
| Figure 1 - Vicinity Map   | M1 |
| Figure 2 - Groundwater Elevation Site Map                       | M2 |
| Figure 3 - Isocontours of TPHg Map                              | M3 |
| Figure 4 - Isocontours of Benzene Map                           | M4 |
| Figure 5 - Isocontours of Total Chlorinated<br>Hydrocarbons Map | M5 |
| Figure 6 - El Cerrito Creek Sampling Locations Map              | M6 |

**APPENDIX "C"**

Hydrographs

**APPENDIX "D"**


|                                |      |
|--------------------------------|------|
| Groundwater Sampling Procedure | SOP1 |
|--------------------------------|------|

**APPENDIX "E"**

Field Notes Data

**APPENDIX "F"**

Accutest Laboratories Reports and Chain-of-Custody Records



## **ENVIRO SOIL TECH CONSULTANTS**

Environmental & Geotechnical Consultants  
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111  
Tel: (408) 297-1500 Fax: (408) 292-2116

June 12, 2008

File No. 8-90-421-SI

**Mr. Murray Stevens**  
Kamur Industries, Inc.  
2351 Shoreline Drive  
Alameda, California 94501

**SUBJECT: SECOND QUARTER OF 2008 GROUNDWATER  
MONITORING REPORT AT THE PROPERTY**

Located at 400 San Pablo Avenue, in  
Albany, California

Dear Mr. Stevens:

This report presents results of work performed during the second quarter of 2008. All wells were monitored and sampled on May 23, 2008. The samples were submitted for analysis at a State-certified laboratory. Four water samples from El Cerrito Creek were also collected.


A copy of this report must be forwarded to Regional Water Quality Control Board-San Francisco Bay Region (RWQCB-SFBR) and Alameda County Health Care Services Agency (ACHCSA) for their comments and recommendations.


File No. 8-90-421-SI  
June 12, 2008


If you have any questions or require additional information, please feel free to contact our office at your convenience at (408) 297-1500 or via email at [info@envirosiltech.com](mailto:info@envirosiltech.com).


Sincerely,


**ENVIRO SOIL TECH CONSULTANTS**

  
FRANK HAMEDI-FARD  
GENERAL MANAGER

  
LAWRENCE KOOP, P.E.  
C. E. #34928



  
VICTOR B. CHERVEN, Ph. D.  
PROFESSIONAL GEOLOGIST #3475



**ENVIRO SOIL TECH CONSULTANTS**



## **SITE DESCRIPTION**

The site is located at 400 San Pablo Avenue, in Albany, California, approximately one mile east of San Francisco Bay (Figure 1). The site is bordered by El Cerrito Creek to the north, San Pablo Avenue to the east and Adams Street to the west. The surrounding area is occupied by primarily light commercial and residential buildings and the California School for the Blind (Figure 2).

## **BACKGROUND**

The site was vacant until the late 1950's when Plaza Car Wash and the adjacent Norge Dry Cleaners building were constructed. Three underground tanks for gasoline storage were installed in the northern part of the car wash property in 1970, and Plaza Car Wash began dispensing gasoline from a dispenser island located to the north of the car wash building (Figure 2).

Investigation at this site was prompted by an emergency response action in El Cerrito Creek on July 3, 1989. A small plume of immiscible liquid hydrocarbons was observed floating on the water surface just north of the dry cleaners property. The Albany Fire Department responded and installed absorbent materials and a containment boom around the plume. Subsequent inspection indicated that the hydrocarbon plume was entering the creek through a storm drain that discharges into the creek behind (northwest of) the dry cleaners. Investigation was then undertaken to discover the source of the plume.

The discovery and interim remediation of petroleum contamination in El Cerrito Creek was followed by several years of subsurface investigation and surface-water sampling by Enviro Soil Tech Consultants (ESTC) and others working on behalf of Kamur Industries. Norge Dry Cleaners conducted no investigation of its own, but contamination beneath that

property was investigated as part of the work being performed by Kamur Industries. Between 1989 and 2004, the underground gasoline storage tanks at the car wash were removed, gasoline-contaminated soil was excavated and disposed of, soil-vapor probes were installed and sampled, and soil borings and monitoring wells were drilled and sampled.

The extensive investigation performed on behalf of Kamur Industries produced a voluminous amount of data on groundwater flow patterns and soil and water contamination, and in August 2003, the ACEHSA requested Kamur Industries to submit a report summarizing the entire investigation. The purpose of the report was to enable ACEHSA to evaluate the status of the case and determine whether additional studies are needed to move the site toward case closure. Enviro Soil Tech Consultants submitted a report titled *Historical Events Report for Plaza Car Wash* in 2004 and revised it in May 2005. That report focused primarily on the tasks that had been performed and the procedures that were used, and ACEHSA subsequently requested a more comprehensive analysis of the site's hydrogeology and contamination history. ESTC completed a companion report titled *Site Conceptual Model for the Properties Located at 398 and 400 San Pablo Avenue* in February 2005.

ESTC submitted a Corrective Action Plan to ACEHSA in November 2007. A meeting to discuss the CAP and the current status of the project was held at the ACEHSA office in June 2008. The participants decided to put corrective action on hold at this time and instead perform additional investigation of the vertical and lateral extent of the groundwater impact.

## **SCOPE OF WORK**

- Measure the depth to groundwater in wells MW-2, MW-3, and STMW-1 through STMW-6, and check for hydrocarbon sheen or floating product.

- Purge the wells of standing water.
- Collect water samples from each well.
- Collect water samples from El Cerrito Creek
- Submit samples to a state-certified analytical laboratory for the following analyses: TPHg, BTEX, gasoline oxygenates, chlorinated hydrocarbons, and bacteria.
- Review the results and prepare a report

## **PROCEDURES**

ESTC staff monitored the wells on May 23. After the wells were opened, staff measured the depth to groundwater and then used a translucent plastic bailer to monitor each well for the presence of floating product and/or any distinctive odor. The wells were then purged of at least three well volumes of water and the purged water was stored in a large storage tank on site.

After purging, water samples were collected in a stainless steel bailer and transferred to 40-ml sample vials and stored in a cooled ice chest for later transmittal to the analytical laboratory.

Sampling equipment was decontaminated before and after sampling each well using Tri-sodium Phosphate (TSP) and water wash, followed by a double rinsing. Stringent chain-of-custody procedures were maintained during sample acquisition, storage and transport. The sampling was conducted in accordance with ESTC's Standard Operation Procedure (SOP) (Appendix "D") and ACHCSA's guidelines.

## **RESULTS**

### *DEPTH TO GROUNDWATER AND GROUNDWATER FLOW DIRECTION*

The depth to groundwater ranged between 5.8 feet in STMW-4 (near El Cerrito Creek) and 9.3 feet in STMW-6 (Table 2). This is a few inches deeper than when the wells were monitored in March.

Groundwater elevations are contoured in Figure 2. The water table still slopes to the south and southwest, as it has in the last several quarters. The hydraulic gradient between STMW-3 and STMW-6 remains at approximately 0.008 ft/ft.

### *ANALYTICAL RESULTS*

The water samples were submitted to Accutest Analytical Labs in Santa Clara, California to be analyzed for TPHg and BTEX by EPA method 8015 and for MTBE and other gasoline oxygenates and volatile organic compounds by EPA method 8260B. The results are summarized in Tables 2 and 3. The laboratory analytical report is included in Appendix "F". Previous analytical results are in Table 1.

The laboratory results for the sample from MW-3 are difficult to interpret this quarter. On the one hand, the laboratory reported that the TPHg concentration rose from 890 to 1,300 µg/L, although there was no increase in the principal gasoline constituents (BTEX). On the other hand, the total of the four chlorinated hydrocarbons (Tetrachloroethene, Trichloroethene, 1,2-Dichloroethane, and Vinyl Chloride) dropped from 3,130 to 1,330 µg/L. Thus, the rise in TPHg does not match the fall in solvent concentrations, although the totals (1,300 µg/L and 1,330 µg/L) are remarkably close. Further, the concentration of both PCE and TCE was lower this quarter, whereas the 1,2-DCA and Vinyl Chloride concentrations were higher. One is tempted to conclude that the reported TPHg concentration is entirely due to the four chlorinated hydrocarbons.

The sharp drop that was reported last quarter in the TPHg and BTEX concentrations in STMW-2 and STMW-1 was not sustained. Concentrations increased in both wells in May, despite the fact that the static water level was only 2.6 inches deeper in both wells. Comparable changes were observed in STMW-6. Hence, there was a net increase in concentration over the site area.

MW-2, STMW-3, and STMW-4, continue to be free of all hydrocarbon analytes.

Figures 3, 4, and 5 illustrate the present extent of TPHg, Benzene, and Chlorinated Hydrocarbons. Comparing these maps to those that were prepared for previous years does lead to the impression that the center of the plume has migrated to the southwest.

## **EI CERRITO CREEK SAMPLES**

As requested by ACESHA, water samples were collected from El Cerrito Creek. Samples were collected 20 feet upstream of the storm drain outlet, at the outlet, at the confluence of the outlet flow and the streamflow, and 50 feet downstream from the outlet. The samples were analyzed for all of the same compounds as the groundwater samples (Table 3).

Toluene was again detected in the storm drain outlet sample, at 1.2 µg/L. This is identical to the concentration in the first quarter of 2008. In addition, the laboratory reported bromodichloromethane in this sample, at a concentration of 0.6 µg/L.

## **CONCLUSIONS**

The groundwater flow direction has been to the southwest, away from El Cerrito Creek, for more than a year. The static water level began rising in the fourth quarter of

2007 and continued to rise during the first quarter of 2008 but at a decreased rate. In our report for the first quarter, we predicted that the water table would begin to fall as the summer approaches, and the results for May confirm that prediction.

The site is characterized by fluctuating gasoline and solvent concentrations that do not bear a clear relationship to changes in the depth to groundwater. However, a trend toward increasing concentrations in the most downgradient well (STMW-6) is emerging, suggesting that the plume of gasoline-impacted water is slowly migrating to the southwest, down the prevailing hydraulic gradient. Therefore, we recommend installing one or two additional monitoring wells southwest of the site to locate the limit of the plume and monitor its progress.

Due to the minimal amount of water that is present in El Cerrito Creek, and the observation that groundwater and the associated hydrocarbon plume are both flowing away from the creek, we recommend that sampling of the creek be discontinued.

## **LIMITATIONS**

This report and the associated work have been provided in accordance with the general principles and practices currently employed in the environmental consulting profession. The contents of this report reflect the conditions of the site at this particular time. The findings of this report are based on:

- 1) The observations of field personnel.
- 2) The results of laboratory analyses performed by a state-certified laboratory.

It is possible that variations in the soil and groundwater could exist beyond the points explored in this investigation. Also, changes in groundwater conditions of a property can occur with the passage of time due to variations in rainfall, temperature, regional water usage and other natural processes or the works of man on this property or adjacent properties.

This report is issued with the understanding that it is the responsibility of the owner or his/her representative to ensure that the information and recommendations contained herein are called to the attention of the Local Environmental Agency.

The services that ESTC provided have been in accordance with generally accepted environmental professional practices for the nature and conditions of the work completed in the same or similar localities, at the time the work was performed. This report is not meant to represent a legal opinion. No other warranty, express or implied is made.

File No. 8-90-421-SI  
June 12, 2008

# **A P P E N D I X "A"**

## **TABLES**

**ENVIRO SOIL TECH CONSULTANTS**



**TABLE 1**  
**GROUNDWATER MONITORING DATA (feet)**  
**AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                               | TPHg   | B    | T     | E          | X    | MTBE | PCE | TBA | TCE | Other VOCs<br>by EPA 8260B |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|--|--------|------|-------|------------|------|------|-----|-----|-----|----------------------------|
| 3/11/91a  | STMW-1<br>(100.62)     | 14               | 4-14              | 5.29*             | 95.33       | No sheen or odor                               | 850    | 100  | 7     | ND<br><05  | 150  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 7/03/91a  |                        |                  |                   | 5.10*             | 95.52       | No sheen<br>Mild petroleum odor                | 5100   | 1800 | 500   | 95         | 560  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 11/04/91b |                        |                  |                   | 5.83*             | 94.79       | No sheen<br>Mild petroleum odor                | 2055   | 760  | 54    | ND<br><5   | 56   | NA   | NA  | NA  | NA  | Not Analyzed               |
| 1/20/92c  |                        |                  |                   | 5.79*             | 94.83       | Light sheen<br>Mild petroleum odor             | 4600   | 590  | 36    | ND<br><0.5 | 190  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 5/07/92d  |                        |                  |                   | 5.80*             | 94.82       | No sheen<br>Mild petroleum odor                | 4400   | 66   | 53    | 4          | 460  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 8/17/92e  |                        |                  |                   | 5.77*             | 94.85       | No sheen<br>Mild petroleum odor                | 2700   | 31   | 18    | 19         | 67   | NA   | NA  | NA  | NA  | Not Analyzed               |
| 12/10/92e |                        |                  |                   | 6.61*             | 94.01       | Light sheen<br>Mild petroleum odor             | 35000  | 54   | 79    | 83         | 220  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 3/18/93e  |                        |                  |                   | 6.68*             | 93.94       | L. rainbow sheen<br>Mild petroleum odor        | 19000  | 49   | 52    | 55         | 180  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 7/13/93e  |                        |                  |                   | 7.13*             | 93.49       | NMFP<br>Strong petro. odor                     | 17000  | 34   | 43    | 48         | 170  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 10/11/93f |                        |                  |                   | 7.26*             | 93.36       | NMFP<br>Strong petro. odor                     | 51000  | 2100 | 2400  | 530        | 2600 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 1/07/94f  |                        |                  |                   | 7.15*             | 93.47       | NMFP<br>Strong petro. odor                     | 29000  | 1500 | 1600  | 450        | 2500 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 4/16/94f  |                        |                  |                   | 7.10*             | 93.52       | NMFP<br>Strong petro. odor                     | 20000  | 1100 | 560   | 3300       | 1600 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 8/03/94g  |                        |                  |                   | 5.70*             | 94.92       | NMFP<br>Strong petro. odor                     | 43000  | 1000 | 1700  | 640        | 4700 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 11/08/94g |                        |                  |                   | 6.47*             | 94.15       | Brown NMFP<br>Strong petro. odor               | 92000  | 9000 | 12000 | 1600       | 9100 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 2/16/95e  |                        |                  |                   | 6.96*             | 93.66       | Rainbow sheen/NMFP<br>Strong petroleum odor    | 150000 | 850  | 540   | 400        | 1200 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 5/19/95e  |                        |                  |                   | 6.84*             | 93.78       | Brown NMFP<br>Strong petroleum odor            | 59000  | 400  | 330   | 170        | 610  | NA   | NA  | NA  | NA  | Not Analyzed               |
| 8/18/95e  | (96.81)<br>Resurvey    |                  |                   | 4.64*             | 92.17       | Brown NMFP<br>Strong petroleum odor            | 300000 | 880  | 780   | 540        | 1700 | NA   | NA  | NA  | NA  | Not Analyzed               |
| 11/30/95e |                        |                  |                   | 7.34*             | 89.47       | Thick brown sheen spots<br>Mild petroleum odor | 67000  | 800  | 910   | 390        | 1500 | NA   | NA  | NA  | NA  | Not Analyzed               |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date          | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                             | TPHg   | B     | T     | E           | X     | MTBE        | PCE         | TBA          | TCE         | Other VOCs<br>by EPA 8260B   |
|---------------|------------------------|------------------|-------------------|-------------------|-------------|--|--------|-------|-------|-------------|-------|-------------|-------------|--------------|-------------|--|
| 2/29/96e      | STMW-1<br>(96.81)      | 14               | 4-14              | 7.83*             | 88.98       | NMFP<br>Strong petroleum odor                | 71000  | 120   | 95    | 18          | 260   | NA          | ND<br><0.5  | NA           | ND<br><0.5  | None Detected<0.5  |
| 6/07/96e      |                        |                  |                   | 7.10*             | 89.71       | NMFP<br>Strong petroleum odor                | 140000 | 480   | 490   | 420         | 120   | NA          | ND<br><0.5  | NA           | ND<br><0.5  | None Detected <0.5   |
| 11/14/96e     |                        |                  |                   | 7.29*             | 89.52       | Brown NMFP<br>Mild petroleum odor            | 140000 | 480   | 490   | 420         | 1200  | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 2/12/97e      |                        |                  |                   | 6.96*             | 89.85       | Rainbow sheen spots<br>Strong petroleum odor | 42000  | 210   | 190   | 60          | 190   | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 5/15/97e      |                        |                  |                   | 7.33*             | 89.48       | Brown sheen spots<br>Mild petroleum odor     | 15000  | 83    | 27    | 45          | 130   | NA          | NA          | NA           | NA          | Not Analyzed   |
| 8/27/97e      |                        |                  |                   | 7.46*             | 89.35       | NMFP<br>Strong petroleum odor                | 82000  | 110   | 52    | 66          | 400   | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 12/24/97e     |                        |                  |                   | 6.94*             | 89.87       | Rainbow sheen<br>Strong petroleum odor       | 3700   | 43    | 18    | 9.1         | 25    | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 3/24/98e      |                        |                  |                   | 6.36*             | 90.45       | Rainbow sheen<br>Strong petroleum odor       | 10000  | 65    | 68    | 9           | 120   | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 6/25/98e      |                        |                  |                   | 6.94*             | 89.87       | Rainbow sheen<br>Strong petroleum odor       | 570    | 1.9   | 0.6   | 1.3         | 7.1   | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 10/12/98e     |                        |                  |                   | 7.18*             | 89.63       | Rainbow sheen<br>Strong petroleum odor       | 1000   | 2.4   | 2.1   | 3.2         | 6.9   | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 1/12/99e      |                        |                  |                   | 6.68*             | 90.13       | Rainbow sheen<br>Strong petroleum odor       | 6400   | 39    | 21    | 32          | 83    | ND<br><0.5  | ND<br><0.5  | NA           | ND<br><0.5  | None Detected<0.5  |
| 4/12/99e1     |                        |                  |                   | 7.16*             | 89.65       | Rainbow sheen<br>Strong petroleum odor       | 2800   | 23    | 19    | 29          | 54    | ND<br><0.5  | NA          | NA           | NA          | Not Analyzed   |
| 8/28/03       |                        |                  |                   | NS                | NS          | NS   | NS     | NS    | NS    | NS          | NS    | NS          | NS          | NS           | NS          | Not Sampled  |
| 11/24/03<br>h |                        |                  |                   | 8.61*             | 88.20       | Rainbow sheen<br>Petroleum odor              | 180000 | 30000 | 47000 | ND<br><5000 | 20000 | ND<br><1000 | ND<br><5000 | ND<<br>10000 | ND<br><5000 | None Detected<5000   |
| 3/02/04h      |                        |                  |                   | 8.58*             | 88.23       | Rainbow sheen<br>Petroleum odor              | 84000  | 4200  | 5300  | 1800        | 9100  | ND<br><100  | ND<br><2.5  | ND<br><1000  | ND<br><2.5  | 1,2,4-Trimethylbenzene 3200<br>1,3,5-Trimethylbenzene 860<br>Isopropylbenzene 100<br>Naphthalene 580 |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                    | TPHg   | B     | T     | E    | X     | MTBE             | PCE        | TBA         | TCE        | Other VOCs<br>by EPA 8260B   |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|-------------------------------------|--------|-------|-------|------|-------|------------------|------------|-------------|------------|--|
| 5/28/04h  | STMW-1<br>(96.81)      | 14               | 4-14              | 8.71*             | 88.10       | Rainbow sheen<br>Strong petro. Odor | 99000  | 20000 | 27000 | 4000 | 22000 | ND<br><500       | ND<br><250 | ND<br><5000 | ND<br><250 | 1,2,4-Trimethylbenzene 2500  |
| 8/25/04h  |                        |                  |                   | 8.64*             | 88.17       | Rainbow sheen<br>Petroleum odor     | 100000 | 12000 | 18000 | 4000 | 22000 | ND<br><400       | ND<br><200 | ND<br><4000 | ND<br><200 | 1,2,4-Trimethylbenzene 4800  |
| 11/22/04h |                        |                  |                   | 8.48*             | 88.33       | Rainbow sheen<br>Petroleum odor     | 140000 | 12000 | 16000 | 4200 | 27000 | ND<br><400       | ND<br><200 | ND<br><4000 | ND<br><200 | 1,2,4- Trimethylbenzene 9000<br>1,3,5-Timethylbenzne 2500  |
| 3/02/05h  |                        |                  |                   | 8.52*             | 88.29       | Rainbow sheen<br>Petroleum odor     | 70000  | 9000  | 8700  | 2600 | 16000 | ND<br><400       | ND<br><200 | ND<br><4000 | ND<br><200 | 1,2,4-Trimethylbenzene 4100  |
| 5/23/05h  |                        |                  |                   | 8.98*             | 87.83       | Rainbow sheen<br>Petroleum odor     | 140000 | 17000 | 19000 | 4700 | 27000 | ND<br><400       | ND<br><200 | ND<br><4000 | ND<br><200 | 1,2,4-Trimethylbenzene 5700<br>Methylene Chloride 3400n  |
| 8/22/05h  |                        |                  |                   | 8.08*             | 88.73       | Rainbow sheen<br>Petroleum odor     | 92000  | 11000 | 8900  | 3200 | 19000 | ND<br><250       | ND<br><120 | ND<br><2500 | ND<br><125 | 1,2,4-Trimethylbenzene 4600<br>1,3,5-Trimethylbenzene 1300<br>Chloroform 140   |
| 11/22/05h |                        |                  |                   | 9.00*             | 87.81       | Rainbow sheen<br>Petroleum odor     | 87000  | 14000 | 9200  | 3600 | 23000 | 140<br>ND<br><50 | ND<br><50  | ND<br><4000 | ND<br><50  | 1,2,4-Trimethylbenzene 5200<br>1,3,5-Trimethylbenzene 1200<br>Isopropylbenzene 150<br>n-Propylbenzene 540<br>Naphthalene 850 |
| 2/25/06h  |                        |                  |                   | 8.66*             | 88.15       | Rainbow sheen<br>Petroleum odor     | 92000  | 13000 | 9200  | 3500 | 24000 | ND<br><400       | ND<br><200 | ND<br><4000 | ND<br><200 | 1,2,4-Trimethylbenzene 4400  |
| 5/30/06h  |                        |                  |                   | 8.72*             | 88.09       | Rainbow sheen<br>Petroleum odor     | 80000  | 14000 | 4500  | 2400 | 11000 | ND<br><250       | ND<br><120 | ND<br><2500 | ND<br><120 | 1,2,4-Trimethylbenzene 4500  |
| 8/24/06h  |                        |                  |                   | 8.66*             | 88.15       | Rainbow sheen<br>Petroleum odor     | 45000  | 6400  | 1900  | 2000 | 9800  | ND<br><100       | ND<br><50  | ND<br><1000 | ND<br><50  | 1,2,4-Trimethylbenzene 2900<br>1,3,5-Trimethylbenzene 790  |
| 12/11/06h |                        |                  |                   | 8.22*             | 88.59       | Rainbow sheen<br>Petroleum odor     | 42000  | 7500  | 1200  | 2300 | 8900  | ND<br><100       | ND<br><50  | ND<br><1000 | ND<br><50  | 1,2,4-Trimethylbenzene 3400<br>1,3,5-Trimethylbenzene 870<br>Naphthalene 620   |
| 2/27/07h  |                        |                  |                   | 8.14*             | 88.67       | Rainbow sheen<br>Petroleum odor     | 350000 | 17000 | 4200  | 4100 | 22000 | ND<br><250       | ND<br><120 | ND<br><2500 | ND<br><120 | 1,2,4-Trimethylbenzene 9000<br>1,3,5-Trimethylbenzene 2600   |
| 5/24/07h  |                        |                  |                   | 8.84*             | 87.97       | Rainbow sheen<br>Petroleum odor     | 100000 | 15000 | 5300  | 2200 | 14000 | ND<br><250       | ND<br><120 | ND<br><2500 | ND<br><120 | 1,2,4-Trimethylbenzene 3200  |

**TABLE 1 CONT'D**  
**GROUNDWATER MONITORING DATA (feet)**  
**AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation         | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                           | TPHg  | B    | T    | E          | X    | MTBE       | PCE        | TBA         | TCE        | Other VOCs<br>by EPA 8260B   |
|-----------|--------------------------------|------------------|-------------------|-------------------|-------------|--|-------|------|------|------------|------|------------|------------|-------------|------------|--|
| 8/16/07h  | STMW-1<br>(21.94)●<br>resurvey | 14               | 4-14              | 10.98*            | 10.96       | Rainbow sheen<br>Petroleum odor            | 76000 | 4900 | 1400 | 1500       | 7700 | ND<br><100 | ND<br><50  | ND<br><1000 | ND<br><50  | 1,2,4-Trimethylbenzene 3400<br>1,3,5-Trimethylbenzene 870<br>Naphthalene 640 |
| 11/28/07  |                                |                  |                   | 8.90*             | 13.04       | Rainbow sheen<br>Petroleum odor            | 67000 | 7600 | 1700 | 1600       | 6900 | ND<br><120 | ND<br>62   | ND<br><1200 | ND<br><62  | 1,2,4-Trimethylbenzene 3000<br>1,3,5-Trimethylbenzene 840                    |
| 2/20/08   |                                |                  |                   | 8.36*             | 13.58       | Rainbow sheen<br>Petroleum odor            | 12000 | 2100 | 140  | 490        | 940  | ND<br><40  | ND<br><20  | ND<br><400  | ND<br><20  | 1,2,4-Trimethylbenzene 640<br>1,3,5-Trimethylbenzene 200                     |
| 5/23/08   |                                |                  |                   | 8.58*             | 13.36       | Rainbow sheen<br>Petroleum odor            | 48000 | 9900 | 230  | 2500       | 7200 | ND<br><200 | ND<br><100 | ND<br><2000 | ND<br><100 | 1,2,4-Trimethylbenzene 3100  |
| 3/13/91a  | STMW-2<br>(100.63)             | 14               | 4-14              | 5.25*             | 95.38       | No sheen or odor                           | 170   | 1    | 1.7  | ND<br><0.5 | 28   | NA         | NA         | NA          | NA         | Not Analyzed   |
| 7/06/91a  |                                |                  |                   | 4.75*             | 95.88       | No sheen<br>Mild petroleum odor            | 1800  | 640  | 48   | 44         | 94   | NA         | NA         | NA          | NA         | Not Analyzed   |
| 11/04/91b |                                |                  |                   | 5.92*             | 94.71       | No sheen<br>Mild petroleum odor            | 2143  | 1000 | 57   | 3          | 19   | NA         | NA         | NA          | NA         | Not Analyzed   |
| 1/20/92c  |                                |                  |                   | 5.88*             | 94.75       | No sheen<br>Mild petroleum odor            | 14000 | 120  | 0.6  | 0.6        | 80   | NA         | NA         | NA          | NA         | Not Analyzed   |
| 5/07/92d  |                                |                  |                   | 5.70*             | 94.93       | No sheen<br>Mild petroleum odor            | 1700  | 32   | 17   | 8.6        | 48   | NA         | NA         | NA          | NA         | Not Analyzed   |
| 8/17/92e  |                                |                  |                   | 5.71*             | 94.92       | No sheen or odor                           | 16000 | 180  | 220  | 210        | 620  | NA         | NA         | NA          | NA         | Not Analyzed   |
| 12/10/92e |                                |                  |                   | 6.39*             | 94.24       | Light rainbow sheen<br>Mild petroleum odor | 44000 | 84   | 96   | 120        | 350  | NA         | NA         | NA          | NA         | Not Analyzed   |
| 3/18/93e  |                                |                  |                   | 6.50*             | 94.13       | Light rainbow sheen<br>Mild petroleum odor | 9200  | 22   | 31   | 40         | 110  | NA         | NA         | NA          | NA         | Not Analyzed   |
| 7/13/93e  |                                |                  |                   | 6.95*             | 93.10       | No sheen<br>Light sewerage odor            | 9300  | 18   | 24   | 26         | 89   | NA         | NA         | NA          | NA         | Not Analyzed   |
| 10/11/93f |                                |                  |                   | 7.09*             | 93.54       | NMFP<br>Strong petroleum odor              | 62000 | 2800 | 3900 | 670        | 4400 | NA         | NA         | NA          | NA         | Not Analyzed   |
| 1/07/94f  |                                |                  |                   | 6.93*             | 93.70       | Rainbow sheen<br>Mild petroleum odor       | 22000 | 1100 | 1000 | 280        | 1800 | NA         | NA         | NA          | NA         | Not Analyzed   |
| 4/06/94f  |                                |                  |                   | 6.84*             | 93.79       | NMFP<br>Strong petroleum odor              | 6600  | 490  | 140  | 62         | 330  | NA         | NA         | NA          | NA         | Not Analyzed   |
| 8/03/94g  |                                |                  |                   | 7.10*             | 93.53       | NMFP<br>Mild petroleum odor                | 4000  | 250  | 52   | 55         | 240  | NA         | NA         | NA          | NA         | Not Analyzed   |
| 11/08/94g |                                |                  |                   | 6.19*             | 94.44       | Brown NMFP<br>Strong petroleum odor        | 4000  | 250  | 52   | 55         | 240  | NA         | NA         | NA          | NA         | Not Analyzed   |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date       | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                                 | TPHg        | B          | T          | E          | X          | MTBE       | PCE        | TBA | TCE        | Other VOCs<br>by EPA 8260B |
|------------|------------------------|------------------|-------------------|-------------------|-------------|--|-------------|------------|------------|------------|------------|------------|------------|-----|------------|----------------------------|
| 2/16/95e   | STMW-2<br>(100.63)     | 14               | 4-14              | 6.72*             | 93.91       | Rainbow sheen/NMFP<br>Strong petroleum odor      | 37000       | 230        | 88         | 92         | 320        | Na         | NA         | NA  | NA         | Not Analyzed               |
| 5/19/95e   |                        |                  |                   | 6.61*             | 94.02       | Brown sheen spots<br>Light petroleum odor        | 9300        | 40         | 16         | 22         | 68         | Na         | NA         | NA  | NA         | Not Analyzed               |
| 8/18/95e   | (96.79)<br>Resurvey    |                  |                   | 7.09*             | 89.70       | Brown NMFP<br>Light petroleum odor               | 221000<br>0 | 720        | 550        | 520        | 1400       | Na         | NA         | NA  | NA         | Not Analyzed               |
| 11/30/95e  |                        |                  |                   | 7.07*             | 89.72       | Rainbow sheen spots<br>Light petroleum odor      | 66000       | 660        | 510        | 370        | 1500       | NA         | NA         | NA  | NA         | Not Analyzed               |
| 2/29/96e   |                        |                  |                   | 7.57*             | 89.22       | Rainbow sheen<br>Light petroleum odor            | 33000       | 75         | 55         | 52         | 150        | NA         | ND<br><0.5 | NA  | ND<br><0.5 | None Detected<0.5          |
| 6/07/96e   |                        |                  |                   | 6.74*             | 90.05       | Rainbow sheen<br>Light petroleum odor            | 92000       | 250        | 75         | 180        | 470        | NA         | ND<br><0.5 | NA  | ND<br><0.5 | None Detected<0.5          |
| 11/14/96e  |                        |                  |                   | 6.96*             | 89.83       | Rainbow sheen<br>Light petroleum odor            | 39000       | 380        | 230        | 270        | 720        | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 2/12/97e   |                        |                  |                   | 6.71*             | 90.08       | Rainbow sheen spots<br>Mild petroleum odor       | 23000       | 110        | 28         | 48         | 140        | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 5/15/97e   |                        |                  |                   | 7.06*             | 89.73       | L. rainbow sheen spots<br>Very light petro. Odor | 30000       | 320        | 48         | 94         | 200        | NA         | NA         | NA  | NA         | Not Analyzed               |
| 8/27/97e   |                        |                  |                   | 7.20*             | 89.59       | No sheen<br>Very light petro. Odor               | 19000       | 82         | 9.1        | 18         | 27         | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 12/24/97e  |                        |                  |                   | 6.72*             | 90.07       | Rainbow sheen<br>Strong petroleum odor           | 4100        | 77         | 8.9        | 15         | 34         | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 3/24/98e1  |                        |                  |                   | 6.10*             | 90.69       | Rainbow sheen<br>Strong petroleum odor           | 3300        | 31         | 4.2        | 1.6        | 26         | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 6/25/98e1  |                        |                  |                   | 5.52*             | 91.27       | Rainbow sheen<br>Light petroleum odor            | 2200        | 20         | 5.4        | 12         | 21         | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 10/12/98e1 |                        |                  |                   | 6.92*             | 89.87       | Rainbow sheen<br>Light petroleum odor            | ND<br><50   | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 1/12/99e1  |                        |                  |                   | 6.90*             | 89.89       | Rainbow sheen<br>Strong petroleum odor           | 4500        | 24         | 14         | 15         | 49         | ND<br><0.5 | ND<br><0.5 | NA  | ND<br><0.5 | None Detected<0.5          |
| 4/12/99e1  |                        |                  |                   | 9.98*             | 89.81       | Rainbow sheen<br>Strong petroleum odor           | 1500        | 19         | 12         | 21         | 37         | ND<br><0.5 | ND<br><0.5 | NA  | ND<br><0.5 | None Detected<0.5          |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                       | TPHg  | B    | T          | E   | X   | MTBE      | PCE        | TBA        | TCE        | Other VOCs<br>by EPA 8260B   |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|--|-------|------|------------|-----|-----|-----------|------------|------------|------------|--|
| 8/28/03h  | STMW-2<br>(96.79)      | 14               | 4-14              | 8.32*             | 88.47       | Rainbow sheen<br>Petroleum odor        | 15000 | 570  | ND<br><100 | 430 | 500 | ND<br><20 | ND<br><100 | ND<br><200 | ND<br><100 | 1,2,4-Trimethylbenzene 960<br>1,3,5-Trimethylbenzene 290<br>n-Propylbenzene 220<br>Naphthalene 170                     |
| 11/24/03h |                        |                  |                   | 9.62*             | 87.17       | Rainbow sheen<br>Petroleum odor        | 1200  | 100  | ND<br><10  | 38  | 29  | ND<br><2  | ND<br><10  | ND<br><20  | ND<br><10  | 1,2,4-Trimethylbenzene 40<br>1,3,5-Trimethylbenzene 16<br>n-Propylbenzene 32   |
| 3/02/04h  |                        |                  |                   | 8.28*             | 88.51       | Rainbow sheen<br>Petroleum odor        | 4700i | 430  | 6.5        | 140 | 90  | ND<br><5  | ND<br><25  | ND<br><50  | ND<br><25  | 1,2,4-Trimethylbenzene 120<br>1,3,5-Trimethylbenzene 45<br>Isopropylbenzene 19<br>n-Propylbenzene 71<br>Naphthalene 41 |
| 5/28/04h  |                        |                  |                   | 8.45*             | 88.34       | Rainbow sheen<br>Strong petroleum odor | 9500  | 1600 | 42         | 280 | 220 | ND<br><20 | ND<br><100 | ND<br><200 | ND<br><100 | 1,2,4-Trimethylbenzene 230<br>1,3,5-Trimethylbenzene 130<br>n-Propylbenzene 180<br>Naphthalene 120                     |
| 8/25/04h  |                        |                  |                   | 8.36*             | 88.43       | Rainbow sheen<br>Petroleum odor        | 4000  | 3400 | 8.5        | 150 | 87  | ND<br><10 | ND<br><5   | ND<br><100 | ND<br><5   | 1,2,4-Trimethylbenzene 160<br>1,3,5-Trimethylbenzene 73<br>n-Propylbenzene 91<br>Naphthalene 51                        |
| 11/22/04h |                        |                  |                   | 8.18*             | 88.61       | Rainbow sheen<br>Petroleum odor        | 11000 | 1200 | 33         | 490 | 380 | ND<br><20 | ND<br><100 | ND<br><200 | ND<br><100 | 1,2,4-Trimethylbenzene 510<br>1,2,3-Trimethylbenzene 210<br>n-Propylbenzene 200<br>Naphthalene 240                     |
| 3/02/05h  |                        |                  |                   | 8.12*             | 88.67       | Rainbow sheen<br>Petroleum odor        | 6500  | 520  | ND<br><20  | 160 | 69  | ND<br><40 | ND<br><20  | ND<br><400 | ND<br><20  | None Detected<200  |
| 5/23/05h  |                        |                  |                   | 8.64*             | 88.15       | Rainbow sheen<br>Petroleum odor        | 8400  | 550  | ND<br><12  | 100 | 19  | ND<br><25 | ND<br><12  | ND<br><250 | ND<br><12  | Methylbene Chloride 130no  |
| 8/22/05h  |                        |                  |                   | 7.74*             | 89.05       | Rainbow sheen<br>Petroleum odor        | 6200  | 480  | 12         | 110 | 31  | ND<br><10 | ND<br><5   | ND<br><100 | ND<br><5   | 1,2,4-Trimethylbenzene 60<br>Chloroform 5.5<br>n-Propylbenzene 83<br>Naphthalene 53                                    |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                | TPHg  | B    | T         | E   | X   | MTBE       | PCE        | TBA         | TCE        | Other VOCs<br>by EPA 8260B  |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|---------------------------------|-------|------|-----------|-----|-----|------------|------------|-------------|------------|---|
| 11/22/05h | STMW-2<br>(96.79)      | 14               | 4-14              | 8.68*             | 88.11       | Rainbow sheen<br>Petroleum odor | 4600  | 270  | 4.8       | 80  | 16  | ND<br><2   | ND<br><1   | ND<br><10   | ND<br><1   | 1,2,4-Trimethylbenzene 37<br>1,3,5-Trimethylbenzene 27<br>Isopropylbenzene 15<br>n-Butyl benzene 29<br>n-Propylbenzene 68<br>Naphthalene 29 |
| 2/25/06h  |                        |                  |                   | 8.46*             | 88.33       | Rainbow sheen<br>Petroleum odor | 18000 | 2100 | 28        | 460 | 120 | ND<br><50  | ND<br><25  | ND<br><500  | ND<br><25  | 1,2,4-Trimethylbenzene 410<br>cis-1,2-Dichloroethene 47<br>n-Propylbenzene 280  |
| 5/30/06h  |                        |                  |                   | 8.40*             | 88.39       | Rainbow sheen<br>Petroleum odor | 5100  | 390  | 84        | 150 | 75  | ND<br><10  | ND<br><5   | ND<br><100  | ND<br><5   | 1,2,4-Trimethylbenzene 67<br>1,3,5-Trimethylbenzene 53<br>n-Propylbenzene 82<br>Naphthalene 62  |
| 8/24/06h  |                        |                  |                   | 8.40*             | 88.39       | Rainbow sheen<br>Petroleum odor | 11000 | 1400 | 54        | 310 | 81  | ND<br><20  | ND<br><10  | ND<br><200  | ND<br><10  | 1,2,4-Trimethylbenzene 130<br>1,3,5-Triemthylbenxene 110<br>n-Propylbenzene 180   |
| 12/11/06h |                        |                  |                   | 7.86*             | 88.93       | Rainbow sheen<br>Petroleum odor | 39000 | 1900 | 420       | 660 | 420 | ND<br><20  | ND<br><10  | ND<br><200  | ND<br><200 | 1,2,4-Trimethylbenzene 590<br>1,3,5-Trimethylbenzene 310<br>n-Propylbenzene 360<br>Naphthalene 290  |
| 2/27/07h  |                        |                  |                   | 7.82*             | 88.97       | Rainbow sheen<br>Petroleum odor | 10000 | 2800 | 100       | 400 | 180 | ND<br><50  | ND<br><25  | ND<br><500  | ND<br><25  | None Detected<25  |
| 5/24/07h  |                        |                  |                   | 8.54*             | 88.25       | Rainbow sheen<br>Petroleum odor | 17000 | 3800 | 58        | 470 | 240 | ND<br><100 | ND<br><50  | ND<br><1000 | ND<br><50  | None Detected<50  |
| 8/16/07h  | (22.08)●<br>Resurvey   |                  |                   | 10.70*            | 11.38       | Rainbow sheen<br>Petroleum odor | 9000  | 1900 | ND<br><25 | 360 | 45  | ND<br><50  | ND<br><25  | ND<br><500  | ND<br><25  | None Detected<25  |
| 11/28/07  |                        |                  |                   | 8.60*             | 13.48       | Rainbow sheen<br>Petroleum odor | 22000 | 2700 | 220       | 560 | 110 | ND<br><40  | ND<br><20  | ND<br><400  | ND<br><20  | n-Propylbenzene 200   |
| 2/20/08   |                        |                  |                   | 8.16*             | 13.92       | Rainbow sheen<br>Petroleum odor | 5300  | 710  | 10        | 190 | 16  | ND<br><12  | ND<br><6.2 | ND<br><62   | ND<br><6.2 | Isopropylbenzene 28<br>n-Propylbenzene 110  |
| 5/23/08   |                        |                  |                   | 8.38*             | 13.70       | Rainbow sheen<br>Petroleum odor | 15000 | 2400 | ND<br><20 | 550 | 43  | ND<br><40  | ND<br><20  | ND<br><400  | ND<br><20  | Isopropylbenzene 61<br>n-Propylbenzene 230  |
| 11/14/96e | STMW-3<br>(95.24)      | 15               | 2.5-15            | 5.34*             | 89.90       | No sheen or odor                | 210   | 9.1  | 2.8       | 4.7 | 13  | ND<br><0.5 | NA         | NA          | NA         | Not Analyzed  |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date       | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|------------|------------------------|------------------|-------------------|-------------------|-------------|------------------|-----------|------------|------------|------------|------------|------------|------------|-----------|------------|----------------------------|
| 2/12/97e   | STMW-3<br>(95.24)      | 15               | 2.5-15            | 5.14*             | 90.10       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 5/15/97e   |                        |                  |                   | 5.42*             | 89.82       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA         | NA        | NA         | Not Analyzed               |
| 8/27/97e   |                        |                  |                   | 5.58*             | 89.66       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 12/24/97e  |                        |                  |                   | 5.14*             | 90.10       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 3/24/98e1  |                        |                  |                   | 4.54*             | 90.70       | No sheen or odor | 13000     | 87         | 23         | 80         | 130        | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 6/25/98e1  |                        |                  |                   | 5.06*             | 90.18       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 10/12/98e1 |                        |                  |                   | 5.30*             | 89.94       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 1/12/99e1  |                        |                  |                   | 5.04*             | 90.20       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | ND<br><0.5 | None Detected<0.5          |
| 4/12/99e1  |                        |                  |                   | 5.28*             | 89.97       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 8/28/03h   |                        |                  |                   | 6.64*             | 88.60       | No sheen or odor | ND<br><50 | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><1   | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 11/24/03h  |                        |                  |                   | 7.04*             | 88.20       | No sheen or odor | ND<br><50 | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><1   | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 3/02/04h   |                        |                  |                   | 6.46*             | 88.78       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/28/04h   |                        |                  |                   | 6.71*             | 88.53       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/25/04h   |                        |                  |                   | 6.64*             | 88.60       | No sheen or odor | ND<br><25 | 0.84       | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/04h  |                        |                  |                   | 6.38*             | 88.86       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 3/02/05h   |                        |                  |                   | 6.34*             | 88.90       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/23/05h   |                        |                  |                   | 6.85*             | 88.39       | No sheen or odor | ND<br><50 | ND<br><0.5 | 0.81       | ND<br><0.5 | 0.56       | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |



**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation          | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|---------------------------|-----------|------------|------------|------------|------------|------------|------------|-----------|------------|----------------------------|
| 8/22/05h  | STMW-3<br>(95.24)      | 15               | 2.5-15            | 7.00*             | 88.24       | No sheen<br>Sewerage odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/05h |                        |                  |                   | 6.94*             | 88.30       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2/25/06h  |                        |                  |                   | 6.72*             | 88.52       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/30/06h  |                        |                  |                   | 6.64*             | 88.60       | No sheen<br>Sewerage odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/24/06h  |                        |                  |                   | 6.64*             | 88.60       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 12/11/06h |                        |                  |                   | 5.84*             | 89.40       | No sheen or odor          | ND<br><50 | 0.64       | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2/27/07h  |                        |                  |                   | 5.36*             | 89.88       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/24/07h  |                        |                  |                   | 6.78*             | 88.46       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/16/07h  | (20.47)●<br>resurvey   |                  |                   | 8.92*             | 11.55       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/28/07  |                        |                  |                   | 6.80*             | 13.67       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2/20/08   |                        |                  |                   | 6.38*             | 14.09       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/23/08   |                        |                  |                   | 6.62*             | 13.85       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/14/96e | STMW-4<br>(94.49)      | 15               | 2-15              | 4.67*             | 89.74       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 2/12/97e  |                        |                  |                   | 4.45*             | 89.96       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 5/15/97e  |                        |                  |                   | 4.75*             | 89.66       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA         | NA        | NA         | Not Analyzed               |
| 8/27/97e  |                        |                  |                   | 4.87*             | 89.54       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 12/24/97e |                        |                  |                   | 4.44*             | 89.97       | No sheen or odor          | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 3/24/98e1 |                        |                  |                   | 3.88*             | 90.53       | No sheen or odor          | 13000     | 87         | 23         | 80         | 130        | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date       | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation | TPHg      | B          | T          | E          | X           | MTBE       | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|------------|------------------------|------------------|-------------------|-------------------|-------------|------------------|-----------|------------|------------|------------|-------------|------------|------------|-----------|------------|----------------------------|
| 6/25/98e1  | STMW-4<br>(94.49)      | 15               | 2-15              | 4.40*             | 90.01       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 10/12/98e1 |                        |                  |                   | 4.68*             | 89.73       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 1/12/99e1  |                        |                  |                   | 4.38*             | 90.03       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><0.5 | ND<0.5     | NA        | ND<br><0.5 | None Detected<0.5          |
| 4/12/99e1  |                        |                  |                   | 4.62*             | 89.79       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 8/28/03h   |                        |                  |                   | 5.92*             | 88.49       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 11/24/03h  |                        |                  |                   | 6.28*             | 88.13       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 3/02//04h  |                        |                  |                   | 5.70*             | 88.71       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1    | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/28/04h   |                        |                  |                   | 5.94*             | 88.47       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1    | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/25/04h   |                        |                  |                   | 5.90*             | 88.50       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1    | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/04h  |                        |                  |                   | 5.56*             | 88.85       | No sheen or odor | ND<br><25 | 1.1        | 0.57       | ND<br><0.5 | ND<br><1    | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 3/02/05h   |                        |                  |                   | 5.60*             | 88.81       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.51 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/23/05h   |                        |                  |                   | 6.09*             | 88.32       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/22/05h   |                        |                  |                   | 6.22*             | 88.19       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/05h  |                        |                  |                   | 6.16*             | 88.33       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2/25/06h   |                        |                  |                   | 6.02*             | 88.47       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/30/06h   |                        |                  |                   | 5.92*             | 88.57       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/24/06h   |                        |                  |                   | 5.88*             | 88.61       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5  | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date       | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                 | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|------------|------------------------|------------------|-------------------|-------------------|-------------|----------------------------------|-----------|------------|------------|------------|------------|------------|------------|-----------|------------|----------------------------|
| 12/11/06h  | STMW-4<br>(94.49)      | 15               | 2-15              | 5.19*             | 89.30       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | Chloroform 4.2             |
| 2/27/07h   |                        |                  |                   | 5.30*             | 89.19       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/24/07h   |                        |                  |                   | 5.98*             | 88.51       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/16/07h   | (19.58)●<br>resurvey   |                  |                   | 8.14*             | 11.44       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/28/07   |                        |                  |                   | 6.04*             | 13.54       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2//20/08   |                        |                  |                   | 5.64*             | 13.94       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/23/08    |                        |                  |                   | 5.82*             | 13.76       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/14/96e  | STMW-5<br>(94.49)      | 15               | 2-15              | 5.20*             | 89.29       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | ND<br><0.5 | None Detected<0.5          |
| 2/12/97e   |                        |                  |                   | 4.99*             | 89.50       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | ND<br><0.5 | None Detected<0.5          |
| 5/15/97e   |                        |                  |                   | 5.30*             | 89.19       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA         | NA        | NA         | Not Analyzed               |
| 8/27/97e   |                        |                  |                   | 5.33*             | 89.16       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 12/24/97e  |                        |                  |                   | 4.94*             | 89.55       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | NA         | Not Analyzed               |
| 3/24/98e1  |                        |                  |                   | 4.52*             | 89.97       | No sheen<br>Slight sewerage odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | NA         | Not Analyzed               |
| 6/25/98e1  |                        |                  |                   | 5.00*             | 89.49       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | NA         | Not Analyzed               |
| 10/12/98e1 |                        |                  |                   | 5.18*             | 89.31       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | NA         | Not Analyzed               |
| 1/12/99e1  |                        |                  |                   | 5.02*             | 89.47       | No sheen or odor                 | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA        | ND<br><0.5 | None Detected<0.5          |
| 4/12/99e1  |                        |                  |                   | 5.38*             | 89.11       | No sheen<br>Light sewerage odor  | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation | TPHg      | B          | T          | E          | X          | MTBE     | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|------------------|-----------|------------|------------|------------|------------|----------|------------|-----------|------------|----------------------------|
| 8/28/03h  | STMW-5<br>(94.49)      | 15               | 2-15              | 6.62*             | 87.87       | No sheen or odor | ND<br><50 | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><1 | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 11/24/03h |                        |                  |                   | 6.84*             | 87.65       | No sheen or odor | ND<br><50 | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><1 | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 3/02/04h  |                        |                  |                   | 6.26*             | 88.23       | No sheen or odor | 62j       | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1 | 1.9        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/28/04h  |                        |                  |                   | 6.52*             | 87.479      | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1 | 1.6        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/25/04h  |                        |                  |                   | 6.50*             | 87.99       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1 | 1.4        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/04h |                        |                  |                   | 6.08*             | 88.41       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 2.1        | ND<br><10 | 0.6        | None Detected<0.5          |
| 3/02/05h  |                        |                  |                   | 6.14*             | 88.35       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 2          | ND<br><10 | 0.5        | None Detected<0.5          |
| 5/23/05h  |                        |                  |                   | 6.56*             | 87.93       | No sheen or odor | ND<br><50 | 1.3        | 2.6        | ND<br><0.5 | 2.6        | ND<br><1 | 1.1        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/22/05h  |                        |                  |                   | 6.70*             | 87.79       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 1.5        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/05h |                        |                  |                   | 6.64*             | 87.85       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 1.8        | ND<br><10 | 0.78       | None Detected<0.5          |
| 2/25/06h  |                        |                  |                   | 6.58*             | 87.91       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 1.6        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/30/06h  |                        |                  |                   | 6.50*             | 87.99       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 2.4        | ND<br><10 | 0.54       | None Detected<0.5          |
| 8/24/06h  |                        |                  |                   | 6.46*             | 88.03       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 1.2        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 12/11/06h |                        |                  |                   | 5.54*             | 88.95       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | ND<br><0.5 | ND<br><10 | ND<br><0.5 | Chloroform 3.7             |
| 2/27/07h  |                        |                  |                   | 5.88*             | 88.61       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 1.1        | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/24/07h  |                        |                  |                   | 6.54*             | 87.95       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 0.84       | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/16/07hq | (19.71)●<br>resurvey   |                  |                   | 8.64*             | 11.07       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | 0.68       | ND<br><10 | ND<br><0.5 | None Detected<0.5          |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                      | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA         | TCE        | Other VOCs<br>by EPA 8260B |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|---------------------------------------|-----------|------------|------------|------------|------------|------------|------------|-------------|------------|----------------------------|
| 11/28/07  | STMW-5<br>(19.71)      | 15               | 2-15              | 6.56*             | 13.15       | No sheen or odor                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | 1.4        | ND<br><10   | ND<br><0.5 | None Detected<0.5          |
| 2/20/08   |                        |                  |                   | 6.14*             | 13.57       | No sheen or odor                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | 1.5        | ND<br><10   | ND<br><0.5 | None Detected<0.5          |
| 5/23/08   |                        |                  |                   | 6.34*             | 13.37       | No sheen or odor                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | 1.8        | ND<br><10   | 0.62       | None Detected<0.5          |
| 8/16/07h  | STMW-6<br>(21.96)●     | 15               | 5-15              | 11.60*            | 10.36       | Rainbow sheen<br>No odor              | 1300      | 200        | 81         | 33         | 110        | 5          | ND<br><2.5 | ND<br><50   | ND<br><2.5 | 1,2,4-Trimethylbenzene 40  |
| 11/27/07  |                        |                  |                   | 9.58*             | 12.38       | No sheen or odor                      | 17000     | 4800       | 920        | 860        | 740        | ND<br><100 | ND<br><50  | ND<br><1000 | ND<br><50  | None Detected<50           |
| 2/20/08   |                        |                  |                   | 9.02*             | 12.94       | No sheen or odor                      | 19000     | 4100       | 1300       | 500        | 1000       | ND<br><100 | ND<br><50  | ND<br><1000 | ND<br><50  | None Detected<50           |
| 5/23/08   |                        |                  |                   | 9.26*             | 12.70       | No sheen<br>Sewerage odor             | 22000     | 6900       | 1200       | 680        | 1100       | ND<br><100 | ND<br><50  | ND<br><1000 | ND<br><50  | None Detected              |
| 3/13/91a  | MW-2<br>(99.36)        | 11.50            | 5-11.50           | 4.29*             | 95.07       | No sheen<br>Mild petroleum odor       | 25000     | 2600       | 4400       | ND<br><0.5 | 5800       | NA         | NA         | NA          | NA         | Not Analyzed               |
| 7/03/91a  |                        |                  |                   | 5.83*             | 93.53       | No sheen<br>Strong petroleum odor     | 21000     | 2800       | 3200       | ND<br><0.5 | 4300       | NA         | NA         | NA          | NA         | Not Analyzed               |
| 11/04/91b |                        |                  |                   | 4.79*             | 94.57       | No sheen<br>Mild petroleum odor       | 3589      | 1700       | 119        | 9          | 56         | NA         | NA         | NA          | NA         | Not Analyzed               |
| 1/20/92c  |                        |                  |                   | 4.60*             | 94.76       | No sheen<br>Mild petroleum odor       | 380       | 38         | 1.3        | ND<br><0.5 | 34         | NA         | NA         | NA          | NA         | Not Analyzed               |
| 5/27/92d  |                        |                  |                   | 4.42*             | 94.94       | No sheen<br>Mild petroleum odor       | 10000     | 62         | 32         | 44         | 160        | NA         | NA         | NA          | NA         | Not Analyzed               |
| 8/27/92e  |                        |                  |                   | 4.43*             | 94.96       | No sheen<br>Mild petroleum odor       | 6000      | 48         | 27         | 65         | 180        | NA         | NA         | NA          | NA         | Not Analyzed               |
| 12/10/92e |                        |                  |                   | 4.94*             | 94.45       | No sheen<br>Mild petroleum odor       | 7200      | 15         | 23         | 32         | 82         | NA         | NA         | NA          | NA         | Not Analyzed               |
| 3/18/93e  |                        |                  |                   | 5.11*             | 94.28       | No sheen<br>Light sewerage odor       | 1400      | 8.3        | 11         | 13         | 48         | NA         | NA         | NA          | NA         | Not Analyzed               |
| 7/13/93e  |                        |                  |                   | 5.53*             | 93.86       | Rainbow sheen<br>Light petroleum odor | 2400      | 4.7        | 6.2        | 6.8        | 25         | NA         | NA         | NA          | NA         | Not Analyzed               |
| 10/11/93f |                        |                  |                   | 5.64*             | 93.75       | No sheen or odor                      | 410       | 43         | 2.6        | 4.5        | 12         | NA         | NA         | NA          | NA         | Not Analyzed               |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date       | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA | TCE        | Other VOCs<br>by EPA 8260B |
|------------|------------------------|------------------|-------------------|-------------------|-------------|---------------------------------|-----------|------------|------------|------------|------------|------------|------------|-----|------------|----------------------------|
| 1/07/94f   | MW-2<br>(99.36)        | 11.50            | 5-11.50           | 5.52*             | 93.87       | No sheen or odor                | 240       | 25         | 3.1        | ND<br><0.5 | 20         | NA         | NA         | NA  | NA         | Not Analyzed               |
| 4/06/94f   |                        |                  |                   | 5.82*             | 93.57       | No sheen or odor                | 3000      | 120        | 23         | 22         | 190        | NA         | NA         | NA  | NA         | Not Analyzed               |
| 8/03/94g   |                        |                  |                   | 7.47*             | 91.92       | No sheen or odor                | 500       | 57         | 1          | 17         | 25         | NA         | NA         | NA  | NA         | Not Analyzed               |
| 11/08/94g  |                        |                  |                   | 4.69*             | 94.70       | No sheen or odor                | 8000      | 650        | 85         | 50         | 1000       | NA         | NA         | NA  | NA         | Not Analyzed               |
| 2/16/95e   |                        |                  |                   | 5.31*             | 94.08       | No sheen or odor                | 660       | 6.4        | 1          | 5.6        | 8.9        | NA         | NA         | NA  | NA         | Not Analyzed               |
| 5/19/95e   |                        |                  |                   | 5.17*             | 94.22       | No sheen<br>Mild sewerage odor  | 1900      | 11         | 10         | 23         | 26         | NA         | NA         | NA  | NA         | Not Analyzed               |
| 8/18/95e   | (95.22)<br>resurvey    |                  |                   | 5.65*             | 89.57       | No sheen<br>Light sewerage odor | 1800      | 15         | 1.6        | 15         | 20         | NA         | NA         | NA  | NA         | Not Analyzed               |
| 11/30/95e  |                        |                  |                   | 5.64*             | 89.58       | No sheen or odor                | 120       | 9.3        | ND<br><0.5 | 0.5        | 3.5        | NA         | NA         | NA  | NA         | Not Analyzed               |
| 2/29/96e   |                        |                  |                   | 4.61*             | 90.61       | No sheen<br>Light sewerage odor | 1200      | 6.1        | 1.2        | 6.2        | 8.7        | NA         | ND<br><0.5 | NA  | ND<br><0.5 | None Detected<0.5          |
| 6/07/96e   |                        |                  |                   | 5.37*             | 89.85       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | ND<br><0.5 | NA  | ND<br><0.5 | None Detected<0.5          |
| 11/14/96e  |                        |                  |                   | 5.55*             | 89.67       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 2/12/97e   |                        |                  |                   | 5.14*             | 90.08       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 5/15/97e   |                        |                  |                   | 5.63*             | 89.59       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 8/27/97e   |                        |                  |                   | 5.73*             | 89.49       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 12/24/97e  |                        |                  |                   | 5.30*             | 89.91       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 3/24/98e1  |                        |                  |                   | 4.76*             | 90.46       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 6/25/98e1  |                        |                  |                   | 5.28*             | 89.94       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 10/12/98e1 |                        |                  |                   | 5.50*             | 89.72       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | NA         | Not Analyzed               |
| 1/12/99e1  |                        |                  |                   | 5.28*             | 89.94       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA  | ND<br><0.5 | None Detected<0.5          |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|------------------|-----------|------------|------------|------------|------------|------------|------------|-----------|------------|----------------------------|
| 4/12/99e1 | MW-2<br>(95.22)        | 11.50            | 5-11.50           | 5.54*             | 89.68       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA        | NA         | Not Analyzed               |
| 8/28/03h  |                        |                  |                   | 6.86*             | 88.36       | No sheen or odor | ND<br><50 | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><1   | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 11/24/03h |                        |                  |                   | 7.20*             | 88.02       | No sheen or odor | ND<br><50 | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><1   | ND<br><5   | ND<br><10 | ND<br><5   | None Detected<5            |
| 3/02/04h  |                        |                  |                   | 6.64*             | 88.58       | No sheen or odor | 110k      | 27         | ND<br><05  | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/28/04h  |                        |                  |                   | 6.86*             | 88.36       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/25/04h  |                        |                  |                   | 6.82*             | 88.40       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/04h |                        |                  |                   | 6.52*             | 88.70       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 3/02/05h  |                        |                  |                   | 6.52*             | 88.70       | No sheen or odor | ND<br><25 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/23/05h  |                        |                  |                   | 7.00*             | 88.22       | No sheen or odor | ND<br><50 | ND<br><0.5 | 0.98       | ND<br><0.5 | 0.6        | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/22/05h  |                        |                  |                   | 7.12*             | 88.10       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 11/22/05h |                        |                  |                   | 7.04*             | 88.18       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2/25/06h  |                        |                  |                   | 6.92*             | 88.30       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/30/06h  |                        |                  |                   | 6.86*             | 88.36       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 8/24/06h  |                        |                  |                   | 6.80*             | 88.42       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 12/11/06h |                        |                  |                   | 5.86*             | 89.36       | No sheen or odor | 100       | 10         | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | Chloroform 4               |
| 2/27/07h  |                        |                  |                   | 6.16*             | 89.06       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | 0.54       | ND<br><10 | ND<br><0.5 | Chloroform 1.2             |
| 5/24/07h  |                        |                  |                   | 6.94*             | 88.28       | No sheen or odor | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><0.5 | ND<br><10 | ND<br><0.5 | Chloroform 0.85            |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation       | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                                      | TPHg      | B          | T          | E          | X          | MTBE     | PCE        | TBA       | TCE        | Other VOCs<br>by EPA 8260B |
|-----------|------------------------------|------------------|-------------------|-------------------|-------------|---|-----------|------------|------------|------------|------------|----------|------------|-----------|------------|----------------------------|
| 8/16/07hq | MW-2<br>(20.41)●<br>resurvey | 11.50            | 5-11.50           | 9.06*             | 11.35       | No sheen or odor                                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | ND<br><0.5 | ND<br><10 | ND<br><0.5 | Chloroform 2.3             |
| 11/28/07  |                              |                  |                   | 6.98*             | 13.43       | No sheen or odor                                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 2/20/08   |                              |                  |                   | 6.54*             | 13.87       | No sheen or odor                                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1 | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 5/23/08   |                              |                  |                   | 6.74*             | 13.67       | No sheen or odor                                      | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1   | ND<br><1 | ND<br><0.5 | ND<br><10 | ND<br><0.5 | None Detected<0.5          |
| 3/13/91a  | MW-3<br>(100.09)             | 12               | 5-12              | 4.67*             | 95.42       | Trace of sheen<br>Moderate petro. odor                | 47000     | 9100       | 9900       | 270        | 8110       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 7/03/91a  |                              |                  |                   | 5.75*             | 94.34       | Trace of sheen<br>Moderate petro. odor                | 40000     | 12000      | 4500       | 1200       | 4000       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 11/04/91b |                              |                  |                   | 5.67*             | 94.42       | Trace of sheen<br>Strong petro. odor                  | 102700    | 38800      | 19100      | 3200       | 8300       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 1/20/92c  |                              |                  |                   | 5.54*             | 94.55       | Light sheen<br>Strong petro. odor                     | 510000    | 27000      | 27000      | 5800       | 45000      | NA       | NA         | NA        | NA         | Not Analyzed               |
| 5/07/92d  |                              |                  |                   | 5.18*             | 94.91       | Rainbow sheen<br>Strong petro. odor                   | 43000     | 250        | 230        | 120        | 470        | NA       | NA         | NA        | NA         | Not Analyzed               |
| 8/17/92e  |                              |                  |                   | 5.24*             | 94.85       | Rainbow sheen<br>Mild petroleum odor                  | 140000    | 2500       | 2400       | 1700       | 5500       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 12/10/92e |                              |                  |                   | 4.42*             | 95.67       | Light sheen<br>Strong petro. odor                     | 94000     | 400        | 410        | 430        | 1100       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 3/18/93e  |                              |                  |                   | 5.39*             | 94.70       | Thick NMFP<br>Mild petroleum odor                     | 51000     | 92         | 130        | 160        | 590        | NA       | NA         | NA        | NA         | Not Analyzed               |
| 7/13/93e  |                              |                  |                   | 6.07*             | 94.02       | Light rainbow sheen<br>spots/Strong<br>petroleum odor | 80000     | 160        | 210        | 230        | 820        | NA       | NA         | NA        | NA         | Not Analyzed               |
| 10/11/93f |                              |                  |                   | 6.34*             | 93.75       | NMFP<br>Strong petro. Odor                            | 180000    | 14000      | 8800       | 320        | 9400       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 1/07/94f  |                              |                  |                   | 6.34*             | 93.75       | NMFP<br>Strong petro. Odor                            | 120000    | 9500       | 4600       | 230        | 7800       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 4/06/94f  |                              |                  |                   | 6.14*             | 93.95       | No sheen or odor                                      | 96000     | 6000       | 3100       | 95         | 6200       | NA       | NA         | NA        | NA         | Not Analyzed               |
| 8/03/94g  |                              |                  |                   | 6.34*             | 93.75       | Few sheen spots<br>Mild petroleum odor                | 200000    | 6500       | 5700       | 1500       | 18000      | NA       | NA         | NA        | NA         | Not Analyzed               |



**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date       | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                            | TPHg      | B          | T          | E          | X          | MTBE       | PCE        | TBA        | TCE        | Other VOCs<br>by EPA 8260B                  |
|------------|------------------------|------------------|-------------------|-------------------|-------------|---|-----------|------------|------------|------------|------------|------------|------------|------------|------------|---|
| 11/08/94g  | MW-3<br>(100.09)       | 12               | 5-12              | 3.89*             | 96.20       | Brown NMFP<br>Strong petro. Odor            | 86000     | 7400       | 8500       | 2200       | 12000      | NA         | NA         | NA         | NA         | Not Analyzed                                |
| 2/16/95e   |                        |                  |                   | 5.90*             | 94.19       | Brown NMFP<br>Strong petro. Odor            | 59000     | 280        | 120        | 120        | 570        | NA         | NA         | NA         | NA         | Not Analyzed                                |
| 5/19/95e   |                        |                  |                   | 4.15*             | 95.94       | Brown NMFP<br>Strong petro. Odor            | 12000     | 150        | 68         | 69         | 160        | NA         | NA         | NA         | NA         | Not Analyzed                                |
| 8/18/95e   | (95.62)<br>resurvey    |                  |                   | 6.08*             | 89.54       | Brown NMFP<br>Mild petroleum odor           | 33000     | 74         | 28         | 38         | 100        | NA         | NA         | NA         | NA         | Not Analyzed                                |
| 11/30/95e  |                        |                  |                   | 6.26*             | 89.36       | Rainbow sheen spots<br>Light petroleum odor | 100000    | 1300       | 510        | 250        | 2400       | NA         | NA         | NA         | NA         | Not Analyzed                                |
| 2/29/96e   |                        |                  |                   | 4.37*             | 91.25       | Rainbow sheen spots<br>Mild petroleum odor  | 15000     | 12         | 3.8        | 10         | 24         | NA         | 80         | 80         | 110        | cis-1,2-Dichloroethene 35<br>Chloroform 160 |
| 6/07/96e   |                        |                  |                   | 5.90*             | 89.72       | Rainbow sheen spots<br>Mild petroleum odor  | 5200      | 23         | 6.9        | 14         | 34         | NA         | 61         | 61         | 110        | Chloroform 31                               |
| 11/14/96e  |                        |                  |                   | 6.14*             | 89.48       | Rainbow sheen<br>Light petroleum odor       | 33000     | 320        | 130        | 250        | 620        | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 2/12/97e   |                        |                  |                   | 4.45*             | 91.17       | No sheen or odor                            | 15000     | 43         | 9          | 20         | 41         | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 5/15/97e   |                        |                  |                   | 5.77*             | 89.85       | No sheen or odor                            | 15000     | 68         | 30         | 60         | 110        | NA<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 8/27/97e   |                        |                  |                   | 5.98*             | 89.64       | No sheen<br>Mild sewerage odor              | 15000     | 22         | 5.2        | 9.7        | 19         | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 12/24/97e  |                        |                  |                   | 5.70*             | 89.92       | Rainbow sheen<br>Strong petro. odor         | 15000     | 150        | 10         | 81         | 110        | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 3/24/98e1  |                        |                  |                   | 5.06*             | 90.56       | No sheen or odor                            | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 6/25/98e1  |                        |                  |                   | 5.66*             | 89.96       | Light sheen spots<br>Light sewerage odor    | 23000     | 100        | 22         | 86         | 130        | ND<br><0.5 | ND<br><5   | ND<br><5   | ND<br><5   | None Detected<5                             |
| 10/12/98e1 |                        |                  |                   | 5.18*             | 90.44       | Rainbow sheen<br>Light petroleum odor       | 23000     | 26         | 21         | 48         | 210        | ND<br><0.5 | ND<br><5   | ND<br><5   | ND<br><5   | None Detected<5                             |
| 1/12/99e1  |                        |                  |                   | 5.42*             | 90.20       | Rainbow sheen<br>Sewerage odor              | 7200      | 48         | 32         | 44         | 99         | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |
| 4/12/99e1  |                        |                  |                   | 6.02*             | 89.60       | No sheen<br>Strong sewerage odor            | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | None Detected<0.5                           |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                     | TPHg  | B          | T          | E          | X         | MTBE       | PCE       | TBA         | TCE        | Other VOCs<br>by EPA 8260B  |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|--------------------------------------|-------|------------|------------|------------|-----------|------------|-----------|-------------|------------|---|
| 8/28/03h  | MW-3<br>(95.62)        | 12               | 5-12              | 8.64*             | 86.98       | No sheen or odor                     | 2600  | 54         | ND<br><25  | 110        | 61        | ND<br><5   | ND<br><25 | ND<br><50   | ND<br><25  | 1,2,4-Trimethylbenzene 190<br>1,3,5-Trimethylbenzene 38<br>n-Propylbenzene 40<br>Naphthalene 29 |
| 11/24/03h |                        |                  |                   | 7.96*             | 87.66       | Rainbow sheen<br>Petroleum odor      | 2800  | 64         | ND<br><25  | 140        | 44        | ND<br><5   | ND<br><25 | ND<br><50   | ND<br><25  | 1,2,4-Trimethylbenzene 120<br>1,3,5-Trimethylbenzene 30<br>n-Propylbenzene 55                   |
| 3/02/04h  |                        |                  |                   | 6.36*             | 89.26       | No sheen or odor                     | 580   | 11         | ND<br><5   | ND<br><5   | ND<br><10 | ND<br><10  | 850       | ND<br><100  | 190        | cis-1,2-Dichloroethene 440<br>Vinyl Chloride 5.3  |
| 5/28/04h  |                        |                  |                   | 7.82*             | 87.80       | No sheen or odor                     | 2900  | ND<br><25  | ND<br><25  | ND<br><25  | ND<br><50 | ND<br><50  | 2600      | ND<br><500  | 630        | cis-1,2-Dichloroethene 1200   |
| 8/25/04h  |                        |                  |                   | 7.80*             | 87.82       | Light rainbow sheen<br>Sewerage odor | 870   | 23         | ND<br><5   | 13         | ND<br><10 | ND<br><10  | 5.2       | ND<br><100  | 8.8        | cis-1,2-Dichloroethene 740<br>Vinyl Chloride 170  |
| 11/22/04h |                        |                  |                   | 5.98*             | 89.64       | No sheen or odor                     | 1200m | 14         | ND<br><10  | ND<br><10  | ND<br><10 | ND<br><20  | 790       | ND<br><200  | 210        | cis-1,2-Dichloroethene 460  |
| 3/02/05h  |                        |                  |                   | 5.80*             | 89.82       | No sheen or odor                     | 3600m | ND<br><50  | ND<br><50  | ND<br><50  | ND<br><50 | ND<br><100 | 2500      | ND<br><1000 | 480        | cis-1,2-Dichloroethene 1200   |
| 5/23/05h  |                        |                  |                   | 6.94*             | 88.68       | No sheen<br>Sewerage odor            | 2400  | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | 0.52      | ND<br><1   | 31        | ND<br><10   | 5.3        | cis-1,2-Dichloroethene 20<br>Methylene Chloride 9.5no<br>Vinyl Chloride 0.72                    |
| 8/22/05h  |                        |                  |                   | 7.92*             | 87.70       | No sheen<br>Sewerage odor            | 1700  | 25         | ND<br><25  | ND<br><25  | ND<br><25 | ND<br><50  | 60        | ND<br><500  | 27         | cis-1,2-Dichloroethene 2400<br>Chloroform 26<br>Vinyl Chloride 520                              |
| 11/22/05h |                        |                  |                   | 7.70*             | 87.92       | No sheen or odor                     | 1000  | 22         | 3.4        | 5          | 2.7       | ND<br><5   | 2.6       | ND<br><200  | ND<br><2.5 | cis-1,2-Dichloroethene 280<br>Isopropylbenzene 6.41<br>Vinyl Chloride 170                       |
| 2/25/06h  |                        |                  |                   | 7.52*             | 88.10       | No sheen or odor                     | 480   | 7.7        | ND<br><5   | ND<br><5   | ND<br><5  | ND<br><10  | 67        | ND<br><100  | 70         | cis-1,2-Dichloroethene 720<br>Vinyl Chloride 33   |
| 5/30/06h  |                        |                  |                   | 7.64*             | 87.98       | No sheen or odor                     | 2000  | ND<br><25  | ND<br>,25  | ND<br><25  | ND<br><25 | ND<br><50  | 2500      | ND<br><500  | 430        | Vinyl Chloride 160  |
| 8/24/06h  |                        |                  |                   | 7.58*             | 88.04       | No sheen<br>Sewerage odor            | 740   | 15         | 11         | ND<br><10  | ND<br><10 | ND<br><20  | 270       | ND<br><200  | 67         | Vinyl Chloride 260  |
| 12/11/06h |                        |                  |                   | 4.22*             | 91.40       | No sheen or odor                     | 460   | 6.4        | ND<br><1   | ND<br><1   | ND<br><1  | ND<br><2   | 160       | ND<br><20   | 22         | Vinyl Chloride 6.1  |

**TABLE 1 CONT'D  
GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date      | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                | TPHg      | B          | T          | E          | X          | MTBE       | PCE  | TBA        | TCE | Other VOCs<br>by EPA 8260B                       |
|-----------|------------------------|------------------|-------------------|-------------------|-------------|---------------------------------|-----------|------------|------------|------------|------------|------------|------|------------|-----|--|
| 2/27/07h  | MW-3<br>(95.62)        | 12               | 5-12              | 5.20*             | 90.42       | No sheen or odor                | 1000p     | ND<br><20  | ND<br><20  | ND<br><20  | ND<br><20  | ND<br><40  | 2000 | ND<br><400 | 330 | None Detected<20                                 |
| 5/24/07h  |                        |                  |                   | 7.66*             | 87.96       | No sheen or odor                | 820       | ND<br><12  | ND<br><12  | ND<br><12  | ND<br><12  | ND<br><25  | 450  | ND<br><250 | 98  | Vinyl Chloride 78                                |
| 8/16/07hq | (20.79)●<br>Resurvey   |                  |                   | 8.92*             | 11.87       | No sheen<br>Petroleum odor      | 1500      | 15         | ND<br><5   | ND<br><5   | ND<br><5   | ND<br><10  | 140  | ND<br><100 | 41  | cis-1,2-Dichloroethene 440<br>Vinyl Chloride 150 |
| 11/28/07  |                        |                  |                   | 7.62*             | 13.17       | No sheen or odor                | 730       | 13         | ND<br><3.3 | ND<br><3.3 | ND<br><3.3 | ND<br><6.7 | 480  | ND<br><69  | 90  | cis-1,2-Dichloroethene 290<br>Vinyl Chloride 20  |
| 2/20/08   |                        |                  |                   | 6.54*             | 13.87       | No sheen or odor                | 890r      | ND<br><20  | ND<br><20  | ND<br><20  | ND<br><20  | ND<br><40  | 2000 | ND<br><400 | 340 | cis-1,2-Dichloroethene 790                       |
| 5/23/08   |                        |                  |                   | 7.58*             | 13.21       | No sheen or odor                | 1300      | ND<br><10  | ND<br><10  | ND<br><10  | ND<br><20  | ND<br><20  | 180  | ND<br><200 | 52  | cis-1,2-Dichloroethene 1000<br>Vinyl Chloride 98 |
| 3/13/91a  | OTMW-5<br>(100.87)     | N/A              | N/A               | 5.02              | 95.85       | No sheen<br>Mild petroleum odor | 120       | 460        | 12         | 1          | 4          | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 7/03/91a  |                        |                  |                   | 5.75              | 95.12       | No sheen<br>Mild petroleum odor | 810       | 320        | 43         | 16         | 43         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 11/04/91b |                        |                  |                   | 5.77              | 95.10       | No sheen<br>Mild petroleum odor | 971       | 100        | 19         | 5          | 13         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 1/20/91c  |                        |                  |                   | 5.58              | 95.29       | No sheen<br>Mild petroleum odor | 90        | 0.7        | 0.7        | ND<br><0.5 | 11         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 5/07/92d  |                        |                  |                   | 5.43              | 95.44       | No sheen<br>Mild petroleum odor | 180       | 27         | 14         | 8.2        | 35         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 8/17/92e  |                        |                  |                   | 5.45              | 95.42       | No sheen or odor                | 87        | 12         | 9.8        | 4          | 42         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 12/10/92e |                        |                  |                   | 7.30              | 93.57       | No sheen<br>Mild petroleum odor | 540       | 4.7        | 4.5        | 6.4        | 19         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 3/18/93e  |                        |                  |                   | 7.11              | 93.76       | No sheen<br>Light sewerage odor | 570       | 6          | 7.6        | 11         | 29         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 7/13/93e  |                        |                  |                   | 7.45              | 93.42       | No sheen or odor                | 3500      | 6.8        | 8.6        | 9.5        | 36         | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 10/11/93f |                        |                  |                   | 7.65              | 93.22       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 1/07/94f  |                        |                  |                   | 7.67              | 93.20       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA   | NA         | NA  | Not Analyzed                                     |
| 8/17/92e  | OTMW-6<br>(N/A)        | N/A              | N/A               | 4.88              | N/A         | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | NA         | NA   | NA         | NA  | Not Analyzed                                     |

**TABLE 1 CONT'D**  
**GROUNDWATER MONITORING DATA (feet)**  
**AND ANALYTICAL RESULTS (µg/L)**

**TPHg** – Total Petroleum Hydrocarbons as gasoline

**MTBE** – Methyl Tertiary Butyl Ether

**Perf.** – Perforation

**PCE** – Tetrachloroethene

**NS** – Not Sampled

**ND** – Not Detected (Below Laboratory Detection Limit)

\* Well screens are not submerged

● Mean Sea Level

**1** – Laboratory was not state certified since January 30, 1998

**a** – Laboratory analyses were analyzed by Anametrix Inc.

**b** – Laboratory analyses were analyzed by Carter Analytical Laboratory

**c** – Laboratory analyses were analyzed by Chromalab, Inc.

**d** – Laboratory analyses were analyzed by Geochem Labs

**e** – Laboratory analyses were analyzed by Priority Environmental Labs

**f** – Laboratory analyses were analyzed by Argon Mobil Labs

**g** – Laboratory analyses were analyzed by North State Environmental

**h** – Laboratory analyses were analyzed by Entech Analytical Labs

**i** – TPH as gasoline value reported possibly aged gasoline

**j** – TPH as gasoline reported value is the result of higher boiling point compounds within the TPH as gasoline quantitation range

**k** – TPH as gasoline reported value is the results of a high concentration of Benzene and of higher boiling point compounds within TPH as gasoline quantitation range

**l** – TPH as gasoline value is the result of discrete peaks within the TPH as gasoline quantitation range

**m** – A typical pattern. No indication of gasoline

**BTEX** – Benzene, Toluene, Ethylbenzene, Total Xylenes

**GW Elev.** – Groundwater Elevation

**cis-1,2-Dichl** – cis-1,2-Dichloroethene

**TCE** – Trichloroethene

**NA** – Not Analyzed

**N/A** – Not Available

\* Well screens are submerged

File No. 8-90-421-SI  
June 12, 2008

**TABLE 1 CONT'D**  
**GROUNDWATER MONITORING DATA (feet)**  
**AND ANALYTICAL RESULTS ( $\mu\text{g/L}$ )**

- n** – This analyte is a common laboratory contaminant
- o** – This analyte was found in the associated Method Blank
- p** – Not a gasoline pattern. Value due to non-target compounds
- q** – Monitoring wells were monitored on 8/16/07 but was sampled on 8/19/07
- r** – A typical pattern

**ENVIRO SOIL TECH CONSULTANTS**

**TABLE 2  
RECENT GROUNDWATER MONITORING DATA (feet)  
AND ANALYTICAL RESULTS (µg/L)**

| Date    | Well No./<br>Elevation | Depth<br>of Well | Depth<br>to Perf. | Depth<br>to Water | GW<br>Elev. | Well Observation                | TPHg      | B          | T          | E          | X         | MTBE       | PCE        | TBA         | TCE        | Other VOCs<br>by EPA 8260B                       |
|---------|------------------------|------------------|-------------------|-------------------|-------------|---------------------------------|-----------|------------|------------|------------|-----------|------------|------------|-------------|------------|--|
| 5/23/08 | STMW-1<br>(21.94)●     | 14               | 4-14              | 8.58*             | 13.36       | Rainbow sheen<br>Petroleum odor | 48000     | 9900       | 230        | 2500       | 7200      | ND<br><200 | ND<br><100 | ND<br><2000 | ND<br><100 | 1,2,4-Trimethylbenzene 3100                      |
| 5/23/08 | STMW-2<br>(22.08)●     | 14               | 4-14              | 8.38*             | 13.70       | Rainbow sheen<br>Petroleum odor | 15000     | 2400       | ND<br><20  | 550        | 43        | ND<br><40  | ND<br><20  | ND<br><400  | ND<br><20  | Isopropylbenzene 61<br>n-Propylbenzene 230       |
| 5/23/08 | STMW-3<br>(20.47)●     | 15               | 2.5-15            | 6.62*             | 13.85       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1  | ND<br><1   | ND<br><0.5 | ND<br><10   | ND<br><0.5 | None Detected<0.5                                |
| 5/23/08 | STMW-4<br>(19.58)●     | 15               | 2-15              | 5.82*             | 13.76       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1  | ND<br><1   | ND<br><0.5 | ND<br><10   | ND<br><0.5 | None Detected<0.5                                |
| 5/23/08 | STMW-5<br>(19.71)●     | 15               | 2-15              | 6.34*             | 13.37       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1  | ND<br><1   | 1.8        | ND<br><10   | 0.62       | None Detected<0.5                                |
| 5/23/08 | STMW-6<br>(21.96)●     | 15               | 5-15              | 9.26*             | 12.70       | No sheen<br>Sewerage odor       | 22000     | 6900       | 1200       | 680        | 1100      | ND<br><100 | ND<br><50  | ND<br><1000 | ND<br><50  | None Detected<50                                 |
| 5/23/08 | MW-2<br>(20.41)●       | 11.50            | 5-11.50           | 6.74*             | 13.67       | No sheen or odor                | ND<br><50 | ND<br><0.5 | ND<br><0.5 | ND<br><0.5 | ND<br><1  | ND<br><1   | ND<br><0.5 | ND<br><10   | ND<br><0.5 | None Detected<0.5                                |
| 5/23/08 | MW-3<br>(20.79)●       | 12               | 5-12              | 7.58*             | 13.21       | No sheen or odor                | 1300      | ND<br><10  | ND<br><10  | ND<br><10  | ND<br><20 | ND<br><20  | 180        | ND<br><200  | 52         | cis-1,2-Dichloroethene 1000<br>Vinyl Chloride 98 |

**TPHg** – Total Petroleum Hydrocarbons as gasoline

**MTBE** – Methyl Tertiary Butyl Ether

**GW Elev.** – Groundwater Elevation

**PCE** – Tetrachloroethene

**TCE** – Trichloroethene

\* Well screens are not submerged

● Mean Sea Level

**BTEX** – Benzene, Toluene, Ethylbenzene, Total Xylenes

**VOCs** – Volatile Organic Compounds

**Perf.** – Perforation

**TBA** – tert-Butanol

**ND** – Not Detected (Below Laboratory Detection Limit)

\* Well screens are submerged

**TABLE 3**  
**SURFACE WATER SAMPLES FROM EL CERRITO CREEK**  
**ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)**

| Date     | Sample No./Description                        | TPHg  | B      | T      | E      | X      | MTBE   | PCE    | TBA   | TCE    | VOCs EPA 8260B    |
|----------|---|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------------------|
| 8/03/89  | C-1<br>~20' up-stream from storm drain outlet | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 12/08/89 |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/03/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/15/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/17/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/02/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/08/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/19/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 3/06/90  |   | 65    | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 3/13/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 4/06/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 11/27/90 |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 12/18/90 |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/11/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/06/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 3/06/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 3/29/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 4/23/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/01/92  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/10/92  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/21/92  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 3/09/92  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 3/20/92  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/23/93  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/29/96  |   | 130   | 0.9    | ND<0.5 | 1.4    | 6.2    | NA     | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 6/07/96  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA     | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 11/04/96 |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 1/12/99  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 12/11/06 |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |

**TABLE 3 CONT'D**  
**SURFACE WATER SAMPLES FROM EL CERRITO CREEK**  
**ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)**

| Date     | Sample No./Description                        | TPHg   | B      | T      | E      | X      | MTBE | PCE    | TBA   | TCE    | VOCs EPA 8260B    |
|----------|---|--------|--------|--------|--------|--------|------|--------|-------|--------|-------------------|
| 3/15/07  | C-1<br>~20' up-stream from storm drain outlet | ND<50  | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 5/24/07  |   | ND<50  | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 8/16/07  |   | ND<50  | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 11/28/07 |   | ND<50  | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 2/20/08  |   | ND<50  | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 5/23/08  |   | ND<50  | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 8/03/89  | C-2<br>storm drain outlet                     | 470000 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 12/08/89 |   | 33000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/03/90  |   | 99000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/15/90  |   | 16000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/17/90  |   | 15000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/02/90  |   | 16000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/08/90  |   | 7000   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/19/90  |   | 26000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/06/90  |   | 30000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/13/90  |   | 30000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 4/06/90  |   | 42000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 11/27/90 |   | 160000 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 12/18/90 |   | 33000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/11/91  |   | 14000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/06/91  |   | 11000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/06/91  |   | 55000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/29/91  |   | 31000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 4/23/91  |   | 28000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/01/92  |   | 3300   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/10/92  |   | 20000  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/21/92  |   | 8900   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/09/92  |   | 2100   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/20/92  |   | 650    | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/23/93  |   | 450    | 1.6    | 3.1    | 4.2    | 17     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/29/96  |   | 2700   | 7.2    | 3.3    | 5.8    | 13     | NA   | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |



**TABLE 3 CONT'D**  
**SURFACE WATER SAMPLES FROM EL CERRITO CREEK**  
**ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)**

| Date      | Sample No./Description  | TPHg  | B      | T      | E      | X      | MTBE   | PCE    | TBA   | TCE    | VOCs EPA 8260B                             |
|-----------|---|-------|--------|--------|--------|--------|--------|--------|-------|--------|--|
| 6/07/96   | C-2<br>storm drain outlet   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA     | 63     | NA    | 69     | Chloroform 19                              |
| 11/04/96* |   | 1300  | 7.8    | 1.7    | 11     | 14     | ND<0.5 | ND<0.5 | NA    | ND<0.5 | None Detected<0.5                          |
| 1/12/99   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA    | ND<0.5 | None Detected<0.5                          |
| 12/11/06  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | Chloroform 0.97                            |
| 3/15/07   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5                          |
| 5/24/07   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5                          |
| 8/16/07   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5                          |
| 11/28/07  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5                          |
| 2/20/08   |   | ND<50 | ND<0.5 | 1.1    | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | Chloroform 0.55                            |
| 5/23/08   |   | ND<50 | ND<0.5 | 1.2    | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | Bromodichloromethane 0.6<br>Chloroform 5.6 |
| 8/03/089  | C-3<br>confluence of the storm drain flow<br>and El Cerrito Creek | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled                                |
| 12/08/89  |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 1/03/90   |   | 900   | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 1/15/90   |   | 840   | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 1/17/90   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 2/02/90   |   | 60    | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 2/08/90   |   | 100   | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 2/19/90   |   | 30    | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 3/06/90   |   | 600   | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 3/13/90   |   | 360   | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 4/06/90   |   | 3000  | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 11/27/90  |   | 4400  | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 12/18/90  |   | 66    | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 1/11/91   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 2/06/91   |   | 1100  | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 3/06/91   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 3/29/91   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 4/23/91   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 1/01/92   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 1/10/92   |   | 830   | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |
| 2/21/92   |   | ND<50 | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed                               |

**TABLE 3 CONT'D**  
**SURFACE WATER SAMPLES FROM EL CERRITO CREEK**  
**ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)**

| Date     | Sample No./Description  | TPHg  | B      | T      | E      | X      | MTBE | PCE    | TBA   | TCE    | VOCs EPA 8260B    |
|----------|---|-------|--------|--------|--------|--------|------|--------|-------|--------|-------------------|
| 3/09/92  | C-3<br>confluence of the storm drain flow<br>and El Cerrito Creek | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/20/92  |   | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 12/14/92 |   | 280   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/23/93  |   | 190   | 0.8    | 2.6    | 3.6    | 9.5    | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/29/96  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA   | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 6/07/96  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA   | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 11/04/96 |   | NS    | NS     | NS     | NS     | NS     | NS   | NS     | NS    | NS     | Not Sampled       |
| 1/12/99  |   | NS    | NS     | NS     | NS     | NS     | NS   | NS     | NS    | NS     | Not Sampled       |
| 12/11/06 |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 3/15/07  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 5/24/07  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 8/16/07  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 11/28/07 |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 2/20/08  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 5/23/08  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1 | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 8/03/89  | C-4<br>50' down-stream from the storm<br>drain                    | 2700  | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 12/08/89 |   | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/03/90  |   | 800   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/15/90  |   | 160   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/17/90  |   | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/02/90  |   | 130   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/08/90  |   | 140   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/19/90  |   | 200   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/06/90  |   | 120   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/13/90  |   | 100   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 4/06/90  |   | 400   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 11/27/90 |   | 55    | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 12/18/90 |   | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 1/11/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 2/06/91  |   | ND<50 | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |
| 3/06/91  |   | 120   | NA     | NA     | NA     | NA     | NA   | NA     | NA    | NA     | Not Analyzed      |

**TABLE 3 CONT'D**  
**SURFACE WATER SAMPLES FROM EL CERRITO CREEK**  
**ANALYTICAL RESULTS IN MICROGRAM PER LITER (µg/L)**

| Date      | Sample No./Description                      | TPHg  | B      | T      | E      | X      | MTBE   | PCE    | TBA   | TCE    | VOCs EPA 8260B    |
|-----------|---|-------|--------|--------|--------|--------|--------|--------|-------|--------|-------------------|
| 3/29/91   | C-4<br>50' down-stream from the storm drain | 57    | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 4/23/91   |   | 86    | NA     | NA     | NA     | NA     | NA     | NA     | NA    | NA     | Not Analyzed      |
| 1/01/92   |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 1/10/92   |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 2/21/92   |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 3/09/92   |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 3/20/92   |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 1/23/93   |   | 57    | ND<0.5 | ND<0.5 | 1.4    | 3.6    | NA     | NA     | NA    | NA     | Not Analyzed      |
| 2/29/96   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA     | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 6/07/96   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA     | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 11/04/96* |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | NA    | ND<0.5 | None Detected<0.5 |
| 1/12/99   |   | NS    | NS     | NS     | NS     | NS     | NS     | NS     | NS    | NS     | Not Sampled       |
| 12/11/06  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 3/15/07   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 5/24/07   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 8/16/07   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 11/28/07  |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | 0.93   | ND<10 | ND<0.5 | None Detected<0.5 |
| 2/20/08   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |
| 5/23/08   |   | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<1   | ND<0.5 | ND<10 | ND<0.5 | None Detected<0.5 |

**TPHg** – Total Petroleum Hydrocarbon as gasoline

**MTBE** – Methyl Tertiary Butyl Ether

**TBA** – tert-Butanol

**VOCs** – Volatile Organic Compounds

**NS** – Not Sampled

\* C-2 was also labeled as W-1 in sample date 11/04/96

**BTEX** – Benzene, Toluene, Ethylbenzene, Total Xylenes

**PCE** – Tetrachloroethene

**TCE** – Trichloroethene

**NA** – Not Analyzed

**ND** – Not Detected (Below Laboratory Detection Limit)

▪ C-4 was also labeled as W-2 in sample date 11/04/96

**TABLE 4**  
**SUMMARY OF MONITORING WELLS DATA**  
**IN FEET**


| Well No. | Well Diameter (inch) | Depth of Well | Depth of Perforation | Depth of Blank | Depth of Cement | Depth of Bentonite | Depth of Sand |
|----------|----------------------|---------------|----------------------|----------------|-----------------|--------------------|---------------|
| STMW-1   | 2                    | 14            | 4-14                 | 0-4            | 0-2½            | 2½-3               | 3-14          |
| STMW-2   | 2                    | 14            | 4-14                 | 0-4            | 0-2½            | 2½-3               | 3-14          |
| STMW-3   | 2                    | 15            | 2½-15                | 0-2½           | 0-1½            | 1½-2               | 2-15          |
| STMW-4   | 2                    | 15            | 2-15                 | 0-2            | 0-1             | 1-½                | 1½-15         |
| STMW-5   | 2                    | 15            | 2-15                 | 0-2            | 0-1             | 1-½                | 1½-15         |
| STMW-6   | 2                    | 15            | 5-15                 | 0-5            | 0-3             | 3-4                | 4-15          |
| MW-2     | 2                    | 11½           | 5-11½                | 0-5            | 0-2             | 2-3                | 3-11½         |
| MW-3     | 2                    | 12            | 5-12                 | 0-5            | 0-3             | 3-4                | 4-12          |

File No. 8-90-421-SI  
June 12, 2008

## **A P P E N D I X "B"**

### **FIGURES**

**ENVIRO SOIL TECH CONSULTANTS**



San Jose/Oakland [CA]  
N  
Map data Copyright © Etak, Inc., 1984-1995. All rights reserved.  
Microsoft Autopap Streets Copyright © and (p) 1988, 1995 Microsoft Corporation

# ENVIRO SOIL TECH CONSULTANTS

Figure 1

Enviro Soil Tech  
Consultants

131 Tully Road  
San Jose, CA 95112

PROJECT  
Plaza Car Wash  
400 San Pablo Ave  
Albany, California


PROJECT # 8-90-421-SI  
DATE: 6/10/2008


Figure 2

Groundwater Elevation  
Map, May 23, 2008

Legend

- ◆ - Monitor Well
  - - CPT-1 - Cone Penetrometer Boring
  - - GP-1 - Geoprobe Borings
- Contour Interval = 0.20 feet








Legend


- ◆ - Monitor Well
  - - CPT-1 - Cone Penetrometer Boring
  - - GP-1 - Geoprobe Borings
- Contour Intervals are Variable in ug/L



Legend

- ⊕ - Monitor Well
- - CPT-1 - Cone Penetrometer Boring
- - GP-1 - Geoprobe Borings

Contour Intervals are Variable in ug/L





Storm Drain Pipe

W-3

Fence

NORGE  
CLEANER


CAR WASH

EL. 100.00  
Electric   
Pole

Approximate  
Location of  
Tanks Area

Street Flow Line

SAN PABLO AVENUE



400 SAN PABLO AVENUE, ALBANY, CALIFORNIA

SCALE: 1"=30'

PROJECT NO.: 8-90-421-SI

FIGURE 6

DRAWN BY: N.A.

ENVIRO SOIL TECH CONSULTANTS  
131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111



File No. 8-90-421-SI  
June 12, 2008

## **A P P E N D I X "C"**


### **HYDROGRAPHS**

**ENVIRO SOIL TECH CONSULTANTS**


**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR STMW-1 (µg/L)**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**



**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR STMW-2 (µg/L)**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**




**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR STMW-3 (µg/L)**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**







**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR STMW-4 (µg/L)**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**



**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR STMW-5 ( $\mu\text{g/L}$ )**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**




**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE RESULTS FOR STMW-6 ( $\mu\text{g/L}$ )**  
**AND DEPTH TO WATER MEASUREMENT (feet)**




◆ TPHg   
 ▲ BENZENE   
 × MTBE   
 ■ DEPTH TO WATER

**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR MW-2 (µg/L)**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**



**File No.: 8-90-421-SI**  
**TPHg, BENZENE & MTBE FOR MW-3 (µg/L)**  
**AND DEPTH TO WATER MEASUREMENT (Feet)**



File No. 8-90-421-SI  
June 12, 2008

## **A P P E N D I X "D"**

### **STANDARD OPERATION PROCEDURE**

**ENVIRO SOIL TECH CONSULTANTS**

## **GROUNDWATER SAMPLING**

Prior to collection of groundwater samples, all of the sampling equipment (i.e. bailer, cables, bladder pump, discharge lines and etc.) was cleaned by pumping TSP water solution followed by distilled water.

Prior to purging, the well "Water Sampling Field Survey Forms" were filled out (depth to water and total depth of water column were measured and recorded). The well was then bailed or pumped to remove four to ten well volumes or until the discharged water temperature, conductivity and pH stabilized. "Stabilized" is defined as three consecutive readings within 15% of one another.

The groundwater sample was collected when the water level in the well recovered to 80% of its static level.

Forty milliliter (ml.), glass volatile organic analysis (VOA) vials with Teflon septa were used as sample containers. The groundwater sample was decanted into each glass bottle and VOA vial in such a manner that there was a meniscus at the top. The cap was quickly placed over the top of the glass bottle and vial and securely tightened. The glass bottles and VOA vials were then inverted and tapped to see if air bubbles were present. If none were present, the sample was labeled and refrigerated for delivery under chain-of-custody to the laboratory. The label information would include a sample identification number, job identification number, date, time, type of analysis requested and the sampler's name.


File No. 8-90-421-SI  
June 12, 2008

## **A P P E N D I X "E"**

### **FIELD NOTES**

**ENVIRO SOIL TECH CONSULTANTS**





# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-SI

DATE: 5-23-08

DEPTH TO WELL: 14

DEPTH TO WATER: 8<sup>ft</sup> .58

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: STMW-1

SAMPLER: Peristaltic Manly

1 WELL VOLUME: 8.16

5 WELL VOLUME: 4.08

ACTUAL PURGED VOLUME: 5

CASING DIAMETER:  2"

4"

## CALCULATIONS:

$$2'' - x 0.1632 \times 5 = 8.16 \times 5 = 4.08$$

4'' - 0.653

PURGE METHOD:  BAILER  DISPLACEMENT PUMP  OTHER

SAMPLE METHOD:  BAILER  OTHER


SHEEN:  NO  YES, DESCRIBE: RINSE

ODOR:  NO  YES, DESCRIBE: PELVO

## FIELD MEASUREMENTS

| <u>TIME</u> | <u>VOLUME</u> | <u>pH</u>   | <u>TEMP.</u> | <u>E.C.</u> |
|-------------|---------------|-------------|--------------|-------------|
|             | <u>1 GAL</u>  | <u>5.95</u> | <u>21.6</u>  | <u>660</u>  |
|             | <u>2 GAL</u>  | <u>6.00</u> | <u>21.4</u>  | <u>657</u>  |
|             | <u>3 GAL</u>  | <u>6.10</u> | <u>21.2</u>  | <u>648</u>  |
|             | <u>4 GAL</u>  | <u>5.98</u> | <u>20.9</u>  | <u>659</u>  |
|             | <u>5 GAL</u>  | <u>5.75</u> | <u>20.9</u>  | <u>655</u>  |

9<sup>ft</sup> .10



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-SI

DATE: 5-23-08

DEPTH TO WELL: 1A

DEPTH TO WATER: 8 FT .38

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: STMW-2

SAMPLER: Richard Mundy

1 WELL VOLUME: .9792

5 WELL VOLUME: 4.896

ACTUAL PURGED VOLUME: 5

CASING DIAMETER: 2"

4"

## CALCULATIONS:

$$2'' - \times 0.1632 \times 6 = .9792 \times 5 = 4.896$$

4'' - 0.653

PURGE METHOD:  BAILER  DISPLACEMENT PUMP  OTHER

SAMPLE METHOD:  BAILER  OTHER


SHEEN:  NO  YES, DESCRIBE: RAINBOW

ODOR:  NO  YES, DESCRIBE: PETRO

## FIELD MEASUREMENTS

| <u>TIME</u> | <u>VOLUME</u> | <u>pH</u>   | <u>TEMP.</u> | <u>E.C.</u> |
|-------------|---------------|-------------|--------------|-------------|
|             | <u>1 GAL</u>  | <u>5.80</u> | <u>19.2</u>  | <u>671</u>  |
|             | <u>2 GAL</u>  | <u>5.71</u> | <u>17.9</u>  | <u>647</u>  |
|             | <u>3 GAL</u>  | <u>6.29</u> | <u>18.2</u>  | <u>586</u>  |
|             | <u>4 GAL</u>  | <u>6.98</u> | <u>17.6</u>  | <u>629</u>  |
|             | <u>5 GAL</u>  | <u>6.11</u> | <u>17.4</u>  | <u>563</u>  |

8 FT .38



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-SI

DATE: 5-23-08

DEPTH TO WELL: 15

DEPTH TO WATER: 6' .62

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: SIMW-3

SAMPLER: Richard Mundy

1 WELL VOLUME: 1.3088

5 WELL VOLUME: 6.528

ACTUAL PURGED VOLUME: 6 1/2

CASING DIAMETER: \_\_\_\_\_  2" \_\_\_\_\_

\_\_\_\_\_  4" \_\_\_\_\_

## CALCULATIONS:

2" - x 0.1632 x 8 = 1.3088 x 5 = 6.528

4" - 0.653 \_\_\_\_\_

PURGE METHOD:  BAILER \_\_\_\_\_ DISPLACEMENT PUMP \_\_\_\_\_ OTHER

SAMPLE METHOD:  BAILER \_\_\_\_\_ OTHER


SHEEN:  NO \_\_\_\_\_ YES, DESCRIBE: \_\_\_\_\_

ODOR:  NO \_\_\_\_\_ YES, DESCRIBE: \_\_\_\_\_

## FIELD MEASUREMENTS

| <u>TIME</u> | <u>VOLUME</u>    | <u>pH</u>   | <u>TEMP.</u> | <u>E.C.</u> |
|-------------|------------------|-------------|--------------|-------------|
| _____       | <u>1 gal</u>     | <u>5.61</u> | <u>17.8</u>  | <u>375</u>  |
| _____       | <u>2 gal</u>     | <u>5.52</u> | <u>17.3</u>  | <u>526</u>  |
| _____       | <u>3 gal</u>     | <u>5.50</u> | <u>16.8</u>  | <u>543</u>  |
| _____       | <u>4 gal</u>     | <u>5.57</u> | <u>16.6</u>  | <u>602</u>  |
| _____       | <u>6 1/2 gal</u> | <u>5.73</u> | <u>16.4</u>  | <u>625</u>  |

6' at  
1.59



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-SI

DATE: 5-23-08

DEPTH TO WELL: 15

DEPTH TO WATER: 5<sup>ft</sup>.82

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: STMW-4

SAMPLER: bedrock manually

1 WELL VOLUME: 1.4688

5 WELL VOLUME: 7.344

ACTUAL PURGED VOLUME: 7 $\frac{1}{2}$

CASING DIAMETER: \_\_\_\_\_ 2"

\_\_\_\_\_ 4"

## CALCULATIONS:

$$2'' - x 0.1632 \times 9 = 1.4688 \times 5 = 7.344$$

4'' - 0.653 \_\_\_\_\_

PURGE METHOD:  BAILER \_\_\_\_\_ DISPLACEMENT PUMP \_\_\_\_\_ OTHER \_\_\_\_\_

SAMPLE METHOD:  BAILER \_\_\_\_\_ OTHER \_\_\_\_\_


SHEEN:  NO \_\_\_\_\_ YES, DESCRIBE: \_\_\_\_\_

ODOR:  NO \_\_\_\_\_ YES, DESCRIBE: \_\_\_\_\_

## FIELD MEASUREMENTS

| TIME  | VOLUME                               | pH          | TEMP.       | E.C.       |
|-------|--------------------------------------|-------------|-------------|------------|
| _____ | <u>1 GAL</u>                         | <u>4.94</u> | <u>18.0</u> | <u>588</u> |
| _____ | <u>2 GAL</u>                         | <u>5.31</u> | <u>17.5</u> | <u>649</u> |
| _____ | <u>3 GAL</u>                         | <u>5.46</u> | <u>17.2</u> | <u>660</u> |
| _____ | <u>5 GAL</u>                         | <u>5.64</u> | <u>16.7</u> | <u>659</u> |
| _____ | <u>7<math>\frac{1}{2}</math> GAL</u> | _____       | <u>16.8</u> | <u>657</u> |

5<sup>ft</sup>.94



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-ST

DATE: 5-23-08

DEPTH TO WELL: 15

DEPTH TO WATER: 6<sup>ft</sup>, 34

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: STMW-5

SAMPLER: Richard Murphy

1 WELL VOLUME: 1.4688

5 WELL VOLUME: 7.344

ACTUAL PURGED VOLUME: 7 $\frac{1}{2}$

CASING DIAMETER:  2"

4"

## CALCULATIONS:

$$2'' - \times 0.1632 \times 9 = 1.4688 \times 5 = 7.344$$

4'' - 0.653

PURGE METHOD:  BAILER  DISPLACEMENT PUMP  OTHER

SAMPLE METHOD:  BAILER  OTHER


SHEEN:  NO  YES, DESCRIBE: \_\_\_\_\_

ODOR:  NO  YES, DESCRIBE: \_\_\_\_\_

## FIELD MEASUREMENTS

| <u>TIME</u> | <u>VOLUME</u>                        | <u>pH</u>   | <u>TEMP.</u> | <u>E.C.</u> |
|-------------|--------------------------------------|-------------|--------------|-------------|
| _____       | <u>1 GAL</u>                         | <u>5.38</u> | <u>17.4</u>  | <u>537</u>  |
| _____       | <u>3 GAL</u>                         | <u>5.58</u> | <u>17.5</u>  | <u>558</u>  |
| _____       | <u>5 GAL</u>                         | <u>5.51</u> | <u>17.4</u>  | <u>556</u>  |
| _____       | <u>6 GAL</u>                         | <u>5.49</u> | <u>17.4</u>  | <u>449</u>  |
| _____       | <u>7<math>\frac{1}{2}</math> GAL</u> | <u>5.64</u> | <u>17.2</u>  | <u>587</u>  |

6<sup>ft</sup> .78



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-SI

DATE: 5-23-08

DEPTH TO WELL: 15

DEPTH TO WATER: 9.75, 26

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: ST MW-6

SAMPLER: Richard Mealy

1 WELL VOLUME: .9972

5 WELL VOLUME: 4.896

ACTUAL PURGED VOLUME: 5

CASING DIAMETER:  2"

4"

## CALCULATIONS:

2" - x 0.1632 x6 = .9972 x5 = 4.896

4" - 0.653 \_\_\_\_\_

PURGE METHOD:  BAILER  DISPLACEMENT PUMP  OTHER

SAMPLE METHOD:  BAILER  OTHER


SHEEN:  NO  YES, DESCRIBE: \_\_\_\_\_

ODOR:  NO  YES, DESCRIBE: SEWAGE

## FIELD MEASUREMENTS

| <u>TIME</u> | <u>VOLUME</u> | <u>pH</u>   | <u>TEMP.</u> | <u>E.C.</u> |
|-------------|---------------|-------------|--------------|-------------|
| _____       | <u>1 GAL</u>  | <u>6.52</u> | <u>19.9</u>  | <u>802</u>  |
| _____       | <u>2 GAL</u>  | <u>6.16</u> | <u>18.9</u>  | <u>821</u>  |
| _____       | <u>3 GAL</u>  | <u>6.08</u> | <u>18.3</u>  | <u>764</u>  |
| _____       | <u>4 GAL</u>  | <u>5.83</u> | <u>15.3</u>  | <u>757</u>  |
| _____       | <u>5 GAL</u>  | <u>5.95</u> | <u>18.2</u>  | <u>727</u>  |

10 ft, 08



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-SE

WELL NO.: MW-2

DATE: 5-23-08

SAMPLER: Grind Manly

DEPTH TO WELL: 11 1/2

1 WELL VOLUME: 1,142.4

DEPTH TO WATER: 6<sup>ft</sup> .74

5 WELL VOLUME: 5,712

HEIGHT OF WATER COLUMN: \_\_\_\_\_

ACTUAL PURGED VOLUME: 6

CASING DIAMETER: ✓ \_\_\_\_\_ 2"

\_\_\_\_\_ 4"

## CALCULATIONS:

2" - x 0.1632 27 = 1,142.4

4" - 0.653 \_\_\_\_\_

PURGE METHOD: ✓ BAILER \_\_\_\_\_ DISPLACEMENT PUMP \_\_\_\_\_ OTHER

SAMPLE METHOD: ✓ BAILER \_\_\_\_\_ OTHER


SHEEN: ✓ NO \_\_\_\_\_ YES, DESCRIBE: \_\_\_\_\_

ODOR: ✓ NO \_\_\_\_\_ YES, DESCRIBE: \_\_\_\_\_

## FIELD MEASUREMENTS

| TIME | VOLUME | pH   | TEMP. | E.C. |
|------|--------|------|-------|------|
|      | 1 GAL  | 5.66 | 18.6  | 305  |
|      | 2 GAL  | 5.42 | 19.1  | 358  |
|      | 3 GAL  | 5.20 | 18.2  | 436  |
|      | 4 GAL  | 5.04 | 17.7  | 453  |
|      | 6 GAL  | 5.02 | 17.6  | 460  |

7<sup>ft</sup> .04



# ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants

131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111

Tel: (408) 297-1500

Fax: (408) 292-2116

FILE NO.: 8-90-421-ST

DATE: 5-23-08

DEPTH TO WELL: 12

DEPTH TO WATER: 7.45 .58

HEIGHT OF WATER COLUMN: \_\_\_\_\_

WELL NO.: MW-3

SAMPLER: Perched manually

1 WELL VOLUME: 0.816

5 WELL VOLUME: 4.08

ACTUAL PURGED VOLUME: 5

CASING DIAMETER:  2"

4"

## CALCULATIONS:

$$2'' - x 0.1632 \times 5 = 0.816 \times 5 = 4.08$$

4'' - 0.653

PURGE METHOD:  BAILER  DISPLACEMENT PUMP  OTHER

SAMPLE METHOD:  BAILER  OTHER

SHEEN:  NO  YES, DESCRIBE: \_\_\_\_\_

ODOR:  NO  YES, DESCRIBE: \_\_\_\_\_

## FIELD MEASUREMENTS

| <u>TIME</u> | <u>VOLUME</u> | <u>pH</u>   | <u>TEMP.</u> | <u>E.C.</u> |
|-------------|---------------|-------------|--------------|-------------|
|             | <u>1 GAL</u>  | <u>5.20</u> | <u>20.0</u>  | <u>492</u>  |
|             | <u>2 GAL</u>  | <u>5.27</u> | <u>19.3</u>  | <u>509</u>  |
|             | <u>3 GAL</u>  | <u>5.18</u> | <u>18.4</u>  | <u>502</u>  |
|             | <u>4 GAL</u>  | <u>5.16</u> | <u>18.3</u>  | <u>498</u>  |
|             | <u>5 GAL</u>  | <u>5.12</u> | <u>18.1</u>  | <u>477</u>  |

8 ft  
1.04



File No. 8-90-421-SI  
June 12, 2008

**A P P E N D I X "F"**

**LABORATORY REPORTS**

**ENVIRO SOIL TECH CONSULTANTS**

**Frank Hamedi**  
**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**

**Lab Order Number: C1054**  
**Issued: 06/06/2008**

**Project Number: 8-90-421-SI**  
**Project Name: 400 San Pablo Avenue**  
**Project Location: Albany**

**Global ID: T0600101089**

## Certificate of Analysis - Final Report

On May 27, 2008, samples were received under chain of custody for analysis.

Accutest-Northern California analyzes samples "as received" unless otherwise noted. The following results are included:

| <u>Matrix</u> | <u>Test / Comments</u>   |
|---------------|--|
| Liquid        | Electronic Deliverables for Geotracker<br>VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater<br>TPH-Purgeable - GC : EPA 5030B / EPA 8015B |

Accutest-Northern California is certified for environmental analyses by the State of California (#2346).

Subcontracted work is the responsibility of the subcontract laboratory, this includes turn-around-time and data quality.

If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy  
Laboratory Director



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-001    Sample ID: STMW-1    Matrix: Liquid    Sample Date: 05/23/2008 13:28

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | 48000  |      | 200   | 10000           | µg/L  | N/A       | N/A        | 05/31/2008    | WGC080530 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 121                | 65 - 135           |

Analyzed by: JABidog  
Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
 131 Tully Road  
 San Jose, CA 95111  
 Attn: Frank Hamedi

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

Lab #: C1054-001    Sample ID: STMW-1    Matrix: Liquid    Sample Date: 05/23/2008 13:28

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,1-Trichloroethane       | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,2-Trichloroethane       | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloroethane          | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloroethene          | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloropropene         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,3-Trichlorobenzene      | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,3-Trichloropropane      | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,4-Trichlorobenzene      | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,4-Trimethylbenzene      | 3100   |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichlorobenzene         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichloroethane          | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichloropropane         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3,5-Trimethylbenzene      | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3-Dichlorobenzene         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3-Dichloropropane         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,4-Dichlorobenzene         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,4-Dioxane                 | ND     |      | 200   | 10000           | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2,2-Dichloropropane         | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Butanone (MEK)            | ND     |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Chlorotoluene             | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Hexanone                  | ND     |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 4-Chlorotoluene             | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Acetone                     | ND     |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Acetonitrile                | ND     |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Benzene                     | 9900   |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromobenzene                | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromochloromethane          | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromodichloromethane        | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromoform                   | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromomethane                | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Carbon Disulfide            | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Carbon Tetrachloride        | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chlorobenzene               | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloroethane                | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloroform                  | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloromethane               | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| cis-1,2-Dichloroethene      | ND     |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-001    Sample ID: STMW-1    Matrix: Liquid    Sample Date: 05/23/2008 13:28**

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dibromochloromethane        | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dibromomethane              | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dichlorodifluoromethane     | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Diisopropyl Ether           | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Ethyl Benzene               | <b>2500</b> |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Freon 113                   | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Hexachlorobutadiene         | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Iodomethane                 | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Isopropanol                 | ND          |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Isopropylbenzene            | ND          |      | 200   | 200             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Methyl-t-butyl Ether        | ND          |      | 200   | 200             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Methylene Chloride          | ND          |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| n-Butylbenzene              | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| n-Propylbenzene             | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Naphthalene                 | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| p-Isopropyltoluene          | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Pentachloroethane           | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| sec-Butylbenzene            | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Styrene                     | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Amyl Methyl Ether      | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butanol (TBA)          | ND          |      | 200   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butyl Ethyl Ether      | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butylbenzene           | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Tetrachloroethene           | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Tetrahydrofuran             | ND          |      | 200   | 4000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Toluene                     | <b>230</b>  |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,2-Dichloroethene    | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,3-Dichloropropene   | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,4-Dichloro-2-butene | ND          |      | 200   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Trichloroethene             | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Trichlorofluoromethane      | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Vinyl Chloride              | ND          |      | 200   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Xylenes, Total              | <b>7200</b> |      | 200   | 200             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 103                | 60 - 130           |
| Dibromofluoromethane | 101                | 60 - 130           |
| Toluene-d8           | 103                | 60 - 130           |

Analyzed by: BELA

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-002    Sample ID: STMW-2    Matrix: Liquid    Sample Date: 05/23/2008 13:01

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual | D/P-F                     | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date         | QC Batch  |
|----------------------|---------------------------|------|---------------------------|-----------------|-------|-----------|------------|-----------------------|-----------|
| TPH as Gasoline      | 15000                     |      | 100                       | 5000            | µg/L  | N/A       | N/A        | 05/31/2008            | WGC080530 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> |      | <b>Control Limits (%)</b> |                 |       |           |            | Analyzed by: JABidog  |           |
| 4-Bromofluorobenzene | 133                       |      | 65 - 135                  |                 |       |           |            | Reviewed by: MaiChiTu |           |

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-002    Sample ID: STMW-2    Matrix: Liquid    Sample Date: 05/23/2008 13:01**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,1-Trichloroethane       | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2,2-Tetrachloroethane   | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2-Trichloroethane       | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethane          | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethene          | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloropropene         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichlorobenzene      | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichloropropane      | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trichlorobenzene      | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trimethylbenzene      | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromo-3-Chloropropane | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromoethane (EDB)     | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichlorobenzene         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloroethane          | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloropropane         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3,5-Trimethylbenzene      | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichlorobenzene         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichloropropane         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dichlorobenzene         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dioxane                 | ND          |      | 40    | 2000            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2,2-Dichloropropane         | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Butanone (MEK)            | ND          |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Chlorotoluene             | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Hexanone                  | ND          |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Chlorotoluene             | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND          |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetone                     | ND          |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetonitrile                | ND          |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Benzene                     | <b>2400</b> |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromobenzene                | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromochloromethane          | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromodichloromethane        | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromoform                   | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromomethane                | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Disulfide            | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Tetrachloride        | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chlorobenzene               | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroethane                | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroform                  | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloromethane               | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| cis-1,2-Dichloroethene      | ND          |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-002    Sample ID: STMW-2    Matrix: Liquid    Sample Date: 05/23/2008 13:01**

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromochloromethane        | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromomethane              | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dichlorodifluoromethane     | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Diisopropyl Ether           | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Ethyl Benzene               | 550    |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Freon 113                   | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Hexachlorobutadiene         | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Iodomethane                 | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropanol                 | ND     |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropylbenzene            | 61     |      | 40    | 40              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methyl-t-butyl Ether        | ND     |      | 40    | 40              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methylene Chloride          | ND     |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Butylbenzene              | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Propylbenzene             | 230    |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Naphthalene                 | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| p-Isopropyltoluene          | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Pentachloroethane           | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| sec-Butylbenzene            | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Styrene                     | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Amyl Methyl Ether      | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butanol (TBA)          | ND     |      | 40    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butylbenzene           | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrachloroethene           | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrahydrofuran             | ND     |      | 40    | 800             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Toluene                     | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,2-Dichloroethene    | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,3-Dichloropropene   | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 40    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichloroethene             | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichlorofluoromethane      | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Vinyl Chloride              | ND     |      | 40    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Xylenes, Total              | 43     |      | 40    | 40              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 104                | 60 - 130           |
| Dibromofluoromethane | 104                | 60 - 130           |
| Toluene-d8           | 101                | 60 - 130           |

Analyzed by: BELA

Reviewed by: MaiChiTu





Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-003    Sample ID: STMW-3    Matrix: Liquid    Sample Date: 05/23/2008 12:32

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual                      | D/P-F | Detection Limit                               | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|----------------------|---------------------------|---------------------------|-------|---|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline      | ND                        |                           | 1.0   | 50  | µg/L  | N/A       | N/A        | 05/29/2008    | WGC080529 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> | <b>Control Limits (%)</b> |       |   |       |           |            |               |           |
| 4-Bromofluorobenzene | 90.8                      | 65 - 135                  |       | Analyzed by: JABidog<br>Reviewed by: MaiChiTu |       |           |            |               |           |

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-003    Sample ID: STMW-3    Matrix: Liquid    Sample Date: 05/23/2008 12:32**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

Lab #: C1054-003

Sample ID: STMW-3

Matrix: Liquid

Sample Date: 05/23/2008 12:32

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 101                | 60 - 130           |
| Dibromofluoromethane | 101                | 60 - 130           |
| Toluene-d8           | 101                | 60 - 130           |

Analyzed by: BELA

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-004    Sample ID: STMW-4    Matrix: Liquid    Sample Date: 05/23/2008 12:00

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual                      | D/P-F | Detection Limit                               | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|----------------------|---------------------------|---------------------------|-------|---|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline      | ND                        |                           | 1.0   | 50  | µg/L  | N/A       | N/A        | 05/29/2008    | WGC080529 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> | <b>Control Limits (%)</b> |       |   |       |           |            |               |           |
| 4-Bromofluorobenzene | 94.0                      | 65 - 135                  |       | Analyzed by: JABidog<br>Reviewed by: MaiChiTu |       |           |            |               |           |

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-004    Sample ID: STMW-4    Matrix: Liquid    Sample Date: 05/23/2008 12:00**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-004    Sample ID: STMW-4    Matrix: Liquid    Sample Date: 05/23/2008 12:00**

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 102                | 60 - 130           |
| Dibromofluoromethane | 101                | 60 - 130           |
| Toluene-d8           | 101                | 60 - 130           |

Analyzed by: BELA

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-005    Sample ID: STMW-5    Matrix: Liquid    Sample Date: 05/23/2008 10:59

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual | D/P-F                     | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date         | QC Batch  |
|----------------------|---------------------------|------|---------------------------|-----------------|-------|-----------|------------|-----------------------|-----------|
| TPH as Gasoline      | ND                        |      | 1.0                       | 50              | µg/L  | N/A       | N/A        | 05/29/2008            | WGC080529 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> |      | <b>Control Limits (%)</b> |                 |       |           |            | Analyzed by: JABidog  |           |
| 4-Bromofluorobenzene | 92.2                      |      | 65                        | - 135           |       |           |            | Reviewed by: MaiChiTu |           |

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-005    Sample ID: STMW-5    Matrix: Liquid    Sample Date: 05/23/2008 10:59**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier





Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-005    Sample ID: STMW-5    Matrix: Liquid    Sample Date: 05/23/2008 10:59**

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromochloromethane        | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dibromomethane              | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Dichlorodifluoromethane     | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Diisopropyl Ether           | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Ethyl Benzene               | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Freon 113                   | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Hexachlorobutadiene         | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Iodomethane                 | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropanol                 | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Isopropylbenzene            | ND          |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methyl-t-butyl Ether        | ND          |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Methylene Chloride          | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Butylbenzene              | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| n-Propylbenzene             | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Naphthalene                 | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| p-Isopropyltoluene          | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Pentachloroethane           | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| sec-Butylbenzene            | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Styrene                     | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Amyl Methyl Ether      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butanol (TBA)          | ND          |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butyl Ethyl Ether      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| tert-Butylbenzene           | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrachloroethene           | <b>1.8</b>  |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Tetrahydrofuran             | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Toluene                     | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,2-Dichloroethene    | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,3-Dichloropropene   | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| trans-1,4-Dichloro-2-butene | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichloroethene             | <b>0.62</b> |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Trichlorofluoromethane      | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Vinyl Chloride              | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |
| Xylenes, Total              | ND          |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM7080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 103                | 60 - 130           |
| Dibromofluoromethane | 105                | 60 - 130           |
| Toluene-d8           | 102                | 60 - 130           |

Analyzed by: BELA  
 Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

### Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-006    Sample ID: STMW-6    Matrix: Liquid    Sample Date: 05/23/2008 14:03

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual                      | D/P-F | Detection Limit                               | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|----------------------|---------------------------|---------------------------|-------|---|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline      | 22000                     |                           | 100   | 5000  | µg/L  | N/A       | N/A        | 05/30/2008    | WGC080529 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> | <b>Control Limits (%)</b> |       |   |       |           |            |               |           |
| 4-Bromofluorobenzene | 107                       | 65 - 135                  |       | Analyzed by: JABidog<br>Reviewed by: MaiChiTu |       |           |            |               |           |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-006    Sample ID: STMW-6    Matrix: Liquid    Sample Date: 05/23/2008 14:03**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,1-Trichloroethane       | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,2,2-Tetrachloroethane   | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,2-Trichloroethane       | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloroethane          | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloroethene          | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloropropene         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,3-Trichlorobenzene      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,3-Trichloropropane      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,4-Trichlorobenzene      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,4-Trimethylbenzene      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dibromo-3-Chloropropane | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dibromoethane (EDB)     | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichlorobenzene         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichloroethane          | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichloropropane         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3,5-Trimethylbenzene      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3-Dichlorobenzene         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3-Dichloropropane         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,4-Dichlorobenzene         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,4-Dioxane                 | ND          |      | 100   | 5000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2,2-Dichloropropane         | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Butanone (MEK)            | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Chlorotoluene             | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Hexanone                  | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 4-Chlorotoluene             | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 4-Methyl-2-Pentanone(MIBK)  | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Acetone                     | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Acetonitrile                | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Benzene                     | <b>6900</b> |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromobenzene                | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromochloromethane          | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromodichloromethane        | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromoform                   | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromomethane                | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Carbon Disulfide            | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Carbon Tetrachloride        | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chlorobenzene               | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloroethane                | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloroform                  | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloromethane               | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| cis-1,2-Dichloroethene      | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
 131 Tully Road  
 San Jose, CA 95111  
 Attn: Frank Hamedi

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

Lab #: C1054-006    Sample ID: STMW-6    Matrix: Liquid    Sample Date: 05/23/2008 14:03

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dibromochloromethane        | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dibromomethane              | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dichlorodifluoromethane     | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Diisopropyl Ether           | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Ethyl Benzene               | 680    |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Freon 113                   | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Hexachlorobutadiene         | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Iodomethane                 | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Isopropanol                 | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Isopropylbenzene            | ND     |      | 100   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Methyl-t-butyl Ether        | ND     |      | 100   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Methylene Chloride          | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| n-Butylbenzene              | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| n-Propylbenzene             | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Naphthalene                 | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| p-Isopropyltoluene          | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Pentachloroethane           | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| sec-Butylbenzene            | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Styrene                     | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Amyl Methyl Ether      | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butanol (TBA)          | ND     |      | 100   | 1000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butyl Ethyl Ether      | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butylbenzene           | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Tetrachloroethene           | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Tetrahydrofuran             | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Toluene                     | 1200   |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,2-Dichloroethene    | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,3-Dichloropropene   | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,4-Dichloro-2-butene | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Trichloroethene             | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Trichlorofluoromethane      | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Vinyl Chloride              | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Xylenes, Total              | 1100   |      | 100   | 100             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 102                | 60 - 130           |
| Dibromofluoromethane | 101                | 60 - 130           |
| Toluene-d8           | 99.9               | 60 - 130           |

Analyzed by: BELA

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-007    Sample ID: MW-2    Matrix: Liquid    Sample Date: 05/23/2008 11:35

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 05/29/2008    | WGC080529 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 91.5               | 65 - 135           |

Analyzed by: JABidog  
Reviewed by: MaiChiTu

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-007    Sample ID: MW-2    Matrix: Liquid    Sample Date: 05/23/2008 11:35**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-007    Sample ID: MW-2    Matrix: Liquid    Sample Date: 05/23/2008 11:35**

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/05/2008    | WM7080605 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 104                | 60 - 130           |
| Dibromofluoromethane | 105                | 60 - 130           |
| Toluene-d8           | 102                | 60 - 130           |

Analyzed by: BELA

Reviewed by: MaiChiTu



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
Sample Collected by: Client

Lab #: C1054-008 Sample ID: MW-3 Matrix: Liquid Sample Date: 05/23/2008 10:24

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | 1300   |      | 10    | 500             | µg/L  | N/A       | N/A        | 05/31/2008    | WGC080530 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 154 ***            | 65 - 135           |

Analyzed by: JABidog

Reviewed by: MaiChiTu

\*\*\* Surrogate recovery outside QC limits due to matrix interference.



**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

**Lab # : C1054-008    Sample ID: MW-3    Matrix: Liquid    Sample Date: 05/23/2008 10:24**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,1-Trichloroethane       | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2,2-Tetrachloroethane   | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2-Trichloroethane       | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethane          | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethene          | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloropropene         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichlorobenzene      | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichloropropane      | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trichlorobenzene      | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trimethylbenzene      | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromo-3-Chloropropane | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromoethane (EDB)     | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichlorobenzene         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloroethane          | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloropropane         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3,5-Trimethylbenzene      | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichlorobenzene         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichloropropane         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dichlorobenzene         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dioxane                 | ND          |      | 20    | 1000            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2,2-Dichloropropane         | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Butanone (MEK)            | ND          |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Chlorotoluene             | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Hexanone                  | ND          |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Chlorotoluene             | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND          |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetone                     | ND          |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetonitrile                | ND          |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Benzene                     | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromobenzene                | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromochloromethane          | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromodichloromethane        | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromoform                   | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromomethane                | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Disulfide            | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Tetrachloride        | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chlorobenzene               | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroethane                | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroform                  | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloromethane               | ND          |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| cis-1,2-Dichloroethene      | <b>1000</b> |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
 131 Tully Road  
 San Jose, CA 95111  
 Attn: Frank Hamedi

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/27/2008  
 Sample Collected by: Client

Lab #: C1054-008    Sample ID: MW-3    Matrix: Liquid    Sample Date: 05/23/2008 10:24

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromochloromethane        | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromomethane              | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dichlorodifluoromethane     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Diisopropyl Ether           | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Ethyl Benzene               | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Freon 113                   | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Hexachlorobutadiene         | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Iodomethane                 | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropanol                 | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropylbenzene            | ND     |      | 20    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methyl-t-butyl Ether        | ND     |      | 20    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methylene Chloride          | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Butylbenzene              | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Propylbenzene             | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Naphthalene                 | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| p-Isopropyltoluene          | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Pentachloroethane           | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| sec-Butylbenzene            | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Styrene                     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Amyl Methyl Ether      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butanol (TBA)          | ND     |      | 20    | 200             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butylbenzene           | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrachloroethene           | 180    |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrahydrofuran             | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Toluene                     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,2-Dichloroethene    | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,3-Dichloropropene   | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichloroethene             | 52     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichlorofluoromethane      | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Vinyl Chloride              | 98     |      | 20    | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Xylenes, Total              | ND     |      | 20    | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 102                | 60 - 130           |
| Dibromofluoromethane | 109                | 60 - 130           |
| Toluene-d8           | 101                | 60 - 130           |

Analyzed by: TAF

Reviewed by: MaiChiTu



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B

QC Batch ID: WGC080529

Validated by: MaiChiTu - 05/30/08

QC Batch Analysis Date: 5/29/2008

| Parameter                  | Result            | DF                    | PQLR | Units |
|----------------------------|-------------------|-----------------------|------|-------|
| TPH as Gasoline            | ND                | 1                     | 50   | µg/L  |
| <b>Surrogate for Blank</b> | <b>% Recovery</b> | <b>Control Limits</b> |      |       |
| 4-Bromofluorobenzene       | 90.6              | 65 - 135              |      |       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B

QC Batch ID: WGC080530

Validated by: MaiChiTu - 06/03/08

QC Batch Analysis Date: 5/30/2008

| Parameter                  |                   | Result                | DF | PQLR | Units |
|----------------------------|-------------------|-----------------------|----|------|-------|
| TPH as Gasoline            |                   | ND                    | 1  | 50   | µg/L  |
| <b>Surrogate for Blank</b> | <b>% Recovery</b> | <b>Control Limits</b> |    |      |       |
| 4-Bromofluorobenzene       | 95.0              | 65 - 135              |    |      |       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM2080604**

Validated by: MaiChiTu - 06/06/08

**QC Batch Analysis Date: 6/4/2008**

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| 1,1,1,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,1-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1,2,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,2-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethene          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloropropene         | ND     | 1  | 0.50 | µg/L  |
| 1,2,3-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,3-Trichloropropane      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromo-3-Chloropropane | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromoethane (EDB)     | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,3,5-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,3-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,3-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dioxane                 | ND     | 1  | 50   | µg/L  |
| 2,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 2-Butanone (MEK)            | ND     | 1  | 20   | µg/L  |
| 2-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 2-Hexanone                  | ND     | 1  | 20   | µg/L  |
| 4-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 4-Methyl-2-Pentanone(MIBK)  | ND     | 1  | 20   | µg/L  |
| Acetone                     | ND     | 1  | 20   | µg/L  |
| Acetonitrile                | ND     | 1  | 5.0  | µg/L  |
| Benzene                     | ND     | 1  | 0.50 | µg/L  |
| Bromobenzene                | ND     | 1  | 0.50 | µg/L  |
| Bromochloromethane          | ND     | 1  | 0.50 | µg/L  |
| Bromodichloromethane        | ND     | 1  | 0.50 | µg/L  |
| Bromoform                   | ND     | 1  | 0.50 | µg/L  |
| Bromomethane                | ND     | 1  | 0.50 | µg/L  |
| Carbon Disulfide            | ND     | 1  | 0.50 | µg/L  |
| Carbon Tetrachloride        | ND     | 1  | 0.50 | µg/L  |
| Chlorobenzene               | ND     | 1  | 0.50 | µg/L  |
| Chloroethane                | ND     | 1  | 0.50 | µg/L  |
| Chloroform                  | ND     | 1  | 0.50 | µg/L  |
| Chloromethane               | ND     | 1  | 0.50 | µg/L  |
| cis-1,2-Dichloroethene      | ND     | 1  | 0.50 | µg/L  |
| cis-1,3-Dichloropropene     | ND     | 1  | 0.50 | µg/L  |
| Dibromochloromethane        | ND     | 1  | 0.50 | µg/L  |
| Dibromomethane              | ND     | 1  | 0.50 | µg/L  |
| Dichlorodifluoromethane     | ND     | 1  | 0.50 | µg/L  |
| Diisopropyl Ether           | ND     | 1  | 5.0  | µg/L  |
| Ethyl Benzene               | ND     | 1  | 0.50 | µg/L  |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM2080604**

Validated by: MaiChiTu - 06/06/08

**QC Batch Analysis Date: 6/4/2008**

| Parameter                   | Result            | DF                    | PQLR | Units |
|-----------------------------|-------------------|-----------------------|------|-------|
| Freon 113                   | ND                | 1                     | 5.0  | µg/L  |
| Hexachlorobutadiene         | ND                | 1                     | 5.0  | µg/L  |
| Iodomethane                 | ND                | 1                     | 5.0  | µg/L  |
| Isopropanol                 | ND                | 1                     | 20   | µg/L  |
| Isopropylbenzene            | ND                | 1                     | 1.0  | µg/L  |
| Methylene Chloride          | ND                | 1                     | 20   | µg/L  |
| Methyl-t-butyl Ether        | ND                | 1                     | 1.0  | µg/L  |
| Naphthalene                 | ND                | 1                     | 5.0  | µg/L  |
| n-Butylbenzene              | ND                | 1                     | 5.0  | µg/L  |
| n-Propylbenzene             | ND                | 1                     | 5.0  | µg/L  |
| Pentachloroethane           | ND                | 1                     | 0.50 | µg/L  |
| p-Isopropyltoluene          | ND                | 1                     | 5.0  | µg/L  |
| sec-Butylbenzene            | ND                | 1                     | 5.0  | µg/L  |
| Styrene                     | ND                | 1                     | 0.50 | µg/L  |
| tert-Amyl Methyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butanol (TBA)          | ND                | 1                     | 10   | µg/L  |
| tert-Butyl Ethyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butylbenzene           | ND                | 1                     | 5.0  | µg/L  |
| Tetrachloroethene           | ND                | 1                     | 0.50 | µg/L  |
| Tetrahydrofuran             | ND                | 1                     | 20   | µg/L  |
| Toluene                     | ND                | 1                     | 0.50 | µg/L  |
| trans-1,2-Dichloroethene    | ND                | 1                     | 0.50 | µg/L  |
| trans-1,3-Dichloropropene   | ND                | 1                     | 0.50 | µg/L  |
| trans-1,4-Dichloro-2-butene | ND                | 1                     | 5.0  | µg/L  |
| Trichloroethene             | ND                | 1                     | 0.50 | µg/L  |
| Trichlorofluoromethane      | ND                | 1                     | 0.50 | µg/L  |
| Vinyl Chloride              | ND                | 1                     | 0.50 | µg/L  |
| Xylenes, Total              | ND                | 1                     | 1.0  | µg/L  |
| <b>Surrogate for Blank</b>  | <b>% Recovery</b> | <b>Control Limits</b> |      |       |
| 4-Bromofluorobenzene        | <b>96.7</b>       | 60 - 130              |      |       |
| Dibromofluoromethane        | <b>99.3</b>       | 60 - 130              |      |       |
| Toluene-d8                  | <b>97.9</b>       | 60 - 130              |      |       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM7080604**

Validated by: MaiChiTu - 06/05/08

**QC Batch Analysis Date: 6/4/2008**

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| 1,1,1,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,1-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1,2,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,2-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethene          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloropropene         | ND     | 1  | 0.50 | µg/L  |
| 1,2,3-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,3-Trichloropropane      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromo-3-Chloropropane | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromoethane (EDB)     | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,3,5-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,3-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,3-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dioxane                 | ND     | 1  | 50   | µg/L  |
| 2,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 2-Butanone (MEK)            | ND     | 1  | 20   | µg/L  |
| 2-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 2-Hexanone                  | ND     | 1  | 20   | µg/L  |
| 4-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 4-Methyl-2-Pentanone(MIBK)  | ND     | 1  | 20   | µg/L  |
| Acetone                     | ND     | 1  | 20   | µg/L  |
| Acetonitrile                | ND     | 1  | 5.0  | µg/L  |
| Benzene                     | ND     | 1  | 0.50 | µg/L  |
| Bromobenzene                | ND     | 1  | 0.50 | µg/L  |
| Bromochloromethane          | ND     | 1  | 0.50 | µg/L  |
| Bromodichloromethane        | ND     | 1  | 0.50 | µg/L  |
| Bromoform                   | ND     | 1  | 0.50 | µg/L  |
| Bromomethane                | ND     | 1  | 0.50 | µg/L  |
| Carbon Disulfide            | ND     | 1  | 0.50 | µg/L  |
| Carbon Tetrachloride        | ND     | 1  | 0.50 | µg/L  |
| Chlorobenzene               | ND     | 1  | 0.50 | µg/L  |
| Chloroethane                | ND     | 1  | 0.50 | µg/L  |
| Chloroform                  | ND     | 1  | 0.50 | µg/L  |
| Chloromethane               | ND     | 1  | 0.50 | µg/L  |
| cis-1,2-Dichloroethene      | ND     | 1  | 0.50 | µg/L  |
| cis-1,3-Dichloropropene     | ND     | 1  | 0.50 | µg/L  |
| Dibromochloromethane        | ND     | 1  | 0.50 | µg/L  |
| Dibromomethane              | ND     | 1  | 0.50 | µg/L  |
| Dichlorodifluoromethane     | ND     | 1  | 0.50 | µg/L  |
| Diisopropyl Ether           | ND     | 1  | 5.0  | µg/L  |
| Ethyl Benzene               | ND     | 1  | 0.50 | µg/L  |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM7080604**

Validated by: MaiChiTu - 06/05/08

**QC Batch Analysis Date: 6/4/2008**

| Parameter                   | Result            | DF                    | PQLR | Units |
|-----------------------------|-------------------|-----------------------|------|-------|
| Freon 113                   | ND                | 1                     | 5.0  | µg/L  |
| Hexachlorobutadiene         | ND                | 1                     | 5.0  | µg/L  |
| Iodomethane                 | ND                | 1                     | 5.0  | µg/L  |
| Isopropanol                 | ND                | 1                     | 20   | µg/L  |
| Isopropylbenzene            | ND                | 1                     | 1.0  | µg/L  |
| Methylene Chloride          | ND                | 1                     | 20   | µg/L  |
| Methyl-t-butyl Ether        | ND                | 1                     | 1.0  | µg/L  |
| Naphthalene                 | ND                | 1                     | 5.0  | µg/L  |
| n-Butylbenzene              | ND                | 1                     | 5.0  | µg/L  |
| n-Propylbenzene             | ND                | 1                     | 5.0  | µg/L  |
| Pentachloroethane           | ND                | 1                     | 0.50 | µg/L  |
| p-Isopropyltoluene          | ND                | 1                     | 5.0  | µg/L  |
| sec-Butylbenzene            | ND                | 1                     | 5.0  | µg/L  |
| Styrene                     | ND                | 1                     | 0.50 | µg/L  |
| tert-Amyl Methyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butanol (TBA)          | ND                | 1                     | 10   | µg/L  |
| tert-Butyl Ethyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butylbenzene           | ND                | 1                     | 5.0  | µg/L  |
| Tetrachloroethene           | ND                | 1                     | 0.50 | µg/L  |
| Tetrahydrofuran             | ND                | 1                     | 20   | µg/L  |
| Toluene                     | ND                | 1                     | 0.50 | µg/L  |
| trans-1,2-Dichloroethene    | ND                | 1                     | 0.50 | µg/L  |
| trans-1,3-Dichloropropene   | ND                | 1                     | 0.50 | µg/L  |
| trans-1,4-Dichloro-2-butene | ND                | 1                     | 5.0  | µg/L  |
| Trichloroethene             | ND                | 1                     | 0.50 | µg/L  |
| Trichlorofluoromethane      | ND                | 1                     | 0.50 | µg/L  |
| Vinyl Chloride              | ND                | 1                     | 0.50 | µg/L  |
| Xylenes, Total              | ND                | 1                     | 1.0  | µg/L  |
| <b>Surrogate for Blank</b>  | <b>% Recovery</b> | <b>Control Limits</b> |      |       |
| 4-Bromofluorobenzene        | <b>98.4</b>       | 60 - 130              |      |       |
| Dibromofluoromethane        | <b>98.5</b>       | 60 - 130              |      |       |
| Toluene-d8                  | <b>99.5</b>       | 60 - 130              |      |       |





Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM7080605**

Validated by: MaiChiTu - 06/06/08

**QC Batch Analysis Date: 6/5/2008**

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| 1,1,1,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,1-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1,2,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,2-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethene          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloropropene         | ND     | 1  | 0.50 | µg/L  |
| 1,2,3-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,3-Trichloropropane      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromo-3-Chloropropane | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromoethane (EDB)     | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,3,5-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,3-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,3-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dioxane                 | ND     | 1  | 50   | µg/L  |
| 2,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 2-Butanone (MEK)            | ND     | 1  | 20   | µg/L  |
| 2-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 2-Hexanone                  | ND     | 1  | 20   | µg/L  |
| 4-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 4-Methyl-2-Pentanone(MIBK)  | ND     | 1  | 20   | µg/L  |
| Acetone                     | ND     | 1  | 20   | µg/L  |
| Acetonitrile                | ND     | 1  | 5.0  | µg/L  |
| Benzene                     | ND     | 1  | 0.50 | µg/L  |
| Bromobenzene                | ND     | 1  | 0.50 | µg/L  |
| Bromochloromethane          | ND     | 1  | 0.50 | µg/L  |
| Bromodichloromethane        | ND     | 1  | 0.50 | µg/L  |
| Bromoform                   | ND     | 1  | 0.50 | µg/L  |
| Bromomethane                | ND     | 1  | 0.50 | µg/L  |
| Carbon Disulfide            | ND     | 1  | 0.50 | µg/L  |
| Carbon Tetrachloride        | ND     | 1  | 0.50 | µg/L  |
| Chlorobenzene               | ND     | 1  | 0.50 | µg/L  |
| Chloroethane                | ND     | 1  | 0.50 | µg/L  |
| Chloroform                  | ND     | 1  | 0.50 | µg/L  |
| Chloromethane               | ND     | 1  | 0.50 | µg/L  |
| cis-1,2-Dichloroethene      | ND     | 1  | 0.50 | µg/L  |
| cis-1,3-Dichloropropene     | ND     | 1  | 0.50 | µg/L  |
| Dibromochloromethane        | ND     | 1  | 0.50 | µg/L  |
| Dibromomethane              | ND     | 1  | 0.50 | µg/L  |
| Dichlorodifluoromethane     | ND     | 1  | 0.50 | µg/L  |
| Diisopropyl Ether           | ND     | 1  | 5.0  | µg/L  |
| Ethyl Benzene               | ND     | 1  | 0.50 | µg/L  |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM7080605**

Validated by: MaiChiTu - 06/06/08

**QC Batch Analysis Date: 6/5/2008**

| Parameter                   | Result            | DF                    | PQLR | Units |
|-----------------------------|-------------------|-----------------------|------|-------|
| Freon 113                   | ND                | 1                     | 5.0  | µg/L  |
| Hexachlorobutadiene         | ND                | 1                     | 5.0  | µg/L  |
| Iodomethane                 | ND                | 1                     | 5.0  | µg/L  |
| Isopropanol                 | ND                | 1                     | 20   | µg/L  |
| Isopropylbenzene            | ND                | 1                     | 1.0  | µg/L  |
| Methylene Chloride          | ND                | 1                     | 20   | µg/L  |
| Methyl-t-butyl Ether        | ND                | 1                     | 1.0  | µg/L  |
| Naphthalene                 | ND                | 1                     | 5.0  | µg/L  |
| n-Butylbenzene              | ND                | 1                     | 5.0  | µg/L  |
| n-Propylbenzene             | ND                | 1                     | 5.0  | µg/L  |
| Pentachloroethane           | ND                | 1                     | 0.50 | µg/L  |
| p-Isopropyltoluene          | ND                | 1                     | 5.0  | µg/L  |
| sec-Butylbenzene            | ND                | 1                     | 5.0  | µg/L  |
| Styrene                     | ND                | 1                     | 0.50 | µg/L  |
| tert-Amyl Methyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butanol (TBA)          | ND                | 1                     | 10   | µg/L  |
| tert-Butyl Ethyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butylbenzene           | ND                | 1                     | 5.0  | µg/L  |
| Tetrachloroethene           | ND                | 1                     | 0.50 | µg/L  |
| Tetrahydrofuran             | ND                | 1                     | 20   | µg/L  |
| Toluene                     | ND                | 1                     | 0.50 | µg/L  |
| trans-1,2-Dichloroethene    | ND                | 1                     | 0.50 | µg/L  |
| trans-1,3-Dichloropropene   | ND                | 1                     | 0.50 | µg/L  |
| trans-1,4-Dichloro-2-butene | ND                | 1                     | 5.0  | µg/L  |
| Trichloroethene             | ND                | 1                     | 0.50 | µg/L  |
| Trichlorofluoromethane      | ND                | 1                     | 0.50 | µg/L  |
| Vinyl Chloride              | ND                | 1                     | 0.50 | µg/L  |
| Xylenes, Total              | ND                | 1                     | 1.0  | µg/L  |
| <b>Surrogate for Blank</b>  | <b>% Recovery</b> | <b>Control Limits</b> |      |       |
| 4-Bromofluorobenzene        | <b>103</b>        | 60 - 130              |      |       |
| Dibromofluoromethane        | <b>100</b>        | 60 - 130              |      |       |
| Toluene-d8                  | <b>103</b>        | 60 - 130              |      |       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B

QC Batch ID: WGC080529

Reviewed by: MaiChiTu - 05/30/08

QC Batch ID Analysis Date: 5/29/2008

**LCS**

| Parameter            | Method Blank      | Spike Amt             | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|-------------------|-----------------------|-------------|-------|------------|-----------------|
| TPH as Gasoline      | <50               | 120                   | 128         | µg/L  | 102        | 65 - 135        |
| <b>Surrogate</b>     | <b>% Recovery</b> | <b>Control Limits</b> |             |       |            |                 |
| 4-Bromofluorobenzene | 105.0             | 65 - 135              |             |       |            |                 |

**LCSD**

| Parameter            | Method Blank      | Spike Amt             | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|-------------------|-----------------------|-------------|-------|------------|-----|------------|-----------------|
| TPH as Gasoline      | <50               | 120                   | 122         | µg/L  | 97.6       | 4.8 | 25.0       | 65 - 135        |
| <b>Surrogate</b>     | <b>% Recovery</b> | <b>Control Limits</b> |             |       |            |     |            |                 |
| 4-Bromofluorobenzene | 101.0             | 65 - 135              |             |       |            |     |            |                 |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**LCS / LCSD - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B**

**QC Batch ID: WGC080530**

Reviewed by: MaiChiTu - 06/03/08

**QC Batch ID Analysis Date: 5/30/2008**

**LCS**

| Parameter       | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|-----------------|--------------|-----------|-------------|-------|------------|-----------------|
| TPH as Gasoline | <50          | 120       | 112         | µg/L  | 89.6       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 103.0      | 65 - 135       |

**LCSD**

| Parameter       | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|-----------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| TPH as Gasoline | <50          | 120       | 115         | µg/L  | 92.0       | 2.6 | 25.0       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 102.0      | 65 - 135       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**LCS / LCSD - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM2080604**

Reviewed by: MaiChiTu - 06/06/08

**QC Batch ID Analysis Date: 6/4/2008**

**LCS**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 20.8        | µg/L  | 104        | 70 - 130        |
| Benzene              | <0.50        | 20        | 21.0        | µg/L  | 105        | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 20.2        | µg/L  | 101        | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 20.9        | µg/L  | 104        | 70 - 130        |
| Toluene              | <0.50        | 20        | 19.8        | µg/L  | 99.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 21.4        | µg/L  | 107        | 70 - 130        |

| Surrogate            | % Recovery   | Control Limits |
|----------------------|--------------|----------------|
| 4-Bromofluorobenzene | <b>97.6</b>  | 60 - 130       |
| Dibromofluoromethane | <b>102.0</b> | 60 - 130       |
| Toluene-d8           | <b>99.4</b>  | 60 - 130       |

**LCSD**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 21.1        | µg/L  | 106        | 1.4 | 25.0       | 70 - 130        |
| Benzene              | <0.50        | 20        | 20.7        | µg/L  | 104        | 1.4 | 25.0       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 20.7        | µg/L  | 104        | 2.4 | 25.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 20.4        | µg/L  | 102        | 2.4 | 25.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 19.6        | µg/L  | 98.0       | 1.0 | 25.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 22.0        | µg/L  | 110        | 2.8 | 25.0       | 70 - 130        |

| Surrogate            | % Recovery  | Control Limits |
|----------------------|-------------|----------------|
| 4-Bromofluorobenzene | <b>98.3</b> | 60 - 130       |
| Dibromofluoromethane | <b>98.7</b> | 60 - 130       |
| Toluene-d8           | <b>97.7</b> | 60 - 130       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**LCS / LCSD - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM7080604**

Reviewed by: MaiChiTu - 06/05/08

**QC Batch ID Analysis Date: 6/4/2008**

**LCS**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 22.4        | µg/L  | 112        | 70 - 130        |
| Benzene              | <0.50        | 20        | 20.3        | µg/L  | 101        | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 19.2        | µg/L  | 95.9       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 18.1        | µg/L  | 90.4       | 70 - 130        |
| Toluene              | <0.50        | 20        | 22.5        | µg/L  | 112        | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 22.0        | µg/L  | 110        | 70 - 130        |

| Surrogate            | % Recovery   | Control Limits |
|----------------------|--------------|----------------|
| 4-Bromofluorobenzene | <b>102.0</b> | 60 - 130       |
| Dibromofluoromethane | <b>109.0</b> | 60 - 130       |
| Toluene-d8           | <b>100.0</b> | 60 - 130       |

**LCSD**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 17.9        | µg/L  | 89.6       | 22  | 25.0       | 70 - 130        |
| Benzene              | <0.50        | 20        | 16.2        | µg/L  | 80.9       | 22  | 25.0       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 15.5        | µg/L  | 77.6       | 21  | 25.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 14.4        | µg/L  | 72.1       | 23  | 25.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 17.9        | µg/L  | 89.3       | 23  | 25.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 17.2        | µg/L  | 86.2       | 24  | 25.0       | 70 - 130        |

| Surrogate            | % Recovery   | Control Limits |
|----------------------|--------------|----------------|
| 4-Bromofluorobenzene | <b>103.0</b> | 60 - 130       |
| Dibromofluoromethane | <b>108.0</b> | 60 - 130       |
| Toluene-d8           | <b>98.7</b>  | 60 - 130       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**LCS / LCSD - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM7080605**

Reviewed by: MaiChiTu - 06/06/08

**QC Batch ID Analysis Date: 6/5/2008**

**LCS**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 23.9        | µg/L  | 119        | 70 - 130        |
| Benzene              | <0.50        | 20        | 22.0        | µg/L  | 110        | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 20.6        | µg/L  | 103        | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 20.1        | µg/L  | 100        | 70 - 130        |
| Toluene              | <0.50        | 20        | 23.9        | µg/L  | 119        | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 23.7        | µg/L  | 119        | 70 - 130        |

| Surrogate            | % Recovery   | Control Limits |
|----------------------|--------------|----------------|
| 4-Bromofluorobenzene | <b>102.0</b> | 60 - 130       |
| Dibromofluoromethane | <b>108.0</b> | 60 - 130       |
| Toluene-d8           | <b>99.8</b>  | 60 - 130       |


**LCSD**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 22.2        | µg/L  | 111        | 7.2 | 25.0       | 70 - 130        |
| Benzene              | <0.50        | 20        | 20.6        | µg/L  | 103        | 7.0 | 25.0       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 19.9        | µg/L  | 99.3       | 3.9 | 25.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 17.9        | µg/L  | 89.3       | 12  | 25.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 22.9        | µg/L  | 114        | 4.3 | 25.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 22.3        | µg/L  | 111        | 6.2 | 25.0       | 70 - 130        |

| Surrogate            | % Recovery   | Control Limits |
|----------------------|--------------|----------------|
| 4-Bromofluorobenzene | <b>102.0</b> | 60 - 130       |
| Dibromofluoromethane | <b>104.0</b> | 60 - 130       |
| Toluene-d8           | <b>99.8</b>  | 60 - 130       |

CHAIN OF CUSTODY RECORD

|   |         |                                   |                              |       |   |          |            |                              |   |  |             |  |                          |  |  |                                 |
|---|---------|-----------------------------------|------------------------------|-------|---|----------|------------|------------------------------|---|--|-------------|--|--------------------------|--|--|---------------------------------|
| PROJ. NO.<br>8-90-421-SI  |         | NAME<br>400 San Pablo Ave, Albany |                              |       |   |          |            |                              | ANALYSES REQUESTED<br>TIC, Hal, by 8/15/08<br>EPA 8260B-D |  | REMARKS     |  |                          |  |  |                                 |
| SAMPLERS: (Signature)<br>Dimitri Mandy                                  |         |                                   |                              |       |   |          | CON-TAINER |                              |   |  |             |  |                          |  |  |                                 |
| NO.   | DATE    | TIME                              | SOIL                         | WATER | C1054                                   | LOCATION |            |                              |   |  |             |  |                          |  |  |                                 |
| 1   | 9/23/08 | 13:28                             |                              | ✓     | STMW-1                                  | 001      | 4          | ✓                            | ✓   |  |             |  |                          |  |  | EDF # T0600101089               |
| 2   |         | 13:31                             |                              | ✓     | STMW-2                                  | 002      | 4          | ✓                            | ✓   |  |             |  |                          |  |  |                                 |
| 3   |         | 12:32                             |                              | ✓     | STMW-3                                  | 003      | 4          | ✓                            | ✓   |  |             |  |                          |  |  |                                 |
| 4   |         | 12:00                             |                              | ✓     | STMW-4                                  | 004      | 4          | ✓                            | ✓   |  |             |  |                          |  |  | * Full lists                    |
| 5   |         | 10:59                             |                              | ✓     | STMW-5                                  | 005      | 4          | ✓                            | ✓   |  |             |  |                          |  |  |                                 |
| 6   |         | 14:03                             |                              | ✓     | STMW-6                                  | 006      | 4          | ✓                            | ✓   |  |             |  |                          |  |  | * All vials are HCL preserved * |
| 7   |         | 11:35                             |                              | ✓     | MW-2                                    | 007      | 4          | ✓                            | ✓   |  |             |  |                          |  |  |                                 |
| 8   |         | 10:24                             |                              | ✓     | MW-3                                    | 008      | 4          | ✓                            | ✓   |  |             |  |                          |  |  |                                 |
| Note: Please label all field points according to location on the Chain. |         |                                   |                              |       |   |          |            |                              |   |  |             |  |                          |  |  |                                 |
| Rec'd 4 VOA's H2C each w/ 13.7° Temp.                                   |         |                                   |                              |       |   |          |            |                              |   |  |             |  |                          |  |  |                                 |
| Relinquished by: (Signature)<br>Dimitri Mandy                           |         |                                   | Date / Time<br>5/27/08 16:15 |       | Received by: (Signature)<br>J. Machado  |          |            | Relinquished by: (Signature) |   |  | Date / Time |  | Received by: (Signature) |  |  |                                 |
| Relinquished by: (Signature)  |         |                                   | Date / Time                  |       | Received by: (Signature)                |          |            | Relinquished by: (Signature) |   |  | Date / Time |  | Received by: (Signature) |  |  |                                 |
| Relinquished by: (Signature)  |         |                                   | Date / Time                  |       | Received for Laboratory by: (Signature) |          |            | Date / Time                  |   | Remarks<br>Please send lab report to Frank Hameddi |             |  |                          |  |  |                                 |



**ENVIRO SOIL TECH CONSULTANTS**  
 Environmental & Geotechnical Consultants  
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111  
 Tel: (408) 297-1500 Fax: (408) 292-2116



**Frank Hamedi**  
**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**

**Lab Order Number: C1066**  
**Issued: 06/09/2008**

**Project Number: 8-90-421-SI**  
**Project Name: 400 San Pablo Avenue**  
**Project Location: Albany**

**Global ID: T0600101089**

## Certificate of Analysis - Final Report

On May 28, 2008, samples were received under chain of custody for analysis.  
Accutest-Northern California analyzes samples "as received" unless otherwise noted. The following results are included:

| <u>Matrix</u> | <u>Test / Comments</u>   |
|---------------|--|
| Liquid        | Electronic Deliverables for Geotracker<br>VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater<br>TPH-Purgeable - GC : EPA 5030B / EPA 8015B |

Accutest-Northern California is certified for environmental analyses by the State of California (#2346).  
Subcontracted work is the responsibility of the subcontract laboratory, this includes turn-around-time and data quality.  
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy  
Laboratory Director



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
Sample Collected by: Client

Lab #: C1066-001 Sample ID: C-1

Matrix: Liquid

Sample Date: 05/23/2008 08:35

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WGC080605 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 95.5               | 65 - 135           |

Analyzed by: EricKum

Reviewed by: MaiChiTu

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

Lab #: C1066-001

Sample ID: C-1

Matrix: Liquid

Sample Date: 05/23/2008 08:35

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

**Lab # : C1066-001    Sample ID: C-1    Matrix: Liquid    Sample Date: 05/23/2008 08:35**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 101                | 60 - 130           |
| Dibromofluoromethane | 110                | 60 - 130           |
| Toluene-d8           | 101                | 60 - 130           |

Analyzed by: TAF

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
Sample Collected by: Client

Lab #: C1066-002    Sample ID: C-2    Matrix: Liquid    Sample Date: 05/23/2008 08:57

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual | D/P-F                     | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date         | QC Batch  |
|----------------------|---------------------------|------|---------------------------|-----------------|-------|-----------|------------|-----------------------|-----------|
| TPH as Gasoline      | ND                        |      | 1.0                       | 50              | µg/L  | N/A       | N/A        | 06/05/2008            | WGC080605 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> |      | <b>Control Limits (%)</b> |                 |       |           |            | Analyzed by: EricKum  |           |
| 4-Bromofluorobenzene | 98.1                      |      | 65                        | - 135           |       |           |            | Reviewed by: MaiChiTu |           |

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

**Lab # : C1066-002    Sample ID: C-2    Matrix: Liquid    Sample Date: 05/23/2008 08:57**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,1-Trichloroethane       | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2,2-Tetrachloroethane   | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2-Trichloroethane       | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethane          | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethene          | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloropropene         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichlorobenzene      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichloropropane      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trichlorobenzene      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trimethylbenzene      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromo-3-Chloropropane | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromoethane (EDB)     | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichlorobenzene         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloroethane          | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloropropane         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3,5-Trimethylbenzene      | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichlorobenzene         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichloropropane         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dichlorobenzene         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dioxane                 | ND          |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2,2-Dichloropropane         | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Butanone (MEK)            | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Chlorotoluene             | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Hexanone                  | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Chlorotoluene             | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetone                     | ND          |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetonitrile                | ND          |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Benzene                     | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromobenzene                | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromochloromethane          | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromodichloromethane        | <b>0.60</b> |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromoform                   | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromomethane                | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Disulfide            | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Tetrachloride        | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chlorobenzene               | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroethane                | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroform                  | <b>5.6</b>  |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloromethane               | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| cis-1,2-Dichloroethene      | ND          |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

**Lab # : C1066-002    Sample ID: C-2    Matrix: Liquid    Sample Date: 05/23/2008 08:57**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Toluene                     | 1.2    |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 101                | 60 - 130           |
| Dibromofluoromethane | 113                | 60 - 130           |
| Toluene-d8           | 99.7               | 60 - 130           |

Analyzed by: TAF

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
Sample Collected by: Client

Lab #: C1066-003

Sample ID: C-3

Matrix: Liquid

Sample Date: 05/23/2008 09:22

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/05/2008    | WGC080605 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 98.6               | 65 - 135           |

Analyzed by: EricKum

Reviewed by: MaiChiTu



**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

Lab #: C1066-003

Sample ID: C-3

Matrix: Liquid

Sample Date: 05/23/2008 09:22

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

Lab #: C1066-003

Sample ID: C-3

Matrix: Liquid

Sample Date: 05/23/2008 09:22

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 99.7               | 60 - 130           |
| Dibromofluoromethane | 108                | 60 - 130           |
| Toluene-d8           | 99.2               | 60 - 130           |

Analyzed by: TAF

Reviewed by: MaiChiTu



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

### Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
Sample Collected by: Client

Lab #: C1066-004    Sample ID: C-4    Matrix: Liquid    Sample Date: 05/23/2008 09:49

TPH-Purgeable - GC : EPA 5030B / EPA 8015B

| Parameter            | Result                    | Qual | D/P-F                     | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date         | QC Batch  |
|----------------------|---------------------------|------|---------------------------|-----------------|-------|-----------|------------|-----------------------|-----------|
| TPH as Gasoline      | ND                        |      | 1.0                       | 50              | µg/L  | N/A       | N/A        | 06/05/2008            | WGC080605 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> |      | <b>Control Limits (%)</b> |                 |       |           |            | Analyzed by: EricKum  |           |
| 4-Bromofluorobenzene | 94.2                      |      | 65 - 135                  |                 |       |           |            | Reviewed by: MaiChiTu |           |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

**Lab # : C1066-004    Sample ID: C-4    Matrix: Liquid    Sample Date: 05/23/2008 09:49**

**VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier



Northern California

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

**Enviro Soil Tech Consultants**  
**131 Tully Road**  
**San Jose, CA 95111**  
**Attn: Frank Hamedi**

Project Number: 8-90-421-SI  
 Project Name: 400 San Pablo Avenue  
 Project Location: Albany  
 GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 05/28/2008  
 Sample Collected by: Client

Lab #: C1066-004

Sample ID: C-4

Matrix: Liquid

Sample Date: 05/23/2008 09:49

VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |
| Xylenes, Total              | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 06/04/2008    | WM2080604 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 98.3               | 60 - 130           |
| Dibromofluoromethane | 106                | 60 - 130           |
| Toluene-d8           | 99.5               | 60 - 130           |

Analyzed by: TAF

Reviewed by: MaiChiTu



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B

QC Batch ID: WGC080605

Validated by: MaiChiTu - 06/09/08

QC Batch Analysis Date: 6/5/2008

| Parameter                  | Result            | DF                    | PQLR | Units |
|----------------------------|-------------------|-----------------------|------|-------|
| TPH as Gasoline            | ND                | 1                     | 50   | µg/L  |
| <b>Surrogate for Blank</b> | <b>% Recovery</b> | <b>Control Limits</b> |      |       |
| 4-Bromofluorobenzene       | 103               | 65 - 135              |      |       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM2080604**

Validated by: MaiChiTu - 06/06/08

**QC Batch Analysis Date: 6/4/2008**

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| 1,1,1,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,1-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1,2,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,2-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethene          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloropropene         | ND     | 1  | 0.50 | µg/L  |
| 1,2,3-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,3-Trichloropropane      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromo-3-Chloropropane | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromoethane (EDB)     | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,3,5-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,3-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,3-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dioxane                 | ND     | 1  | 50   | µg/L  |
| 2,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 2-Butanone (MEK)            | ND     | 1  | 20   | µg/L  |
| 2-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 2-Hexanone                  | ND     | 1  | 20   | µg/L  |
| 4-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 4-Methyl-2-Pentanone(MIBK)  | ND     | 1  | 20   | µg/L  |
| Acetone                     | ND     | 1  | 20   | µg/L  |
| Acetonitrile                | ND     | 1  | 5.0  | µg/L  |
| Benzene                     | ND     | 1  | 0.50 | µg/L  |
| Bromobenzene                | ND     | 1  | 0.50 | µg/L  |
| Bromochloromethane          | ND     | 1  | 0.50 | µg/L  |
| Bromodichloromethane        | ND     | 1  | 0.50 | µg/L  |
| Bromoform                   | ND     | 1  | 0.50 | µg/L  |
| Bromomethane                | ND     | 1  | 0.50 | µg/L  |
| Carbon Disulfide            | ND     | 1  | 0.50 | µg/L  |
| Carbon Tetrachloride        | ND     | 1  | 0.50 | µg/L  |
| Chlorobenzene               | ND     | 1  | 0.50 | µg/L  |
| Chloroethane                | ND     | 1  | 0.50 | µg/L  |
| Chloroform                  | ND     | 1  | 0.50 | µg/L  |
| Chloromethane               | ND     | 1  | 0.50 | µg/L  |
| cis-1,2-Dichloroethene      | ND     | 1  | 0.50 | µg/L  |
| cis-1,3-Dichloropropene     | ND     | 1  | 0.50 | µg/L  |
| Dibromochloromethane        | ND     | 1  | 0.50 | µg/L  |
| Dibromomethane              | ND     | 1  | 0.50 | µg/L  |
| Dichlorodifluoromethane     | ND     | 1  | 0.50 | µg/L  |
| Diisopropyl Ether           | ND     | 1  | 5.0  | µg/L  |
| Ethyl Benzene               | ND     | 1  | 0.50 | µg/L  |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**Method Blank - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM2080604**

Validated by: MaiChiTu - 06/06/08

**QC Batch Analysis Date: 6/4/2008**

| Parameter                   | Result            | DF                    | PQLR | Units |
|-----------------------------|-------------------|-----------------------|------|-------|
| Freon 113                   | ND                | 1                     | 5.0  | µg/L  |
| Hexachlorobutadiene         | ND                | 1                     | 5.0  | µg/L  |
| Iodomethane                 | ND                | 1                     | 5.0  | µg/L  |
| Isopropanol                 | ND                | 1                     | 20   | µg/L  |
| Isopropylbenzene            | ND                | 1                     | 1.0  | µg/L  |
| Methylene Chloride          | ND                | 1                     | 20   | µg/L  |
| Methyl-t-butyl Ether        | ND                | 1                     | 1.0  | µg/L  |
| Naphthalene                 | ND                | 1                     | 5.0  | µg/L  |
| n-Butylbenzene              | ND                | 1                     | 5.0  | µg/L  |
| n-Propylbenzene             | ND                | 1                     | 5.0  | µg/L  |
| Pentachloroethane           | ND                | 1                     | 0.50 | µg/L  |
| p-Isopropyltoluene          | ND                | 1                     | 5.0  | µg/L  |
| sec-Butylbenzene            | ND                | 1                     | 5.0  | µg/L  |
| Styrene                     | ND                | 1                     | 0.50 | µg/L  |
| tert-Amyl Methyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butanol (TBA)          | ND                | 1                     | 10   | µg/L  |
| tert-Butyl Ethyl Ether      | ND                | 1                     | 5.0  | µg/L  |
| tert-Butylbenzene           | ND                | 1                     | 5.0  | µg/L  |
| Tetrachloroethene           | ND                | 1                     | 0.50 | µg/L  |
| Tetrahydrofuran             | ND                | 1                     | 20   | µg/L  |
| Toluene                     | ND                | 1                     | 0.50 | µg/L  |
| trans-1,2-Dichloroethene    | ND                | 1                     | 0.50 | µg/L  |
| trans-1,3-Dichloropropene   | ND                | 1                     | 0.50 | µg/L  |
| trans-1,4-Dichloro-2-butene | ND                | 1                     | 5.0  | µg/L  |
| Trichloroethene             | ND                | 1                     | 0.50 | µg/L  |
| Trichlorofluoromethane      | ND                | 1                     | 0.50 | µg/L  |
| Vinyl Chloride              | ND                | 1                     | 0.50 | µg/L  |
| Xylenes, Total              | ND                | 1                     | 1.0  | µg/L  |
| <b>Surrogate for Blank</b>  | <b>% Recovery</b> | <b>Control Limits</b> |      |       |
| 4-Bromofluorobenzene        | <b>96.7</b>       | 60 - 130              |      |       |
| Dibromofluoromethane        | <b>99.3</b>       | 60 - 130              |      |       |
| Toluene-d8                  | <b>97.9</b>       | 60 - 130              |      |       |





Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B

QC Batch ID: WGC080605

Reviewed by: MaiChiTu - 06/09/08

QC Batch ID Analysis Date: 6/5/2008

**LCS**

| Parameter            | Method Blank      | Spike Amt             | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|-------------------|-----------------------|-------------|-------|------------|-----------------|
| TPH as Gasoline      | <50               | 120                   | 132         | µg/L  | 106        | 65 - 135        |
| <b>Surrogate</b>     | <b>% Recovery</b> | <b>Control Limits</b> |             |       |            |                 |
| 4-Bromofluorobenzene | 100.0             | 65 - 135              |             |       |            |                 |

**LCSD**

| Parameter            | Method Blank      | Spike Amt             | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|-------------------|-----------------------|-------------|-------|------------|-----|------------|-----------------|
| TPH as Gasoline      | <50               | 120                   | 132         | µg/L  | 106        | 0.0 | 25.0       | 65 - 135        |
| <b>Surrogate</b>     | <b>% Recovery</b> | <b>Control Limits</b> |             |       |            |     |            |                 |
| 4-Bromofluorobenzene | 105.0             | 65 - 135              |             |       |            |     |            |                 |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

**LCS / LCSD - Liquid - VOCs: EPA 5030B / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater**

**QC Batch ID: WM2080604**

Reviewed by: MaiChiTu - 06/06/08

**QC Batch ID Analysis Date: 6/4/2008**

**LCS**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 20.8        | µg/L  | 104        | 70 - 130        |
| Benzene              | <0.50        | 20        | 21.0        | µg/L  | 105        | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 20.2        | µg/L  | 101        | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 20.9        | µg/L  | 104        | 70 - 130        |
| Toluene              | <0.50        | 20        | 19.8        | µg/L  | 99.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 21.4        | µg/L  | 107        | 70 - 130        |

| Surrogate            | % Recovery   | Control Limits |
|----------------------|--------------|----------------|
| 4-Bromofluorobenzene | <b>97.6</b>  | 60 - 130       |
| Dibromofluoromethane | <b>102.0</b> | 60 - 130       |
| Toluene-d8           | <b>99.4</b>  | 60 - 130       |

**LCSD**

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 21.1        | µg/L  | 106        | 1.4 | 25.0       | 70 - 130        |
| Benzene              | <0.50        | 20        | 20.7        | µg/L  | 104        | 1.4 | 25.0       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 20.7        | µg/L  | 104        | 2.4 | 25.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 20.4        | µg/L  | 102        | 2.4 | 25.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 19.6        | µg/L  | 98.0       | 1.0 | 25.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 22.0        | µg/L  | 110        | 2.8 | 25.0       | 70 - 130        |

| Surrogate            | % Recovery  | Control Limits |
|----------------------|-------------|----------------|
| 4-Bromofluorobenzene | <b>98.3</b> | 60 - 130       |
| Dibromofluoromethane | <b>98.7</b> | 60 - 130       |
| Toluene-d8           | <b>97.7</b> | 60 - 130       |



Northern California 3334 Victor Court, Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

MS / MSD - Liquid - TPH-Purgeable - GC : EPA 5030B / EPA 8015B

QC Batch ID: WGC080605

Reviewed by: MaiChiTu - 06/09/08

QC Batch ID Analysis Date: 6/5/2008

MS Sample Spiked: C1066-001

| Parameter       | Sample Result | DF | Spike Amount | Spike Result | Units | Analysis Date | % Recovery | Recovery Limits |
|-----------------|---------------|----|--------------|--------------|-------|---------------|------------|-----------------|
| TPH as Gasoline | ND            | 1  | 120          | 122          | µg/L  | 6/5/2008      | 97.6       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 95.2       | 65 - 135       |

MSD Sample Spiked: C1066-001


| Parameter       | Sample Result | DF | Spike Amount | Spike Result | Units | Analysis Date | % Recovery | RPD | RPD Limits | Recovery Limits |
|-----------------|---------------|----|--------------|--------------|-------|---------------|------------|-----|------------|-----------------|
| TPH as Gasoline | ND            | 1  | 120          | 130          | µg/L  | 6/5/2008      | 104        | 6.3 | 25.0       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 105.0      | 65 - 135       |

CHAIN OF CUSTODY RECORD

| PROJ. NO.<br>8-90421-SI                       |         | NAME<br>400 San Pablo Ave., Albany |                                |       |   |     |            | ANALYSES REQUESTED BY<br>IP19 by R015MAN<br>EPA 8216018P |   |  |             | REMARKS |                          |                  |   |  |  |  |
|---|---------|------------------------------------|--------------------------------|-------|---|-----|------------|--|---|--|-------------|---------|--------------------------|------------------|---|--|--|--|
| SAMPLERS: (Signature)<br>Richard Manly C1066  |         |                                    |                                |       |   |     |            |  |   |  |             |         |                          |                  |   |  |  |  |
| NO.   | DATE    | TIME                               | SOIL                           | WATER | LOCATION                                |     | CON-TAINER |  |   |  |             |         |                          |                  |   |  |  |  |
| 1   | 5/23/08 | 8:35                               |                                | ✓     | C-1                                     | 001 | 4          | ✓  | ✓ |  |             |         |                          | EDF #T0600101089 |   |  |  |  |
| 2   | ↓       | 8:57                               |                                | ✓     | C-2                                     | 002 | 4          | ✓  | ✓ |  |             |         |                          |                  |   |  |  |  |
| 3   | ↓       | 9:22                               |                                | ✓     | C-3                                     | 003 | 4          | ✓  | ✓ |  |             |         |                          |                  |   |  |  |  |
| 4   | ↓       | 9:49                               |                                | ✓     | C-4                                     | 004 | 4          | ✓  | ✓ |  |             |         |                          | *Full list       |   |  |  |  |
| Reid @ VOR's HCL each<br>w/ 5.0° Temp         |         |                                    |                                |       |   |     |            |  |   | *All vials are HCL preserved*                    |             |         |                          |                  | Note: Please label the field points according to location on the Chain. |  |  |  |
| Relinquished by: (Signature)<br>Richard Manly |         |                                    | Date / Time<br>5/23/08 / 11:53 |       | Received by: (Signature)<br>[Signature] |     |            | Relinquished by: (Signature)                             |   |  | Date / Time |         | Received by: (Signature) |                  |   |  |  |  |
| Relinquished by: (Signature)                  |         |                                    | Date / Time                    |       | Received by: (Signature)                |     |            | Relinquished by: (Signature)                             |   |  | Date / Time |         | Received by: (Signature) |                  |   |  |  |  |
| Relinquished by: (Signature)                  |         |                                    | Date / Time                    |       | Received for Laboratory by: (Signature) |     |            | Date / Time  |   | Remarks<br>Please send lab report to Frank Hamed |             |         |                          |                  |   |  |  |  |

05/28/2008 11:49 4082922116 ENVIRO SOIL TECH PAGE 02



**ENVIRO SOIL TECH CONSULTANTS**  
 Environmental & Geotechnical Consultants  
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111  
 Tel: (408) 297-1500 Fax: (408) 292-2116