

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054**Phone: (408) 588-0200****Fax: (408) 588-0201****Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111****Lab Certificate Number: 52081****Issued: 11/02/2006****Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany****Global ID: T0600101089**

Certificate of Analysis - Final Report

On October 25, 2006, samples were received under chain of custody for analysis.
Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Liquid	Electronic Deliverables for Geotracker VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater TPH-Purgeable: GC/MS	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Erin Cunniffe
Operations Manager

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-001 Sample ID: GP-1

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethene	0.50		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	10/27/2006	WM1061027
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Acetone	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-001 Sample ID: GP-1

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	2.0		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Tetrachloroethene	7.9		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Trichloroethene	1.8		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	103	60 - 130
Dibromofluoromethane	96.2	60 - 130
Toluene-d8	104	60 - 130

Analyzed by: XBian

Reviewed by: TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-001 Sample ID: GP-1

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	25	µg/L	N/A	N/A	10/27/2006	WM1061027

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	93.0	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	96.7	60 - 130

Analyzed by: XBian
Reviewed by: TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-002 Sample ID: GP-2

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	10/27/2006	WM1061027
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Acetone	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-002 Sample ID: GP-2

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Tetrachloroethene	8.2		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	10/27/2006	WM1061027
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Trichloroethene	0.67		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	10/27/2006	WM1061027
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	10/27/2006	WM1061027

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	105	60 - 130
Dibromofluoromethane	97.2	60 - 130
Toluene-d8	102	60 - 130

Analyzed by: XBian
Reviewed by: TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-002

Sample ID: GP-2

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	25	µg/L	N/A	N/A	10/27/2006	WM1061027

Surrogate	Surrogate Recovery	Control Limits (%)	
4-Bromofluorobenzene	94.7	60	- 130
Dibromofluoromethane	102	60	- 130
Toluene-d8	95.4	60	- 130

Analyzed by: XBian
Reviewed by: TFulton

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-003 Sample ID: GP-3

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1,1-Trichloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1,2,2-Tetrachloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1,2-Trichloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloropropene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichlorobenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichloropropane	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trichlorobenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trimethylbenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromo-3-Chloropropane	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromoethane (EDB)	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dichlorobenzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloropropane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,3,5-Trimethylbenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
1,3-Dichlorobenzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,3-Dichloropropane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,4-Dichlorobenzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
1,4-Dioxane	ND		5.0	250	µg/L	N/A	N/A	10/31/2006	WM1061031
2,2-Dichloropropane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Butanone (MEK)	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Chloroethyl-vinyl Ether	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Chlorotoluene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Hexanone	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
4-Chlorotoluene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
4-Methyl-2-Pentanone(MIBK)	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
Acetone	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
Acetonitrile	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Acrolein	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Acrylonitrile	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Benzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Benzyl Chloride	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromobenzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromochloromethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromodichloromethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromoform	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromomethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Carbon Disulfide	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Carbon Tetrachloride	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Chlorobenzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Chloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Chloroform	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Chloromethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:32 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-003 Sample ID: GP-3

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	430		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
cis-1,3-Dichloropropene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Cyclohexanone	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
Dibromochloromethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Dibromomethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Dichlorodifluoromethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Diisopropyl Ether	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Ethyl Benzene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Freon 113	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Hexachlorobutadiene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Iodomethane	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Isopropanol	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
Isopropylbenzene	ND		5.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Methyl-t-butyl Ether	ND		5.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Methylene Chloride	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
n-Butylbenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
n-Propylbenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Naphthalene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
p-Isopropyltoluene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Pentachloroethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
sec-Butylbenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Styrene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Amyl Methyl Ether	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butanol (TBA)	ND		5.0	50	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butyl Ethyl Ether	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butylbenzene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Tetrachloroethene	48		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Tetrahydrofuran	ND		5.0	100	µg/L	N/A	N/A	10/31/2006	WM1061031
Toluene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,2-Dichloroethene	7.1		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,3-Dichloropropene	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,4-Dichloro-2-butene	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Trichloroethene	29		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Trichlorofluoromethane	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Vinyl Acetate	ND		5.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031
Vinyl Chloride	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031
Xylenes, Total	ND		5.0	2.5	µg/L	N/A	N/A	10/31/2006	WM1061031

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	106	60 - 130
Dibromofluoromethane	100	60 - 130
Toluene-d8	104	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamed

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-003

Sample ID: GP-3

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	310		5.0	120	µg/L	N/A	N/A	10/31/2006	WM1061031

Reported TPH as Gasoline value is the result of a discrete peak within the TPH as Gasoline quantitation range.

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.6	60 - 130
Dibromofluoromethane	105	60 - 130
Toluene-d8	96.9	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-004 Sample ID: GP-4

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	10/31/2006	WM1061031
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Acetone	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

11/2/2006 12:32:33 PM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-004 Sample ID: GP-4

Matrix: Liquid Sample Date: 10/23/2006

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
cis-1,2-Dichloroethene	3.3		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Tetrachloroethene	2.6		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	10/31/2006	WM1061031
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Trichloroethene	1.3		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	10/31/2006	WM1061031
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031
Xylenes, Total	0.67		1.0	0.50	µg/L	N/A	N/A	10/31/2006	WM1061031

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	106	60 - 130
Dibromofluoromethane	99.2	60 - 130
Toluene-d8	102	60 - 130

Analyzed by: XBian

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 10/25/2006
Sample Collected by: Client

Lab # : 52081-004

Sample ID: GP-4

Matrix: Liquid Sample Date: 10/23/2006

TPH-Purgeable: GC/MS

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	25	µg/L	N/A	N/A	10/31/2006	WM1061031

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.5	60 - 130
Dibromofluoromethane	104	60 - 130
Toluene-d8	95.4	60 - 130

Analyzed by: XBian
Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061027

Validated by: TFulton - 10/30/06

QC Batch Analysis Date: 10/27/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061027

Validated by: TFulton - 10/30/06

QC Batch Analysis Date: 10/27/2006

Parameter	Result	DF	PQLR	Units
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	87.5	70 - 125
Dibromofluoromethane	85.1	70 - 125
Toluene-d8	109	70 - 125

Method Blank - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061027

Validated by: TFulton - 10/30/06

QC Batch Analysis Date: 10/27/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	25	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	78.9	60 - 130
Dibromofluoromethane	89.0	60 - 130
Toluene-d8	102	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061027

Reviewed by: TFulton - 10/30/06

QC Batch ID Analysis Date: 10/27/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.9	µg/L	94.5	70 - 130
Benzene	<0.50	20	19.0	µg/L	95.0	70 - 130
Chlorobenzene	<0.50	20	20.9	µg/L	104	70 - 130
Methyl-t-butyl Ether	<1.0	20	21.7	µg/L	108	70 - 130
Toluene	<0.50	20	19.2	µg/L	96.0	70 - 130
Trichloroethene	<0.50	20	20.8	µg/L	104	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	108.0	60 - 130
Dibromofluoromethane	103.0	60 - 130
Toluene-d8	100.0	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	21.0	µg/L	105	11	25.0	70 - 130
Benzene	<0.50	20	20.9	µg/L	104	9.5	25.0	70 - 130
Chlorobenzene	<0.50	20	21.3	µg/L	106	1.9	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	23.9	µg/L	120	9.6	25.0	70 - 130
Toluene	<0.50	20	19.9	µg/L	99.5	3.6	25.0	70 - 130
Trichloroethene	<0.50	20	21.8	µg/L	109	4.7	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	110.0	60 - 130
Dibromofluoromethane	109.0	60 - 130
Toluene-d8	99.6	60 - 130

LCS / LCSD - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061027

Reviewed by: TFulton - 10/30/06

QC Batch ID Analysis Date: 10/27/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<25	120	107	µg/L	85.6	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	90.5	60 - 130
Dibromofluoromethane	97.7	60 - 130
Toluene-d8	93.4	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<25	120	107	µg/L	85.8	0.19	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	96.3	60 - 130
Dibromofluoromethane	99.5	60 - 130
Toluene-d8	94.5	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061031

Validated by: MaiChiTu - 10/31/06

QC Batch Analysis Date: 10/31/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061031

Validated by: MaiChiTu - 10/31/06

QC Batch Analysis Date: 10/31/2006

Parameter	Result	DF	PQLR	Units
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	101	70 - 125
Dibromofluoromethane	90.1	70 - 125
Toluene-d8	101	70 - 125

Method Blank - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061031

Validated by: MaiChiTu - 10/31/06

QC Batch Analysis Date: 10/31/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	25	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	91.2	60 - 130
Dibromofluoromethane	94.3	60 - 130
Toluene-d8	94.0	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM1061031

Reviewed by: MaiChiTu - 10/31/06

QC Batch ID Analysis Date: 10/31/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.3	µg/L	91.5	70 - 130
Benzene	<0.50	20	20.1	µg/L	100	70 - 130
Chlorobenzene	<0.50	20	21.1	µg/L	106	70 - 130
Methyl-t-butyl Ether	<1.0	20	20.5	µg/L	102	70 - 130
Toluene	<0.50	20	19.3	µg/L	96.5	70 - 130
Trichloroethene	<0.50	20	20.8	µg/L	104	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	103.0	60 - 130
Dibromofluoromethane	96.3	60 - 130
Toluene-d8	96.5	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	14.6	µg/L	73.0	22	25.0	70 - 130
Benzene	<0.50	20	16.1	µg/L	80.5	22	25.0	70 - 130
Chlorobenzene	<0.50	20	17.3	µg/L	86.5	20	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	17.3	µg/L	86.5	17	25.0	70 - 130
Toluene	<0.50	20	15.8	µg/L	79.0	20	25.0	70 - 130
Trichloroethene	<0.50	20	16.6	µg/L	83.0	22	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	101.0	60 - 130
Dibromofluoromethane	93.3	60 - 130
Toluene-d8	97.1	60 - 130

LCS / LCSD - Liquid - TPH-Purgeable: GC/MS

QC Batch ID: WM1061031

Reviewed by: MaiChiTu - 11/01/06

QC Batch ID Analysis Date: 10/31/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<25	120	128	µg/L	102	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	94.6	60 - 130
Dibromofluoromethane	93.6	60 - 130
Toluene-d8	95.1	60 - 130


LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<25	120	106	µg/L	85.2	18	25.0	65 - 135

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	96.1	60 - 130
Dibromofluoromethane	97.3	60 - 130
Toluene-d8	92.8	60 - 130

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-421-SI		NAME 400 San Pablo Avenue, Albany					CON-TAINER	ANALYSES REQUESTED IPHg by 8/26/00 EPA 8260B *				Lab # 52081		REMARKS		
SAMPLERS: (Signature) <i>Richard Mander</i>																
NO.	DATE	TIME	SOIL	WATER	LOCATION											
1	10/23/06			✓	GP-1 -001		5	✓	✓						EDF# T06001089	
2				✓	GP-2 -002		5	✓	✓							
3				✓	GP-3 -003		5	✓	✓							
4	✓			✓	GP-4 -004		5	✓	✓							
													* Full lists			
													* All vials are HCL preserved			
													Vials red cold storage			
													40°C 24/7			
Relinquished by: (Signature) <i>Richard Mander</i>			Date / Time 10/25/06 11:05		Received by: (Signature) <i>[Signature]</i>			Relinquished by: (Signature)			Date / Time		Received by: (Signature)			
Relinquished by: (Signature) <i>[Signature]</i>			Date / Time 10/25/06 11:30		Received by: (Signature) <i>Frank Hamed</i>			Relinquished by: (Signature)			Date / Time		Received by: (Signature)			
Relinquished by: (Signature)			Date / Time		Received for Laboratory by: (Signature)			Date / Time		Remarks Please send lab report to Frank Hamed						



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
 Tel: (408) 297-1500 Fax: (408) 292-2116