

RECEIVED

By Alameda County Environmental Health at 8:18 am, Mar 13, 2007

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Frank Hamedi
Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111

Lab Certificate Number: 52945
Issued: 12/21/2006

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany

Global ID: T0600101089

Certificate of Analysis - Final Report

On December 12, 2006, samples were received under chain of custody for analysis. Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test / Comments</u>
Liquid	Electronic Deliverables for Geotracker TPH-Purgeable-GC : EPA 5030C / EPA 8015B VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346). If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab # : 52945-001 Sample ID: C-1

Matrix: Liquid Sample Date: 12/11/2006 8:52 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-001 Sample ID: C-1

Matrix: Liquid Sample Date: 12/11/2006 8:52 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	84.3	60 - 130
Dibromofluoromethane	96.3	60 - 130
Toluene-d8	93.3	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-001 Sample ID: C-1

Matrix: Liquid Sample Date: 12/11/2006 8:52 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	97.9	65 - 135

Analyzed by: mruan

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-002 Sample ID: C-2

Matrix: Liquid Sample Date: 12/11/2006 9:30 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroform	0.97		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-002 Sample ID: C-2

Matrix: Liquid Sample Date: 12/11/2006 9:30 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	85.1	60 - 130
Dibromofluoromethane	97.0	60 - 130
Toluene-d8	93.0	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-002 Sample ID: C-2

Matrix: Liquid Sample Date: 12/11/2006 9:30 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	128	65 - 135

Analyzed by: mruan

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-003 Sample ID: C-3

Matrix: Liquid Sample Date: 12/11/2006 10:01 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-003 Sample ID: C-3

Matrix: Liquid Sample Date: 12/11/2006 10:01 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	84.6	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	92.6	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:07 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-003 Sample ID: C-3

Matrix: Liquid Sample Date: 12/11/2006 10:01 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	101	65 - 135

Analyzed by: mruan

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-004 Sample ID: C-4

Matrix: Liquid Sample Date: 12/11/2006 10:42 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,1-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2,2-Tetrachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1,2-Trichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,1-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,3-Trichloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trichlorobenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2,4-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromo-3-Chloropropane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dibromoethane (EDB)	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3,5-Trimethylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,3-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dichlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
1,4-Dioxane	ND		1.0	50	µg/L	N/A	N/A	12/20/2006	WM7061220
2,2-Dichloropropane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Butanone (MEK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chloroethyl-vinyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
2-Hexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Chlorotoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
4-Methyl-2-Pentanone(MIBK)	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Acetonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrolein	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Acrylonitrile	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Benzyl Chloride	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromodichloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromoform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Bromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Disulfide	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Carbon Tetrachloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chlorobenzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Chloroform	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:08 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-004 Sample ID: C-4

Matrix: Liquid Sample Date: 12/11/2006 10:42 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Chloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
cis-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Cyclohexanone	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromochloromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dibromomethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Dichlorodifluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Diisopropyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Ethyl Benzene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Freon 113	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Hexachlorobutadiene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Iodomethane	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropanol	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Isopropylbenzene	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methyl-t-butyl Ether	ND		1.0	1.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Methylene Chloride	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
n-Propylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Naphthalene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
p-Isopropyltoluene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Pentachloroethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
sec-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Styrene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Amyl Methyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butanol (TBA)	ND		1.0	10	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butyl Ethyl Ether	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
tert-Butylbenzene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrachloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Tetrahydrofuran	ND		1.0	20	µg/L	N/A	N/A	12/20/2006	WM7061220
Toluene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,2-Dichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,3-Dichloropropene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
trans-1,4-Dichloro-2-butene	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichloroethene	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Trichlorofluoromethane	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Acetate	ND		1.0	5.0	µg/L	N/A	N/A	12/20/2006	WM7061220
Vinyl Chloride	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220
Xylenes, Total	ND		1.0	0.50	µg/L	N/A	N/A	12/20/2006	WM7061220

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	87.0	60 - 130
Dibromofluoromethane	101	60 - 130
Toluene-d8	96.0	60 - 130

Analyzed by: BDhabalia

Reviewed by: EricKum

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 9:08:08 PM - LGlantz

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants
131 Tully Road
San Jose, CA 95111
Attn: Frank Hamedi

Project Number: 8-90-421-SI
Project Name: 400 San Pablo Avenue
Project Location: Albany
GlobalID: T0600101089

Certificate of Analysis - Data Report

Samples Received: 12/12/2006
Sample Collected by: Client

Lab # : 52945-004 Sample ID: C-4

Matrix: Liquid Sample Date: 12/11/2006 10:42 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
TPH as Gasoline	ND		1.0	50	µg/L	N/A	N/A	12/14/2006	WGC061214

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	98.5	65 - 135

Analyzed by: mruan

Reviewed by: MaiChiTu

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Validated by: MaiChiTu - 12/14/06

QC Batch Analysis Date: 12/14/2006

Parameter	Result	DF	PQLR	Units
TPH as Gasoline	ND	1	50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	99.3	65 - 135

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	5.0	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
1,4-Dioxane	ND	1	50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Acetonitrile	ND	1	5.0	µg/L
Acrolein	ND	1	5.0	µg/L
Acrylonitrile	ND	1	5.0	µg/L
Benzene	ND	1	0.50	µg/L
Benzyl Chloride	ND	1	5.0	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Cyclohexanone	ND	1	20	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

Parameter	Result	DF	PQLR	Units
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L
Hexachlorobutadiene	ND	1	5.0	µg/L
Iodomethane	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	20	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
Pentachloroethane	ND	1	0.50	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Tetrahydrofuran	ND	1	20	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
trans-1,4-Dichloro-2-butene	ND	1	5.0	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Acetate	ND	1	5.0	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	83.8	70 - 125
Dibromofluoromethane	92.9	70 - 125
Toluene-d8	92.6	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Reviewed by: MaiChiTu - 12/14/06

QC Batch ID Analysis Date: 12/14/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
TPH as Gasoline	<50	120	124	µg/L	99.2	65 - 135
Surrogate	% Recovery	Control Limits				
4-Bromofluorobenzene	128.0	65 - 135				

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
TPH as Gasoline	<50	120	119	µg/L	95.2	4.1	25.0	65 - 135
Surrogate	% Recovery	Control Limits						
4-Bromofluorobenzene	115.0	65 - 135						

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Reviewed by: EricKum - 12/21/06

QC Batch ID Analysis Date: 12/20/2006

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	18.3	µg/L	91.5	70 - 130
Benzene	<0.50	20	17.9	µg/L	89.5	70 - 130
Chlorobenzene	<0.50	20	18.5	µg/L	92.5	70 - 130
Methyl-t-butyl Ether	<1.0	20	15.4	µg/L	77.0	70 - 130
Toluene	<0.50	20	19.9	µg/L	99.5	70 - 130
Trichloroethene	<0.50	20	17.8	µg/L	89.0	70 - 130

Surrogate

Surrogate	% Recovery	Control Limits
-----------	------------	----------------

4-Bromofluorobenzene	90.0	60 - 130
Dibromofluoromethane	93.0	60 - 130
Toluene-d8	92.0	60 - 130

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	19.9	µg/L	99.5	8.4	25.0	70 - 130
Benzene	<0.50	20	19.1	µg/L	95.5	6.5	25.0	70 - 130
Chlorobenzene	<0.50	20	19.2	µg/L	96.0	3.7	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	16.8	µg/L	84.0	8.7	25.0	70 - 130
Toluene	<0.50	20	20.7	µg/L	104	3.9	25.0	70 - 130
Trichloroethene	<0.50	20	19.1	µg/L	95.5	7.0	25.0	70 - 130

Surrogate

Surrogate	% Recovery	Control Limits
-----------	------------	----------------

4-Bromofluorobenzene	90.4	60 - 130
Dibromofluoromethane	95.0	60 - 130
Toluene-d8	90.7	60 - 130

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

MS / MSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Reviewed by: ErickKum - 12/21/06

QC Batch ID Analysis Date: 12/20/2006


MS Sample Spiked: 52945-002

Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
1,1-Dichloroethene	ND	20	22.8	µg/L	12/20/2006	114	70 - 130
Benzene	ND	20	22.4	µg/L	12/20/2006	112	70 - 130
Chlorobenzene	ND	20	21.7	µg/L	12/20/2006	108	70 - 130
Methyl-t-butyl Ether	ND	20	19.3	µg/L	12/20/2006	96.5	70 - 130
Toluene	ND	20	23.6	µg/L	12/20/2006	118	70 - 130
Trichloroethene	ND	20	21.7	µg/L	12/20/2006	108	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	92.0	60 - 130
Dibromofluoromethane	97.0	60 - 130
Toluene-d8	91.5	60 - 130

CHAIN OF CUSTODY RECORD

PROJ. NO. 8-90-42-SI			NAME 400 San Pablo Avenue, Albany				CON-TAINER	ANALYSES REQUESTED @ TPIG BY 8015 EPA 816013P 66# 52945				REMARKS
SAMPLERS: (Signature) Richard Munk												
NO.	DATE	TIME	SOIL	WATER	LOCATION	CON-TAINER						
1	12/11/06	8:52		✓	C-1 -001	4	✓	✓			EDF # T0600101089	
2		9:30		✓	C-2 -002	4	✓	✓				
3		10:01		✓	C-3 -003	4	✓	✓				
4		10:42		✓	C-4 -004	4	✓	✓				
											* Full list	
											* All vials are HCC preserved *	
Relinquished by: (Signature) Richard Munk			Date / Time 12-12-06 1:00		Received by: (Signature) [Signature]		Relinquished by: (Signature)		Date / Time		Receive by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received by: (Signature)		Relinquished by: (Signature)		Date / Time		Received by: (Signature)	
Relinquished by: (Signature)			Date / Time		Received for Laboratory by: (Signature)		Date / Time		Remarks Please send lab report to Frank Hamedie			



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111
 Tel: (408) 297-1500 Fax: (408) 292-2116