

**RECEIVED**

By Alameda County Environmental Health at 8:13 am, Mar 13, 2007

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Frank Hamedi  
Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111

Lab Certificate Number: 52943  
Issued: 12/21/2006

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany

Global ID: T0600101089

## Certificate of Analysis - Final Report

On December 12, 2006, samples were received under chain of custody for analysis. Entech analyzes samples "as received" unless otherwise noted. The following results are included:

| <u>Matrix</u> | <u>Test / Comments</u>   |
|---------------|--|
| Liquid        | Electronic Deliverables for Geotracker<br>TPH-Purgeable-GC : EPA 5030C / EPA 8015B<br>VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater |

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346). If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy  
Laboratory Director

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab # : 52943-001 Sample ID: STMW-1

Matrix: Liquid Sample Date: 12/11/2006 4:47 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,1-Trichloroethane       | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2-Trichloroethane       | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethane          | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethene          | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloropropene         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichlorobenzene      | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichloropropane      | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trichlorobenzene      | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trimethylbenzene      | 3400   |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichlorobenzene         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloroethane          | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloropropane         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3,5-Trimethylbenzene      | 870    |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichlorobenzene         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichloropropane         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dichlorobenzene         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dioxane                 | ND     |      | 100   | 5000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2,2-Dichloropropane         | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Butanone (MEK)            | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chlorotoluene             | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Hexanone                  | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Chlorotoluene             | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetone                     | ND     |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetonitrile                | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrolein                    | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrylonitrile               | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzene                     | 7500   |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzyl Chloride             | ND     |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromobenzene                | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromochloromethane          | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromodichloromethane        | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromoform                   | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromomethane                | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Disulfide            | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Tetrachloride        | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chlorobenzene               | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroethane                | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroform                  | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloromethane               | ND     |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:15 PM - LGlantz

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-001 Sample ID: STMW-1

Matrix: Liquid Sample Date: 12/11/2006 4:47 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result      | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|-------------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| cis-1,3-Dichloropropene     | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Cyclohexanone               | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromochloromethane        | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromomethane              | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dichlorodifluoromethane     | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Diisopropyl Ether           | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Ethyl Benzene               | <b>2300</b> |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Freon 113                   | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Hexachlorobutadiene         | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Iodomethane                 | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropanol                 | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropylbenzene            | ND          |      | 100   | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methyl-t-butyl Ether        | ND          |      | 100   | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methylene Chloride          | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Butylbenzene              | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Propylbenzene             | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Naphthalene                 | <b>620</b>  |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| p-Isopropyltoluene          | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Pentachloroethane           | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| sec-Butylbenzene            | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Styrene                     | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Amyl Methyl Ether      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butanol (TBA)          | ND          |      | 100   | 1000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butyl Ethyl Ether      | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butylbenzene           | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrachloroethene           | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrahydrofuran             | ND          |      | 100   | 2000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Toluene                     | <b>1200</b> |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,2-Dichloroethene    | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,3-Dichloropropene   | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,4-Dichloro-2-butene | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichloroethene             | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichlorofluoromethane      | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Acetate               | ND          |      | 100   | 500             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Chloride              | ND          |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Xylenes, Total              | <b>8900</b> |      | 100   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 90.0               | 60 - 130           |
| Dibromofluoromethane | 93.1               | 60 - 130           |
| Toluene-d8           | 92.4               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-001      Sample ID: STMW-1

Matrix: Liquid      Sample Date: 12/11/2006 4:47 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | 42000  |      | 400   | 20000           | µg/L  | N/A       | N/A        | 12/13/2006    | WGC061213 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 119                | 65 - 135           |

Analyzed by: mruan

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006

Sample Collected by: Client

Lab # : 52943-002 Sample ID: STMW-2

Matrix: Liquid Sample Date: 12/11/2006 3:52 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,1-Trichloroethane       | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2-Trichloroethane       | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethane          | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethene          | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloropropene         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichlorobenzene      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichloropropane      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trichlorobenzene      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trimethylbenzene      | 590    |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichlorobenzene         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloroethane          | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloropropane         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3,5-Trimethylbenzene      | 310    |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichlorobenzene         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichloropropane         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dichlorobenzene         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dioxane                 | ND     |      | 20    | 1000            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2,2-Dichloropropane         | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Butanone (MEK)            | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chlorotoluene             | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Hexanone                  | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Chlorotoluene             | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetone                     | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetonitrile                | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrolein                    | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrylonitrile               | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzene                     | 1900   |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzyl Chloride             | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromobenzene                | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromochloromethane          | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromodichloromethane        | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromoform                   | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromomethane                | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Disulfide            | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Tetrachloride        | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chlorobenzene               | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroethane                | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroform                  | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloromethane               | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-002 Sample ID: STMW-2

Matrix: Liquid Sample Date: 12/11/2006 3:52 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| cis-1,3-Dichloropropene     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Cyclohexanone               | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromochloromethane        | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromomethane              | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dichlorodifluoromethane     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Diisopropyl Ether           | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Ethyl Benzene               | 660    |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Freon 113                   | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Hexachlorobutadiene         | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Iodomethane                 | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropanol                 | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropylbenzene            | ND     |      | 20    | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methyl-t-butyl Ether        | ND     |      | 20    | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methylene Chloride          | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Butylbenzene              | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Propylbenzene             | 360    |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Naphthalene                 | 290    |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| p-Isopropyltoluene          | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Pentachloroethane           | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| sec-Butylbenzene            | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Styrene                     | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Amyl Methyl Ether      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butanol (TBA)          | ND     |      | 20    | 200             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butyl Ethyl Ether      | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butylbenzene           | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrachloroethene           | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrahydrofuran             | ND     |      | 20    | 400             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Toluene                     | 420    |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,2-Dichloroethene    | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,3-Dichloropropene   | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,4-Dichloro-2-butene | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichloroethene             | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichlorofluoromethane      | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Acetate               | ND     |      | 20    | 100             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Chloride              | ND     |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Xylenes, Total              | 420    |      | 20    | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 92.4               | 60 - 130           |
| Dibromofluoromethane | 92.8               | 60 - 130           |
| Toluene-d8           | 88.1               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-002      Sample ID: STMW-2

Matrix: Liquid      Sample Date: 12/11/2006 3:52 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | 39000  |      | 100   | 5000            | µg/L  | N/A       | N/A        | 12/14/2006    | WGC061213 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 271 ***            | 65 - 135           |

Analyzed by: mruan

Reviewed by: MaiChiTu

\*\*\* Surrogate recovery is outside of the control limits due to matrix interference.

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-003 Sample ID: STMW-3

Matrix: Liquid Sample Date: 12/11/2006 2:50 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrolein                    | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrylonitrile               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzene                     | 0.64   |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzyl Chloride             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroform                  | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz



# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-003 Sample ID: STMW-3

Matrix: Liquid Sample Date: 12/11/2006 2:50 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Cyclohexanone               | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Acetate               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Xylenes, Total              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 85.2               | 60 - 130           |
| Dibromofluoromethane | 91.7               | 60 - 130           |
| Toluene-d8           | 92.5               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-003      Sample ID: STMW-3

Matrix: Liquid      Sample Date: 12/11/2006 2:50 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter            | Result                    | Qual | D/P-F                     | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date         | QC Batch  |
|----------------------|---------------------------|------|---------------------------|-----------------|-------|-----------|------------|-----------------------|-----------|
| TPH as Gasoline      | ND                        |      | 1.0                       | 50              | µg/L  | N/A       | N/A        | 12/14/2006            | WGC061213 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> |      | <b>Control Limits (%)</b> |                 |       |           |            | Analyzed by: mruan    |           |
| 4-Bromofluorobenzene | 97.8                      |      | 65                        | - 135           |       |           |            | Reviewed by: MaiChiTu |           |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-004 Sample ID: STMW-4

Matrix: Liquid Sample Date: 12/11/2006 1:49 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrolein                    | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrylonitrile               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzyl Chloride             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroform                  | 4.2    |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-004 Sample ID: STMW-4

Matrix: Liquid Sample Date: 12/11/2006 1:49 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Cyclohexanone               | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Acetate               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Xylenes, Total              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 82.5               | 60 - 130           |
| Dibromofluoromethane | 89.1               | 60 - 130           |
| Toluene-d8           | 94.4               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-004      Sample ID: STMW-4

Matrix: Liquid      Sample Date: 12/11/2006 1:49 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter            | Result                    | Qual | D/P-F                     | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date         | QC Batch  |
|----------------------|---------------------------|------|---------------------------|-----------------|-------|-----------|------------|-----------------------|-----------|
| TPH as Gasoline      | ND                        |      | 1.0                       | 50              | µg/L  | N/A       | N/A        | 12/14/2006            | WGC061214 |
| <b>Surrogate</b>     | <b>Surrogate Recovery</b> |      | <b>Control Limits (%)</b> |                 |       |           |            | Analyzed by: mruan    |           |
| 4-Bromofluorobenzene | 94.7                      |      | 65                        | - 135           |       |           |            | Reviewed by: MaiChiTu |           |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-005

Sample ID: STMW-5

Matrix: Liquid Sample Date: 12/11/2006 11:48 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrolein                    | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrylonitrile               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzyl Chloride             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroform                  | 3.7    |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-005 Sample ID: STMW-5

Matrix: Liquid Sample Date: 12/11/2006 11:48 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Cyclohexanone               | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Acetate               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Xylenes, Total              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 83.6               | 60 - 130           |
| Dibromofluoromethane | 94.9               | 60 - 130           |
| Toluene-d8           | 93.6               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-005      Sample ID: STMW-5

Matrix: Liquid      Sample Date: 12/11/2006 11:48 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 12/14/2006    | WGC061214 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 107                | 65 - 135           |

Analyzed by: mruan

Reviewed by: MaiChiTu



# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 12/11/2006 12:51 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,1-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1,2-Trichloroethane       | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloroethene          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,1-Dichloropropene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,3-Trichloropropane      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trichlorobenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2,4-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloroethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3,5-Trimethylbenzene      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,3-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dichlorobenzene         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 1,4-Dioxane                 | ND     |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2,2-Dichloropropane         | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Butanone (MEK)            | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 2-Hexanone                  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Chlorotoluene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetone                     | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acetonitrile                | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrolein                    | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Acrylonitrile               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzene                     | 10     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Benzyl Chloride             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromobenzene                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromochloromethane          | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromodichloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromoform                   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Bromomethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Disulfide            | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Carbon Tetrachloride        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chlorobenzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroethane                | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloroform                  | 4.0    |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Chloromethane               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:16 PM - LGlantz

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-006 Sample ID: MW-2

Matrix: Liquid Sample Date: 12/11/2006 12:51 PM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| cis-1,3-Dichloropropene     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Cyclohexanone               | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromochloromethane        | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dibromomethane              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Dichlorodifluoromethane     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Diisopropyl Ether           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Ethyl Benzene               | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Freon 113                   | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Hexachlorobutadiene         | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Iodomethane                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropanol                 | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Isopropylbenzene            | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methyl-t-butyl Ether        | ND     |      | 1.0   | 1.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Methylene Chloride          | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Butylbenzene              | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| n-Propylbenzene             | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Naphthalene                 | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| p-Isopropyltoluene          | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Pentachloroethane           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| sec-Butylbenzene            | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Styrene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Amyl Methyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butanol (TBA)          | ND     |      | 1.0   | 10              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butyl Ethyl Ether      | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| tert-Butylbenzene           | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrachloroethene           | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Tetrahydrofuran             | ND     |      | 1.0   | 20              | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Toluene                     | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,2-Dichloroethene    | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,3-Dichloropropene   | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| trans-1,4-Dichloro-2-butene | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichloroethene             | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Trichlorofluoromethane      | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Acetate               | ND     |      | 1.0   | 5.0             | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Vinyl Chloride              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |
| Xylenes, Total              | ND     |      | 1.0   | 0.50            | µg/L  | N/A       | N/A        | 12/19/2006    | WM7061219 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 86.0               | 60 - 130           |
| Dibromofluoromethane | 94.0               | 60 - 130           |
| Toluene-d8           | 94.5               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: MaiChiTu

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-006    Sample ID: MW-2

Matrix: Liquid    Sample Date: 12/11/2006 12:51 PM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | 100    |      | 1.0   | 50              | µg/L  | N/A       | N/A        | 12/14/2006    | WGC061214 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 189 ***            | 65 - 135           |

Analyzed by: mruan

Reviewed by: MaiChiTu

\*\*\* Surrogate recovery is outside of the control limits due to matrix interference.

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-007 Sample ID: MW-3

Matrix: Liquid Sample Date: 12/11/2006 10:50 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| 1,1,1,2-Tetrachloroethane   | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,1,1-Trichloroethane       | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,1,2,2-Tetrachloroethane   | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,1,2-Trichloroethane       | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,1-Dichloroethane          | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,1-Dichloroethene          | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,1-Dichloropropene         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2,3-Trichlorobenzene      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2,3-Trichloropropane      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2,4-Trichlorobenzene      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2,4-Trimethylbenzene      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2-Dibromo-3-Chloropropane | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2-Dibromoethane (EDB)     | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2-Dichlorobenzene         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2-Dichloroethane          | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,2-Dichloropropane         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,3,5-Trimethylbenzene      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,3-Dichlorobenzene         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,3-Dichloropropane         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,4-Dichlorobenzene         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 1,4-Dioxane                 | ND     |      | 2.0   | 100             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 2,2-Dichloropropane         | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 2-Butanone (MEK)            | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 2-Chloroethyl-vinyl Ether   | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 2-Chlorotoluene             | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 2-Hexanone                  | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 4-Chlorotoluene             | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| 4-Methyl-2-Pentanone(MIBK)  | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Acetone                     | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Acetonitrile                | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Acrolein                    | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Acrylonitrile               | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Benzene                     | 6.4    |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Benzyl Chloride             | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Bromobenzene                | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Bromochloromethane          | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Bromodichloromethane        | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Bromoform                   | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Bromomethane                | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Carbon Disulfide            | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Carbon Tetrachloride        | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Chlorobenzene               | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Chloroethane                | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Chloroform                  | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Chloromethane               | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

12/21/2006 8:54:17 PM - LGlantz

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-007 Sample ID: MW-3

Matrix: Liquid Sample Date: 12/11/2006 10:50 AM

VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

| Parameter                   | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| cis-1,2-Dichloroethene      | 42     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| cis-1,3-Dichloropropene     | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Cyclohexanone               | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Dibromochloromethane        | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Dibromomethane              | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Dichlorodifluoromethane     | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Diisopropyl Ether           | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Ethyl Benzene               | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Freon 113                   | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Hexachlorobutadiene         | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Iodomethane                 | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Isopropanol                 | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Isopropylbenzene            | ND     |      | 2.0   | 2.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Methyl-t-butyl Ether        | ND     |      | 2.0   | 2.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Methylene Chloride          | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| n-Butylbenzene              | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| n-Propylbenzene             | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Naphthalene                 | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| p-Isopropyltoluene          | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Pentachloroethane           | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| sec-Butylbenzene            | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Styrene                     | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| tert-Amyl Methyl Ether      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| tert-Butanol (TBA)          | ND     |      | 2.0   | 20              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| tert-Butyl Ethyl Ether      | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| tert-Butylbenzene           | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Tetrachloroethene           | 160    |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Tetrahydrofuran             | ND     |      | 2.0   | 40              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Toluene                     | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| trans-1,2-Dichloroethene    | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| trans-1,3-Dichloropropene   | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| trans-1,4-Dichloro-2-butene | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Trichloroethene             | 22     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Trichlorofluoromethane      | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Vinyl Acetate               | ND     |      | 2.0   | 10              | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Vinyl Chloride              | 6.1    |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |
| Xylenes, Total              | ND     |      | 2.0   | 1.0             | µg/L  | N/A       | N/A        | 12/20/2006    | WM7061220 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 85.0               | 60 - 130           |
| Dibromofluoromethane | 99.0               | 60 - 130           |
| Toluene-d8           | 92.6               | 60 - 130           |

Analyzed by: BDhabalia

Reviewed by: EricKum

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Enviro Soil Tech Consultants  
131 Tully Road  
San Jose, CA 95111  
Attn: Frank Hamedi

Project Number: 8-90-421-SI  
Project Name: 400 San Pablo Avenue  
Project Location: Albany  
GlobalID: T0600101089

## Certificate of Analysis - Data Report

Samples Received: 12/12/2006  
Sample Collected by: Client

Lab # : 52943-007      Sample ID: MW-3

Matrix: Liquid      Sample Date: 12/11/2006 10:50 AM

TPH-Purgeable-GC : EPA 5030C / EPA 8015B

| Parameter       | Result | Qual | D/P-F | Detection Limit | Units | Prep Date | Prep Batch | Analysis Date | QC Batch  |
|-----------------|--------|------|-------|-----------------|-------|-----------|------------|---------------|-----------|
| TPH as Gasoline | 460    |      | 5.0   | 250             | µg/L  | N/A       | N/A        | 12/15/2006    | WGC061215 |

| Surrogate            | Surrogate Recovery | Control Limits (%) |
|----------------------|--------------------|--------------------|
| 4-Bromofluorobenzene | 196 ***            | 65 - 135           |

Analyzed by: mruan

Reviewed by: MaiChiTu

\*\*\* Surrogate recovery is outside of the control limits due to matrix interference.

# Entech Analytical Labs, Inc.

---

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061213

Validated by: MaiChiTu - 12/13/06

QC Batch Analysis Date: 12/13/2006

| Parameter       | Result | DF | PQLR | Units |
|-----------------|--------|----|------|-------|
| TPH as Gasoline | ND     | 1  | 50   | µg/L  |

| Surrogate for Blank  | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 98.8       | 65 - 135       |

# Entech Analytical Labs, Inc.

---

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Validated by: MaiChiTu - 12/14/06

QC Batch Analysis Date: 12/14/2006

| Parameter       | Result | DF | PQLR | Units |
|-----------------|--------|----|------|-------|
| TPH as Gasoline | ND     | 1  | 50   | µg/L  |

| Surrogate for Blank  | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 99.3       | 65 - 135       |



# Entech Analytical Labs, Inc.

---

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061215

Validated by: MaiChiTu - 12/18/06

QC Batch Analysis Date: 12/15/2006

| Parameter       | Result | DF | PQLR | Units |
|-----------------|--------|----|------|-------|
| TPH as Gasoline | ND     | 1  | 50   | µg/L  |

| Surrogate for Blank  | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 94.7       | 65 - 135       |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061219

Validated by: MaiChiTu - 12/20/06

QC Batch Analysis Date: 12/19/2006

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| 1,1,1,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,1-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1,2,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,2-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethene          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloropropene         | ND     | 1  | 0.50 | µg/L  |
| 1,2,3-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,3-Trichloropropane      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromo-3-Chloropropane | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromoethane (EDB)     | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,3,5-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,3-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,3-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dioxane                 | ND     | 1  | 50   | µg/L  |
| 2,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 2-Butanone (MEK)            | ND     | 1  | 20   | µg/L  |
| 2-Chloroethyl-vinyl Ether   | ND     | 1  | 5.0  | µg/L  |
| 2-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 2-Hexanone                  | ND     | 1  | 20   | µg/L  |
| 4-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 4-Methyl-2-Pentanone(MIBK)  | ND     | 1  | 20   | µg/L  |
| Acetone                     | ND     | 1  | 20   | µg/L  |
| Acetonitrile                | ND     | 1  | 5.0  | µg/L  |
| Acrolein                    | ND     | 1  | 5.0  | µg/L  |
| Acrylonitrile               | ND     | 1  | 5.0  | µg/L  |
| Benzene                     | ND     | 1  | 0.50 | µg/L  |
| Benzyl Chloride             | ND     | 1  | 5.0  | µg/L  |
| Bromobenzene                | ND     | 1  | 0.50 | µg/L  |
| Bromochloromethane          | ND     | 1  | 0.50 | µg/L  |
| Bromodichloromethane        | ND     | 1  | 0.50 | µg/L  |
| Bromoform                   | ND     | 1  | 0.50 | µg/L  |
| Bromomethane                | ND     | 1  | 0.50 | µg/L  |
| Carbon Disulfide            | ND     | 1  | 0.50 | µg/L  |
| Carbon Tetrachloride        | ND     | 1  | 0.50 | µg/L  |
| Chlorobenzene               | ND     | 1  | 0.50 | µg/L  |
| Chloroethane                | ND     | 1  | 0.50 | µg/L  |
| Chloroform                  | ND     | 1  | 0.50 | µg/L  |
| Chloromethane               | ND     | 1  | 0.50 | µg/L  |
| cis-1,2-Dichloroethene      | ND     | 1  | 0.50 | µg/L  |
| cis-1,3-Dichloropropene     | ND     | 1  | 0.50 | µg/L  |
| Cyclohexanone               | ND     | 1  | 20   | µg/L  |
| Dibromochloromethane        | ND     | 1  | 0.50 | µg/L  |
| Dibromomethane              | ND     | 1  | 0.50 | µg/L  |
| Dichlorodifluoromethane     | ND     | 1  | 0.50 | µg/L  |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061219

Validated by: MaiChiTu - 12/20/06

QC Batch Analysis Date: 12/19/2006

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| Diisopropyl Ether           | ND     | 1  | 5.0  | µg/L  |
| Ethyl Benzene               | ND     | 1  | 0.50 | µg/L  |
| Freon 113                   | ND     | 1  | 5.0  | µg/L  |
| Hexachlorobutadiene         | ND     | 1  | 5.0  | µg/L  |
| Iodomethane                 | ND     | 1  | 5.0  | µg/L  |
| Isopropanol                 | ND     | 1  | 20   | µg/L  |
| Isopropylbenzene            | ND     | 1  | 1.0  | µg/L  |
| Methylene Chloride          | ND     | 1  | 20   | µg/L  |
| Methyl-t-butyl Ether        | ND     | 1  | 1.0  | µg/L  |
| Naphthalene                 | ND     | 1  | 5.0  | µg/L  |
| n-Butylbenzene              | ND     | 1  | 5.0  | µg/L  |
| n-Propylbenzene             | ND     | 1  | 5.0  | µg/L  |
| Pentachloroethane           | ND     | 1  | 0.50 | µg/L  |
| p-Isopropyltoluene          | ND     | 1  | 5.0  | µg/L  |
| sec-Butylbenzene            | ND     | 1  | 5.0  | µg/L  |
| Styrene                     | ND     | 1  | 0.50 | µg/L  |
| tert-Amyl Methyl Ether      | ND     | 1  | 5.0  | µg/L  |
| tert-Butanol (TBA)          | ND     | 1  | 10   | µg/L  |
| tert-Butyl Ethyl Ether      | ND     | 1  | 5.0  | µg/L  |
| tert-Butylbenzene           | ND     | 1  | 5.0  | µg/L  |
| Tetrachloroethene           | ND     | 1  | 0.50 | µg/L  |
| Tetrahydrofuran             | ND     | 1  | 20   | µg/L  |
| Toluene                     | ND     | 1  | 0.50 | µg/L  |
| trans-1,2-Dichloroethene    | ND     | 1  | 0.50 | µg/L  |
| trans-1,3-Dichloropropene   | ND     | 1  | 0.50 | µg/L  |
| trans-1,4-Dichloro-2-butene | ND     | 1  | 5.0  | µg/L  |
| Trichloroethene             | ND     | 1  | 0.50 | µg/L  |
| Trichlorofluoromethane      | ND     | 1  | 0.50 | µg/L  |
| Vinyl Acetate               | ND     | 1  | 5.0  | µg/L  |
| Vinyl Chloride              | ND     | 1  | 0.50 | µg/L  |
| Xylenes, Total              | ND     | 1  | 0.50 | µg/L  |

| Surrogate for Blank  | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 85.4       | 70 - 125       |
| Dibromofluoromethane | 91.8       | 70 - 125       |
| Toluene-d8           | 91.5       | 70 - 125       |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| 1,1,1,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,1-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1,2,2-Tetrachloroethane   | ND     | 1  | 0.50 | µg/L  |
| 1,1,2-Trichloroethane       | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloroethene          | ND     | 1  | 0.50 | µg/L  |
| 1,1-Dichloropropene         | ND     | 1  | 0.50 | µg/L  |
| 1,2,3-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,3-Trichloropropane      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trichlorobenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2,4-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromo-3-Chloropropane | ND     | 1  | 5.0  | µg/L  |
| 1,2-Dibromoethane (EDB)     | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloroethane          | ND     | 1  | 0.50 | µg/L  |
| 1,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,3,5-Trimethylbenzene      | ND     | 1  | 5.0  | µg/L  |
| 1,3-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,3-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dichlorobenzene         | ND     | 1  | 0.50 | µg/L  |
| 1,4-Dioxane                 | ND     | 1  | 50   | µg/L  |
| 2,2-Dichloropropane         | ND     | 1  | 0.50 | µg/L  |
| 2-Butanone (MEK)            | ND     | 1  | 20   | µg/L  |
| 2-Chloroethyl-vinyl Ether   | ND     | 1  | 5.0  | µg/L  |
| 2-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 2-Hexanone                  | ND     | 1  | 20   | µg/L  |
| 4-Chlorotoluene             | ND     | 1  | 5.0  | µg/L  |
| 4-Methyl-2-Pentanone(MIBK)  | ND     | 1  | 20   | µg/L  |
| Acetone                     | ND     | 1  | 20   | µg/L  |
| Acetonitrile                | ND     | 1  | 5.0  | µg/L  |
| Acrolein                    | ND     | 1  | 5.0  | µg/L  |
| Acrylonitrile               | ND     | 1  | 5.0  | µg/L  |
| Benzene                     | ND     | 1  | 0.50 | µg/L  |
| Benzyl Chloride             | ND     | 1  | 5.0  | µg/L  |
| Bromobenzene                | ND     | 1  | 0.50 | µg/L  |
| Bromochloromethane          | ND     | 1  | 0.50 | µg/L  |
| Bromodichloromethane        | ND     | 1  | 0.50 | µg/L  |
| Bromoform                   | ND     | 1  | 0.50 | µg/L  |
| Bromomethane                | ND     | 1  | 0.50 | µg/L  |
| Carbon Disulfide            | ND     | 1  | 0.50 | µg/L  |
| Carbon Tetrachloride        | ND     | 1  | 0.50 | µg/L  |
| Chlorobenzene               | ND     | 1  | 0.50 | µg/L  |
| Chloroethane                | ND     | 1  | 0.50 | µg/L  |
| Chloroform                  | ND     | 1  | 0.50 | µg/L  |
| Chloromethane               | ND     | 1  | 0.50 | µg/L  |
| cis-1,2-Dichloroethene      | ND     | 1  | 0.50 | µg/L  |
| cis-1,3-Dichloropropene     | ND     | 1  | 0.50 | µg/L  |
| Cyclohexanone               | ND     | 1  | 20   | µg/L  |
| Dibromochloromethane        | ND     | 1  | 0.50 | µg/L  |
| Dibromomethane              | ND     | 1  | 0.50 | µg/L  |
| Dichlorodifluoromethane     | ND     | 1  | 0.50 | µg/L  |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Validated by: EricKum - 12/21/06

QC Batch Analysis Date: 12/20/2006

| Parameter                   | Result | DF | PQLR | Units |
|-----------------------------|--------|----|------|-------|
| Diisopropyl Ether           | ND     | 1  | 5.0  | µg/L  |
| Ethyl Benzene               | ND     | 1  | 0.50 | µg/L  |
| Freon 113                   | ND     | 1  | 5.0  | µg/L  |
| Hexachlorobutadiene         | ND     | 1  | 5.0  | µg/L  |
| Iodomethane                 | ND     | 1  | 5.0  | µg/L  |
| Isopropanol                 | ND     | 1  | 20   | µg/L  |
| Isopropylbenzene            | ND     | 1  | 1.0  | µg/L  |
| Methylene Chloride          | ND     | 1  | 20   | µg/L  |
| Methyl-t-butyl Ether        | ND     | 1  | 1.0  | µg/L  |
| Naphthalene                 | ND     | 1  | 5.0  | µg/L  |
| n-Butylbenzene              | ND     | 1  | 5.0  | µg/L  |
| n-Propylbenzene             | ND     | 1  | 5.0  | µg/L  |
| Pentachloroethane           | ND     | 1  | 0.50 | µg/L  |
| p-Isopropyltoluene          | ND     | 1  | 5.0  | µg/L  |
| sec-Butylbenzene            | ND     | 1  | 5.0  | µg/L  |
| Styrene                     | ND     | 1  | 0.50 | µg/L  |
| tert-Amyl Methyl Ether      | ND     | 1  | 5.0  | µg/L  |
| tert-Butanol (TBA)          | ND     | 1  | 10   | µg/L  |
| tert-Butyl Ethyl Ether      | ND     | 1  | 5.0  | µg/L  |
| tert-Butylbenzene           | ND     | 1  | 5.0  | µg/L  |
| Tetrachloroethene           | ND     | 1  | 0.50 | µg/L  |
| Tetrahydrofuran             | ND     | 1  | 20   | µg/L  |
| Toluene                     | ND     | 1  | 0.50 | µg/L  |
| trans-1,2-Dichloroethene    | ND     | 1  | 0.50 | µg/L  |
| trans-1,3-Dichloropropene   | ND     | 1  | 0.50 | µg/L  |
| trans-1,4-Dichloro-2-butene | ND     | 1  | 5.0  | µg/L  |
| Trichloroethene             | ND     | 1  | 0.50 | µg/L  |
| Trichlorofluoromethane      | ND     | 1  | 0.50 | µg/L  |
| Vinyl Acetate               | ND     | 1  | 5.0  | µg/L  |
| Vinyl Chloride              | ND     | 1  | 0.50 | µg/L  |
| Xylenes, Total              | ND     | 1  | 0.50 | µg/L  |

| Surrogate for Blank  | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 83.8       | 70 - 125       |
| Dibromofluoromethane | 92.9       | 70 - 125       |
| Toluene-d8           | 92.6       | 70 - 125       |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061213

Reviewed by: MaiChiTu - 12/13/06

QC Batch ID Analysis Date: 12/13/2006

## LCS

| Parameter            | Method Blank      | Spike Amt             | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|-------------------|-----------------------|-------------|-------|------------|-----------------|
| TPH as Gasoline      | <50               | 120                   | 121         | µg/L  | 96.8       | 65 - 135        |
| <b>Surrogate</b>     | <b>% Recovery</b> | <b>Control Limits</b> |             |       |            |                 |
| 4-Bromofluorobenzene | 129.0             | 65 - 135              |             |       |            |                 |

## LCSD

| Parameter            | Method Blank      | Spike Amt             | SpikeResult | Units | % Recovery | RPD  | RPD Limits | Recovery Limits |
|----------------------|-------------------|-----------------------|-------------|-------|------------|------|------------|-----------------|
| TPH as Gasoline      | <50               | 120                   | 120         | µg/L  | 96.0       | 0.83 | 25.0       | 65 - 135        |
| <b>Surrogate</b>     | <b>% Recovery</b> | <b>Control Limits</b> |             |       |            |      |            |                 |
| 4-Bromofluorobenzene | 124.0             | 65 - 135              |             |       |            |      |            |                 |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061214

Reviewed by: MaiChiTu - 12/14/06

QC Batch ID Analysis Date: 12/14/2006

## LCS

| Parameter       | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|-----------------|--------------|-----------|-------------|-------|------------|-----------------|
| TPH as Gasoline | <50          | 120       | 124         | µg/L  | 99.2       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 128.0      | 65 - 135       |

## LCSD

| Parameter       | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|-----------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| TPH as Gasoline | <50          | 120       | 119         | µg/L  | 95.2       | 4.1 | 25.0       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 115.0      | 65 - 135       |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - TPH-Purgeable-GC : EPA 5030C / EPA 8015B

QC Batch ID: WGC061215

Reviewed by: MaiChiTu - 12/18/06

QC Batch ID Analysis Date: 12/15/2006

## LCS

| Parameter       | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|-----------------|--------------|-----------|-------------|-------|------------|-----------------|
| TPH as Gasoline | <50          | 120       | 111         | µg/L  | 88.8       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 121.0      | 65 - 135       |

## LCSD

| Parameter       | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|-----------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| TPH as Gasoline | <50          | 120       | 109         | µg/L  | 87.2       | 1.8 | 25.0       | 65 - 135        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 128.0      | 65 - 135       |



# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061219

Reviewed by: MaiChiTu - 12/20/06

QC Batch ID Analysis Date: 12/19/2006

## LCS

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 20.1        | µg/L  | 100        | 70 - 130        |
| Benzene              | <0.50        | 20        | 19.1        | µg/L  | 95.5       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 19.2        | µg/L  | 96.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 15.2        | µg/L  | 76.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 21.1        | µg/L  | 106        | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 19.3        | µg/L  | 96.5       | 70 - 130        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 90.3       | 60 - 130       |
| Dibromofluoromethane | 90.5       | 60 - 130       |
| Toluene-d8           | 90.4       | 60 - 130       |

## LCSD

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 18.9        | µg/L  | 94.5       | 6.6 | 25.0       | 70 - 130        |
| Benzene              | <0.50        | 20        | 18.1        | µg/L  | 90.5       | 5.4 | 25.0       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 18.5        | µg/L  | 92.5       | 3.7 | 25.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 15.5        | µg/L  | 77.5       | 2.0 | 25.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 20.0        | µg/L  | 100        | 4.9 | 25.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 18.4        | µg/L  | 91.5       | 5.3 | 25.0       | 70 - 130        |

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 90.0       | 60 - 130       |
| Dibromofluoromethane | 87.9       | 60 - 130       |
| Toluene-d8           | 93.0       | 60 - 130       |

# Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

LCS / LCSD - Liquid - VOCs: EPA 5030C / EPA 8260B for Groundwater and Water - EPA 624 for Wastewater

QC Batch ID: WM7061220

Reviewed by: EricKum - 12/21/06

QC Batch ID Analysis Date: 12/20/2006

## LCS

| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 18.3        | µg/L  | 91.5       | 70 - 130        |
| Benzene              | <0.50        | 20        | 17.9        | µg/L  | 89.5       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 18.5        | µg/L  | 92.5       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 15.4        | µg/L  | 77.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 19.9        | µg/L  | 99.5       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 17.8        | µg/L  | 89.0       | 70 - 130        |

## Surrogate

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 90.0       | 60 - 130       |
| Dibromofluoromethane | 93.0       | 60 - 130       |
| Toluene-d8           | 92.0       | 60 - 130       |

## LCSD


| Parameter            | Method Blank | Spike Amt | SpikeResult | Units | % Recovery | RPD | RPD Limits | Recovery Limits |
|----------------------|--------------|-----------|-------------|-------|------------|-----|------------|-----------------|
| 1,1-Dichloroethene   | <0.50        | 20        | 19.9        | µg/L  | 99.5       | 8.4 | 25.0       | 70 - 130        |
| Benzene              | <0.50        | 20        | 19.1        | µg/L  | 95.5       | 6.5 | 25.0       | 70 - 130        |
| Chlorobenzene        | <0.50        | 20        | 19.2        | µg/L  | 96.0       | 3.7 | 25.0       | 70 - 130        |
| Methyl-t-butyl Ether | <1.0         | 20        | 16.8        | µg/L  | 84.0       | 8.7 | 25.0       | 70 - 130        |
| Toluene              | <0.50        | 20        | 20.7        | µg/L  | 104        | 3.9 | 25.0       | 70 - 130        |
| Trichloroethene      | <0.50        | 20        | 19.1        | µg/L  | 95.5       | 7.0 | 25.0       | 70 - 130        |

## Surrogate

| Surrogate            | % Recovery | Control Limits |
|----------------------|------------|----------------|
| 4-Bromofluorobenzene | 90.4       | 60 - 130       |
| Dibromofluoromethane | 95.0       | 60 - 130       |
| Toluene-d8           | 90.7       | 60 - 130       |

CHAIN OF CUSTODY RECORD

| PROJ. NO.<br>8-90-421-SI                      |          | NAME<br>400 Sant Pablo Avenue, Albany |   |       |                              |   | CON-TAINER  | ANALYSES REQUESTED<br>IPHA by 0015<br>EPA 821.0-05* | REMARKS<br>Lab# 52943 |
|---|----------|---------------------------------------|---|-------|------------------------------|---|-------------|---|-----------------------|
| SAMPLERS: (Signature)<br>Richard Mandy        |          |                                       |   |       |                              |   |             |   |                       |
| NO.   | DATE     | TIME                                  | SOIL                                    | WATER | LOCATION                     |   |             |   |                       |
| 1   | 12/11/06 | 16:47                                 |   | ✓     | STMW-1 -001                  | 4   | ✓           | EDF # T0600/01089                                   |                       |
| 2   |          | 15:52                                 |   | ✓     | STMW-2 -002                  | 4   | ✓           |   |                       |
| 3   |          | 14:50                                 |   | ✓     | STMW-3 -003                  | 4   | ✓           |   |                       |
| 4   |          | 13:49                                 |   | ✓     | STMW-4 -004                  | 4   | ✓           |   |                       |
| 5   |          | 11:48                                 |   | ✓     | STMW-5 -005                  | 4   | ✓           | * Full list   |                       |
| 6   |          | 12:51                                 |   | ✓     | MW-2 -006                    | 4   | ✓           |   |                       |
| 7   | ✓        | 10:50                                 |   | ✓     | MW-3 007                     | 4   | ✓           |   |                       |
|   |          |                                       |   |       |                              |   |             | * All vials are HCL preserved *                     |                       |
| Relinquished by: (Signature)<br>Richard Mandy |          | Date / Time<br>12-12-06               | Received by: (Signature)<br>[Signature] |       | Relinquished by: (Signature) |   | Date / Time | Received by: (Signature)                            |                       |
| Relinquished by: (Signature)                  |          | Date / Time                           | Received by: (Signature)                |       | Relinquished by: (Signature) |   | Date / Time | Received by: (Signature)                            |                       |
| Relinquished by: (Signature)                  |          | Date / Time                           | Received for Laboratory by: (Signature) |       | Date / Time                  | Remarks<br>Please send lab report to Frank Hamedi |             |   |                       |



ENVIRO SOIL TECH CONSULTANTS

Environmental & Geotechnical Consultants  
 131 TULLY ROAD, SAN JOSE, CALIFORNIA 95111  
 Tel: (408) 297-1500 Fax: (408) 292-2116