



GETTLER-RYAN INC.

JUL 25 2002

TRANSMITTAL

July 8, 2002
G-R #386493

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-0329
340 Highland Avenue
Piedmont, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	June 28, 2002	Groundwater Monitoring and Sampling Report Second Quarter - Event of May 17, 2002

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **July 22, 2002**, at which time the final report will be distributed to the following:

cc: Mr. Scott Seery, Alameda County Health Care Services, Dept. of Environmental Health, 1153 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Chuck Headlee, RWQCB-S.F. Bay Region, 1515 Clay Street, Suite 1400, Oakland, CA 94612
Mr. Frank Hoffman, Hoffman Investment Co., 1760 Willow Road, Hillsborough, CA 94010
Mir Ghafari & Fred Manoucheri, Texaco Service Station, 340 Highland, Ave, Piedmont, CA 94611
Mr. Jeff Orwig, Texaco Service Station, 340 Highland, Ave, Piedmont, CA 94611
Mr. Jon Robbins, Chevron Products Law, P.O. Box 6004, Building T, Room T-4284, San Ramon, CA 94583 (w/o attachments)
Mr. Gregg Gurss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95676

Enclosures

trans/9-0329-KS



GETTLER - RYAN INC.

June 28, 2002
G-R Job #386493

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Quarter Event of May 17, 2002
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-0329
 340 Highland Avenue
 Piedmont, California

FIGURE
1

JOB NUMBER
 386493

REVIEWED BY

DATE
 May 17, 2002

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2 94.19	08/07/89	2.88	91.31	34,000	580	60	170	270	--
	11/15/89	2.80	91.39	8,100	500	36	420	180	--
	02/01/91	3.75	90.44	6,800	490	21	310	86	--
	04/16/91	2.55	91.64	9,600	810	43	550	270	--
	10/16/91	3.52	90.67	7,100	320	23	200	60	--
	01/08/92	4.15	90.04	2,400	190	9.0	83	22	--
	04/10/92	2.96	91.23	6,600	550	33	340	170	--
	07/14/92	2.83	91.36	9,000	680	330	580	690	--
	10/05/92	4.38	89.81	5,500	250	17	130	82	--
	01/06/93	3.94	90.25	5,500	190	32	41	54	--
	03/29/93	2.09	92.10	19,000	670	40	180	370	--
	07/02/93	2.09	92.10	8,000	1,100	41	420	500	--
	10/11/93	2.76	91.43	42,000	940	34	140	87	--
	01/10/94	4.82	89.37	12,000	770	20	220	74	--
	04/06/94	2.49	91.70	40,000	820	33	190	110	--
	07/06/94	2.47	91.72	8,800	870	28	140	95	--
	11/11/94	2.87	91.32	8,600	460	81	180	120	--
	01/06/95	2.55	91.64	15,000	880	48	270	140	--
	04/13/95	2.06	92.13	56,000	2,500	130	730	360	--
	07/25/95	2.14	92.05	11,000	1,000	34	540	160	--
10/05/95	2.51	91.68	13,000	1,000	<20	160	170	--	
01/02/96	2.22	91.97	9,500	1,300	<50	380	87	64,000	
04/11/96	1.92	92.27	<10,000	1,300	<100	<100	<100	74,000	
07/08/96	2.05	92.14	<20,000	1,200	<200	<200	<200	110,000	
10/03/96	2.29	91.90	<25,000	1,200	<250	<250	<250	140,000	
343.39	01/23/97	1.90	341.49	20,000	1,100	<200	460	<200	110,000
	02/14/97	1.97	341.42	--	--	--	--	--	150,000 ¹
	04/08/97	2.27	341.12	<50,000	1,100	<500	<500	<500	160,000
	07/09/97	1.98	341.41	<50,000	1,300	<500	<500	<500	210,000
	10/08/97	2.30	341.09	18,000	1,400	<50	300	95	160,000
	01/22/98	1.68	341.71	10,000	860	10	140	37	70,000

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-2	04/15/98	1.20	342.19	<10,000	1,400	<100	510	<100	46,000
(cont)	07/09/98	1.47	341.92	33,000	1,700	<50	650	<50	120,000
	10/02/98	2.13	341.26	11,000	920	11	130	76	100,000
	01/18/99	1.84	341.55	<25,000	1,770	<250	<250	<250	48,400/78,300 ¹
	04/19/99	1.17	342.22	9,900	1,110	26.6	455	82	33,300
	09/28/99	2.81	340.58	11,500	1,100	<50	93.9	53.1	26,200
	10/27/99	2.98	340.41	9,440	711	<20	74.9	42.4	17,500
	01/17/00	2.35	341.04	12,200	813	<50	133	<50	21,200
	04/11/00	1.31	342.08	210 ⁴	26	<0.50	3.7	1.1	580
	07/12/00	1.79	341.60	18,100 ⁵	1,350	480	800	1,240	19,200
	10/07/00	1.70	341.69	8,860 ⁵	1,070	<20.0	406	90.5	20,000
	01/05/01	1.57	341.82	14,000 ⁴	2,000	55	560	120	17,000
	04/05/01	1.37	342.02	4,900 ⁴	330	38	120	32	1,200
	08/20/01	2.52	340.87	7,300	1,100	42	290	55	7,200
	11/26/01	1.35	342.04	9,500	650	13	66	44	3,100
	02/25/02	0.82	342.57	5,300	340	6.9	83	22	1,200/1,400 ⁷
	05/17/02	1.85	341.54	6,300	160	5.1	45	14	5,100
C-3									
97.65	08/07/89	4.29	93.36	<50	<0.5	<1.0	<1.0	<3.0	--
	11/15/89	5.17	92.48	<500	<0.5	2.8	<0.5	1.1	--
	02/01/91	6.38	91.27	<50	<0.5	<0.5	<0.5	<0.5	--
	04/16/91	3.72	93.93	<50	<0.5	<0.5	<0.5	<0.5	--
	10/16/91	8.20	89.45	<50	<0.5	<0.5	<0.5	<0.5	--
	01/08/92	6.68	90.97	<50	<0.5	<0.5	<0.5	<0.5	--
	04/10/92	4.50	93.15	<50	<0.5	<0.5	<0.5	<0.5	--
	07/14/92	6.21	91.44	<50	<0.5	<0.5	<0.5	<0.5	--
	10/05/92	9.31	88.34	<50	<0.5	<0.5	<0.5	<0.5	--
	01/06/93	3.41	94.24	<50	<0.5	<0.5	<0.5	<0.5	--
	03/29/93	0.50	97.15	<50	<0.5	<0.5	<0.5	0.8	--
	07/02/93	2.59	95.06	<50	4.0	3.0	<0.5	3.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	
C-3 (cont)	10/11/93	4.90	92.75	<50	<0.5	<0.5	<0.5	<0.5	--	
	01/10/94	4.39	93.26	<50	<0.5	1.0	<0.5	0.8	--	
	04/06/94	2.68	94.97	<50	<0.5	1.0	0.7	4.5	--	
	07/06/94	2.10	95.55	<50	2.2	4.1	<0.5	2.8	--	
	11/11/94	1.23	96.42	<50	<0.5	0.8	<0.5	<0.5	--	
	01/06/95	0.60	97.05	<50	<0.5	<0.5	<0.5	<0.5	--	
	04/13/95	0.60	97.05	<50	<0.5	<0.5	<0.5	<0.5	--	
	07/25/95	1.65	96.00	<50	<0.5	<0.5	<0.5	<0.5	--	
	10/05/95	3.63	94.02	<50	<0.5	<0.5	<0.5	<0.5	--	
	01/02/96	3.12	94.53	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	04/11/96	0.82	96.83	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	07/08/96	1.50	96.15	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	10/03/96	2.48	95.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	347.08	01/23/97	0.21	346.87	<50	<0.5	<0.5	<0.5	<0.5	3.2
		04/08/97	0.75	346.33	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/09/97		1.47	345.61	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
10/08/97		2.04	345.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
01/22/98		FLOODED	--	<50	<0.5	<0.5	<0.5	<0.5	40	
04/15/98		FLOODED	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
347.20	05/13/98 ²	--	--	--	--	--	--	--	--	
	07/09/98	0.47	346.73	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	10/02/98	0.98	346.22	<50	<0.5	<0.5	<0.5	<1.5	<2.5	
	01/18/99	0.77	346.43	<50	<0.5	<0.5	<0.5	<1.5	<2.0	
	04/19/99	0.53	346.67	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	07/19/99	0.81	346.39	<50	<0.5	<0.5	<0.5	<0.5	<5.0	
	10/27/99	1.47	345.73	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	01/17/00	0.94	346.26	<50	<0.5	<0.5	<0.5	<0.5	<2.5	
	04/11/00	0.30	346.90	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
	07/12/00	0.42	346.78	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	
	10/07/00	1.01	346.19	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	
	01/05/01	1.38	345.82	<50	<0.50	<0.50	<0.50	<0.50	<2.5	
	04/05/01	0.35	346.85	<50	<0.50	<0.50	<0.50	<0.50	<2.5	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-3 (cont)	08/20/01	0.80	346.40	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	11/26/01	0.36	346.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5
	02/25/02	0.36	346.84	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
	05/17/02	0.45	346.75	<50	<0.50	<0.50	<0.50	<1.5	<2.5
C-4 95.60	08/07/89	DRY	--	--	--	--	--	--	--
	11/15/89	4.95	90.65	1300	2.9	310	0.5	2.9	--
	02/01/91	4.78	90.82	72	<0.5	9.0	<0.5	<0.5	--
	04/16/91	4.83	90.77	<50	<0.5	<0.5	<0.5	<0.5	--
	10/16/91	4.23	91.37	<50	<0.5	<0.5	<0.5	<0.5	--
	01/08/92	4.81	90.79	<50	<0.5	<0.5	<0.5	<0.5	--
	04/10/92	4.26	91.34	<50	<0.5	<0.5	<0.5	<0.5	--
	07/14/92	4.28	91.32	<50	<0.5	3.8	<0.5	<0.5	--
	10/05/92	4.29	91.31	<50	<0.5	<0.5	<0.5	<0.5	--
	01/06/93	4.29	91.31	<50	0.7	<0.5	<0.5	<0.5	--
	03/29/93	4.30	91.30	<50	0.5	1.0	<0.5	2.0	--
	07/02/93	4.22	91.38	<50	<0.5	<0.5	<0.5	<0.5	--
	10/11/93	4.30	91.30	<50	0.6	<0.5	<0.5	<0.5	--
	01/10/94	4.44	91.16	<50	0.7	3.0	<0.5	1.0	--
	04/06/94	4.24	91.36	130	2.2	5.4	3.3	24	--
	07/06/94	4.24	91.36	99	5.9	7.5	2.0	12	--
	11/11/94	4.21	91.39	<50	<0.5	9.5	<0.5	<0.5	--
	01/06/95	4.42	91.18	<50	0.7	1.0	<0.5	1.1	--
	04/13/95	4.24	91.36	67	0.54	7.2	<0.5	1.1	--
	07/25/95	4.24	91.36	390	<2.0	150	<2.0	<2.0	--
	10/05/95	4.38	91.22	130	<0.5	66	<0.5	<0.5	--
	01/02/96	4.26	91.34	<50	<0.5	<0.5	<0.5	<0.5	34
	04/11/96	4.39	91.21	<50	<0.5	0.93	<0.5	<0.5	56

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-4	07/08/96	4.28	91.32	<50	<0.5	<0.5	<0.5	<0.5	21
(cont)	10/03/96	4.22	91.38	80	<0.5	31	<0.5	<0.5	9.9
344.94	01/23/97	4.39	340.55	<50	<0.5	<0.5	<0.5	<0.5	23
	04/08/97	4.25	340.69	87	<0.5	3.6	<0.5	1.7	7.0
	07/09/97	4.21	340.73	93	<0.5	32	<0.5	<0.5	26
	10/08/97	4.34	340.60	<50	<0.5	0.63	<0.5	<0.5	12
	01/22/98	4.26	340.68	<50	<0.5	4.3	<0.5	<0.5	10
	04/15/98	1.01	343.93	SAMPLED SEMI-ANNUALLY		--	--	--	--
	07/09/98	4.25	340.69	<50	<0.5	<0.5	<0.5	<0.5	37
	10/02/98	4.35	340.59	--	--	--	--	--	--
	01/18/99	4.21	340.73	<50	<0.5	<0.5	<0.5	<0.5	25.4
	04/19/99	2.31	342.63	--	--	--	--	--	--
	07/19/99 ³	1.53	343.41	10,000	1,160	23	178	50.4	45,600
	09/28/99	4.70	340.24	<50	<0.5	0.919	<0.5	<0.5	<2.5
	10/27/99	1.26	343.68	--	--	--	--	--	--
	01/17/00	4.22	340.72	<50	<0.5	21.4	<0.5	<0.5	4.6
	04/11/00	4.21	340.73	--	--	--	--	--	--
	07/12/00	4.21	340.73	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
	10/07/00	4.23	340.71	--	--	--	--	--	--
	01/05/01	4.22	340.72	<50	<0.50	<0.50	<0.50	<0.50	27
	04/05/01	4.23	340.71	--	--	--	--	--	--
	08/20/01	4.27	340.67	<50	<0.50	<0.50	<0.50	<0.50	18
	11/26/01	4.26	340.68	SAMPLED SEMI-ANNUALLY		--	--	--	--
	02/25/02	4.25	340.69	<50	<0.50	1.8	<0.50	<1.5	24/24 ⁷
	05/17/02	3.30	341.64	SAMPLED SEMI-ANNUALLY		--	--	--	--
C-5	11/25/96	3.30	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
345.14	01/23/97	1.45	343.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/08/97	2.32	342.82	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	07/09/97	2.30	342.84	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/08/97	3.00	342.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-5	01/22/98	1.00	344.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5
(cont)	04/15/98	3.25	341.89	SAMPLED ANNUALLY		--	--	--	--
	07/09/98	0.20	344.94	--	--	--	--	--	--
	10/02/98	2.32	342.82	--	--	--	--	--	--
	01/18/99	2.13	343.01	<50	<0.5	<0.5	<0.5	<0.5	<2.0
	04/19/99	2.07	343.07	--	--	--	--	--	--
	07/19/99	2.42	342.72	--	--	--	--	--	--
	10/27/99	2.37	342.77	--	--	--	--	--	--
	01/17/00	2.50	342.64	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/00	2.18	342.96	--	--	--	--	--	--
	07/12/00	2.08	343.06	--	--	--	--	--	--
	10/07/00	2.38	342.76	--	--	--	--	--	--
	01/05/01	2.13	343.01	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	04/05/01	1.80	343.34	--	--	--	--	--	--
	08/20/01	2.08	343.06	--	--	--	--	--	--
	11/26/01	2.25	342.89	SAMPLED ANNUALLY		--	--	--	--
	02/25/02	2.80	342.34	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
	05/17/02	1.81	343.33	SAMPLED ANNUALLY		--	--	--	--
C-6	11/25/96	2.13	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
338.61	01/23/97	FLOODED	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/08/97	FLOODED	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	07/09/97	2.77	335.84	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/08/97	1.44	337.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	01/22/98	1.54	337.07	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/15/98	1.30	337.31	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	07/09/98	FLOODED	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/02/98	2.80	335.81	<50	<0.5	<0.5	<0.5	<1.5	<2.5
	01/18/99	1.29	337.32	<50	<0.5	<0.5	<0.5	<0.5	<2.0
	04/19/99	1.31	337.30	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	07/19/99	1.56	337.05	<50	<0.5	<0.5	<0.5	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
C-6 (cont)	10/27/99	1.45	337.16	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	01/17/00	1.65	336.96	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/00	1.56	337.05	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	07/12/00	1.01	337.60	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
	10/07/00	1.19	337.42	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
	01/05/01	0.87	337.74	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	04/05/01	0.32	338.29	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	08/20/01	-- ⁶	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	11/26/01	0.76	337.85	<50	<0.50	<0.50	<0.50	<1.5	<2.5
	02/25/02	-- ⁶	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ⁷
	05/17/02	-- ⁶	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
	Backfill Well: A								
	08/07/89	2.10	--	1,000	50	6.0	5.0	22	--
	11/15/89	2.04	--	3,700	98	2.1	4.3	55	--
	02/01/91	3.05	--	36,000	1,100	750	130	6,100	--
	04/16/91	2.01	--	8,000	370	6.0	86	750	--
	10/16/91	4.15	--	--	--	--	--	--	--
	NOT MONITORED/SAMPLED								
Backfill Well: B									
	08/07/89	4.12	--	--	--	--	--	--	--
	11/15/89	--	--	--	--	--	--	--	--
	02/01/91	5.03	--	--	--	--	--	--	--
	04/16/91	4.00	--	--	--	--	--	--	--
	10/16/91	6.24	--	--	--	--	--	--	--
	NOT MONITORED/SAMPLED								

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (mst)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
Trip Blank									
TB-LB	01/06/93	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	03/29/93	--	--	<50	<0.5	<0.5	<0.5	1.0	--
	07/02/93	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/11/93	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/10/94	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/06/94	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/06/94	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	11/11/94	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/06/95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	04/13/95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	07/25/95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	10/05/95	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/02/96	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/96	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	07/08/96	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/03/96	--	--	<50	<0.5	<0.5	<0.5	<0.5	--
	01/23/97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/08/97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	07/09/97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/08/97	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	01/22/98	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	07/09/98	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	10/02/98	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	01/18/99	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0
	04/19/99	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	07/19/99	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
	10/27/99	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	01/17/00	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
	04/11/00	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	07/12/00	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
	10/07/00	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

WELL ID/ TOC* (ft.)	DATE	DTW (ft.)	GWE (msl)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
TB-LB	01/05/01	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
(cont)	04/05/01	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
	08/20/01	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA	11/26/01	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
	02/25/02	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
	05/17/02	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0329
340 Highland Avenue
Piedmont, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to April 11, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

(msl) = Mean sea level

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance

* TOC elevations are relative to msl.

1 MTBE confirmation run.

2 TOC elevation adjusted due to broken top of casing.

3 Anomalous results: Results for this sample are likely the result of a mislabeling of sample containers; results most closely resemble those of well C-2.

4 Laboratory report indicates gasoline C6-C12.

5 Laboratory report indicates weathered gasoline C6-C12.

6 Unable to determine DTW, water overflowing TOC.

7 MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Former Chevron Service Station #9-0329
 340 Highland Avenue
 Piedmont, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
C-2	02/25/02	<500	210	1,400	<2	2	97	<2	<2
C-3	02/25/02	<500	<100	<2	<2	<2	<2	<2	<2
C-4	02/25/02	<500	<100	24	<2	<2	<2	<2	<2
C-5	02/25/02	<500	<100	<2	<2	<2	<2	<2	<2
C-6	02/25/02	<500	<100	<2	<2	<2	<2	<2	<2

EXPLANATIONS:

TBA = Tertiary butyl alcohol
 MTBE = Methyl tertiary butyl ether
 DIPE = Di-isopropyl ether
 ETBE = Ethyl tertiary butyl ether
 TAME = Tertiary amyl methyl ether
 1,2-DCA = 1,2-Dichloroethane
 EDB = 1,2-Dibromoethane
 (ppb) = Parts per billion

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0329

Job#: 386493

Address: 340 Highland Ave.

Date: 5/17/02

City: Piedmont, CA

Sampler: TK/DO

Well ID C-2

Well Condition: OK

Well Diameter 2 in.

Hydrocarbon Thickness: Ø (feet) Amount Bailed (product/water): Ø (Gallons)

Total Depth 11.90 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

Depth to Water 1.85 ft.

10.05 X VF .17 = 1.7 X 3 (case volume) = Estimated Purge Volume: 5 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1315

Weather Conditions: sunny/clear

Sampling Time: 1328

Water Color: cloudy Odor: yes

Purging Flow Rate: _____ gpm.

Sediment Description: shreen & fine grain sand

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1317</u>	<u>1.5</u>	<u>6.72</u>	<u>661</u>	<u>77.8</u>			
<u>1319</u>	<u>3.0</u>	<u>6.45</u>	<u>579</u>	<u>71.9</u>			
<u>1325</u>	<u>5.0</u>	<u>6.66</u>	<u>580</u>	<u>72.4</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-2</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: Well Had slow Recovery last casing volume

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/CHEVRON
 Facility # 9-0329
 Address: 340 Highland Ave.
 City: Piedmont, CA

Job#: 386493
 Date: 5-17-02
 Sampler: TC/DO

Well ID: C-3
 Well Diameter: 2 in.
 Total Depth: 13.10 ft.
 Depth to Water: 0.45 ft.

Well Condition: OK
 Hydrocarbon Thickness: Ø
 Amount Bailed (Gallons): Ø

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

12.65 x VF .17 = 2.1 x 3 (case volume) = Estimated Purge Volume: 6 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1332
 Sampling Time: 1346
 Purging Flow Rate: _____ gpm.
 Did well de-water? no

Weather Conditions: sunny/clear
 Water Color: cloudy Odor: none
 Sediment Description: light silt
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature °F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1334</u>	<u>2</u>	<u>7.29</u>	<u>425</u>	<u>76.7</u>			
<u>1337</u>	<u>4</u>	<u>7.06</u>	<u>386</u>	<u>73.0</u>			
<u>1339</u>	<u>6</u>	<u>6.83</u>	<u>371</u>	<u>71.6</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-3</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPHIG)/btex/mtbe</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/ CHEVRON

Facility # 9-0329

Job#: 386493

Address: 340 Highland Ave.

Date: 5/17/02

City: Piedmont, CA

Sampler: TC/DO

Well ID C-4

Well Condition: DK

Well Diameter 2 in.

Hydrocarbon Thickness: Ø (feet) Amount Bailed (product/water): Ø (Gallons)

Total Depth 9.81 ft.

Depth to Water 3.30 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack N/A
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer N/A
Grab Sample
Other: _____

Starting Time: _____

Weather Conditions: _____

Sampling Time: _____

Water Color: _____ Odor: _____

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-</u>	<u>-VDA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: monitored only

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/CHEVRON
 Facility # 9-0329
 Address: 340 Highland Ave.
 City: Piedmont, CA

Job#: 386493
 Date: 5/17/02
 Sampler: TC/DO

Well ID: C-5
 Well Diameter: 2 in.
 Total Depth: 17.04 ft.
 Depth to Water: 1.81 ft.

Well Condition: OK

Hydrocarbon Thickness:	<u>Ø</u> (feet)	Amount Bailed (product/water):	<u>Ø</u> (Gallons)
Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction N/A
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer N/A
 Grab Sample
 Other: _____

Starting Time: _____
 Sampling Time: _____
 Purging Flow Rate: _____ gpm.
 Did well de-water? _____

Weather Conditions: _____
 Water Color: _____ Odor: _____
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-</u>	<u>-VDA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: MONITORED ONLY

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0329

Job#: 386493

Address: 340 Highland Ave.

Date: 5/17/02

City: Piedmont, CA

Sampler: TC/00

Well ID C-6

Well Condition: OK

Well Diameter 2 in.

Hydrocarbon Thickness: Ø (feet) Amount Bailed (product/water): Ø (Gallons)

Total Depth 17.15 ft.

Depth to Water 0.36 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

16.79 x VF 1.7 = 2.8 x 3 (case volume) = Estimated Purge Volume: 8.4 gal.

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1355

Weather Conditions: sunny/clear

Sampling Time: 1410

Water Color: cloudy Odor: none

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? no

If yes: Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature °F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1358</u>	<u>3</u>	<u>7.33</u>	<u>442</u>	<u>72.5</u>			
<u>1401</u>	<u>6</u>	<u>7.03</u>	<u>407</u>	<u>68.7</u>			
<u>1404</u>	<u>9.0</u>	<u>7.11</u>	<u>412</u>	<u>68.1</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-6</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(GI)/btex/mtbe</u>

COMMENTS: * When returning to sample found well was flooded
water was a TOC

Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only
 Acct. #: 10905 Sample #: 3823507-10 SCR#: _____

052602-010

Facility #: 9-0329 Job #386493 Global ID#T0600101885
 Site Address: 340 HIGHLAND AVE., PIEDMONT, CA
 Chevron PM: Karen Streich Lead Consultant: DELTA/G-R
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Dublin, Ca 94568
 Consultant Prj. Mgr.: Deanna L. Harding (Deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Tommy Camarda
 Service Order #: _____ Non SAR: _____

Matrix		Analyses Requested																		
		Preservation Codes																		
Soil <input type="checkbox"/>	Water <input type="checkbox"/>	Oil <input type="checkbox"/>	Air <input type="checkbox"/>	Total Number of Containers	BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>										

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421					
QA	5/17/02	—							2	X	X										
C-2	↓	1328	X		X	X	X	X	3	X	X	X	X	X	X	X	X	X	X	X	X
C-3	↓	1346	X		X	X	X	X	3	X	X	X	X	X	X	X	X	X	X	X	X
C-6	↓	1410	X		X	X	X	X	3	X	X	X	X	X	X	X	X	X	X	X	X

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 STD TAT: 72 hour, 48 hour, 24 hour, 4 day, 5 day
Data Package Options (please circle if required)
 QC Summary: Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>Tommy Camarda</u>	Date: <u>5/17/02</u>	Time: <u>1530</u>	Received by: <u>Deanna</u>	Date: <u>5/20/02</u>	Time: <u>1454</u>
Relinquished by: <u>Deanna</u>	Date: <u>5/20/02</u>	Time: <u>1454</u>	Received by: <u>Andres Amargosa</u>	Date: <u>5-20-02</u>	Time: <u>1454</u>
Relinquished by: <u>Andres Amargosa</u>	Date: <u>5-20-02</u>	Time: <u>1620</u>	Received by: <u>Fed Ex</u>	Date: <u>5-20-02</u>	Time: _____
Relinquished by Commercial Carrier: <u>UPS FedEx</u>	Temperature Upon Receipt: <u>2-3.5 c°</u>		Received by: <u>Deanna</u>	Date: <u>5/21/02</u>	Time: <u>0915</u>
Custody Seals Intact? <u>Yes</u>					



ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED

MAY 30 2002

GETTLER-RYAN INC.
GENERAL CONTRACTOR

SAMPLE GROUP

The sample group for this submittal is 808311. Samples arrived at the laboratory on Tuesday, May 21, 2002. The PO# for this group is 99011184 and the release number is STREICH.

Client Description

QA-T-020517	NA	Water
C-2-W-020517	Grab	Water
C-3-W-020517	Grab	Water
C-6-W-020517	Grab	Water

Lancaster Labs Number

3823507
3823508
3823509
3823510

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

1 COPY TO

Delta C/O Gettler-Ryan

Attn: Deanna L. Harding

Questions? Contact your Client Services Representative
Teresa M Lis at (717) 656-2300.

Respectfully Submitted,

Steven A. Skiles
Steven A. Skiles
Sr. Chemist



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3823507

Collected: 05/17/2002 00:00

Account Number: 10905

Submitted: 05/21/2002 09:15
 Reported: 05/28/2002 at 20:22
 Discard: 06/28/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

QA-T-020517 NA Water
 Facility# 90329 Job# 386493 GRD
 340 HIGHLAND-PIEDMONT T0600101885 QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/22/2002 15:40	Melissa-Ann S McAlpine	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	05/22/2002 15:40	Melissa-Ann S McAlpine	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/22/2002 15:40	Melissa-Ann S McAlpine	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected at or above the Reporting Limit



342 Bollinger Canyon Rd
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3823508**

Collected: 05/17/2002 13:28 by TC

Account Number: 10905

Submitted: 05/21/2002 09:15
 Reported: 05/28/2002 at 20:22
 Discard: 06/28/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

C-2-W-020517 Grab Water GRD
 Facility# 90329 Job# 386493
 340 HIGHLAND-PIEDMONT T0600101885 C-2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	6,300.	1,000.	ug/l	20
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	160.	1.0	ug/l	5
00777	Toluene	108-88-3	5.1	1.0	ug/l	5
00778	Ethylbenzene	100-41-4	45.	1.0	ug/l	5
00779	Total Xylenes	1330-20-7	14.	3.0	ug/l	5
00780	Methyl tert-Butyl Ether	1634-04-4	5,100.	6.0	ug/l	20
A site-specific MSD sample was not submitted for MTBE. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/22/2002 22:41	Melissa-Ann S McAlpine	20
08214	BTEX, MTBE (8021)	SW-846 8021B	1	05/22/2002 22:41	Melissa-Ann S McAlpine	20
08214	BTEX, MTBE (8021)	SW-846 8021B	1	05/23/2002 15:01	Melissa D Mann	5
01146	GC VOA Water Prep	SW-846 5030B	1	05/22/2002 22:41	Melissa-Ann S McAlpine	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected at or above the Reporting Limit



PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3823509

Collected: 05/17/2002 13:46 by TC

Account Number: 10905

Submitted: 05/21/2002 09:15

Reported: 05/28/2002 at 20:22

Discard: 06/28/2002

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

C-3-W-020517

Grab Water

Facility# 90329 Job# 386493

GRD

340 HIGHLAND-PIEDMONT T0600101885 C-3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/22/2002 23:50	Melissa-Ann S McAlpine	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	05/22/2002 23:50	Melissa-Ann S McAlpine	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/22/2002 23:50	Melissa-Ann S McAlpine	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected at or above the Reporting Limit



4425 New Holland Blvd
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3823510

Collected: 05/17/2002 14:10 by TC

Account Number: 10905

Submitted: 05/21/2002 09:15
 Reported: 05/28/2002 at 20:22
 Discard: 06/28/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

C-6-W-020517 Grab Water
 Facility# 90329 Job# 386493 GRD
 340 HIGHLAND-PIEDMONT T0600101885 C-6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/23/2002 00:25	Melissa-Ann S McAlpine	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	05/23/2002 00:25	Melissa-Ann S McAlpine	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/23/2002 00:25	Melissa-Ann S McAlpine	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected at or above the Reporting Limit



Lancaster Laboratories, Inc.
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 05/28/02 at 08:22 PM

Group Number: 808311

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 02142A51A	Sample number(s): 3823507-3823510							
Benzene	N.D.	0.5	ug/l	97	95	80-118	2	30
Toluene	N.D.	0.5	ug/l	104	101	82-119	3	30
Ethylbenzene	N.D.	0.5	ug/l	103	99	81-119	4	30
Total Xylenes	N.D.	1.5	ug/l	106	102	82-120	4	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	105	105	79-127	0	30
TPH-GRO - Waters	N.D.	50.	ug/l	110	103	76-126	6	30
Batch number: 02142A55A	Sample number(s): 3823508							
Benzene	N.D.	0.5	ug/l	94		80-118		
Toluene	N.D.	0.5	ug/l	101		82-119		
Ethylbenzene	N.D.	0.5	ug/l	102		81-119		
Total Xylenes	N.D.	1.5	ug/l	102		82-120		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	CONC	DUP RPD	DUP Max
Batch number: 02142A51A	Sample number(s): 3823507-3823510							
Benzene	101		77-131					
Toluene	108		80-128					
Ethylbenzene	108		76-132					
Total Xylenes	111		76-132					
Methyl tert-Butyl Ether	102		61-144					
TPH-GRO - Waters	109		74-132					
Batch number: 02142A55A	Sample number(s): 3823508							
Benzene	93	98	77-131	5	30			
Toluene	101	104	80-128	3	30			
Ethylbenzene	103	104	76-132	1	30			
Total Xylenes	102	103	76-132	0	30			

Surrogate Quality Control

Analysis Name: TPH-GRO - Waters
Batch number: 02142A51A

	Trifluorotoluene-F	Trifluorotoluene-P
3823507	101	95
3823508	99	95
3823509	99	91
3823510	102	94
Blank	102	96
LCS	113	97
LCSD	108	98
MS	113	96
Limits:	67-135	71-130

Analysis Name: TPH-GRO 8015B - water
Batch number: 02142A55A

	Trifluorotoluene-F	Trifluorotoluene-P

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Page 2 of 2

Client Name: ChevronTexaco
Reported: 05/28/02 at 08:22 PM

Group Number: 808311

Surrogate Quality Control

Blank	98	102
LCS	111	103
MS	106	102
MSD	112	102
Limits:	67-135	71-130

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681