

Detterman, Mark, Env. Health

From: Detterman, Mark, Env. Health
Sent: Thursday, October 12, 2017 11:42 AM
To: 'Kiersten.Hoey@ghd.com'
Cc: Patten, David R.
Subject: RE: Case No. RO0000274, Former Chevron 93322, 7225 Bancroft Avenue, Oakland FSCAP Extension Request

David and Kiersten,
Per our discussion I've provided an extension; however, only until December 1, 2017. This, and the initial 60 days requested, should provide enough time for the group to meet to discuss the site. As always, you can use this email to document the extension. Should you have questions, please let me know.

*Mark Detterman
Senior Geologist, PG, CEG
Senior Hazardous Materials Specialist
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org*

*PDF Copies of case files can be downloaded at:
<http://www.acgov.org/aceh/lop/ust.htm>*

From: Kiersten.Hoey@ghd.com [mailto:Kiersten.Hoey@ghd.com]
Sent: Wednesday, October 04, 2017 10:25 PM
To: Detterman, Mark, Env. Health <Mark.Detterman@acgov.org>
Cc: Patten, David R. <drpatten@chevron.com>
Subject: Case No. RO0000274, Former Chevron 93322, 7225 Bancroft Avenue, Oakland FSCAP Extension Request

Hi Mark,

Per our conversation, GHD on behalf of Chevron Environmental Management Company (Chevron) would like to request an extension for the *Feasibility Study and Corrective Action Plan (FS/CAP)* requested by Alameda County Environmental Health (ACDEH) letter dated August 16, 2017. Prior to submitting the FS/CAP, the site is scheduled to be reviewed by the Chevron remediation system review team (RSRT); a peer review team that assists the project teams with optimizing remediation technology selection. The objective is to make a quality decision by leveraging the knowledge and experience within the RSRT team members (Chevron and consultant subject experts). RSRT meetings review site data, drivers, objectives, and project team plans and provides recommendations addressing technology selection, design, and monitoring. For RSRT to review the project, and to subsequently prepare the FS/CAP, GHD respectfully requests a due date of **December 15, 2017** for the FS/CAP.

Thank you,
Kiersten



Kiersten Hoey

GHD

T: +1 510 420 3347 | E: kiersten.hoey@ghd.com

5900 Hollis Street, Suite A Emeryville, California 94608 United States | www.ghd.com

[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email

Omni-Means and GHD have merged! To learn more, [click here](#).

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.
