

Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

J. Mark Inglis
Project Manager

ChevronTexaco

June 30, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County
JUL 06 2005
Environmental Health

Re: Chevron Service Station # 9-3322

Address: 7225 Bancroft Avenue, Oakland, California

I have reviewed the attached routine groundwater monitoring report dated June 7, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,


J. Mark Inglis
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

June 17, 2005

G-R #386433

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-3322
7225 Bancroft Avenue
Oakland, California
RO 0000274

Alameda County
JUL 06 2005
Environmental Health

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	June 17, 2005	Groundwater Monitoring and Sampling Report Second Quarter - Event of May 10, 2005

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **July 1, 2005**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Dean Najdawi, (Owner), 7225 Bancroft Avenue, Oakland, CA 94605-2407

Enclosures

trans/9-3322-M1



GETTLER-RYAN INC.

June 17, 2005
G-R Job #386433

Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Second Quarter Event of May 10, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

Dear Mr. Inglis:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- ◆ Groundwater monitoring well (Chevron Station)
- ◆ Groundwater monitoring well (Tosco (76) Station)
- Power pole
- OH— Overhead electric
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - - 99.99 - - - Groundwater elevation contour, dashed where inferred
- ^ Groundwater elevation corrected for the presence of separate-phase hydrocarbons

Approximate groundwater flow direction at a gradient of 0.01 to 0.05 Ft./Ft.




FIGURE 1

POTENTIOMETRIC MAP
 Chevron Service Station #9-3322
 7225 Bancroft Avenue
 Oakland, California

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568
 (925) 551-7555

PROJECT NUMBER: 3864-33
 REVIEWED BY: [Signature]
 DATE: May 10, 2005
 REVISION DATE: [Blank]

Source: Figure modified from drawings provided by BRM engineering contracting firm, Cambria and County Assessor's maps.

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH						MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	
MW-1											
02/08/98	40.41	26.53	13.88	--	--	130,000	9,700	8,200	3,200	15,000	<250
06/16/98	40.41	26.18	14.23	--	--	96,000	15,000	12,000	2,600	11,000	1,300
07/29/98	40.41	22.59	17.82	--	--	370,000	19,000	14,000	5,800	15,000	<2,500
08/13/98	40.41	22.01	18.40	--	--	120,000	19,000	16,000	2,900	14,000	<1,000
11/24/98	40.41	19.61	20.80	--	--	100,000	26,000	18,000	4,000	22,000	2,000
02/03/99	40.41	22.96	17.45	--	--	110,000	27,000	16,000	3,800	22,000	<2.5
06/07/99	40.41	24.29**	16.44	0.40	0.03	--	--	--	--	--	--
09/07/99	40.41	19.97**	20.71	0.34	0.01	--	--	--	--	--	--
10/27/99	40.41	18.93**	21.75	0.34	0.03	--	--	--	--	--	--
02/08/00	40.41	22.44	17.97	0.00	0.00	147,000	19,600	13,700	4,020	21,300	<2,500
05/05/00	40.41	24.36	16.05	0.00	0.00	150,000 ²	28,000	17,000	4,400	23,000	<1,000
07/28/00	40.41	21.21	19.20	0.00	0.00	76,000 ²	20,000	15,000	3,400	23,000	1,200
11/26/00	40.41	20.44**	20.18	0.26	0.26 ⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/09/01	40.41	22.40**	18.03	0.03	0.26 ⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/11/01	40.41	25.31	15.10	0.00	0.00	89,000 ²	21,000	12,000	3,200	14,000	<500
08/30/01	40.41	20.05**	20.42	0.07	0.26 ⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
11/21/01	40.41	20.11**	20.52	0.27	0.00	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/05/02	40.41	25.79**	14.63	0.01	0.00	130,000	16,000	13,000	4,200	23,000	<30
04/01/02	37.40	25.03	12.37	0.00	0.00	--	--	--	--	--	--
08/05/02	37.40	24.46	12.94	0.00	0.00	230,000	12,000	9,000	5,500	28,000	280
11/04/02	37.40	17.37	20.03	0.00	0.00	130,000	24,000	15,000	3,900	20,000	<60
02/03/03	37.40	23.22	14.18	0.00	0.00	100,000	13,000	8,900	3,000	15,000	<130
05/02/03	37.40	24.12	13.28	0.00	0.00	140,000	9,900	5,900	4,200	21,000	<130
08/01/03 ⁷	37.40	20.58	16.82	0.00	0.00	250,000	16,000	7,300	3,700	19,000	45
11/21/03 ⁷	37.40	19.06	18.34	0.00	0.00	110,000	18,000	9,500	3,000	17,000	<10
02/10/04 ⁷	37.40	23.89	13.51	0.00	0.00	51,000	4,800	1,700	760	6,400	20
05/11/04 ⁷	37.40	23.05	14.35	0.00	0.00	80,000	13,000	6,500	2,800	14,000	61
08/10/04 ⁷	37.40	20.61**	16.80	0.01	0.00	100,000	14,000	8,700	3,200	17,000	<25
11/08/04	37.40	21.89**	15.63	0.15	1.30 ⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
02/21/05	37.40	25.98**	11.84	0.52	0.60 ⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--
05/10/05	37.40	26.11**	11.49	0.25	1.11 ⁴	NOT SAMPLED DUE TO THE PRESENCE OF SPH				--	--

MW-2

02/08/98	38.73	31.13	7.60	--	--	24,000	130	170	450	1,900	2,300
----------	-------	-------	------	----	----	--------	-----	-----	-----	-------	-------

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
				SPHT (ft.)	REMOVED (gallons)						
MW-2 (cont)											
06/16/98	38.73	29.61	9.12	--	--	8,900	31	46	310	1,100	260
07/29/98	38.73	27.06	11.67	--	--	7,600	15	21	150	480	82
08/13/98	38.73	26.32	12.41	--	--	14,000	26	80	500	2,100	32
11/24/98	38.73	23.10	15.63	--	--	37,000	63	220	1,300	7,100	770
02/03/99	38.73	27.16	11.57	--	--	16,000	140	110	850	3,100	900
06/07/99	38.73	27.78	10.95	--	--	4,300	<10	<10	120	260	160
09/07/99	38.73	26.00	12.73	--	--	10,700	50.5	<25	297	1,020	<250
10/27/99	38.73	26.02	12.71	--	--	7,240	53.8	31.9	234	654	448
02/08/00	38.73	28.59	10.14	--	--	10,100	42.9	18.4	424	1,480	206
05/05/00	38.73	28.61	10.12	0.00	0.00	7,800 ²	34	22	320	1,100	170
07/28/00	38.73	26.16	12.57	0.00	0.00	6,700 ²	40	13	490	540	190
11/26/00	38.73	26.83	11.90	0.00	0.00	8,200 ²	21	9.5	400	1,100	120
02/09/01	38.73	26.53	12.20	0.00	0.00	11,200 ³	<50.0	<50.0	629	1,380	282
05/11/01	38.73	29.75	8.98	0.00	0.00	6,800 ²	39	19	370	1,100	67
08/30/01	38.73	25.83	12.90	0.00	0.00	17,000	67	<25	750	2,100	360
11/21/01	38.73	25.61	13.12	0.00	0.00	3,500	14	<5.0	100	51	610
02/05/02	38.73	30.38	8.35	0.00	0.00	10,000	5.5	<10	330	960	63
04/01/02	35.72	27.91	7.81	0.00	0.00	--	--	--	--	--	--
08/05/02	35.72	19.81	15.91	0.00	0.00	8,800	18	8.2	220	630	220
11/04/02	35.72	21.58	14.14	0.00	0.00	14,000	28	10	670	1,600	440
02/03/03	35.72	25.72	10.00	0.00	0.00	7,200	6.2	2.7	140	430	50
05/02/03	35.72	27.41	8.31	0.00	0.00	12,000	<20	3.9	350	1,500	150
08/01/03 ⁷	35.72	23.06	12.66	0.00	0.00	12,000	14	4	330	730	140
11/21/03 ⁷	35.72	23.05	12.67	0.00	0.00	15,000	13	4	400	1,500	100
02/10/04 ⁷	35.72	30.52	5.20	0.00	0.00	17,000	9	3	420	1,600	72
05/11/04 ⁷	35.72	25.89	9.83	0.00	0.00	4,800	1	0.6	140	440	81
08/10/04 ⁷	35.72	23.91	11.81	0.00	0.00	11,000	8	1	340	1,100	35
11/08/04 ⁷	35.72	24.13	11.59	0.00	0.00	11,000	6	2	260	810	25
02/21/05 ⁷	35.72	27.98	7.74	0.00	0.00	16,000	5	2	500	1,700	10
05/10/05 ⁷	35.72	27.61	8.11	0.00	0.00	8,400	3	<1	290	750	6
MW-3											
02/08/98	39.51	24.91	14.60	--	--	94,000	12,000	4,400	2,000	10,000	8,000
06/16/98	39.51	25.53	13.98	--	--	38,000	5,600	1,400	1,200	4,700	6,300/4,600 ¹

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
MW-3 (cont)											
07/29/98	39.51	22.14	17.37	--	--	58,000	4,100	700	1,300	4,200	4,100
08/13/98	39.51	21.29	18.22	--	--	43,000	6,800	1,900	1,600	6,800	2,300
11/24/98	39.51	19.06	20.45	--	--	40,000	5,000	800	1,600	6,800	6,000/4,400 ¹
02/03/99	39.51	22.03	17.48	--	--	47,000	7,100	1,600	1,900	9,000	5,000
06/07/99	39.51	23.76	15.75	--	--	27,000	2,500	540	1,200	3,900	2,800
09/07/99	39.51	19.80	19.71	--	--	44,000	3,930	1,170	1,760	7,130	3,440
10/27/99	39.51	19.09	20.42	--	--	28,200	2,030	620	1,260	5,080	1,710
02/08/00	39.51	21.76	17.75	--	--	25,300	2,000	668	1,210	5,330	1,760
05/05/00	39.51	23.87	15.64	0.00	0.00	27,000 ²	2,600	960	1,500	5,200	2,500
07/28/00	39.51	21.28	18.23	0.00	0.00	7,400 ²	950	360	840	3,200	1,700
11/26/00	39.51	20.13	19.38	0.00	0.00	20,000 ²	1,800	690	1,400	5,500	1,600
02/09/01	39.51	21.79	17.72	0.00	0.00	31,200 ³	1,980	<50.0	1,770	7,220	2,170
05/11/01	39.51	24.86	14.65	0.00	0.00	18,000 ²	3,000	780	1,600	5,500	1,800
08/30/01	39.51	20.16	19.35	0.00	0.00	9,400	570	180	610	1,900	880
11/21/01	39.51	19.47	20.04	0.00	0.00	29,000	1,100	450	1,500	6,100	1,200
02/05/02	39.51	25.42	14.09	0.00	0.00	16,000	820	210	830	2,400	1,100
04/01/02	36.53	24.32	12.21	0.00	0.00	--	--	--	--	--	--
08/05/02	36.53	22.22	14.31	0.00	0.00	11,000	310	92	380	820	830
11/04/02	36.53	17.50	19.03	0.00	0.00	32,000	1,900	540	1,800	5,900	1,500
02/03/03	36.53	22.58	13.95	0.00	0.00	19,000	1,100	240	920	2,900	1,100
05/02/03	36.53	23.46	13.07	0.00	0.00	18,000	1,200	270	1,100	2,500	1,400
08/01/03 ⁷	36.53	20.22	16.31	0.00	0.00	7,700	300	79	410	820	780
11/21/03 ⁷	36.53	18.64	17.89	0.00	0.00	7,600	270	100	470	1,300	700
02/10/04 ⁷	36.53	23.47	13.06	0.00	0.00	3,800	250	28	170	300	650
05/11/04 ⁷	36.53	22.80	13.73	0.00	0.00	1,200	60	9	76	62	530
08/10/04 ⁷	36.53	20.44	16.09	0.00	0.00	1,600	70	9	86	62	500
11/08/04 ⁷	36.53	21.42	15.11	0.00	0.00	4,800	280	37	260	400	760
02/21/05 ⁷	36.53	25.08	11.45	0.00	0.00	450	0.8	<0.5	0.7	<0.5	200
05/10/05 ⁷	36.53	26.27	10.26	0.00	0.00	220	<0.5	<0.5	<0.5	<0.5	250
MW-4											
02/02/99	40.24	27.07	13.17	--	--	<50	0.52	<0.5	<0.5	<0.5	6.0
06/07/99	40.24	23.83	16.41	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/99	40.24	19.34	20.90	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
MW-4 (cont)											
10/27/99	40.24	18.65	21.59	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/08/00	40.24	23.08	17.16	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
05/05/00	40.24	24.22	16.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/28/00	40.24	21.12	19.12	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/26/00	40.24	20.32	19.92	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
02/09/01	40.24	22.79	17.45	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
05/11/01	40.24	25.22	15.02	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/30/01	40.24	19.91	20.33	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/21/01	40.24	20.49	19.75	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/05/02	40.24	26.18	14.06	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/02	37.29	25.23	12.06	0.00	0.00	--	--	--	--	--	--
08/05/02	37.29	20.24	17.05	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
11/04/02	37.29	17.56	19.73	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/03/03	37.29	23.24	14.05	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/02/03	37.29	24.44	12.85	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/01/03 ⁷	37.29	20.35	16.94	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/03 ⁷	37.29	19.14	18.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/04 ⁷	37.29	24.27	13.02	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
05/11/04 ⁷	37.29	23.14	14.15	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/10/04 ⁷	37.29	20.82	16.47	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/04 ⁷	37.29	22.43	14.86	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/05 ⁷	37.29	26.53	10.76	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 ⁷	37.29	27.04	10.25	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
MW-5											
02/02/99	40.37	21.57	18.80	--	--	72	2.7	<0.5	<0.5	<0.5	11
06/07/99	40.37	23.39	16.98	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/99	40.37	19.24	21.13	--	--	<50	<0.5	<0.5	<0.5	<0.5	6.92
10/27/99	40.37	18.45	21.92	--	--	<50	2.39	<0.5	<0.5	<0.5	21.3
02/08/00	40.37	21.39	18.98	--	--	<50	10.6	<0.5	<0.5	<0.5	21.7
05/05/00	40.37	23.48	16.89	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	3.8
07/28/00	40.37	20.88	19.49	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/26/00	40.37	19.68	20.69	0.00	0.00	<50	0.57	<0.50	<0.50	<0.50	15
02/09/01	40.37	21.50	18.87	0.00	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	9.11

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5 (cont)											
05/11/01	40.37	24.47	15.90	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/30/01	40.37	19.76	20.61	0.00	0.00	<50	<0.50	<0.50	<0.50	<0.50	9.5
11/21/01	40.37	19.33	21.04	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	7.3
02/05/02	40.37	25.16	15.21	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/02	37.40	23.95	13.45	0.00	0.00	--	--	--	--	--	--
08/05/02	37.40	19.86	17.54	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	2.7
11/04/02	37.40	17.33	20.07	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	6.3
02/03/03	37.40	22.37	15.03	0.00	0.00	<50	<0.50	0.60	<0.50	<1.5	<2.5
05/02/03	37.40	23.44	13.96	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/01/03 ⁷	37.40	20.00	17.40	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/03 ⁷	37.40	18.83	18.57	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/04 ⁷	37.40	23.26	14.14	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/11/04 ⁷	37.40	22.70	14.70	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/10/04 ⁷	37.40	20.32	17.08	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/04 ⁷	37.40	21.42	15.98	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/05	37.40	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--
05/10/05 ⁷	37.40	25.52	11.88	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
MW-6											
02/02/99	39.84	21.36	18.48	--	--	14,000	5,600	<50	150	160	<250
06/07/99	39.84	23.39	16.45	--	--	1,500	1,100	33	25	34	200
09/07/99	39.84	19.35	20.49	--	--	6,550	2,940	81.5	177	84	865
10/27/99	39.84	18.61	21.23	--	--	3,680	1,240	29.6	115	14.9	735
02/08/00	39.84	21.44	18.40	--	--	17,300	8,920	<100	378	211	2,610
05/05/00	39.84	23.48	16.36	0.00	0.00	4,200 ²	1,900	98	170	290	1,300
07/28/00	39.84	20.90	18.94	0.00	0.00	1,200 ²	660	30	83	36	650
11/26/00	39.84	19.71	20.13	0.00	0.00	7,600 ²	4,300	63	360	110	2,000
02/09/01	39.84	21.44	18.40	0.00	0.00	18,200 ³	7,090	<100	457	169	2,930
05/11/01	39.84	24.39	15.45	0.00	0.00	2,600 ²	2,300	31	88	40	990
08/30/01	39.84	19.82	20.02	0.00	0.00	2,500	1,600	50	160	100	1,900
11/21/01	39.84	19.22	20.62	0.00	0.00	25,000	8,800	150	620	330	2,900
02/05/02	39.84	24.04	15.80	0.00	0.00	1,400	400	6.8	27	20	480
04/01/02	36.90	23.08	13.82	0.00	0.00	--	--	--	--	--	--
08/05/02	36.90	19.85	17.05	0.00	0.00	1,200	300	5.1	11	3.7	250

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
MW-6 (cont)											
11/04/02	36.90	17.34	19.56	0.00	0.00	7,500	2,000	29	140	39	1,300
02/03/03	36.90	22.28	14.62	0.00	0.00	630	160	<5.0	9.2	2.7	260
05/02/03	36.90	INACCESSIBLE - VEHICLE PARKED OVER WELL				--	--	--	--	--	--
08/01/03 ⁷	36.90	20.02	16.88	0.00	0.00	1,500	400	3	14	3	540
11/21/03 ⁷	36.90	18.49	18.41	0.00	0.00	4,400	1,300	12	98	18	540
02/10/04 ⁷	36.90	23.20	13.70	0.00	0.00	430	110	1	4	0.7	150
05/11/04 ⁷	36.90	22.63	14.27	0.00	0.00	95	11	<0.5	1	0.6	120
08/10/04 ⁷	36.90	20.26	16.64	0.00	0.00	430	46	<0.5	3	<0.5	140
11/08/04 ⁷	36.90	21.27	15.63	0.00	0.00	750	50	<0.5	2	<0.5	81
02/21/05 ⁷	36.90	25.47	11.43	0.00	0.00	130	8	<0.5	<0.5	<0.5	60
05/10/05 ⁷	36.90	25.49	11.41	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7											
02/21/05 ⁷	36.84	26.43	10.41	0.00	0.00	7,600	2,200	6	210	920	53
05/10/05 ⁷	36.84	27.25	9.59	0.00	0.00	3,900	700	<0.5	<0.5	650	77
MW-8											
04/01/02 ⁶	37.21	26.11	11.10	0.00	0.00	1,200	8.6	<0.50	2.5	2.5	<2.5/<2 ⁵
08/05/02	37.21	21.07	16.14	0.00	0.00	560	11	<0.50	<0.50	<1.5	<2.5/<2 ⁵
11/04/02	37.21	18.24	18.97	0.00	0.00	780	5.1	<0.50	1.1	1.9	<2.5/<2 ⁵
02/03/03	37.21	24.00	13.21	0.00	0.00	230	3.7	<0.50	0.54	<1.5	<10/0.6 ⁵
05/02/03	37.21	25.09	12.12	0.00	0.00	180	2.5	<0.5	<0.5	<1.5	<2.5/<0.5 ⁵
08/01/03 ⁷	37.21	21.10	16.11	0.00	0.00	220	2	<0.5	<0.5	<0.5	0.8
11/21/03 ⁷	37.21	20.04	17.17	0.00	0.00	140	<0.5	<0.5	<0.5	<0.5	0.7
02/10/04 ⁷	37.21	25.08	12.13	0.00	0.00	150	2	<0.5	<0.5	<0.5	0.8
05/11/04 ⁷	37.21	23.74	13.47	0.00	0.00	86	4	<0.5	<0.5	<0.5	1
08/10/04 ⁷	37.21	21.56	15.65	0.00	0.00	80	<0.5	<0.5	<0.5	<0.5	0.8
11/08/04 ⁷	37.21	23.23	13.98	0.00	0.00	110	<0.5	<0.5	<0.5	<0.5	1
02/21/05 ⁷	37.21	27.12	10.09	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 ⁷	37.21	26.61	10.60	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-3322
 7225 Bancroft Avenue
 Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
MW-9											
04/01/02 ⁶	35.03	24.41	10.62	0.00	0.00	94	1.5	<0.50	<0.50	<1.5	25/19 ⁵
08/05/02	35.03	20.18	14.85	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	18/15 ⁵
11/04/02	35.03	17.55	17.48	0.00	0.00	<50	<0.50	1.7	<0.50	2.1	24/21 ⁵
02/03/03	35.03	22.52	12.51	0.00	0.00	<50	1.9	<0.50	<0.50	<1.5	17/16 ⁵
05/02/03	35.03	23.35	11.68	0.00	0.00	<50	0.6	<0.5	<0.5	<1.5	21/18 ⁵
08/01/03 ⁷	35.03	20.34	14.69	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	22
11/21/03 ⁷	35.03	18.68	16.35	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	18
02/10/04 ⁷	35.03	23.34	11.69	0.00	0.00	210	7	0.5	1	1	31
05/11/04 ⁷	35.03	22.91	12.12	0.00	0.00	230	17	<0.5	<0.5	<0.5	72
08/10/04 ⁷	35.03	20.45	14.58	0.00	0.00	250	5	<0.5	<0.5	<0.5	66
11/08/04	35.03	INACCESSIBLE		--	--	--	--	--	--	--	--
02/21/05 ⁷	35.03	25.51	9.52	0.00	0.00	510	6	<0.5	1	3	79
05/10/05 ⁷	35.03	26.18	8.85	0.00	0.00	670	11	0.7	0.5	2	100
MW-10											
04/01/02 ⁶	35.53	23.81	11.72	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	6.1/5 ⁵
08/05/02	35.53	19.73	15.80	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	5.1/5 ⁵
11/04/02	35.53	17.22	18.31	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	5.5/5 ⁵
02/03/03	35.53	22.11	13.42	0.00	0.00	<50	<0.50	<0.50	<0.50	<1.5	2.8/3 ⁵
05/02/03	35.53	23.08	12.45	0.00	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5/<0.5 ⁵
08/01/03 ⁷	35.53	19.91	15.62	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	2
11/21/03 ⁷	35.53	18.27	17.26	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
02/10/04 ⁷	35.53	23.01	12.52	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/11/04 ⁷	35.53	22.47	13.06	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
08/10/04 ⁷	35.53	20.08	15.45	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	3
11/08/04 ⁷	35.53	20.85	14.68	0.00	0.00	<50	<0.5	<0.5	0.9	5	<0.5
02/21/05 ⁷	35.53	25.21	10.32	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 ⁷	35.53	24.49	11.04	0.00	0.00	<50	<0.5	<0.5	<0.5	<0.5	1
TRIP BLANK											
02/08/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/16/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
07/29/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
					REMOVED (gallons)	TPH-G (ppb)					
TRIP BLANK (cont)											
08/13/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
11/24/98	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/02/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/03/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
06/07/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
09/07/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
10/27/99	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5
02/08/00	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0
05/05/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/28/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
11/26/00	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
02/09/01	--	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.500
05/11/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
08/30/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA											
11/21/01	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/05/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
08/05/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/04/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
02/03/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
05/02/03	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
08/01/03 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/21/03 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/10/04 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/11/04 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
08/10/04 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/08/04 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02/21/05 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
05/10/05 ⁷	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to May 5, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

SPH = Separate Phase Hydrocarbons

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

* TOC elevations were re-surveyed on May 31, 2005, by Morrow Surveying Land Surveyors using the previous benchmark. TOC elevations were surveyed in April 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark designated 3787 in field book 1595, page 50; cut square northerly curb on Krause Ave., approx. 37 feet westerly of PL westerly of 73rd Ave., (Elevation = 33.82 feet).

** GWE corrected for the presence of free product; correction factor: $[(TOC - DTW) + (SPHT \times 0.8)]$.

¹ Confirmation run.

² Laboratory report indicates gasoline C6-C12.

³ Laboratory report indicates weathered gasoline C6-C12.

⁴ Product and water removed.

⁵ MTBE by EPA Method 8260.

⁶ Well development performed.

⁷ BTEX and MTBE by EPA Method 8260.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-1	08/01/03	<2,000	--	45	--	--	--
	11/21/03	<1,000	--	<10	--	--	--
	02/10/04	<250	--	20	--	--	--
	05/11/04	<500	--	61	--	--	--
	08/10/04	<2,500	--	<25	--	--	--
	11/08/04	NOT SAMPLED DUE TO THE PRESENCE OF SPH		--	--	--	--
	02/21/05	NOT SAMPLED DUE TO THE PRESENCE OF SPH		--	--	--	--
	05/10/05	NOT SAMPLED DUE TO THE PRESENCE OF SPH		--	--	--	--
MW-2	08/01/03	<100	--	140	--	--	--
	11/21/03	<100	--	100	--	--	--
	02/10/04	<100	--	72	--	--	--
	05/11/04	<50	--	81	--	--	--
	08/10/04	<100	--	35	--	--	--
	11/08/04	<50	--	25	--	--	--
	02/21/05	<100	--	10	--	--	--
	05/10/05	<100	--	6	--	--	--
MW-3	08/01/03	<130	--	780	--	--	--
	11/21/03	<50	--	700	--	--	--
	02/10/04	<50	--	650	--	--	--
	05/11/04	<50	--	530	--	--	--
	08/10/04	<100	--	500	--	--	--
	11/08/04	<50	--	760	--	--	--
	02/21/05	<50	--	200	--	--	--
	05/10/05	<50	--	250	--	--	--
MW-4	08/01/03	<50	--	<0.5	--	--	--
	11/21/03	<50	--	<0.5	--	--	--
	02/10/04	<50	--	1	--	--	--
	05/11/04	<50	--	<0.5	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-4	08/10/04	<50	--	<0.5	--	--	--
(cont)	11/08/04	<50	--	<0.5	--	--	--
	02/21/05	<50	--	<0.5	--	--	--
	05/10/05	<50	--	1	--	--	--
MW-5	08/01/03	<50	--	<0.5	--	--	--
	11/21/03	<50	--	<0.5	--	--	--
	02/10/04	<50	--	<0.5	--	--	--
	05/11/04	<50	--	<0.5	--	--	--
	08/10/04	<50	--	<0.5	--	--	--
	11/08/04	<50	--	<0.5	--	--	--
	02/21/05	INACCESSIBLE - VEHICLE PARKED OVER WELL		--	--	--	--
	05/10/05	<50	--	1	--	--	--
MW-6	08/01/03	<100	--	540	--	--	--
	11/21/03	<50	--	540	--	--	--
	02/10/04	<50	--	150	--	--	--
	05/11/04	<50	--	120	--	--	--
	08/10/04	<50	--	140	--	--	--
	11/08/04	<50	--	81	--	--	--
	02/21/05	<50	--	60	--	--	--
	05/10/05	<50	--	<0.5	--	--	--
MW-7	02/21/05	<100	130	53	<1	<1	<1
	05/10/05	<50	140	77	<0.5	<0.5	<0.5
MW-8	04/01/02	--	<100	<2	<2	<2	<2
	08/05/02	--	<100	<2	<2	<2	<2
	11/04/02	--	<100	<2	<2	<2	<2
	02/03/03	--	<5	0.6	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-8 (cont)	05/02/03	--	<5	<0.5	<0.5	<0.5	<0.5
	08/01/03	<50	<5	0.8	<0.5	<0.5	<0.5
	11/21/03	<50	<5	0.7	<0.5	<0.5	<0.5
	02/10/04	<50	<5	0.8	<0.5	<0.5	<0.5
	05/11/04	<50	<5	1	<0.5	<0.5	<0.5
	08/10/04	<50	<5	0.8	<0.5	<0.5	<0.5
	11/08/04	<50	7	1	<0.5	<0.5	<0.5
	02/21/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/10/05	<50	<5	1	<0.5	<0.5	<0.5
MW-9	04/01/02	--	<100	19	<2	<2	<2
	08/05/02	--	<100	15	<2	<2	<2
	11/04/02	--	<100	21	<2	<2	<2
	02/03/03	--	<5	16	<0.5	<0.5	0.8
	05/02/03	--	<5	18	<0.5	<0.5	0.8
	08/01/03	<50	7	22	0.9	<0.5	1
	11/21/03	<50	<5	18	0.8	<0.5	1
	02/10/04	<50	9	31	0.6	<0.5	2
	05/11/04	<50	16	72	<0.5	<0.5	4
	08/10/04	<50	<5	66	0.9	<0.5	3
	11/08/04	INACCESSIBLE	--	--	--	--	--
	02/21/05	<50	17	79	0.5	<0.5	4
	05/10/05	<50	20	100	<0.5	<0.5	4
MW-10	04/01/02	--	<100	5	<2	<2	<2
	08/05/02	--	<100	5	<2	<2	<2
	11/04/02	--	<100	5	<2	<2	<2
	02/03/03	--	<5	3	<0.5	<0.5	<0.5
	05/02/03	--	<5	<0.5	<0.5	<0.5	<0.5
	08/01/03	<50	<5	2	<0.5	<0.5	<0.5
	11/21/03	<50	<5	1	<0.5	<0.5	<0.5
	02/10/04	<50	<5	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Chevron Service Station #9-3322
 7225 Bancroft Avenue
 Oakland, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-10	05/11/04	<50	<5	1	<0.5	<0.5	<0.5
(cont)	08/10/04	<50	<5	3	<0.5	<0.5	<0.5
	11/08/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	02/21/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	05/10/05	<50	<5	1	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3322
7225 Bancroft Avenue
Oakland, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
(ppb) = Parts per billion
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322
 Site Address: 7225 Bancroft Avenue
 City: Oakland, CA

Job Number: 386433
 Event Date: 5/10/05 (inclusive)
 Sampler: Carl

Well ID: MW-1
 Well Diameter: 2 1/2 in.
 Total Depth: 33.90 ft.
 Depth to Water: 11.49 ft.

Date Monitored: 5/10/05 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF = _____ x3/case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: 1655 (2400 hrs)
 Time Completed: 1730 (2400 hrs)
 Depth to Product: 11.24 ft
 Depth to Water: 11.49 ft
 Hydrocarbon Thickness: 0.25 ft
 Visual Confirmation/Description: Dark yellow
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: 400 ml gal
 Water Removed: 1 Gal
 Product Transferred to: GR Jar

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)

COMMENTS: New TWD Taken
Not Sampled Due to SPH + 0.25
Bailed Product approx 400ml product in 1 gal water

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322 Job Number: 386433
 Site Address: 7225 Bancroft Avenue Event Date: 5/10/08 (inclusive)
 City: Oakland, CA Sampler: C.R.

Well ID: MW-2 Date Monitored: 5/10/08 Well Condition: OK

Well Diameter: 2 1/4 (2) in.
 Total Depth: 29.85 ft.
 Depth to Water: 8.11 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

21.74 xVF 0.17 = 369 x3 case volume= Estimated Purge Volume: 11 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1555 Weather Conditions: Clean
 Sample Time/Date: 1640 5/10/08 Water Color: Clean Odor: yes
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1602</u>	<u>4</u>	<u>7.19</u>	<u>843</u>	<u>18.7</u>	_____	_____
<u>1612</u>	<u>8</u>	<u>7.24</u>	<u>840</u>	<u>18.6</u>	_____	_____
<u>1618</u>	<u>11</u>	<u>7.22</u>	<u>852</u>	<u>18.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>x</u> voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)</u>

COMMENTS: New TWD Taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322
 Site Address: 7225 Bancroft Avenue
 City: Oakland, CA

Job Number: 386433
 Event Date: 5/10/05 (inclusive)
 Sampler: G.R.

Well ID: MW-3
 Well Diameter: 3 1/2 (2) in.
 Total Depth: 32.90 ft.
 Depth to Water: 10.26 ft.

Date Monitored: 5/10/05 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

22.64 xVF 0.17 = 3.84 x3 case volume= Estimated Purge Volume: 12 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1500 Weather Conditions: Clean
 Sample Time/Date: 1545 5/10/05 Water Color: Clean Odor: yes
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1511</u>	<u>4</u>	<u>7.26</u>	<u>886</u>	<u>18.8</u>	_____	_____
<u>1520</u>	<u>8</u>	<u>7.21</u>	<u>894</u>	<u>18.6</u>	_____	_____
<u>1526</u>	<u>12</u>	<u>7.20</u>	<u>881</u>	<u>18.6</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>x</u> vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322
 Site Address: 7225 Bancroft Avenue
 City: Oakland, CA

Job Number: 386433
 Event Date: 5/10/05 (inclusive)
 Sampler: C. R.

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 30.25 ft.
 Depth to Water: 10.25 ft.

Date Monitored: 5/10/05 Well Condition: OK

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

20.00 x VF 0.17 = 3.4 x3 case volume = Estimated Purge Volume: 10 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1100 Weather Conditions: Clear
 Sample Time/Date: 1135 5/10/05 Water Color: Clear Odor: NO
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1107</u>	<u>3</u>	<u>7.09</u>	<u>623</u>	<u>18.4</u>		
<u>1104</u>	<u>6</u>	<u>7.14</u>	<u>644</u>	<u>18.3</u>		
<u>1115</u>	<u>10</u>	<u>7.06</u>	<u>645</u>	<u>18.3</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)

COMMENTS: New Tool's Taken

Add/Replaced Lock: 3910

Add/Replaced Plug: Size: 2"



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322 Job Number: 386433
 Site Address: 7225 Bancroft Avenue Event Date: 5/10/05 (inclusive)
 City: Oakland, CA Sampler: G.R.

Well ID: MW-5 Date Monitored: 5/10/05 Well Condition: OK
 Well Diameter: 3 1/2 (2) in.
 Total Depth: 31.58 ft.
 Depth to Water: 11.88 ft.
 Volume Factor (VF) table:

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 19.64 x VF 0.17 = 3.34 x3 case volume= Estimated Purge Volume: 10 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0905 Weather Conditions: Clear
 Sample Time/Date: 0945 5/10/05 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
0912	3	7.12	635	18.6		
0920	6	7.09	639	18.6		
0930	10	7.09	631	18.5		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-5	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260) ETHANOL(8260)
	x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260) 5 OXYS+ETHANOL(8260)

COMMENTS: New TWD Tank

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322
 Site Address: 7225 Bancroft Avenue
 City: Oakland, CA

Job Number: 386433
 Event Date: 5/10/05 (inclusive)
 Sampler: G. R.

Well ID: MW-6
 Well Diameter: 3.125 in.
 Total Depth: 31.25 ft.
 Depth to Water: 11.41 ft.
19.84 xVF 0.17 = 337

Date Monitored: 5/10/05 Well Condition: OK

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1310 Weather Conditions: Clear
 Sample Time/Date: 1400 5/10/05 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1320</u>	<u>3</u>	<u>7.16</u>	<u>886</u>	<u>18.7</u>		
<u>1326</u>	<u>6</u>	<u>7.19</u>	<u>872</u>	<u>18.5</u>		
<u>1345</u>	<u>10</u>	<u>7.23</u>	<u>867</u>	<u>18.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>6</u>	<u>1</u> x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	<u>1</u> x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/5-OXYS-ETHANOL(8260)

COMMENTS: New Turb Take

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322 Job Number: 386433
 Site Address: 7225 Bancroft Avenue Event Date: 5/10/05 (inclusive)
 City: Oakland, CA Sampler: G.R.

Well ID: MW-7 Date Monitored: 5/10/05 Well Condition: OK
 Well Diameter: 3/4" ~~1 1/8~~ in.
 Total Depth: 24.70 ft.
 Depth to Water: 9.59 ft.
 $15.11 \times VF = 1.02 = 0.3 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 1 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer PIN ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer PIN ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1150 Weather Conditions: Clear
 Sample Time/Date: 1300 5/10/05 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1210</u>	<u>1/2</u>	<u>7.19</u>	<u>946</u>	<u>18.5</u>	_____	_____
<u>1230</u>	<u>2/3</u>	<u>7.22</u>	<u>940</u>	<u>18.5</u>	_____	_____
<u>1245</u>	<u>1</u>	<u>7.24</u>	<u>931</u>	<u>18.4</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)</u>

COMMENTS: New TWD Taken
Purged + Sampled w/ small PIN Bailer

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322 Job Number: 386433
 Site Address: 7225 Bancroft Avenue Event Date: 5/10/05 (inclusive)
 City: Oakland, CA Sampler: G.R.

Well ID: MW-8 Date Monitored: 5/10/05 Well Condition: OK
 Well Diameter: 3 1/2 (2) in.
 Total Depth: 29.90 ft.
 Depth to Water: 10.60 ft.
 $18.40 \times VF \ 0.17 = 3.16 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 9.5 \text{ gal.}$

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1000 Weather Conditions: Clear
 Sample Time/Date: 1045 5/10/05 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1007</u>	<u>3</u>	<u>7.16</u>	<u>624</u>	<u>18.5</u>		
<u>1014</u>	<u>6</u>	<u>7.01</u>	<u>637</u>	<u>18.5</u>		
<u>1022</u>	<u>9.5</u>	<u>7.04</u>	<u>640</u>	<u>18.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-8	8 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)

COMMENTS: New TWD Taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322
 Site Address: 7225 Bancroft Avenue
 City: Oakland, CA

Job Number: 386433
 Event Date: 5/19/05 (inclusive)
 Sampler: G. A.

Well ID: MW-9 Date Monitored: 5/19/05 Well Condition: OK
 Well Diameter: 3.45 (2) in.
 Total Depth: 19.95 ft.
 Depth to Water: 8.85 ft.
11.1 xVF = 0.17 = 1.88 x3 case volume = Estimated Purge Volume: 5.5 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1412 Weather Conditions: Clear
 Sample Time/Date: 1445 5/19/05 Water Color: clear Odor: NO
 Purging Flow Rate: — gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1418</u>	<u>2</u>	<u>7.16</u>	<u>784</u>	<u>18.7</u>	_____	_____
<u>1425</u>	<u>4</u>	<u>7.09</u>	<u>789</u>	<u>18.6</u>	_____	_____
<u>1430</u>	<u>5.5</u>	<u>7.10</u>	<u>781</u>	<u>18.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6x voa vial</u>	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)
	<u>x voa vial</u>	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)

COMMENTS: New TWD Tank

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-3322 Job Number: 386433
 Site Address: 7225 Bancroft Avenue Event Date: 5/10/05 (inclusive)
 City: Oakland, CA Sampler: CR

Well ID: MW-10 Date Monitored: 5/10/05 Well Condition: OK

Well Diameter: 2 in.
 Total Depth: 29.90 ft.
 Depth to Water: 11.04 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

18.86 x VF 0.17 = 3.20 x3 case volume = Estimated Purge Volume: 9.5 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: 0 ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0810 Weather Conditions: Clear
 Sample Time/Date: 0850 5/10/05 Water Color: Clear Odor: No
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0817</u>	<u>3</u>	<u>7.11</u>	<u>623</u>	<u>18.5</u>		
<u>0825</u>	<u>6</u>	<u>7.66</u>	<u>642</u>	<u>18.5</u>		
<u>0832</u>	<u>9.5</u>	<u>7.07</u>	<u>690</u>	<u>18.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/5 OXYS+ETHANOL(8260)</u>

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 943659. Samples arrived at the laboratory on Tuesday, May 17, 2005. The PO# for this group is 99011184 and the release number is INGLIS.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-050510	NA	Water	4525429
MW-2-W-050510	Grab	Water	4525430
MW-3-W-050510	Grab	Water	4525431
MW-4-W-050510	Grab	Water	4525432
MW-5-W-050510	Grab	Water	4525433
MW-6-W-050510	Grab	Water	4525434
MW-7-W-050510	Grab	Water	4525435
MW-8-W-050510	Grab	Water	4525436
MW-9-W-050510	Grab	Water	4525437
MW-10-W-050510	Grab	Water	4525438

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300

Respectfully Submitted,

Michele M. Turner

Michele M. Turner
Director



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4525429

QA-T-050510 NA Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 QA
 Collected: 05/10/2005

Account Number: 10904

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

BANQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.		50.	ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/20/2005 00:10	Kathie J Bowman	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	05/22/2005 13:59	Ginelle L Haines	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 00:10	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/22/2005 13:59	Ginelle L Haines	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4525430

MW-2-W-050510 Grab Water
Facility# 93322 Job# 386433 GRD
7225 Bancroft-Oakland T0600102079 MW-2
Collected: 05/10/2005 16:40 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
Reported: 05/31/2005 at 10:50
Discard: 07/01/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BANM2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	8,400.	500.	ug/l	10
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	100.	ug/l	2
02010	Methyl Tertiary Butyl Ether	1634-04-4	6.	1.	ug/l	2
05401	Benzene	71-43-2	3.	1.	ug/l	2
05407	Toluene	108-88-3	N.D.	1.	ug/l	2
05415	Ethylbenzene	100-41-4	290.	1.	ug/l	2
06310	Xylene (Total)	1330-20-7	750.	1.	ug/l	2
The reporting limits for the GC/MS volatile compounds were raised due to the level of non-target compounds.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/20/2005 09:19	Kathie J Bowman	10
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/19/2005 03:49	Dawn M Harle	2
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 09:19	Kathie J Bowman	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 03:49	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4525431

MW-3-W-050510 Grab Water GRD
Facility# 93322 Job# 386433
7225 Bancroft-Oakland T0600102079 MW-3
Collected: 05/10/2005 15:45 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
Reported: 05/31/2005 at 10:50
Discard: 07/01/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BANM3

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	220.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	250.	3.	ug/l	5
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/20/2005 06:54	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/19/2005 04:13	Dawn M Harle	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/19/2005 04:37	Dawn M Harle	5
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 06:54	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 04:13	Dawn M Harle	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/19/2005 04:37	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4525432

MW-4-W-050510 Grab Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 MW-4
 Collected: 05/10/2005 11:35 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

BANM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/20/2005 07:23	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/19/2005 05:01	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 07:23	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 05:01	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW 4525433**

MW-5-W-050510 Grab Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 MW-5
 Collected: 05/10/2005 09:45 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

BANM5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/20/2005 07:52	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	05/19/2005 05:24	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 07:52	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 05:24	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4525434

MW-6-W-050510 Grab Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 MW-6
 Collected: 05/10/2005 14:00 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

BANM6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/20/2005 08:21	Kathie J Bowman	1
01594	BTEX+5	SW-846 8260B	1	05/19/2005 05:48	Dawn M Harle	1
01146	Oxygenates+EDC+EDB+ETOH	SW-846 5030B	1	05/20/2005 08:21	Kathie J Bowman	1
01163	GC VOA Water Prep	SW-846 5030B	1	05/19/2005 05:48	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4525435

MW-7-W-050510 Grab Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 MW-7
 Collected: 05/10/2005 13:00 by GR

Account Number: 10904

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

BANM7

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	3,900.	Detection Limit 500.	ug/l	10
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	77.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	140.	5.	ug/l	1
05401	Benzene	71-43-2	700.	5.	ug/l	10
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	650.	5.	ug/l	10

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis	Analyst	Dilution Factor
				Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/20/2005 09:47	Kathie J Bowman	10
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	05/19/2005 23:42	Kelly E Brickley	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	05/20/2005 00:06	Kelly E Brickley	10
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 09:47	Kathie J Bowman	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/19/2005 23:42	Kelly E Brickley	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	05/20/2005 00:06	Kelly E Brickley	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4525436

MW-8-W-050510 Grab Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 MW-8
 Collected: 05/10/2005 10:45 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

BANM8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH						
01587	Ethanol	64-17-5	N.D.		50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.		0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.		0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.		0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.		0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.		5.	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasline Method	1	05/20/2005 08:50		Kathie J Bowman	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	05/20/2005 00:29		Kelly E Brickley	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/20/2005 08:50		Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/20/2005 00:29		Kelly E Brickley	n.a.

Lancaster Laboratories Sample No. WW 4525437

 MW-9-W-050510 Grab Water GRD
 Facility# 93322 Job# 386433
 7225 Bancroft-Oakland T0600102079 MW-9
 Collected: 05/10/2005 14:45 by GR

Account Number: 10904

 Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

BANM9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	670.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06059	BTEX+5 Oxygenates+ETOH						
01587	Ethanol	64-17-5	N.D.		50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	100.		0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.		0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.		0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	4.		0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	20.		5.	ug/l	1
05401	Benzene	71-43-2	11.		0.5	ug/l	1
05407	Toluene	108-88-3	0.7		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.5		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	2.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	05/19/2005 07:18	Linda C Pape	1
06059	BTEX+5 Oxygenates+ETOH	Method SW-846 8260B	1	05/20/2005 20:43	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/19/2005 07:18	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/20/2005 20:43	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4525438

MW-10-W-050510 Grab Water
 Facility# 93322 Job# 386433 GRD
 7225 Bancroft-Oakland T0600102079 MW-10
 Collected: 05/10/2005 08:50 by GR

Account Number: 10904

Submitted: 05/17/2005 08:55
 Reported: 05/31/2005 at 10:50
 Discard: 07/01/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

BAN10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	5.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	05/19/2005 07:47	Linda C Pape	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	05/20/2005 21:31	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	05/19/2005 07:47	Linda C Pape	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	05/20/2005 21:31	Dawn M Harle	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:50 AM

Group Number: 943659

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 05139A16A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4525437-4525438 ug/l	93	96	70-130	4	30
Batch number: 05140A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4525429 ug/l	106	106	70-130	0	30
Batch number: 05140A08C TPH-GRO - Waters	N.D.	50.	Sample number(s): 4525430-4525436 ug/l	106	106	70-130	0	30
Batch number: W051391AA Ethanol	N.D.	50.	Sample number(s): 4525435-4525436 ug/l	118		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	106		77-127		
di-Isopropyl ether	N.D.	0.5	ug/l	91		67-130		
Ethyl t-butyl ether	N.D.	0.5	ug/l	100		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	98		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	102		57-141		
Benzene	N.D.	0.5	ug/l	98		85-117		
Toluene	N.D.	0.5	ug/l	93		85-115		
Ethylbenzene	N.D.	0.5	ug/l	97		82-119		
Xylene (Total)	N.D.	0.5	ug/l	96		83-113		
Batch number: Z051383AA Ethanol	N.D.	50.	Sample number(s): 4525430-4525434 ug/l	94		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	89		77-127		
Benzene	N.D.	0.5	ug/l	92		85-117		
Toluene	N.D.	0.5	ug/l	95		85-115		
Ethylbenzene	N.D.	0.5	ug/l	93		82-119		
Xylene (Total)	N.D.	0.5	ug/l	95		83-113		
Batch number: Z051391AB Ethanol	N.D.	50.	Sample number(s): 4525437-4525438 ug/l	113		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	89		77-127		
di-Isopropyl ether	N.D.	0.5	ug/l	91		67-130		
Ethyl t-butyl ether	N.D.	0.5	ug/l	91		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	92		79-113		
t-Butyl alcohol	N.D.	5.	ug/l	82		57-141		
Benzene	N.D.	0.5	ug/l	94		85-117		
Toluene	N.D.	0.5	ug/l	95		85-115		
Ethylbenzene	N.D.	0.5	ug/l	93		82-119		
Xylene (Total)	N.D.	0.5	ug/l	94		83-113		
Batch number: Z051421AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4525429 ug/l	85		77-127		
Benzene	N.D.	0.5	ug/l	90		85-117		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:50 AM

Group Number: 943659

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Toluene	N.D.	0.5	ug/l	92		85-115		
Ethylbenzene	N.D.	0.5	ug/l	94		82-119		
Xylene (Total)	N.D.	0.5	ug/l	94		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05139A16A TPH-GRO - Waters	Sample number(s): 4525437-4525438								
	100	108	63-154	8	30				
Batch number: 05140A08B TPH-GRO - Waters	Sample number(s): 4525429								
	130		63-154						
Batch number: 05140A08C TPH-GRO - Waters	Sample number(s): 4525430-4525436								
	130		63-154						
Batch number: W051391AA	Sample number(s): 4525435-4525436								
Ethanol	122	132	26-153	8	30				
Methyl Tertiary Butyl Ether	101	101	69-134	0	30				
di-Isopropyl ether	99	100	75-130	1	30				
Ethyl t-butyl ether	103	101	78-119	1	30				
t-Amyl methyl ether	98	100	77-117	1	30				
t-Butyl alcohol	101	98	51-147	3	30				
Benzene	106	106	83-128	0	30				
Toluene	103	104	83-127	1	30				
Ethylbenzene	107	108	82-129	0	30				
Xylene (Total)	104	105	82-130	0	30				
Batch number: Z051383AA	Sample number(s): 4525430-4525434								
Ethanol	106	104	26-153	2	30				
Methyl Tertiary Butyl Ether	84	91	69-134	9	30				
Benzene	92	98	83-128	7	30				
Toluene	95	103	83-127	8	30				
Ethylbenzene	93	101	82-129	9	30				
Xylene (Total)	94	102	82-130	8	30				
Batch number: Z051391AB	Sample number(s): 4525437-4525438								
Ethanol	99	104	26-153	5	30				
Methyl Tertiary Butyl Ether	98	96	69-134	3	30				
di-Isopropyl ether	103	100	75-130	3	30				
Ethyl t-butyl ether	101	98	78-119	3	30				
t-Amyl methyl ether	99	95	77-117	3	30				
t-Butyl alcohol	92	90	51-147	2	30				
Benzene	106	102	83-128	3	30				
Toluene	105	102	83-127	3	30				
Ethylbenzene	106	103	82-129	3	30				
Xylene (Total)	105	101	82-130	3	30				
Batch number: Z051421AA	Sample number(s): 4525429								
Methyl Tertiary Butyl Ether	85	84	69-134	2	30				
Benzene	97	95	83-128	1	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:50 AM

Group Number: 943659

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Toluene	99	97	83-127	3	30				
Ethylbenzene	101	99	82-129	2	30				
Xylene (Total)	100	98	82-130	2	30				

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05139A16A
 Trifluorotoluene-F

4525437	107
4525438	97
Blank	96
LCS	99
LCSD	100
MS	100
MSD	101

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05140A08E
 Trifluorotoluene-F

4525429	98
Blank	98
LCS	100
LCSD	100
MS	97

Limits: 70-142

 Analysis Name: TPH-GRO - Waters
 Batch number: 05140A08C
 Trifluorotoluene-F

4525430	97
4525431	100
4525432	100
4525433	99
4525434	99
4525435	99
4525436	101
Blank	99
LCS	100
LCSD	100
MS	97

Limits: 70-142

 Analysis Name: BTEX+5 Oxygenates+ETOH
 Batch number: W051391AA

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 05/31/05 at 10:50 AM

Group Number: 943659

Surrogate Quality Control

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4525435	99	85	90	99
4525436	101	91	92	95
Blank	101	88	91	93
LCS	102	91	90	101
MS	100	85	94	102
MSD	99	84	93	101
Limits:	81-120	82-112	85-112	83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH

Batch number: Z051383AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4525430	94	91	95	94
4525431	91	87	96	88
4525432	96	91	95	89
4525433	95	90	95	89
4525434	96	91	96	89
Blank	94	90	96	93
LCS	92	90	95	91
MS	92	89	96	93
MSD	93	88	97	
Limits:	81-120	82-112	85-112	83-113

Analysis Name: BTEX+5 Oxygenates+ETOH

Batch number: Z051391AB

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4525437	96	98	98	98
4525438	95	97	98	95
Blank	95	97	98	95
LCS	91	88	96	91
MS	96	98	98	97
MSD	95	98	98	97
Limits:	81-120	82-112	85-112	83-113

Analysis Name: BTEX+MTBE by 8260B

Batch number: Z051421AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4525429	93	96	100	95
Blank	94	97	99	95
LCS	94	98	99	97
MS	93	97	99	97
MSD	94	99	99	96
Limits:	81-120	82-112	85-112	83-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns $>25\%$
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is $<$ CRDL, but \geq IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.