



ENVIRONMENTAL ENGINEERING, INC.
6620 Owens Drive, Suite A • Pleasanton, CA 94588
TEL (925)734-6400 • FAX (925)734-6401
www.somaenv.com

January 7, 2016

RECEIVED

By Alameda County Environmental Health 10:57 am, Jan 08, 2016

Mr. Martin Musonge
Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Subject: **File No. 01-0098 (MYM)**
Site Located at 2844 Mountain Boulevard, Oakland, California

Dear Mr. Musonge:


Enclosed for your review is a copy of SOMA's "Fourth Quarter 2015 Groundwater Monitoring Report" for the subject property. It has been uploaded to the State's GeoTracker database and Alameda County's FTP site.

Thank you for your time in reviewing our report. Please do not hesitate to call me at (925) 734-6400, if you have any questions or comments.

Sincerely,

Mansour Sepehr, Ph.D., PE
Principal Hydrogeologist

cc: Mr. Tejindar Singh w/enclosure
Ms. Dilan Roe – Alameda County Env. Health



**Fourth Quarter 2015
Groundwater Monitoring Report**

**2844 Mountain Boulevard
Oakland, California
Regional Board File Number 01-0098**

January 7, 2016

Project 5081

Prepared for

**Tejindar Singh
6400 Dublin Blvd.
Dublin, California, 94568**




ENVIRONMENTAL ENGINEERING, INC.

6620 Owens Drive Suite A Pleasanton CA 94588 Ph: 925.734.6400 F: 925.734-6401 www.somaenv.com

PERJURY STATEMENT

Site Location: 2844 Mountain Boulevard, Oakland, California

"I declare under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge".

A handwritten signature in black ink, appearing to read "Tejinder Singh", written over a horizontal line.

Tejinder Singh
6400 Dublin Boulevard
Dublin, California 94568
Responsible Party

CERTIFICATION

SOMA Environmental Engineering, Inc. has prepared this report on behalf of Tejindar Singh, property owner of 2844 Mountain Blvd., Oakland, California, to comply with requirements of the San Francisco Bay Regional Water Quality Control Board for the Fourth Quarter 2015 groundwater monitoring event.



Mansour Sepehr, PhD, PE
Principal Hydrogeologist



TABLE OF CONTENTS

CERTIFICATION	i
TABLE OF CONTENTS.....	ii
LIST OF FIGURES	iii
LIST OF TABLES.....	iii
LIST OF APPENDICES	iii
1. INTRODUCTION	1
1.1 Previous Activities	1
1.2 Summary of Field Activities and Laboratory Analysis	2
1.2.1 Field Activities	2
1.2.2 Laboratory Analysis	3
2. RESULTS	3
2.1 Field Measurements	3
2.2 Laboratory Analysis	3
3. CONCLUSIONS AND RECOMMENDATIONS.....	5
4. REPORT LIMITATIONS	6

LIST OF FIGURES

- Figure 1 Site Vicinity Map
- Figure 2 Site Map Showing Locations of Former USTs, Soil Borings, and Groundwater Monitoring Wells
- Figure 3 Groundwater Elevation Contour Map in feet, November 12, 2015
- Figure 4 Map Showing TPH-g and Benzene Concentrations in Groundwater, November 12, 2015
- Figure 5 Contour Map Showing TPH-d Concentrations in Groundwater, November 12, 2015
- Figure 6 Contour Map Showing MtBE Concentrations in Groundwater, November 12, 2015
- Figure 7 Contour Map Showing TBA Concentrations in Groundwater, November 12, 2015
- Figure 8 Contour Map Showing TAME Concentrations in Groundwater, November 12, 2015

LIST OF TABLES

- Table 1 Historical Groundwater Analytical Results

LIST OF APPENDICES

- Appendix A Standard Operating Procedures for Conducting Groundwater Monitoring Activities
- Appendix B Tables of Elevations and Coordinates on Wells, Field Measurements of Physical and Chemical Parameters of the Groundwater Samples and Groundwater Gradient Calculations
- Appendix C Laboratory Report and Chain of Custody Form

1. INTRODUCTION

SOMA Environmental Engineering, Inc. (SOMA) has prepared this report on behalf of Mr. Tejindar Singh, property owner of 2844 Mountain Blvd., Oakland, California. The site is located east of Highway 13 and west of Joaquin Miller Park (Figure 1). Former underground storage tank (UST) locations and site features are shown in Figure 2.

This report summarizes results of the Fourth Quarter 2015 groundwater monitoring event conducted at the site on November 12, 2015. It includes physical and chemical properties measured in the field for each groundwater sample and laboratory analytical results for groundwater samples.

1.1 Previous Activities

In March 1989 soil contamination was identified during replacement of product lines. Analytical results for a soil sample collected from the southern edge of a premium unleaded tank reported total petroleum hydrocarbons (TPHs) as gasoline (TPH-g) concentration of 8,400 mg/kg. Samples from beneath the lines near the pump islands reported TPH concentrations of less than 100 mg/kg.

In July 1989, contaminated soil was excavated and from the area of the southern end of the premium unleaded UST disposed of. Analysis of 12 soil samples collected from the sides of the excavation reported TPH concentrations ranging between ND to 3,300 mg/kg.

In May 1990, further site investigation including installation of four monitoring wells (RS-1 through RS-4) was conducted. Analysis of soil samples collected above the water table reported TPH concentrations ranging from 1 to 240 mg/kg. Hydrocarbons were detected in groundwater samples collected from all the wells; the highest concentration was found in a sample monitoring well RS-2.

In June 1991 soil vapor extraction began in June 1991. Groundwater remediation began in October 1992. Remediation was suspended in 1992, apparently due to responsible party financial issues.

In April 1994, one 280-gallon waste oil UST was removed with approximately 280 gallons of fluid and rinsate. The site operated as a retail gasoline station. Three USTs, two pump islands and an office/garage building were among the site features. The USTs contained various grades of unleaded gasoline and diesel with storage capacities of 3,000, 4,000, and 10,000 gallons.

In 1996 free product was reported in RS-1.

In July 1998, one 4,000-gallon gasoline UST was excavated and disposed of off-site.

Between July 29 and August 18, 2011, two USTs, one 10,000 gallon and one 3,000 gallon capacity, were excavated and disposed of off-site. The site is currently fenced in, which limits public access to the property.

Further soil and groundwater investigation was conducted at the site in March 2012. In October 2012, two wells (RS-1 and RS-2) were decommissioned in anticipation of excavation activities onsite. Excavation activities commenced on October 3, 2012, and an area of approximately 1,200 square feet was excavated to a depth of 15 feet. A total of 788.65 tons of waste soil was removed and replaced with clean fill material.

On May 9 and 10, 2013, two groundwater monitoring wells (MW-1 and MW-2) and soil and groundwater borings (DPT-5/5W) were installed as approved and requested by the San Francisco Bay Regional Water Quality Control Board (SFBRWQCB). All site wells were surveyed by a licensed surveyor on May 28, 2013.

Based on the success of a multi-phase extraction (MPE) pilot test conducted at the site in December 2013, SFRWQCB approved an extended MPE event. This event was conducted at the site from September 17, 2014 to November 5, 2014. Details and results of this event are documented in SOMA's report dated December 12, 2014.

Based on SFRWQCB's approval, SOMA installed an additional MPE well (MW-3) on May 1, 2015, in the vicinity of historical groundwater sample T-1, where high contaminant concentrations were observed during UST removal of August 2011. An extended MPE event was conducted utilizing this well and other site wells during May and June 2015.

1.2 Summary of Field Activities and Laboratory Analysis

1.2.1 Field Activities

On November 12, 2015, five monitoring wells (RS-3, RS-4, MW-1, MW-2, and MW-3) were measured for depth to groundwater. Additional field measurements and groundwater samples were collected from RS-3, MW-1, MW-2, and MW-3. Properties measured in the field were pH, temperature, and electrical conductivity (EC). Only a grab sample could be collected from RS-4 because of accessibility issues as this well is fitted with a compression cap that could not be unscrewed. This monitoring event was conducted in accordance with procedures and guidelines of SFBRWQCB.

Figure 2 shows well locations. Appendix A details groundwater monitoring procedures followed during this event.

Purged groundwater was temporarily stored and secured on-site in a 55-gallon drum pending transport to an appropriate disposal facility.

1.2.2 Laboratory Analysis

Groundwater samples were submitted to a California state-certified laboratory Curtis and Tompkins Laboratories, for the following analysis:

- TPH-g (gasoline by EPA Method 8260), and TPH-d (diesel by EPA Method 8015);
- BTEX (benzene, toluene, ethylbenzene, and total xylenes), MtBE, gasoline oxygenates (by EPA Method 8260).

2. RESULTS

Results of field measurements and laboratory analyses for the groundwater monitoring event conducted on November 12, 2015 follow below.

2.1 Field Measurements

Monitoring wells MW-1, MW-2, MW-3, RS-3 and RS-4 were measured for depth to groundwater (Table 1). Depths to groundwater ranged from 7.78 feet in MW-3 to 9.58 feet in RS-4. Groundwater elevations ranged from 665.69 feet in RS-4 to 668.23 feet in RS-3.

Figure 3 displays the groundwater elevation map. The groundwater flows southeasterly at a gradient of 0.044 ft/ft. Since the previous monitoring event (Third Quarter 2015), the groundwater flow direction has remained southeasterly and the gradient has decreased. Groundwater gradient calculations are included in Appendix B.

2.2 Laboratory Analysis

Groundwater analytical data for this monitoring event is shown in Table 1. Appendix C includes the laboratory report and chain of custody form. No measurable floating product was observed during this monitoring event.

TPH-g was below laboratory-reporting limit in RS-3, MW-2, and MW-3 and was detected in RS-4 and MW-1 at 170 µg/L and 2,500 µg/L, respectively. Since the previous monitoring event (August 2015), TPH-g concentrations remained below laboratory-reporting limits in RS-3, MW-2 and MW-3, increased in MW-1, and decreased in RS-4. Figure 4 shows a map of TPH-g concentrations in

groundwater. The TPH-g plume appears to be centered to the southwest of the pump islands in the vicinity of MW-1.

TPH-d was below laboratory-reporting limit in RS-3 and was detected in concentrations ranging from 220 µg/L in MW-3 to 5,100 µg/L in MW-1. Since the previous monitoring event (August 2015), TPH-d has decreased in RS-4, MW-1, MW-2, and MW-3. Figure 5 shows a contour map of TPH-d concentrations in groundwater. TPH-d plume appears to be centered southwest of the pump islands in the vicinity of MW-1.

During the analysis of TPH-d, groundwater sample from MW-3 exhibited chromatographic pattern that did not resemble the standard pattern for diesel. Refer to the laboratory analytical report attached in Appendix C for further clarification of diesel testing and analysis.

The following BTEX concentrations were observed during this monitoring event:

- All BTEX analytes were below laboratory-reporting limits in RS-3, MW-2, and MW-3 and toluene was below laboratory-reporting limit in all site wells.
- Benzene was detected in MW-1 at 16 µg/L and was below laboratory-reporting limits in other groundwater samples. Since the previous monitoring event (August 2015) benzene has decreased in MW-1 and remained below laboratory-reporting limit in other groundwater samples. Figure 4 shows a map of benzene concentrations in groundwater. The benzene plume appears to be centered to the southwest of the pump islands in the vicinity of MW-1.
- Ethylbenzene was detected in RS-4 and MW-1 at 1.4 µg/L and 34 µg/L, respectively and was below laboratory-reporting limits in other groundwater samples. Since the previous monitoring event (August 2015) ethylbenzene has increased slightly in RS-4 and MW-1.
- Total xylenes were detected in RS-4 and MW-1 at 0.55 µg/L and 6.9 µg/L, respectively and were below laboratory-reporting limits in all other groundwater samples. Since the previous monitoring event (August 2015), total xylenes have decreased in RS-4 and MW-1.

Methyl tertiary-butyl ether (MtBE) concentrations ranged from 1.10 µg/L in RS-3 to 340 µg/L in MW-2. Since the previous monitoring event (August 2015), MtBE has increased slightly in RS-3 and decreased in RS-4, MW-1, MW-2, and MW-3. Figure 6 shows a contour map of MtBE concentrations in groundwater. The MtBE plume appears to be centered in the vicinity of the pump islands around MW-2.

Tertiary-butyl alcohol (TBA) was below laboratory-reporting limit in RS-3 and MW-3. Detectable TBA concentrations ranged from 1,400 µg/L in RS-4 to 37,000 µg/L in MW-2. Since the previous monitoring event (August 2015), TBA increased in MW-2 and decreased in RS-4, MW-1, and MW-3. Figure 7 shows a contour map of TBA concentrations in groundwater. The highest TBA

concentration was detected in the vicinity of the pump islands around MW-2 and was significantly higher than the concentrations in other wells.

Tertiary amyl methyl ether (TAME) was below laboratory-reporting limit in RS-3. Detectable TAME concentrations ranged from 0.66 µg/L in RS-4 to 25 µg/L in MW-2. Since the previous monitoring event (August 2015), TAME has decreased in RS-4, MW-1, MW-2, and MW-3. Figure 8 shows a contour map of TAME concentrations in groundwater. The highest TAME concentrations were detected in the vicinity of the pump islands around MW-2.

3. CONCLUSIONS AND RECOMMENDATIONS

Conclusions and recommendations based on results of Fourth Quarter 2015 groundwater monitoring are summarized below.

- The groundwater flows southeasterly across the site.
- No free/floating product was observed in any monitoring wells during this monitoring event.
- The highest TPH-g, TPH-d, benzene, ethylbenzene, and total xylenes concentrations were detected to the southwest of the pump islands around MW-1. The highest MtBE, TBA, and TAME concentrations were detected in the vicinity of pump islands around MW-2. TBA concentrations in MW-2 were significantly higher than detectable TBA concentrations in other wells.
- Since the previous monitoring event in August 2015, TPH-g increased in MW-1, and decreased in RS-4; TPH-d decreased in RS-4, MW-1, MW-2, and MW-3; benzene decreased in MW-1; MtBE increased slightly in RS-3 and decreased in RS-4, MW-1, MW-2, and MW-3; TBA increased in MW-2 and decreased in RS-4, MW-1, and MW-3; and TAME decreased in RS-4, MW-1, MW-2, and MW-3.
- SOMA will continue conducting quarterly groundwater monitoring events at the site.


SOMA has recently submitted a workplan to conduct additional investigation to delineate the extent of MtBE and TBA at the site. The workplan will be implemented upon receipt of authorization from the SFRWQCB. Upon completion of delineation, a corrective action will be prepared to address the remediation of these contaminants.

4. REPORT LIMITATIONS

This report is the summary of work done by SOMA, including observations and descriptions of site conditions. It includes analytical results produced by Curtis and Tompkins, Laboratories for the current groundwater monitoring event. Quantities and locations of wells were selected to provide the required information, but may not be completely representative of entire site conditions. All conclusions and recommendations are based on results of laboratory analysis. Conclusions beyond those specifically stated in this document should not be inferred from this report.

SOMA warrants that services were provided in accordance with generally accepted environmental engineering and consulting practices at the time of this sampling.

Figures



Source: Google (R) 2012





Figure 1: Site Vicinity Map





- ▼ Groundwater monitoring wells
- ✕ Decommissioned Monitoring Wells
- ⊕ Confirmation soil samples
- ⊕ Confirmation groundwatr samples
- CPT/MIP/DPT borings (2012)
- ◆ Shallow Soil Borings (2012)
- ⊕ DPT Boring (2013)




Figure 2: Site Map Showing Locations of Former USTs, Soil Borings, and Groundwater Monitoring Wells





Figure 3: Groundwater Elevation Contour Map in feet, November 12, 2015






Figure 4: Map Showing TPH-g and Benzene Concentrations in Groundwater, November 12, 2015





Figure 5: Contour Map Showing TPH-d Concentrations in Groundwater, November 12, 2015








Figure 6: Contour Map Showing MtBE Concentrations in Groundwater, November 12, 2015





- ▽ Groundwater monitoring wells
- ✕ Decommissioned Monitoring Wells
- ⊕ Confirmation soil samples
- ⊕ Confirmation groundwatr samples
- CPT/MIP/DPT borings (2012)
- ◆ Shallow Soil Borings (2012)
- ⊕ DPT Boring (2013)

approximate scale in feet
 0 20 40

Figure 7: Contour Map Showing TBA Concentrations in Groundwater, November 12, 2015



- Groundwater monitoring wells
- Decommissioned Monitoring Wells
- Confirmation soil samples
- Confirmation groundwatr samples
- CPT/MIP/DPT borings (2012)
- Shallow Soil Borings (2012)
- DPT Boring (2013)



generalized groundwater flow direction




Figure 8: Contour Map Showing TAME Concentrations in Groundwater, November 12, 2015

Tables

Table 1
Historical Groundwater Analytical Results
2844 Mountain Boulevard, Oakland, CA

Monitoring Well	Date	Casing Elevation (Ft.)	Depth to Top Fluid (Ft.)	Depth to Groundwater (Ft.)	Free-Product Thickness	Groundwater Elevation	TPH-g µg/L	TPH-d µg/L	TPH-mo µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Xylenes µg/L	MtBE µg/L	TBA µg/L	TAME µg/L
RS-1	5/1/90	675.63	7.20	7.20	0.00	668.43	2,700	-	-	370	420	40	320	-	-	-
	5/1/91	675.63	8.35	8.35	0.00	667.28	1,300	-	-	580	130	62	240	-	-	-
	10/1/91	675.63	10.22	10.22	0.00	665.41	1,100	-	-	140	100	45	210	-	-	-
	1/1/92	675.63	8.06	8.06	0.00	667.57	1,700	-	-	9.9	31	9.7	170	-	-	-
	1/1/93	675.63	5.30	5.30	0.00	670.33	3,700	-	-	650	9.2	51	170	-	-	-
	8/1/93	675.63	8.56	8.56	0.00	667.07	900	-	-	14	0.6	2.1	8	-	-	-
	11/1/93	675.63	8.44	8.44	0.00	667.19	1,400	-	-	9.6	ND	0.9	5	-	-	-
	1/1/94	675.63	6.88	6.88	0.00	668.75	4,200	-	-	95	3.1	58	130	-	-	-
	5/1/94	675.63	7.87	7.87	0.00	667.76	7,500	-	-	270	11	37	96	-	-	-
	8/1/94	675.63	16.28	16.28	0.00	659.35	130	-	-	12	0.5	2.6	5	-	-	-
	11/1/94	675.63	8.02	8.02	0.00	667.61	270	-	-	4.7	0.7	0.6	15	-	-	-
	2/1/95	675.63	6.51	6.51	0.00	669.12	12,000	-	-	81	2.3	1	12	-	-	-
	6/1/95	675.63	7.34	7.34	0.00	668.29	37,000	-	-	460	ND	ND	ND	63,000	-	-
	11/1/95	675.63	8.71	8.71	0.00	666.92	ND	-	-	660	16	140	330	31,000	-	-
	2/1/96	675.63	6.95	6.95	0.00	668.68	66,000	-	-	110	ND	12	21	84,000	-	-
	9/18/96	675.63	8.44	8.52	0.08	667.17	1 INCH FLOATING PRODUCT									
	12/11/96	675.63	6.42	6.62	0.20	669.17	79,000	-	-	4,000	37,000	8,000	45,000	220,000	-	-
	2/21/97	675.63	6.88	6.92	0.04	668.74	1/2 INCH FLOATING PRODUCT									
	5/28/97	675.63	7.88	7.96	0.08	667.73	156,000	-	-	9,400	51,000	7,000	45,000	112,000	-	-
	9/2/97	675.63	8.34	8.38	0.04	667.28	1/2 INCH FLOATING PRODUCT									
	11/24/97	675.63	6.98	7.00	0.02	668.65	1/4 INCH FLOATING PRODUCT									
	2/25/98	675.63	3.51	3.52	0.01	672.12	1/8 INCH FLOATING PRODUCT									
	5/27/98	675.63	7.31	7.31	0.00	668.32	40,000	-	-	2,200	4,000	2,300	19,000	350,000	-	-
	9/16/98	675.63	8.10	8.10	0.00	667.53	62,000	-	-	2,400	2,300	2,100	14,000	250,000	-	-
	11/23/98	675.63	7.10	7.10	0.00	668.53	99,000	-	-	2,600	5,800	2,500	18,000	130,000	-	-
	2/23/99	675.67	4.82	4.87	0.05	670.84	5/8 INCH FLOATING PRODUCT									
	5/5/99	675.67	6.86	6.90	0.04	668.80	FLOATING PRODUCT									
	8/24/99	675.67	7.87	7.90	0.03	667.80	FLOATING PRODUCT									
	2/8/12	675.67	6.80	6.80	0.00	668.87	60,000 x	8,200 x	<936	790	<6.4	2,000	430	65,000	41,000	5,100
	5/4/12	675.67	6.57	6.57	0.00	669.10	18,000	10,000	NA	600	<36	2,000	870	22,000	11,000	1,800
8/6/12	675.67	7.61	7.61	0.00	668.06	16,000	12,000	NA	940	<130	2,000	560	42,000	35,000	3,400	
Well Destroyed October 1, 2012																
RS-2	5/1/90	689.00	7.06	7.06	0.00	681.94	23,000	-	-	7,200	4,800	300	3,300	-	-	-
	5/1/91	689.00	7.14	7.14	0.00	681.86	26,000	-	-	14,000	1,800	750	2,900	-	-	-
	10/1/91	688.89	8.84	8.84	0.00	680.05	13,000	-	-	4,300	910	300	2,300	-	-	-
	1/1/92	688.89	7.34	7.34	0.00	681.55	8,300	-	-	1,800	920	140	1,700	-	-	-
	1/1/93	688.89	4.10	4.10	0.00	684.79	41,000	-	-	7,000	210	1,200	4,200	-	-	-
	8/1/93	688.89	7.32	7.32	0.00	681.57	19,000	-	-	5,300	62	810	1,600	-	-	-
	11/1/93	688.89	7.34	7.34	0.00	681.55	9,300	-	-	2,400	3.90	46	800	-	-	-
	1/1/94	688.89	5.52	5.52	0.00	683.37	30,000	-	-	4,900	ND	880	2,600	-	-	-
	5/1/94	675.25	6.40	6.40	0.00	668.85	120,000	-	-	3,300	330	ND	2,200	-	-	-
	8/1/94	675.25			0.00	675.25	510	-	-	7.30	3.80	3.50	32	-	-	-
	11/1/94	675.25	9.82	9.82	0.00	665.43	620	-	-	6.60	3.90	1.10	47	-	-	-

Table 1
Historical Groundwater Analytical Results
2844 Mountain Boulevard, Oakland, CA

Monitoring Well	Date	Casing Elevation (Ft.)	Depth to Top Fluid (Ft.)	Depth to Groundwater (Ft.)	Free-Product Thickness	Groundwater Elevation	TPH-g µg/L	TPH-d µg/L	TPH-mo µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Xylenes µg/L	MtBE µg/L	TBA µg/L	TAME µg/L
RS-2 cont.	2/1/95	675.25	4.81	4.81	0.00	670.44	22,000	-	-	228	80	2	463	-	-	-
	6/1/95	675.25	5.80	5.80	0.00	669.45	49,000	-	-	1,300	160	200	1,600	71,000	-	-
	11/1/95	675.25	7.64	7.64	0.00	667.61	ND	-	-	670	25	150	360	65,000	-	-
	2/1/96	675.25	4.69	4.69	0.00	670.56	75,000	-	-	1,400	170	59	460	71,000	-	-
	9/18/96	675.25	7.34	7.34	0.00	667.91	6,300	-	-	2,000	48	350	570	160,000	-	-
	12/11/96	675.25	5.08	5.08	0.00	670.17	16,000	-	-	2,000	840	200	3,200	180,000	-	-
	2/21/97	675.25	5.42	5.42	0.00	669.83	22,000	-	-	2,100	1,300	600	5,100	56,000	-	-
	5/28/97	675.25	6.40	6.40	0.00	668.85	156,000	-	-	4,200	89	1,000	6,900	390,000	-	-
	9/2/97	675.25	6.93	6.93	0.00	668.32	<50	-	-	1,300	25	360	1,400	180,000	-	-
	11/24/97	675.25	5.93	5.93	0.00	669.32	<50	-	-	600	ND	ND	ND	610,000	-	-
	2/25/98	675.25	4.59	4.59	0.00	670.66	11,000	-	-	1,100	<50	320	2,400	330,000	-	-
	5/27/98	675.25	5.61	5.61	0.00	669.64	13,000	-	-	2,000	150	600	2,700	380,000	-	-
	9/16/98	675.25	6.84	6.84	0.00	668.41	11,000	-	-	1,600	20	1,600	1,600	280,000	-	-
	11/23/98	675.25	6.24	6.24	0.00	669.01	12,000	-	-	1,200	84	<5	960	140,000	-	-
	2/23/99	675.28	4.62	4.62	0.00	670.66	8,800	-	-	1,500	650	640	1,500	450,000	-	-
	5/5/99	675.28	7.55	7.55	0.00	667.73	29,000	-	-	2,000	1,300	500	3,700	270,000	-	-
	8/24/99	675.28	6.62	6.62	0.00	668.66	12,000	-	-	1,900	20	370	980	340,000	-	-
	2/8/12	675.28	5.52	5.52	0.00	669.76	18,000 x	6,800 x	<378	540	<6.4	120	710	2,800	64,000	420
	5/4/12	675.28	5.18	5.18	0.00	670.10	16,000	13,000	NA	690	23	460	1,140	6,800	21,000	960
	8/6/12	675.28	6.33	6.33	0.00	668.95	11,000	10,000	NA	810	<25	210	473	3,300	18,000	580
Well Destroyed October 1, 2012																
RS-3	5/1/90	670.00	6.00	6.00	0.00	664.00	330	-	-	2	1	1	150	-	-	-
	5/1/91	670.00	6.76	6.76	0.00	663.24	ND	-	-	0.40	ND	0.80	8	-	-	-
	10/1/91	670.00	8.98	8.98	0.00	661.02	ND	-	-	ND	ND	ND	ND	-	-	-
	1/1/92	670.00	6.81	6.81	0.00	663.19	ND	-	-	2.20	7.20	0.60	4	-	-	-
	1/1/93	670.00	4.05	4.05	0.00	665.95	ND	-	-	ND	ND	ND	ND	-	-	-
	8/1/93	670.00	7.19	7.19	0.00	662.81	ND	-	-	30	6	2.40	5	-	-	-
	11/1/93	670.00	7.12	7.12	0.00	662.88	ND	-	-	4.80	0.40	0.60	2	-	-	-
	1/1/94	670.00	5.42	5.42	0.00	664.58	330	-	-	25	3.20	3.90	12	-	-	-
	5/1/94	676.20	5.78	5.78	0.00	670.42	670	-	-	34	4	28	70	-	-	-
	8/1/94	676.20	5.86	5.86	0.00	670.34	ND	-	-	ND	ND	ND	ND	-	-	-
	11/1/94	676.20	5.08	5.08	0.00	671.12	69	-	-	2.50	3.10	1	4	-	-	-
	2/1/95	676.20	4.51	4.51	0.00	671.69	ND	-	-	0.30	0.40	ND	1	-	-	-
	6/1/95	676.20	5.29	5.29	0.00	670.91	ND	-	-	ND	ND	ND	ND	66	-	-
	11/1/95	676.20	7.10	7.10	0.00	669.10	ND	-	-	ND	ND	ND	ND	44	-	-
	2/1/96	676.20	4.48	4.48	0.00	671.72	120	-	-	ND	ND	ND	ND	110	-	-
	9/18/96	676.20	6.92	6.92	0.00	669.28	1,000	-	-	13	8.60	10	17	33	-	-
	12/11/96	676.20	4.90	4.90	0.00	671.30	85	-	-	20	2	<0.5	14	4,700	-	-
	2/21/97	676.20	4.94	4.94	0.00	671.26	120	-	-	5	2	2	6	850	-	-
	5/28/97	676.20	7.92	7.92	0.00	668.28	<50	-	-	6	<0.5	<0.5	<2	2,400	-	-
	9/2/97	676.20	6.60	6.60	0.00	669.60	<50	-	-	0.90	<0.5	<0.5	<2	8,600	-	-
11/24/97	676.20	5.89	5.89	0.00	670.31	140	-	-	13	2	1	12	3,600	-	-	
2/25/98	676.20	4.29	4.29	0.00	671.91	<50	-	-	<0.5	<0.5	<0.5	4	850	-	-	
5/27/98	676.20	5.01	5.01	0.00	671.19	<50	-	-	7	<0.5	<0.5	11	940	-	-	

Table 1
Historical Groundwater Analytical Results
2844 Mountain Boulevard, Oakland, CA

Monitoring Well	Date	Casing Elevation (Ft.)	Depth to Top Fluid (Ft.)	Depth to Groundwater (Ft.)	Free-Product Thickness	Groundwater Elevation	TPH-g µg/L	TPH-d µg/L	TPH-mo µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Xylenes µg/L	MtBE µg/L	TBA µg/L	TAME µg/L
RS-3 cont.	9/16/98	676.20	6.21	6.21	0.00	669.99	<50	-	-	2	2	2	10	670	-	-
	11/24/98	676.20	5.58	5.58	0.00	670.62	85	-	-	9	23	<0.5	19	180	-	-
	2/24/99	676.23	4.30	4.30	0.00	671.93	<50	-	-	<0.5	0.90	<0.5	<1.0	150	-	-
	5/5/99	676.23	4.92	4.92	0.00	671.31	<50	-	-	1	2	1	6	130	-	-
	8/24/99	676.23	6.64	6.64	0.00	669.59	80	-	-	0.80	<0.5	0.60	<1	300	-	-
	2/8/12	676.23	5.72	5.72	0.00	670.51	130 x	<42	<94	<0.13	0.59	2.90	18.1	7.9	<1.5	<0.17
	5/4/12	676.23	5.25	5.25	0.00	670.98	<50	330 Y	NA	<0.5	<0.5	<0.5	<0.5	10	18	2.4
	8/6/12	676.23	6.65	6.65	0.00	669.58	<50	390 Y	NA	<0.5	<0.5	<0.5	<0.5	13	<10	3.2
	3/29/13	676.23	6.01	6.01	0.00	670.22	<50	90 Y	NA	<0.5	<0.5	<0.5	<0.5	3.6	<10	<0.5
	6/6/13	676.08	6.45	6.45	0.00	669.63	<50	66 Y	NA	<0.5	<0.5	<0.5	<0.5	1.5	<10	<0.5
	9/4/13	676.08	6.91	6.91	0.00	669.17	<50	170 Y	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5
	12/30/13	676.08	7.21	7.21	0.00	668.87	<50	61 Y	NA	<0.5	<0.5	<0.5	<0.5	21	680	0.64
	3/10/14	676.08	5.68	5.68	0.00	670.40	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	14	320	0.61
	6/3/14	676.08	6.72	6.72	0.00	669.36	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	41	490	1.70
	8/27/14	676.08	7.10	7.10	0.00	668.98	<50	120 Y	NA	<0.5	<0.5	<0.5	<0.5	27	<10	1.20
11/13/14	676.08	6.53	6.53	0.00	669.55	<50*	58 Y	NA	<0.5	<0.5	<0.5	<0.5	19	<10	0.60	
2/12/15	676.08	5.95	5.95	0.00	670.13	<50	56 Y	NA	<0.5	<0.5	<0.5	<0.5	19	<10	<0.5	
5/13/15	676.08	6.93	6.93	0.00	669.15	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	4.6	<10	<0.5	
6/22/15	676.08	8.87	8.87	0.00	667.21	<50	<50	NA	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	
8/12/15	676.08	7.79	7.79	0.00	668.29	<50	<52	NA	<0.5	<0.5	<0.5	<0.5	0.57	<10	<0.5	
	11/12/15	676.08	7.85	7.85	0.00	668.23	<50	<49	NA	<0.5	<0.5	<0.5	<0.5	1.10	<10	<0.5
RS-4	5/1/90	675.38	8.34	8.34	0.00	667.04	440	-	-	9	11	9	49	-	-	-
	5/1/91	675.38	9.50	9.50	0.00	665.88	ND	-	-	8	4	3	5	-	-	-
	10/1/91	675.38	10.82	10.82	0.00	664.56	830	-	-	280	120	24	170	-	-	-
	1/1/92	675.38	9.31	9.31	0.00	666.07	620	-	-	34	8.30	2.10	21	-	-	-
	1/1/93	675.38	6.89	6.89	0.00	668.49	150	-	-	32	1.70	5.80	13	-	-	-
	8/1/93	675.38	9.68	9.68	0.00	665.70	ND	-	-	0.90	0.70	ND	0	-	-	-
	11/1/93	675.38	9.83	9.83	0.00	665.55	ND	-	-	ND	ND	ND	ND	-	-	-
	1/1/94	675.38	8.17	8.17	0.00	667.21	ND	-	-	1.70	ND	0.81	2	-	-	-
	5/1/94	675.38	8.69	8.69	0.00	666.69	ND	-	-	ND	ND	ND	1	-	-	-
	8/1/94	675.38	9.04	9.04	0.00	666.34	420	-	-	6.50	4.10	1.90	40	-	-	-
	11/1/94	675.38	8.00	8.00	0.00	667.38	130	-	-	4.10	0.70	1.70	8	-	-	-
	2/1/95	675.38	7.93	7.93	0.00	667.45	ND	-	-	6	1.20	3.50	13	-	-	-
	6/1/95	675.38	8.61	8.61	0.00	666.77	ND	-	-	ND	ND	ND	ND	69	-	-
	11/1/95	675.38	10.43	10.43	0.00	664.95	ND	-	-	ND	ND	ND	ND	47	-	-
	2/1/96	675.38	7.44	7.44	0.00	667.94	960	-	-	ND	ND	0.60	ND	80	-	-
	9/18/96	675.38	9.58	9.58	0.00	665.80	<50	-	-	<0.5	<0.5	<0.5	<2	200	-	-
	12/1/96	675.38	7.50	7.50	0.00	667.88	75	-	-	<0.5	0.60	<0.5	<0.5	104	-	-
	2/21/97	675.38	8.26	8.26	0.00	667.12	<50	-	-	1	1	<0.5	1	190	-	-
	5/28/97	675.38	8.92	8.92	0.00	666.46	<50	-	-	6	<0.5	<0.5	<2	110	-	-
	9/2/97	675.38	9.39	9.39	0.00	665.99	100	-	-	3	<0.5	<0.5	<2	39	-	-
	11/24/97	675.38	8.22	8.22	0.00	667.16	41	-	-	<0.5	2	<0.5	<2	210	-	-
	2/25/98	675.38	7.19	7.19	0.00	668.19	<50	-	-	3	<0.5	<0.5	<1	5,600	-	-
	5/27/98	675.38	8.40	8.40	0.00	666.98	<50	-	-	<0.5	<0.5	<0.5	<1	2,400	-	-

Table 1
Historical Groundwater Analytical Results
2844 Mountain Boulevard, Oakland, CA

Monitoring Well	Date	Casing Elevation (Ft.)	Depth to Top Fluid (Ft.)	Depth to Groundwater (Ft.)	Free-Product Thickness	Groundwater Elevation	TPH-g µg/L	TPH-d µg/L	TPH-mo µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Xylenes µg/L	MtBE µg/L	TBA µg/L	TAME µg/L
RS-4 cont.	9/16/98	675.38	9.26	9.26	0.00	666.12	<50	-	-	<0.5	<0.5	<0.5	<1	230	-	-
	11/24/98	675.38	8.50	8.50	0.00	666.88	<50	-	-	2	<0.5	<0.5	<1	100	-	-
	2/24/99	675.42	7.20	7.20	0.00	668.22	<50	-	-	2	3	0.80	5	670	-	-
	5/5/99	675.42	8.37	8.37	0.00	667.05	100	-	-	<0.5	<0.5	<0.5	<1	440	-	-
	8/24/99	675.42	8.36	8.36	0.00	667.06	<50	-	-	<0.5	<0.5	<0.5	<1	<500	-	-
	2/8/12	675.42	8.11	8.11	0.00	667.31	140,000	130,000 X	<9,360	120	2,600	4,700	28,200	28,000	100,000	1,800
	5/4/12	675.42	8.31	8.31	0.00	667.11	67,000	12,000 Y	NA	61	900	2,100	9,700	32,000	69,000	1,700
	8/6/12	675.42	9.01	9.01	0.00	666.41	49,000	8,900	NA	<130	350	1,700	8,100	19,000	90,000	1,300
	3/29/13	675.42	8.49	8.49	0.00	666.93	14,000	14,000	NA	<100	<100	440	1,340	14,000	110,000	590
	6/6/13	675.27	8.48	8.48	0.00	666.79	12,000	7,200	NA	11	<3.6	420	886	16,000	66,000	970
	9/4/13	675.27	9.39	9.39	0.00	665.88	20,000	5,100	NA	<100	<100	660	2,830	18,000	75,000	1,200
	12/30/13	675.27	9.57	9.57	0.00	665.70	<13,000	9,900	NA	<130	<130	<130	150	16,000	37,000	1,100
3/10/14	675.27	7.65	7.65	0.00	667.62	<10,000	3,700	NA	<100	<100	<100	<100	11,000	38,000	640	
6/3/14	675.27	9.27	9.27	0.00	666.00	<3,600	4,400	NA	<36	<36	40	<36	3,700	27,000	260	
8/27/14	675.27	9.43	9.43	0.00	665.84	2,500	4,700	NA	<20	<20	40	<20	2,100	28,000	150	
11/13/14	675.27	9.56	9.56	0.00	665.71	2,200*	3,500	NA	<20	<20	<20	36	11,000	15,000	910	
2/12/15	675.27	8.03	8.03	0.00	667.24	<1,300	1,900	NA	<13	<13	<13	<13	500	14,000	25	
5/13/15	675.27	9.05	9.05	0.00	666.22	<1,300	1,100	NA	<13	<13	<13	<13	460	25,000	21	
6/22/15	675.27	10.62	10.62	0.00	664.65	<1,300	770	NA	<13	<13	<13	<13	5,900	7,900	500	
8/12/15	675.27	9.93	9.93	0.00	665.34	320	1,300	NA	<1.3	<1.3	1.3	1.7	230	6,400	18	
11/12/15	675.27	9.58	9.58	0.00	665.69	170	440	NA	<0.5	<0.5	1.4	0.55	12	1,400	0.66	
MW-1	6/6/13	674.92	6.03	6.03	0.00	668.89	<17,000	13,000	NA	930	370	470	1,760	55,000	32,000	7,200
	9/4/13	674.92	7.10	7.10	0.00	667.82	<50,000	13,000	NA	2,000	<500	1,400	4,200	70,000	48,000	7,700
	12/30/13	674.92	7.27	7.27	0.00	667.65	34,000	13,000	NA	920	1,000	1,300	4,900	43,000	43,000	4,500
	3/10/14	674.92	5.51	5.51	0.00	669.41	<20,000	11,000	NA	720	<200	890	1,970	25,000	30,000	2,600
	6/3/14	674.92	6.74	6.74	0.00	668.18	8,900	7,400	NA	350	<83	550	1,420	11,000	28,000	1,300
	8/27/14	674.92	7.23	7.23	0.00	667.69	8,100	12,000	NA	640	<63	610	720	8,400	23,000	1,500
	11/13/14	674.92	7.36	7.36	0.00	667.56	7,400*	7,900	NA	270	<63	360	880	6,100	12,000	910
	2/12/15	674.92	5.80	5.80	0.00	669.12	4,300	11,000	NA	200	<25	200	350	3,400	18,000	500
	5/13/15	674.92	7.00	7.00	0.00	667.92	2,700	7,100	NA	150	<8.3	170	76	1,000	12,000	150
	6/22/15	674.92	12.11	12.11	0.00	662.81	<1,300	2,600	NA	<13	<13	<13	<13	4,800	17,000	450
	8/12/15	674.92	8.25	8.25	0.00	666.67	2,000	8,100	NA	31	<8.3	27	46	530	10,000	57
	11/12/15	674.92	7.79	7.79	0.00	667.13	2,500	5,100	NA	16	<5.0	34	6.9	120	6,200	13
MW-2	6/6/13	675.02	6.70	6.70	0.00	668.32	16,000	5,400	NA	910	<130	610	2,290	59,000	64,000	7,700
	9/4/13	675.02	7.79	7.79	0.00	667.23	<25,000	3,900	NA	860	<250	710	1,580	32,000	31,000	4,600
	12/30/13	675.02	8.05	8.05	0.00	666.97	<13,000	6,300	NA	180	<130	<130	330	18,000	53,000	1,800
	3/10/14	675.02	6.08	6.08	0.00	668.94	14,000	11,000	NA	210	<130	360	700	15,000	40,000	1,800
	6/3/14	675.02	7.54	7.54	0.00	667.48	<7,100	6,200	NA	170	<71	310	150	8,000	29,000	920
	8/27/14	675.02	7.90	7.90	0.00	667.12	3,400	5,000	NA	100	<8.3	120	88	2,300	25,000	310
	11/13/14	675.02	8.12	8.12	0.00	666.90	1,000*	4,700	NA	120	<8.3	11	<8.3	4,000	22,000	460
	2/12/15	675.02	6.33	6.33	0.00	668.69	<4,200	5,400	NA	98	<42	58	<42	6,300	42,000	610
	5/13/15	675.02	7.72	7.72	0.00	667.30	<2,000	4,900	NA	86	<20	45	<20	870	34,000	96
	6/22/15	675.02	11.30	11.30	0.00	663.72	<2,000	3,300	NA	<20	<20	<20	<20	3,400	18,000	460
	8/12/15	675.02	8.86	8.86	0.00	666.16	<2,000	2,800 Y	NA	<20	<20	<20	<20	470	23,000	31
	11/12/15	675.02	8.30	8.30	0.00	666.72	<2,000	1,800	NA	<20	<20	<20	<20	340	37,000	25

Table 1
Historical Groundwater Analytical Results
2844 Mountain Boulevard, Oakland, CA

Monitoring Well	Date	Casing Elevation (Ft.)	Depth to Top Fluid (Ft.)	Depth to Groundwater (Ft.)	Free-Product Thickness	Groundwater Elevation	TPH-g µg/L	TPH-d µg/L	TPH-mo µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Xylenes µg/L	MtBE µg/L	TBA µg/L	TAME µg/L
MW-3 Post-MPE	5/13/15	675.58	6.60	6.60	0.00	668.98	<50	7,000	NA	<0.5	<0.5	<0.5	0.75	160	380	8.4
	6/22/15	675.58	14.31	14.31	0.00	661.27	<100	650 Y	NA	<1.0	<1.0	<1.0	<1.0	190	17	6.3
	8/12/15	675.58	7.80	7.80	0.00	667.78	<170	410 Y	NA	<1.7	<1.7	<1.7	<1.7	590	41	20
	11/12/15	675.58	7.78	7.78	0.00	667.80	<50	220 Y	NA	<0.5	<0.5	<0.5	<0.5	67	<10	1.70
ESLs (µg/L)	Ground-water						100	100	100	1.00	40	30	20	5.00	12	NL
	Vapor intrusion						NV	NV	NV	27	95,000	310	37,000	9,900	NV	NL

Note:

< : Below Laboratory Reporting Limit (Method Detection Limit)

x : Does not match pattern of reference Gasoline standard/ Not typical of diesel standard pattern (possibly fuel lighter than diesel)

* : Laboratory instruments for EPA8260 were down. Therefore, TPH-g was analyzed by EPA8015B instead of EPA8260 for samples collected on 11/13/2014

ESL: Environmental Screening Level by California Regional Water Quality Control Board San Francisco Bay Region

December 2013 (Table-F1a, groundwater is a current or potential drinking water source)

NL: Not Listed

NV: No Value

Appendix A

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Standard Operating Procedures for Conducting Groundwater Monitoring Activities

Water Level Measurements

Prior to measurement of groundwater depth at each monitoring well, equalization with the surrounding aquifer must be achieved. Initially, the well cap is removed and the pressure is allowed to dissipate, creating a more stable water table level within the well. After about 10-15 minutes, once the water level in the well stabilizes, the depth to groundwater in each monitoring well is measured from the top of the casing to the nearest 0.01 foot using an electric sounder.

Purging and Field Measurements

Prior to sample collection, each monitoring well is purged using a battery-operated, 2-inch-diameter pump (Model ES-60 DC). To ensure that final samples are in equilibrium with, and representative of, the surrounding groundwater, during purging several samples are taken for field measurements of pH, temperature and electrical conductivity (EC). These parameters are measured with a Hanna pH, conductivity, and temperature meter. Equipment is calibrated on-site using standard solutions and procedures provided by the manufacturer.

The pH of groundwater has an effect on the activity of microbial populations in the groundwater. The groundwater temperature affects the metabolic activity of bacteria. The groundwater EC is directly related to the concentration of total dissolved solids (TDS) in solution.

Purging continues until these parameters stabilize or three casing volumes are purged.

Sampling

For sampling purposes, after purging a disposable polyethylene bailer is used to collect sufficient samples from each monitoring well for laboratory analyses. Groundwater samples are transferred to 40-mL VOA vials and preserved with hydrochloric acid. The vials are sealed to prevent air bubbles from forming within the headspace. For TPH-d and TPH-mo analysis, groundwater samples are collected using 1-L, amber, nonpreserved glass containers. Samples are placed in an ice-filled cooler and maintained at 4°C. A chain of custody form for all samples is prepared to accompany the samples, which are promptly delivered to a California state-certified analytical laboratory.

Appendix B

Tables of Elevations and Coordinates on Wells,
Field Measurements of Physical and Chemical
Parameters of the Groundwater Samples
and Groundwater Gradient Calculations

DATE: 5/28/2013
 JOB# 13004

**TABLE OF ELEVATIONS & COORDINATES
 ON MONITORING WELLS**
 SOMA ENVIRONMENTAL ENGINEERING
 2844 MOUNTAIN BLVD
 OAKLAND, CA 94602

WELL ID #	NORTHING (FT.) / LATITUDE (D.DEG.)	EASTING (FT.) / LONGITUDE (D.DEG.)	ELEVATION (FT.)	DESCRIPTION
MW-1	2122404.169	6071174.709	674.92	SET NOTCH N. SIDE 4" PVC
	N37.81151896	W122.1980061	675.50	SET PUNCH N. SIDE
			675.49	NORTH SIDE AC
MW-2	2122393.627	6071186.912	675.02	SET NOTCH N. SIDE 4" PVC
	N37.81149062	W122.1979632	675.53	SET PUNCH N. SIDE
			675.51	
RS-3	2122442.569	6071215.114	676.08	SET NOTCH N. SIDE 4" PVC
	N37.81162641	W122.1978687	676.47	SET PUNCH N. SIDE
			676.38	NORTH SIDE AC
RS-4	2122379.611	6071195.421	675.27	TOP 4" PVC
	N37.81145256	W122.1979329	675.70	SET PUNCH N. SIDE
			675.59	NORTH SIDE AC

HORIZONTAL CONTROL: CALIFORNIA COORDINATE SYSTEM ZONE 3, NAD83.
 ELLIPSOID: WGS 1984
 EPOCH: NAD_83 (2011) 2010.0000
 GEOID MODEL: GEOID12A

VERTICAL CONTROL: BENCH MARK: CITY OF OAKLAND BM 2806
 CINCH NAIL IN SOUTHWESTERLY CURB OF MOUNTAIN BLVD, 150' SOUTHEASTERLY FROM THE CENTERLINE OF KEARNEY AVE EXTENDED. NORTHING 2,122,547.687', EASTING 6,070,956.301' ELEVATION= 674.892' NAVD 88 DATUM



EQUIPMENT USED: TRIMBLE GPS-R8 & TS S6, TOPCON AT-G2 LEVEL

E. Espinoza
 6/03/13

EDGIS LAND SURVEYING
LAND SURVEYING AND MAPPING
 1374 Garland Avenue, Clovis, CA 93612
 Phone (559) 803-2679
 email: edgis@aol.com



ENVIRONMENTAL ENGINEERING, INC

Well No.: RS-3
 Casing Diameter: 4 inches
 Depth of Well: 24.99 feet
 Top of Casing Elevation: 676.08 feet
 Depth to Groundwater: 7.85 feet
 Groundwater Elevation: 668.23 feet
 Water Column Height: 17.14 feet
 Purged Volume: 12 gallons

Project No.: 5081
 Address: 2844 Mountain Blvd.
 Oakland, CA
 Date: November 12, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
10:48	Started purging well			
10:49	3	7.01	19.8	773
10:50	6	6.700	20.3	751
10:51	9	6.99	20.6	727
10:52	12	7.00	20.7	697
10:57	Sampled			

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well No.: RS-4
 Casing Diameter: 4 inches
 Depth of Well: 25.54 feet
 Top of Casing Elevation: 675.27 feet
 Depth to Groundwater: 9.58 feet
 Groundwater Elevation: 665.69 feet
 Water Column Height: 15.96 feet
 Purged Volume: - gallons
not purged

Project No.: 5081
 Address: 2844 Mountain Blvd.
 Oakland, CA
 Date: November 12, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Petro odor

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
<u>13:05</u>	<u>Grab</u>	<u>Sample</u>		

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-1
 Casing Diameter: 4 inches
 Depth of Well: 19.75 feet
 Top of Casing Elevation: 674.92 feet
 Depth to Groundwater: 7.79 feet
 Groundwater Elevation: 667.13 feet
 Water Column Height: 11.96 feet
 Purged Volume: 12 gallons

Project No.: 5081
 Address: 2844 Mountain Blvd.
 Oakland, CA
 Date: November 12, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Petro odor

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
12:05	Started purging well			
12:06	3	7.25	19.6	683
12:07	6	7.00	20.2	668
12:08	9	6.97	21.3	670
12:09	12	6.94	21.7	667
12:14	Sampled			

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-2
 Casing Diameter: 4 inches
 Depth of Well: 19.74 feet
 Top of Casing Elevation: 675.02 feet
 Depth to Groundwater: 8.30 feet
 Groundwater Elevation: 666.72 feet
 Water Column Height: 11.44 feet
 Purged Volume: 12 gallons

Project No.: 5081
 Address: 2844 Mountain Blvd.
 Oakland, CA
 Date: November 12, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: Petro odor

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
12:30	Started	purging well		
12:31	3	7.20	19.3	839
12:32	6	7.09	20.2	822
12:33	9	7.06	20.8	806
12:34	12	7.08	21.1	776
12:39	Sampled			

Notes:



ENVIRONMENTAL ENGINEERING, INC

Well No.: MW-3
 Casing Diameter: 4 inches
 Depth of Well: 24.73 feet
 Top of Casing Elevation: 675.58 feet
 Depth to Groundwater: 7.78 feet
 Groundwater Elevation: 667.80 feet
 Water Column Height: 16.95 feet
 Purged Volume: 12 gallons

Project No.: 5081
 Address: 2844 Mountain Blvd.
 Oakland, CA
 Date: November 12, 2015
 Sampler: Lizzie Hightower

Purging Method: Bailer Pump

Sampling Method: Bailer Pump

Color: Yes No Describe: _____

Sheen: Yes No Describe: _____

Odor: Yes No Describe: _____

Field Measurements:

Time	Vol (gallons)	pH	Temp (°C)	E.C. (µs/cm)
11:17	Started purging well			
11:18	3	7.77	19.6	812
11:19	6	7.53	20.3	802
11:20	9	7.52	20.7	785
11:21	12	7.49	21.3	785
11:26	Sampled			

Notes:



EPA On-line Tools for Site Assessment Calculation

Hydraulic Gradient -- Magnitude and Direction

Gradient Calculation from fitting a plane to as many as thirty points


$$\begin{aligned}
 a x_1 + b y_1 + c &= h_1 \\
 a x_2 + b y_2 + c &= h_2 \\
 a x_3 + b y_3 + c &= h_3 \\
 &\dots \\
 a x_{30} + b y_{30} + c &= h_{30}
 \end{aligned}$$

where (x_i, y_i) are the coordinates of the well and h_i is the head

$i = 1, 2, 3, \dots, 30$

The coefficients a, b, and c are calculated by a least-squares fitting of the the data to a plane

The gradient is calculated from the square root of $(a^2 + b^2)$ and the angle from the arctangent of a/b or b/a depending on the quadrant



Inputs

Example Data Set 1 | Example Data Set 2 | Calculate | Clear

Save Data | Recall Data | Go Back

Site Name: 2844 Mountain Blvd, Oakla

Date: November 12, 2015 | Current Date

Calculation basis: Head

Coordinates: ft

I.D.	x-coordinate	y-coordinate	head ft
1) RS-3	6071215.111	2122442.671	668.23
2) RS-4	6071195.458	2122379.324	665.69
3) MW-1	6071174.931	2122404.178	667.13
4) MW-2	6071186.39	2122393.492	666.72
5) MW-3	6071190.453	2122428.874	667.80
6)			
7)			
8)			
9)			
10)			
11)			

12)				
13)				
14)				
15)				
16)				
17)				
18)				
19)				
20)				
21)				
22)				
23)				
24)				
25)				
26)				
27)				
28)				
29)				
30)				

Results

Number of Points Used in Calculation	5
Max. Difference Between Head Values	0.7742
Gradient Magnitude (i)	0.04362
Flow direction as degrees from North (positive y axis)	161.7
Coefficient of Determination (R^2)	0.981

WCMS

Last updated on 9/2/2015

Appendix C

Laboratory Report and Chain of Custody Form



Curtis & Tompkins, Ltd., Analytical Laboratories, Since 1878

2323 Fifth Street, Berkeley, CA 94710, Phone (510) 486-0900

**Laboratory Job Number 271629
ANALYTICAL REPORT**

SOMA Environmental Engineering Inc. Project : 5081	Location : 2844 Mountain Blvd., Oakland
6620 Owens Dr.	Level : II
Pleasanton, CA 94588	

<u>Sample ID</u>	<u>Lab ID</u>
RS-3	271629-001
RS-4	271629-002
MW-1	271629-003
MW-2	271629-004
MW-3	271629-005

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

Signature: _____

Tracy Babjar
Project Manager
tracy.babjar@ctberk.com
(510) 204-2226

Date: 12/01/2015

CA ELAP# 2896, NELAP# 4044-001

CASE NARRATIVE

Laboratory number: 271629
Client: SOMA Environmental Engineering Inc.
Project: 5081
Location: 2844 Mountain Blvd., Oakland
Request Date: 11/13/15
Samples Received: 11/13/15

This data package contains sample and QC results for five water samples, requested for the above referenced project on 11/13/15. The samples were received cold and intact.

TPH-Extractables by GC (EPA 8015B):

Low recovery was observed for diesel C10-C24 in the MS for batch 229542; the parent sample was not a project sample, the LCS was within limits, and the associated RPD was within limits. No other analytical problems were encountered.

Volatile Organics by GC/MS (EPA 8260B):

Low response was observed for tert-butyl alcohol (TBA) in the CCV analyzed 11/19/15 15:55; this analyte met minimum response criteria, and affected data was qualified with "b". Low recoveries were observed for 1,2-dibromoethane in the BS/BSD for batch 229650; the associated RPD was within limits, and these low recoveries were not associated with any reported results. No other analytical problems were encountered.

CHAIN OF CUSTODY

Curtis & Tompkins, Ltd
 Analytical Laboratory Since 1878
 2323 Fifth Street
 Berkeley, CA 94710
 (510)486-0900 Phone
 (510)486-0532 Fax

LOGIN # 271629

Analyses



Project No: 5081
Project Name: 2844 Mountain Blvd., Oakland
Turnaround Time: Standard



Sampler: Lizzie Hightower
Report To: Joyce Bobek
Company: SOMA Environmental
Telephone: 925-734-6400
Fax: 925-734-6401

Lab No.	Sample ID.	Sampling Date Time	Matrix			# of Containers	Preservative													
			Soil	Water	Waste		HCL	H ₂ SO ₄	HNO ₃	ICE										
1	RS-3	11/12/15 10:57		*		3 VOAs, 2-500 mL Ambers	*			*										
2	RS-4	13:05		*		3 VOAs, 2-500 mL Ambers	*			*										
3	MW-1	12:14		*		3 VOAs, 2-500 mL Ambers	*			*										
4	MW-2	12:39		*		3 VOAs, 2-500 mL Ambers	*			*										
5	MW-3	11:26		*		3 VOAs, 2-500 mL Ambers	*			*										


TPH-g, BTEX, MIBE 8260B	Gasoline Oxygenates 8260B	TPH-d 8015																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		
*	*	*																		

Notes: EDF OUTPUT REQUIRED
 GasOx: DIPE, ETBE, TAME, TBA

RELINQUISHED BY:
 11/13/15 08:30 DATE/TIME
 11/13/15 02:46 DATE/TIME
 DATE/TIME

RECEIVED BY:
 11/13/15 11:15 DATE/TIME
 11/13/15 @1046 DATE/TIME
 DATE/TIME

COOLER RECEIPT CHECKLIST



Login # 271629 Date Received 11/13/15 Number of coolers 1
 Client SOMA Environmental Project 2844 Mtn Blvd

Date Opened 11/13 By (print) CN (sign) [Signature]
 Date Logged in ↓ By (print) SC (sign) [Signature]

1. Did cooler come with a shipping slip (airbill, etc) _____ YES NO
 Shipping info _____
- 2A. Were custody seals present? YES (circle) on cooler on samples NO
 How many _____ Name _____ Date _____
- 2B. Were custody seals intact upon arrival? _____ YES NO N/A
3. Were custody papers dry and intact when received? _____ YES NO
4. Were custody papers filled out properly (ink, signed, etc)? _____ YES NO
5. Is the project identifiable from custody papers? (If so fill out top of form) _____ YES NO
6. Indicate the packing in cooler: (if other, describe) _____
 Bubble Wrap Foam blocks Bags None
 Cloth material Cardboard Styrofoam Paper towels
7. Temperature documentation: * Notify PM if temperature exceeds 6°C
 Type of ice used: Wet Blue/Gel None Temp(°C) 11.0°
 Temperature blank(s) included? Thermometer IR Gun
 Samples received on ice directly from the field. Cooling process had begun
8. Were Method 5035 sampling containers present? _____ YES NO
 If YES, what time were they transferred to freezer? _____
9. Did all bottles arrive unbroken/unopened? _____ YES NO
10. Are there any missing / extra samples? _____ YES NO
11. Are samples in the appropriate containers for indicated tests? _____ YES NO
12. Are sample labels present, in good condition and complete? _____ YES NO
13. Do the sample labels agree with custody papers? _____ YES NO
14. Was sufficient amount of sample sent for tests requested? _____ YES NO
15. Are the samples appropriately preserved? _____ YES NO N/A
16. Did you check preservatives for all bottles for each sample? _____ YES NO N/A
17. Did you document your preservative check? _____ YES NO N/A
18. Did you change the hold time in LIMS for unpreserved VOAs? _____ YES NO N/A
19. Did you change the hold time in LIMS for preserved terracores? _____ YES NO N/A
20. Are bubbles > 6mm absent in VOA samples? _____ YES NO N/A
21. Was the client contacted concerning this sample delivery? _____ YES NO
 If YES, Who was called? _____ By _____ Date: _____

COMMENTS

Client Sample ID : MW-3

Laboratory Sample ID :

271629-005

Analyte	Result	Flags	RL	Units	Basis	IDF	Method	Prep Method
Diesel C10-C24	220	Y	50	ug/L	As Recd	1.000	EPA 8015B	EPA 3520C
Methyl tert-Amyl Ether (TAME)	1.7		0.50	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B
MTBE	67		0.50	ug/L	As Recd	1.000	EPA 8260B	EPA 5030B

Y = Sample exhibits chromatographic pattern which does not resemble standard

Total Extractable Hydrocarbons			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	5081	Analysis:	EPA 8015B
Matrix:	Water	Sampled:	11/12/15
Units:	ug/L	Received:	11/13/15
Diln Fac:	1.000		

Field ID:	RS-3	Batch#:	229542
Type:	SAMPLE	Prepared:	11/17/15
Lab ID:	271629-001	Analyzed:	11/21/15

Analyte	Result	RL
Diesel C10-C24	ND	49

Surrogate	%REC	Limits
o-Terphenyl	100	67-136

Field ID:	RS-4	Batch#:	229542
Type:	SAMPLE	Prepared:	11/17/15
Lab ID:	271629-002	Analyzed:	11/21/15

Analyte	Result	RL
Diesel C10-C24	440	52

Surrogate	%REC	Limits
o-Terphenyl	92	67-136

Field ID:	MW-1	Batch#:	229542
Type:	SAMPLE	Prepared:	11/17/15
Lab ID:	271629-003	Analyzed:	11/21/15

Analyte	Result	RL
Diesel C10-C24	5,100	50

Surrogate	%REC	Limits
o-Terphenyl	97	67-136

Field ID:	MW-2	Batch#:	229542
Type:	SAMPLE	Prepared:	11/17/15
Lab ID:	271629-004	Analyzed:	11/21/15

Analyte	Result	RL
Diesel C10-C24	1,800	52

Surrogate	%REC	Limits
o-Terphenyl	96	67-136

Y= Sample exhibits chromatographic pattern which does not resemble standard
 ND= Not Detected
 RL= Reporting Limit

Total Extractable Hydrocarbons			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	5081	Analysis:	EPA 8015B
Matrix:	Water	Sampled:	11/12/15
Units:	ug/L	Received:	11/13/15
Diln Fac:	1.000		

Field ID:	MW-3	Batch#:	229636
Type:	SAMPLE	Prepared:	11/19/15
Lab ID:	271629-005	Analyzed:	11/21/15

Analyte	Result	RL
Diesel C10-C24	220 Y	50

Surrogate	%REC	Limits
o-Terphenyl	99	67-136

Type:	BLANK	Prepared:	11/17/15
Lab ID:	QC813196	Analyzed:	11/20/15
Batch#:	229542		

Analyte	Result	RL
Diesel C10-C24	ND	50

Surrogate	%REC	Limits
o-Terphenyl	88	67-136

Type:	BLANK	Prepared:	11/19/15
Lab ID:	QC813591	Analyzed:	11/20/15
Batch#:	229636		

Analyte	Result	RL
Diesel C10-C24	ND	50

Surrogate	%REC	Limits
o-Terphenyl	101	67-136

Y= Sample exhibits chromatographic pattern which does not resemble standard
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	5081	Analysis:	EPA 8015B
Type:	LCS	Diln Fac:	1.000
Lab ID:	QC813197	Batch#:	229542
Matrix:	Water	Prepared:	11/17/15
Units:	ug/L	Analyzed:	11/20/15

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	2,182	87	60-121

Surrogate	%REC	Limits
o-Terphenyl	103	67-136

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	5081	Analysis:	EPA 8015B
Field ID:	ZZZZZZZZZZ	Batch#:	229542
MSS Lab ID:	271590-011	Sampled:	11/12/15
Matrix:	Water	Received:	11/12/15
Units:	ug/L	Prepared:	11/17/15
Diln Fac:	1.000	Analyzed:	11/20/15

Type: MS Lab ID: QC813198

Analyte	MSS Result	Spiked	Result	%REC	Limits
Diesel C10-C24	4,729	2,451	5,581	35 *	55-122
Surrogate	%REC	Limits			
o-Terphenyl	108	67-136			

Type: MSD Lab ID: QC813199

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	6,178	58	55-122	9	53
Surrogate	%REC	Limits				
o-Terphenyl	109	67-136				

*= Value outside of QC limits; see narrative
 RPD= Relative Percent Difference

Batch QC Report

Total Extractable Hydrocarbons			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 3520C
Project#:	5081	Analysis:	EPA 8015B
Matrix:	Water	Batch#:	229636
Units:	ug/L	Prepared:	11/19/15
Diln Fac:	1.000	Analyzed:	11/20/15

Type: BS Cleanup Method: EPA 3630C
 Lab ID: QC813592

Analyte	Spiked	Result	%REC	Limits
Diesel C10-C24	2,500	2,150	86	60-121


Surrogate	%REC	Limits
o-Terphenyl	97	67-136

Type: BSD Cleanup Method: EPA 3630C
 Lab ID: QC813593


Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Diesel C10-C24	2,500	2,217	89	60-121	3	32

Surrogate	%REC	Limits
o-Terphenyl	101	67-136


RPD= Relative Percent Difference




— \\Lims\gdrive\ezchrom\Projects\GC17A\Data\324a030, A




— \\Lims\gdrive\ezchrom\Projects\GC17A\Data\324a031, A



— \\Lims\gdrive\ezchrom\Projects\GC17A\Data\324a032, A



\\Lims\gdrive\ezchrom\Projects\GC15B\Data\324b034, B



\\Lims\gdrive\ezchrom\Projects\GC15B\Data\324b004, B

Purgeable Organics by GC/MS

Lab #: 271629	Location: 2844 Mountain Blvd., Oakland
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 5081	Analysis: EPA 8260B
Field ID: RS-3	Diln Fac: 1.000
Lab ID: 271629-001	Sampled: 11/12/15
Matrix: Water	Received: 11/13/15
Units: ug/L	

Analyte	Result	RL	Batch#	Analyzed
Gasoline C7-C12	ND	50	229650	11/19/15
tert-Butyl Alcohol (TBA)	ND	10	229709	11/21/15
Isopropyl Ether (DIPE)	ND	0.50	229709	11/21/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	229709	11/21/15
Methyl tert-Amyl Ether (TAME)	ND	0.50	229709	11/21/15
Ethanol	ND	1,000	229709	11/21/15
MTBE	1.1	0.50	229709	11/21/15
1,2-Dichloroethane	ND	0.50	229709	11/21/15
Benzene	ND	0.50	229709	11/21/15
Toluene	ND	0.50	229709	11/21/15
1,2-Dibromoethane	ND	0.50	229709	11/21/15
Ethylbenzene	ND	0.50	229709	11/21/15
m,p-Xylenes	ND	0.50	229709	11/21/15
o-Xylene	ND	0.50	229709	11/21/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	100	80-128	229709	11/21/15
1,2-Dichloroethane-d4	102	75-139	229709	11/21/15
Toluene-d8	97	80-120	229709	11/21/15
Bromofluorobenzene	104	80-120	229709	11/21/15

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Field ID:	RS-4	Units:	ug/L
Lab ID:	271629-002	Sampled:	11/12/15
Matrix:	Water	Received:	11/13/15

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
Gasoline C7-C12	170	50	1.000	229713	11/21/15
tert-Butyl Alcohol (TBA)	1,400	50	5.000	229838	11/25/15
Isopropyl Ether (DIPE)	ND	0.50	1.000	229713	11/21/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	1.000	229713	11/21/15
Methyl tert-Amyl Ether (TAME)	0.66	0.50	1.000	229713	11/21/15
Ethanol	ND	1,000	1.000	229713	11/21/15
MTBE	12	0.50	1.000	229713	11/21/15
1,2-Dichloroethane	ND	0.50	1.000	229713	11/21/15
Benzene	ND	0.50	1.000	229713	11/21/15
Toluene	ND	0.50	1.000	229713	11/21/15
1,2-Dibromoethane	ND	0.50	1.000	229713	11/21/15
Ethylbenzene	1.4	0.50	1.000	229713	11/21/15
m,p-Xylenes	0.55	0.50	1.000	229713	11/21/15
o-Xylene	ND	0.50	1.000	229713	11/21/15

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	113	80-128	1.000	229713	11/21/15
1,2-Dichloroethane-d4	110	75-139	1.000	229713	11/21/15
Toluene-d8	101	80-120	1.000	229713	11/21/15
Bromofluorobenzene	98	80-120	1.000	229713	11/21/15

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 271629	Location: 2844 Mountain Blvd., Oakland
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 5081	Analysis: EPA 8260B
Field ID: MW-1	Units: ug/L
Lab ID: 271629-003	Sampled: 11/12/15
Matrix: Water	Received: 11/13/15

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
Gasoline C7-C12	2,500	830	16.67	229650	11/19/15
tert-Butyl Alcohol (TBA)	6,200	200	20.00	229820	11/25/15
Isopropyl Ether (DIPE)	ND	5.0	10.00	229709	11/21/15
Ethyl tert-Butyl Ether (ETBE)	ND	5.0	10.00	229709	11/21/15
Methyl tert-Amyl Ether (TAME)	13	5.0	10.00	229709	11/21/15
Ethanol	ND	10,000	10.00	229709	11/21/15
MTBE	120	5.0	10.00	229709	11/21/15
1,2-Dichloroethane	ND	5.0	10.00	229709	11/21/15
Benzene	16	5.0	10.00	229709	11/21/15
Toluene	ND	5.0	10.00	229709	11/21/15
1,2-Dibromoethane	ND	5.0	10.00	229709	11/21/15
Ethylbenzene	34	5.0	10.00	229709	11/21/15
m,p-Xylenes	6.9	5.0	10.00	229709	11/21/15
o-Xylene	ND	5.0	10.00	229709	11/21/15

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	103	80-128	10.00	229709	11/21/15
1,2-Dichloroethane-d4	104	75-139	10.00	229709	11/21/15
Toluene-d8	97	80-120	10.00	229709	11/21/15
Bromofluorobenzene	100	80-120	10.00	229709	11/21/15

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 271629	Location: 2844 Mountain Blvd., Oakland
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 5081	Analysis: EPA 8260B
Field ID: MW-2	Units: ug/L
Lab ID: 271629-004	Sampled: 11/12/15
Matrix: Water	Received: 11/13/15

Analyte	Result	RL	Diln Fac	Batch#	Analyzed
Gasoline C7-C12	ND	2,000	40.00	229650	11/20/15
tert-Butyl Alcohol (TBA)	37,000	670	66.67	229709	11/22/15
Isopropyl Ether (DIPE)	ND	20	40.00	229650	11/20/15
Ethyl tert-Butyl Ether (ETBE)	ND	20	40.00	229650	11/20/15
Methyl tert-Amyl Ether (TAME)	25	20	40.00	229650	11/20/15
Ethanol	ND	67,000	66.67	229709	11/22/15
MTBE	340	20	40.00	229650	11/20/15
1,2-Dichloroethane	ND	20	40.00	229650	11/20/15
Benzene	ND	20	40.00	229650	11/20/15
Toluene	ND	20	40.00	229650	11/20/15
1,2-Dibromoethane	ND	33	66.67	229709	11/22/15
Ethylbenzene	ND	20	40.00	229650	11/20/15
m,p-Xylenes	ND	20	40.00	229650	11/20/15
o-Xylene	ND	20	40.00	229650	11/20/15

Surrogate	%REC	Limits	Diln Fac	Batch#	Analyzed
Dibromofluoromethane	106	80-128	40.00	229650	11/20/15
1,2-Dichloroethane-d4	112	75-139	40.00	229650	11/20/15
Toluene-d8	108	80-120	40.00	229650	11/20/15
Bromofluorobenzene	106	80-120	40.00	229650	11/20/15

ND= Not Detected
 RL= Reporting Limit

Purgeable Organics by GC/MS

Lab #: 271629	Location: 2844 Mountain Blvd., Oakland
Client: SOMA Environmental Engineering Inc.	Prep: EPA 5030B
Project#: 5081	Analysis: EPA 8260B
Field ID: MW-3	Diln Fac: 1.000
Lab ID: 271629-005	Sampled: 11/12/15
Matrix: Water	Received: 11/13/15
Units: ug/L	

Analyte	Result	RL	Batch#	Analyzed
Gasoline C7-C12	ND	50	229713	11/21/15
tert-Butyl Alcohol (TBA)	ND	10	229838	11/25/15
Isopropyl Ether (DIPE)	ND	0.50	229713	11/21/15
Ethyl tert-Butyl Ether (ETBE)	ND	0.50	229713	11/21/15
Methyl tert-Amyl Ether (TAME)	1.7	0.50	229713	11/21/15
Ethanol	ND	1,000	229713	11/21/15
MTBE	67	0.50	229713	11/21/15
1,2-Dichloroethane	ND	0.50	229713	11/21/15
Benzene	ND	0.50	229713	11/21/15
Toluene	ND	0.50	229713	11/21/15
1,2-Dibromoethane	ND	0.50	229713	11/21/15
Ethylbenzene	ND	0.50	229713	11/21/15
m,p-Xylenes	ND	0.50	229713	11/21/15
o-Xylene	ND	0.50	229713	11/21/15

Surrogate	%REC	Limits	Batch#	Analyzed
Dibromofluoromethane	115	80-128	229713	11/21/15
1,2-Dichloroethane-d4	111	75-139	229713	11/21/15
Toluene-d8	103	80-120	229713	11/21/15
Bromofluorobenzene	97	80-120	229713	11/21/15

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	229650
Units:	ug/L	Analyzed:	11/19/15
Diln Fac:	1.000		

Type: BS Lab ID: QC813685

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	62.50	30.82 b	49	32-155
Isopropyl Ether (DIPE)	12.50	12.09	97	57-128
Ethyl tert-Butyl Ether (ETBE)	12.50	10.46	84	62-120
Methyl tert-Amyl Ether (TAME)	12.50	9.254	74	69-120
MTBE	12.50	9.256	74	65-120
1,2-Dichloroethane	12.50	10.80	86	74-133
Benzene	12.50	12.04	96	80-123
Toluene	12.50	12.99	104	80-121
1,2-Dibromoethane	12.50	9.615	77 *	80-120
Ethylbenzene	12.50	13.56	109	80-123
m,p-Xylenes	25.00	26.27	105	80-126
o-Xylene	12.50	13.25	106	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	108	80-128
1,2-Dichloroethane-d4	103	75-139
Toluene-d8	115	80-120
Bromofluorobenzene	117	80-120

Type: BSD Lab ID: QC813686

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	62.50	32.78 b	52	32-155	6	33
Isopropyl Ether (DIPE)	12.50	12.50	100	57-128	3	20
Ethyl tert-Butyl Ether (ETBE)	12.50	10.03	80	62-120	4	20
Methyl tert-Amyl Ether (TAME)	12.50	9.192	74	69-120	1	20
MTBE	12.50	9.656	77	65-120	4	22
1,2-Dichloroethane	12.50	11.10	89	74-133	3	20
Benzene	12.50	11.53	92	80-123	4	20
Toluene	12.50	12.83	103	80-121	1	20
1,2-Dibromoethane	12.50	9.716	78 *	80-120	1	20
Ethylbenzene	12.50	13.46	108	80-123	1	21
m,p-Xylenes	25.00	25.35	101	80-126	4	21
o-Xylene	12.50	12.38	99	80-126	7	20

Surrogate	%REC	Limits
Dibromofluoromethane	108	80-128
1,2-Dichloroethane-d4	104	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	110	80-120

*= Value outside of QC limits; see narrative

b= See narrative

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC813687	Batch#:	229650
Matrix:	Water	Analyzed:	11/19/15
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	104	80-128
1,2-Dichloroethane-d4	111	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	99	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	229709
Units:	ug/L	Analyzed:	11/21/15
Diln Fac:	1.000		

Type: BS Lab ID: QC813922

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	62.50	52.25	84	32-155
Isopropyl Ether (DIPE)	12.50	13.55	108	57-128
Ethyl tert-Butyl Ether (ETBE)	12.50	13.22	106	62-120
Methyl tert-Amyl Ether (TAME)	12.50	12.02	96	69-120
MTBE	12.50	12.98	104	65-120
1,2-Dichloroethane	12.50	12.40	99	74-133
Benzene	12.50	12.94	104	80-123
Toluene	12.50	12.77	102	80-121
1,2-Dibromoethane	12.50	11.65	93	80-120
Ethylbenzene	12.50	13.03	104	80-123
m,p-Xylenes	25.00	26.37	105	80-126
o-Xylene	12.50	12.64	101	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-128
1,2-Dichloroethane-d4	92	75-139
Toluene-d8	97	80-120
Bromofluorobenzene	100	80-120

Type: BSD Lab ID: QC813923

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	62.50	46.60	75	32-155	11	33
Isopropyl Ether (DIPE)	12.50	12.55	100	57-128	8	20
Ethyl tert-Butyl Ether (ETBE)	12.50	11.85	95	62-120	11	20
Methyl tert-Amyl Ether (TAME)	12.50	10.90	87	69-120	10	20
MTBE	12.50	11.83	95	65-120	9	22
1,2-Dichloroethane	12.50	11.27	90	74-133	10	20
Benzene	12.50	11.53	92	80-123	12	20
Toluene	12.50	11.61	93	80-121	10	20
1,2-Dibromoethane	12.50	10.23	82	80-120	13	20
Ethylbenzene	12.50	11.68	93	80-123	11	21
m,p-Xylenes	25.00	23.22	93	80-126	13	21
o-Xylene	12.50	11.19	90	80-126	12	20

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-128
1,2-Dichloroethane-d4	94	75-139
Toluene-d8	98	80-120
Bromofluorobenzene	103	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC813924	Batch#:	229709
Matrix:	Water	Analyzed:	11/21/15
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	NA	
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	100	80-128
1,2-Dichloroethane-d4	91	75-139
Toluene-d8	96	80-120
Bromofluorobenzene	108	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	229713
Units:	ug/L	Analyzed:	11/21/15
Diln Fac:	1.000		

Type: BS Lab ID: QC813935

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	62.50	50.95	82	32-155
Isopropyl Ether (DIPE)	12.50	11.92	95	57-128
Ethyl tert-Butyl Ether (ETBE)	12.50	10.97	88	62-120
Methyl tert-Amyl Ether (TAME)	12.50	10.79	86	69-120
MTBE	12.50	12.18	97	65-120
1,2-Dichloroethane	12.50	12.62	101	74-133
Benzene	12.50	11.86	95	80-123
Toluene	12.50	11.43	91	80-121
1,2-Dibromoethane	12.50	11.20	90	80-120
Ethylbenzene	12.50	12.04	96	80-123
m,p-Xylenes	25.00	23.40	94	80-126
o-Xylene	12.50	11.16	89	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	108	80-128
1,2-Dichloroethane-d4	112	75-139
Toluene-d8	102	80-120
Bromofluorobenzene	95	80-120

Type: BSD Lab ID: QC813936

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	62.50	48.52	78	32-155	5	33
Isopropyl Ether (DIPE)	12.50	11.69	94	57-128	2	20
Ethyl tert-Butyl Ether (ETBE)	12.50	10.80	86	62-120	2	20
Methyl tert-Amyl Ether (TAME)	12.50	10.82	87	69-120	0	20
MTBE	12.50	11.44	92	65-120	6	22
1,2-Dichloroethane	12.50	12.02	96	74-133	5	20
Benzene	12.50	11.39	91	80-123	4	20
Toluene	12.50	10.88	87	80-121	5	20
1,2-Dibromoethane	12.50	10.81	87	80-120	4	20
Ethylbenzene	12.50	11.07	89	80-123	8	21
m,p-Xylenes	25.00	21.87	87	80-126	7	21
o-Xylene	12.50	10.37	83	80-126	7	20

Surrogate	%REC	Limits
Dibromofluoromethane	109	80-128
1,2-Dichloroethane-d4	113	75-139
Toluene-d8	105	80-120
Bromofluorobenzene	98	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC813937	Batch#:	229713
Matrix:	Water	Analyzed:	11/21/15
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	ND	50
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	112	80-128
1,2-Dichloroethane-d4	115	75-139
Toluene-d8	101	80-120
Bromofluorobenzene	98	80-120

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	229713
Units:	ug/L	Analyzed:	11/21/15
Diln Fac:	1.000		

Type: BS Lab ID: QC813938

Analyte	Spiked	Result	%REC	Limits
Gasoline C7-C12	1,000	912.9	91	76-120

Surrogate	%REC	Limits
Dibromofluoromethane	112	80-128
1,2-Dichloroethane-d4	113	75-139
Toluene-d8	104	80-120
Bromofluorobenzene	96	80-120

Type: BSD Lab ID: QC813939

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
Gasoline C7-C12	1,000	905.9	91	76-120	1	20

Surrogate	%REC	Limits
Dibromofluoromethane	112	80-128
1,2-Dichloroethane-d4	114	75-139
Toluene-d8	107	80-120
Bromofluorobenzene	100	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	229820
Units:	ug/L	Analyzed:	11/25/15
Diln Fac:	1.000		

Type: BS Lab ID: QC814393

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	62.50	56.26	90	32-155
Isopropyl Ether (DIPE)	12.50	11.39	91	57-128
Ethyl tert-Butyl Ether (ETBE)	12.50	13.44	107	62-120
Methyl tert-Amyl Ether (TAME)	12.50	11.70	94	69-120
MTBE	12.50	14.23	114	65-120
1,2-Dichloroethane	12.50	15.45	124	74-133
Benzene	12.50	12.46	100	80-123
Toluene	12.50	11.68	93	80-121
1,2-Dibromoethane	12.50	13.08	105	80-120
Ethylbenzene	12.50	12.67	101	80-123
m,p-Xylenes	25.00	27.14	109	80-126
o-Xylene	12.50	12.90	103	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	119	80-128
1,2-Dichloroethane-d4	122	75-139
Toluene-d8	96	80-120
Bromofluorobenzene	101	80-120

Type: BSD Lab ID: QC814394

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	62.50	50.98	82	32-155	10	33
Isopropyl Ether (DIPE)	12.50	11.12	89	57-128	2	20
Ethyl tert-Butyl Ether (ETBE)	12.50	13.01	104	62-120	3	20
Methyl tert-Amyl Ether (TAME)	12.50	11.64	93	69-120	0	20
MTBE	12.50	13.57	109	65-120	5	22
1,2-Dichloroethane	12.50	14.71	118	74-133	5	20
Benzene	12.50	11.88	95	80-123	5	20
Toluene	12.50	11.29	90	80-121	3	20
1,2-Dibromoethane	12.50	12.57	101	80-120	4	20
Ethylbenzene	12.50	12.69	102	80-123	0	21
m,p-Xylenes	25.00	25.42	102	80-126	7	21
o-Xylene	12.50	12.61	101	80-126	2	20

Surrogate	%REC	Limits
Dibromofluoromethane	118	80-128
1,2-Dichloroethane-d4	115	75-139
Toluene-d8	97	80-120
Bromofluorobenzene	104	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC814395	Batch#:	229820
Matrix:	Water	Analyzed:	11/25/15
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	NA	
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	126	80-128
1,2-Dichloroethane-d4	129	75-139
Toluene-d8	94	80-120
Bromofluorobenzene	107	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Matrix:	Water	Batch#:	229838
Units:	ug/L	Analyzed:	11/25/15
Diln Fac:	1.000		

Type: BS Lab ID: QC814466

Analyte	Spiked	Result	%REC	Limits
tert-Butyl Alcohol (TBA)	62.50	44.50	71	32-155
Isopropyl Ether (DIPE)	12.50	12.74	102	57-128
Ethyl tert-Butyl Ether (ETBE)	12.50	11.59	93	62-120
Methyl tert-Amyl Ether (TAME)	12.50	10.96	88	69-120
MTBE	12.50	11.58	93	65-120
1,2-Dichloroethane	12.50	12.80	102	74-133
Benzene	12.50	12.55	100	80-123
Toluene	12.50	12.62	101	80-121
1,2-Dibromoethane	12.50	10.53	84	80-120
Ethylbenzene	12.50	12.79	102	80-123
m,p-Xylenes	25.00	25.34	101	80-126
o-Xylene	12.50	12.69	102	80-126

Surrogate	%REC	Limits
Dibromofluoromethane	109	80-128
1,2-Dichloroethane-d4	116	75-139
Toluene-d8	108	80-120
Bromofluorobenzene	107	80-120

Type: BSD Lab ID: QC814467

Analyte	Spiked	Result	%REC	Limits	RPD	Lim
tert-Butyl Alcohol (TBA)	62.50	39.93	64	32-155	11	33
Isopropyl Ether (DIPE)	12.50	12.30	98	57-128	4	20
Ethyl tert-Butyl Ether (ETBE)	12.50	11.13	89	62-120	4	20
Methyl tert-Amyl Ether (TAME)	12.50	10.09	81	69-120	8	20
MTBE	12.50	10.36	83	65-120	11	22
1,2-Dichloroethane	12.50	11.71	94	74-133	9	20
Benzene	12.50	12.60	101	80-123	0	20
Toluene	12.50	12.07	97	80-121	4	20
1,2-Dibromoethane	12.50	10.07	81	80-120	4	20
Ethylbenzene	12.50	12.78	102	80-123	0	21
m,p-Xylenes	25.00	25.38	102	80-126	0	21
o-Xylene	12.50	12.06	96	80-126	5	20

Surrogate	%REC	Limits
Dibromofluoromethane	111	80-128
1,2-Dichloroethane-d4	112	75-139
Toluene-d8	111	80-120
Bromofluorobenzene	113	80-120

RPD= Relative Percent Difference

Batch QC Report

Purgeable Organics by GC/MS			
Lab #:	271629	Location:	2844 Mountain Blvd., Oakland
Client:	SOMA Environmental Engineering Inc.	Prep:	EPA 5030B
Project#:	5081	Analysis:	EPA 8260B
Type:	BLANK	Diln Fac:	1.000
Lab ID:	QC814468	Batch#:	229838
Matrix:	Water	Analyzed:	11/25/15
Units:	ug/L		

Analyte	Result	RL
Gasoline C7-C12	NA	
tert-Butyl Alcohol (TBA)	ND	10
Isopropyl Ether (DIPE)	ND	0.50
Ethyl tert-Butyl Ether (ETBE)	ND	0.50
Methyl tert-Amyl Ether (TAME)	ND	0.50
Ethanol	ND	1,000
MTBE	ND	0.50
1,2-Dichloroethane	ND	0.50
Benzene	ND	0.50
Toluene	ND	0.50
1,2-Dibromoethane	ND	0.50
Ethylbenzene	ND	0.50
m,p-Xylenes	ND	0.50
o-Xylene	ND	0.50

Surrogate	%REC	Limits
Dibromofluoromethane	110	80-128
1,2-Dichloroethane-d4	112	75-139
Toluene-d8	115	80-120
Bromofluorobenzene	120	80-120

NA= Not Analyzed
 ND= Not Detected
 RL= Reporting Limit

Date : 21-NOV-2015 19:24

Client ID: DYNA P&T


Sample Info: S,271629-002

Instrument: MSV0A06.i

Operator: VOC

Column diameter: 2.00

Column phase:



Date : 19-NOV-2015 22:58

Client ID: DYNA P&T


Sample Info: s,271629-003

Instrument: MSV0A08,i

Operator: VOC

Column diameter: 2,00

Column phase:



Date : 21-NOV-2015 16:09

Client ID: DYNA P&T

Sample Info: CCV/BS,qc813938,229713,s27677,,01/100

Instrument: MSV0A06.i

Operator: VOC

Column diameter: 2.00

Column phase:

