

Detterman, Mark, Env. Health

From: Detterman, Mark, Env. Health
Sent: Monday, July 25, 2016 2:13 PM
To: 'Hoey, Kiersten'
Cc: Horne, Mark (MarkHorne)
Subject: RE: Case No RO0284, Former Chevron 90121; 3026 Lakeshore Ave, Oakland - Site Investigation Report - Extension Request

Hi Kiersten, Hi Mark,

Please use this email to document ACDEH concurrence with the requested extension. I've updated Geotracker to reflect the changed date. Should you need to document the extension you can use this email.

Mark Detterman
Senior Hazardous Materials Specialist, PG, CEG
Alameda County Department of Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6876
Fax: 510.337.9335
Email: mark.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>

From: Hoey, Kiersten [<mailto:Kiersten.Hoey@ghd.com>]
Sent: Monday, July 25, 2016 2:03 PM
To: Detterman, Mark, Env. Health
Cc: Horne, Mark (MarkHorne)
Subject: Case No RO0284, Former Chevron 90121; 3026 Lakeshore Ave, Oakland - Site Investigation Report - Extension Request

Mark,

Per our conversation, GHD Service, Inc. (GHD) on behalf of Chevron Environmental Management Company (EMC) would like to request an extension for the *Site Investigation Report* requested by Alameda County Environmental Health (ACEH) letter dated March 23, 2015. The reason for the extension is we have not yet received an encroachment permit for the installation of the offsite wells from the City of Oakland (City). EMC and the City are negotiating the terms of the City's required Indenture Agreement, so we are still waiting for finalization of the agreement. Therefore an extension of **November 23, 2016** for the *Site Investigation Report* is requested. We will continue to keep you updated on the status of obtaining the permit.

Thank you,
Kiersten

Kiersten Hoey



GHD

T: +1 510 420 3347 | M: +1 916 919 0358 | E: kiersten.hoey@ghd.com
5900 Hollis Street, Suite A Emeryville, California 94608 United States | www.ghd.com

Please consider our environment before printing this email