

20-284



GETTLER-RYAN INC.

AUG 07 2002

TRANSMITTAL

July 19, 2002
G-R #386462

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-0121
3026 Lakeshore Avenue
Oakland, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	July 12, 2002	Groundwater Monitoring and Sampling Report Second Quarter - Event of May 30, 2002

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **August 2, 2002**, at which time the final report will be distributed to the following:

cc: Ms. Eva Chu, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Greg Gurss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670

Enclosures

trans/9-0121-KS



GETTLER-RYAN INC.

July 12, 2002
G-R Job #386462

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Quarter Event of May 30, 2002
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

Dear Ms. Streich:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1. Dissolved Oxygen concentrations are presented in Table 2.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Dissolved Oxygen Concentrations
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawings provided by RRM engineering contracting firm and City of Oakland Public Works.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0121
 3026 Lakeshore Avenue
 Oakland, California

FIGURE
1

PROJECT NUMBER
386462

REVIEWED BY

DATE
 May 30, 2002

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)	
					REMOVED (gallons)	TPH-D (ppb)							
MW-1													
08/20/91	6.82	1.62	5.20	--	--	260	5,100	1,700	21	220	34	--	--
09/30/91	6.82	1.15	5.67	Sheen	--	--	--	--	--	--	--	--	--
10/28/91	6.82	1.50	5.30	0.03	--	--	--	--	--	--	--	--	--
01/08/92	6.82	1.67	5.15	Sheen	--	4,400	5,400	770	13	95	31	--	--
01/13/92	6.82	--	--	--	--	--	--	--	--	--	--	--	--
06/23/92	6.89	1.48	5.41	--	--	2,000	7,700	1,500	40	230	100	--	--
08/24/92	6.89	1.12	5.77	--	--	--	--	--	--	--	--	--	--
09/21/92	6.89	1.00	5.89	--	--	<50	3,500	1,700	28	190	78	--	--
10/26/92	6.89	0.95	5.94	--	--	--	--	--	--	--	--	--	--
12/23/92	6.89	2.18	4.71	--	--	5,500	60,000	7,100	240	2,000	1,300	--	--
01/08/93	6.89	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	6.89	2.17	4.72	--	--	<10	530	1,100	41	67	79	--	--
06/11/93	6.89	5.37	5.07	--	--	--	7,000	1,900	33	120	69	9,600	840
09/29/93	6.89	1.13	5.76	--	--	<10	6,600	1,600	28	43	74	--	--
12/20/93	6.89	1.74	5.15	--	--	<10	6,300	1,900	36	82	65	--	--
03/07/94	6.89	2.21	4.68	--	--	<10	7,700	1,100	55	66	38	12,000	--
06/17/94	6.89	1.83	5.06	--	--	2,200	4,300	710	12	90	38	--	--
09/12/94	6.89	1.24	5.65	--	--	2,500	6,400	1,500	<25	180	<25	12,000	--
11/30/94	6.89	2.32	4.57	--	--	2,300 ¹	4,900	690	26	97	60	3,900	--
03/24/95	6.89	3.91	2.98	--	--	1,400 ²	1,800	160	7.3	11	14	1,300	--
06/27/95	6.89	1.87	5.02	--	--	2,300 ²	4,600	1,300	11	97	13	5,100	--
09/28/95	6.89	1.59	5.30	--	--	3,900 ²	6,600	1,500	<20	<20	<20	5,800	--
12/19/95	6.89	2.21	4.68	--	--	2,600 ²	3,800	930	<10	100	<10	6,300	--
02/28/96	6.89	3.27	3.62	--	--	1,800 ²	3,600	280	<5.0	18	5.5	2,200	--
06/25/96	6.89	1.87	5.02	--	--	3,000	4,700	1,600	36	150	31	3,000	--
12/17/96	6.89	2.23	4.66	--	--	2,700 ³	7,800	1,000	28	340	63	1,200	--
03/31/97	6.89	2.01	4.88	--	--	2,200 ²	5,300	590	55	210	53	950	--
06/30/97	6.89	1.32	5.57	--	--	2,200 ²	4,400	350	<10	<10	11	580	--
09/12/97	6.89	1.56	5.33	--	--	2,300 ²	3,400	220	9.5	15	11	460	--
12/05/97	6.89	2.44	4.45	--	--	1,900 ²	4,700	870	21	120	18	750	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
				SPHT (ft.)	REMOVED (gallons)								
MW-1 (cont)													
02/16/98	6.89	3.52	3.37	--	--	1,600 ²	4,400	120	12	11	7.7	270	--
06/17/98	6.89	2.24	4.65	--	--	1,300 ²	7,800	<25	50	34	650	650	--
08/31/98	6.89	1.70	5.19	--	--	2,400 ²	3,700	620	17	120	31	380	--
12/28/98	6.89	1.94	4.95	--	--	1,500 ²	3,800	250	14	28	15	330	--
03/04/99	6.89	3.24	3.65	--	--	1,070 ²	1,560	17.9	<0.5	4.17	1.05	70.4	--
06/14/99	6.89	1.89	5.00	--	--	2,500 ²	<10,000	820	240	320	640	<500	--
09/17/99	6.89	0.30	6.59	--	--	2,110 ²	3,300	141	12.3	<10	<10	238	--
12/20/99	6.89	1.92	4.97	--	--	1,840 ²	2,990	218	16.3	20	<10	232	--
03/20/00	6.89	3.11	3.78	--	--	938 ²	1,340	20	3.07	1.87	1.87	29.1	--
06/24/00 ⁵	6.89	2.45	4.44	0.00	0.00	1,680 ⁹	1,500 ⁷	12	5.3	<2.5	7.9	190	--
09/07/00 ⁵	6.89	1.74	5.15	0.00	0.00	1,500 ⁹	3,100 ⁷	190	13	14	<10	210	--
12/05/00 ⁵	6.89	2.16	4.73	0.00	0.00	970 ¹³	2,140 ¹⁴	248	<5.00	20.5	<5.00	<25.0	--
03/01/01 ⁵	6.89	3.33	3.56	0.00	0.00	610 ⁹	1,000 ⁷	21	<10	<10	<10	280	--
06/04/01 ⁵	6.89	2.13	4.76	0.00	0.00	1,100 ⁹	2,800 ⁷	310	23	11	15	470	--
09/10/01 ⁵	6.89	1.28	5.61	0.00	0.00	2,600	2,500 ¹⁶	<20	26	<20	<20	310	--
12/03/01 ⁵	6.89	3.31	3.58	0.00	0.00	2,700	2,400	30	7.3	7.0	6.5	160	--
03/04/02 ⁵	6.89	2.36	4.53	0.00	0.00	2,700	3,300	120	17	22	9.0	110	--
05/30/02⁵	6.89	2.41	4.48	0.00	0.00	2,700	4,100	110	9.3	22	11	100	--
MW-2													
08/20/91	6.27	1.92	4.35	--	--	600	9,300	3,700	55	530	75	--	--
09/30/91	6.27	1.28	4.99	--	--	--	3,500	2,600	47	440	68	--	--
10/28/91	6.27	1.36	4.91	--	--	--	4,600	1,800	29	290	53	--	--
01/08/92	6.27	1.63	4.64	Sheen	--	--	14,000	4,300	70	<25	130	--	--
01/13/92	6.27	--	--	--	--	38,000	--	--	--	--	--	--	--
06/23/92	6.27	1.63	4.64	0.02	--	--	--	--	--	--	--	--	--
08/24/92	6.27	1.34	4.94	0.02	--	--	--	--	--	--	--	--	--
09/21/92	6.27	1.20	5.08	0.01	--	--	--	--	--	--	--	--	--
10/26/92	6.27	0.34	5.93	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
MW-2 (cont)													
12/23/92	6.27	--	--	--	--	160,000	21,000	5,400	59	1,300	160	--	--
01/08/93	6.27	2.57	3.70	--	--	--	--	--	--	--	--	--	--
03/25/93	6.27	2.89	3.38	Sheen	--	--	--	--	--	--	--	--	--
06/11/93	6.27	2.09	4.18	--	--	--	5,900	1,100	23	240	51	--	2,300
09/29/93	6.27	0.07	6.20	--	--	--	--	--	--	--	--	--	--
12/20/93	6.27	1.94	4.35	0.02	--	--	--	--	--	--	--	--	--
03/07/94	6.27	2.60	3.67	--	--	<10	26,000	5,700	170	1,000	150	--	--
06/17/94	6.27	2.25	4.02	Sheen	--	--	--	--	--	--	--	--	--
09/12/94	6.27	1.45	4.83	0.01	--	--	--	--	--	--	--	--	--
11/30/94	6.27	2.27	4.00	--	--	INACCESSIBLE		--	--	--	--	--	--
03/24/95	6.27	2.73	4.01	0.59	--	--	--	--	--	--	--	--	--
06/27/95	6.27	1.71	4.96	0.50	0.013	--	--	--	--	--	--	--	--
09/28/95	6.27	2.62	4.25	0.75	0.013	--	--	--	--	--	--	--	--
12/19/95	6.27	1.99	4.76	0.60	0.010	--	--	--	--	--	--	--	--
02/28/96	6.27	1.99	4.58	0.38	0.008	--	--	--	--	--	--	--	--
06/25/96	6.27	2.36	4.29	0.47	0.030	--	--	--	--	--	--	--	--
12/17/96	6.27	2.22	4.16	0.14	--	--	--	--	--	--	--	--	--
03/31/97	6.27	2.34	4.07	0.18	0.030	--	--	--	--	--	--	--	--
06/30/97	6.27	2.06	4.32	0.14	0.030	--	--	--	--	--	--	--	--
09/12/97	6.27	2.00	4.38	0.14	--	--	--	--	--	--	--	--	--
12/05/97	6.27	2.51	3.78	0.02	--	--	--	--	--	--	--	--	--
02/16/98	6.27	3.08	3.29	0.12	0.007	--	--	--	--	--	--	--	--
06/17/98	6.27	2.35	4.00	0.10	0.010	--	--	--	--	--	--	--	--
08/31/98	6.27	0.65	5.71	0.11	0.008	--	--	--	--	--	--	--	--
12/28/98	6.27	1.75	4.60	0.10	0.005	--	--	--	--	--	--	--	--
03/04/99	6.27	2.58	3.73	0.05	0.200	--	--	--	--	--	--	--	--
DESTROYED													

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)									
MW-2A														
04/19/99	6.53	1.67	4.86	--	--	820 ²	<2,000	<20	<20	<20	<20	<20	9,200	--
06/14/99	6.53	1.23	5.30	--	--	2,000 ²	<5,000	89	<50	66	<50	<50	10,000	--
09/17/99	6.53	0.69	5.84	--	--	1,050 ²	903	42	1.63	22.8	7.74	11,400	--	--
12/20/99	6.53	-0.07	6.60	--	--	2,820 ²	2,280	115	<10	87.2	27.2	14,000	--	--
03/20/00	6.53	1.74	4.79	--	--	1,220 ²	1,040	54.3	<5.0	33.8	12.1	10,900 ²	--	--
06/24/00	6.53	1.28	5.25	0.00	0.00	1,300 ⁹	690 ⁷	50	2.5	18	9.5	15,000 ⁸	--	--
09/07/00	6.53	1.09	5.44	0.00	0.00	770 ⁹	310 ⁷	6.7	1.4	1.6	3.8	16,000	--	--
12/05/00	6.53	1.16	5.37	0.00	0.00	810 ¹³	414 ¹⁴	32.4	<0.500	7.49	5.96	8,910 ⁸	--	--
03/01/01	6.53	2.03	4.50	0.00	0.00	590 ⁹	370 ⁷	30	4.0	12	9.2	8,200	--	--
06/04/01	6.53	1.36	5.17	0.00	0.00	930 ⁹	<500	19	<5.0	<5.0	<5.0	7,800	--	--
09/10/01	6.53	0.79	5.74	0.00	0.00	2,400	<5,000	<50	<50	<50	<50	9,700	--	--
12/03/01	6.53	1.46	5.07	0.00	0.00	2,500	480	4.5	<1.0	1.1	<3.0	10,000	--	--
03/04/02	6.53	1.52	5.01	0.00	0.00	2,300	630	5.4	1.5	2.9	2.3	7,000	--	--
05/30/02	6.53	1.66	4.87	0.00	0.00	2,100	520	6.1	<1.0	2.6	5.4	7,100	--	--
MW-3														
08/20/91	8.71	0.26	8.45	--	--	200	3,100	200	13	15	12	--	--	--
09/30/91	8.71	-0.03	8.74	--	--	--	1,000	150	8.3	13	6.7	--	--	--
10/28/91	8.71	-0.05	8.76	--	--	--	1,200	120	6.7	11	7.5	--	--	--
01/08/92	8.71	-0.06	8.77	--	--	--	410	120	0.9	4.1	3.4	--	--	--
01/13/92	8.71	--	--	--	--	220	--	--	--	--	--	--	--	--
06/23/92	8.71	0.03	8.68	--	--	<50	630	43	0.8	8.2	3.4	--	--	--
08/24/92	8.71	-0.14	8.85	--	--	--	--	--	--	--	--	--	--	--
09/21/92	8.71	-0.23	8.94	--	--	<50	1,800	730	1.4	66	39	--	--	--
10/26/92	8.71	-0.36	9.07	--	--	--	--	--	--	--	--	--	--	--
12/23/92	8.71	--	--	--	--	850	840	270	3.4	15	4.2	--	--	--
01/08/93	8.71	1.02	7.69	--	--	--	--	--	--	--	--	--	--	--
03/25/93	8.71	0.97	7.74	--	--	<10	760	270	4.0	10	5.0	--	--	--
06/11/93	8.71	0.19	8.52	--	--	--	200	32	1.0	5.0	2.0	--	--	5,600

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)							
MW-3 (cont)													
09/29/93	8.71	2.66	6.05	--	--	--	9,300	2,800	60	270	62	--	--
12/20/93	8.71	-0.12	8.83	--	--	<10	460	250	4.0	8.0	4.0	--	--
03/07/94	8.71	0.64	8.07	--	--	<10	2,400	260	13	35	18	--	--
06/17/94	8.71	0.19	8.52	--	--	<50	1,000	200	4.0	6.6	6.7	--	--
09/12/94	8.71	-0.21	8.92	--	--	<50	360	130	3.4	4.8	3.3	130	--
11/30/94	8.71	0.58	8.13	--	--	INACCESSIBLE	--	--	--	--	--	--	--
03/24/95	8.71	1.93	6.78	--	--	1,200 ²	4,100	920	<10	23	<10	70	--
06/27/95	8.71	0.49	8.22	--	--	1,000 ²	3,100	640	16	31	<10	<50	--
09/28/95	8.71	-0.14	8.85	--	--	460 ²	490	78	3.4	4.4	2.4	38	--
12/19/95	8.71	0.69	8.02	--	--	650 ²	2,600	580	<10	25	<10	<50	--
02/28/96	8.71	1.16	7.55	--	--	780 ²	1,500	510	<5.0	9.9	<5.0	<25	--
06/25/96	8.71	0.34	8.37	--	--	1,200 ²	1,300	390	7.8	14	6.5	31	--
12/17/96	8.71	0.41	8.30	--	--	1,100 ²	760	85	<1.2	5.9	5.1	<6.2	--
03/31/97	8.71	0.52	8.19	--	--	1,300 ²	2,000	380	12	24	12	<25	--
06/30/97	8.71	0.00	8.71	--	--	620 ²	1,900	340	9.9	23	6.1	<25	--
09/12/97	8.71	1.07	7.64	--	--	400 ²	1,200	200	4.6	14	4.8	3.9	--
12/05/97	8.71	0.46	8.25	--	--	190 ²	460	72	2.7	5.2	1.7	<5.0	--
02/16/98	8.71	1.71	7.00	--	--	1,000 ²	6,200	1,100	20	34	12	<50	--
06/17/98	8.71	0.71	8.00	--	--	1,100 ²	3,000	350	<10	<10	<10	120	--
08/31/98	8.71	0.08	8.63	--	--	790 ²	430	100	2.6	8.6	6.0	<12	--
12/28/98	8.71	-0.02	8.73	--	--	180 ²	1,400	220	<10	12	<10	<50	--
03/04/99	8.71	1.06	7.65	--	--	763 ²	2,880	355	9.15	19	<5.0	<20	--
DESTROYED													
MW-3A													
04/19/99	8.70	1.00	7.70	--	--	93 ²	<50	<0.5	<0.5	<0.5	<0.5	3.1	--
06/14/99	8.70	0.50	8.20	--	--	160 ²	148	4.55	0.82	0.53	1.1	3.7	--
09/17/99	8.70	-0.02	8.72	--	--	101 ²	169	6.02	0.806	0.515	0.786	4.68	--
12/20/99	8.70	-0.22	8.92	--	--	153 ²	<50	1.82	<0.5	<0.5	<0.5	11	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0121
 3026 Lakeshore Avenue
 Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
MW-3A (cont)													
03/20/00	8.70	1.06	7.64	--	--	223 ²	140	5.08	0.695	<0.5	<0.5	10.1	--
06/24/00	8.70	0.32	8.38	0.00	0.00	128 ⁹	<50	0.74	<0.50	<0.50	<0.50	34	--
09/07/00	8.70	-0.09	8.79	0.00	0.00	<50	<50	1.4	<0.50	<0.50	<0.50	15	--
12/05/00	8.70	0.02	8.68	0.00	0.00	<50	<50.0	1.39	<0.500	<0.500	<0.500	12.9	--
03/01/01	8.70	0.88	7.82	0.00	0.00	66 ¹¹	<50	1.0	<0.50	<0.50	<0.50	19	--
06/04/01	8.70	0.25	8.45	0.00	0.00	69 ⁹	<50	2.0	<0.50	<0.50	<0.50	37	--
09/10/01	8.70	-0.40	9.10	0.00	0.00	<50	<50	3.9	<0.50	<0.50	<0.50	19	--
12/03/01	8.70	0.62	8.08	0.00	0.00	56	<50	<0.50	<0.50	<0.50	<1.5	19	--
03/04/02	8.70	-0.24	8.94	0.00	0.00	85	<50	<0.50	<0.50	<0.50	<1.5	26	--
05/30/02	8.70	-0.08	8.78	0.00	0.00	210	<50	<0.50	<0.50	<0.50	<1.5	22	--
MW-4													
08/20/91	7.37	1.32	5.05	--	--	160	1,800	870	4.0	3.0	9.0	--	--
09/30/91	7.37	1.70	5.67	--	--	--	670	830	5.5	2.7	12	--	--
10/28/91	7.37	1.56	5.81	--	--	--	2,800	990	5.8	4.8	19	--	--
01/08/92	7.37	2.03	5.34	--	--	--	2,900	1,200	10	7.0	18	--	--
01/13/92	7.37	--	--	--	--	1,000	--	--	--	--	--	--	--
06/23/92	7.37	2.00	5.37	--	--	<50	1,600	380	6.5	3.0	12	--	--
08/24/92	7.37	1.62	5.75	--	--	--	--	--	--	--	--	--	--
09/21/92	7.37	1.42	5.95	--	--	<50	1,200	480	5.6	3.7	11	--	--
10/26/92	7.37	1.41	5.96	--	--	--	--	--	--	--	--	--	--
12/23/92	7.37	--	--	--	--	1,800	1,500	700	3.6	3.2	11	--	--
01/08/93	7.37	2.73	4.64	--	--	--	--	--	--	--	--	--	--
03/25/93	7.37	2.95	4.42	--	--	<10	520	160	3.0	1.0	4.0	--	--
06/11/93	7.37	2.25	5.12	--	--	--	1,200	430	5.0	6.0	11	--	2,600
09/29/93	7.37	1.57	5.80	--	--	--	1,300	210	8.0	2.0	14	--	--
12/20/93	7.37	2.27	5.10	--	--	3,900	570	230	5.0	4.0	8.0	--	--
03/07/94	7.37	2.36	5.01	--	--	2,600	2,200	290	18	2.5	11	22,000	--
06/17/94	7.37	1.55	5.82	--	--	2,800	2,100	480	11	4.3	9.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
MW-4 (cont)													
09/12/94	7.37	1.73	5.64	--	--	3,000	1,700	340	6.1	2.7	9.7	63,000	--
11/30/94	7.37	1.79	5.58	--	--	INACCESSIBLE		--	--	--	--	--	--
03/24/95	7.37	2.42	4.95	--	--	3,000 ²	1,500	280	<5.0	<5.0	6.9	12,000	--
06/27/95	7.37	-1.42	8.79	--	--	3,100 ²	<10,000	310	<100	<100	<100	32,000	--
09/28/95	7.37	1.52	5.85	--	--	6,300 ²	330	64	1.1	<0.5	<0.5	630	--
12/19/95	7.37	1.87	5.50	--	--	3,400 ²	3,000	520	<25	<25	<25	44,000	--
02/28/96	7.37	2.27	5.10	--	--	4,700 ²	<10,000	230	<100	<100	<100	32,000	--
06/25/96	7.37	1.59	5.78	--	--	3,100	<10,000	160	<100	<100	<100	31,000	--
12/17/96	7.37	1.42	5.95	--	--	3,600 ³	<5,000	110	<50	<50	<50	22,000	--
03/31/97	7.37	1.75	5.62	--	--	2,700 ²	<2,500	130	<25	<25	<25	16,000	--
06/30/97	7.37	1.34	6.03	--	--	2,700 ²	<2,500	130	<25	<25	<25	14,000	--
09/12/97	7.37	1.68	5.69	--	--	2,100 ²	<5,000	63	<50	<50	<50	15,000	--
12/05/97	7.37	2.22	5.15	--	--	2,600 ²	1,300	120	<5.0	<5.0	8.5	15,000	--
02/16/98	7.37	1.11	6.26	--	--	1,300 ²	1,200	57	4.5	<2.5	7.0	12,000	--
06/17/98	7.37	2.41	4.96	--	--	530 ²	5,300	390	290	28	150	17,000	--
08/31/98	7.37	1.46	5.91	--	--	2,400 ²	<50	89	<0.5	<0.5	<0.5	14,000/16,000 ⁴	--
12/28/98	7.37	1.96	5.41	--	--	2,900 ²	1,000	52	5.6	4.6	9.1	8,400	--
03/04/99	7.37	2.17	5.20	--	--	4,490 ²	<2,500	85.5	40.9	<25	<25	11,400	--
DESTROYED													
MW-4A													
04/19/99	7.69	2.78	4.91	--	--	370 ²	<500	<5.0	<5.0	<5.0	<5.0	1,600	--
06/14/99	7.69	2.44	5.25	--	--	2,500 ²	5,360	312	<20	44	<20	2,880	--
09/17/99	7.69	0.32	7.37	--	--	1,430 ²	1,290	38.6	<5.0	7.01	<5.0	1,780	--
12/20/99	7.69	1.39	6.30	--	--	7,480 ²	852	43.5	4.63	9.18	4.36	1,070	--
03/20/99	7.69	2.07	5.62	--	--	1,280 ²	1,370	129	8.6	18.3	7.3	2,110	--
06/24/00	7.69	1.57	6.12	0.00	0.00	1,190 ⁹	190 ⁷	1.4	1.7	1.7	3.3	3,900 ⁷	--
09/07/00	7.69	1.43	6.26	0.00	0.00	740 ⁹	490 ⁷	15	1.9	1.1	3.9	3,300	--
12/05/00	7.69	1.70	5.99	0.00	0.00	560 ¹²	<500	<5.00	<5.00	<5.00	<5.00	3,380 ⁸	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)									
MW-4A (cont)														
03/01/01	7.69	2.01	5.68	0.00	0.00	600 ⁹	<1,000	10	<10	<10	<10	<10	4,600	--
06/04/01	7.69	1.09	6.60	0.00	0.00	770 ⁹	390 ¹⁵	8.4	3.8	<2.5	3.0	3,800	--	
09/10/01	7.69	1.12	6.57	0.00	0.00	810	<500	13	<5.0	22	<5.0	4,900	--	
12/03/01	7.69	1.74	5.95	0.00	0.00	2,100	<250	1.5	<1.0	<1.0	<3.0	3,800	--	
03/04/02	7.69	-1.19	8.88	0.00	0.00	2,400	2,500	49	6.8	21	9.5	2,600	--	
05/30/02	7.69	1.49	6.20	0.00	0.00	2,600	430	4.6	<1.0	2.0	<3.0	3,700	--	
MW-5														
06/23/92	14.14	1.90	12.24	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	
08/24/92	14.14	1.85	12.29	--	--	--	--	--	--	--	--	--	--	
09/21/92	14.14	1.68	12.46	--	--	60	<50	<0.5	<0.5	<0.5	<0.5	--	--	
10/26/92	14.14	1.62	12.52	--	--	--	--	--	--	--	--	--	--	
12/23/92	14.14	3.02	11.12	--	--	--	--	--	--	--	--	--	--	
01/08/93	14.14	--	--	--	--	--	--	--	--	--	--	--	--	
03/25/93	14.14	4.40	9.74	--	--	<10	<50	<0.5	<0.5	<0.5	0.9	--	--	
06/11/93	14.14	3.70	10.44	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	770
09/29/93	14.14	2.22	11.92	--	--	<10	<50	<0.5	0.6	<0.5	0.6	--	--	
12/20/93	14.14	--	--	--	--	--	--	--	--	--	--	--	--	
03/07/94	14.14	2.80	11.34	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	
06/17/94	14.14	2.87	11.27	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	
09/12/94	14.14	1.28	12.86	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	
11/30/94	14.14	2.23	11.91	--	--	99 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	
03/24/95	14.14	4.38	9.76	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	
06/27/95	14.14	2.74	11.40	--	--	55 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--	
09/28/95	14.14	2.24	11.90	--	--	300 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	
12/19/95	14.14	1.56	12.58	--	--	53 ²	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	
02/28/96	14.14	2.44	11.70	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	
06/25/96	14.14	2.71	11.43	--	--	120 ²	<50	<0.5	<0.5	<0.5	<0.5	36	--	
12/17/96	14.14	2.74	11.40	--	--	89 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
MW-5 (cont)													
03/31/97	14.14	2.04	12.10	--	--	150 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/30/97	14.14	1.36	12.78	--	--	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
09/12/97	14.14	0.46	13.68	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/05/97	14.14	1.11	13.03	--	--	--	--	--	--	--	--	--	--
02/16/98	14.14	4.17	9.97	--	--	62 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/17/98	14.14	2.29	11.85	--	--	--	--	--	--	--	--	--	--
08/31/98	14.14	1.32	12.82	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/28/98	14.14	0.71	13.43	--	--	--	--	--	--	--	--	--	--
03/04/99	14.14	0.39	13.75	--	--	70.5	<50	<0.5	<0.5	<0.5	<0.5	3.34	--
06/14/99	14.14	0.04	14.10	--	--	--	--	--	--	--	--	--	--
09/17/99	14.14	-0.04	14.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/20/99	14.14	0.44	13.70	--	--	--	--	--	--	--	--	--	--
03/20/00	14.14	1.50	12.64	--	--	115 ³	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/24/00	14.14	1.10	13.04	0.00	0.00	--	--	--	--	--	--	--	--
09/07/00	14.14	0.97	13.17	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	5.0	--
12/05/00	14.14	2.86	11.28	0.00	0.00	--	--	--	--	--	--	--	--
03/01/01	14.14	3.84	10.30	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
06/04/01	14.14	2.83	11.31	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
09/10/01	14.14	1.98	12.16	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
12/03/01	14.14	5.52	8.62	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
03/04/02	14.14	4.29	9.85	0.00	0.00	78	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/30/02	14.14	3.31	10.83	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--
MW-6													
06/23/92	4.46	-0.68	5.14	--	--	120	<50	4.3	<0.5	0.8	0.9	--	--
08/24/92	4.46	-0.49	4.95	--	--	--	--	--	--	--	--	--	--
09/21/92	4.46	-0.44	4.90	--	--	<50	<250	<2.5	<2.5	<2.5	<2.5	--	--
10/26/92	4.46	-1.06	5.52	--	--	--	--	--	--	--	--	--	--
12/23/92	4.46	-0.94	5.40	--	--	81	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)									
MW-6 (cont)														
01/08/93	4.46	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	4.46	-1.64	6.10	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	0.7	--	--
06/11/93	4.46	-2.10	6.56	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	15,000
09/29/93	4.46	-0.71	5.17	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/20/93	4.46	-1.47	5.93	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/07/94	4.46	-0.81	5.27	--	--	<10	54	<0.5	<0.5	<0.5	<0.5	0.6	--	--
06/17/94	4.46	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/94	4.46	-0.64	5.10	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
11/30/94	4.46	-1.12	5.58	--	--	800 ¹	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/24/95	4.46	-1.87	6.33	--	--	490 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/27/95	4.46	-3.74	8.20	--	--	300 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/28/95	4.46	-0.19	4.65	--	--	1,200 ²	120	1.1	<0.5	<0.5	<0.5	<0.5	--	--
12/19/95	4.46	-1.58	6.04	--	--	820 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/28/96	4.46	-1.54	6.00	--	--	270 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/25/96	4.46	-1.71	6.17	--	--	750 ²	97	<0.5	<0.5	<0.5	<0.5	0.71	<2.5	--
12/17/96	4.46	-1.67	6.13	--	--	540 ²	65	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/31/97	4.46	-2.23	6.69	--	--	780 ²	65	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/30/97	4.46	-2.62	7.08	--	--	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/12/97	4.46	-0.95	5.41	--	--	270 ²	65	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/05/97	4.46	-1.96	6.42	--	--	--	--	--	--	--	--	--	--	--
02/16/98	4.46	-0.30	4.76	--	--	330 ²	140	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/17/98	4.46	-1.54	6.00	--	--	--	--	--	--	--	--	--	--	--
08/31/98	4.46	-0.64	5.10	--	--	270 ¹	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/28/98	4.46	-2.04	6.50	--	--	--	--	--	--	--	--	--	--	--
03/04/99	4.46	-1.35	5.81	--	--	638 ¹	95.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2.0	--
06/14/99	4.46	-0.97	5.43	--	--	--	--	--	--	--	--	--	--	--
09/17/99	4.46	-1.74	6.20	--	--	258 ¹	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/20/99	4.46	-2.31	6.77	--	--	--	--	--	--	--	--	--	--	--
03/20/00	4.46	-2.12	6.58	--	--	257 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/24/00	4.46	-2.52	6.98	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)	
					REMOVED (gallons)										
MW-6 (cont)															
09/07/00	4.46	-0.46	4.92	0.00	0.00	98 ¹¹	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--	
12/05/00	4.46	-0.64	5.10	0.00	0.00	--	--	--	--	--	--	--	--	--	
03/01/01	4.46	-0.43	4.89	0.00	0.00	190 ⁹	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--	
06/04/01	4.46	-0.75	5.21	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	
09/10/01	4.46	-0.65	5.11	0.00	0.00	140 ¹⁷	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--	
12/03/01	4.46	-0.57	5.03	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	
03/04/02	4.46	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--	--	--
05/30/02	4.46	-1.65	6.11	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	
MW-7															
08/24/92	5.26	-0.29	5.55	--	--	--	--	--	--	--	--	--	--	--	
09/21/92	5.26	-0.39	5.65	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
10/26/92	5.26	-0.25	5.51	--	--	--	--	--	--	--	--	--	--	--	
12/23/92	5.26	1.31	3.95	--	--	60	<50	2.9	<0.5	<0.5	<0.5	<0.5	--	--	
01/08/93	5.26	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/25/93	5.26	2.76	2.50	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
06/11/93	5.26	1.80	3.46	--	--	--	<50	0.6	<0.5	<0.5	<0.5	<0.5	--	2,200	
09/29/93	5.26	-0.26	5.52	--	--	<10	<50	2.0	1.0	1.0	7.0	--	--	--	
12/20/93	5.26	0.85	4.41	--	--	<10	<50	2.0	<0.5	<0.5	<0.5	<0.5	--	--	
03/07/94	5.26	2.64	2.62	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
06/17/94	5.26	1.99	3.27	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
09/12/94	5.26	1.15	4.11	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	--	
11/30/94	5.26	2.50	2.76	--	--	92 ¹	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
03/24/95	5.26	3.06	2.20	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
06/27/95	5.26	1.36	3.90	--	--	69 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
09/28/95	5.26	0.41	4.85	--	--	84 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
12/19/95	5.26	2.24	3.02	--	--	84 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--	
02/28/96	5.26	3.83	1.43	--	--	99 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--	
06/25/96	5.26	0.97	4.29	--	--	110 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)									
MW-7 (cont)														
12/17/96	5.26	3.08	2.18	--	--	54 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/31/97	5.26	2.32	2.94	--	--	100 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/30/97	5.26	1.68	3.58	--	--	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/12/97	5.26	1.85	3.41	--	--	--	--	--	--	--	--	--	--	--
12/05/97	5.26	3.37	1.89	--	--	--	--	--	--	--	--	--	--	--
02/16/98	5.26	3.43	1.83	--	--	77 ²	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/17/98	5.26	3.32	1.94	--	--	--	--	--	--	--	--	--	--	--
08/31/98	5.26	1.07	4.19	--	--	--	--	--	--	--	--	--	--	--
12/28/98	5.26	0.79	4.47	--	--	--	--	--	--	--	--	--	--	--
03/04/99	5.26	3.51	1.75	--	--	73.4	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.0	--
06/14/99	5.26	3.64	1.62	--	--	--	--	--	--	--	--	--	--	--
09/17/99	5.26	0.42	4.84	--	--	--	--	--	--	--	--	--	--	--
12/20/99	5.26	0.45	4.81	--	--	--	--	--	--	--	--	--	--	--
03/20/00	5.26	3.41	1.85	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/24/00	5.26	3.05	2.21	0.00	0.00	--	--	--	--	--	--	--	--	--
09/07/00	5.26	1.61	3.65	0.00	0.00	--	--	--	--	--	--	--	--	--
12/05/00	5.26	2.31	2.95	0.00	0.00	--	--	--	--	--	--	--	--	--
03/01/01	5.26	4.61	0.65	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	--
06/04/01	5.26	3.74	1.52	0.00	0.00	--	--	--	--	--	--	--	--	--
09/10/01	5.26	1.08	4.18	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/03/01	5.26	4.20	1.06	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/04/02	5.26	3.76	1.50	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	5.26	2.51	2.75	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
MW-8														
06/23/92	8.94	-15.20	24.14	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/24/92	8.94	0.34	8.60	--	--	--	--	--	--	--	--	--	--	--
09/21/92	8.94	0.55	8.39	--	--	<50	94	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	8.94	-0.18	9.12	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)	
					REMOVED (gallons)	TPH-D (ppb)							
MW-8 (cont)													
12/23/92	8.94	0.83	8.11	--	--	79	<50	0.7	5.0	0.7	2.9	--	--
01/08/93	8.94	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	8.94	--	--	--	--	--	--	--	--	--	--	--	--
06/11/93	8.94	0.55	8.39	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	3,500
09/29/93	8.94	0.69	8.25	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/93	8.94	0.48	8.46	--	--	<10	<50	<0.5	0.6	<0.5	1.0	--	--
03/07/94	8.94	0.28	8.66	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/17/94	8.94	0.12	8.82	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/12/94	8.94	0.11	8.83	--	--	<50	<50	<0.5	<0.5	<0.5	0.8	<5.0	--
11/30/94	8.94	0.31	8.63	--	--	120 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/24/95	8.94	0.43	8.51	--	--	110 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/27/95	8.94	-0.03	8.97	--	--	67 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/28/95	8.94	0.04	8.90	--	--	91 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/19/95	8.94	0.54	8.40	--	--	76 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/28/96	8.94	0.50	8.44	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/25/96	8.94	0.05	8.89	--	--	80 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/17/96	8.94	0.49	8.45	--	--	79 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/31/97	8.94	0.18	8.76	--	--	72 ²	<50	<0.5	<0.5	<0.5	<0.5	3.6	--
06/30/97	8.94	-0.18	9.12	--	--	SAMPLED ANNUALLY		--	--	--	--	--	--
09/12/97	8.94	0.13	8.81	--	--	--	--	--	--	--	--	--	--
12/05/97	8.94	0.59	8.35	--	--	--	--	--	--	--	--	--	--
02/16/98	8.94	1.00	7.94	--	--	68 ²	<50	<0.5	<0.5	<0.5	<0.5	4.3	--
06/17/98	8.94	0.51	8.43	--	--	--	--	--	--	--	--	--	--
08/31/98	8.94	0.06	8.88	--	--	--	--	--	--	--	--	--	--
12/28/98	8.94	0.64	8.30	--	--	--	--	--	--	--	--	--	--
03/04/99	8.94	0.29	8.65	--	--	106	<50	<0.5	<0.5	<0.5	<0.5	3.83	--
06/14/99	8.94	0.52	8.42	--	--	--	--	--	--	--	--	--	--
09/17/99	8.94	-0.93	9.87	--	--	--	--	--	--	--	--	--	--
12/20/99	8.94	0.54	8.40	--	--	--	--	--	--	--	--	--	--
03/20/00	8.94	0.82	8.12	--	--	82.2 ⁶	<50	<0.5	<0.5	<0.5	<0.5	3.46	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)									
MW-8 (cont)														
06/24/00	8.94	0.31	8.63	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/07/00	8.94	0.26	8.68	0.00	0.00	--	--	--	--	--	--	--	--	--
12/05/00	8.94	0.81	8.13	0.00	0.00	--	--	--	--	--	--	--	--	--
03/01/01	8.94	1.04	7.90	0.00	0.00	51 ¹¹	<50	<0.50	<0.50	<0.50	<0.50	<2.5	<2.5	--
06/04/01	8.94	-0.27	9.21	0.00	0.00	--	--	--	--	--	--	--	--	--
09/10/01	8.94	0.26	8.68	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/03/01	8.94	1.12	7.82	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/04/02	8.94	1.26	7.68	0.00	0.00	82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	<2.5	--
05/30/02	8.94	INACCESSIBLE - CAR PARKED OVER WELL										--	--	
MW-9														
04/19/99	5.87	2.71	3.16	--	--	2,600 ²	3,900 ⁶	14	6.9	14	24	140	140	--
06/14/99	5.87	1.06	4.81	--	--	2,800 ²	2,880	12.6	<10	<10	<10	138	138	--
09/17/99	5.87	1.02	4.85	--	--	1,770 ²	3,370	33.1	14.4	<5.0	<5.0	202	202	--
12/20/99	5.87	1.87	4.00	--	--	996 ²	3,970	42.2	13.5	<10	<10	311	311	--
03/20/00	5.87	2.87	3.00	--	--	2,710 ²	5,920	22.1	<5.0	6.8	<5.0	106.0	106.0	--
06/24/00	5.87	1.96	3.91	0.00	0.00	1,940 ⁹	2,500 ⁷	12	<10	11	<10	120	120	--
09/07/00	5.87	1.59	4.28	0.00	0.00	1,500 ⁹	3,700 ⁷	<25	<25	<25	<25	330	330	--
12/05/00	5.87	2.07	3.80	0.00	0.00	1,300 ¹²	3,470 ²	<5.00	7.64	<5.00	<5.00	177	177	--
03/01/01	5.87	3.19	2.68	0.00	0.00	960 ⁹	2,400 ⁷	11	18.0	<10	<10	250	250	--
06/04/01	5.87	1.96	3.91	0.00	0.00	1,200 ⁹	3,200 ⁷	45	17	6.1	8.9	300	300	--
09/10/01	5.87	1.18	4.69	0.00	0.00	2,000 ¹⁷	2,300	5.7	7.3	10	<5.0	200	200	--
12/03/01	5.87	2.88	2.99	0.00	0.00	2,600	3,600	14	5.4	8.2	8.5	210	210	--
03/04/02	5.87	2.32	3.55	0.00	0.00	3,700	4,400	17	<5.0	9.2	6.4	79	79	--
05/30/02	5.87	2.22	3.65	0.00	0.00	4,600	4,300	15	3.7	5.8	6.1	110	110	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH					E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)				
TRIP BLANK													
08/24/92	--	--	--	--	--	--	--	--	--	--	--	--	--
09/21/92	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/26/92	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/11/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/07/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/17/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/12/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--
11/30/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/24/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/27/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/28/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/19/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/28/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/25/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/17/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/31/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/30/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/12/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/05/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/16/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/17/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/31/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/28/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/04/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--
06/14/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)							
TRIP BLANK (cont)													
09/17/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/20/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/20/00	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/24/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
09/07/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
12/05/00	--	--	--	--	--	--	<50	<0.500	<0.500	<0.500	<0.500	<2.5	--
03/01/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
06/04/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
09/10/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
QA													
12/03/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/04/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
05/30/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 24, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation
(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

SPH = Separate Phase Hydrocarbons

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

(ppb) = Parts per billion

TDS = Total Dissolved Solids

-- = Not Measured/Not Analyzed

QA = Quality Assurance

- 1 Chromatogram pattern indicates a non-diesel mix.
- 2 Chromatogram pattern indicates an unidentified hydrocarbon.
- 3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 4 Confirmation run.
- 5 ORC present in well.
- 6 Laboratory report indicates gasoline and unidentified hydrocarbons >10.
- 7 Laboratory report indicates gasoline C6-C12.
- 8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 9 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 10 Laboratory report indicates unidentified hydrocarbons C10-C24.
- 11 Laboratory report indicates unidentified hydrocarbons >C16.
- 12 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 13 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- 14 Laboratory report indicates weathered gasoline C6-C12.
- 15 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 16 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
- 17 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel. The pattern more closely resembles that of a heavier hydrocarbon mix.

Table 2
Dissolved Oxygen Concentrations
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-1	06/24/00 ¹	5.30	--
	09/07/00 ¹	4.02	--
	12/05/00 ¹	3.86	--
	03/01/01 ¹	3.04	--
	06/04/01 ¹	2.70	--
	09/10/01 ¹	2.40	--
	12/03/01 ¹	0.70	--
	03/04/02 ¹	1.10	--
	05/30/02 ¹	0.90	--

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

¹ ORC present in well.

Table 3
Groundwater Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	Total Alkalinity (ppb)	Ferrous Iron (ppb)	Sulfate (ppb)	Nitrate (ppb)
MW-1 12/28/98	390,000	4,900	<1,000	<1,000
MW-3 12/28/98	980,000	4,500	390,000	<1,000
MW-4 12/28/98	670,000	3,500	6,800	<1,000
MW-5 12/28/98	480,000	15	51,000	<1,000
MW-6 12/28/98	2,400,000	810	110,000	<1,000
MW-7 12/28/98	350,000	12,000	79,000	<1,000
MW-8 12/28/98	1,100,000	45	87,000	<1,000

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

(ppb) = Parts per billion

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0181

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-1

Well Condition: o.k

Well Diameter 2 1/4 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Total Depth 19.03 ft.

Depth to Water 4.48 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

14.55 x VF .66 = 9.6 X 3 (case volume) = Estimated Purge Volume: 29.0 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1334

Weather Conditions: SUNNY

Sampling Time: 1358

Water Color: CLEAR Odor: YES

Purging Flow Rate: 3.0 gpm.

Sediment Description: _____

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	ORP (mV)	Alkalinity (ppm)
<u>1337</u>	<u>9.5</u>	<u>7.16</u>	<u>650</u>	<u>77.1</u>	<u>0.9</u>	
<u>1340</u>	<u>19.0</u>	<u>7.06</u>	<u>652</u>	<u>77.2</u>		
<u>1344</u>	<u>29.0</u>	<u>7.02</u>	<u>648</u>	<u>77.0</u>		
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(GI)/btex/mtbe</u>
<u>MW-1</u>	<u>2X AMBER</u>	<u>Y</u>	<u>NP</u>	<u>" "</u>	<u>TPH-D</u>

COMMENTS: ORC IN WELL / PRE-PURGE D.O = 0.9
REPLACED 4" CAP AND MASTER LOCK 3910

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0181

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-2A

Well Condition: o.k

Well Diameter 21.4 in.

Hydrocarbon Thickness: Ø (feet) Amount Bailed (product/water): Ø (Gallons)

Total Depth 16.55 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

Depth to Water 4.87 ft.

11.68 x VF .17 = 1.9 x 3 (case volume) = Estimated Purge Volume: 6 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1232

Weather Conditions: SUNNY

Sampling Time: 1250

Water Color: Cloudy Odor: YES

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature °F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1235</u>	<u>2.0</u>	<u>7.12</u>	<u>355 x 1000</u>	<u>71.1</u>			
<u>1237</u>	<u>4.0</u>	<u>6.70</u>	<u>423 x 1000</u>	<u>69.5</u>			
<u>1240</u>	<u>6.0</u>	<u>6.81</u>	<u>408 x 1000</u>	<u>70.0</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2A</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>
<u>MW-2A</u>	<u>2 X AMBER</u>	<u>Y</u>	<u>NP</u>	<u>// //</u>	<u>TPH-D</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON
 Facility # 9-0121
 Address: 3026 Lakeshore Ave.
 City: Oakland, CA

Job#: 386462
 Date: 5/30/02
 Sampler: TC

Well ID MW-3A
 Well Diameter 2 1/4 in.
 Total Depth 17.75 ft.
 Depth to Water 8.78 ft.

Well Condition: o.k

Hydrocarbon Thickness:	Amount Bailed (product/water):			
	(feet)	(Gallons)	(Gallons)	(Gallons)
Volume	2" = 0.17	3" = 0.38	4" = 0.66	
Factor (VF)	6" = 1.50	12" = 5.80		

8.97 X VF .17 = 1.5 X 3 (case volume) = Estimated Purge Volume: 4 1/2 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1132
 Sampling Time: 1147
 Purging Flow Rate: _____ gpm.
 Did well de-water? NO

Weather Conditions: Sunny
 Water Color: Cloudy Odor: NO
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1134</u>	<u>1.5</u>	<u>7.02</u>	<u>942</u>	<u>67.6</u>			
<u>1136</u>	<u>3.0</u>	<u>6.98</u>	<u>986</u>	<u>67.1</u>			
<u>1138</u>	<u>4.5</u>	<u>6.96</u>	<u>980</u>	<u>67.2</u>			
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3A</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>
<u>MW-3A</u>	<u>2 X AMBER</u>	<u>Y</u>	<u>NP</u>	<u>11 11</u>	<u>TPH-D</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0121

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-4A

Well Condition: O.K.

Well Diameter 2 1/4 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Total Depth 18.22 ft.

Depth to Water 6.20 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

12.02 X VF .17 = 2.0 X 3 (case volume) = Estimated Purge Volume: 6 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1200

Weather Conditions: SUNNY

Sampling Time: 1220

Water Color: YELLOW Odor: YES

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ hos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1204</u>	<u>2.0</u>	<u>6.72</u>	<u>338 X1000</u>	<u>72.1</u>			
<u>1207</u>	<u>4.0</u>	<u>6.84</u>	<u>351 X1000</u>	<u>69.1</u>			
<u>1210</u>	<u>6.0</u>	<u>6.96</u>	<u>525 X1000</u>	<u>68.8</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4A</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>
<u>MW-4A</u>	<u>2 X AMBER</u>	<u>Y</u>	<u>NP</u>	<u> </u>	<u>TPH-D</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0181

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-5

Well Condition: OK

Well Diameter 2 1/4 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Total Depth 32.60 ft.

Depth to Water 10.83 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment:

Disposable Bailer
Bailer
Stack Suction N/A
Grundfos
Other: _____

Sampling Equipment:

Disposable Bailer
Bailer
Pressure Bailer N/A
Grab Sample
Other: _____

Starting Time: _____

Weather Conditions: _____

Sampling Time: _____

Water Color: _____ Odor: _____

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-</u>	<u>- VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(GI)/btex/mthb</u>

COMMENTS: ARRIVED ON SITE AND FOUND LOCK AND PLUG MISSING
SOME WATER FROM WELL BOX MAY HAVE LEAKED INTO WELL.
REPLACED 2" PLUG AND MASTER LOCK 3910 / MONITORED ONLY

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0181

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-6

Well Condition: o.k

Well Diameter 2 1/4 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Total Depth 18.73 ft.

Volume	2" = 0.17	3" = 0.38	4" = 0.66
Factor (VF)	6" = 1.50	12" = 5.80	

Depth to Water 6.11 ft.

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction N/A
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer N/A
Grab Sample
Other: _____

Starting Time: _____

Weather Conditions: _____

Sampling Time: _____

Water Color: _____ Odor: _____

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSIS
<u>MW-</u>	<u>- VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: MONITORED ONLY

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/CHEVRON
 Facility # 9-0181
 Address: 3026 Lakeshore Ave.
 City: Oakland, CA

Job#: 386462
 Date: 5/30/02
 Sampler: TC

Well ID: MW-7
 Well Diameter: 2 1/4 in.
 Total Depth: 13.95 ft.
 Depth to Water: 2.75 ft.

Well Condition: o.k.

Hydrocarbon Thickness:	Amount Bailed (product/water):	(feet)	(Gallons)
Volume	2" = 0.17	3" = 0.38	4" = 0.66
Factor (VF)	6" = 1.50	12" = 5.80	

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment:

Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____
N/A

Sampling Equipment:

Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____
N/A

Starting Time: _____
 Sampling Time: _____
 Purging Flow Rate: _____ gpm.
 Did well de-water? _____

Weather Conditions: _____
 Water Color: _____ Odor: _____
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature °F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-</u>	<u>- VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(GI)/btex/mtbe</u>

COMMENTS: MONITORED ONLY

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

PARKED
OVER
INACCESSIBLE

Client/CHEVRON

Facility # 9-0121

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-8

Well Condition: Parked over

Well Diameter 2 1/4 in.

Hydrocarbon Amount Bailed
Thickness: _____ (feet) (product/water): _____ (Gallons)

Total Depth / ft.

Volume	2" = 0.17	3" = 0.38	4" = 0.66
Factor (VF)	6" = 1.50	12" = 5.80	

Depth to Water _____ ft.

_____ X VF _____ = _____ X 3 (case volume) = Estimated Purge Volume: _____ (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction N/A
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer N/A
Grab Sample
Other: _____

Starting Time: _____

Weather Conditions: _____

Sampling Time: _____

Water Color: _____ Odor: _____

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/
/	/	/	/	/	/	/	/

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-</u>	<u>- VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: WAS UNABLE TO MONITOR WELL, THERE WAS A CAR PARKED OVER ALL DAY AND WAS UNABLE TO LOCATE OWNER.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/CHEVRON

Facility # 9-0121

Job#: 386462

Address: 3026 Lakeshore Ave.

Date: 5/30/02

City: Oakland, CA

Sampler: TC

Well ID MW-9

Well Condition: o.k

Well Diameter 21/4 in.

Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Total Depth 15.41 ft.

Depth to Water 3.65 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

11.76 X VF .17 = 1.9 X 3 (case volume) = Estimated Purge Volume: 6 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1302

Weather Conditions: SUNNY

Sampling Time: 1320

Water Color: Cloudy Odor: YES

Purging Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? NO

If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature °F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1305</u>	<u>2.0</u>	<u>6.22</u>	<u>525</u>	<u>77.0</u>			
<u>1308</u>	<u>4.0</u>	<u>6.41</u>	<u>543</u>	<u>71.3</u>			
<u>1311</u>	<u>6.0</u>	<u>6.58</u>	<u>536</u>	<u>70.8</u>			
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>3 - VOA VIALS</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>
<u>MW-9</u>	<u>2X AMBER</u>	<u>Y</u>	<u>NP</u>	<u>" "</u>	<u>TPH-D</u>

COMMENTS: _____

Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only
 Acct. #: 10405 Sample #: 3829570-75 SCR#: _____

053102-002

Facility #: 9-0121 Job# 386462 Global ID# T0600100328
 Site Address: 3026 Lakeshore Ave., Oakland, CA
 Chevron PM: Karen Streich Lead Consultant: Delta/G-R
 Consultant/Office: G-R Inc. 6747 Sierra Ct, Dublin, CA 94568
 Consultant Prj. Mgr.: Deanna L. Harding Deanna@grinc.com
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Tony Camarda
 Service Order #: _____ Non SAR: _____

Matrix		Analyses Requested										Preservative Codes					
		Preservation Codes										Preservative Codes					
Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	GRO	TPH 8015 MOD	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	H = HCl	T = Thiosulfate				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/> 8021							N = HNO ₃	B = NaOH				
												S = H ₂ SO ₄	O = Other				
												<input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits					
Sample Identification				Date Collected	Time Collected	Grab	Composite	Comments / Remarks									
QA				5/30/02				X	2	X	X						
MW-1					1358	X		X	5	X	X	X					
MW-2A					1250	X		X	5	X	X	X					
MW-3A					1147	X		X	5	X	X	X					
MW-4A					1220	X		X	5	X	X	X					
MW-9					1320	X		X	5	X	X	X					

Turnaround Time Requested (TAT) (please circle)
 (STD. TAT) 24 hour 4 day 5 day 72 hour 48 hour
Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>Tony Camarda</u>	Date: <u>5/30/02</u>	Time: <u>1500</u>	Received by: <u>Archie Hutchins</u>	Date: <u>5-31-02</u>	Time: <u>1540</u>
Relinquished by: <u>Archie Hutchins</u>	Date: <u>6/12/02</u>	Time: <u>16:00</u>	Received by: <u>Archie Hutchins</u>	Date: <u>6/12/02</u>	Time: <u>5:31:02</u>
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Carrier: <u>FedEx</u>	Temperature Upon Receipt: <u>3.5</u> °C		Received by: <u>Archie Hutchins</u>	Date: <u>6/12/02</u>	Time: <u>0935</u>
			Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		



ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED

GETTLER RYAN, INC.
GENERAL CHEMISTRY

SAMPLE GROUP

The sample group for this submittal is 809722. Samples arrived at the laboratory on Tuesday, June 04, 2002. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-020530	NA Water	3829570
MW-1-W-020530	Grab Water	3829571
MW-2A-W-020530	Grab Water	3829572
MW-3A-W-020530	Grab Water	3829573
MW-4A-W-020530	Grab Water	3829574
MW-9-W-020530	Grab Water	3829575

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

1 COPY TO

Delta C/O Gettler-Ryan

Attn: Deanna L. Harding





Questions? Contact your Client Services Representative
Teresa M Lis at (717) 656-2300.

Respectfully Submitted,

Steven A. Skiles
Steven A. Skiles
Sr. Chemist



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681

CASE NARRATIVE

Prepared For:

Karen Streich
Chevron Products Company
6001 Bollinger Canyon Road L4310
San Ramon, CA 94583-0904

Prepared By:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 809722. Samples arrived at the laboratory on Tuesday, June 04, 2002.

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

COMMENTS

Both TPH-DRO containers for samples MW-1, MW-4A and MW-2A from Facility 90121 were received at a temperature of 14.5°C.

One TPH-DRO container for samples MW-3A and MW-9 from Facility 90121 was received at a temperature of 14.5°C.

The MW-2A, MW-3A and MW-4A vials from Facility 90121 submitted for the BTEX/MTBE and TPH-GRO analysis did not have a pH < 2 at the time of the analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt.

Due to excessive foaming of samples MW-2A and MW-4A from Facility 90121, normal reporting limits were not attained for the BTEX/MTBE analysis.



Lancaster Laboratories Sample No. WW 3829570

Collected: 05/30/2002 00:00

Account Number: 10905

Submitted: 06/04/2002 09:05

Reported: 06/17/2002 at 16:31

Discard: 07/18/2002

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

QA-T-020530

NA

Water

Facility# 90121 Job# 386462

GRD

3026 Lakeshore Oakland

T0600100328 QA

OAKTB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

The following containers were received at 14.5 C: MW-1, MW-4A, MW-2A (both amber liters) and MW-3A & MW-9 (one amber liter each).

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	06/05/2002 03:00	Anastasia Papadopoulos	1
08214	BTEX, MTBE (8021)	Method SW-846 8021B	1	06/05/2002 03:00	Anastasia Papadopoulos	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2002 03:00	Anastasia Papadopoulos	n.a.

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829571**

Collected: 05/30/2002 13:58 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05

Reported: 06/17/2002 at 16:31

Discard: 07/18/2002

MW-1-W-020530 Grab Water

Facility# 90121 Job# 386462 GRD

3026 Lakeshore Oakland T0600100328 MW-1

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

OAK1-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	n.a.	2,700.	120.	ug/l	5
<p>According to the California LUFT Protocol, the quantitation for Diesel Range Organics was performed by peak area comparison of the sample pattern to that of our #2 fuel oil reference standard (between C10 and C28 normal hydrocarbons). Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.</p>						
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	4,100.	50.	ug/l	1
<p>The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.</p>						
<p>Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.</p>						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	110.	0.50	ug/l	1
00777	Toluene	108-88-3	9.3	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	22.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	11.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	100.	2.5	ug/l	1
<p>A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.</p>						
<p>Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.</p>						

State of California Lab Certification No. 2116

The following containers were received at 14.5 C: MW-1, MW-4A, MW-2A (both amber liters) and MW-3A & MW-9 (one amber liter each).

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected at or above the Reporting Limit



Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. WW 3829571

Collected: 05/30/2002 13:58 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05

ChevronTexaco

Reported: 06/17/2002 at 16:31

6001 Bollinger Canyon Rd L4310

Discard: 07/18/2002

San Ramon CA 94583

MW-1-W-020530 Grab Water

Facility# 90121 Job# 386462 GRD

3026 Lakeshore Oakland T0600100328 MW-1

OAK1-

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	CA LUFT Diesel Range Organics	1	06/07/2002 12:35	Tracy A Cole	5
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/05/2002 18:51	Melissa-Ann S McAlpine	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/05/2002 18:51	Melissa-Ann S McAlpine	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2002 18:51	Melissa-Ann S McAlpine	n.a.
07003	Extraction - DRO (Waters)	TPH by CA LUFT	1	06/05/2002 01:30	JoElla L Rice	1

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected M.M.F. = Above the Reporting Limit



Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829572**

Collected: 05/30/2002 12:50 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05
 Reported: 06/17/2002 at 16:31
 Discard: 07/18/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MW-2A-W-020530 Grab Water GRD
 Facility# 90121 Job# 386462
 3026 Lakeshore Oakland T0600100328 MW-2A

OAK2A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	n.a.	2,100.	50.	ug/l	1
According to the California LUFT Protocol, the quantitation for Diesel Range Organics was performed by peak area comparison of the sample pattern to that of our #2 fuel oil reference standard (between C10 and C28 normal hydrocarbons). Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	520.	250.	ug/l	5
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	6.1	1.0	ug/l	5
00777	Toluene	108-88-3	N.D. #	1.0	ug/l	5
00778	Ethylbenzene	100-41-4	2.6	1.0	ug/l	5
00779	Total Xylenes	1330-20-7	5.4	3.0	ug/l	5
00780	Methyl tert-Butyl Ether	1634-04-4	7,100.	15.	ug/l	50
The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

Due to excessive foaming of the sample, normal reporting limits were not

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected & above the Reporting Limit



Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829572**

Collected: 05/30/2002 12:50 by **TC**

Account Number: **10905**

Submitted: 06/04/2002 09:05

ChevronTexaco

Reported: 06/17/2002 at 16:31

6001 Bollinger Canyon Rd L4310

Discard: 07/18/2002

San Ramon CA 94583

MW-2A-W-020530 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore Oakland T0600100328 MW-2A

OAK2A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
	attained.					

State of California Lab Certification No. 2116

The following containers were received at 14.5 C: MW-1, MW-4A, MW-2A (both amber liters) and MW-3A & MW-9 (one amber liter each).

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	CA LUFT Diesel Range Organics	2	06/06/2002 11:40	Tracy A Cole	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/05/2002 21:48	Melissa-Ann S McAlpine	5
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/05/2002 19:26	Melissa-Ann S McAlpine	50
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/05/2002 21:48	Melissa-Ann S McAlpine	5
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2002 19:26	Melissa-Ann S McAlpine	n.a.
07003	Extraction - DRO (Waters)	TPH by CA LUFT	1	06/05/2002 01:30	JoElla L Rice	1

#=Laboratory Method Detection Limit exceeded target detection limit

N.D.=Not detected above the Reporting Limit



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829573**

Collected: 05/30/2002 11:47 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05
 Reported: 06/17/2002 at 16:31
 Discard: 07/18/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MW-3A-W-020530 Grab Water GRD
 Facility# 90121 Job# 386462
 3026 Lakeshore Oakland T0600100328 MW-3A

OAK3A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters) According to the California LUFT Protocol, the quantitation for Diesel Range Organics was performed by peak area comparison of the sample pattern to that of our #2 fuel oil reference standard (between C10 and C28 normal hydrocarbons). Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.	n.a.	210.	50.	ug/l	1
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.	n.a.	N.D.	50.	ug/l	1
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.	1634-04-4	22.	2.5	ug/l	1

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above reporting limit



Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829573**

Collected: 05/30/2002 11:47 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05

ChevronTexaco

Reported: 06/17/2002 at 16:31

6001 Bollinger Canyon Rd L4310

Discard: 07/18/2002

San Ramon CA 94583

MW-3A-W-020530 Grab Water

Facility# 90121 Job# 386462 GRD

3026 Lakeshore Oakland T0600100328 MW-3A

OAK3A

CAT	Analysis Name	CAS Number	As Received Result	As Received Method	Detection Limit	Units	Dilution Factor
State of California Lab Certification No. 2116							
The following containers were received at 14.5 C: MW-1, MW-4A, MW-2A							
(both amber liters) and MW-3A & MW-9 (one amber liter each).							

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
05553	TPH - DRO CA LUFT (Waters)	CA LUFT Diesel Range Organics	1	06/05/2002	14:54	Tracy A Cole	1
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/05/2002	20:02	Melissa-Ann S McAlpine	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/05/2002	20:02	Melissa-Ann S McAlpine	1
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2002	20:02	Melissa-Ann S McAlpine	n.a.
07003	Extraction - DRO (Waters)	TPH by CA LUFT	1	06/05/2002	01:30	JoElla L Rice	1

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829574**

Collected: 05/30/2002 12:20 by **TC**

Account Number: 10905

Submitted: 06/04/2002 09:05
 Reported: 06/17/2002 at 16:32
 Discard: 07/18/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MW-4A-W-020530 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore Oakland T0600100328 MW-4A

OAK4A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	n.a.	2,600.	120.	ug/l	5
According to the California LUFT Protocol, the quantitation for Diesel Range Organics was performed by peak area comparison of the sample pattern to that of our #2 fuel oil reference standard (between C10 and C28 normal hydrocarbons). Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	430.	250.	ug/l	5
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	4.6	1.0	ug/l	5
00777	Toluene	108-88-3	N.D. #	1.0	ug/l	5
00778	Ethylbenzene	100-41-4	2.0	1.0	ug/l	5
00779	Total Xylenes	1330-20-7	N.D. #	3.0	ug/l	5
00780	Methyl tert-Butyl Ether	1634-04-4	3,700.	6.0	ug/l	20
The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level. Due to excessive foaming of the sample, normal reporting limits were not						

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit



2425 New Holland Pike
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3829574**

Collected: 05/30/2002 12:20 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05

ChevronTexaco

Reported: 06/17/2002 at 16:32

6001 Bollinger Canyon Rd L4310

Discard: 07/18/2002

San Ramon CA 94583

MW-4A-W-020530 Grab Water GRD
 Facility# 90121 Job# 386462
 3026 Lakeshore Oakland T0600100328 MW-4A

OAK4A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
	attained.					

State of California Lab Certification No. 2116
 The following containers were received at 14.5 C: MW-1, MW-4A, MW-2A
 (both amber liters) and MW-3A & MW-9 (one amber liter each).

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
05553	TPH - DRO CA LUFT (Waters)	CA LUFT Diesel Range Organics	1	06/07/2002 12:58	Tracy A Cole	5
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/05/2002 22:23	Melissa-Ann S McAlpine	5
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/05/2002 20:37	Melissa-Ann S McAlpine	20
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/05/2002 22:23	Melissa-Ann S McAlpine	5
01146	GC VOA Water Prep	SW-846 5030B	1	06/05/2002 20:37	Melissa-Ann S McAlpine	n.a.
07003	Extraction - DRO (Waters)	TPH by CA LUFT	1	06/05/2002 01:30	JoElla L Rice	1

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or below the Reporting Limit





Lancaster Laboratories Sample No. **WW 3829575**

Collected: 05/30/2002 13:20 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05
 Reported: 06/17/2002 at 16:32
 Discard: 07/18/2002

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MW-9-W-020530 Grab Water GRD
 Facility# 90121 Job# 386462
 3026 Lakeshore Oakland T0600100328 MW-9

OAK9-


CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05553	TPH - DRO CA LUFT (Waters) According to the California LUFT Protocol, the quantitation for Diesel Range Organics was performed by peak area comparison of the sample pattern to that of our #2 fuel oil reference standard (between C10 and C28 normal hydrocarbons). Site-specific MS/MSD samples were not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.	n.a.	4,600.	250.	ug/l	10
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level. Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.	n.a.	4,300.	50.	ug/l	1
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	15.	1.0	ug/l	5
00777	Toluene	108-88-3	3.7	1.0	ug/l	5
00778	Ethylbenzene	100-41-4	5.8	1.0	ug/l	5
00779	Total Xylenes	1330-20-7	6.1	3.0	ug/l	5
00780	Methyl tert-Butyl Ether	1634-04-4	110.	2.5	ug/l	5

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

State of California Lab Certification No. 2116
 The following containers were received at 14.5 C: MW-1, MW-4A, MW-2A (both amber liters) and MW-3A & MW-9 (one amber liter each).

Laboratory Chronicle

#=Laboratory Method Detection Limit exceeded target detection limit
 N.D.=Not detected or above the Reporting Limit





Lancaster Laboratories Sample No. **WW 3829575**

Collected: 05/30/2002 13:20 by TC

Account Number: 10905

Submitted: 06/04/2002 09:05

ChevronTexaco

Reported: 06/17/2002 at 16:32

6001 Bollinger Canyon Rd L4310

Discard: 07/18/2002

San Ramon CA 94583

MW-9-W-020530

Grab Water

Facility# 90121 Job# 386462

GRD

3026 Lakeshore Oakland T0600100328 MW-9

OAK9-CAT		Analysis			Dilution	
No.	Analysis Name	Method	Trial#	Date and Time	Analyst	Factor
05553	TPH - DRO CA LUFT (Waters)	CA LUFT Diesel Range Organics	1	06/07/2002 13:20	Tracy A Cole	10
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	06/06/2002 03:04	Anastasia Papadoplos	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	06/06/2002 06:51	Anastasia Papadoplos	5
01146	GC VOA Water Prep	SW-846 5030B	1	06/06/2002 03:04	Anastasia Papadoplos	n.a.
07003	Extraction - DRO (Waters)	TPH by CA LUFT	1	06/05/2002 01:30	JoElla L Rice	1

#=Laboratory Method Detection Limit exceeded target detection limit
N.D.=Not detected or above the Reporting Limit



Lancaster Laboratories, Inc.
2425 New Holland Pike
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 06/17/02 at 04:32 PM

Group Number: 809722

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 021550008A Sample number(s): 3829571-3829575								
TPH - DRO CA LUFT (Waters)	N.D.	50.	ug/l	100	91	54-120	9	20
Batch number: 02155A56A Sample number(s): 3829570								
Benzene	N.D.	0.5	ug/l	100	98	80-118	2	30
Toluene	N.D.	0.5	ug/l	104	101	82-119	3	30
Ethylbenzene	N.D.	0.5	ug/l	107	103	81-119	4	30
Total Xylenes	N.D.	1.5	ug/l	106	102	82-120	4	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	90	94	79-127	5	30
TPH-GRO - Waters	N.D.	50.	ug/l	104	96	76-126	7	30
Batch number: 02155A56C Sample number(s): 3829571-3829575								
Benzene	N.D.	0.5	ug/l	100	98	80-118	2	30
Toluene	N.D.	0.5	ug/l	104	101	82-119	3	30
Ethylbenzene	N.D.	0.5	ug/l	107	103	81-119	4	30
Total Xylenes	N.D.	1.5	ug/l	106	102	82-120	4	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	90	94	79-127	5	30
TPH-GRO - Waters	N.D.	50.	ug/l	104	96	76-126	7	30

Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup
	%REC	%REC	Limits	RPD	MAX	Conc	RPD	RPD Max
Batch number: 02155A56A Sample number(s): 3829570								
Benzene	100		77-131					
Toluene	104		80-128					
Ethylbenzene	107		76-132					
Total Xylenes	106		76-132					
Methyl tert-Butyl Ether	86		61-144					
TPH-GRO - Waters	105		74-132					
Batch number: 02155A56C Sample number(s): 3829571-3829575								
Benzene	100		77-131					
Toluene	104		80-128					
Ethylbenzene	107		76-132					
Total Xylenes	106		76-132					
Methyl tert-Butyl Ether	86		61-144					
TPH-GRO - Waters	105		74-132					

Surrogate Quality Control

Analysis Name: TPH - DRO CA LUFT (Waters)
Batch number: 021550008A
Orthoterphenyl

3829571	117
3829572	91
3829573	98
3829574	93
3829575	93
Blank	104
LCS	103

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 06/17/02 at 04:32 PM

Group Number: 809722

Surrogate Quality Control

LCSD 96

Limits: 59-139

Analysis Name: TPH-GRO - Waters

Batch number: 02155A56A

Trifluorotoluene-F

Trifluorotoluene-P

3829570	99	96
Blank	103	97
LCS	121	97
LCSD	109	98
MS	115	94

Limits: 67-135

71-130

Analysis Name: TPH-GRO - Waters

Batch number: 02155A56C

Trifluorotoluene-F

Trifluorotoluene-P

3829571	176*	142*
3829572	96	100
3829573	91	97
3829574	95	95
3829575	168*	99
Blank	91	98
LCS	121	97
LCSD	109	98
MS	115	94

Limits: 67-135

71-130

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681