



GETTLER - RYAN INC.

TRANSMITTAL

RECEIVED

1:46 pm, May 16, 2007

Alameda County
Environmental Health

April 12, 2007

G-R #386462

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Satya Sinha
Chevron Environmental
Management Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station
#9-0121
3026 Lakeshore Avenue
Oakland, California
RO 0000284**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	April 6, 2007	Groundwater Monitoring and Sampling Report First Quarter - Event of March 1, 2007

COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for **your use and distribution to the following (via PDF):**

Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 **(Distributed by Cambria via PDF)**

Enclosures

trans/9-0121-SS



Satya P. Sinha
Project Manager
Retail and Terminal
Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road,
Room K2256
San Ramon, CA 94583
Tel (925) 842-9876
Fax (925) 842-8370
satyasinha@chevron.com

April 12, 2007

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RE: Chevron Service Station #9-0121

Address 3026 Lakeshore Ave., Oakland, California

I have reviewed the attached routine groundwater monitoring report dated April 12, 2007.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b) (1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Satya P. Sinha". The signature is written in a cursive style with a horizontal line under the name.

Satya P. Sinha

Attachment: Report



Mr. Satya Sinha
Chevron Environmental Management Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: First Quarter Event of March 1, 2007
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

Dear Mr. Sinha:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.


Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

- FOR -

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Dissolved Oxygen Concentrations
- Table 3: Groundwater Analytical Results
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports


WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-0121
 Site Address: 3026 Lakeshore Avenue
 City: Oakland, CA

Job # 386462
 Event Date: 3.1.07
 Sampler: FRANK T.

WELL ID	Vault Frame Condition	BOLTS (# Missing)	Bolt Flanges B= Broken S= Stripped	APRON Condition (Cracked Broken)	Grout Seal (Deficient)	Casing (Condition prevents tight cap seal)	REPLACE LOCK	REPLACE CAP	WELL LID Manufacture/Size/ # of Bolts	Pictures Taken
MW-1	OK	⊕	S= 2	OK	OK	OK	⊕	⊕	UNIVERSAL 8" 2	
MW-2A	OK	⊕	⊕	OK	OK	OK	⊕	⊕	MORISON 6" 2	YES
MW-3A	OK	⊕	⊕	OK	OK	OK	⊕	⊕	BOANT LONGTEAN 8" 3	
MW-4A	OK	⊕	S= 3	OK	OK	OK	⊕	⊕	BRAND KILMAN 8" 3	
MW-5	OK	⊕	S= 2	OK	OK	OK	⊕	⊕	UNIVERSAL 12" 2	
MW-6	OK	⊕	S= 2	OK	OK	OK	⊕	⊕	UNIVERSAL 12" 2	
MW-7	PAVED OVER									
MW-8	OK	⊕	S= 2	OK	OK	OK	⊕	⊕	UNIVERSAL 12" 2	
MW-9	OK	⊕	S= 2	OK	OK	OK	⊕	⊕	BOANT LONGTEAN 8" 3	

Comments MW-2A NEEDS A NEW COVER, 1 BOLT ^{HERE} IS BROKEN CAN'T
SECURE ONE SIDE.



Source: Figure modified from drawings provided by RRM engineering contracting firm and City of Oakland Public Works.

FIGURE

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-0121
 3026 Lakeshore Avenue
 Oakland, California

1

PROJECT NUMBER
 386462

REVIEWED BY

DATE
 March 1, 2007

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH			B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)							
MW-1														
08/20/91	6.82	1.62	5.20	--	--	260	5,100	1,700	21	220	34	--	--	--
09/30/91	6.82	1.15	5.67	Sheen	--	--	--	--	--	--	--	--	--	--
10/28/91	6.82	1.50	5.30	0.03	--	--	--	--	--	--	--	--	--	--
01/08/92	6.82	1.67	5.15	Sheen	--	4,400	5,400	770	13	95	31	--	--	--
01/13/92	6.82	--	--	--	--	--	--	--	--	--	--	--	--	--
06/23/92	6.89	1.48	5.41	--	--	2,000	7,700	1,500	40	230	100	--	--	--
08/24/92	6.89	1.12	5.77	--	--	--	--	--	--	--	--	--	--	--
09/21/92	6.89	1.00	5.89	--	--	<50	3,500	1,700	28	190	78	--	--	--
10/26/92	6.89	0.95	5.94	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.89	2.18	4.71	--	--	5,500	60,000	7,100	240	2,000	1,300	--	--	--
01/08/93	6.89	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	6.89	2.17	4.72	--	--	<10	530	1,100	41	67	79	--	--	--
06/11/93	6.89	5.37	5.07	--	--	--	7,000	1,900	33	120	69	9,600	--	840
09/29/93	6.89	1.13	5.76	--	--	<10	6,600	1,600	28	43	74	--	--	--
12/20/93	6.89	1.74	5.15	--	--	<10	6,300	1,900	36	82	65	--	--	--
03/07/94	6.89	2.21	4.68	--	--	<10	7,700	1,100	55	66	38	12,000	--	--
06/17/94	6.89	1.83	5.06	--	--	2,200	4,300	710	12	90	38	--	--	--
09/12/94	6.89	1.24	5.65	--	--	2,500	6,400	1,500	<25	180	<25	12,000	--	--
11/30/94	6.89	2.32	4.57	--	--	2,300 ¹	4,900	690	26	97	60	3,900	--	--
03/24/95	6.89	3.91	2.98	--	--	1,400 ²	1,800	160	7.3	11	14	1,300	--	--
06/27/95	6.89	1.87	5.02	--	--	2,300 ²	4,600	1,300	11	97	13	5,100	--	--
09/28/95	6.89	1.59	5.30	--	--	3,900 ²	6,600	1,500	<20	<20	<20	5,800	--	--
12/19/95	6.89	2.21	4.68	--	--	2,600 ²	3,800	930	<10	100	<10	6,300	--	--
02/28/96	6.89	3.27	3.62	--	--	1,800 ²	3,600	280	<5.0	18	5.5	2,200	--	--
06/25/96	6.89	1.87	5.02	--	--	3,000	4,700	1,600	36	150	31	3,000	--	--
12/17/96	6.89	2.23	4.66	--	--	2,700 ³	7,800	1,000	28	340	63	1,200	--	--
03/31/97	6.89	2.01	4.88	--	--	2,200 ²	5,300	590	55	210	53	950	--	--
06/30/97	6.89	1.32	5.57	--	--	2,200 ²	4,400	350	<10	<10	11	580	--	--
09/12/97	6.89	1.56	5.33	--	--	2,300 ²	3,400	220	9.5	15	11	460	--	--
12/05/97	6.89	2.44	4.45	--	--	1,900 ²	4,700	870	21	120	18	750	--	--
02/16/98	6.89	3.52	3.37	--	--	1,600 ²	4,400	120	12	11	7.7	270	--	--
06/17/98	6.89	2.24	4.65	--	--	1,300 ²	7,800	<25	50	34	650	650	--	--
08/31/98	6.89	1.70	5.19	--	--	2,400 ²	3,700	620	17	120	31	380	--	--
12/28/98	6.89	1.94	4.95	--	--	1,500 ²	3,800	250	14	28	15	330	--	--
03/04/99	6.89	3.24	3.65	--	--	1,070 ²	1,560	17.9	<0.5	4.17	1.05	70.4	--	--
06/14/99	6.89	1.89	5.00	--	--	2,500 ²	<10,000	820	240	320	640	<500	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
MW-1 (cont)															
09/17/99	6.89	0.30	6.59	--	--	2,110 ²	3,300	141	12.3	<10	<10	238	--	--	--
12/20/99	6.89	1.92	4.97	--	--	1,840 ²	2,990	218	16.3	20	<10	232	--	--	--
03/20/00	6.89	3.11	3.78	--	--	938 ²	1,340	20	3.07	1.87	1.87	29.1	--	--	--
06/24/00 ⁵	6.89	2.45	4.44	0.00	0.00	1,680 ⁹	1,500 ⁷	12	5.3	<2.5	7.9	190	--	--	--
09/07/00 ⁵	6.89	1.74	5.15	0.00	0.00	1,500 ⁹	3,100 ⁷	190	13	14	<10	210	--	--	--
12/05/00 ⁵	6.89	2.16	4.73	0.00	0.00	970 ¹³	2,140 ¹⁴	248	<5.00	20.5	<5.00	<25.0	--	--	--
03/01/01 ⁵	6.89	3.33	3.56	0.00	0.00	610 ⁹	1,000 ⁷	21	<10	<10	<10	280	--	--	--
06/04/01 ⁵	6.89	2.13	4.76	0.00	0.00	1,100 ⁹	2,800 ⁷	310	23	11	15	470	--	--	--
09/10/01 ⁵	6.89	1.28	5.61	0.00	0.00	2,600	2,500 ¹⁶	<20	26	<20	<20	310	--	--	--
12/03/01 ⁵	6.89	3.31	3.58	0.00	0.00	2,700	2,400	30	7.3	7.0	6.5	160	--	--	--
03/04/02 ⁵	6.89	2.36	4.53	0.00	0.00	2,700	3,300	120	17	22	9.0	110	--	--	--
05/30/02 ⁵	6.89	2.41	4.48	0.00	0.00	2,700	4,100	110	9.3	22	11	100	--	--	--
09/03/02 ⁵	6.89	1.42	5.47	0.00	0.00	2,900	3,700	<5.0	7.8	3.2	10	130	--	--	--
12/09/02 ⁵	6.89	1.61	5.28	0.00	0.00	3,000	2,900	35	5.1	5.5	8.3	170	--	--	--
03/10/03 ⁵	6.89	2.50	4.39	0.00	0.00	1,600	3,000	42	5.0	8.2	8.7	110	--	--	--
06/09/03 ^{5,18}	6.89	2.53	4.36	0.00	0.00	2,000	5,200	140	16	20	15	100	--	--	--
09/08/03 ^{5,18}	6.89	1.52	5.37	0.00	0.00	2,100	3,500	4	10	2	11	200	<50	--	--
12/08/03 ^{5,18}	6.89	2.44	4.45	0.00	0.00	3,400	2,200	8	4	3	8	160	<50	--	--
03/09/04 ^{18,20}	6.89	2.86	4.03	0.00	0.00	3,300	1,500	16	3	5	4	99	<130	--	--
06/17/04 ¹⁸	6.89	1.41	5.48	0.00	0.00	2,700	3,400	180	13	27	13	160	<50	--	--
09/15/04 ¹⁸	6.89	-0.91	7.80	0.00	0.00	2,600	1,700	2	1	0.8	5	180	<50	--	--
12/23/04 ¹⁸	6.89	1.35	5.54	0.00	0.00	3,000	1,800	120	3	5	5	120	<50	--	--
03/24/05 ¹⁸	6.89	3.49	3.40	0.00	0.00	950	1,100	45	2	5	2	16	<50	--	--
06/16/05 ¹⁸	6.89	2.29	4.60	0.00	0.00	1,600	3,600	210	11	33	12	69	<50	--	--
09/16/05 ¹⁸	6.89	1.10	5.79	0.00	0.00	2,200	3,700	74	9	21	14	150	<50	--	--
12/21/05 ¹⁸	6.89	3.11	3.78	0.00	0.00	1,600 ²²	1,400	53	2	4	4	62	<50	--	--
03/23/06 ¹⁸	6.89	3.33	3.56	0.00	0.00	1,400	1,100	3	2	2	3	26	<50	--	--
06/09/06 ¹⁸	6.89	2.11	4.78	0.00	0.00	1,300	5,200	160	13	42	20	77	<50	--	--
09/05/06 ¹⁸	6.89	0.89	6.00	0.00	0.00	1,600	2,000	0.8	<0.5	<0.5	0.8	1,500	<50	--	--
12/15/06 ¹⁸	6.89	2.84	4.05	0.00	0.00	1,800	1,400	3	0.9	1	5	47	<50	--	--
03/01/07 ¹⁸	6.89	2.96	3.93	0.00	0.00	1,500	1,000	23	3	3	3	16	<50	--	--

MW-2A

04/19/99	6.53	1.67	4.86	--	--	820 ²	<2,000	<20	<20	<20	<20	9,200	--	--	--
06/14/99	6.53	1.23	5.30	--	--	2,000 ²	<5,000	89	<50	66	<50	10,000	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
MW-2A (cont)															
09/17/99	6.53	0.69	5.84	--	--	1,050 ²	903	42	1.63	22.8	7.74	11,400	--	--	
12/20/99	6.53	-0.07	6.60	--	--	2,820 ²	2,280	115	<10	87.2	27.2	14,000	--	--	
03/20/00	6.53	1.74	4.79	--	--	1,220 ²	1,040	54.3	<5.0	33.8	12.1	10,900 ²	--	--	
06/24/00	6.53	1.28	5.25	0.00	0.00	1,300 ⁹	690 ⁷	50	2.5	18	9.5	15,000 ⁸	--	--	
09/07/00	6.53	1.09	5.44	0.00	0.00	770 ⁹	310 ⁷	6.7	1.4	1.6	3.8	16,000	--	--	
12/05/00	6.53	1.16	5.37	0.00	0.00	810 ¹³	414 ¹⁴	32.4	<0.500	7.49	5.96	8,910 ⁸	--	--	
03/01/01	6.53	2.03	4.50	0.00	0.00	590 ⁹	370 ⁷	30	4.0	12	9.2	8,200	--	--	
06/04/01	6.53	1.36	5.17	0.00	0.00	930 ⁹	<500	19	<5.0	<5.0	<5.0	7,800	--	--	
09/10/01	6.53	0.79	5.74	0.00	0.00	2,400	<5,000	<50	<50	<50	<50	9,700	--	--	
12/03/01	6.53	1.46	5.07	0.00	0.00	2,500	480	4.5	<1.0	1.1	<3.0	10,000	--	--	
03/04/02	6.53	1.52	5.01	0.00	0.00	2,300	630	5.4	1.5	2.9	2.3	7,000	--	--	
05/30/02	6.53	1.66	4.87	0.00	0.00	2,100	520	6.1	<1.0	2.6	5.4	7,100	--	--	
09/03/02	6.53	1.03	5.50	0.00	0.00	2,600	590	7.8	0.98	2.9	7.8	7,800	--	--	
12/09/02	6.53	1.06	5.47	0.00	0.00	1,900	670	7.9	0.88	2.1	5.0	8,300	--	--	
03/10/03	6.53	1.52	5.01	0.00	0.00	1,700	640	8.0	0.76	2.6	4.1	7,500	--	--	
06/09/03 ¹⁸	6.53	1.77	4.76	0.00	0.00	1,900	540	3	<3	<3	<3	6,800	--	--	
09/08/03 ¹⁸	6.53	1.16	5.37	0.00	0.00	2,000	540	3	0.7	0.7	3	7,000	<50	--	
12/08/03 ¹⁸	6.53	1.34	5.19	0.00	0.00	3,100	480	<5	<5	<5	<5	6,500	<500	--	
03/09/04 ¹⁸	6.53	1.81	4.72	0.00	0.00	1,200	1,300	44	2	15	10	2,900	<130	--	
06/17/04 ¹⁸	6.53	-0.07	6.60	0.00	0.00	2,300	920	23	2	6	12	1,700	<100	--	
09/15/04 ¹⁸	6.53	-2.34	8.87	0.00	0.00	1,900	880	6	2	<1	7	2,100	<100	--	
12/23/04 ¹⁸	6.53	0.68	5.85	0.00	0.00	2,200	430	6	<3	<3	<3	5,100	<250	--	
03/24/05 ¹⁸	6.53	1.78	4.75	0.00	0.00	810	390	<5	<5	<5	<5	5,200	<500	--	
06/16/05 ¹⁸	6.53	1.30	5.23	0.00	0.00	3,000	380	<5	<5	<5	<5	5,500	<500	--	
09/16/05 ¹⁸	6.53	0.45	6.08	0.00	0.00	2,600	380	<5	<5	<5	<5	5,900	<500	--	
12/21/05 ¹⁸	6.53	1.55	4.98	0.00	0.00	4,000 ²³	450	1	0.6	<0.5	2	4,800	<50	--	
03/23/06 ¹⁸	6.53	1.97	4.56	0.00	0.00	2,600	330	1	0.8	<0.5	2	4,500	<50	--	
06/09/06 ¹⁸	6.53	1.37	5.16	0.00	0.00	2,800	500	<1	<1	<1	<1	4,500	<100	--	
09/05/06 ¹⁸	6.53	0.72	5.81	0.00	0.00	3,000	510	<5	<5	<5	<5	3,600	<500	--	
12/15/06 ¹⁸	6.53	1.48	5.05	0.00	0.00	2,800	600	4	<1	<1	1	4,000	<100	--	
03/01/07¹⁸	6.53	1.50	5.03	0.00	0.00	1,800	230	<3	<3	<3	<3	3,700	<250	--	
MW-3A															
04/19/99	8.70	1.00	7.70	--	--	93 ²	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--	
06/14/99	8.70	0.50	8.20	--	--	160 ²	148	4.55	0.82	0.53	1.1	3.7	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPH			TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
				SPHT (ft.)	REMOVED (gallons)										
MW-3A (cont)															
09/17/99	8.70	-0.02	8.72	--	--	101 ²	169	6.02	0.806	0.515	0.786	4.68	--	--	
12/20/99	8.70	-0.22	8.92	--	--	153 ²	<50	1.82	<0.5	<0.5	<0.5	11	--	--	
03/20/00	8.70	1.06	7.64	--	--	223 ²	140	5.08	0.695	<0.5	<0.5	10.1	--	--	
06/24/00	8.70	0.32	8.38	0.00	0.00	128 ⁹	<50	0.74	<0.50	<0.50	<0.50	34	--	--	
09/07/00	8.70	-0.09	8.79	0.00	0.00	<50	<50	1.4	<0.50	<0.50	<0.50	15	--	--	
12/05/00	8.70	0.02	8.68	0.00	0.00	<50	<50.0	1.39	<0.500	<0.500	<0.500	12.9	--	--	
03/01/01	8.70	0.88	7.82	0.00	0.00	66 ¹¹	<50	1.0	<0.50	<0.50	<0.50	19	--	--	
06/04/01	8.70	0.25	8.45	0.00	0.00	69 ⁹	<50	2.0	<0.50	<0.50	<0.50	37	--	--	
09/10/01	8.70	-0.40	9.10	0.00	0.00	<50	<50	3.9	<0.50	<0.50	<0.50	19	--	--	
12/03/01	8.70	0.62	8.08	0.00	0.00	56	<50	<0.50	<0.50	<0.50	<1.5	19	--	--	
03/04/02	8.70	-0.24	8.94	0.00	0.00	85	<50	<0.50	<0.50	<0.50	<1.5	26	--	--	
05/30/02	8.70	-0.08	8.78	0.00	0.00	210	<50	<0.50	<0.50	<0.50	<1.5	22	--	--	
09/03/02	8.70	-0.28	8.98	0.00	0.00	89	<50	<0.50	<0.50	<0.50	<1.5	24	--	--	
12/09/02	8.70	-0.20	8.90	0.00	0.00	110	<50	<0.50	<0.50	<0.50	<1.5	22	--	--	
03/10/03	8.70	0.58	8.12	0.00	0.00	66	<50	<0.50	<0.50	<0.50	<1.5	40	--	--	
06/09/03 ¹⁸	8.70	0.47	8.23	0.00	0.00	82	<50	<0.5	0.5	<0.5	<0.5	35	--	--	
09/08/03 ¹⁸	8.70	-0.06	8.76	0.00	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	27	<50	--	
12/08/03 ¹⁸	8.70	0.20	8.50	0.00	0.00	74 ¹⁹	<50	<0.5	<0.5	<0.5	<0.5	23	<50	--	
03/09/04 ¹⁸	8.70	0.99	7.71	0.00	0.00	410	53	1	<0.5	<0.5	<0.5	28	<50	--	
06/17/04 ¹⁸	8.70	0.18	8.52	0.00	0.00	430	180	1	<0.5	<0.5	<0.5	3	<50	--	
09/15/04 ¹⁸	8.70	-0.42	9.12	0.00	0.00	280	92	<0.5	<0.5	<0.5	<0.5	63	<50	--	
12/23/04 ¹⁸	8.70	-0.06	8.76	0.00	0.00	330	76	<0.5	<0.5	<0.5	<0.5	5	<50	--	
03/24/05 ¹⁸	8.70	2.42	6.28	0.00	0.00	210	<50	<0.5	<0.5	<0.5	<0.5	0.6	360	--	
06/16/05 ¹⁸	8.70	0.52	8.18	0.00	0.00	590	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	
09/16/05 ¹⁸	8.70	-0.08	8.78	0.00	0.00	160 ²¹	<50	<0.5	<0.5	<0.5	<0.5	5	<50	--	
12/21/05 ¹⁸	8.70	0.40	8.30	0.00	0.00	220 ²³	<50	<0.5	<0.5	<0.5	<0.5	10	<50	--	
03/23/06 ¹⁸	8.70	1.60	7.10	0.00	0.00	150	<50	<0.5	<0.5	<0.5	<0.5	0.5	<50	--	
06/09/06 ¹⁸	8.70	0.40	8.30	0.00	0.00	390	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	
09/05/06 ¹⁸	8.70	-0.30	9.00	0.00	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	5	<50	--	
12/15/06 ¹⁸	8.70	0.17	8.53	0.00	0.00	250	<50	<0.5	0.8	<0.5	2	9	<50	--	
03/01/07¹⁸	8.70	0.63	8.07	0.00	0.00	140	<50	2	4	1	5	10	<50	--	
MW-4A															
04/19/99	7.69	2.78	4.91	--	--	370 ²	<500	<5.0	<5.0	<5.0	<5.0	1,600	--	--	
06/14/99	7.69	2.44	5.25	--	--	2,500 ²	5,360	312	<20	44	<20	2,880	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPH			TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
				SPHT (ft.)	REMOVED (gallons)										
MW-4A (cont)															
09/17/99	7.69	0.32	7.37	--	--	1,430 ²	1,290	38.6	<5.0	7.01	<5.0	1,780	--	--	
12/20/99	7.69	1.39	6.30	--	--	7,480 ²	852	43.5	4.63	9.18	4.36	1,070	--	--	
03/20/99	7.69	2.07	5.62	--	--	1,280 ²	1,370	129	8.6	18.3	7.3	2,110	--	--	
06/24/00	7.69	1.57	6.12	0.00	0.00	1,190 ⁹	190 ⁷	1.4	1.7	1.7	3.3	3,900 ⁷	--	--	
09/07/00	7.69	1.43	6.26	0.00	0.00	740 ⁹	490 ⁷	15	1.9	1.1	3.9	3,300	--	--	
12/05/00	7.69	1.70	5.99	0.00	0.00	560 ¹²	<500	<5.00	<5.00	<5.00	<5.00	3,380 ⁸	--	--	
03/01/01	7.69	2.01	5.68	0.00	0.00	600 ⁹	<1,000	10	<10	<10	<10	4,600	--	--	
06/04/01	7.69	1.09	6.60	0.00	0.00	770 ⁹	390 ¹⁵	8.4	3.8	<2.5	3.0	3,800	--	--	
09/10/01	7.69	1.12	6.57	0.00	0.00	810	<500	13	<5.0	22	<5.0	4,900	--	--	
12/03/01	7.69	1.74	5.95	0.00	0.00	2,100	<250	1.5	<1.0	<1.0	<3.0	3,800	--	--	
03/04/02	7.69	-1.19	8.88	0.00	0.00	2,400	2,500	49	6.8	21	9.5	2,600	--	--	
05/30/02	7.69	1.49	6.20	0.00	0.00	2,600	430	4.6	<1.0	2.0	<3.0	3,700	--	--	
09/03/02	7.69	1.20	6.49	0.00	0.00	3,200	<500	4.5	<2.0	3.5	7.5	3,800	--	--	
12/09/02	7.69	1.43	6.26	0.00	0.00	1,600	440	1.1	<0.50	0.71	<5.0	4,000	--	--	
03/10/03	7.69	1.86	5.83	0.00	0.00	1,700	710	14	2.2	4.2	<10	4,100	--	--	
06/09/03 ¹⁸	7.69	1.25	6.44	0.00	0.00	3,200	400	3	<1	2	<1	4,100	--	--	
09/08/03 ¹⁸	7.69	1.83	5.86	0.00	0.00	3,900	1,300	28	4	4	<3	2,900	<250	--	
12/08/03 ¹⁸	7.69	1.57	6.12	0.00	0.00	2,500	360	3	<3	<3	<3	3,200	<250	--	
03/09/04 ¹⁸	7.69	2.32	5.37	0.00	0.00	4,300	1,400	28	5	10	3	3,200	<250	--	
06/17/04 ¹⁸	7.69	1.64	6.05	0.00	0.00	7,900	6,000	140	20	52	16	1,500	<50	--	
09/15/04 ¹⁸	7.69	0.29	7.40	0.00	0.00	4,200	3,300	14	5	4	6	2,400	<100	--	
12/23/04 ¹⁸	7.69	1.43	6.26	0.00	0.00	2,800	1,500	7	3	4	4	3,000	<100	--	
03/24/05 ¹⁸	7.69	2.68	5.01	0.00	0.00	900	2,700	28	7	9	4	2,300	<250	--	
06/16/05 ¹⁸	7.69	1.66	6.03	0.00	0.00	3,600	1,000	3	5	3	6	3,200	<250	--	
09/16/05 ¹⁸	7.69	1.07	6.62	0.00	0.00	2,400	380	<5	<5	<5	<5	3,700	<500	--	
12/21/05 ¹⁸	7.69	1.83	5.86	0.00	0.00	2,900 ²³	580	2	0.7	1	2	3,000	<50	--	
03/23/06 ¹⁸	7.69	2.55	5.14	0.00	0.00	1,900	1,400	16	5	9	<3	2,800	<250	--	
06/09/06 ¹⁸	7.69	1.76	5.93	0.00	0.00	3,900	1,200	4	2	3	3	3,000	<50	--	
09/05/06 ¹⁸	7.69	1.07	6.62	0.00	0.00	3,800	650	<5	<5	<5	<5	1,600	<500	--	
12/15/06 ¹⁸	7.69	1.69	6.00	0.00	0.00	3,500	1,000	2	1	0.8	3	520	<50	--	
03/01/07 ¹⁸	7.69	1.86	5.83	0.00	0.00	1,600	1,200	11	5	6	5	1,100	<50	--	

MW-5

06/23/92	14.14	1.90	12.24	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/24/92	14.14	1.85	12.29	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)											
MW-5 (cont)																
09/21/92	14.14	1.68	12.46	--	--	60	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
10/26/92	14.14	1.62	12.52	--	--	--	--	--	--	--	--	--	--	--	--	
12/23/92	14.14	3.02	11.12	--	--	--	--	--	--	--	--	--	--	--	--	
01/08/93	14.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/25/93	14.14	4.40	9.74	--	--	<10	<50	<0.5	<0.5	<0.5	0.9	--	--	--	--	
06/11/93	14.14	3.70	10.44	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	770	
09/29/93	14.14	2.22	11.92	--	--	<10	<50	<0.5	0.6	<0.5	0.6	--	--	--	--	
12/20/93	14.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/07/94	14.14	2.80	11.34	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
06/17/94	14.14	2.87	11.27	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
09/12/94	14.14	1.28	12.86	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	
11/30/94	14.14	2.23	11.91	--	--	99 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
03/24/95	14.14	4.38	9.76	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
06/27/95	14.14	2.74	11.40	--	--	55 ³	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
09/28/95	14.14	2.24	11.90	--	--	300 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
12/19/95	14.14	1.56	12.58	--	--	53 ²	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--	--	
02/28/96	14.14	2.44	11.70	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/25/96	14.14	2.71	11.43	--	--	120 ²	<50	<0.5	<0.5	<0.5	<0.5	36	--	--	--	
12/17/96	14.14	2.74	11.40	--	--	89 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
03/31/97	14.14	2.04	12.10	--	--	150 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/30/97	14.14	1.36	12.78	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--	--	
09/12/97	14.14	0.46	13.68	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
12/05/97	14.14	1.11	13.03	--	--	--	--	--	--	--	--	--	--	--	--	
02/16/98	14.14	4.17	9.97	--	--	62 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/17/98	14.14	2.29	11.85	--	--	--	--	--	--	--	--	--	--	--	--	
08/31/98	14.14	1.32	12.82	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
12/28/98	14.14	0.71	13.43	--	--	--	--	--	--	--	--	--	--	--	--	
03/04/99	14.14	0.39	13.75	--	--	70.5	<50	<0.5	<0.5	<0.5	<0.5	3.34	--	--	--	
06/14/99	14.14	0.04	14.10	--	--	--	--	--	--	--	--	--	--	--	--	
09/17/99	14.14	-0.04	14.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
12/20/99	14.14	0.44	13.70	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/00	14.14	1.50	12.64	--	--	115 ³	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/24/00	14.14	1.10	13.04	0.00	0.00	--	--	--	--	--	--	--	--	--	--	
09/07/00	14.14	0.97	13.17	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	5.0	--	--	--	
12/05/00	14.14	2.86	11.28	0.00	0.00	--	--	--	--	--	--	--	--	--	--	
03/01/01	14.14	3.84	10.30	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
MW-5 (cont)														
06/04/01	14.14	2.83	11.31	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/10/01	14.14	1.98	12.16	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/03/01	14.14	5.52	8.62	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/04/02	14.14	4.29	9.85	0.00	0.00	78	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	14.14	3.31	10.83	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/03/02	14.14	INACCESSIBLE - CAR PARKED OVER WELL					--	--	--	--	--	--	--	--
12/09/02	14.14	2.78	11.36	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/10/03	14.14	2.95	11.19	0.00	0.00	100	<50	<0.50	<0.50	<0.50	<1.5	8.2	--	--
06/09/03	14.14	1.57	12.57	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/08/03 ¹⁸	14.14	2.13	12.01	0.00	0.00	65	<50	<0.5	<0.5	<0.5	<0.5	8	<50	--
12/08/03	14.14	3.01	11.13	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/09/04 ¹⁸	14.14	3.56	10.58	0.00	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--
06/17/04	14.14	2.04	12.10	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/15/04 ¹⁸	14.14	1.56	12.58	0.00	0.00	92	<50	<0.5	<0.5	<0.5	<0.5	7	<50	--
12/23/04	14.14	1.94	12.20	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/24/05 ¹⁸	14.14	6.44	7.70	0.00	0.00	85	<50	<0.5	<0.5	<0.5	3	6	<50	--
06/16/05	14.14	2.59	11.55	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/16/05 ¹⁸	14.14	2.36	11.78	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	6	<50	--
12/21/05	14.14	4.44	9.70	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/23/06 ¹⁸	14.14	4.94	9.20	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--
06/09/06	14.14	3.47	10.67	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
09/05/06 ¹⁸	14.14	2.34	11.80	0.00	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--
12/15/06	14.14	2.64	11.50	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--
03/01/07¹⁸	14.14	4.92	9.22	0.00	0.00	150	<50	1	3	0.7	3	2	<50	--
MW-6														
06/23/92	4.46	-0.68	5.14	--	--	120	<50	4.3	<0.5	0.8	0.9	--	--	--
08/24/92	4.46	-0.49	4.95	--	--	--	--	--	--	--	--	--	--	--
09/21/92	4.46	-0.44	4.90	--	--	<50	<250	<2.5	<2.5	<2.5	<2.5	--	--	--
10/26/92	4.46	-1.06	5.52	--	--	--	--	--	--	--	--	--	--	--
12/23/92	4.46	-0.94	5.40	--	--	81	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/08/93	4.46	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	4.46	-1.64	6.10	--	--	<10	<50	<0.5	<0.5	<0.5	0.7	--	--	--
06/11/93	4.46	-2.10	6.56	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	15,000
09/29/93	4.46	-0.71	5.17	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DFW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)											
MW-6 (cont)																
12/20/93	4.46	-1.47	5.93	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	
03/07/94	4.46	-0.81	5.27	--	--	<10	54	<0.5	<0.5	<0.5	0.6	--	--	--	--	
06/17/94	4.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
09/12/94	4.46	-0.64	5.10	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<50	--	--	--	
11/30/94	4.46	-1.12	5.58	--	--	800 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
03/24/95	4.46	-1.87	6.33	--	--	490 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
06/27/95	4.46	-3.74	8.20	--	--	300 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	
09/28/95	4.46	-0.19	4.65	--	--	1,200 ²	120	1.1	<0.5	<0.5	<0.5	--	--	--	--	
12/19/95	4.46	-1.58	6.04	--	--	820 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
02/28/96	4.46	-1.54	6.00	--	--	270 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/25/96	4.46	-1.71	6.17	--	--	750 ²	97	<0.5	<0.5	<0.5	0.71	<2.5	--	--	--	
12/17/96	4.46	-1.67	6.13	--	--	540 ²	65	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
03/31/97	4.46	-2.23	6.69	--	--	780 ²	65	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/30/97	4.46	-2.62	7.08	--	--	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--	
09/12/97	4.46	-0.95	5.41	--	--	270 ²	65	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
12/05/97	4.46	-1.96	6.42	--	--	--	--	--	--	--	--	--	--	--	--	
02/16/98	4.46	-0.30	4.76	--	--	330 ²	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/17/98	4.46	-1.54	6.00	--	--	--	--	--	--	--	--	--	--	--	--	
08/31/98	4.46	-0.64	5.10	--	--	270 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
12/28/98	4.46	-2.04	6.50	--	--	--	--	--	--	--	--	--	--	--	--	
03/04/99	4.46	-1.35	5.81	--	--	638 ¹	95.5	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	
06/14/99	4.46	-0.97	5.43	--	--	--	--	--	--	--	--	--	--	--	--	
09/17/99	4.46	-1.74	6.20	--	--	258 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
12/20/99	4.46	-2.31	6.77	--	--	--	--	--	--	--	--	--	--	--	--	
03/20/00	4.46	-2.12	6.58	--	--	257 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	
06/24/00	4.46	-2.52	6.98	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--	
09/07/00	4.46	-0.46	4.92	0.00	0.00	98 ¹¹	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	
12/05/00	4.46	-0.64	5.10	0.00	0.00	--	--	--	--	--	--	--	--	--	--	
03/01/01	4.46	-0.43	4.89	0.00	0.00	190 ⁹	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	
06/04/01	4.46	-0.75	5.21	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--	
09/10/01	4.46	-0.65	5.11	0.00	0.00	140 ¹⁷	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	
12/03/01	4.46	-0.57	5.03	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--	
03/04/02	4.46	INACCESSIBLE - CAR PARKED OVER WELL						--	--	--	--	--	--	--	--	--
05/30/02	4.46	-1.65	6.11	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--	
09/03/02	4.46	-0.82	5.28	0.00	0.00	340	<500	<2.0	<2.0	<2.0	<6.0	<3.0	--	--	--	
12/09/02	4.46	-0.66	5.12	0.00	0.00	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH				T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)						
MW-6 (cont)														
03/10/03	4.46	-1.80	6.26	0.00	0.00	420	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/09/03	4.46	-1.45	5.91	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/08/03 ¹⁸	4.46	-0.19	4.65	0.00	0.00	230	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
12/08/03	4.46	-0.78	5.24	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/09/04 ¹⁸	4.46	-1.39	5.85	0.00	0.00	1,500	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
06/17/04	4.46	-1.62	6.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/15/04 ¹⁸	4.46	-2.28	6.74	0.00	0.00	1,200	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
12/23/04	4.46	-1.30	5.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/24/05 ¹⁸	4.46	-0.19	4.65	0.00	0.00	290	60	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
06/16/05	4.46	-1.04	5.50	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/16/05 ¹⁸	4.46	-0.63	5.09	0.00	0.00	640	<50	<3	<3	<3	<3	<3	<250	--
12/21/05	4.46	-0.54	5.00	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/23/06 ¹⁸	4.46	-0.17	4.63	0.00	0.00	1,500	50	<3	<3	<3	<3	<3	<250	--
06/09/06	4.46	-0.49	4.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/05/06 ¹⁸	4.46	-0.39	4.85	0.00	0.00	820	<250	<3	<3	<3	<3	<3	<250	--
12/15/06	4.46	-0.94	5.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/01/07¹⁸	4.46	-0.96	5.42	0.00	0.00	1,600	<250	0.9	3	0.7	4	<0.5	<50	--
MW-7														
08/24/92	5.26	-0.29	5.55	--	--	--	--	--	--	--	--	--	--	--
09/21/92	5.26	-0.39	5.65	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/26/92	5.26	-0.25	5.51	--	--	--	--	--	--	--	--	--	--	--
12/23/92	5.26	1.31	3.95	--	--	60	<50	2.9	<0.5	<0.5	<0.5	--	--	--
01/08/93	5.26	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	5.26	2.76	2.50	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/11/93	5.26	1.80	3.46	--	--	--	<50	0.6	<0.5	<0.5	<0.5	--	--	2,200
09/29/93	5.26	-0.26	5.52	--	--	<10	<50	2.0	1.0	1.0	7.0	--	--	--
12/20/93	5.26	0.85	4.41	--	--	<10	<50	2.0	<0.5	<0.5	<0.5	--	--	--
03/07/94	5.26	2.64	2.62	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/17/94	5.26	1.99	3.27	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/12/94	5.26	1.15	4.11	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/30/94	5.26	2.50	2.76	--	--	92 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/24/95	5.26	3.06	2.20	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/95	5.26	1.36	3.90	--	--	69 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/95	5.26	0.41	4.85	--	--	84 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
MW-7 (cont)														
12/19/95	5.26	2.24	3.02	--	--	84 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/28/96	5.26	3.83	1.43	--	--	99 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/25/96	5.26	0.97	4.29	--	--	110 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/17/96	5.26	3.08	2.18	--	--	54 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/97	5.26	2.32	2.94	--	--	100 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/97	5.26	1.68	3.58	--	--	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/12/97	5.26	1.85	3.41	--	--	--	--	--	--	--	--	--	--	--
12/05/97	5.26	3.37	1.89	--	--	--	--	--	--	--	--	--	--	--
02/16/98	5.26	3.43	1.83	--	--	77 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/17/98	5.26	3.32	1.94	--	--	--	--	--	--	--	--	--	--	--
08/31/98	5.26	1.07	4.19	--	--	--	--	--	--	--	--	--	--	--
12/28/98	5.26	0.79	4.47	--	--	--	--	--	--	--	--	--	--	--
03/04/99	5.26	3.51	1.75	--	--	73.4	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
06/14/99	5.26	3.64	1.62	--	--	--	--	--	--	--	--	--	--	--
09/17/99	5.26	0.42	4.84	--	--	--	--	--	--	--	--	--	--	--
12/20/99	5.26	0.45	4.81	--	--	--	--	--	--	--	--	--	--	--
03/20/00	5.26	3.41	1.85	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/24/00	5.26	3.05	2.21	0.00	0.00	--	--	--	--	--	--	--	--	--
09/07/00	5.26	1.61	3.65	0.00	0.00	--	--	--	--	--	--	--	--	--
12/05/00	5.26	2.31	2.95	0.00	0.00	--	--	--	--	--	--	--	--	--
03/01/01	5.26	4.61	0.65	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
06/04/01	5.26	3.74	1.52	0.00	0.00	--	--	--	--	--	--	--	--	--
09/10/01	5.26	1.08	4.18	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/03/01	5.26	4.20	1.06	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/04/02	5.26	3.76	1.50	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	5.26	2.51	2.75	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/03/02	5.26	2.24	3.02	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/09/02	5.26	2.41	2.85	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/10/03	5.26	3.32	1.94	0.00	0.00	85	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/09/03	5.26	2.72	2.54	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/08/03	5.26	2.66	2.60	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/08/03	5.26	2.81	2.45	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/09/04 ¹⁸	5.26	4.53	0.73	0.00	0.00	230	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
06/17/04	5.26	INACCESSIBLE - DUE TO ROAD WORK				--	--	--	--	--	--	--	--	--
09/15/04	5.26	INACCESSIBLE - DUE TO ROAD WORK				--	--	--	--	--	--	--	--	--
12/23/04	5.26	UNABLE TO LOCATE				--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH								ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)			
MW-7 (cont)															
03/24/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
06/16/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
09/16/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
12/21/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
03/23/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
06/09/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
09/05/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
12/15/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--	--
UNABLE TO LOCATE - PAVED OVER															
MW-8															
06/23/92	8.94	-15.20	24.14	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
08/24/92	8.94	0.34	8.60	--	--	--	--	--	--	--	--	--	--	--	
09/21/92	8.94	0.55	8.39	--	--	<50	94	<0.5	<0.5	<0.5	<0.5	--	--	--	
10/26/92	8.94	-0.18	9.12	--	--	--	--	--	--	--	--	--	--	--	
12/23/92	8.94	0.83	8.11	--	--	79	<50	0.7	5.0	0.7	2.9	--	--	--	
01/08/93	8.94	--	--	--	--	--	--	--	--	--	--	--	--	--	
03/25/93	8.94	--	--	--	--	--	--	--	--	--	--	--	--	--	
06/11/93	8.94	0.55	8.39	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	3,500	
09/29/93	8.94	0.69	8.25	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
12/20/93	8.94	0.48	8.46	--	--	<10	<50	<0.5	0.6	<0.5	1.0	--	--	--	
03/07/94	8.94	0.28	8.66	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
06/17/94	8.94	0.12	8.82	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
09/12/94	8.94	0.11	8.83	--	--	<50	<50	<0.5	<0.5	<0.5	0.8	<5.0	--	--	
11/30/94	8.94	0.31	8.63	--	--	120 ¹	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
03/24/95	8.94	0.43	8.51	--	--	110 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
06/27/95	8.94	-0.03	8.97	--	--	67 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
09/28/95	8.94	0.04	8.90	--	--	91 ²	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
12/19/95	8.94	0.54	8.40	--	--	76 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
02/28/96	8.94	0.50	8.44	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
06/25/96	8.94	0.05	8.89	--	--	80 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/17/96	8.94	0.49	8.45	--	--	79 ²	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
03/31/97	8.94	0.18	8.76	--	--	72 ²	<50	<0.5	<0.5	<0.5	<0.5	3.6	--	--	
06/30/97	8.94	-0.18	9.12	--	--	SAMPLED ANNUALLY		--	--	--	--	--	--	--	
09/12/97	8.94	0.13	8.81	--	--	--	--	--	--	--	--	--	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
MW-8 (cont)															
12/05/97	8.94	0.59	8.35	--	--	--	--	--	--	--	--	--	--	--	--
02/16/98	8.94	1.00	7.94	--	--	68 ²	<50	<0.5	<0.5	<0.5	<0.5	4.3	--	--	--
06/17/98	8.94	0.51	8.43	--	--	--	--	--	--	--	--	--	--	--	--
08/31/98	8.94	0.06	8.88	--	--	--	--	--	--	--	--	--	--	--	--
12/28/98	8.94	0.64	8.30	--	--	--	--	--	--	--	--	--	--	--	--
03/04/99	8.94	0.29	8.65	--	--	106	<50	<0.5	<0.5	<0.5	<0.5	3.83	--	--	--
06/14/99	8.94	0.52	8.42	--	--	--	--	--	--	--	--	--	--	--	--
09/17/99	8.94	-0.93	9.87	--	--	--	--	--	--	--	--	--	--	--	--
12/20/99	8.94	0.54	8.40	--	--	--	--	--	--	--	--	--	--	--	--
03/20/00	8.94	0.82	8.12	--	--	82.2 ⁶	<50	<0.5	<0.5	<0.5	<0.5	3.46	--	--	--
06/24/00	8.94	0.31	8.63	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/07/00	8.94	0.26	8.68	0.00	0.00	--	--	--	--	--	--	--	--	--	--
12/05/00	8.94	0.81	8.13	0.00	0.00	--	--	--	--	--	--	--	--	--	--
03/01/01	8.94	1.04	7.90	0.00	0.00	51 ¹¹	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--
06/04/01	8.94	-0.27	9.21	0.00	0.00	--	--	--	--	--	--	--	--	--	--
09/10/01	8.94	0.26	8.68	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/03/01	8.94	1.12	7.82	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/04/02	8.94	1.26	7.68	0.00	0.00	82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--
05/30/02	8.94	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--	--	--
09/03/02	8.94	-0.21	9.15	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/09/02	8.94	0.21	8.73	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/10/03	8.94	0.55	8.39	0.00	0.00	110	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--
06/09/03	8.94	-0.03	8.97	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/08/03	8.94	0.52	8.42	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/08/03	8.94	0.77	8.17	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/09/04 ¹⁸	8.94	1.03	7.91	0.00	0.00	300	<50	<0.5	<0.5	<0.5	<0.5	3	<50	--	--
06/17/04	8.94	0.01	8.93	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/15/04	8.94	-0.97	9.91	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/23/04	8.94	3.20	5.74	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/24/05 ¹⁸	8.94	0.50	8.44	0.00	0.00	240	<50	<0.5	<0.5	<0.5	<0.5	1	<50	--	--
06/16/05	8.94	0.16	8.78	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/16/05	8.94	0.26	8.68	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/21/05	8.94	0.73	8.21	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/23/06 ¹⁸	8.94	1.03	7.91	0.00	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	0.8	<50	--	--
06/09/06	8.94	0.03	8.91	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/05/06	8.94	0.39	8.55	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
MW-8 (cont)															
12/15/06	8.94	0.68	8.26	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/01/07 ¹⁸	8.94	0.86	8.08	0.00	0.00	150	63	2	5	1	7	1	<50	--	
MW-9															
04/19/99	5.87	2.71	3.16	--	--	2,600 ²	3,900 ⁶	14	6.9	14	24	140	--	--	
06/14/99	5.87	1.06	4.81	--	--	2,800 ²	2,880	12.6	<10	<10	<10	138	--	--	
09/17/99	5.87	1.02	4.85	--	--	1,770 ²	3,370	33.1	14.4	<5.0	<5.0	202	--	--	
12/20/99	5.87	1.87	4.00	--	--	996 ²	3,970	42.2	13.5	<10	<10	311	--	--	
03/20/00	5.87	2.87	3.00	--	--	2,710 ²	5,920	22.1	<5.0	6.8	<5.0	106.0	--	--	
06/24/00	5.87	1.96	3.91	0.00	0.00	1,940 ⁹	2,500 ⁷	12	<10	11	<10	120	--	--	
09/07/00	5.87	1.59	4.28	0.00	0.00	1,500 ⁹	3,700 ⁷	<25	<25	<25	<25	330	--	--	
12/05/00	5.87	2.07	3.80	0.00	0.00	1,300 ¹²	3,470 ²	<5.00	7.64	<5.00	<5.00	177	--	--	
03/01/01	5.87	3.19	2.68	0.00	0.00	960 ⁹	2,400 ⁷	11	18.0	<10	<10	250	--	--	
06/04/01	5.87	1.96	3.91	0.00	0.00	1,200 ⁹	3,200 ⁷	45	17	6.1	8.9	300	--	--	
09/10/01	5.87	1.18	4.69	0.00	0.00	2,000 ¹⁷	2,300	5.7	7.3	10	<5.0	200	--	--	
12/03/01	5.87	2.88	2.99	0.00	0.00	2,600	3,600	14	5.4	8.2	8.5	210	--	--	
03/04/02	5.87	2.32	3.55	0.00	0.00	3,700	4,400	17	<5.0	9.2	6.4	79	--	--	
05/30/02	5.87	2.22	3.65	0.00	0.00	4,600	4,300	15	3.7	5.8	6.1	110	--	--	
09/03/02	5.87	1.31	4.56	0.00	0.00	2,500	3,200	5.8	2.6	3.5	5.6	84	--	--	
12/09/02	5.87	1.51	4.36	0.00	0.00	2,600	3,000	6.3	3.2	3.9	6.1	110	--	--	
03/10/03	5.87	2.26	3.61	0.00	0.00	1,500	3,300	11	3.7	5.4	<7.5	150	--	--	
06/09/03 ¹⁸	5.87	2.29	3.58	0.00	0.00	2,700	3,500	2	2	3	2	46	--	--	
09/08/03 ¹⁸	5.87	1.43	4.44	0.00	0.00	3,000	3,000	3	2	2	3	120	<50	--	
12/08/03 ¹⁸	5.87	2.21	3.66	0.00	0.00	2,500	2,400	3	3	3	4	560	<50	--	
03/09/04 ¹⁸	5.87	2.69	3.18	0.00	0.00	2,500	3,700	2	1	2	2	120	<50	--	
06/17/04 ¹⁸	5.87	1.05	4.82	0.00	0.00	2,700	3,100	2	1	2	3	96	<50	--	
09/15/04 ¹⁸	5.87	-3.16	9.03	0.00	0.00	2,600	1,200	1	<0.5	<0.5	2	190	<50	--	
12/23/04 ¹⁸	5.87	1.38	4.49	0.00	0.00	3,400	2,900	4	4	4	4	93	<50	--	
03/24/05 ¹⁸	5.87	3.35	2.52	0.00	0.00	1,500	3,200	16	2	3	3	23	<50	--	
06/16/05 ¹⁸	5.87	2.25	3.62	0.00	0.00	1,600	2,300	30	2	2	3	28	<50	--	
09/16/05 ¹⁸	5.87	1.09	4.78	0.00	0.00	1,500	1,400	2	0.9	1	2	50	<50	--	
12/21/05 ¹⁸	5.87	2.97	2.90	0.00	0.00	1,400 ²²	2,300	2	2	3	3	40	<50	--	
03/23/06 ¹⁸	5.87	3.25	2.62	0.00	0.00	1,600	2,900	1	9	6	160	24	<50	--	
06/09/06 ¹⁸	5.87	2.06	3.81	0.00	0.00	1,500	1,900	5	1	1	34	32	<50	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH			B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)							
MW-9 (cont)														
09/05/06 ¹⁸	5.87	0.94	4.93	0.00	0.00	1,700	1,300	1	1	0.9	14	53	<50	--
12/15/06 ¹⁸	5.87	2.68	3.19	0.00	0.00	2,000	2,300	1	1	1	5	43	<50	--
03/01/07 ¹⁸	5.87	2.80	3.07	0.00	0.00	1,700	3,000	1	1	1	4	36	<50	--
MW-2														
08/20/91	6.27	1.92	4.35	--	--	600	9,300	3,700	55	530	75	--	--	--
09/30/91	6.27	1.28	4.99	--	--	--	3,500	2,600	47	440	68	--	--	--
10/28/91	6.27	1.36	4.91	--	--	--	4,600	1,800	29	290	53	--	--	--
01/08/92	6.27	1.63	4.64	Sheen	--	--	14,000	4,300	70	<25	130	--	--	--
01/13/92	6.27	--	--	--	--	38,000	--	--	--	--	--	--	--	--
06/23/92	6.27	1.63	4.64	0.02	--	--	--	--	--	--	--	--	--	--
08/24/92	6.27	1.34	4.94	0.02	--	--	--	--	--	--	--	--	--	--
09/21/92	6.27	1.20	5.08	0.01	--	--	--	--	--	--	--	--	--	--
10/26/92	6.27	0.34	5.93	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.27	--	--	--	--	160,000	21,000	5,400	59	1,300	160	--	--	--
01/08/93	6.27	2.57	3.70	--	--	--	--	--	--	--	--	--	--	--
03/25/93	6.27	2.89	3.38	Sheen	--	--	--	--	--	--	--	--	--	--
06/11/93	6.27	2.09	4.18	--	--	--	5,900	1,100	23	240	51	--	--	2,300
09/29/93	6.27	0.07	6.20	--	--	--	--	--	--	--	--	--	--	--
12/20/93	6.27	1.94	4.35	0.02	--	--	--	--	--	--	--	--	--	--
03/07/94	6.27	2.60	3.67	--	--	<10	26,000	5,700	170	1,000	150	--	--	--
06/17/94	6.27	2.25	4.02	Sheen	--	--	--	--	--	--	--	--	--	--
09/12/94	6.27	1.45	4.83	0.01	--	--	--	--	--	--	--	--	--	--
11/30/94	6.27	2.27	4.00	--	--	INACCESSIBLE		--	--	--	--	--	--	--
03/24/95	6.27	2.73	4.01	0.59	--	--	--	--	--	--	--	--	--	--
06/27/95	6.27	1.71	4.96	0.50	0.013	--	--	--	--	--	--	--	--	--
09/28/95	6.27	2.62	4.25	0.75	0.013	--	--	--	--	--	--	--	--	--
12/19/95	6.27	1.99	4.76	0.60	0.010	--	--	--	--	--	--	--	--	--
02/28/96	6.27	1.99	4.58	0.38	0.008	--	--	--	--	--	--	--	--	--
06/25/96	6.27	2.36	4.29	0.47	0.030	--	--	--	--	--	--	--	--	--
12/17/96	6.27	2.22	4.16	0.14	--	--	--	--	--	--	--	--	--	--
03/31/97	6.27	2.34	4.07	0.18	0.030	--	--	--	--	--	--	--	--	--
06/30/97	6.27	2.06	4.32	0.14	0.030	--	--	--	--	--	--	--	--	--
09/12/97	6.27	2.00	4.38	0.14	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
MW-2 (cont)														
12/05/97	6.27	2.51	3.78	0.02	--	--	--	--	--	--	--	--	--	--
02/16/98	6.27	3.08	3.29	0.12	0.007	--	--	--	--	--	--	--	--	--
06/17/98	6.27	2.35	4.00	0.10	0.010	--	--	--	--	--	--	--	--	--
08/31/98	6.27	0.65	5.71	0.11	0.008	--	--	--	--	--	--	--	--	--
12/28/98	6.27	1.75	4.60	0.10	0.005	--	--	--	--	--	--	--	--	--
03/04/99	6.27	2.58	3.73	0.05	0.200	--	--	--	--	--	--	--	--	--
DESTROYED														
MW-3														
08/20/91	8.71	0.26	8.45	--	--	200	3,100	200	13	15	12	--	--	--
09/30/91	8.71	-0.03	8.74	--	--	--	1,000	150	8.3	13	6.7	--	--	--
10/28/91	8.71	-0.05	8.76	--	--	--	1,200	120	6.7	11	7.5	--	--	--
01/08/92	8.71	-0.06	8.77	--	--	--	410	120	0.9	4.1	3.4	--	--	--
01/13/92	8.71	--	--	--	--	220	--	--	--	--	--	--	--	--
06/23/92	8.71	0.03	8.68	--	--	<50	630	43	0.8	8.2	3.4	--	--	--
08/24/92	8.71	-0.14	8.85	--	--	--	--	--	--	--	--	--	--	--
09/21/92	8.71	-0.23	8.94	--	--	<50	1,800	730	1.4	66	39	--	--	--
10/26/92	8.71	-0.36	9.07	--	--	--	--	--	--	--	--	--	--	--
12/23/92	8.71	--	--	--	--	850	840	270	3.4	15	4.2	--	--	--
01/08/93	8.71	1.02	7.69	--	--	--	--	--	--	--	--	--	--	--
03/25/93	8.71	0.97	7.74	--	--	<10	760	270	4.0	10	5.0	--	--	--
06/11/93	8.71	0.19	8.52	--	--	--	200	32	1.0	5.0	2.0	--	--	5,600
09/29/93	8.71	2.66	6.05	--	--	--	9,300	2,800	60	270	62	--	--	--
12/20/93	8.71	-0.12	8.83	--	--	<10	460	250	4.0	8.0	4.0	--	--	--
03/07/94	8.71	0.64	8.07	--	--	<10	2,400	260	13	35	18	--	--	--
06/17/94	8.71	0.19	8.52	--	--	<50	1,000	200	4.0	6.6	6.7	--	--	--
09/12/94	8.71	-0.21	8.92	--	--	<50	360	130	3.4	4.8	3.3	130	--	--
11/30/94	8.71	0.58	8.13	--	--	INACCESSIBLE		--	--	--	--	--	--	--
03/24/95	8.71	1.93	6.78	--	--	1,200 ²	4,100	920	<10	23	<10	70	--	--
06/27/95	8.71	0.49	8.22	--	--	1,000 ²	3,100	640	16	31	<10	<50	--	--
09/28/95	8.71	-0.14	8.85	--	--	460 ²	490	78	3.4	4.4	2.4	38	--	--
12/19/95	8.71	0.69	8.02	--	--	650 ²	2,600	580	<10	25	<10	<50	--	--
02/28/96	8.71	1.16	7.55	--	--	780 ²	1,500	510	<5.0	9.9	<5.0	<25	--	--
06/25/96	8.71	0.34	8.37	--	--	1,200 ²	1,300	390	7.8	14	6.5	31	--	--
12/17/96	8.71	0.41	8.30	--	--	1,100 ²	760	85	<1.2	5.9	5.1	<6.2	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH			B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)							
MW-3 (cont)														
03/31/97	8.71	0.52	8.19	--	--	1,300 ²	2,000	380	12	24	12	<25	--	--
06/30/97	8.71	0.00	8.71	--	--	620 ²	1,900	340	9.9	23	6.1	<25	--	--
09/12/97	8.71	1.07	7.64	--	--	400 ²	1,200	200	4.6	14	4.8	3.9	--	--
12/05/97	8.71	0.46	8.25	--	--	190 ²	460	72	2.7	5.2	1.7	<5.0	--	--
02/16/98	8.71	1.71	7.00	--	--	1,000 ²	6,200	1,100	20	34	12	<50	--	--
06/17/98	8.71	0.71	8.00	--	--	1,100 ²	3,000	350	<10	<10	<10	120	--	--
08/31/98	8.71	0.08	8.63	--	--	790 ²	430	100	2.6	8.6	6.0	<12	--	--
12/28/98	8.71	-0.02	8.73	--	--	180 ²	1,400	220	<10	12	<10	<50	--	--
03/04/99	8.71	1.06	7.65	--	--	763 ²	2,880	355	9.15	19	<5.0	<20	--	--
DESTROYED														
MW-4														
08/20/91	7.37	1.32	5.05	--	--	160	1,800	870	4.0	3.0	9.0	--	--	--
09/30/91	7.37	1.70	5.67	--	--	--	670	830	5.5	2.7	12	--	--	--
10/28/91	7.37	1.56	5.81	--	--	--	2,800	990	5.8	4.8	19	--	--	--
01/08/92	7.37	2.03	5.34	--	--	--	2,900	1,200	10	7.0	18	--	--	--
01/13/92	7.37	--	--	--	--	1,000	--	--	--	--	--	--	--	--
06/23/92	7.37	2.00	5.37	--	--	<50	1,600	380	6.5	3.0	12	--	--	--
08/24/92	7.37	1.62	5.75	--	--	--	--	--	--	--	--	--	--	--
09/21/92	7.37	1.42	5.95	--	--	<50	1,200	480	5.6	3.7	11	--	--	--
10/26/92	7.37	1.41	5.96	--	--	--	--	--	--	--	--	--	--	--
12/23/92	7.37	--	--	--	--	1,800	1,500	700	3.6	3.2	11	--	--	--
01/08/93	7.37	2.73	4.64	--	--	--	--	--	--	--	--	--	--	--
03/25/93	7.37	2.95	4.42	--	--	<10	520	160	3.0	1.0	4.0	--	--	--
06/11/93	7.37	2.25	5.12	--	--	--	1,200	430	5.0	6.0	11	--	--	2,600
09/29/93	7.37	1.57	5.80	--	--	--	1,300	210	8.0	2.0	14	--	--	--
12/20/93	7.37	2.27	5.10	--	--	3,900	570	230	5.0	4.0	8.0	--	--	--
03/07/94	7.37	2.36	5.01	--	--	2,600	2,200	290	18	2.5	11	22,000	--	--
06/17/94	7.37	1.55	5.82	--	--	2,800	2,100	480	11	4.3	9.5	--	--	--
09/12/94	7.37	1.73	5.64	--	--	3,000	1,700	340	6.1	2.7	9.7	63,000	--	--
11/30/94	7.37	1.79	5.58	--	--	INACCESSIBLE		--	--	--	--	--	--	--
03/24/95	7.37	2.42	4.95	--	--	3,000 ²	1,500	280	<5.0	<5.0	6.9	12,000	--	--
06/27/95	7.37	-1.42	8.79	--	--	3,100 ²	<10,000	310	<100	<100	<100	32,000	--	--
09/28/95	7.37	1.52	5.85	--	--	6,300 ²	330	64	1.1	<0.5	<0.5	630	--	--
12/19/95	7.37	1.87	5.50	--	--	3,400 ²	3,000	520	<25	<25	<25	44,000	--	--
02/28/96	7.37	2.27	5.10	--	--	4,700 ²	<10,000	230	<100	<100	<100	32,000	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)								
MW-4 (cont)														
06/25/96	7.37	1.59	5.78	--	--	3,100	<10,000	160	<100	<100	<100	31,000	--	--
12/17/96	7.37	1.42	5.95	--	--	3,600 ³	<5,000	110	<50	<50	<50	22,000	--	--
03/31/97	7.37	1.75	5.62	--	--	2,700 ²	<2,500	130	<25	<25	<25	16,000	--	--
06/30/97	7.37	1.34	6.03	--	--	2,700 ²	<2,500	130	<25	<25	<25	14,000	--	--
09/12/97	7.37	1.68	5.69	--	--	2,100 ²	<5,000	63	<50	<50	<50	15,000	--	--
12/05/97	7.37	2.22	5.15	--	--	2,600 ²	1,300	120	<5.0	<5.0	8.5	15,000	--	--
02/16/98	7.37	1.11	6.26	--	--	1,300 ²	1,200	57	4.5	<2.5	7.0	12,000	--	--
06/17/98	7.37	2.41	4.96	--	--	530 ²	5,300	390	290	28	150	17,000	--	--
08/31/98	7.37	1.46	5.91	--	--	2,400 ²	<50	89	<0.5	<0.5	<0.5	14,000/16,000 ⁴	--	--
12/28/98	7.37	1.96	5.41	--	--	2,900 ²	1,000	52	5.6	4.6	9.1	8,400	--	--
03/04/99	7.37	2.17	5.20	--	--	4,490 ²	<2,500	85.5	40.9	<25	<25	11,400	--	--
DESTROYED														
TRIP BLANK														
08/24/92	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/21/92	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/26/92	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/11/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/20/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/07/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/17/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/12/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--
11/30/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/24/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/19/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
02/28/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/25/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/17/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
TRIP BLANK (cont)															
09/12/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/16/98	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/17/98	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/31/98	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/28/98	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/04/99	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/14/99	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/17/99	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/20/00	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/24/00	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/07/00	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/05/00	--	--	--	--	--	--	--	<50	<0.500	<0.500	<0.500	<0.500	<2.5	--	--
03/01/01	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
06/04/01	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/10/01	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
QA															
12/03/01	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/04/02	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/03/02	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/09/02	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/10/03	--	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/09/03 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/08/03 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/08/03 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/09/04 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/17/04 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/15/04 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/23/04 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/24/05 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
06/16/05 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
09/16/05 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
12/21/05 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
03/23/06 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)											
QA (cont)																
06/09/06 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
09/05/06 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
12/15/06 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
03/01/07 ¹⁸	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 24, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	TPH-D = Total Petroleum Hydrocarbons as Diesel	TDS = Total Dissolved Solids
(ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline	(ppb) = Parts per billion
GWE = Groundwater Elevation	B = Benzene	-- = Not Measured/Not Analyzed
(msl) = Mean sea level	T = Toluene	QA = Quality Assurance/Trip Blank
DTW = Depth to Water	E = Ethylbenzene	
SPHT = Separate Phase Hydrocarbon Thickness	X = Xylenes	

◆ Ethanol by EPA Method 8260.

- 1 Chromatogram pattern indicates a non-diesel mix.
- 2 Chromatogram pattern indicates an unidentified hydrocarbon.
- 3 Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.
- 4 Confirmation run.
- 5 ORC present in well.
- 6 Laboratory report indicates gasoline and unidentified hydrocarbons >10.
- 7 Laboratory report indicates gasoline C6-C12.
- 8 Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.
- 9 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 10 Laboratory report indicates unidentified hydrocarbons C10-C24.
- 11 Laboratory report indicates unidentified hydrocarbons >C16.
- 12 Laboratory report indicates unidentified hydrocarbons C9-C40.
- 13 Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.
- 14 Laboratory report indicates weathered gasoline C6-C12.
- 15 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 16 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
- 17 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel. The pattern more closely resembles that of a heavier hydrocarbon mix.
- 18 BTEX and MTBE by EPA Method 8260.
- 19 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- 20 ORC removed from well.
- 21 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil. It elutes in the DRO range later than #2 fuel and also has individual peaks eluting in the DRO range.
- 22 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It contains two patterns in the DRO range, one earlier and one later than #2 fuel.
- 23 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

Table 2
Dissolved Oxygen Concentrations
Chevron Service Station #9-0121
3026 Lakeshore Avenue
Oakland, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-1	06/24/00 ¹	5.30	--
	09/07/00 ¹	4.02	--
	12/05/00 ¹	3.86	--
	03/01/01 ¹	3.04	--
	06/04/01 ¹	2.70	--
	09/10/01 ¹	2.40	--
	12/03/01 ¹	0.70	--
	03/04/02 ¹	1.10	--
	05/30/02 ¹	0.90	--
	09/03/02 ¹	1.20	--
	12/09/02 ¹	0.90	--
	03/10/03 ¹	1.00	--
	06/09/03 ¹	0.80	--
	09/08/03 ¹	0.60	--
	12/08/03 ¹	2.00	--

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

¹ ORC present in well.

Table 3
Groundwater Analytical Results
 Chevron Service Station #9-0121
 3026 Lakeshore Avenue
 Oakland, California

WELL ID	DATE	Total Alkalinity (ppb)	Ferrous Iron (ppb)	Sulfate (ppb)	Nitrate (ppb)
MW-1	12/28/98	390,000	4,900	<1,000	<1,000
MW-3	12/28/98	980,000	4,500	390,000	<1,000
MW-4	12/28/98	670,000	3,500	6,800	<1,000
MW-5	12/28/98	480,000	15	51,000	<1,000
MW-6	12/28/98	2,400,000	810	110,000	<1,000
MW-7	12/28/98	350,000	12,000	79,000	<1,000
MW-8	12/28/98	1,100,000	45	87,000	<1,000

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

(ppb) = Parts per billion

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hill, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: ET

Well ID: MW-1 Date Monitored: 3.1.07 Well Condition: UNIVERSAL 8" 2 STRIPPED FLANGES
 Well Diameter: 2 1/4 in.
 Total Depth: 19.34 ft.
 Depth to Water: 3.93 ft.
 Volume Factor (VF) table:

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

 xVF .66 = 10.17 x3 case volume= Estimated Purge Volume: 30.5 gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1359 Weather Conditions: CLOUDY
 Sample Time/Date: 1418 3.1.07 Water Color: CLEAR Odor: YES
 Purging Flow Rate: 3.5 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1402</u>	<u>10.0</u>	<u>7.47</u>	<u>430</u>	<u>17.4</u>	_____	_____
<u>1405</u>	<u>20.0</u>	<u>7.33</u>	<u>362</u>	<u>17.1</u>	_____	_____
<u>1408</u>	<u>30.5</u>	<u>7.16</u>	<u>352</u>	<u>17.0</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ETHANOL(8260))</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FR

Well ID: MW-2A Date Monitored: 3.1.07 Well Condition: Muddy 6"
 Well Diameter: 2 1/4 in. (SEE PHOTO)
 Total Depth: 16.70 ft.
 Depth to Water: 5.03 ft.
11.67 xVF .17 = 1.98 x3 case volume = Estimated Purge Volume: 6.0 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Other:

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Discrete Bailer
- Other:

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1541 Weather Conditions: CLOUDY
 Sample Time/Date: 1601 / 3.1.07 Water Color: CLEAR Odor: YES / STRONG
 Purging Flow Rate: 2.0 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1542</u>	<u>2.0</u>	<u>6.91</u>	<u>2186</u>	<u>18.0</u>		
<u>1543</u>	<u>4.0</u>	<u>6.90</u>	<u>2306</u>	<u>18.8</u>		
<u>1548</u>	<u>6.0</u>	<u>6.92</u>	<u>2351</u>	<u>19.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2A</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL(8260)</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-3A
 Well Diameter: 214 in.
 Total Depth: 18.04 ft.
 Depth to Water: 8.07 ft.
9.97 xVF .17 = 1.69 x3 case volume = Estimated Purge Volume: 5.0 gal.

Date Monitored: 3.1.07 Well Condition: Bottom Level 8"

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump ✓
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1333 Weather Conditions: CLOUDY
 Sample Time/Date: 1625 13.1.07 Water Color: CLEAN Odor: _____
 Purging Flow Rate: 1.5 gpm. Sediment Description: _____
 Did well de-water? YES If yes, Time: 1336 Volume: 3.0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1334</u>	<u>1.5</u>	<u>7.53</u>	<u>2048</u>	<u>19.3</u>	_____	_____
<u>1335</u>	<u>3.0</u>	<u>7.25</u>	<u>1887</u>	<u>19.2</u>	_____	_____
_____	<u>5.0</u>	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3A</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ ETHANOL(8260))</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: DTW @ Sampling 13.13

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-4A
 Well Diameter: 2 1/4 in.
 Total Depth: 18.55 ft.
 Depth to Water: 5.83 ft.

Date Monitored: 3.1.07

Well Condition: BLANK AND - KILMAN 8"
3 STAIRS FLANGES

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

12.72 xVF .17 = 2.16 x3 case volume= Estimated Purge Volume: 6.5 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1506 Weather Conditions: CLOUDY
 Sample Time/Date: 1642 13.1.07 Water Color: CLEAR / yellow Odor: YES
 Purging Flow Rate: 2.0 gpm. Sediment Description: _____
 Did well de-water? YES If yes, Time: 1508 Volume: 3.0 gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1507</u>	<u>2.0</u>	<u>6.40</u>	<u>2251</u>	<u>18.2</u>	_____	_____
_____	<u>4.0</u>	_____	_____	_____	_____	_____
_____	<u>6.5</u>	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4A</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ETHANOL(8260))</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: DTW @ SAMPLING 9.54

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-5 Date Monitored: 3.1.07 Well Condition: UNUSUAL 12"
 Well Diameter: 2 1/4 in. 2 STRIPPED PIPES
 Total Depth: 32.78 ft.
 Depth to Water: 9.22 ft.
2356 xVF .17 = 4.00 x3 case volume = Estimated Purge Volume: 12.0 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1138 Weather Conditions: CLOUDY
 Sample Time/Date: 1158 13.1.07 Water Color: CLEAR Odor: NO
 Purging Flow Rate: 2.0 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1140</u>	<u>4.0</u>	<u>7.39</u>	<u>657</u>	<u>18.1</u>	_____	_____
<u>1142</u>	<u>8.0</u>	<u>7.38</u>	<u>630</u>	<u>18.7</u>	_____	_____
<u>1146</u>	<u>12.0</u>	<u>7.25</u>	<u>669</u>	<u>18.8</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ ETHANOL(8260))</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-6 Date Monitored: 3.1.07 Well Condition: UNIVERSAL 12" 2 STURRAGED FLANGES
 Well Diameter: 2 1/4 in. Volume Factor (VF): 3/4"= 0.02, 1"= 0.04, 2"= 0.17, 3"= 0.38, 4"= 0.66, 5"= 1.02, 6"= 1.50, 12"= 5.80
 Total Depth: 18.25 ft.
 Depth to Water: 5.42 ft.
12.83 xVF .17 = 2.18 x3 case volume= Estimated Purge Volume: 6.5 gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1251 Weather Conditions: CLOUDY
 Sample Time/Date: 1309 3.1.07 Water Color: Yellowish Green Odor: YES/STRONG
 Purging Flow Rate: 2.0 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1252</u>	<u>2.0</u>	<u>6.75</u>	<u>OFF SCALE</u>	<u>18.5</u>	_____	_____
<u>1253</u>	<u>4.0</u>	<u>6.69</u>	<u>↓</u>	<u>19.6</u>	_____	_____
<u>1258</u>	<u>6.5</u>	<u>6.74</u>	<u>↓</u>	<u>19.8</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ETHANOL(8260))</u>
	<u>2 x 500ml Amber</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: SLOW RECOVERY LAST CASE VOLUME
STRONG REACTION TO HCL.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW- 7 Date Monitored: N/A Well Condition: PAVED OVER
 Well Diameter: 2 1/4 in. Volume Factor (VF) table:
 Total Depth: 14.05 ft. 3/4"= 0.02 1"= 0.04 2"= 0.17 3"= 0.38
 Depth to Water: N/A ft. 4"= 0.66 5"= 1.02 6"= 1.50 12"= 5.80
N/A xVF = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260/ ETHANOL(8260))
	x 500ml Amber	YES	NP	LANCASTER	TPH-D

COMMENTS: WELL HAS BEEN PAVED OVER

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462
 Site Address: 3026 Lakeshore Avenue Event Date: 3.1.07 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-8 Date Monitored: 3.1.07 Well Condition: UNUSUAL 12" 2 STUDDED CLAPNETS
 Well Diameter: 2 1/4 in. Volume 3/4"= 0.02 1"= 0.04 2"= 0.17 3"= 0.38
 Total Depth: 25.16 ft. Factor (VF) 4"= 0.66 5"= 1.02 6"= 1.50 12"= 5.80
 Depth to Water: 8.08 ft. Estimated Purge Volume: 9.0 gal.
17.08 xVF .17 = 2.90 x3 case volume=

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 12:13 Weather Conditions: CLOUDY
 Sample Time/Date: 12:31 13.1.07 Water Color: CLEAR Odor: NO
 Purging Flow Rate: ~3.0 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>12:14</u>	<u>3.0</u>	<u>6.70</u>	<u>1329</u>	<u>17.4</u>	_____	_____
<u>12:15</u>	<u>6.0</u>	<u>6.58</u>	<u>3556</u>	<u>18.4</u>	_____	_____
<u>12:18</u>	<u>9.0</u>	<u>6.74</u>	<u>3193</u>	<u>18.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-8</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ETHANOL(8260))</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: SLOW RECOVERY LAST CASE VOLUMES

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121
 Site Address: 3026 Lakeshore Avenue
 City: Oakland, CA

Job Number: 386462
 Event Date: 3.1.07 (inclusive)
 Sampler: FT

Well ID: MW-9
 Well Diameter: 2 1/4 in.
 Total Depth: 15.59 ft.
 Depth to Water: 3.07 ft.

Date Monitored: 3.1.07

Well Condition: BOUNT LOW YIELD
3 STAMPED PLUGS

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

12.52 xVF .17 = 2.12 x3 case volume= Estimated Purge Volume: 6.0 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1435 Weather Conditions: CLOUDY
 Sample Time/Date: 1437 / 3.1.07 Water Color: CLEAN Odor: YES
 Purging Flow Rate: 2.0 gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1436</u>	<u>2.0</u>	<u>6.76</u>	<u>415</u>	<u>15.9</u>	_____	_____
<u>1437</u>	<u>4.0</u>	<u>6.74</u>	<u>559</u>	<u>16.8</u>	_____	_____
<u>1440</u>	<u>6.0</u>	<u>6.86</u>	<u>489</u>	<u>16.7</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260/ ETHANOL(8260))</u>
	<u>2</u> x 500ml Amber	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D</u>

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



030507-09

Acct. #: 10904

For Lancaster Laboratories use only
Sample #: 4996895-903

Group #: 001692

Group # 1027946

Facility #: SS#9-0121-OML G-R#386462 Global ID#T0600100328 Site Address: 3026 LAKESHORE AVENUE, OAKLAND, CA Chevron PM: SS Lead Consultant: CAMBRIACE Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568 Consultant Prj. Mgr. Deanna L. Harding (deanna@grinc.com) Consultant Phone #925-551-7555 Fax #: 925-551-7899 Sampler: FRANK TELLINONI				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="10">Preservation Codes</th> </tr> <tr> <td>H</td><td>H</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>BTEX + MTBE 8260</td><td>8021</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TPH 8015 MOD GRO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TPH 8015 MOD DRO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>8260 full scan</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Oxygenates</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Total Lead</td><td>Method</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Dissolved Lead</td><td>Method</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td colspan="10" style="text-align: center;">ETHANOL (8260)</td> </tr> </table>										Preservation Codes										H	H									BTEX + MTBE 8260	8021									TPH 8015 MOD GRO										TPH 8015 MOD DRO										8260 full scan										Oxygenates										Total Lead	Method									Dissolved Lead	Method									ETHANOL (8260)										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits	
Preservation Codes																																																																																																																					
H	H																																																																																																																				
BTEX + MTBE 8260	8021																																																																																																																				
TPH 8015 MOD GRO																																																																																																																					
TPH 8015 MOD DRO																																																																																																																					
8260 full scan																																																																																																																					
Oxygenates																																																																																																																					
Total Lead	Method																																																																																																																				
Dissolved Lead	Method																																																																																																																				
ETHANOL (8260)																																																																																																																					
Sample Identification		Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers											Comments / Remarks																																																																																																
QA		3.1.07								2	7	7																																																																																																									
MW-1			1418	X						8	X	X	X											X																																																																																													
MW-2A			1601	X						8	X	X	X											X																																																																																													
MW-3A			1625	X						8	X	X	X											X																																																																																													
MW-4A			1642	X						8	X	X	X											X																																																																																													
MW-5			1158	X						8	X	X	X											X																																																																																													
MW-6			1309	X						8	X	X	X											X																																																																																													
MW-8			1231	X						8	X	X	X											X																																																																																													
MW-9			1451	X						8	X	X	X											X																																																																																													

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

EDF/EDD

Relinquished by: <i>Frank Tellinoni</i>	Date: 3.1.07	Time:	Received by: <i>DVano</i>	Date: 3/5/07	Time:
Relinquished by: <i>DVano</i>	Date: 3/5/07	Time:	Received by: <i>Marie Adelant</i>	Date: 3/5/07	Time: 1300
Relinquished by: <i>Marie Adelant</i>	Date: 3/5/07	Time: 1530	Received by: <i>DHL</i>	Date: 3/5/07	Time: 1530
Relinquished by Commercial Carrier: UPS FedEx Other: (DHL)	Temperature Upon Receipt: 5° - 2.1° C		Received by: <i>Rachel Binkley</i>	Date: 3-6-07	Time: 0935
			Custody Seals Intact?	<input checked="" type="radio"/> Yes <input type="radio"/> No	

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED

MAR 5 8 2007

GETTLER-RYAN INC.
GENERAL CONTRACTORS

SAMPLE GROUP

The sample group for this submittal is 1027946. Samples arrived at the laboratory on Tuesday, March 06, 2007. The PO# for this group is 0015009981 and the release number is SINHA.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-070301	NA	Water	4996895
MW-1-W-070301	Grab	Water	4996896
MW-2A-W-070301	Grab	Water	4996897
MW-3A-W-070301	Grab	Water	4996898
MW-4A-W-070301	Grab	Water	4996899
MW-5-W-070301	Grab	Water	4996900
MW-6-W-070301	Grab	Water	4996901
MW-8-W-070301	Grab	Water	4996902
MW-9-W-070301	Grab	Water	4996903

ELECTRONIC COPY TO Cambria c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink that reads "Maria S. Lord".

Maria S. Lord
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4996895

QA-T-070301 NA Water
Facility# 90121 Job# 386462 GRD
3026 Lakeshore-Oakland T0600100328 QA
Collected: 03/01/2007

Account Number: 10904

Submitted: 03/06/2007 09:35
Reported: 03/16/2007 at 14:44
Discard: 04/16/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

LAKQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.		ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5		ug/l	1
05401	Benzene	71-43-2	N.D.	0.5		ug/l	1
05407	Toluene	108-88-3	N.D.	0.5		ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5		ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5		ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/07/2007	13:38	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	03/14/2007	00:40	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/07/2007	13:38	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/14/2007	00:40	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4996896

MW-1-W-070301 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore-Oakland T0600100328 MW-1
 Collected: 03/01/2007 14:18 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAKM1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	1,000.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	1,500.	59.	ug/l	2
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	16.	0.5	ug/l	1
05401	Benzene	71-43-2	23.	0.5	ug/l	1
05407	Toluene	108-88-3	3.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	3.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	3.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/07/2007	19:33	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/09/2007	16:50	Heather E Williams	2
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/14/2007	16:31	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/07/2007	19:33	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/14/2007	16:31	Dawn M Harle	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007	07:00	Tracy L Schickel	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW 4996897**

MW-2A-W-070301 **Grab** **Water**
 Facility# 90121 Job# 386462 **GRD**
 3026 Lakeshore-Oakland T0600100328 MW-2A
 Collected: 03/01/2007 16:01 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK2A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	230.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	1,800.	150.	ug/l	5
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	250.	ug/l	5
02010	Methyl Tertiary Butyl Ether	1634-04-4	3,700.	3.	ug/l	5
05401	Benzene	71-43-2	N.D.	3.	ug/l	5
05407	Toluene	108-88-3	N.D.	3.	ug/l	5
05415	Ethylbenzene	100-41-4	N.D.	3.	ug/l	5
06310	Xylene (Total)	1330-20-7	N.D.	3.	ug/l	5

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/07/2007 20:03	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/09/2007 17:36	Heather E Williams	5
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/14/2007 17:40	Dawn M Harle	5
01146	GC VOA Water Prep	SW-846 5030B	1	03/07/2007 20:03	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/14/2007 17:40	Dawn M Harle	5
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007 07:00	Tracy L Schickel	1

Lancaster Laboratories Sample No. WW 4996898

MW-3A-W-070301 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore-Oakland T0600100328 MW-3A
 Collected: 03/01/2007 16:25 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK3A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06609	TPH-DRO (Waters)	n.a.	140.		50.	ug/l	1
06067	BTEX, MTBE, ETOH						
01587	Ethanol	64-17-5	N.D.		50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	10.		0.5	ug/l	1
05401	Benzene	71-43-2	2.		0.5	ug/l	1
05407	Toluene	108-88-3	4.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	5.		0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/07/2007	20:32	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/08/2007	22:40	Heather E Williams	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007	08:52	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/07/2007	20:32	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/15/2007	08:52	Dawn M Harle	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007	07:00	Tracy L Schickel	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4996899

MW-4A-W-070301 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore-Oakland T0600100328 MW-4A
 Collected: 03/01/2007 16:42 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK4A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	1,200.	250.	ug/l	5
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	1,600.	300.	ug/l	10
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1,100.	3.	ug/l	5
05401	Benzene	71-43-2	11.	0.5	ug/l	1
05407	Toluene	108-88-3	5.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	6.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	5.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/08/2007 22:39	Steven A Skiles	5
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/09/2007 18:21	Heather E Williams	10
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007 09:15	Dawn M Harle	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007 09:38	Dawn M Harle	5
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2007 22:39	Steven A Skiles	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/15/2007 09:15	Dawn M Harle	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	03/15/2007 09:38	Dawn M Harle	5
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007 07:00	Tracy L Schickel	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4996900**

MW-5-W-070301 **Grab Water**
 Facility# 90121 Job# 386462 **GRD**
 3026 Lakeshore-Oakland **T0600100328 MW-5**
 Collected: 03/01/2007 11:58 **by FT**

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK-5

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	150.	50.	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.	0.5	ug/l	1
05401	Benzene	71-43-2	1.	0.5	ug/l	1
05407	Toluene	108-88-3	3.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.7	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	3.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/08/2007	15:15	Steven A Skiles	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/08/2007	23:03	Heather E Williams	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007	10:00	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2007	15:15	Steven A Skiles	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/15/2007	10:00	Dawn M Harle	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007	07:00	Tracy L Schickel	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4996901

MW-6-W-070301 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore-Oakland T0600100328 MW-6
 Collected: 03/01/2007 13:09 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK-6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	250.	ug/l	5
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 7. Due to excessive foaming of the sample, normal reporting limits were not attained.					
06609	TPH-DRO (Waters)	n.a.	1,600.	50.	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	0.9	0.5	ug/l	1
05407	Toluene	108-88-3	3.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	0.7	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	4.	0.5	ug/l	1
	The vial submitted for volatile analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt. The pH of this sample was pH = 6.					

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/08/2007 23:08	Steven A Skiles	5
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/09/2007 03:35	Heather E Williams	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007 11:09	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2007 23:08	Steven A Skiles	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/15/2007 11:09	Dawn M Harle	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4996901

MW-6-W-070301 Grab Water
Facility# 90121 Job# 386462 GRD
3026 Lakeshore-Oakland T0600100328 MW-6
Collected: 03/01/2007 13:09 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
Reported: 03/16/2007 at 14:44
Discard: 04/16/2007

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

LAK-6 Extraction - Fuel/TPH SW-846 3510C 1 03/07/2007 07:00 Tracy L Schickel 1
02376 (Waters)



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4996902**

MW-8-W-070301 Grab Water
 Facility# 90121 Job# 386462 GRD
 3026 Lakeshore-Oakland T0600100328 MW-8
 Collected: 03/01/2007 12:31 by FT

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK-8

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	63.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	150.	50.	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	ug/l	1
05401	Benzene	71-43-2	2.	0.5	ug/l	1
05407	Toluene	108-88-3	5.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	7.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/08/2007 15:45	Steven A Skiles	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/08/2007 23:26	Heather E Williams	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007 11:32	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2007 15:45	Steven A Skiles	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/15/2007 11:32	Dawn M Harle	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007 07:00	Tracy L Schickel	1

Lancaster Laboratories Sample No. **WW 4996903**

MW-9-W-070301 **Grab Water**
 Facility# 90121 Job# 386462 **GRD**
 3026 Lakeshore-Oakland **T0600100328 MW-9**
 Collected: 03/01/2007 14:51 **by FT**

Account Number: 10904

Submitted: 03/06/2007 09:35
 Reported: 03/16/2007 at 14:44
 Discard: 04/16/2007

Chevron
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

LAK-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	3,000.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	1,700.	50.	ug/l	1
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether.	1634-04-4	36.	0.5	ug/l	1
05401	Benzene	71-43-2	1.	0.5	ug/l	1
05407	Toluene	108-88-3	1.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	4.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	03/08/2007 16:14	Steven A Skiles	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	03/08/2007 23:48	Heather E Williams	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	03/15/2007 11:55	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	03/08/2007 16:14	Steven A Skiles	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	03/15/2007 11:55	Dawn M Harle	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	03/07/2007 07:00	Tracy L Schickel	1

Quality Control Summary

 Client Name: Chevron
 Reported: 03/16/07 at 02:44 PM

Group Number: 1027946

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 070650024A TPH-DRO (Waters)	N.D.	29.	ug/l	96	95	63-119	1	20
Batch number: 07066A08A TPH-GRO - Waters	N.D.	50.	ug/l	118	118	75-135	0	30
Batch number: 07067A08A TPH-GRO - Waters	N.D.	50.	ug/l	109	109	75-135	0	30
Batch number: D070724AA Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	93		73-119		
Benzene	N.D.	0.5	ug/l	96		78-119		
Toluene	N.D.	0.5	ug/l	96		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		83-113		
Batch number: D070732AA Ethanol	N.D.	50.	ug/l	124		39-161		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	94		73-119		
Benzene	N.D.	0.5	ug/l	96		78-119		
Toluene	N.D.	0.5	ug/l	96		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		83-113		
Batch number: D070742AA Ethanol	N.D.	50.	ug/l	122		39-161		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	93		73-119		
Benzene	N.D.	0.5	ug/l	97		78-119		
Toluene	N.D.	0.5	ug/l	96		85-115		
Ethylbenzene	N.D.	0.5	ug/l	95		82-119		
Xylene (Total)	N.D.	0.5	ug/l	97		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 07066A08A TPH-GRO - Waters	60*		63-154						
Batch number: 07067A08A TPH-GRO - Waters	57*		63-154						

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 03/16/07 at 02:44 PM

Group Number: 1027946

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Sample number(s): 4996895 UNSPK: P994635									
Batch number: D070724AA	96	97	69-127	1	30				
Methyl Tertiary Butyl Ether	103	103	83-128	0	30				
Benzene	103	102	83-127	1	30				
Toluene	104	102	82-129	2	30				
Ethylbenzene	104	101	82-130	2	30				
Xylene (Total)									
Sample number(s): 4996896-4996897 UNSPK: 4996896									
Batch number: D070732AA	103	107	41-159	4	30				
Ethanol	99	87	69-127	7	30				
Methyl Tertiary Butyl Ether	104	95	83-128	4	30				
Benzene	102	105	83-127	3	30				
Toluene	103	103	82-129	0	30				
Ethylbenzene	103	104	82-130	1	30				
Xylene (Total)									
Sample number(s): 4996898-4996903 UNSPK: 4996900									
Batch number: D070742AA	127	102	41-159	22	30				
Ethanol	94	93	69-127	0	30				
Methyl Tertiary Butyl Ether	102	100	83-128	1	30				
Benzene	101	99	83-127	2	30				
Toluene	100	98	82-129	2	30				
Ethylbenzene	101	100	82-130	1	30				
Xylene (Total)									

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-DRO (Waters)
Batch number: 070650024A
Orthoterphenyl

4996896	98
4996897	94
4996898	83
4996899	94
4996900	89
4996901	92
4996902	80
4996903	88
Blank	90
LCS	107
LCSD	106

Limits: 59-131

Analysis Name: TPH-GRO - Waters
Batch number: 07066A08A
Trifluorotoluene-F

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 03/16/07 at 02:44 PM

Group Number: 1027946

Surrogate Quality Control

4996895	92
4996896	114
4996897	100
4996898	87
Blank	91
LCS	93
LCSD	95
MS	90

Limits: 63-135

 Analysis Name: TPH-GRO - Waters
 Batch number: 07067A08A
 Trifluorotoluene-F

4996899	92
4996900	91
4996901	89
4996902	90
4996903	168*
Blank	87
LCS	90
LCSD	91
MS	91

Limits: 63-135

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: D070724AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4996895	102	105	101	99
Blank	100	103	99	97
LCS	100	106	99	99
MS	99	102	99	97
MSD	101	103	99	97

Limits: 80-116

77-113

80-113

78-113

 Analysis Name: BTEX, MTBE, ETOH
 Batch number: D070732AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4996896	101	102	102	98
4996897	99	101	98	95
Blank	102	104	101	99
LCS	101	104	99	99
MS	100	103	99	98
MSD	101	103	101	98

Limits: 80-116

77-113

80-113

78-113

 Analysis Name: BTEX, MTBE, ETOH
 Batch number: D070742AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4996898	102	103	99	97
4996899	98	99	98	99

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 03/16/07 at 02:44 PM

Group Number: 1027946

Surrogate Quality Control

4996900	102	106	100	97
4996901	102	105	100	99
4996902	103	104	101	99
4996903	102	105	108	103
Blank	103	103	99	98
LCS	104	107	102	101
MS	102	104	100	99
MSD	100	104	97	96
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is <CRDL, but ≥IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike amount not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
J Estimated value	U Compound was not detected
N Presumptive evidence of a compound (TICs only)	W Post digestion spike out of control limits
P Concentration difference between primary and confirmation columns >25%	* Duplicate analysis not within control limits
U Compound was not detected	+ Correlation coefficient for MSA <0.995
X,Y,Z Defined in case narrative	

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.