



# GETTLER-RYAN Inc.

## TRANSMITTAL

RECEIVED

2:54 pm, Jan 15, 2008

Alameda County  
Environmental Health

January 14, 2008

G-R #386462

TO: Ms. Charlotte Evans  
Conestoga-Rovers & Associates  
5900 Hollis Street, Suite A  
Emeryville, CA 94608

CC: Ms. Olivia Skance  
Chevron Environmental  
Management Company  
P.O. Box 6012, Room K2196  
San Ramon, California 94583

FROM: Deanna L. Harding  
Project Coordinator  
Gettler-Ryan Inc.  
6747 Sierra Court, Suite J  
Dublin, California 94568

RE: **Chevron Service Station  
#9-0121  
3026 Lakeshore Avenue  
Oakland, California  
RO 0000284**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	January 8, 2008	Groundwater Monitoring and Sampling Report <b>Fourth Quarter Event of December 5, 2007</b>

### COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for **your use and distribution to the following (via PDF):**

Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 (**Distributed by Cambria via PDF**)

Enclosures

trans/9-0121-OS



**Olivia Skance**  
Project Manager  
Marketing Business Unit

**Chevron Environmental  
Management Company**  
6001 Bollinger Canyon Road  
San Ramon, CA 94583  
Tel (925) 842-5005  
Fax (925) 842-8370  
olivia.skance@chevron.com

January 14, 2008

Alameda County Health Care Services  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-0121  
Address 3026 Lakeshore Ave.

I have reviewed the attached routine groundwater monitoring report dated January 14, 2007.

I agree with the conclusions and recommendations presented in the referenced workplan. This information in this workplan is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon who assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in cursive script that reads "Olivia Skance".

Olivia Skance  
Project Manager

Attachment: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-0121  
 Site Address: 3026 Lakeshore Avenue  
 City: Oakland, CA

Job # 386462  
 Event Date: \_\_\_\_\_  
 Sampler: \_\_\_\_\_

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
mw-6	OK		→	2(S)	OK	→	→	n	n	Universal / 12/2	
mw-9	OK		→			→	→	n	n	Bout Longyear / 8/3	
mw-1	OK		→	2(S)	OK	→	→	n	n	Universal / 8/2	
mw-2	OK		→	1(S) / 1(B)	OK	→	→	n	n	Morrisson / 6/2	
mw-34	OK		→	3(S)	OK	→	→	n	n	Bout Longyear / 8/3	
mw-8	OK		→	2(S)	OK	→	→	n	n	Universal / 8/3	
mw-5	OK		→	2(S)	OK	→	→	n	n	Universal / 8/2	
mw-4A	OK		→	2(S)	OK	→	→	n	n	Bout Longyear / 8/3	

Comments \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# GETTLER-RYAN INC.

January 8, 2008  
G-R Job #386462

Ms. Olivia Skance  
Chevron Environmental Management Company  
P.O. Box 6012, Room K2196  
San Ramon, CA 94583

**RE: Fourth Quarter Event of December 5, 2007**  
Groundwater Monitoring & Sampling Report  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

Dear Ms. Skance:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

  
Deanna L. Harding  
Project Coordinator

  
Douglas J. Lee  
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map  
Table 1: Groundwater Monitoring Data and Analytical Results  
Table 2: Dissolved Oxygen Concentrations  
Table 3: Groundwater Analytical Results  
Attachments: Standard Operating Procedure - Groundwater Sampling  
Field Data Sheets  
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawings provided by RRM engineering contracting firm and City of Oakland Public Works.

FIGURE

**GETTLER - RYAN INC.**  
 6747 Sierra Court, Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP**  
 Chevron Service Station #9-0121  
 3026 Lakeshore Avenue  
 Oakland, California

1

PROJECT NUMBER 386462	REVIEWED BY	DATE December 5, 2007	REVISED DATE
--------------------------	-------------	--------------------------	--------------

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)											
MW-1																
08/20/91	6.82	1.62	5.20	--	--	260	5,100	1,700	21	220	34	--	--	--	--	--
09/30/91	6.82	1.15	5.67	Sheen	--	--	--	--	--	--	--	--	--	--	--	--
10/28/91	6.82	1.50	5.30	0.03	--	--	--	--	--	--	--	--	--	--	--	--
01/08/92	6.82	1.67	5.15	Sheen	--	4,400	5,400	770	13	95	31	--	--	--	--	--
01/13/92	6.82	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/23/92	6.89	1.48	5.41	--	--	2,000	7,700	1,500	40	230	100	--	--	--	--	--
08/24/92	6.89	1.12	5.77	--	--	--	--	--	--	--	--	--	--	--	--	--
09/21/92	6.89	1.00	5.89	--	--	<50	3,500	1,700	28	190	78	--	--	--	--	--
10/26/92	6.89	0.95	5.94	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.89	2.18	4.71	--	--	5,500	60,000	7,100	240	2,000	1,300	--	--	--	--	--
01/08/93	6.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	6.89	2.17	4.72	--	--	<10	530	1,100	41	67	79	--	--	--	--	--
06/11/93	6.89	5.37	5.07	--	--	--	7,000	1,900	33	120	69	9,600	--	--	--	840
09/29/93	6.89	1.13	5.76	--	--	<10	6,600	1,600	28	43	74	--	--	--	--	--
12/20/93	6.89	1.74	5.15	--	--	<10	6,300	1,900	36	82	65	--	--	--	--	--
03/07/94	6.89	2.21	4.68	--	--	<10	7,700	1,100	55	66	38	12,000	--	--	--	--
06/17/94	6.89	1.83	5.06	--	--	2,200	4,300	710	12	90	38	--	--	--	--	--
09/12/94	6.89	1.24	5.65	--	--	2,500	6,400	1,500	<25	180	<25	12,000	--	--	--	--
11/30/94	6.89	2.32	4.57	--	--	2,300 <sup>1</sup>	4,900	690	26	97	60	3,900	--	--	--	--
03/24/95	6.89	3.91	2.98	--	--	1,400 <sup>2</sup>	1,800	160	7.3	11	14	1,300	--	--	--	--
06/27/95	6.89	1.87	5.02	--	--	2,300 <sup>2</sup>	4,600	1,300	11	97	13	5,100	--	--	--	--
09/28/95	6.89	1.59	5.30	--	--	3,900 <sup>2</sup>	6,600	1,500	<20	<20	<20	5,800	--	--	--	--
12/19/95	6.89	2.21	4.68	--	--	2,600 <sup>2</sup>	3,800	930	<10	100	<10	6,300	--	--	--	--
02/28/96	6.89	3.27	3.62	--	--	1,800 <sup>2</sup>	3,600	280	<5.0	18	5.5	2,200	--	--	--	--
06/25/96	6.89	1.87	5.02	--	--	3,000	4,700	1,600	36	150	31	3,000	--	--	--	--
12/17/96	6.89	2.23	4.66	--	--	2,700 <sup>3</sup>	7,800	1,000	28	340	63	1,200	--	--	--	--
03/31/97	6.89	2.01	4.88	--	--	2,200 <sup>2</sup>	5,300	590	55	210	53	950	--	--	--	--
06/30/97	6.89	1.32	5.57	--	--	2,200 <sup>2</sup>	4,400	350	<10	<10	11	580	--	--	--	--
09/12/97	6.89	1.56	5.33	--	--	2,300 <sup>2</sup>	3,400	220	9.5	15	11	460	--	--	--	--
12/05/97	6.89	2.44	4.45	--	--	1,900 <sup>2</sup>	4,700	870	21	120	18	750	--	--	--	--
02/16/98	6.89	3.52	3.37	--	--	1,600 <sup>2</sup>	4,400	120	12	11	7.7	270	--	--	--	--
06/17/98	6.89	2.24	4.65	--	--	1,300 <sup>2</sup>	7,800	<25	50	34	650	650	--	--	--	--
08/31/98	6.89	1.70	5.19	--	--	2,400 <sup>2</sup>	3,700	620	17	120	31	380	--	--	--	--
12/28/98	6.89	1.94	4.95	--	--	1,500 <sup>2</sup>	3,800	250	14	28	15	330	--	--	--	--
03/04/99	6.89	3.24	3.65	--	--	1,070 <sup>2</sup>	1,560	17.9	<0.5	4.17	1.05	70.4	--	--	--	--
06/14/99	6.89	1.89	5.00	--	--	2,500 <sup>2</sup>	<10,000	820	240	320	640	<500	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
				SPHT (ft.)	REMOVED (gallons)									
<b>MW-1 (cont)</b>														
09/17/99	6.89	0.30	6.59	--	--	2,110 <sup>2</sup>	3,300	141	12.3	<10	<10	238	--	--
12/20/99	6.89	1.92	4.97	--	--	1,840 <sup>2</sup>	2,990	218	16.3	20	<10	232	--	--
03/20/00	6.89	3.11	3.78	--	--	938 <sup>2</sup>	1,340	20	3.07	1.87	1.87	29.1	--	--
06/24/00 <sup>5</sup>	6.89	2.45	4.44	0.00	0.00	1,680 <sup>9</sup>	1,500 <sup>7</sup>	12	5.3	<2.5	7.9	190	--	--
09/07/00 <sup>5</sup>	6.89	1.74	5.15	0.00	0.00	1,500 <sup>9</sup>	3,100 <sup>7</sup>	190	13	14	<10	210	--	--
12/05/00 <sup>5</sup>	6.89	2.16	4.73	0.00	0.00	970 <sup>13</sup>	2,140 <sup>14</sup>	248	<5.00	20.5	<5.00	<25.0	--	--
03/01/01 <sup>5</sup>	6.89	3.33	3.56	0.00	0.00	610 <sup>9</sup>	1,000 <sup>7</sup>	21	<10	<10	<10	280	--	--
06/04/01 <sup>5</sup>	6.89	2.13	4.76	0.00	0.00	1,100 <sup>9</sup>	2,800 <sup>7</sup>	310	23	11	15	470	--	--
09/10/01 <sup>5</sup>	6.89	1.28	5.61	0.00	0.00	2,600	2,500 <sup>16</sup>	<20	26	<20	<20	310	--	--
12/03/01 <sup>5</sup>	6.89	3.31	3.58	0.00	0.00	2,700	2,400	30	7.3	7.0	6.5	160	--	--
03/04/02 <sup>5</sup>	6.89	2.36	4.53	0.00	0.00	2,700	3,300	120	17	22	9.0	110	--	--
05/30/02 <sup>5</sup>	6.89	2.41	4.48	0.00	0.00	2,700	4,100	110	9.3	22	11	100	--	--
09/03/02 <sup>5</sup>	6.89	1.42	5.47	0.00	0.00	2,900	3,700	<5.0	7.8	3.2	10	130	--	--
12/09/02 <sup>5</sup>	6.89	1.61	5.28	0.00	0.00	3,000	2,900	35	5.1	5.5	8.3	170	--	--
03/10/03 <sup>5</sup>	6.89	2.50	4.39	0.00	0.00	1,600	3,000	42	5.0	8.2	8.7	110	--	--
06/09/03 <sup>5,18</sup>	6.89	2.53	4.36	0.00	0.00	2,000	5,200	140	16	20	15	100	--	--
09/08/03 <sup>5,18</sup>	6.89	1.52	5.37	0.00	0.00	2,100	3,500	4	10	2	11	200	<50	--
12/08/03 <sup>5,18</sup>	6.89	2.44	4.45	0.00	0.00	3,400	2,200	8	4	3	8	160	<50	--
03/09/04 <sup>18,20</sup>	6.89	2.86	4.03	0.00	0.00	3,300	1,500	16	3	5	4	99	<130	--
06/17/04 <sup>18</sup>	6.89	1.41	5.48	0.00	0.00	2,700	3,400	180	13	27	13	160	<50	--
09/15/04 <sup>18</sup>	6.89	-0.91	7.80	0.00	0.00	2,600	1,700	2	1	0.8	5	180	<50	--
12/23/04 <sup>18</sup>	6.89	1.35	5.54	0.00	0.00	3,000	1,800	120	3	5	5	120	<50	--
03/24/05 <sup>18</sup>	6.89	3.49	3.40	0.00	0.00	950	1,100	45	2	5	2	16	<50	--
06/16/05 <sup>18</sup>	6.89	2.29	4.60	0.00	0.00	1,600	3,600	210	11	33	12	69	<50	--
09/16/05 <sup>18</sup>	6.89	1.10	5.79	0.00	0.00	2,200	3,700	74	9	21	14	150	<50	--
12/21/05 <sup>18</sup>	6.89	3.11	3.78	0.00	0.00	1,600 <sup>22</sup>	1,400	53	2	4	4	62	<50	--
03/23/06 <sup>18</sup>	6.89	3.33	3.56	0.00	0.00	1,400	1,100	3	2	2	3	26	<50	--
06/09/06 <sup>18</sup>	6.89	2.11	4.78	0.00	0.00	1,300	5,200	160	13	42	20	77	<50	--
09/05/06 <sup>18</sup>	6.89	0.89	6.00	0.00	0.00	1,600	2,000	0.8	<0.5	<0.5	0.8	1,500	<50	--
12/15/06 <sup>18</sup>	6.89	2.84	4.05	0.00	0.00	1,800	1,400	3	0.9	1	5	47	<50	--
03/01/07 <sup>18</sup>	6.89	2.96	3.93	0.00	0.00	1,500	1,000	23	3	3	3	16	<50	--
06/05/07 <sup>18</sup>	6.89	2.08	4.81	0.00	0.00	1,200	4,000	90	9	21	12	68	<50	--
09/05/07 <sup>18</sup>	6.89	1.18	5.71	0.00	0.00	1,800	2,000	3	2	1	6	66	<50	--
12/05/07 <sup>18</sup>	6.89	1.87	5.02	0.00	0.00	1,200	2,400	58	6	7	7	97	150	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)								
<b>MW-2A</b>														
04/19/99	6.53	1.67	4.86	--	--	820 <sup>2</sup>	<2,000	<20	<20	<20	<20	9,200	--	--
06/14/99	6.53	1.23	5.30	--	--	2,000 <sup>2</sup>	<5,000	89	<50	66	<50	10,000	--	--
09/17/99	6.53	0.69	5.84	--	--	1,050 <sup>2</sup>	903	42	1.63	22.8	7.74	11,400	--	--
12/20/99	6.53	-0.07	6.60	--	--	2,820 <sup>2</sup>	2,280	115	<10	87.2	27.2	14,000	--	--
03/20/00	6.53	1.74	4.79	--	--	1,220 <sup>2</sup>	1,040	54.3	<5.0	33.8	12.1	10,900 <sup>2</sup>	--	--
06/24/00	6.53	1.28	5.25	0.00	0.00	1,300 <sup>9</sup>	690 <sup>7</sup>	50	2.5	18	9.5	15,000 <sup>8</sup>	--	--
09/07/00	6.53	1.09	5.44	0.00	0.00	770 <sup>9</sup>	310 <sup>7</sup>	6.7	1.4	1.6	3.8	16,000	--	--
12/05/00	6.53	1.16	5.37	0.00	0.00	810 <sup>13</sup>	414 <sup>14</sup>	32.4	<0.500	7.49	5.96	8,910 <sup>8</sup>	--	--
03/01/01	6.53	2.03	4.50	0.00	0.00	590 <sup>9</sup>	370 <sup>7</sup>	30	4.0	12	9.2	8,200	--	--
06/04/01	6.53	1.36	5.17	0.00	0.00	930 <sup>9</sup>	<500	19	<5.0	<5.0	<5.0	7,800	--	--
09/10/01	6.53	0.79	5.74	0.00	0.00	2,400	<5,000	<50	<50	<50	<50	9,700	--	--
12/03/01	6.53	1.46	5.07	0.00	0.00	2,500	480	4.5	<1.0	1.1	<3.0	10,000	--	--
03/04/02	6.53	1.52	5.01	0.00	0.00	2,300	630	5.4	1.5	2.9	2.3	7,000	--	--
05/30/02	6.53	1.66	4.87	0.00	0.00	2,100	520	6.1	<1.0	2.6	5.4	7,100	--	--
09/03/02	6.53	1.03	5.50	0.00	0.00	2,600	590	7.8	0.98	2.9	7.8	7,800	--	--
12/09/02	6.53	1.06	5.47	0.00	0.00	1,900	670	7.9	0.88	2.1	5.0	8,300	--	--
03/10/03	6.53	1.52	5.01	0.00	0.00	1,700	640	8.0	0.76	2.6	4.1	7,500	--	--
06/09/03 <sup>18</sup>	6.53	1.77	4.76	0.00	0.00	1,900	540	3	<3	<3	<3	6,800	--	--
09/08/03 <sup>18</sup>	6.53	1.16	5.37	0.00	0.00	2,000	540	3	0.7	0.7	3	7,000	<50	--
12/08/03 <sup>18</sup>	6.53	1.34	5.19	0.00	0.00	3,100	480	<5	<5	<5	<5	6,500	<500	--
03/09/04 <sup>18</sup>	6.53	1.81	4.72	0.00	0.00	1,200	1,300	44	2	15	10	2,900	<130	--
06/17/04 <sup>18</sup>	6.53	-0.07	6.60	0.00	0.00	2,300	920	23	2	6	12	1,700	<100	--
09/15/04 <sup>18</sup>	6.53	-2.34	8.87	0.00	0.00	1,900	880	6	2	<1	7	2,100	<100	--
12/23/04 <sup>18</sup>	6.53	0.68	5.85	0.00	0.00	2,200	430	6	<3	<3	<3	5,100	<250	--
03/24/05 <sup>18</sup>	6.53	1.78	4.75	0.00	0.00	810	390	<5	<5	<5	<5	5,200	<500	--
06/16/05 <sup>18</sup>	6.53	1.30	5.23	0.00	0.00	3,000	380	<5	<5	<5	<5	5,500	<500	--
09/16/05 <sup>18</sup>	6.53	0.45	6.08	0.00	0.00	2,600	380	<5	<5	<5	<5	5,900	<500	--
12/21/05 <sup>18</sup>	6.53	1.55	4.98	0.00	0.00	4,000 <sup>23</sup>	450	1	0.6	<0.5	2	4,800	<50	--
03/23/06 <sup>18</sup>	6.53	1.97	4.56	0.00	0.00	2,600	330	1	0.8	<0.5	2	4,500	<50	--
06/09/06 <sup>18</sup>	6.53	1.37	5.16	0.00	0.00	2,800	500	<1	<1	<1	<1	4,500	<100	--
09/05/06 <sup>18</sup>	6.53	0.72	5.81	0.00	0.00	3,000	510	<5	<5	<5	<5	3,600	<500	--
12/15/06 <sup>18</sup>	6.53	1.48	5.05	0.00	0.00	2,800	600	4	<1	<1	1	4,000	<100	--
03/01/07 <sup>18</sup>	6.53	1.50	5.03	0.00	0.00	1,800	230	<3	<3	<3	<3	3,700	<250	--
06/05/07 <sup>18</sup>	6.53	1.72	4.81	0.00	0.00	1,700	480	0.9	0.6	<0.5	2	3,500	<50	--
09/05/07 <sup>18</sup>	6.53	1.28	5.25	0.00	0.00	2,400	430	1	1	<0.5	2	1,700	<50	--
<b>12/05/07<sup>18</sup></b>	<b>6.53</b>	<b>1.25</b>	<b>5.28</b>	<b>0.00</b>	<b>0.00</b>	<b>2,000</b>	<b>530</b>	<b>2</b>	<b>&lt;1</b>	<b>&lt;1</b>	<b>2</b>	<b>3,400</b>	<b>&lt;100</b>	<b>--</b>



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
				SPHT (ft.)	REMOVED (gallons)									
<b>MW-3A</b>														
04/19/99	8.70	1.00	7.70	--	--	93 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--
06/14/99	8.70	0.50	8.20	--	--	160 <sup>2</sup>	148	4.55	0.82	0.53	1.1	3.7	--	--
09/17/99	8.70	-0.02	8.72	--	--	101 <sup>2</sup>	169	6.02	0.806	0.515	0.786	4.68	--	--
12/20/99	8.70	-0.22	8.92	--	--	153 <sup>2</sup>	<50	1.82	<0.5	<0.5	<0.5	11	--	--
03/20/00	8.70	1.06	7.64	--	--	223 <sup>2</sup>	140	5.08	0.695	<0.5	<0.5	10.1	--	--
06/24/00	8.70	0.32	8.38	0.00	0.00	128 <sup>9</sup>	<50	0.74	<0.50	<0.50	<0.50	34	--	--
09/07/00	8.70	-0.09	8.79	0.00	0.00	<50	<50	1.4	<0.50	<0.50	<0.50	15	--	--
12/05/00	8.70	0.02	8.68	0.00	0.00	<50	<50.0	1.39	<0.500	<0.500	<0.500	12.9	--	--
03/01/01	8.70	0.88	7.82	0.00	0.00	66 <sup>11</sup>	<50	1.0	<0.50	<0.50	<0.50	19	--	--
06/04/01	8.70	0.25	8.45	0.00	0.00	69 <sup>9</sup>	<50	2.0	<0.50	<0.50	<0.50	37	--	--
09/10/01	8.70	-0.40	9.10	0.00	0.00	<50	<50	3.9	<0.50	<0.50	<0.50	19	--	--
12/03/01	8.70	0.62	8.08	0.00	0.00	56	<50	<0.50	<0.50	<0.50	<1.5	19	--	--
03/04/02	8.70	-0.24	8.94	0.00	0.00	85	<50	<0.50	<0.50	<0.50	<1.5	26	--	--
05/30/02	8.70	-0.08	8.78	0.00	0.00	210	<50	<0.50	<0.50	<0.50	<1.5	22	--	--
09/03/02	8.70	-0.28	8.98	0.00	0.00	89	<50	<0.50	<0.50	<0.50	<1.5	24	--	--
12/09/02	8.70	-0.20	8.90	0.00	0.00	110	<50	<0.50	<0.50	<0.50	<1.5	22	--	--
03/10/03	8.70	0.58	8.12	0.00	0.00	66	<50	<0.50	<0.50	<0.50	<1.5	40	--	--
06/09/03 <sup>18</sup>	8.70	0.47	8.23	0.00	0.00	82	<50	<0.5	0.5	<0.5	<0.5	35	--	--
09/08/03 <sup>18</sup>	8.70	-0.06	8.76	0.00	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	27	<50	--
12/08/03 <sup>18</sup>	8.70	0.20	8.50	0.00	0.00	74 <sup>19</sup>	<50	<0.5	<0.5	<0.5	<0.5	23	<50	--
03/09/04 <sup>18</sup>	8.70	0.99	7.71	0.00	0.00	410	53	1	<0.5	<0.5	<0.5	28	<50	--
06/17/04 <sup>18</sup>	8.70	0.18	8.52	0.00	0.00	430	180	1	<0.5	<0.5	<0.5	3	<50	--
09/15/04 <sup>18</sup>	8.70	-0.42	9.12	0.00	0.00	280	92	<0.5	<0.5	<0.5	<0.5	63	<50	--
12/23/04 <sup>18</sup>	8.70	-0.06	8.76	0.00	0.00	330	76	<0.5	<0.5	<0.5	<0.5	5	<50	--
03/24/05 <sup>18</sup>	8.70	2.42	6.28	0.00	0.00	210	<50	<0.5	<0.5	<0.5	<0.5	0.6	360	--
06/16/05 <sup>18</sup>	8.70	0.52	8.18	0.00	0.00	590	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--
09/16/05 <sup>18</sup>	8.70	-0.08	8.78	0.00	0.00	160 <sup>21</sup>	<50	<0.5	<0.5	<0.5	<0.5	5	<50	--
12/21/05 <sup>18</sup>	8.70	0.40	8.30	0.00	0.00	220 <sup>23</sup>	<50	<0.5	<0.5	<0.5	<0.5	10	<50	--
03/23/06 <sup>18</sup>	8.70	1.60	7.10	0.00	0.00	150	<50	<0.5	<0.5	<0.5	<0.5	0.5	<50	--
06/09/06 <sup>18</sup>	8.70	0.40	8.30	0.00	0.00	390	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--
09/05/06 <sup>18</sup>	8.70	-0.30	9.00	0.00	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	5	<50	--
12/15/06 <sup>18</sup>	8.70	0.17	8.53	0.00	0.00	250	<50	<0.5	0.8	<0.5	2	9	<50	--
03/01/07 <sup>18</sup>	8.70	0.63	8.07	0.00	0.00	140	<50	2	4	1	5	10	<50	--
06/05/07 <sup>18</sup>	8.70	0.26	8.44	0.00	0.00	2,900	<50	<0.5	<0.5	<0.5	<0.5	7	<50	--
09/05/07 <sup>18</sup>	8.70	-0.35	9.05	0.00	0.00	520	<50	<0.5	<0.5	<0.5	<0.5	8	<50	--
<b>12/05/07<sup>18</sup></b>	<b>8.70</b>	<b>-0.01</b>	<b>8.71</b>	<b>0.00</b>	<b>0.00</b>	<b>110</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>30</b>	<b>&lt;50</b>	<b>--</b>

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)											
<b>MW-4A</b>																
04/19/99	7.69	2.78	4.91	--	--	370 <sup>2</sup>	<500	<5.0	<5.0	<5.0	<5.0	<5.0	1,600	--	--	
06/14/99	7.69	2.44	5.25	--	--	2,500 <sup>2</sup>	5,360	312	<20	44	<20	<20	2,880	--	--	
09/17/99	7.69	0.32	7.37	--	--	1,430 <sup>2</sup>	1,290	38.6	<5.0	7.01	<5.0	<5.0	1,780	--	--	
12/20/99	7.69	1.39	6.30	--	--	7,480 <sup>2</sup>	852	43.5	4.63	9.18	4.36	4.36	1,070	--	--	
03/20/99	7.69	2.07	5.62	--	--	1,280 <sup>2</sup>	1,370	129	8.6	18.3	7.3	7.3	2,110	--	--	
06/24/00	7.69	1.57	6.12	0.00	0.00	1,190 <sup>9</sup>	190 <sup>7</sup>	1.4	1.7	1.7	3.3	3.3	3,900 <sup>7</sup>	--	--	
09/07/00	7.69	1.43	6.26	0.00	0.00	740 <sup>9</sup>	490 <sup>7</sup>	15	1.9	1.1	3.9	3.9	3,300	--	--	
12/05/00	7.69	1.70	5.99	0.00	0.00	560 <sup>12</sup>	<500	<5.00	<5.00	<5.00	<5.00	<5.00	3,380 <sup>8</sup>	--	--	
03/01/01	7.69	2.01	5.68	0.00	0.00	600 <sup>9</sup>	<1,000	10	<10	<10	<10	<10	4,600	--	--	
06/04/01	7.69	1.09	6.60	0.00	0.00	770 <sup>9</sup>	390 <sup>15</sup>	8.4	3.8	<2.5	3.0	3.0	3,800	--	--	
09/10/01	7.69	1.12	6.57	0.00	0.00	810	<500	13	<5.0	22	<5.0	<5.0	4,900	--	--	
12/03/01	7.69	1.74	5.95	0.00	0.00	2,100	<250	1.5	<1.0	<1.0	<3.0	<3.0	3,800	--	--	
03/04/02	7.69	-1.19	8.88	0.00	0.00	2,400	2,500	49	6.8	21	9.5	9.5	2,600	--	--	
05/30/02	7.69	1.49	6.20	0.00	0.00	2,600	430	4.6	<1.0	2.0	<3.0	<3.0	3,700	--	--	
09/03/02	7.69	1.20	6.49	0.00	0.00	3,200	<500	4.5	<2.0	3.5	7.5	7.5	3,800	--	--	
12/09/02	7.69	1.43	6.26	0.00	0.00	1,600	440	1.1	<0.50	0.71	<5.0	<5.0	4,000	--	--	
03/10/03	7.69	1.86	5.83	0.00	0.00	1,700	710	14	2.2	4.2	<10	<10	4,100	--	--	
06/09/03 <sup>18</sup>	7.69	1.25	6.44	0.00	0.00	3,200	400	3	<1	2	<1	<1	4,100	--	--	
09/08/03 <sup>18</sup>	7.69	1.83	5.86	0.00	0.00	3,900	1,300	28	4	4	<3	<3	2,900	<250	--	
12/08/03 <sup>18</sup>	7.69	1.57	6.12	0.00	0.00	2,500	360	3	<3	<3	<3	<3	3,200	<250	--	
03/09/04 <sup>18</sup>	7.69	2.32	5.37	0.00	0.00	4,300	1,400	28	5	10	3	3	3,200	<250	--	
06/17/04 <sup>18</sup>	7.69	1.64	6.05	0.00	0.00	7,900	6,000	140	20	52	16	16	1,500	<50	--	
09/15/04 <sup>18</sup>	7.69	0.29	7.40	0.00	0.00	4,200	3,300	14	5	4	6	6	2,400	<100	--	
12/23/04 <sup>18</sup>	7.69	1.43	6.26	0.00	0.00	2,800	1,500	7	3	4	4	4	3,000	<100	--	
03/24/05 <sup>18</sup>	7.69	2.68	5.01	0.00	0.00	900	2,700	28	7	9	4	4	2,300	<250	--	
06/16/05 <sup>18</sup>	7.69	1.66	6.03	0.00	0.00	3,600	1,000	3	5	3	6	6	3,200	<250	--	
09/16/05 <sup>18</sup>	7.69	1.07	6.62	0.00	0.00	2,400	380	<5	<5	<5	<5	<5	3,700	<500	--	
12/21/05 <sup>18</sup>	7.69	1.83	5.86	0.00	0.00	2,900 <sup>23</sup>	580	2	0.7	1	2	2	3,000	<50	--	
03/23/06 <sup>18</sup>	7.69	2.55	5.14	0.00	0.00	1,900	1,400	16	5	9	<3	<3	2,800	<250	--	
06/09/06 <sup>18</sup>	7.69	1.76	5.93	0.00	0.00	3,900	1,200	4	2	3	3	3	3,000	<50	--	
09/05/06 <sup>18</sup>	7.69	1.07	6.62	0.00	0.00	3,800	650	<5	<5	<5	<5	<5	1,600	<500	--	
12/15/06 <sup>18</sup>	7.69	1.69	6.00	0.00	0.00	3,500	1,000	2	1	0.8	3	3	520	<50	--	
03/01/07 <sup>18</sup>	7.69	1.86	5.83	0.00	0.00	1,600	1,200	11	5	6	5	5	1,100	<50	--	
06/05/07 <sup>18</sup>	7.69	2.33	5.36	0.00	0.00	3,000	3,300	34	9	7	8	8	330	<100	--	
09/05/07 <sup>18</sup>	7.69	1.97	5.72	0.00	0.00	3,800	1,700	11	4	2	4	4	130	<50	--	
<b>12/05/07<sup>18</sup></b>	<b>7.69</b>	<b>1.57</b>	<b>6.12</b>	<b>0.00</b>	<b>0.00</b>	<b>2,100</b>	<b>1,300</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>82</b>	<b>&lt;50</b>	<b>--</b>	

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (pph)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
<b>MW-5</b>															
06/23/92	14.14	1.90	12.24	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
08/24/92	14.14	1.85	12.29	--	--	--	--	--	--	--	--	--	--	--	--
09/21/92	14.14	1.68	12.46	--	--	60	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
10/26/92	14.14	1.62	12.52	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	14.14	3.02	11.12	--	--	--	--	--	--	--	--	--	--	--	--
01/08/93	14.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	14.14	4.40	9.74	--	--	<10	<50	<0.5	<0.5	<0.5	0.9	--	--	--	--
06/11/93	14.14	3.70	10.44	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	770
09/29/93	14.14	2.22	11.92	--	--	<10	<50	<0.5	0.6	<0.5	0.6	--	--	--	--
12/20/93	14.14	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/07/94	14.14	2.80	11.34	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
06/17/94	14.14	2.87	11.27	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/12/94	14.14	1.28	12.86	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--
11/30/94	14.14	2.23	11.91	--	--	99 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
03/24/95	14.14	4.38	9.76	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
06/27/95	14.14	2.74	11.40	--	--	55 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/28/95	14.14	2.24	11.90	--	--	300 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--
12/19/95	14.14	1.56	12.58	--	--	53 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
02/28/96	14.14	2.44	11.70	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
06/25/96	14.14	2.71	11.43	--	--	120 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	36	--	--	--
12/17/96	14.14	2.74	11.40	--	--	89 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
03/31/97	14.14	2.04	12.10	--	--	150 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
06/30/97	14.14	1.36	12.78	--	--	SAMPLED SEMI-ANNUALLY		--	--	--	--	--	--	--	--
09/12/97	14.14	0.46	13.68	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/05/97	14.14	1.11	13.03	--	--	--	--	--	--	--	--	--	--	--	--
02/16/98	14.14	4.17	9.97	--	--	62 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
06/17/98	14.14	2.29	11.85	--	--	--	--	--	--	--	--	--	--	--	--
08/31/98	14.14	1.32	12.82	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/28/98	14.14	0.71	13.43	--	--	--	--	--	--	--	--	--	--	--	--
03/04/99	14.14	0.39	13.75	--	--	70.5	<50	<0.5	<0.5	<0.5	<0.5	3.34	--	--	--
06/14/99	14.14	0.04	14.10	--	--	--	--	--	--	--	--	--	--	--	--
09/17/99	14.14	-0.04	14.18	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
12/20/99	14.14	0.44	13.70	--	--	--	--	--	--	--	--	--	--	--	--
03/20/00	14.14	1.50	12.64	--	--	115 <sup>3</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--
06/24/00	14.14	1.10	13.04	0.00	0.00	--	--	--	--	--	--	--	--	--	--
09/07/00	14.14	0.97	13.17	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	5.0	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH							MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)			
<b>MW-5 (cont)</b>														
12/05/00	14.14	2.86	11.28	0.00	0.00	--	--	--	--	--	--	--	--	--
03/01/01	14.14	3.84	10.30	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
06/04/01	14.14	2.83	11.31	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/10/01	14.14	1.98	12.16	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/03/01	14.14	5.52	8.62	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/04/02	14.14	4.29	9.85	0.00	0.00	78	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	14.14	3.31	10.83	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/03/02	14.14	INACCESSIBLE - CAR PARKED OVER WELL							--	--	--	--	--	--
12/09/02	14.14	2.78	11.36	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/10/03	14.14	2.95	11.19	0.00	0.00	100	<50	<0.50	<0.50	<0.50	<1.5	8.2	--	--
06/09/03	14.14	1.57	12.57	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/08/03 <sup>18</sup>	14.14	2.13	12.01	0.00	0.00	65	<50	<0.5	<0.5	<0.5	<0.5	8	<50	--
12/08/03	14.14	3.01	11.13	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/09/04 <sup>18</sup>	14.14	3.56	10.58	0.00	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--
06/17/04	14.14	2.04	12.10	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/15/04 <sup>18</sup>	14.14	1.56	12.58	0.00	0.00	92	<50	<0.5	<0.5	<0.5	<0.5	7	<50	--
12/23/04	14.14	1.94	12.20	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/24/05 <sup>18</sup>	14.14	6.44	7.70	0.00	0.00	85	<50	<0.5	<0.5	<0.5	3	6	<50	--
06/16/05	14.14	2.59	11.55	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/16/05 <sup>18</sup>	14.14	2.36	11.78	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	6	<50	--
12/21/05	14.14	4.44	9.70	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/23/06 <sup>18</sup>	14.14	4.94	9.20	0.00	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--
06/09/06	14.14	3.47	10.67	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/05/06 <sup>18</sup>	14.14	2.34	11.80	0.00	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--
12/15/06	14.14	2.64	11.50	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/01/07 <sup>18</sup>	14.14	4.92	9.22	0.00	0.00	150	<50	1	3	0.7	3	2	<50	--
06/05/07	14.14	3.12	11.02	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/05/07 <sup>18</sup>	14.14	1.64	12.50	0.00	0.00	68	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
<b>12/05/07</b>	<b>14.14</b>	<b>3.49</b>	<b>10.65</b>	<b>0.00</b>	<b>0.00</b>	<b>SAMPLED SEMI-ANNUALLY</b>			<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>
<b>MW-6</b>														
06/23/92	4.46	-0.68	5.14	--	--	120	<50	4.3	<0.5	0.8	0.9	--	--	--
08/24/92	4.46	-0.49	4.95	--	--	--	--	--	--	--	--	--	--	--
09/21/92	4.46	-0.44	4.90	--	--	<50	<250	<2.5	<2.5	<2.5	<2.5	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
<b>MW-6 (cont)</b>														
10/26/92	4.46	-1.06	5.52	--	--	--	--	--	--	--	--	--	--	--
12/23/92	4.46	-0.94	5.40	--	--	81	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/08/93	4.46	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	4.46	-1.64	6.10	--	--	<10	<50	<0.5	<0.5	<0.5	0.7	--	--	--
06/11/93	4.46	-2.10	6.56	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	15,000
09/29/93	4.46	-0.71	5.17	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/20/93	4.46	-1.47	5.93	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/07/94	4.46	-0.81	5.27	--	--	<10	54	<0.5	<0.5	<0.5	0.6	--	--	--
06/17/94	4.46	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/94	4.46	-0.64	5.10	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<50	--	--
11/30/94	4.46	-1.12	5.58	--	--	800 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/24/95	4.46	-1.87	6.33	--	--	490 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/95	4.46	-3.74	8.20	--	--	300 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/95	4.46	-0.19	4.65	--	--	1,200 <sup>2</sup>	120	1.1	<0.5	<0.5	<0.5	--	--	--
12/19/95	4.46	-1.58	6.04	--	--	820 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/28/96	4.46	-1.54	6.00	--	--	270 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/25/96	4.46	-1.71	6.17	--	--	750 <sup>2</sup>	97	<0.5	<0.5	<0.5	0.71	<2.5	--	--
12/17/96	4.46	-1.67	6.13	--	--	540 <sup>2</sup>	65	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/97	4.46	-2.23	6.69	--	--	780 <sup>2</sup>	65	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/97	4.46	-2.62	7.08	--	--	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/12/97	4.46	-0.95	5.41	--	--	270 <sup>2</sup>	65	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	4.46	-1.96	6.42	--	--	--	--	--	--	--	--	--	--	--
02/16/98	4.46	-0.30	4.76	--	--	330 <sup>2</sup>	140	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/17/98	4.46	-1.54	6.00	--	--	--	--	--	--	--	--	--	--	--
08/31/98	4.46	-0.64	5.10	--	--	270 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/28/98	4.46	-2.04	6.50	--	--	--	--	--	--	--	--	--	--	--
03/04/99	4.46	-1.35	5.81	--	--	638 <sup>1</sup>	95.5	<0.5	<0.5	<0.5	<0.5	<2.0	--	--
06/14/99	4.46	-0.97	5.43	--	--	--	--	--	--	--	--	--	--	--
09/17/99	4.46	-1.74	6.20	--	--	258 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	4.46	-2.31	6.77	--	--	--	--	--	--	--	--	--	--	--
03/20/00	4.46	-2.12	6.58	--	--	257 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/24/00	4.46	-2.52	6.98	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/07/00	4.46	-0.46	4.92	0.00	0.00	98 <sup>11</sup>	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/05/00	4.46	-0.64	5.10	0.00	0.00	--	--	--	--	--	--	--	--	--
03/01/01	4.46	-0.43	4.89	0.00	0.00	190 <sup>9</sup>	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
06/04/01	4.46	-0.75	5.21	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH				T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)						
<b>MW-6 (cont)</b>														
09/10/01	4.46	-0.65	5.11	0.00	0.00	140 <sup>17</sup>	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/03/01	4.46	-0.57	5.03	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/04/02	4.46	INACCESSIBLE - CAR PARKED OVER WELL				--	--	--	--	--	--	--	--	--
05/30/02	4.46	-1.65	6.11	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/03/02	4.46	-0.82	5.28	0.00	0.00	340	<500	<2.0	<2.0	<2.0	<6.0	<3.0	--	--
12/09/02	4.46	-0.66	5.12	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/10/03	4.46	-1.80	6.26	0.00	0.00	420	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/09/03	4.46	-1.45	5.91	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/08/03 <sup>18</sup>	4.46	-0.19	4.65	0.00	0.00	230	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
12/08/03	4.46	-0.78	5.24	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/09/04 <sup>18</sup>	4.46	-1.39	5.85	0.00	0.00	1,500	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
06/17/04	4.46	-1.62	6.08	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/15/04 <sup>18</sup>	4.46	-2.28	6.74	0.00	0.00	1,200	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
12/23/04	4.46	-1.30	5.76	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/24/05 <sup>18</sup>	4.46	-0.19	4.65	0.00	0.00	290	60	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
06/16/05	4.46	-1.04	5.50	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/16/05 <sup>18</sup>	4.46	-0.63	5.09	0.00	0.00	640	<50	<3	<3	<3	<3	<3	<250	--
12/21/05	4.46	-0.54	5.00	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/23/06 <sup>18</sup>	4.46	-0.17	4.63	0.00	0.00	1,500	50	<3	<3	<3	<3	<3	<250	--
06/09/06	4.46	-0.49	4.95	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/05/06 <sup>18</sup>	4.46	-0.39	4.85	0.00	0.00	820	<250	<3	<3	<3	<3	<3	<250	--
12/15/06	4.46	-0.94	5.40	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
03/01/07 <sup>18</sup>	4.46	-0.96	5.42	0.00	0.00	1,600	<250	0.9	3	0.7	4	<0.5	<50	--
06/05/07	4.46	-1.41	5.87	0.00	0.00	SAMPLED SEMI-ANNUALLY			--	--	--	--	--	--
09/05/07 <sup>18</sup>	4.46	-0.29	4.75	0.00	0.00	850	58	<5	<5	<5	<5	<5	<500	--
<b>12/05/07</b>	<b>4.46</b>	<b>-1.12</b>	<b>5.58</b>	<b>0.00</b>	<b>0.00</b>	<b>SAMPLED SEMI-ANNUALLY</b>			<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>
<b>MW-7</b>														
08/24/92	5.26	-0.29	5.55	--	--	--	--	--	--	--	--	--	--	--
09/21/92	5.26	-0.39	5.65	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/26/92	5.26	-0.25	5.51	--	--	--	--	--	--	--	--	--	--	--
12/23/92	5.26	1.31	3.95	--	--	60	<50	2.9	<0.5	<0.5	<0.5	--	--	--
01/08/93	5.26	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	5.26	2.76	2.50	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/11/93	5.26	1.80	3.46	--	--	--	<50	0.6	<0.5	<0.5	<0.5	--	--	2,200

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH				B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)								
<b>MW-7 (cont)</b>															
09/29/93	5.26	-0.26	5.52	--	--	<10	<50	2.0	1.0	1.0	7.0	--	--	--	
12/20/93	5.26	0.85	4.41	--	--	<10	<50	2.0	<0.5	<0.5	<0.5	--	--	--	
03/07/94	5.26	2.64	2.62	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
06/17/94	5.26	1.99	3.27	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
09/12/94	5.26	1.15	4.11	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	
11/30/94	5.26	2.50	2.76	--	--	92 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
03/24/95	5.26	3.06	2.20	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
06/27/95	5.26	1.36	3.90	--	--	69 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
09/28/95	5.26	0.41	4.85	--	--	84 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
12/19/95	5.26	2.24	3.02	--	--	84 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
02/28/96	5.26	3.83	1.43	--	--	99 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
06/25/96	5.26	0.97	4.29	--	--	110 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/17/96	5.26	3.08	2.18	--	--	54 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
03/31/97	5.26	2.32	2.94	--	--	100 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
06/30/97	5.26	1.68	3.58	--	--	SAMPLED ANNUALLY		--	--	--	--	--	--	--	
09/12/97	5.26	1.85	3.41	--	--	--	--	--	--	--	--	--	--	--	
12/05/97	5.26	3.37	1.89	--	--	--	--	--	--	--	--	--	--	--	
02/16/98	5.26	3.43	1.83	--	--	77 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
06/17/98	5.26	3.32	1.94	--	--	--	--	--	--	--	--	--	--	--	
08/31/98	5.26	1.07	4.19	--	--	--	--	--	--	--	--	--	--	--	
12/28/98	5.26	0.79	4.47	--	--	--	--	--	--	--	--	--	--	--	
03/04/99	5.26	3.51	1.75	--	--	73.4	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	
06/14/99	5.26	3.64	1.62	--	--	--	--	--	--	--	--	--	--	--	
09/17/99	5.26	0.42	4.84	--	--	--	--	--	--	--	--	--	--	--	
12/20/99	5.26	0.45	4.81	--	--	--	--	--	--	--	--	--	--	--	
03/20/00	5.26	3.41	1.85	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
06/24/00	5.26	3.05	2.21	0.00	0.00	--	--	--	--	--	--	--	--	--	
09/07/00	5.26	1.61	3.65	0.00	0.00	--	--	--	--	--	--	--	--	--	
12/05/00	5.26	2.31	2.95	0.00	0.00	--	--	--	--	--	--	--	--	--	
03/01/01	5.26	4.61	0.65	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	
06/04/01	5.26	3.74	1.52	0.00	0.00	--	--	--	--	--	--	--	--	--	
09/10/01	5.26	1.08	4.18	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	
12/03/01	5.26	4.20	1.06	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	
03/04/02	5.26	3.76	1.50	0.00	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	
05/30/02	5.26	2.51	2.75	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	
09/03/02	5.26	2.24	3.02	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
<b>MW-7 (cont)</b>														
12/09/02	5.26	2.41	2.85	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/10/03	5.26	3.32	1.94	0.00	0.00	85	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/09/03	5.26	2.72	2.54	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/08/03	5.26	2.66	2.60	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/08/03	5.26	2.81	2.45	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/09/04 <sup>18</sup>	5.26	4.53	0.73	0.00	0.00	230	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--
06/17/04	5.26	INACCESSIBLE - DUE TO ROAD WORK			--	--	--	--	--	--	--	--	--	--
09/15/04	5.26	INACCESSIBLE - DUE TO ROAD WORK			--	--	--	--	--	--	--	--	--	--
12/23/04	5.26	UNABLE TO LOCATE			--	--	--	--	--	--	--	--	--	--
03/24/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
06/16/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
09/16/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
12/21/05	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
03/23/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
06/09/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
09/05/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
12/15/06	5.26	UNABLE TO LOCATE - PAVED OVER			--	--	--	--	--	--	--	--	--	--
<b>DESTROYED</b>														
<b>MW-8</b>														
06/23/92	8.94	-15.20	24.14	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
08/24/92	8.94	0.34	8.60	--	--	--	--	--	--	--	--	--	--	--
09/21/92	8.94	0.55	8.39	--	--	<50	94	<0.5	<0.5	<0.5	<0.5	--	--	--
10/26/92	8.94	-0.18	9.12	--	--	--	--	--	--	--	--	--	--	--
12/23/92	8.94	0.83	8.11	--	--	79	<50	0.7	5.0	0.7	2.9	--	--	--
01/08/93	8.94	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	8.94	--	--	--	--	--	--	--	--	--	--	--	--	--
06/11/93	8.94	0.55	8.39	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	3,500
09/29/93	8.94	0.69	8.25	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/20/93	8.94	0.48	8.46	--	--	<10	<50	<0.5	0.6	<0.5	1.0	--	--	--
03/07/94	8.94	0.28	8.66	--	--	<10	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/17/94	8.94	0.12	8.82	--	--	<50	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/12/94	8.94	0.11	8.83	--	--	<50	<50	<0.5	<0.5	<0.5	0.8	<5.0	--	--
11/30/94	8.94	0.31	8.63	--	--	120 <sup>1</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/24/95	8.94	0.43	8.51	--	--	110 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
<b>MW-8 (cont)</b>															
06/27/95	8.94	-0.03	8.97	--	--		67 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/95	8.94	0.04	8.90	--	--		91 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/19/95	8.94	0.54	8.40	--	--		76 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/28/96	8.94	0.50	8.44	--	--		<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/25/96	8.94	0.05	8.89	--	--		80 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/17/96	8.94	0.49	8.45	--	--		79 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/97	8.94	0.18	8.76	--	--		72 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	3.6	--	--
06/30/97	8.94	-0.18	9.12	--	--	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/12/97	8.94	0.13	8.81	--	--		--	--	--	--	--	--	--	--	--
12/05/97	8.94	0.59	8.35	--	--		--	--	--	--	--	--	--	--	--
02/16/98	8.94	1.00	7.94	--	--		68 <sup>2</sup>	<50	<0.5	<0.5	<0.5	<0.5	4.3	--	--
06/17/98	8.94	0.51	8.43	--	--		--	--	--	--	--	--	--	--	--
08/31/98	8.94	0.06	8.88	--	--		--	--	--	--	--	--	--	--	--
12/28/98	8.94	0.64	8.30	--	--		--	--	--	--	--	--	--	--	--
03/04/99	8.94	0.29	8.65	--	--		106	<50	<0.5	<0.5	<0.5	<0.5	3.83	--	--
06/14/99	8.94	0.52	8.42	--	--		--	--	--	--	--	--	--	--	--
09/17/99	8.94	-0.93	9.87	--	--		--	--	--	--	--	--	--	--	--
12/20/99	8.94	0.54	8.40	--	--		--	--	--	--	--	--	--	--	--
03/20/00	8.94	0.82	8.12	--	--		82.2 <sup>6</sup>	<50	<0.5	<0.5	<0.5	<0.5	3.46	--	--
06/24/00	8.94	0.31	8.63	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/07/00	8.94	0.26	8.68	0.00	0.00		--	--	--	--	--	--	--	--	--
12/05/00	8.94	0.81	8.13	0.00	0.00		--	--	--	--	--	--	--	--	--
03/01/01	8.94	1.04	7.90	0.00	0.00		51 <sup>11</sup>	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
06/04/01	8.94	-0.27	9.21	0.00	0.00		--	--	--	--	--	--	--	--	--
09/10/01	8.94	0.26	8.68	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/03/01	8.94	1.12	7.82	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/04/02	8.94	1.26	7.68	0.00	0.00		82	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	8.94	INACCESSIBLE - CAR PARKED OVER WELL						--	--	--	--	--	--	--	--
09/03/02	8.94	-0.21	9.15	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/09/02	8.94	0.21	8.73	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/10/03	8.94	0.55	8.39	0.00	0.00		110	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/09/03	8.94	-0.03	8.97	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
09/08/03	8.94	0.52	8.42	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
12/08/03	8.94	0.77	8.17	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/09/04 <sup>18</sup>	8.94	1.03	7.91	0.00	0.00		300	<50	<0.5	<0.5	<0.5	<0.5	3	<50	--
06/17/04	8.94	0.01	8.93	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
<b>MW-8 (cont)</b>														
09/15/04	8.94	-0.97	9.91	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/23/04	8.94	3.20	5.74	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/24/05 <sup>18</sup>	8.94	0.50	8.44	0.00	0.00	240	<50	<0.5	<0.5	<0.5	<0.5	1	<50	--
06/16/05	8.94	0.16	8.78	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/16/05	8.94	0.26	8.68	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/21/05	8.94	0.73	8.21	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/23/06 <sup>18</sup>	8.94	1.03	7.91	0.00	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	0.8	<50	--
06/09/06	8.94	0.03	8.91	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/05/06	8.94	0.39	8.55	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
12/15/06	8.94	0.68	8.26	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
03/01/07 <sup>18</sup>	8.94	0.86	8.08	0.00	0.00	150	63	2	5	1	7	1	<50	--
06/05/07	8.94	0.59	8.35	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
09/05/07	8.94	1.73	7.21	0.00	0.00	SAMPLED ANNUALLY		--	--	--	--	--	--	--
<b>12/05/07</b>	<b>8.94</b>	<b>1.77</b>	<b>7.17</b>	<b>0.00</b>	<b>0.00</b>	<b>SAMPLED ANNUALLY</b>		--	--	--	--	--	--	--
<b>MW-9</b>														
04/19/99	5.87	2.71	3.16	--	--	2,600 <sup>2</sup>	3,900 <sup>6</sup>	14	6.9	14	24	140	--	--
06/14/99	5.87	1.06	4.81	--	--	2,800 <sup>2</sup>	2,880	12.6	<10	<10	<10	138	--	--
09/17/99	5.87	1.02	4.85	--	--	1,770 <sup>2</sup>	3,370	33.1	14.4	<5.0	<5.0	202	--	--
12/20/99	5.87	1.87	4.00	--	--	996 <sup>2</sup>	3,970	42.2	13.5	<10	<10	311	--	--
03/20/00	5.87	2.87	3.00	--	--	2,710 <sup>2</sup>	5,920	22.1	<5.0	6.8	<5.0	106.0	--	--
06/24/00	5.87	1.96	3.91	0.00	0.00	1,940 <sup>9</sup>	2,500 <sup>7</sup>	12	<10	11	<10	120	--	--
09/07/00	5.87	1.59	4.28	0.00	0.00	1,500 <sup>9</sup>	3,700 <sup>7</sup>	<25	<25	<25	<25	330	--	--
12/05/00	5.87	2.07	3.80	0.00	0.00	1,300 <sup>12</sup>	3,470 <sup>2</sup>	<5.00	7.64	<5.00	<5.00	177	--	--
03/01/01	5.87	3.19	2.68	0.00	0.00	960 <sup>9</sup>	2,400 <sup>7</sup>	11	18.0	<10	<10	250	--	--
06/04/01	5.87	1.96	3.91	0.00	0.00	1,200 <sup>9</sup>	3,200 <sup>7</sup>	45	17	6.1	8.9	300	--	--
09/10/01	5.87	1.18	4.69	0.00	0.00	2,000 <sup>17</sup>	2,300	5.7	7.3	10	<5.0	200	--	--
12/03/01	5.87	2.88	2.99	0.00	0.00	2,600	3,600	14	5.4	8.2	8.5	210	--	--
03/04/02	5.87	2.32	3.55	0.00	0.00	3,700	4,400	17	<5.0	9.2	6.4	79	--	--
05/30/02	5.87	2.22	3.65	0.00	0.00	4,600	4,300	15	3.7	5.8	6.1	110	--	--
09/03/02	5.87	1.31	4.56	0.00	0.00	2,500	3,200	5.8	2.6	3.5	5.6	84	--	--
12/09/02	5.87	1.51	4.36	0.00	0.00	2,600	3,000	6.3	3.2	3.9	6.1	110	--	--
03/10/03	5.87	2.26	3.61	0.00	0.00	1,500	3,300	11	3.7	5.4	<7.5	150	--	--
06/09/03 <sup>18</sup>	5.87	2.29	3.58	0.00	0.00	2,700	3,500	2	2	3	2	46	--	--
09/08/03 <sup>18</sup>	5.87	1.43	4.44	0.00	0.00	3,000	3,000	3	2	2	3	120	<50	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH			B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)							
<b>MW-9 (cont)</b>														
12/08/03 <sup>18</sup>	5.87	2.21	3.66	0.00	0.00	2,500	2,400	3	3	3	4	560	<50	--
03/09/04 <sup>18</sup>	5.87	2.69	3.18	0.00	0.00	2,500	3,700	2	1	2	2	120	<50	--
06/17/04 <sup>18</sup>	5.87	1.05	4.82	0.00	0.00	2,700	3,100	2	1	2	3	96	<50	--
09/15/04 <sup>18</sup>	5.87	-3.16	9.03	0.00	0.00	2,600	1,200	1	<0.5	<0.5	2	190	<50	--
12/23/04 <sup>18</sup>	5.87	1.38	4.49	0.00	0.00	3,400	2,900	4	4	4	4	93	<50	--
03/24/05 <sup>18</sup>	5.87	3.35	2.52	0.00	0.00	1,500	3,200	16	2	3	3	23	<50	--
06/16/05 <sup>18</sup>	5.87	2.25	3.62	0.00	0.00	1,600	2,300	30	2	2	3	28	<50	--
09/16/05 <sup>18</sup>	5.87	1.09	4.78	0.00	0.00	1,500	1,400	2	0.9	1	2	50	<50	--
12/21/05 <sup>18</sup>	5.87	2.97	2.90	0.00	0.00	1,400 <sup>22</sup>	2,300	2	2	3	3	40	<50	--
03/23/06 <sup>18</sup>	5.87	3.25	2.62	0.00	0.00	1,600	2,900	1	9	6	160	24	<50	--
06/09/06 <sup>18</sup>	5.87	2.06	3.81	0.00	0.00	1,500	1,900	5	1	1	34	32	<50	--
09/05/06 <sup>18</sup>	5.87	0.94	4.93	0.00	0.00	1,700	1,300	1	1	0.9	14	53	<50	--
12/15/06 <sup>18</sup>	5.87	2.68	3.19	0.00	0.00	2,000	2,300	1	1	1	5	43	<50	--
03/01/07 <sup>18</sup>	5.87	2.80	3.07	0.00	0.00	1,700	3,000	1	1	1	4	36	<50	--
06/05/07 <sup>18</sup>	5.87	2.02	3.85	0.00	0.00	1,200	1,900	1	0.6	0.8	2	35	<50	--
09/05/07 <sup>18</sup>	5.87	0.89	4.98	0.00	0.00	1,800	1,400	1	0.8	0.8	3	56	<50	--
<b>12/05/07<sup>18</sup></b>	<b>5.87</b>	<b>1.82</b>	<b>4.05</b>	<b>0.00</b>	<b>0.00</b>	<b>1,800</b>	<b>2,100</b>	<b>1</b>	<b>0.8</b>	<b>1</b>	<b>3</b>	<b>65</b>	<b>93</b>	--
<b>MW-2</b>														
08/20/91	6.27	1.92	4.35	--	--	600	9,300	3,700	55	530	75	--	--	--
09/30/91	6.27	1.28	4.99	--	--	--	3,500	2,600	47	440	68	--	--	--
10/28/91	6.27	1.36	4.91	--	--	--	4,600	1,800	29	290	53	--	--	--
01/08/92	6.27	1.63	4.64	Sheen	--	--	14,000	4,300	70	<25	130	--	--	--
01/13/92	6.27	--	--	--	--	38,000	--	--	--	--	--	--	--	--
06/23/92	6.27	1.63	4.64	0.02	--	--	--	--	--	--	--	--	--	--
08/24/92	6.27	1.34	4.94	0.02	--	--	--	--	--	--	--	--	--	--
09/21/92	6.27	1.20	5.08	0.01	--	--	--	--	--	--	--	--	--	--
10/26/92	6.27	0.34	5.93	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.27	--	--	--	--	160,000	21,000	5,400	59	1,300	160	--	--	--
01/08/93	6.27	2.57	3.70	--	--	--	--	--	--	--	--	--	--	--
03/25/93	6.27	2.89	3.38	Sheen	--	--	--	--	--	--	--	--	--	--
06/11/93	6.27	2.09	4.18	--	--	--	5,900	1,100	23	240	51	--	--	2,300
09/29/93	6.27	0.07	6.20	--	--	--	--	--	--	--	--	--	--	--
12/20/93	6.27	1.94	4.35	0.02	--	--	--	--	--	--	--	--	--	--
03/07/94	6.27	2.60	3.67	--	--	<10	26,000	5,700	170	1,000	150	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)										
<b>MW-2 (cont)</b>															
06/17/94	6.27	2.25	4.02	Sheen	--	--	--	--	--	--	--	--	--	--	--
09/12/94	6.27	1.45	4.83	0.01	--	--	--	--	--	--	--	--	--	--	--
11/30/94	6.27	2.27	4.00	--	--	INACCESSIBLE		--	--	--	--	--	--	--	--
03/24/95	6.27	2.73	4.01	0.59	--	--	--	--	--	--	--	--	--	--	--
06/27/95	6.27	1.71	4.96	0.50	0.013	--	--	--	--	--	--	--	--	--	--
09/28/95	6.27	2.62	4.25	0.75	0.013	--	--	--	--	--	--	--	--	--	--
12/19/95	6.27	1.99	4.76	0.60	0.010	--	--	--	--	--	--	--	--	--	--
02/28/96	6.27	1.99	4.58	0.38	0.008	--	--	--	--	--	--	--	--	--	--
06/25/96	6.27	2.36	4.29	0.47	0.030	--	--	--	--	--	--	--	--	--	--
12/17/96	6.27	2.22	4.16	0.14	--	--	--	--	--	--	--	--	--	--	--
03/31/97	6.27	2.34	4.07	0.18	0.030	--	--	--	--	--	--	--	--	--	--
06/30/97	6.27	2.06	4.32	0.14	0.030	--	--	--	--	--	--	--	--	--	--
09/12/97	6.27	2.00	4.38	0.14	--	--	--	--	--	--	--	--	--	--	--
12/05/97	6.27	2.51	3.78	0.02	--	--	--	--	--	--	--	--	--	--	--
02/16/98	6.27	3.08	3.29	0.12	0.007	--	--	--	--	--	--	--	--	--	--
06/17/98	6.27	2.35	4.00	0.10	0.010	--	--	--	--	--	--	--	--	--	--
08/31/98	6.27	0.65	5.71	0.11	0.008	--	--	--	--	--	--	--	--	--	--
12/28/98	6.27	1.75	4.60	0.10	0.005	--	--	--	--	--	--	--	--	--	--
03/04/99	6.27	2.58	3.73	0.05	0.200	--	--	--	--	--	--	--	--	--	--
DESTROYED															
<b>MW-3</b>															
08/20/91	8.71	0.26	8.45	--	--	200	3,100	200	13	15	12	--	--	--	--
09/30/91	8.71	-0.03	8.74	--	--	--	1,000	150	8.3	13	6.7	--	--	--	--
10/28/91	8.71	-0.05	8.76	--	--	--	1,200	120	6.7	11	7.5	--	--	--	--
01/08/92	8.71	-0.06	8.77	--	--	--	410	120	0.9	4.1	3.4	--	--	--	--
01/13/92	8.71	--	--	--	--	220	--	--	--	--	--	--	--	--	--
06/23/92	8.71	0.03	8.68	--	--	<50	630	43	0.8	8.2	3.4	--	--	--	--
08/24/92	8.71	-0.14	8.85	--	--	--	--	--	--	--	--	--	--	--	--
09/21/92	8.71	-0.23	8.94	--	--	<50	1,800	730	1.4	66	39	--	--	--	--
10/26/92	8.71	-0.36	9.07	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	8.71	--	--	--	--	850	840	270	3.4	15	4.2	--	--	--	--
01/08/93	8.71	1.02	7.69	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	8.71	0.97	7.74	--	--	<10	760	270	4.0	10	5.0	--	--	--	--
06/11/93	8.71	0.19	8.52	--	--	--	200	32	1.0	5.0	2.0	--	--	--	5,600
09/29/93	8.71	2.66	6.05	--	--	--	9,300	2,800	60	270	62	--	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH							MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)			
<b>MW-3 (cont)</b>														
12/20/93	8.71	-0.12	8.83	--	--	<10	460	250	4.0	8.0	4.0	--	--	--
03/07/94	8.71	0.64	8.07	--	--	<10	2,400	260	13	35	18	--	--	--
06/17/94	8.71	0.19	8.52	--	--	<50	1,000	200	4.0	6.6	6.7	--	--	--
09/12/94	8.71	-0.21	8.92	--	--	<50	360	130	3.4	4.8	3.3	130	--	--
11/30/94	8.71	0.58	8.13	--	--	INACCESSIBLE		--	--	--	--	--	--	--
03/24/95	8.71	1.93	6.78	--	--	1,200 <sup>2</sup>	4,100	920	<10	23	<10	70	--	--
06/27/95	8.71	0.49	8.22	--	--	1,000 <sup>2</sup>	3,100	640	16	31	<10	<50	--	--
09/28/95	8.71	-0.14	8.85	--	--	460 <sup>2</sup>	490	78	3.4	4.4	2.4	38	--	--
12/19/95	8.71	0.69	8.02	--	--	650 <sup>2</sup>	2,600	580	<10	25	<10	<50	--	--
02/28/96	8.71	1.16	7.55	--	--	780 <sup>2</sup>	1,500	510	<5.0	9.9	<5.0	<25	--	--
06/25/96	8.71	0.34	8.37	--	--	1,200 <sup>2</sup>	1,300	390	7.8	14	6.5	31	--	--
12/17/96	8.71	0.41	8.30	--	--	1,100 <sup>2</sup>	760	85	<1.2	5.9	5.1	<6.2	--	--
03/31/97	8.71	0.52	8.19	--	--	1,300 <sup>2</sup>	2,000	380	12	24	12	<25	--	--
06/30/97	8.71	0.00	8.71	--	--	620 <sup>2</sup>	1,900	340	9.9	23	6.1	<25	--	--
09/12/97	8.71	1.07	7.64	--	--	400 <sup>2</sup>	1,200	200	4.6	14	4.8	3.9	--	--
12/05/97	8.71	0.46	8.25	--	--	190 <sup>2</sup>	460	72	2.7	5.2	1.7	<5.0	--	--
02/16/98	8.71	1.71	7.00	--	--	1,000 <sup>2</sup>	6,200	1,100	20	34	12	<50	--	--
06/17/98	8.71	0.71	8.00	--	--	1,100 <sup>2</sup>	3,000	350	<10	<10	<10	120	--	--
08/31/98	8.71	0.08	8.63	--	--	790 <sup>2</sup>	430	100	2.6	8.6	6.0	<12	--	--
12/28/98	8.71	-0.02	8.73	--	--	180 <sup>2</sup>	1,400	220	<10	12	<10	<50	--	--
03/04/99	8.71	1.06	7.65	--	--	763 <sup>2</sup>	2,880	355	9.15	19	<5.0	<20	--	--
DESTROYED														
<b>MW-4</b>														
08/20/91	7.37	1.32	5.05	--	--	160	1,800	870	4.0	3.0	9.0	--	--	--
09/30/91	7.37	1.70	5.67	--	--	--	670	830	5.5	2.7	12	--	--	--
10/28/91	7.37	1.56	5.81	--	--	--	2,800	990	5.8	4.8	19	--	--	--
01/08/92	7.37	2.03	5.34	--	--	--	2,900	1,200	10	7.0	18	--	--	--
01/13/92	7.37	--	--	--	--	1,000	--	--	--	--	--	--	--	--
06/23/92	7.37	2.00	5.37	--	--	<50	1,600	380	6.5	3.0	12	--	--	--
08/24/92	7.37	1.62	5.75	--	--	--	--	--	--	--	--	--	--	--
09/21/92	7.37	1.42	5.95	--	--	<50	1,200	480	5.6	3.7	11	--	--	--
10/26/92	7.37	1.41	5.96	--	--	--	--	--	--	--	--	--	--	--
12/23/92	7.37	--	--	--	--	1,800	1,500	700	3.6	3.2	11	--	--	--
01/08/93	7.37	2.73	4.64	--	--	--	--	--	--	--	--	--	--	--
03/25/93	7.37	2.95	4.42	--	--	<10	520	160	3.0	1.0	4.0	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)								
<b>MW-4 (cont)</b>														
06/11/93	7.37	2.25	5.12	--	--	--	1,200	430	5.0	6.0	11	--	--	2,600
09/29/93	7.37	1.57	5.80	--	--	--	1,300	210	8.0	2.0	14	--	--	--
12/20/93	7.37	2.27	5.10	--	--	3,900	570	230	5.0	4.0	8.0	--	--	--
03/07/94	7.37	2.36	5.01	--	--	2,600	2,200	290	18	2.5	11	22,000	--	--
06/17/94	7.37	1.55	5.82	--	--	2,800	2,100	480	11	4.3	9.5	--	--	--
09/12/94	7.37	1.73	5.64	--	--	3,000	1,700	340	6.1	2.7	9.7	63,000	--	--
11/30/94	7.37	1.79	5.58	--	--	INACCESSIBLE		--	--	--	--	--	--	--
03/24/95	7.37	2.42	4.95	--	--	3,000 <sup>2</sup>	1,500	280	<5.0	<5.0	6.9	12,000	--	--
06/27/95	7.37	-1.42	8.79	--	--	3,100 <sup>2</sup>	<10,000	310	<100	<100	<100	32,000	--	--
09/28/95	7.37	1.52	5.85	--	--	6,300 <sup>2</sup>	330	64	1.1	<0.5	<0.5	630	--	--
12/19/95	7.37	1.87	5.50	--	--	3,400 <sup>2</sup>	3,000	520	<25	<25	<25	44,000	--	--
02/28/96	7.37	2.27	5.10	--	--	4,700 <sup>2</sup>	<10,000	230	<100	<100	<100	32,000	--	--
06/25/96	7.37	1.59	5.78	--	--	3,100	<10,000	160	<100	<100	<100	31,000	--	--
12/17/96	7.37	1.42	5.95	--	--	3,600 <sup>3</sup>	<5,000	110	<50	<50	<50	22,000	--	--
03/31/97	7.37	1.75	5.62	--	--	2,700 <sup>2</sup>	<2,500	130	<25	<25	<25	16,000	--	--
06/30/97	7.37	1.34	6.03	--	--	2,700 <sup>2</sup>	<2,500	130	<25	<25	<25	14,000	--	--
09/12/97	7.37	1.68	5.69	--	--	2,100 <sup>2</sup>	<5,000	63	<50	<50	<50	15,000	--	--
12/05/97	7.37	2.22	5.15	--	--	2,600 <sup>2</sup>	1,300	120	<5.0	<5.0	8.5	15,000	--	--
02/16/98	7.37	1.11	6.26	--	--	1,300 <sup>2</sup>	1,200	57	4.5	<2.5	7.0	12,000	--	--
06/17/98	7.37	2.41	4.96	--	--	530 <sup>2</sup>	5,300	390	290	28	150	17,000	--	--
08/31/98	7.37	1.46	5.91	--	--	2,400 <sup>2</sup>	<50	89	<0.5	<0.5	<0.5	14,000/16,000 <sup>4</sup>	--	--
12/28/98	7.37	1.96	5.41	--	--	2,900 <sup>2</sup>	1,000	52	5.6	4.6	9.1	8,400	--	--
03/04/99	7.37	2.17	5.20	--	--	4,490 <sup>2</sup>	<2,500	85.5	40.9	<25	<25	11,400	--	--
DESTROYED														
<b>TRIP BLANK</b>														
08/24/92	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/21/92	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
10/26/92	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
01/08/93	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/11/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/20/93	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/07/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)
					REMOVED (gallons)	TPH-D (ppb)								
<b>TRIP BLANK (cont)</b>														
06/17/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/12/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--
11/30/94	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
03/24/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/27/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
09/28/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/19/95	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
02/28/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
06/25/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
12/17/96	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/31/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/30/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/12/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/05/97	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
02/16/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/17/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
08/31/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/28/98	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/04/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/14/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
09/17/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/20/99	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/20/00	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
06/24/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/07/00	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
12/05/00	--	--	--	--	--	--	<50	<0.500	<0.500	<0.500	<0.500	<2.5	--	--
03/01/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
06/04/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
09/10/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--
<b>QA</b>														
12/03/01	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/04/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
05/30/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/03/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/09/02	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/10/03	--	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	SPH		TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL ♦ (ppb)	TDS (ppb)	
					REMOVED (gallons)											
QA (cont)																
06/09/03 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
09/08/03 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
12/08/03 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
03/09/04 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
06/17/04 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
09/15/04 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
12/23/04 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
03/24/05 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
06/16/05 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
09/16/05 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
12/21/05 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
03/23/06 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
06/09/06 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
09/05/06 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
12/15/06 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
03/01/07 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
06/05/07 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
09/05/07 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--
12/05/07 <sup>18</sup>	--	--	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--



**Table 1**  
**Groundwater Monitoring Data and Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

**EXPLANATIONS:**

Groundwater monitoring data and laboratory analytical results prior to June 24, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

SPHT = Separate Phase Hydrocarbon Thickness

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

TDS = Total Dissolved Solids

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

◆ Ethanol by EPA Method 8260.

<sup>1</sup> Chromatogram pattern indicates a non-diesel mix.

<sup>2</sup> Chromatogram pattern indicates an unidentified hydrocarbon.

<sup>3</sup> Chromatogram pattern indicates an unidentified hydrocarbon and weathered diesel.

<sup>4</sup> Confirmation run.

<sup>5</sup> ORC present in well.

<sup>6</sup> Laboratory report indicates gasoline and unidentified hydrocarbons >10.

<sup>7</sup> Laboratory report indicates gasoline C6-C12.

<sup>8</sup> Laboratory report indicates this sample was analyzed outside of the EPA recommended holding time.

<sup>9</sup> Laboratory report indicates unidentified hydrocarbons C9-C24.

<sup>10</sup> Laboratory report indicates unidentified hydrocarbons C10-C24.

<sup>11</sup> Laboratory report indicates unidentified hydrocarbons >C16.

<sup>12</sup> Laboratory report indicates unidentified hydrocarbons C9-C40.

<sup>13</sup> Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.

<sup>14</sup> Laboratory report indicates weathered gasoline C6-C12.

<sup>15</sup> Laboratory report indicates unidentified hydrocarbons C6-C12.

<sup>16</sup> Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.

<sup>17</sup> Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel. The pattern more closely resembles that of a heavier hydrocarbon mix.

<sup>18</sup> BTEX and MTBE by EPA Method 8260.

<sup>19</sup> Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.

<sup>20</sup> ORC removed from well.

<sup>21</sup> Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil. It elutes in the DRO range later than #2 fuel and also has individual peaks eluting in the DRO range.

<sup>22</sup> Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It contains two patterns in the DRO range, one earlier and one later than #2 fuel.

<sup>23</sup> Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

**Table 2**  
**Dissolved Oxygen Concentrations**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
MW-1	06/24/00 <sup>1</sup>	5.30	--
	09/07/00 <sup>1</sup>	4.02	--
	12/05/00 <sup>1</sup>	3.86	--
	03/01/01 <sup>1</sup>	3.04	--
	06/04/01 <sup>1</sup>	2.70	--
	09/10/01 <sup>1</sup>	2.40	--
	12/03/01 <sup>1</sup>	0.70	--
	03/04/02 <sup>1</sup>	1.10	--
	05/30/02 <sup>1</sup>	0.90	--
	09/03/02 <sup>1</sup>	1.20	--
	12/09/02 <sup>1</sup>	0.90	--
	03/10/03 <sup>1</sup>	1.00	--
	06/09/03 <sup>1</sup>	0.80	--
	09/08/03 <sup>1</sup>	0.60	--
	12/08/03 <sup>1</sup>	2.00	--

**EXPLANATIONS:**

(mg/L) = Milligrams per liter

-- = Not Measured

<sup>1</sup> ORC present in well.

**Table 3**  
**Groundwater Analytical Results**  
Chevron Service Station #9-0121  
3026 Lakeshore Avenue  
Oakland, California

<b>WELL ID</b>	<b>DATE</b>	<b>Total Alkalinity (ppb)</b>	<b>Ferrous Iron (ppb)</b>	<b>Sulfate (ppb)</b>	<b>Nitrate (ppb)</b>
MW-1	12/28/98	390,000	4,900	<1,000	<1,000
MW-3	12/28/98	980,000	4,500	390,000	<1,000
MW-4	12/28/98	670,000	3,500	6,800	<1,000
MW-5	12/28/98	480,000	15	51,000	<1,000
MW-6	12/28/98	2,400,000	810	110,000	<1,000
MW-7	12/28/98	350,000	12,000	79,000	<1,000
MW-8	12/28/98	1,100,000	45	87,000	<1,000

**EXPLANATIONS:**

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

(ppb) = Parts per billion

## STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hill, California.



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: Kyle E

Well ID: MW-1 Date Monitored: 12/5/07 Well Condition: Seewcs 9  
 Well Diameter: 210 in.  
 Total Depth: 19.34 ft.  
 Depth to Water: 5.02 ft.  
14.32 xVF .66 = 9 x3 case volume = Estimated Purge Volume: 27 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump  \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer  \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1050 Weather Conditions: Sunny  
 Sample Time/Date: 12/5/07 Water Color: Cloudy Odor: yes  
 Purging Flow Rate: 3 gpm. Sediment Description: light  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1053</u>	<u>9</u>	<u>6.28</u>	<u>493</u>	<u>19.1</u>		
<u>1056</u>	<u>18</u>	<u>6.21</u>	<u>505</u>	<u>19.4</u>		
<u>1059</u>	<u>27</u>	<u>6.24</u>	<u>521</u>	<u>19.6</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1	6 x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	2x 500ml ambers	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121  
 Site Address: 3026 Lakeshore Avenue  
 City: Oakland, CA

Job Number: 386462  
 Event Date: 12/5/07 (inclusive)  
 Sampler: Hylee

Well ID: MW-2A  
 Well Diameter: 2.4 in.  
 Total Depth: 10.70 ft.  
 Depth to Water: 5.28 ft.

Date Monitored: 12/5/07 Well Condition: sewer

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

11.42 xVF .17 = 1.94 x3 case volume= Estimated Purge Volume: 5.8 gal.

Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1135 Weather Conditions: Sunny  
 Sample Time/Date: 1200 / 12/5/07 Water Color: Cloudy Odor: yes  
 Purging Flow Rate: .5 gpm. Sediment Description: moderate  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1139</u>	<u>2</u>	<u>6.50</u>	<u>2231</u>	<u>20.5</u>		
<u>1143</u>	<u>4</u>	<u>6.65</u>	<u>2406</u>	<u>20.7</u>		
<u>1147</u>	<u>6</u>	<u>6.71</u>	<u>2516</u>	<u>20.9</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2A</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)</u>
	<u>2x 500ml ambers</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D(8015)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121  
 Site Address: 3026 Lakeshore Avenue  
 City: Oakland, CA

Job Number: 386462  
 Event Date: 12/5/07 (inclusive)  
 Sampler: Kyle E.

Well ID: MW-3A Date Monitored: 12/5/07 Well Condition: See Log  
 Well Diameter: 2.4 in.  
 Total Depth: 18.04 ft.  
 Depth to Water: 8.71 ft.  
9.33 x VF .17 = 1.58 x3 case volume = Estimated Purge Volume: 4.7 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 12:15 Weather Conditions: Sunny  
 Sample Time/Date: 12:40 / 12/5/07 Water Color: cloudy Odor: yes  
 Purging Flow Rate: .5 gpm. Sediment Description: 1.5 lit  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>12:18</u>	<u>1.5</u>	<u>6.48</u>	<u>3257</u>	<u>20.1</u>	_____	_____
<u>12:21</u>	<u>3</u>	<u>6.43</u>	<u>3316</u>	<u>20.3</u>	_____	_____
<u>12:26</u>	<u>5</u>	<u>6.39</u>	<u>3358</u>	<u>20.6</u>	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3A</u>	<u>6 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)</u>
	<u>2 x 500ml ambers</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-D(8015)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: Kyle E.

Well ID: MW-4A Date Monitored: 12/5/07 Well Condition: see well log  
 Well Diameter: 2.4 in.  
 Total Depth: 18.55 ft.  
 Depth to Water: 6.12 ft.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

12.43 xVF .17 = 2.1 x3 case volume = Estimated Purge Volume: 6.3 gal.  
 Check if water column is less than 0.50 ft.

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1250 Weather Conditions: Sunny  
 Sample Time/Date: 1320 / 12/5/07 Water Color: Cloudy Odor: Yes  
 Purging Flow Rate: .5 gpm. Sediment Description: light  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1254</u>	<u>2</u>	<u>6.63</u>	<u>2665</u>	<u>20.6</u>		
<u>1259</u>	<u>4</u>	<u>6.58</u>	<u>2734</u>	<u>20.8</u>		
<u>1306</u>	<u>6.5</u>	<u>6.52</u>	<u>2766</u>	<u>21.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-4A	6 vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	2x 500ml ambers	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_  
 Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: Kyle E.

Well ID: MW-5 Date Monitored: 12/5/07 Well Condition: SECURE  
 Well Diameter: 2 1/4 in. Total Depth: 32.78 ft. Depth to Water: 10.65 ft.  
 Volume Factor (VF) table:  

3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume= Estimated Purge Volume: \_\_\_\_\_ gal.

Check if water column is less than 0.50 ft.

**Purge Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft.  
 Depth to Water: \_\_\_\_\_ ft.  
 Hydrocarbon Thickness: \_\_\_\_\_ ft.  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: 12/5/07 Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION					ANALYSES
SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	
MW-	x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	x 500ml ambers	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_  
 Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: KyPE.

Well ID: MW-6 Date Monitored: 12/5/07 Well Condition: SPWCSS

Well Diameter: 214 in.  
 Total Depth: 1826 ft.  
 Depth to Water: 5.58 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

         xVF          =          x3 case volume= Estimated Purge Volume:          gal.  
 Check if water column is less than 0.50 ft.

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_ Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	x 500ml ambers	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_ *m/o*

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: Kyle E

Well ID: MW- 7 Date Monitored: 12/5 Well Condition: \_\_\_\_\_  
 Well Diameter: 2 1/4 in.  
 Total Depth: \_\_\_\_\_ ft.  
 Depth to Water: \_\_\_\_\_ ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume= Estimated Purge Volume: \_\_\_\_\_ gal.  
 Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_

Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date: \_\_\_\_\_ / \_\_\_\_\_ Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature ( C / F )	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x vva vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	x 500ml ambers	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_

*Destroyed*

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: Kyle E.

Well ID: MW-8 Date Monitored: 12/5/07 Well Condition: see well log  
 Well Diameter: 21.4 in.  
 Total Depth: 25.16 ft.  
 Depth to Water: 7.17 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

         xVF          =          x3 case volume= Estimated Purge Volume:          gal.  
 Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: \_\_\_\_\_  
 Sample Time/Date:          /          Water Color: \_\_\_\_\_ Odor: \_\_\_\_\_  
 Purging Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	x 500ml ambers	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_

*M/O*

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: Chevron #9-0121 Job Number: 386462  
 Site Address: 3026 Lakeshore Avenue Event Date: 12/5/07 (inclusive)  
 City: Oakland, CA Sampler: Kyle E

Well ID: MW- 9 Date Monitored: 12/5/07 Well Condition: See well  
 Well Diameter: 2 1/4 in.  
 Total Depth: 15.59 ft.  
 Depth to Water: 4.05 ft.  
11.54 xVF 0.17 = 1.9 x3 case volume = Estimated Purge Volume: 5.8 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1015 Weather Conditions: Sunny  
 Sample Time/Date: 1040 / 12/5/07 Water Color: Clear Odor: Yes  
 Purging Flow Rate: -5 gpm. Sediment Description: Clear  
 Did well de-water? no If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1018</u>	<u>2</u>	<u>6.52</u>	<u>572</u>	<u>17.8</u>		
<u>1022</u>	<u>4</u>	<u>6.47</u>	<u>585</u>	<u>18.2</u>		
<u>1026</u>	<u>6</u>	<u>6.43</u>	<u>598</u>	<u>18.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>9</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2x 500ml ambers</u>	YES	NP	LANCASTER	TPH-D(8015)

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_

Add/Replaced Plug: \_\_\_\_\_ Size: \_\_\_\_\_

# Chevron California Region Analysis Request/Chain of Custody



12 05 07-06

For Lancaster Laboratories use only  
 Acct. #: 10904 Sample # 5229225-30 Group #: 000354

1068467

Facility #: SS#9-0121-OML G-R#386462 Global ID#T0600100328  
 Site Address: 3026 LAKESHORE AVENUE, OAKLAND, CA  
 Chevron PM: SS CRACE  
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568  
 Consultant Prj. Mgr.: Deanne L. Harding (deanna@gmnc.com)  
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899  
 Sampler: Kyle E. Staud

Matrix		Analyses Requested														
Soil	Water	Oil	Air	Preservation Codes							Preservative Codes					
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	H	H											
				Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method	H = HCl T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other		
				8021										<input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits		

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method
QA	12/5/07		X		X	X			2	X	X							
MW-1		1115	X		X	X			2	X	X	X						X
MW-2A		1200	X		X	X			2	X	X	X						X
MW-3A		1240	X		X	X			2	X	X	X						X
MW-4A		1320	X		X	X			2	X	X	X						X
MW-9		1040	X		X	X			2	X	X	X						X

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)  
 SD. TAT 72 hour 48 hour  
 24 hour 4 day 5 day

Data Package Options (please circle if required)  
 QC Summary Type I - Full  
 Type VI (Raw Data)  Coelt Deliverable not needed  
 WIP (RWQCB)  
 Disk

Relinquished by: <i>[Signature]</i>	Date: 12/5/07	Time: 1500	Received by: <i>[Signature]</i>	Date: 12-5-07	Time: 1500
Relinquished by: <i>[Signature]</i>	Date: 05 DECEMBER	Time: 1638	Received by: DHL	Date:	Time:
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
Relinquished by Commercial Carrier: UPS	FedEx	Other: DHL	Received by: <i>[Signature]</i>	Date: 12-6-07	Time: 0955
Temperature Upon Receipt: 90-3.5	C°		Custody Seals Intact? Yes	No	

## ANALYTICAL RESULTS

Prepared for:

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories  
2425 New Holland Pike  
Lancaster, PA 17605-2425

GETTLER RYAN INC.  
GENERAL CONTRACTORS

## SAMPLE GROUP

The sample group for this submittal is 1068467. Samples arrived at the laboratory on Thursday, December 06, 2007. The PO# for this group is 0015014975 and the release number is SINHA.

### Client Description

QA-T-071205 NA Water  
MW-1-W-071205 Grab Water  
MW-2A-W-071205 Grab Water  
MW-3A-W-071205 Grab Water  
MW-4A-W-071205 Grab Water  
MW-9-W-071205 Grab Water

### Lancaster Labs Number

5229225  
5229226  
5229227  
5229228  
5229229  
5229230

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen

Questions? Contact your Client Services Representative  
Angela M Miller at (717) 656-2300

Respectfully Submitted,



Valerie L. Tomayko  
Group Leader



Lancaster Laboratories Sample No. WW 5229225

QA-T-071205 NA Water  
 Facility# 90121 Job# 386462 GRD  
 3026 Lakeshore Ave-Oakland T0600100328 QA  
 Collected:12/05/2007

Account Number: 10904

Submitted: 12/06/2007 09:55  
 Reported: 12/28/2007 at 14:47  
 Discard: 01/28/2008

Chevron  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

LKSHQ  
 I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	12/10/2007 17:30	K. Robert Caulfeild-James	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	12/12/2007 03:57	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/10/2007 17:30	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/12/2007 03:57	Michael A Ziegler	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW 5229226**

MW-1-W-071205 Grab Water  
 Facility# 90121 Job# 386462 GRD  
 3026 Lakeshore Ave-Oakland T0600100328 MW-1  
 Collected: 12/05/2007 11:15 by KE

Account Number: 10904

Submitted: 12/06/2007 09:55  
 Reported: 12/28/2007 at 14:47  
 Discard: 01/28/2008

Chevron  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

LKS-1  
 I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	2,400.	50.	ug/l	1
06609	TPH-DRO (Waters)	n.a.	1,200.	58.	ug/l	2
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	150.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	97.	0.5	ug/l	1
05401	Benzene	71-43-2	58.	0.5	ug/l	1
05407	Toluene	108-88-3	6.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	7.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	7.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	12/12/2007 13:46	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	12/18/2007 13:26	Mark E McNulty	2
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/13/2007 01:41	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/12/2007 13:46	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/13/2007 01:41	Michael A Ziegler	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	12/10/2007 07:00	Mariam G Attalla	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. **WW 5229227**

MW-2A-W-071205 Grab Water  
 Facility# 90121 Job# 386462 GRD  
 3026 Lakeshore Ave-Oakland T0600100328 MW-2A  
 Collected: 12/05/2007 12:00 by KE

Account Number: 10904

Submitted: 12/06/2007 09:55  
 Reported: 12/28/2007 at 14:47  
 Discard: 01/28/2008

Chevron  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

LKS2A  
 I SE w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	530.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	2,000.	60.	ug/l	2
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	100.	ug/l	2
02010	Methyl Tertiary Butyl Ether	1634-04-4	3,400.	5.	ug/l	10
05401	Benzene	71-43-2	2.	1.	ug/l	2
05407	Toluene	108-88-3	N.D.	1.	ug/l	2
05415	Ethylbenzene	100-41-4	N.D.	1.	ug/l	2
06310	Xylene (Total)	1330-20-7	2.	1.	ug/l	2

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	12/11/2007 02:55	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	2	12/18/2007 13:51	Diane V Do	2
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/13/2007 02:04	Michael A Ziegler	2
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/13/2007 02:27	Michael A Ziegler	10
01146	GC VOA Water Prep	SW-846 5030B	1	12/11/2007 02:55	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/13/2007 02:04	Michael A Ziegler	2
01163	GC/MS VOA Water Prep	SW-846 5030B	2	12/13/2007 02:27	Michael A Ziegler	10
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	12/10/2007 07:00	Mariam G Attalla	1

Lancaster Laboratories Sample No. **WW 5229228**

MW-3A-W-071205 Grab Water  
 Facility# 90121 Job# 386462 GRD  
 3026 Lakeshore Ave-Oakland T0600100328 MW-3A  
 Collected: 12/05/2007 12:40 by KE

Account Number: 10904

Submitted: 12/06/2007 09:55  
 Reported: 12/28/2007 at 14:47  
 Discard: 01/28/2008

Chevron  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

LKS3A  
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06609	TPH-DRO (Waters)	n.a.	110.	50.	ug/l	1
Due to extraneous peaks, the method blank associated with this sample contained a DRO concentration of 40 ug/l. The result for the method blank associated with a reextraction of the sample is acceptable. The hold time had expired prior to the reextraction so all results are reported from the original extract. Similar results were obtained in both extracts.						
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	30.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	12/11/2007	03:25	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	12/16/2007	03:40	Diane V Do	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/13/2007	02:49	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/11/2007	03:25	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/13/2007	02:49	Michael A Ziegler	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	12/10/2007	07:00	Mariam G Attalla	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5229229

MW-4A-W-071205 Grab Water  
 Facility# 90121 Job# 386462 GRD  
 3026 Lakeshore Ave-Oakland T0600100328 MW-4A  
 Collected: 12/05/2007 13:20 by KE

Account Number: 10904

Submitted: 12/06/2007 09:55  
 Reported: 12/28/2007 at 14:47  
 Discard: 01/28/2008

Chevron  
 6001 Bollinger Canyon Rd L4310  
 San Ramon CA 94583

LKS4A  
 I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	1,300.	250.	ug/l	5
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO (Waters)	n.a.	2,100.	60.	ug/l	2
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	82.	0.5	ug/l	1
05401	Benzene	71-43-2	3.	0.5	ug/l	1
05407	Toluene	108-88-3	3.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	3.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	12/11/2007	00:28	K. Robert Caulfeild-James	5
06609	TPH-DRO (Waters)	SW-846 8015B	1	12/18/2007	14:40	Mark E McNulty	2
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/13/2007	03:59	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/11/2007	00:28	K. Robert Caulfeild-James	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/13/2007	03:59	Michael A Ziegler	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	12/10/2007	07:00	Mariam G Attalla	1



# Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5229230

MW-9-W-071205 Grab Water  
Facility# 90121 Job# 386462 GRD  
3026 Lakeshore Ave-Oakland T0600100328 MW-9  
Collected:12/05/2007 10:40 by KE

Account Number: 10904

Submitted: 12/06/2007 09:55  
Reported: 12/28/2007 at 14:47  
Discard: 01/28/2008

Chevron  
6001 Bollinger Canyon Rd L4310  
San Ramon CA 94583

LKS-9  
I 5E w

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	2,100.	50.	ug/l	1
06609	TPH-DRO (Waters)	n.a.	1,800.	310.	ug/l	10
06067	BTEX, MTBE, ETOH					
01587	Ethanol	64-17-5	93.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	65.	0.5	ug/l	1
05401	Benzene	71-43-2	1.	0.5	ug/l	1
05407	Toluene	108-88-3	0.8	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	1.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	3.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

## Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	SW-846 8015B modified	1	12/11/2007 03:55	K. Robert Caulfeild-James	1
06609	TPH-DRO (Waters)	SW-846 8015B	1	12/18/2007 14:16	Mark E McNulty	10
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	12/13/2007 04:22	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/11/2007 03:55	K. Robert Caulfeild-James	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/13/2007 04:22	Michael A Ziegler	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	12/10/2007 07:00	Mariam G Attalla	1

## Quality Control Summary

 Client Name: Chevron  
 Reported: 12/28/07 at 02:47 PM

Group Number: 1068467

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

### Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 073420025A TPH-DRO (Waters)	Sample number(s): 5229226-5229230 40.	29.	ug/l	86	90	63-119	4	20
Batch number: 07343A08A TPH-GRO - Waters	Sample number(s): 5229225, 5229227-5229230 N.D.	50.	ug/l	114	115	75-135	1	30
Batch number: 07345A08A TPH-GRO - Waters	Sample number(s): 5229226 N.D.	50.	ug/l	118	105	75-135	11	30
Batch number: D073453AA Methyl Tertiary Butyl Ether	Sample number(s): 5229225 N.D.	0.5	ug/l	99		73-119		
Benzene	N.D.	0.5	ug/l	100		78-119		
Toluene	N.D.	0.5	ug/l	106		85-115		
Ethylbenzene	N.D.	0.5	ug/l	103		82-119		
Xylene (Total)	N.D.	0.5	ug/l	105		83-113		
Batch number: D073464AA Ethanol	Sample number(s): 5229226-5229230 N.D.	50.	ug/l	96		31-166		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		73-119		
Benzene	N.D.	0.5	ug/l	101		78-119		
Toluene	N.D.	0.5	ug/l	105		85-115		
Ethylbenzene	N.D.	0.5	ug/l	103		82-119		
Xylene (Total)	N.D.	0.5	ug/l	101		83-113		

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 07343A08A TPH-GRO - Waters	Sample number(s): 5229225, 5229227-5229230 128		63-154			UNSPK: P229150			
Batch number: 07345A08A TPH-GRO - Waters	Sample number(s): 5229226 124		63-154			UNSPK: P231228			
Batch number: D073453AA Methyl Tertiary Butyl Ether	Sample number(s): 5229225 98		69-127	1	30	UNSPK: P229140			
Benzene	106	104	83-128	2	30				
Toluene	110	108	83-127	1	30				
Ethylbenzene	107	106	82-129	1	30				
Xylene (Total)	109	108	82-130	1	30				
Batch number: D073464AA	Sample number(s): 5229226-5229230 UNSPK: 5229228								

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: Chevron  
Reported: 12/28/07 at 02:47 PM

Group Number: 1068467

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Ethanol	120	98	32-164	20	30				
Methyl Tertiary Butyl Ether	92	97	69-127	2	30				
Benzene	101	105	83-126	4	30				
Toluene	107	110	83-127	2	30				
Ethylbenzene	105	108	82-129	3	30				
Xylene (Total)	102	105	82-130	4	30				

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-DRO (Waters)  
Batch number: 073420025A  
Orthoterphenyl

---

5229226	94
5229227	95
5229228	102
5229229	84
5229230	85
Blank	94
LCS	106
LCSD	112

---

Limits: 59-131

Analysis Name: TPH-GRO - Waters  
Batch number: 07343A08A  
Trifluorotoluene-F

---

5229225	88
5229227	115
5229228	89
5229229	93
5229230	127
Blank	88
LCS	92
LCSD	92
MS	91

---

Limits: 63-135

Analysis Name: TPH-GRO - Waters  
Batch number: 07345A08A  
Trifluorotoluene-F

---

5229226	145*
Blank	92
LCS	96

---

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



## Quality Control Summary

Client Name: Chevron  
Reported: 12/28/07 at 02:47 PM

Group Number: 1068467

### Surrogate Quality Control

LCSD 93  
MS 103

Limits: 63-135

Analysis Name: BTEX+MTBE by 8260B  
Batch number: D073453AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5229225	89	88	93	99
Blank	91	93	94	99
LCS	87	88	94	107
MS	87	87	92	107
MSD	86	85	93	105

Limits: 80-116

77-113

80-113

78-113

Analysis Name: BTEX, MTBE, ETOH  
Batch number: D073464AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5229226	87	81	97	109
5229227	90	87	99	106
5229228	91	88	95	101
5229229	88	87	97	109
5229230	88	84	99	112
Blank	93	91	102	107
LCS	87	86	96	109
MS	89	85	96	111
MSD	90	87	98	111

Limits: 80-116

77-113

80-113

78-113

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>N.D.</b>	none detected	<b>BMQL</b>	Below Minimum Quantitation Level
<b>TNTC</b>	Too Numerous To Count	<b>MPN</b>	Most Probable Number
<b>IU</b>	International Units	<b>CP Units</b>	cobalt-chloroplatinate units
<b>umhos/cm</b>	micromhos/cm	<b>NTU</b>	nephelometric turbidity units
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>Cal</b>	(diet) calories	<b>lb.</b>	pound(s)
<b>meq</b>	milliequivalents	<b>kg</b>	kilogram(s)
<b>g</b>	gram(s)	<b>mg</b>	milligram(s)
<b>ug</b>	microgram(s)	<b>l</b>	liter(s)
<b>ml</b>	milliliter(s)	<b>ul</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>fib &gt;5 um/ml</b>	fibers greater than 5 microns in length per ml
<b>&lt;</b>	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
<b>&gt;</b>	greater than		
<b>ppm</b>	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

### U.S. EPA data qualifiers:

#### Organic Qualifiers

<b>A</b>	TIC is a possible aldol-condensation product
<b>B</b>	Analyte was also detected in the blank
<b>C</b>	Pesticide result confirmed by GC/MS
<b>D</b>	Compound quantitated on a diluted sample
<b>E</b>	Concentration exceeds the calibration range of the instrument
<b>J</b>	Estimated value
<b>N</b>	Presumptive evidence of a compound (TICs only)
<b>P</b>	Concentration difference between primary and confirmation columns >25%
<b>U</b>	Compound was not detected
<b>X,Y,Z</b>	Defined in case narrative

#### Inorganic Qualifiers

<b>B</b>	Value is <CRDL, but ≥IDL
<b>E</b>	Estimated due to interference
<b>M</b>	Duplicate injection precision not met
<b>N</b>	Spike amount not within control limits
<b>S</b>	Method of standard additions (MSA) used for calculation
<b>U</b>	Compound was not detected
<b>W</b>	Post digestion spike out of control limits
<b>*</b>	Duplicate analysis not within control limits
<b>+</b>	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

**WARRANTY AND LIMITS OF LIABILITY** – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.